

APPROVED BY OMB: NO. 3150-0013 EXPIRES: 07/31/2002
 Estimated burden per response to comply with this mandatory collection request: 15 minutes. This notification is required so that NRC may schedule inspection of the activities to ensure that they are conducted in accordance with requirements for protection of the public health and safety. Send comments regarding burden estimate to the Records Management Branch (T-6 E6), U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, or by internet e-mail to bjs1@nrc.gov, and to the Desk Officer, Office of Information and Regulatory Affairs, NEOB-10202, (3150-0013), Office of Management and Budget, Washington, DC 20503. If a means used to impose an information collection does not display a currently valid OMB control number, the NRC may not conduct or sponsor, and a person is not required to respond to, the information collection.

REPORT OF PROPOSED ACTIVITIES IN NON-AGREEMENT STATES, AREAS OF EXCLUSIVE FEDERAL JURISDICTION, OR OFFSHORE WATERS

(Please read the instructions before completing this form)

1. NAME OF LICENSEE (Person or firm proposing to conduct the activities described below)
LARRY M. JACOBS AND ASSOCIATES

2. TYPE OF REPORT
 INITIAL REVISION CLARIFICATION

3. ADDRESS OF LICENSEE (Mailing address or other location where licensee may be located)
**328 EAST GADSDEN STREET
 PENSACOLA, FL 32501**

4. LICENSEE CONTACT AND TITLE
TIM EARLE, RSO

5. TELEPHONE NUMBER (Include Area Code) 6. FACSIMILE NUMBER (Include Area Code)
(850) 434-0846 (850) 433-7027

7. ACTIVITIES TO BE CONDUCTED UNDER THE GENERAL LICENSE GIVEN IN 10 CFR 150.20

WELL LOGGING LEAK TESTING AND/OR CALIBRATIONS TELE THERAPY/IRRADIATOR SERVICE

PORTABLE GAUGES OTHER (Specify) ⇒ _____

RADIOGRAPHY ⇒ _____ REGISTERED AS USER OF PACKAGING (CERTIFICATES OF COMPLIANCE NUMBERS)

8. CLIENT NAME, ADDRESS, CITY/COUNTY, STATE, ZIP CODE
*** PLEASE SEE ATTACHED
 PROPOSED PROJECT LIST FROM
 EGLIN AFB CIVIL ENGINEERING
 OFFICE FOR THE YEAR 2,000**

9. ACTUAL PHYSICAL ADDRESS OF WORK LOCATION (Street and Number or other location. Give as complete an address or directions as possible.)

10. CLIENT TELEPHONE NUMBER (Include Area Code) 11. WORK LOCATION TELEPHONE NUMBER (Include Area Code)

12. DATES SCHEDULED		13. NUMBER OF WORK DAYS	14. ADD	15. DELETE	16. LOCATION REFERENCE NUMBER
FROM	TO				NUMBER TO BE ASSIGNED BY NRC

LIST ADDITIONAL WORK SITES ON SEPARATE SHEET(S) TO INCLUDE ALL INFORMATION CONTAINED IN ITEMS 9-16 ABOVE.

17. LIST RADIOACTIVE MATERIAL, WHICH WILL BE POSSESSED, USED, INSTALLED, SERVICED, OR TESTED (Include description of type and quantity of radioactive material, sealed sources, or devices to be used.)
*** DESCRIBED ON LICENSE**

18. AGREEMENT STATE SPECIFIC LICENSE WHICH AUTHORIZES THE UNDERSIGNED TO CONDUCT ACTIVITIES WHICH ARE THE SAME, EXCEPT FOR LOCATION OF USE, AS SPECIFIED IN ITEM 9 ABOVE. (Four copies of the specific license must accompany the initial NRC Form 241.)

LICENSE NUMBER	STATE	EXPIRATION DATE
1508-2	FL	3. 31. 2003

19. CERTIFICATION (MUST BE COMPLETED BY APPLICANT)

I, THE UNDERSIGNED, HEREBY CERTIFY THAT:

- a. All information in this report is true and complete.
- b. I have read and understand the provision of the general license 10 CFR 150.20 reprinted on the instructions of this form; and I understand that I am required to comply with these provisions as to all byproduct, source, or special nuclear material which I possess and use in non-Agreement States or offshore waters under the general license for which this report is filed with the U.S. Nuclear Regulatory Commission.
- c. I understand that activities, including storage, conducted in non-Agreement States under general license 10 CFR 150.20 are limited to a total of 180 days in calendar year. With the exception of work conducted in off-shore waters, which is authorized for an unlimited period of time in the calendar year.
- d. I understand that I may be inspected by NRC at the above listed work site locations and at the Licensee home office address for activities performed in non-Agreement States or offshore waters.
- e. I understand that conduct of any activities not described above, including conduct of activities on dates or locations different from those described above or without NRC authorization, may subject me to enforcement action, including civil or criminal penalties.

CERTIFYING OFFICER - RSO or Management Representative (Name and Title) TIM EARLE, RSO	SIGNATURE 	DATE 1.5.00
---	---------------	-----------------------

WARNING: False statements in this certificate may be subject to civil and/or criminal penalties. NRC regulations require that submissions to the NRC be complete and accurate in all material respects. 18 U.S.C. Section 1001 makes it a criminal offense to make a willfully false statement or representation to any department or agency of the United States as to any matter within its jurisdiction.

FOR NRC USE ONLY	REVIEWING OFFICIAL (Typed/Printed Name and Title)	SIGNATURE	DATE	TOTAL USAGE -- DAYS TO DATE

LARRY M. JACOBS AND ASSOCIATES, INC.

206 Stokes Avenue, Ft. Walton Beach, FL 32548

Phone (850) 244-6693 Fax (850) 244-4296

Tim Earle, Branch Manager

328 East Gadsden Street, Pensacola, FL 32501

Phone (850) 434-0846 / Fax (850) 433-7027

Tim Earle, Radiation Safety Officer

LICENSE NO. FL 1508-2

Accumulative Days Used in 2000: _____

FAXED CORRESPONDENCE

TO: David J. Collins, Health Physicist
Materials Licensing/Inspection Branch 2
Division of Nuclear Materials Safety
61 Forsyth Street., SW, Suite 23T85
Atlanta, GA 30303-3415

PHONE: (404) 562-4735

FAX PHONE: (404) 562-4955

REMARKS: FOR YOUR REVIEW. PLEASE CONFIRM ASAP.

SUBJECT: DAILY AGENDA SCHEDULE WITH LRN REFERENCE FOR USE OF PDG

This letter forwards our proposed itinerary for the intended usage of portable density gauge transportation and soil testing activities on this date: _____

LOCATION / SITE	LRN #	USAGE DATE	TIME (if known)

REQUEST SUBMITTED BY

DATE / TIME FAX SENT

AUTHORIZED SIGNATURE NRC

DATE / TIME

ACKNOWLEDGED BY NRC

FAX APPROVAL TO (850) 244-4296

**STATE OF FLORIDA
DEPARTMENT OF HEALTH
BUREAU OF RADIATION CONTROL**

RADIOACTIVE MATERIALS LICENSE

Pursuant to Chapter 404, Florida Statutes, and Chapter 64E-5, Florida Administrative Code (F.A.C.), and in reliance on statements and representations heretofore made by the licensee designated below, a license is hereby issued authorizing such licensee to receive, acquire, possess and transfer the radioactive material(s) designated below and to use such radioactive material(s) for the purpose(s) and at the place(s) designated below. This license is subject to all applicable rules, regulations and orders of the state of Florida, Department of Health now or hereafter in effect and to any conditions specified below.

<p style="text-align: center;">Licensee</p> <p>1. Name: LARRY M. JACOBS AND ASSOCIATES, INC.</p>	<p>3. License Number: 1508-2</p> <p>is hereby renewed in its entirety, with reference to application dated 2/9/1998.</p>															
<p>2. Address: 328 East Gadsden Street Pensacola, FL 32501</p>	<p>4. Expiration Date: 03/31/2003</p> <p>5. Category: 3L(I)</p>															
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 33%; text-align: left;">6. Radioactive Material (element and mass number)</th> <th style="width: 33%; text-align: left;">7. Chemical And/Or Physical Form</th> <th style="width: 33%; text-align: left;">8. Maximum Quantity Licensee May Possess At Any One Time</th> </tr> </thead> <tbody> <tr> <td>A. Cesium 137</td> <td>A. Sealed source (Troxler Electronic Laboratories, Inc. Drawing Number A-102112)</td> <td>A. 1 source not to exceed 9 millicuries</td> </tr> <tr> <td>B. Americium 241: beryllium</td> <td>B. Sealed source (Troxler Electronic Laboratories, Inc. Drawing Number A-102451)</td> <td>B. 1 source not to exceed 44 millicuries</td> </tr> <tr> <td>C. Cesium 137</td> <td>C. Sealed source (Boart Longyear Company CPN Products [formerly CPN Co.] Model CPN-131)</td> <td>C. 1 source not to exceed 10 millicuries</td> </tr> <tr> <td>D. Americium 241: beryllium</td> <td>D. Sealed source (Boart Longyear Company CPN Products [formerly CPN Co.] Model CPN-131)</td> <td>D. 1 source not to exceed 50 millicuries</td> </tr> </tbody> </table>		6. Radioactive Material (element and mass number)	7. Chemical And/Or Physical Form	8. Maximum Quantity Licensee May Possess At Any One Time	A. Cesium 137	A. Sealed source (Troxler Electronic Laboratories, Inc. Drawing Number A-102112)	A. 1 source not to exceed 9 millicuries	B. Americium 241: beryllium	B. Sealed source (Troxler Electronic Laboratories, Inc. Drawing Number A-102451)	B. 1 source not to exceed 44 millicuries	C. Cesium 137	C. Sealed source (Boart Longyear Company CPN Products [formerly CPN Co.] Model CPN-131)	C. 1 source not to exceed 10 millicuries	D. Americium 241: beryllium	D. Sealed source (Boart Longyear Company CPN Products [formerly CPN Co.] Model CPN-131)	D. 1 source not to exceed 50 millicuries
6. Radioactive Material (element and mass number)	7. Chemical And/Or Physical Form	8. Maximum Quantity Licensee May Possess At Any One Time														
A. Cesium 137	A. Sealed source (Troxler Electronic Laboratories, Inc. Drawing Number A-102112)	A. 1 source not to exceed 9 millicuries														
B. Americium 241: beryllium	B. Sealed source (Troxler Electronic Laboratories, Inc. Drawing Number A-102451)	B. 1 source not to exceed 44 millicuries														
C. Cesium 137	C. Sealed source (Boart Longyear Company CPN Products [formerly CPN Co.] Model CPN-131)	C. 1 source not to exceed 10 millicuries														
D. Americium 241: beryllium	D. Sealed source (Boart Longyear Company CPN Products [formerly CPN Co.] Model CPN-131)	D. 1 source not to exceed 50 millicuries														

License Number: 1508-2	HQ COPY	Category: 3L(I)
Amendment No: 2		
Control Number: 860210-0168	Page 1 of 4 Page(s)	Expiration Date: 03/31/2003

**STATE OF FLORIDA
DEPARTMENT OF HEALTH
BUREAU OF RADIATION CONTROL**

6.	Radioactive Material (element and mass number)	7.	Chemical And/Or Physical Form	8.	Maximum Quantity Licensee May Possess At Any One Time
----	--	----	-------------------------------	----	--

E.	Cesium 137	E.	Sealed source (Humboldt Scientific, Inc. Drawing No. 2200064)	E.	1 source not to exceed 11 millicuries
F.	Americium 241: beryllium	F.	Sealed source (Humboldt Scientific, Inc. Drawing No. 2200067)	F.	1 source not to exceed 44 millicuries

9. Authorized Use

- A. and B. To be used in Troxler Electronic Laboratories, Inc. Model 3400 Series moisture/density gauges to measure properties of construction materials or soils.
- C. and D. To be used in Boart Longyear Company CPN Products (formerly CPN Company) Model MC Series moisture/density gauges to measure properties of construction materials or soils.
- E. and F. To be used in Humboldt Scientific, Inc. Model 5001 moisture/density gauges to measure properties of construction materials or soils.

CONDITIONS

10. A. The authorized place of use shall be temporary job sites of the licensee throughout the state of Florida. This condition does not prohibit use in other agreement states and states under the jurisdiction of the U.S. Nuclear Regulatory Commission (NRC) under reciprocity which has been approved by an agreement state or the NRC.
- B. The authorized place of storage shall be at licensee's facility located at 406 Stokes Avenue, Suite 2A, Fort Walton Beach, Florida 32548.
11. Failure to comply with the provisions of this license is a felony of the third degree pursuant to section 404.161, Florida Statutes. Also, violations may warrant an administrative fine of up to \$1,000.00 per violation per day, pursuant to section 404.162, Florida Statutes.
12. A. Licensed materials shall be used by, or under the supervision and in the physical presence of, individuals who have successfully completed a training program for gauge users accepted by the department. The licensee shall maintain documentation of training, to include valid training certificates, of each user for the duration of employment of the individual or 5 years, whichever is greater.

License Number: 1508-2
Amendment No. 2
Control Number: 980210-0168

HQ COPY
Page 2 of 4 Page(s)

Category: (3L(1))
Expiration Date: 03/31/2003

**STATE OF FLORIDA
DEPARTMENT OF HEALTH
BUREAU OF RADIATION CONTROL**

12. B. The radiation safety officer is Ronald L. Welch.
13. The licensee shall comply with the provisions of Chapter 64E-5, F.A.C., Part IX, "Notices, Instructions and Reports to Workers; Inspections" and Part III, "Standards for Protection Against Radiation."
14. The licensee shall not transfer possession or control of radioactive material, or products containing radioactive material as a contaminant except:
- A. By transfer to a specifically licensed recipient; or
- B. As provided otherwise by specific provision of his license pursuant to the requirements of Chapter 64E-5, F.A.C.
15. Radioactive material transported on public thoroughfares shall be packaged, prepared for shipment and transported in accordance with Title 49, Code of Federal Regulations and Chapter 64E-5, F.A.C.
16. The licensee shall assure that each sealed source is tested for leakage or contamination and follow the appropriate actions as required by section 64E-5.1303, F.A.C. Licensed material listed in Items 6, 7, 8, and 9, Subitems A, B, E, and F, shall be tested at least semiannually. Licensed material listed in Items 6, 7, 8, and 9, Subitems C and D, shall be tested at least annually. The test sample (smear) shall be taken by the licensee using an approved leak test kit. Analysis of the test sample shall be performed by individuals who are licensed by the department, NRC, agreement state, or licensing state to provide these services. The licensee is required to retain leak test records containing the manufacturer's name, model and serial number of each sealed source tested, identity of each sealed source radionuclide and its estimated activity, the measured activity of each test sample expressed in microcuries, the date of the test and signature of the radiation safety officer or designee. The records shall be maintained for 3 years for inspection by the department.
17. The licensee shall conduct a physical inventory and inspection at least semiannually to account for all sealed sources received and possessed under this license as required by section 64E-5.1304, F.A.C. Inventory records shall be maintained for 3 years from the date of the inventory for inspection by the department, and shall include the manufacturer's name, model and serial numbers of each sealed source, the identity of each sealed source radionuclide and its estimated activity, the location of each sealed source, the date of the inventory and the signature of the radiation safety officer or designee.

License Number 1508-2
Amendment No. 2
Control Number 980218-0168

HQ COPY
Page 3 of 4 Page(s)

Category (3L(1))
Expiration Date 03/31/2003

STATE OF FLORIDA
 DEPARTMENT OF HEALTH
 BUREAU OF RADIATION CONTROL

- 18. A. Except as specifically provided otherwise by this license, the licensee shall possess and use licensed material described in Items 6, 7, 8, and 9 of this license in accordance with statements, representations and procedures contained in the licensee's application dated February 9, 1998, signed by Larry M. Jacobs, President, and correspondence dated March 23, 1998, signed by Daniel R. Henderson, Laboratory Manager.
- B. The licensee shall comply with all applicable requirements of Chapter 64E-5, Florida Administrative Code, and these regulations shall supersede the licensee's statements in applications or correspondence, unless the statements are more restrictive than the regulations.

Issuance Date: APR 09 1998

For the Bureau of Radiation Control

Original Signed By
Joy Stephenson

Joy Stephenson
Environmental Specialist
 1317 Winewood Boulevard
 Tallahassee, FL 32399-0700
 (850) 487-2437

**STATE OF FLORIDA
DEPARTMENT OF HEALTH
BUREAU OF RADIATION CONTROL**

RADIOACTIVE MATERIALS LICENSE

Pursuant to Chapter 404, Florida Statutes, and Chapter 64E-5, Florida Administrative Code (F.A.C.), and in reliance on statements and representations heretofore made by the licensee designated below, a license is hereby issued authorizing such licensee to receive, acquire, possess and transfer the radioactive material(s) designated below and to use such radioactive material(s) for the purpose(s) and at the place(s) designated below. This license is subject to all applicable rules, regulations and orders of the state of Florida, Department of Health now or hereafter in effect and to any conditions specified below.

<p style="text-align: center;">Licensee</p> <p>1. Name: LARRY M. JACOBS AND ASSOCIATES, INC.</p>	<p>3. License Number: 1508-2</p> <p>is hereby renewed in its entirety, with reference to application dated 2/9/1998.</p>
<p>2. Address: 328 East Gadsden Street Pensacola, FL 32501</p>	<p>4. Expiration Date: 03/31/2003</p> <p>5. Category: 3L(I)</p>

6. Radioactive Material (element and mass number)	7. Chemical And/Or Physical Form	8. Maximum Quantity Licensee May Possess At Any One Time
---	----------------------------------	--

- | | | |
|-----------------------------|---|--|
| A. Cesium 137 | A. Sealed source (Troxler Electronic Laboratories, Inc. Drawing Number A-102112) | A. 1 source not to exceed 9 millicuries |
| B. Americium 241: beryllium | B. Sealed source (Troxler Electronic Laboratories, Inc. Drawing Number A-102451) | B. 1 source not to exceed 44 millicuries |
| C. Cesium 137 | C. Sealed source (Boart Longyear Company CPN Products [formerly CPN Co.] Model CPN-131) | C. 1 source not to exceed 10 millicuries |
| D. Americium 241: beryllium | D. Sealed source (Boart Longyear Company CPN Products [formerly CPN Co.] Model CPN-131) | D. 1 source not to exceed 50 millicuries |

**STATE OF FLORIDA
DEPARTMENT OF HEALTH
BUREAU OF RADIATION CONTROL**

6. Radioactive Material (element and mass number)	7. Chemical And/Or Physical Form	8. Maximum Quantity Licensee May Possess At Any One Time
E. Cesium 137	E. Sealed source (Humboldt Scientific, Inc. Drawing No. 2200064)	E. 1 source not to exceed 11 millicuries
F. Americium 241: beryllium	F. Sealed source (Humboldt Scientific, Inc. Drawing No. 2200067)	F. 1 source not to exceed 44 millicuries

9. Authorized Use

- A. and B. To be used in Troxler Electronic Laboratories, Inc. Model 3400 Series moisture/density gauges to measure properties of construction materials or soils.
- C. and D. To be used in Boart Longyear Company CPN Products (formerly CPN Company) Model MC Series moisture/density gauges to measure properties of construction materials or soils.
- E. and F. To be used in Humboldt Scientific, Inc. Model 5001 moisture/density gauges to measure properties of construction materials or soils.

CONDITIONS

10. A. The authorized place of use shall be temporary job sites of the licensee throughout the state of Florida. This condition does not prohibit use in other agreement states and states under the jurisdiction of the U.S. Nuclear Regulatory Commission (NRC) under reciprocity which has been approved by an agreement state or the NRC.
- B. The authorized place of storage shall be at licensee's facility located at 406 Stokes Avenue, Suite 2A, Fort Walton Beach, Florida 32548.
11. Failure to comply with the provisions of this license is a felony of the third degree pursuant to section 404.161, Florida Statutes. Also, violations may warrant an administrative fine of up to \$1,000.00 per violation per day, pursuant to section 404.162, Florida Statutes.
12. A. Licensed materials shall be used by, or under the supervision and in the physical presence of, individuals who have successfully completed a training program for gauge users accepted by the department. The licensee shall maintain documentation of training, to include valid training certificates, of each user for the duration of employment of the individual or 5 years, whichever is greater.

License Number: 1508-2
 Amendment No: 2
 Control Number: 980210-0168

HQ COPY
 Page 2 of 4 Page(s)

Category: (3L(1))
 Expiration Date: 03/31/2003

**STATE OF FLORIDA
DEPARTMENT OF HEALTH
BUREAU OF RADIATION CONTROL**

12. B. The radiation safety officer is Ronald L. Welch.
13. The licensee shall comply with the provisions of Chapter 64E-5, F.A.C., Part IX, "Notices, Instructions and Reports to Workers; Inspections" and Part III, "Standards for Protection Against Radiation."
14. The licensee shall not transfer possession or control of radioactive material, or products containing radioactive material as a contaminant except:
- A. By transfer to a specifically licensed recipient; or
- B. As provided otherwise by specific provision of his license pursuant to the requirements of Chapter 64E-5, F.A.C.
15. Radioactive material transported on public thoroughfares shall be packaged, prepared for shipment and transported in accordance with Title 49, Code of Federal Regulations and Chapter 64E-5, F.A.C.
16. The licensee shall assure that each sealed source is tested for leakage or contamination and follow the appropriate actions as required by section 64E-5.1303, F.A.C. Licensed material listed in Items 6, 7, 8, and 9, Subitems A, B, E, and F, shall be tested at least semiannually. Licensed material listed in Items 6, 7, 8, and 9, Subitems C and D, shall be tested at least annually. The test sample (smear) shall be taken by the licensee using an approved leak test kit. Analysis of the test sample shall be performed by individuals who are licensed by the department, NRC, agreement state, or licensing state to provide these services. The licensee is required to retain leak test records containing the manufacturer's name, model and serial number of each sealed source tested, identity of each sealed source radionuclide and its estimated activity, the measured activity of each test sample expressed in microcuries, the date of the test and signature of the radiation safety officer or designee. The records shall be maintained for 3 years for inspection by the department.
17. The licensee shall conduct a physical inventory and inspection at least semiannually to account for all sealed sources received and possessed under this license as required by section 64E-5.1304, F.A.C. Inventory records shall be maintained for 3 years from the date of the inventory for inspection by the department, and shall include the manufacturer's name, model and serial numbers of each sealed source, the identity of each sealed source radionuclide and its estimated activity, the location of each sealed source, the date of the inventory and the signature of the radiation safety officer or designee.

License Number: 1508-2
Amendment No: 2
Control Number: 980216-0168

HQ COPY
Page 3 of 4 Page(s)

Category: [3L(1)]
Expiration Date: 03/31/2003

STATE OF FLORIDA
 DEPARTMENT OF HEALTH
 BUREAU OF RADIATION CONTROL

- 18. A. Except as specifically provided otherwise by this license, the licensee shall possess and use licensed material described in Items 6, 7, 8, and 9 of this license in accordance with statements, representations and procedures contained in the licensee's application dated February 9, 1998, signed by Larry M. Jacobs, President, and correspondence dated March 23, 1998, signed by Daniel R. Henderson, Laboratory Manager.
- B. The licensee shall comply with all applicable requirements of Chapter 64E-5, Florida Administrative Code, and these regulations shall supersede the licensee's statements in applications or correspondence, unless the statements are more restrictive than the regulations.

Issuance Date: APR 09 1998

For the Bureau of Radiation Control

Original Signed By
Joy Stephenson

Joy Stephenson
Environmental Specialist
 1317 Winewood Boulevard
 Tallahassee, FL 32399-0700
 (850) 487-2437

License Number: 1508-2	HQ COPY	Category: (31.1)
Amendment No: 2	Page 4 of 4 Page(s)	Expiration Date: 03/31/2005
Control Number: 980210-0168		

STATE OF FLORIDA
DEPARTMENT OF HEALTH
BUREAU OF RADIATION CONTROL

RADIOACTIVE MATERIALS LICENSE

Pursuant to Chapter 404, Florida Statutes, and Chapter 64E-5, Florida Administrative Code (F.A.C.), and in reliance on statements and representations heretofore made by the licensee designated below, a license is hereby issued authorizing such licensee to receive, acquire, possess and transfer the radioactive material(s) designated below and to use such radioactive material(s) for the purpose(s) and at the place(s) designated below. This license is subject to all applicable rules, regulations and orders of the state of Florida, Department of Health now or hereafter in effect and to any conditions specified below.

Licensee 1. Name: LARRY M. JACOBS AND ASSOCIATES, INC.		3. License Number: 1508-2 is hereby renewed in its entirety, with reference to application dated 2/9/1998.
2. Address: 328 East Gadsden Street Pensacola, FL 32501		4. Expiration Date: 03/31/2003 5. Category: 3L(I)
6. Radioactive Material (element and mass number)	7. Chemical And/Or Physical Form	8. Maximum Quantity Licensee May Possess At Any One Time

- | | | |
|-----------------------------|---|--|
| A. Cesium 137 | A. Sealed source (Troxler Electronic Laboratories, Inc. Drawing Number A-102112) | A. 1 source not to exceed 9 millicuries |
| B. Americium 241: beryllium | B. Sealed source (Troxler Electronic Laboratories, Inc. Drawing Number A-102451) | B. 1 source not to exceed 44 millicuries |
| C. Cesium 137 | C. Sealed source (Boart Longyear Company CPN Products [formerly CPN Co.] Model CPN-131) | C. 1 source not to exceed 10 millicuries |
| D. Americium 241: beryllium | D. Sealed source (Boart Longyear Company CPN Products [formerly CPN Co.] Model CPN-131) | D. 1 source not to exceed 50 millicuries |

License Number	1508-2	HQ COPY	Category	3L(I)
Amendment No.	2			
Control Number	980210-0168	Page 1 of 4 Page(s)	Expiration Date	03/31/2003

**STATE OF FLORIDA
DEPARTMENT OF HEALTH
BUREAU OF RADIATION CONTROL**

6. Radioactive Material (Element and mass number)	7. Chemical And/Or Physical Form	8. Maximum Quantity Licensee May Possess At Any One Time
E. Cesium 137	E. Sealed source (Humboldt Scientific, Inc. Drawing No. 2200064)	E. 1 source not to exceed 11 millicuries
F. Americium 241: beryllium	F. Sealed source (Humboldt Scientific, Inc. Drawing No. 2200067)	F. 1 source not to exceed 44 millicuries

9. Authorized Use

- A. and B. To be used in Troxler Electronic Laboratories, Inc. Model 3400 Series moisture/density gauges to measure properties of construction materials or soils.
- C. and D. To be used in Boart Longyear Company CPN Products (formerly CPN Company) Model MC Series moisture/density gauges to measure properties of construction materials or soils.
- E. and F. To be used in Humboldt Scientific, Inc. Model 5001 moisture/density gauges to measure properties of construction materials or soils.

CONDITIONS

10. A. The authorized place of use shall be temporary job sites of the licensee throughout the state of Florida. This condition does not prohibit use in other agreement states and states under the jurisdiction of the U.S. Nuclear Regulatory Commission (NRC) under reciprocity which has been approved by an agreement state or the NRC.
- B. The authorized place of storage shall be at licensee's facility located at 406 Stokes Avenue, Suite 2A, Fort Walton Beach, Florida 32548.
11. Failure to comply with the provisions of this license is a felony of the third degree pursuant to section 404.161, Florida Statutes. Also, violations may warrant an administrative fine of up to \$1,000.00 per violation per day, pursuant to section 404.162, Florida Statutes.
12. A. Licensed materials shall be used by, or under the supervision and in the physical presence of, individuals who have successfully completed a training program for gauge users accepted by the department. The licensee shall maintain documentation of training, to include valid training certificates, of each user for the duration of employment of the individual or 5 years, whichever is greater.

License Number: 1508.2
Amendment No: 2
Control Number: 980210-0168

HQ COPY
Page 2 of 4 Page(s)

Category: (3L(1))
Expiration Date: 03/31/2003

STATE OF FLORIDA
DEPARTMENT OF HEALTH
BUREAU OF RADIATION CONTROL

12. B. The radiation safety officer is Ronald L. Welch.
13. The licensee shall comply with the provisions of Chapter 64E-5, F.A.C., Part IX, "Notices, Instructions and Reports to Workers; Inspections" and Part III, "Standards for Protection Against Radiation."
14. The licensee shall not transfer possession or control of radioactive material, or products containing radioactive material as a contaminant except:
- A. By transfer to a specifically licensed recipient; or
- B. As provided otherwise by specific provision of his license pursuant to the requirements of Chapter 64E-5, F.A.C.
15. Radioactive material transported on public thoroughfares shall be packaged, prepared for shipment and transported in accordance with Title 49, Code of Federal Regulations and Chapter 64E-5, F.A.C.
16. The licensee shall assure that each sealed source is tested for leakage or contamination and follow the appropriate actions as required by section 64E-5.1303, F.A.C. Licensed material listed in Items 6, 7, 8, and 9, Subitems A, B, E, and F, shall be tested at least semiannually. Licensed material listed in Items 6, 7, 8, and 9, Subitems C and D, shall be tested at least annually. The test sample (smear) shall be taken by the licensee using an approved leak test kit. Analysis of the test sample shall be performed by individuals who are licensed by the department, NRC, agreement state, or licensing state to provide these services. The licensee is required to retain leak test records containing the manufacturer's name, model and serial number of each sealed source tested, identity of each sealed source radionuclide and its estimated activity, the measured activity of each test sample expressed in microcuries, the date of the test and signature of the radiation safety officer or designee. The records shall be maintained for 3 years for inspection by the department.
17. The licensee shall conduct a physical inventory and inspection at least semiannually to account for all sealed sources received and possessed under this license as required by section 64E-5.1304, F.A.C. Inventory records shall be maintained for 3 years from the date of the inventory for inspection by the department, and shall include the manufacturer's name, model and serial numbers of each sealed source, the identity of each sealed source radionuclide and its estimated activity, the location of each sealed source, the date of the inventory and the signature of the radiation safety officer or designee.

License Number: 1508-2
Amendment No: 2
Control Number: 980216-0168

HQ COPY
Page 3 of 4 Page(s)

Category: (SLO)
Expiration Date: 03/31/2003

STATE OF FLORIDA
 DEPARTMENT OF HEALTH
 BUREAU OF RADIATION CONTROL

- 18. A. Except as specifically provided otherwise by this license, the licensee shall possess and use licensed material described in Items 6, 7, 8, and 9 of this license in accordance with statements, representations and procedures contained in the licensee's application dated February 9, 1998, signed by Larry M. Jacobs, President, and correspondence dated March 23, 1998, signed by Daniel R. Henderson, Laboratory Manager.
- B. The licensee shall comply with all applicable requirements of Chapter 64E-5, Florida Administrative Code, and these regulations shall supersede the licensee's statements in applications or correspondence, unless the statements are more restrictive than the regulations.

Issuance Date: APR 09 1998

For the Bureau of Radiation Control

Original Signed By
Joy Stephenson

Joy Stephenson
 Environmental Specialist
 1317 Winewood Boulevard
 Tallahassee, FL 32399-0700
 (850) 487-2437

**STATE OF FLORIDA
DEPARTMENT OF HEALTH
BUREAU OF RADIATION CONTROL**

RADIOACTIVE MATERIALS LICENSE

Pursuant to Chapter 404, Florida Statutes, and Chapter 64E-5, Florida Administrative Code (F.A.C.), and in reliance on statements and representations heretofore made by the licensee designated below, a license is hereby issued authorizing such licensee to receive, acquire, possess and transfer the radioactive material(s) designated below and to use such radioactive material(s) for the purpose(s) and at the place(s) designated below. This license is subject to all applicable rules, regulations and orders of the state of Florida, Department of Health now or hereafter in effect and to any conditions specified below.

<p style="text-align: center;">Licensee</p> <p>1. Name: LARRY M. JACOBS AND ASSOCIATES, INC.</p>	<p>3. License Number: 1508-2</p> <p>is hereby renewed in its entirety, with reference to application dated 2/9/1998.</p>
<p>2. Address: 328 East Gadsden Street Pensacola, FL 32501</p>	<p>4. Expiration Date: 03/31/2003</p> <p>5. Category: 3L(I)</p>

Radioactive Material (element and mass number)	Chemical And/Or Physical Form	Maximum Quantity Licensee May Possess At Any One Time
---	-------------------------------	---

- | | | |
|-----------------------------|---|--|
| A. Cesium 137 | A. Sealed source (Troxler Electronic Laboratories, Inc. Drawing Number A-102112) | A. 1 source not to exceed 9 millicuries |
| B. Americium 241: beryllium | B. Sealed source (Troxler Electronic Laboratories, Inc. Drawing Number A-102451) | B. 1 source not to exceed 44 millicuries |
| C. Cesium 137 | C. Sealed source (Boart Longyear Company CPN Products [formerly CPN Co.] Model CPN-131) | C. 1 source not to exceed 10 millicuries |
| D. Americium 241: beryllium | D. Sealed source (Boart Longyear Company CPN Products [formerly CPN Co.] Model CPN-131) | D. 1 source not to exceed 50 millicuries |

License Number: 1508-2	HQ COPY	Category: 3L(I)
Amendment No: 2	Page 1 of 4 Page(s)	Expiration Date: 03/31/2003
Control Number: 880210-0168		

STATE OF FLORIDA
DEPARTMENT OF HEALTH
BUREAU OF RADIATION CONTROL

6. Radioactive Material (Element and mass number)	7. Chemical And/Or Physical Form	8. Maximum Quantity Licensee May Possess At Any One Time
E. Cesium 137	E. Sealed source (Humboldt Scientific, Inc. Drawing No. 2200064)	E. 1 source not to exceed 11 millicuries
F. Americium 241: beryllium	F. Sealed source (Humboldt Scientific, Inc. Drawing No. 2200067)	F. 1 source not to exceed 44 millicuries

9. Authorized Use
A. and B. To be used in Troxler Electronic Laboratories, Inc. Model 3400 Series moisture/density gauges to measure properties of construction materials or soils.
C. and D. To be used in Boart Longyear Company CPN Products (formerly CPN Company) Model MC Series moisture/density gauges to measure properties of construction materials or soils.
E. and F. To be used in Humboldt Scientific, Inc. Model 5001 moisture/density gauges to measure properties of construction materials or soils.

CONDITIONS

10. A. The authorized place of use shall be temporary job sites of the licensee throughout the state of Florida. This condition does not prohibit use in other agreement states and states under the jurisdiction of the U.S. Nuclear Regulatory Commission (NRC) under reciprocity which has been approved by an agreement state or the NRC.
- B. The authorized place of storage shall be at licensee's facility located at 406 Stokes Avenue, Suite 2A, Fort Walton Beach, Florida 32548.
11. Failure to comply with the provisions of this license is a felony of the third degree pursuant to section 404.161, Florida Statutes. Also, violations may warrant an administrative fine of up to \$1,000.00 per violation per day, pursuant to section 404.162, Florida Statutes.
12. A. Licensed materials shall be used by, or under the supervision and in the physical presence of, individuals who have successfully completed a training program for gauge users accepted by the department. The licensee shall maintain documentation of training, to include valid training certificates, of each user for the duration of employment of the individual or 5 years, whichever is greater.

STATE OF FLORIDA
DEPARTMENT OF HEALTH
BUREAU OF RADIATION CONTROL

12. B. The radiation safety officer is Ronald L. Welch.
13. The licensee shall comply with the provisions of Chapter 64E-5, F.A.C., Part IX, "Notices, Instructions and Reports to Workers; Inspections" and Part III, "Standards for Protection Against Radiation."
14. The licensee shall not transfer possession or control of radioactive material, or products containing radioactive material as a contaminant except:
- A. By transfer to a specifically licensed recipient; or
- B. As provided otherwise by specific provision of his license pursuant to the requirements of Chapter 64E-5, F.A.C.
15. Radioactive material transported on public thoroughfares shall be packaged, prepared for shipment and transported in accordance with Title 49, Code of Federal Regulations and Chapter 64E-5, F.A.C.
16. The licensee shall assure that each sealed source is tested for leakage or contamination and follow the appropriate actions as required by section 64E-5.1303, F.A.C. Licensed material listed in Items 6, 7, 8, and 9, Subitems A, B, E, and F, shall be tested at least semiannually. Licensed material listed in Items 6, 7, 8, and 9, Subitems C and D, shall be tested at least annually. The test sample (smear) shall be taken by the licensee using an approved leak test kit. Analysis of the test sample shall be performed by individuals who are licensed by the department, NRC, agreement state, or licensing state to provide these services. The licensee is required to retain leak test records containing the manufacturer's name, model and serial number of each sealed source tested, identity of each sealed source radionuclide and its estimated activity, the measured activity of each test sample expressed in microcuries, the date of the test and signature of the radiation safety officer or designee. The records shall be maintained for 3 years for inspection by the department.
17. The licensee shall conduct a physical inventory and inspection at least semiannually to account for all sealed sources received and possessed under this license as required by section 64E-5.1304, F.A.C. Inventory records shall be maintained for 3 years from the date of the inventory for inspection by the department, and shall include the manufacturer's name, model and serial numbers of each sealed source, the identity of each sealed source radionuclide and its estimated activity, the location of each sealed source, the date of the inventory and the signature of the radiation safety officer or designee.

License Number: 1508-2
Amendment No: 2
Control Number: 980210-016B

HQ COPY
Page 3 of 4 Page(s)

Category: (3)(1)
Expiration Date: 03/31/2003

STATE OF FLORIDA
 DEPARTMENT OF HEALTH
 BUREAU OF RADIATION CONTROL

18. A. Except as specifically provided otherwise by this license, the licensee shall possess and use licensed material described in Items 6, 7, 8, and 9 of this license in accordance with statements, representations and procedures contained in the licensee's application dated February 9, 1998, signed by Larry M. Jacobs, President, and correspondence dated March 23, 1998, signed by Daniel R. Henderson, Laboratory Manager.
- B. The licensee shall comply with all applicable requirements of Chapter 64E-5, Florida Administrative Code, and these regulations shall supersede the licensee's statements in applications or correspondence, unless the statements are more restrictive than the regulations.

Issuance Date: APR 09 1998

For the Bureau of Radiation Control

Original Signed By
Joy Stephenson

Joy Stephenson
 Environmental Specialist
 1317 Winewood Boulevard
 Tallahassee, FL 32399-0700
 (850) 487-2437

License Number	1508-2	HQ COPY	Category	3L(1)
Amendment No.	2	Page 4 of 4 Page(s)	Expiration Date	03/31/2003
Control Number	880210-0158			

LARRY M. JACOBS AND ASSOCIATES, INC.
LICENSE NO. FL 1508-2

<u>Contractor / Address</u>	<u>Projects</u>	<u>LRN#</u>
Unassigned	NCO Beach Club Repair - Eglin AFB	
Unassigned	Officers Beach Club Repair - Eglin AFB	
Unassigned	Install Layout/Sanding Booth - Eglin AFB	
Unassigned	Corrosion Cont Hangar 130 - Eglin AFB	
Unassigned	Repr Elect King Hangar B130 - Eglin AFB	
Unassigned	ADAL Airman Leadership School - Eglin AFB	
Unassigned	Repl Lighting Surv Equip - Eglin AFB	
Unassigned	Construct Parking Lot Slit - Eglin AFB	
Unassigned	Roof Clim Lab Fire Pump Bldg - Eglin AFB	
Unassigned	Rep/Alter F-15 Simulator Facility - Eglin AFB	
Unassigned	Correct Stormwater Deficiencie - Eglin AFB	
Unassigned	Addn to Bens Lake Fire Station - Eglin AFB	
Unassigned	Repl Motor Ctrl Ctr Plew Stp - Eglin AFB	

LARRY M. JACOBS AND ASSOCIATES, INC.
LICENSE NO. FL 1508-2

<u>Contractor / Address</u>	<u>Projects</u>	<u>LRN#</u>
Unassigned	Const S/W Parking Area - Eglin AFB	
Unassigned	Renovat Orthopedics, Hospital - Eglin AFB	
Unassigned	Replace Walk-in Coolers - Eglin AFB	
Unassigned	ADAL I & R Shop (Bldg 3076) - Eglin AFB	
Unassigned	Instal Generator Sewage Plt - Eglin AFB	
Unassigned	Spc-Repl Switchg'r Bldg 8640 - Eglin AFB	
Unassigned	Spc-Repr Ext Radar Bldg 8640 - Eglin AFB	
Unassigned	Spc-Renov Elevator Space Radar - Eglin AAFB	
Unassigned	Instl UPS Load Bank Spc Radar - Eglin AFB	
Unassigned	Repl Septic System Fac - Eglin AFB	
Unassigned	Repr Seawall Oclub - Eglin AFB	
Unassigned	Repr Paving Test Wing AGE Yard - Eglin AFB	
Unassigned	Rep Pavement 33FW ACFT Ramp P2 - Eglin AFB	

LARRY M. JACOBS AND ASSOCIATES, INC.
LICENSE NO. FL 1508-2

<u>Contractor / Address</u>	<u>Projects</u>	<u>LRN#</u>
Unassigned	Repl Taxiway Light Circuits - Eglin AFB	
Unassigned	Repr Range Road 201 At C-80A - Eglin AFB	
Unassigned	Repr Creek Crossings - Eglin AFB	
Unassigned	Instl Airfield Fencing Fld 3 - Eglin AFB	
Unassigned	Repair AFLD Lighting Fld 3 - Eglin AFB	
Unassigned	Parking for Flt Simulator - Eglin AFB	
Unassigned	Instl Engrg Gates Fld 3 - Eglin AFB	
Unassigned	Repair Bear Creek Marina - Eglin AFB	
Unassigned	Repr RR 213 East End - Eglin AFB	
Unassigned	Repr Range Road 207 - Eglin AFB	
Unassigned	Repr Road 201 at Davis Branch - Eglin AFB	
Unassigned	Repr RR 204 at White Creek - Eglin AFB	
Unassigned	Repr Erosion C-74A - Eglin AFB	

LARRY M. JACOBS AND ASSOCIATES, INC.
LICENSE NO. FL 1508-2

<u>Contractor / Address</u>	<u>Projects</u>	<u>LRN#</u>
Unassigned	Const Concrete Pads Site B-11 - Eglin AFB	
Unassigned	Repl Chillers, Multi-Bldgs - Eglin AFB	
Unassigned	Restore Earth-Covers Bunkers - Eglin AFB	
Unassigned	Repl Doors Missile Shop B1225 - Eglin AFB	
Unassigned	Rpc-Rep Power Regulators RADA - Eglin AFB	
Unassigned	Inspect-Demo Concrete Taargets - Eglin AFB	
Unassigned	Bus Shelter JR NCO Plew - Eglin AFB	
Unassigned	Repr Sewer Line - Eglin AFB	
Unassigned	Repl Electrical (Poquito) - Eglin AFB	
Unassigned	Replace Water Line / Hydrant - Eglin AFB	
Unassigned	Overlay Roads - MFH - Eglin AFB	
Unassigned	Pave Parking Lot MFP - Eglin AFB	
Unassigned	Instl Emergency Generators M - Eglin AFB	

LARRY M. JACOBS AND ASSOCIATES, INC.
LICENSE NO. FL 1508-2

<u>Contractor / Address</u>	<u>Projects</u>	<u>LRN#</u>
Unassigned	Replace Family Housing Phase 1 - Eglin AFB	
Unassigned	Improve Wherry MFH Phase 1 - Eglin AFB	
Unassigned	Parking Addn (Plew MFH) - Eglin AFB	
Unassigned	Upgrade Famcamp (Postal Point) - Eglin AFB	
Unassigned	Renovate Bowling Center - Eglin AFB	
Unassigned	Construct Famcamp (Robbins) - Eglin AFB	
Unassigned	Misc Repairs Clim Lab Test F - Eglin AFB	
Unassigned	Modify Drainline Bldg 22 - Eglin AFB	
Unassigned	Upgrade DRMO TSD Facility - Eglin AFB	
Unassigned	NPDES Upgrades - Eglin AFB	
Unassigned	Construct Roofs at Landfill - Eglin AFB	
Unassigned	Repr Crossing Range Raod 381 - Eglin AFB	
Unassigned	Relocate Helipad - Eglin AFB	

LARRY M. JACOBS AND ASSOCIATES, INC.
 LICENSE NO. FL 1508-2

<u>Contractor / Address</u>	<u>Projects</u>	<u>LRN#</u>
Unassigned	Const Break Area Bldg 218 - Eglin AFB	
Unassigned	Overlay Hospital Parking Area - Eglin AFB	
Unassigned	Upgrade Duke Fld Sir Sta 304 - Eglin AFB	
Unassigned	Instl A/C Base Gym - Eglin AFB	
Unassigned	IDIQ Paving - Eglin AFB	
Unassigned	Repair Sewage Treatment Plant - Eglin AFB	
Unassigned	Overlay Roads Main Base - Eglin AFB	
Unassigned	Const Covered Work Area - Eglin AFB	
Unassigned	Upgr Emerg Power Comand Pos - Eglin AFB	
Unassigned	F-15 Static Display - Eglin AFB	
Unassigned	Const Storage Facility 33FW - Eglin AFB	
Unassigned	Const Addn Munitions Shop 12 - Eglin AFB	
Unassigned	Irrigation 33FW Softball Fld - Eglin AFB	

LARRY M. JACOBS AND ASSOCIATES, INC.
LICENSE NO. FL 1508-2

<u>Contractor / Address</u>	<u>Projects</u>	<u>LRN#</u>
Unassigned	Const Parking ECP POD Fac - Eglin AFB	
Unassigned	Upgrade Rm 500 Bldg 351 - Eglin AFB	
Unassigned	Repl Lean-to Roofs Test Fac - Eglin AFB	
Unassigned	Replace HVAC Gun Test Fac - Eglin AFB	
Unassigned	Repr Lighting Test Lab Fac 2 - Eglin AFB	
Unassigned	Repr HVAC Test Lab Fac 22 - Eglin AFB	
Unassigned	Repr HVAC Chicken Little B89 - Eglin	
Unassigned	Repr Passenger Elevator Slt - Eglin	
Unassigned	AMU Coil Area Lighting Bld 4 - Eglin	
Unassigned	Add/Alter Life Support Shop - Eglin	
Unassigned	ADAL ISO Dock (Bldg 3029) - Eglin	
Unassigned	Const AGE Equipment Shelter - Eglin	
Unassigned	Upgrade CMD Area Bldg 1 - Eglin	

LARRY M. JACOBS AND ASSOCIATES, INC.
LICENSE NO. FL 1508-2

<u>Contractor / Address</u>	<u>Projects</u>	<u>LRN#</u>
Unassigned	Const Pet Welfare Facility - Eglin	
Unassigned	Repl Hoist Rdt Contr Bldg 99 - Eglin	
Unassigned	Repl Dock Levelers - Eglin	
Unassigned	Const Access Catwalks Base G - Eglin	
Unassigned	Landscape Substation - Eglin	
Unassigned	Install Cath Prot Hydrant Sy - Eglin	
Unassigned	Repair Pads at Fill Stands - Eglin	
Unassigned	Fuel Farm Recurring Maintena - Eglin	
Unassigned	O&M of Remedial Systems (Duke Field)	
Unassigned	Repair Bowser Filter Separat - Eglin	
Unassigned	Instl U/G Conduit DRMO Area 5 - Eglin	
Unassigned	Replace Fuel Tanks DRMO - Eglin	
Unassigned	Repr WWTP Holding Ponds - Eglin	

LARRY M. JACOBS AND ASSOCIATES, INC.
LICENSE NO. FL 1508-2

<u>Contractor / Address</u>	<u>Projects</u>	<u>LRN#</u>
Unassigned	Storm Water BMP 1999 - Eglin	
Unassigned	Construct Composting Facility - Eglin	
Unassigned	Repair Range Roads - Eglin	
Unassigned	Repr Spillway Lost Boy Pond - Eglin	
Unassigned	Repr Roof Branch Exchange 13 - Eglin	
Unassigned	DEMO Facilities Cape San Blas	
Unassigned	Repr Storm Drain Flightline - Eglin	
Unassigned	Repr DAM Indigo Pond - Eglin	
Unassigned	Repr Beach Recreation Fac - Eglin	
Unassigned	Repr Seawall Osceola Circle - Eglin	
Unassigned	Repr Erosion Lake Pipin - Eglin	
Unassigned	Repr Road 201 at Davis Branc - Eglin	
Unassigned	Repr RR 200 @ Blount Mill Cir - Eglin	

LARRY M. JACOBS AND ASSOCIATES, INC.
LICENSE NO. FL 1508-2

<u>Contractor / Address</u>	<u>Projects</u>	<u>LRN#</u>
Unassigned	Repr Reservation Bridge RR 2 - Eglin	
Unassigned	Replace JSIIDS Site C-6 - Eglin	
Unassigned	Parking Area & Curbing C-6 - Eglin	
Unassigned	Repr Railroad Tracks - Eglin	
Unassigned	Restore/Relocate Test Site D - Eglin	
Unassigned	Const Storage Bldg - Eglin	
Unassigned	Instl Heat Fire Pumphouse - Eglin	
Unassigned	Instl Conductive Floor Lab - Eglin	
Unassigned	Repr Concrete ACFT Ramp-1353 - Eglin	
Unassigned	Replace Fence Test Area C-74 - Eglin	
Unassigned	Rep Asphalt Test Site C-74A - Eglin	
Unassigned	Repair Fence Test Area A-24 - Eglin	
Unassigned	Rep Floor Test Area C-124 89 - Eglin	

LARRY M. JACOBS AND ASSOCIATES, INC.
LICENSE NO. FL 1508-2

<u>Contractor / Address</u>	<u>Projects</u>	<u>LRN#</u>
Unassigned	Replace Truck Scales Bldg 61 - Eglin	
Unassigned	Repair Parking Areas Ammo Ar - Eglin	
Unassigned	Const Parking Areas Ammo Are - Eglin	
Unassigned	Construct Concrete Pad - Eglin	
Unassigned	AFFF Hangar 1339	
Unassigned	Const Storage Facility 33FW	
Unassigned	Widen Access Road 728th Area	
Unassigned	Const Addn Munitions Shop 12	
Unassigned	Reno Restroom 33rd Sq OPS	
Unassigned	Mod Emergency Power 53rd Win	
Unassigned	Const Parking ECP POD FAC 13	
Unassigned	Const Partitions HQ 53rd Win	
Unassigned	Restore/Relocate Test Site D	

LARRY M. JACOBS AND ASSOCIATES, INC.
LICENSE NO. FL 1508-2

<u>Contractor / Address</u>	<u>Projects</u>	<u>LRN#</u>
Unassigned	Repr Heat FWEF Test FAC 374	
Unassigned	Instl Generator - Cooling Prim	
Unassigned	Repl Hoist RDT Contr Bldg 99	
Unassigned	Reprs to Climatic Lab	
Unassigned	Instl A/C S Lean - To Climatic	
Unassigned	Repr HVAC Photo Optics Fac 9	
Unassigned	Repr HVAC / Elec / LTG Test Lab	
Unassigned	Replace Fence Test Area C-74	
Unassigned	Rep Asphalt Test Site C-74A	
Unassigned	Modify Drainline Bldg 22	
Unassigned	Repair Fence Test Area A-24	
Unassigned	1) Instl Lightning Prot Test FA	

LARRY M. JACOBS AND ASSOCIATES, INC.
LICENSE NO. FL 1508-2

<u>Contractor / Address</u>	<u>Projects</u>	<u>LRN#</u>
Unassigned	2) Instl Lightning Prot Test FA	
Unassigned	Modify Bldg 3067	
Unassigned	Construct Age Storage Pad	
Unassigned	Reno FAC for Gym-Training	
Unassigned	RENO Commanders Suite 3077	
Unassigned	Modify FAC for Special Missiles	
Unassigned	Reno Lobby HQ AAC	
Unassigned	Reno RM 124 HQ AAC	
Unassigned	Repl Walk-in Box BX Bldg 707	
Unassigned	RENO Bldg 12 for Clothing SA	
Unassigned	Instl Cooking Grill Rec FAC	
Unassigned	Overlay Parking Lot Traf MGM	
Unassigned	Emergency Power Computer FAC	

LARRY M. JACOBS AND ASSOCIATES, INC.
LICENSE NO. FL 1508-2

<u>Contractor / Address</u>	<u>Projects</u>	<u>LRN#</u>
Unassigned	Emergency Power Bldg 380	
Unassigned	Modify KHILS Facility	
Unassigned	Upgrade Ben's Lake Marina (A	
Unassigned	Demo Boat Storage Bldg (APR)	
Unassigned	Screen Fence GWEF Area	
Unassigned	Repl Doors RES Forces OPL TN	
Unassigned	Repl Doors RES Forces SQ OPS	
Unassigned	Repl Doors Shop Convl Mun 30	
Unassigned	Upgr Lighting ACFT Maint Shop	
Unassigned	Repair Parking Golf Course	
Unassigned	Repl Chiller FLD 3 Dining Ha	
Unassigned	IDIQ Fencing	
Unassigned	Modify Portion of Commissary	

LARRY M. JACOBS AND ASSOCIATES, INC.
LICENSE NO. FL 1508-2

<u>Contractor / Address</u>	<u>Projects</u>	<u>LRN#</u>
Unassigned	Fuel Farm Recrring Maintena	
Unassigned	O & M Spill Cleanup - ACC Tank	
Unassigned	Instl Gate Monitor DRMO	
Unassigned	Addn to DRMO Office Bldg 525	
Unassigned	Replace Fuel Tank DRMO	
Unassigned	Upgrade DRMO TSD Facility	
Unassigned	Install a Canopy Bldg. 542	
Unassigned	Install a canopy Used Oil Ya	
Unassigned	Install Canopy & Valve Fac.	
Unassigned	Install Backflow Devices Ph	
Unassigned	Enlarge Second Cont at 141-2	
Unassigned	Construct Composting Facility	
Unassigned	Construct Roofs at Landfill	

LARRY M. JACOBS AND ASSOCIATES, INC.
LICENSE NO. FL 1508-2

<u>Contractor / Address</u>	<u>Projects</u>	<u>LRN#</u>
Unassigned	Repr Crossing Range Road 381	
Unassigned	Repr Spillway Lost Boy Pond	
Unassigned	Const Break Area Bldg 218	
Unassigned	RENO Bldg 218	
Unassigned	Renovate	
Unassigned	Modify A/C RM 202A Bldg 1	
Unassigned	Lake Pippin Upgrade	
Unassigned	Repair Seawall Lake Pippin	
Unassigned	Demo Building 66	
Unassigned	Replace Water Line/Hydrant M	
Unassigned	Replace Water Lines (Capehar	
Unassigned	Repl Fire Hydrants MFH	
Unassigned	Overlay Roads - MFH	

LARRY M. JACOBS AND ASSOCIATES, INC.
LICENSE NO. FL 1508-2

<u>Contractor / Address</u>	<u>Projects</u>	<u>LRN#</u>
Unassigned	Repair Seawall (Camp Pinchot)	
Unassigned	Rep Dock Pilings (Pinchot)	
Unassigned	Overlay Roads - MFH	
Unassigned	Replace Family Housing PH 1	
Unassigned	Convert Carport 714 Osceola	
Unassigned	Parking Addn (PLEW MFH)	
Unassigned	Parking Addn (PLEW MFH) (DUMM)	
Unassigned	MIP Const Bus Shelter Cphrt	
Unassigned	Install Gas Meters Trailer P	
Unassigned	Expand RV Storage Area MFH	
Unassigned	Add Parking Phase 1 (Capehar	
Unassigned	Upgrade Marina (Bens Lake)	
Unassigned	Upgrade Famcamp (Postl Point	

LARRY M. JACOBS AND ASSOCIATES, INC.
LICENSE NO. FL 1508-2

<u>Contractor / Address</u>	<u>Projects</u>	<u>LRN#</u>
Unassigned	Const Parking Golf Course	
Unassigned	Const Golf Cart Storage FAC	
Unassigned	Corrosion Cont Non-housing F	
Unassigned	Corrosion Control - Reservati	
Unassigned	Corrosion Control 33FW Area	
Unassigned	Corrosion Control High Vis F	
Unassigned	Corrosion Control - Fld 6	
Unassigned	Repr Bunk Rooms MB Fire Sta	
Unassigned	Repair GWEF Substation	
Unassigned	Repr Pavement on T/W "M" Wes	

LARRY M. JACOBS AND ASSOCIATES, INC.
LICENSE NO. FL 1508-2

<u>Contractor / Address</u>	<u>Projects</u>	<u>LRN#</u>
Unassigned	Upgr Emerg Power Command Pos	
Unassigned	Repair HVAC 33FW HQ Bldg 131	
Unassigned	Repr Elect 33FW SQ OPS B1310	
Unassigned	Repr Elect 33FW SQ OPS B1312	
Unassigned	Spc-Upgr HVAC Ductwork Radar	
Unassigned	Replace JSIIDS Site C-6	
Unassigned	Parking Area and Curbing C-6	
Unassigned	Updatge Airfield Signage'	
Unassigned	Alter Portion Bldg 103	
Unassigned	Install Awning Hangr 72	
Unassigned	Repr Railroad Tracks	
Unassigned	Construct Concrete Pad	
Unassigned	Instl Conductive Floor Lab 4	

LARRY M. JACOBS AND ASSOCIATES, INC.
LICENSE NO. FL 1508-2

<u>Contractor / Address</u>	<u>Projects</u>	<u>LRN#</u>
Unassigned	Instl Security Fence 12522	
Unassigned	PLEW Heights Wastewater Plant Upgrade	
Unassigned	Site C-6 Upgrades	
Unassigned	Bluilding1386 Addition	
Unassigned	Site B-75 Targets & FAC Upgrades	
Unassigned	Site C-74 Targets & FAC Upgrades	
Unassigned	Site C-72 Targets & FAC Upgrades	
Unassigned	Site C-52 Targets & FAC Upgrades	
Unassigned	Site D-51 EOD School Upgrades	
Unassigned	Mainside, NAS Pensacola	
Unassigned	Site A-3 Rebuild	