

January 7, 2000

Mr. G. R. Peterson
Site Vice President
Catawba Nuclear Station
Duke Energy Corporation
4800 Concord Road
York, South Carolina 29745-9635

SUBJECT: CATAWBA NUCLEAR STATION, UNITS 1 AND 2 RE: ISSUANCE OF AMENDMENTS (TAC NOS. MA6479 AND MA6480)

Dear Mr. Peterson:

The Nuclear Regulatory Commission has issued the enclosed Amendment No. 183 to Facility Operating License NPF-35 and Amendment No. 175 to Facility Operating License NPF-52 for the Catawba Nuclear Station, Units 1 and 2. The amendments consist of changes to the Technical Specifications (TS) in response to your application for amendment dated September 16, 1999, and supplemented by letter dated November 3, 1999.

The amendments revise Section 3.8.4, "DC Sources - Operating" of the Technical Specifications. Specifically, the amendments modify Surveillance Requirements (SRs) 3.8.4.8 and 3.8.4.9 and the associated Bases SR 3.8.4.8 and 3.8.4.9 to allow testing of the direct current (dc) channel batteries with the units on line. The change to SR 3.8.4.8 would also prohibit the diesel generator batteries from being service tested while the units are on line. Details are set forth in the enclosed Safety Evaluation.

A Notice of Issuance will be sent to the *Federal Register* to be included in the Commission's biweekly notices.

Sincerely,
Original signed by:
Peter S. Tam, Senior Project Manager, Section 1
Project Directorate II
Division of Licensing Project Management
Office of Nuclear Reactor Regulation

Docket Nos. 50-413 and 50-414

Enclosures:

- 1. Amendment No. 183 to NPF-35
- 2. Amendment No. 175 to NPF-52
- 3. Safety Evaluation

cc w/encls: See next page

Distribution: WBeckner
 File Center OGC
 PUBLIC ACRS
 PD II-1 R/F GHill (4)
 COgle, RII LBerry
 RScholl (e-mail SE only) Duc Nguyen (e-mail only)

FILE CENTER COPY

DOCUMENT NAME: G:\pdii-1\catawba\c6826amd.wpd

To receive a copy of this document, indicate in the box C=Copy w/o attachment/enclosure E=Copy with attachment/enclosure N = No copy

OFFICE	PDII-1/PM	PDII-1/LA	E	OGC	PDII-1/SC				
NAME	PTam:cn <i>PST</i>	CHawes <i>CMH</i>	<i>NLD with OG comments</i>	<i>RMMW</i>	REmch <i>RE</i>				
DATE	12/3/99	12/3/99	Dec 17 1999	1/5/00	1/ /99	1/ /99	1/ /99	1/ /99	1/ /99

OFFICIAL RECORD COPY

PDR ADOCK

DF-01



UNITED STATES
NUCLEAR REGULATORY COMMISSION

WASHINGTON, D.C. 20555-0001

January 7, 2000

Mr. G. R. Peterson
Site Vice President
Catawba Nuclear Station
Duke Energy Corporation
4800 Concord Road
York, South Carolina 29745-9635

SUBJECT: CATAWBA NUCLEAR STATION, UNITS 1 AND 2 RE: ISSUANCE OF
AMENDMENTS (TAC NOS. MA6479 AND MA6480)

Dear Mr. Peterson:

The Nuclear Regulatory Commission has issued the enclosed Amendment No. 183 to Facility Operating License NPF-35 and Amendment No. 175 to Facility Operating License NPF-52 for the Catawba Nuclear Station, Units 1 and 2. The amendments consist of changes to the Technical Specifications (TS) in response to your application for amendment dated September 16, 1999, and supplemented by letter dated November 3, 1999.

The amendments revise Section 3.8.4, "DC Sources - Operating" of the Technical Specifications. Specifically, the amendments modify Surveillance Requirements (SRs) 3.8.4.8 and 3.8.4.9 and the associated Bases SR 3.8.4.8 and 3.8.4.9 to allow testing of the direct current (dc) channel batteries with the units on line. The change to SR 3.8.4.8 would also prohibit the diesel generator batteries from being service tested while the units are on line. Details are set forth in the enclosed Safety Evaluation.

A Notice of Issuance will be sent to the *Federal Register* to be included in the Commission's biweekly notices.

Sincerely,

A handwritten signature in black ink that reads "Peter S. Tam".

Peter S. Tam, Senior Project Manager, Section 1
Project Directorate II
Division of Licensing Project Management
Office of Nuclear Reactor Regulation

Docket Nos. 50-413 and 50-414

Enclosures:

1. Amendment No. 183 to NPF-35
2. Amendment No. 175 to NPF-52
3. Safety Evaluation

cc w/encls: See next page

Catawba Nuclear Station

cc:

Mr. Gary Gilbert
Regulatory Compliance Manager
Duke Energy Corporation
4800 Concord Road
York, South Carolina 29745

Ms. Lisa F. Vaughn
Legal Department (PB05E)
Duke Energy Corporation
422 South Church Street
Charlotte, North Carolina 28201-1006

Anne Cottingham, Esquire
Winston and Strawn
1400 L Street, NW
Washington, DC 20005

North Carolina Municipal Power
Agency Number 1
1427 Meadowwood Boulevard
P. O. Box 29513
Raleigh, North Carolina 27626

County Manager of York County
York County Courthouse
York, South Carolina 29745

Piedmont Municipal Power Agency
121 Village Drive
Greer, South Carolina 29651

Ms. Karen E. Long
Assistant Attorney General
North Carolina Department of Justice
P. O. Box 629
Raleigh, North Carolina 27602

Elaine Wathen, Lead REP Planner
Division of Emergency Management
116 West Jones Street
Raleigh, North Carolina 27603-1335

North Carolina Electric Membership
Corporation
P. O. Box 27306
Raleigh, North Carolina 27611

Senior Resident Inspector
U.S. Nuclear Regulatory Commission
4830 Concord Road
York, South Carolina 29745

Virgil R. Autry, Director
Division of Radioactive Waste Management
Bureau of Land and Waste Management
Department of Health and Environmental
Control
2600 Bull Street
Columbia, South Carolina 29201-1708

L. A. Keller
Manager - Nuclear Regulatory
Licensing
Duke Energy Corporation
526 South Church Street
Charlotte, North Carolina 28201-1006

Saluda River Electric
P. O. Box 929
Laurens, South Carolina 29360

Mr. Steven P. Shaver
Senior Sales Engineer
Westinghouse Electric Company
5929 Carnegie Blvd.
Suite 500
Charlotte, North Carolina 28209

Catawba Nuclear Station

cc:

Mr. T. Richard Puryear
Owners Group (NCEMC)
Duke Energy Corporation
4800 Concord Road
York, South Carolina 29745

Richard M. Fry, Director
Division of Radiation Protection
North Carolina Department of
Environment, Health, and
Natural Resources
3825 Barrett Drive
Raleigh, North Carolina 27609-7721