

Mr. Craig P. Kipp  
 General Manager Nuclear Fuel  
 GE Nuclear Energy  
 Nuclear Energy Production  
 P.O. Box 780  
 Wilmington, NC 28402-0780

January 10, 2000

Central Files

SUBJECT: ALLEGED EMPLOYEE FALSIFICATION OF FLUORIDE TEST DATA  
 (OFFICE OF INVESTIGATIONS CASE NUMBER 2-1999-017,  
 ALLEGATION NRR-1999-A-0033)

ALLEGED EMPLOYEE FALSIFICATION OF MOISTURE ANALYSIS DATA OF  
 FUEL PELLETS (OFFICE OF INVESTIGATIONS CASE NUMBER 2-1999-018,  
 ALLEGATION NRR-1999-A-0037)

Dear Mr. Kipp:

Enclosed for your information are the synopses of the Nuclear Regulatory Commission (NRC) Office of Investigations (OI) completed reports regarding alleged employee falsification of fluoride test data and moisture analysis data of fuel pellets which was brought to our attention.

OI determined that there was insufficient evidence to substantiate the allegation. We plan no further action with regard to this matter. Should you have any questions concerning this letter, please contact us.

In accordance with Section 2.790 of the NRC's "Rules of Practice," Part 2, Title 10, Code of Federal Regulations, a copy of this letter and its enclosures will be placed in the Public Document Room.

Sincerely,

original signed by TRQ

Theodore R. Quay, Chief, IQMB  
 Division of Inspection Program Management  
 Office of Nuclear Reactor Regulation

Docket No.: 99900003

Enclosures: Investigative Synopses  
 OI Case Nos. 2-1999-017 and 2-1999-018

FILE CENTER COPY

DISTRIBUTION:  
 IQMB R/F  
 Public  
 Central Files

\* SEE PREVIOUS PAGE FOR CONCURRENCE

DOCUMENT NAME: A:\geneoiltr00330037.wpd

To receive a copy of this document, indicate in the box: "C" = Copy without enclosures "E" = Copy with enclosures "N" = No copy

| OFFICE | IQMB/DIPM | IQMB/DIPM         | N | IQMB/DIPM | IQMB/DIPM        | IQMB/DIPM |  |  |
|--------|-----------|-------------------|---|-----------|------------------|-----------|--|--|
| NAME   | Rpettis * | DDorman <i>YH</i> |   | Tobler *  | TQuay <i>TRQ</i> |           |  |  |
| DATE   | 1/ /00    | 1/ 10 /00         |   | 1/ 7 /00  | 1/ 10 /00        |           |  |  |

OFFICIAL RECORD COPY

000-13

JE09

PDR QA 999 (99900003)



UNITED STATES  
NUCLEAR REGULATORY COMMISSION  
WASHINGTON, D.C. 20555-0001

January 10, 2000

Mr. Craig P. Kipp  
General Manager Nuclear Fuel  
GE Nuclear Energy  
Nuclear Energy Production  
P.O. Box 780  
Wilmington, NC 28402-0780

**SUBJECT: ALLEGED EMPLOYEE FALSIFICATION OF FLUORIDE TEST DATA  
(OFFICE OF INVESTIGATIONS CASE NUMBER 2-1999-017,  
ALLEGATION NRR-1999-A-0033)**

**ALLEGED EMPLOYEE FALSIFICATION OF MOISTURE ANALYSIS DATA OF  
FUEL PELLETS (OFFICE OF INVESTIGATIONS CASE NUMBER 2-1999-018,  
ALLEGATION NRR-1999-A-0037)**

Dear Mr. Kipp:

Enclosed for your information are the synopses of the Nuclear Regulatory Commission (NRC) Office of Investigations (OI) completed reports regarding alleged employee falsification of fluoride test data and moisture analysis data of fuel pellets which was brought to our attention.

In both cases, OI determined that the evidence did not substantiate the allegation. Therefore, we plan no further action with regard to this matter. Should you have any questions concerning this letter, please contact us.

In accordance with Section 2.790 of the NRC's "Rules of Practice," Part 2, Title 10, Code of Federal Regulations, a copy of this letter and its enclosures will be placed in the Public Document Room.

Sincerely,

A handwritten signature in cursive script that reads "Theodore R. Quay".

Theodore R. Quay, Chief, IQMB  
Division of Inspection Program Management  
Office of Nuclear Reactor Regulation

Docket No.: 99900003

Enclosures: Investigative Synopses  
1. OI Case No. 2-1999-017  
2. OI Case No. 2-1999-018

SYNOPSIS

The U.S. Nuclear Regulatory Commission, Region II, Office of Investigations initiated this investigation on June 8, 1999, to determine if a General Electric Nuclear Energy employee falsified fluoride tests data.

The evidence developed during this investigation did not substantiate that a General Electric Nuclear Energy employee falsified fluoride tests data.

~~NOT FOR PUBLIC DISCLOSURE WITHOUT APPROVAL OF  
FIELD OFFICE DIRECTOR, OFFICE OF INVESTIGATIONS, REGION II~~

APPROVED FOR RELEASE  
RTI OI 1/6/00  
RP

## SYNOPSIS

The U.S. Nuclear Regulatory Commission, Region II, Office of Investigations initiated this investigation on June 8, 1999, to determine if a General Electric Nuclear Energy employee falsified Karl Fischer moisture analysis data.

The evidence developed during this investigation did not substantiate that a General Electric Nuclear Energy employee falsified Karl Fischer moisture analysis data.

~~NOT FOR PUBLIC DISCLOSURE WITHOUT APPROVAL OF~~  
~~FIELD OFFICE DIRECTOR, OFFICE OF INVESTIGATIONS, REGION II~~

APPROVED FOR RELEASE  
R II OI 1/6/01  
RP