

January 19, 2000

EA 98-150, 98-151, 98-152 and 98-186

Mr. R. P. Powers
Senior Vice President
Nuclear Generation Group
American Electric Power Company
500 Circle Drive
Buchanan, MI 49107-1395

SUBJECT: NRC INSPECTION REPORT 50-315/99026(DRS); 50-316/99026(DRS)


Dear Mr. Powers:

On January 5, 2000, the NRC completed a special inspection of activities under your license as related to your actions to resolve Case Specific Checklist Items No. 6, "Resolution of Ice Condenser Issues" and No. 12, "Resolution of Containment Liner Pitting", that were established through the NRC's Manual Chapter 0350, "Staff Guidelines for Restart Approval". The enclosed report documents the results of the inspection.

The inspectors considered the scope of corrective actions for ice condenser issues comprehensive. Corrective actions included revisions to surveillance procedures, enhanced training, component modifications, and improvements to the overall material condition of the ice condenser. These corrective actions adequately addressed the previously identified deficiencies in surveillance testing, materiel condition and the design basis for the ice condenser. Additionally, your corrective actions for resolving the containment liner pitting were considered comprehensive and thorough. Therefore, Case Specific Checklist items 6 and 12 are closed.

We will gladly discuss any questions you have concerning this inspection.

Sincerely,


John A. Grobe, Director
Division of Reactor Safety

Docket Nos. 50-315; 50-316
License Nos. DPR-58; DPR-74

Enclosure: Inspection Report 50-315/99026(DRS); 50-316/99026(DRS)

See Attached Distribution

DOCUMENT NAME: G:\DRS\IDCC99026.WPD

To receive a copy of this document, indicate in the box: "C" = Copy without attachment/enclosure "E" = Copy with attachment/enclosure "N" = No copy

| OFFICE | RIII | C | RIII | E | RIII | E | RIII | N |
|--------|------------------------|---|-------------------|---|------------------|---|------------------|---|
| NAME | MHolmberg:jp <i>MH</i> | | GShear <i>GLS</i> | | AVegel <i>AV</i> | | JGrobe <i>JG</i> | |
| DATE | 01/19/00 | | 01/19/00 | | 01/19/00 | | 01/19/00 | |

OFFICIAL RECORD COPY

IE01

cc w/encl: A. C. Bakken III, Site Vice President
J. Pollock, Plant Manager
M. Rencheck, Vice President, Nuclear Engineering
R. Whale, Michigan Public Service Commission
Michigan Department of Environmental Quality
Emergency Management Division
MI Department of State Police
D. Lochbaum, Union of Concerned Scientists

Distribution:

RRB1 (E-Mail)
WES (E-Mail)
JFS2 (Project Mgr.) (E-Mail)
J. Caldwell, RIII w/encl
B. Clayton, RIII w/encl
SRI D. C. Cook w/encl
DRP w/encl
DRS w/encl
RIII PRR w/encl
PUBLIC IE-01 w/encl
Docket File w/encl
GREENS
IEO (E-Mail)
DOCDESK (E-Mail)
OE:EA File w/encl
R. Borchardt, OE w/encl
D. Dambly, OGC w/encl
V. Ordaz, NRR w/encl