

**CROW BUTTE RESOURCES, INC.**

86 Crow Butte Road  
P.O. Box 169  
Crawford, Nebraska 69339-0169



(308) 665-2215  
(308) 665-2341 - FAX

February 2, 2000

Mr. Dwight Chamberlain, Director  
Division of Nuclear Material Safety  
Region IV  
United States Nuclear Regulatory Commission  
611 Ryan Plaza Drive  
Suite 400  
Arlington, Texas 76011

Subject: Docket No. 40-8943  
License No. SUA-1534

Dear Mr. Chamberlain:

Enclosed please find one copy of the Semiannual Radiological Effluent and Environmental Monitoring Report for the Crow Butte Uranium Project. The report is provided in accordance with License Condition 12.1 of Source Materials License SUA-1534. This report covers the third and fourth quarters of 1999.

If you have any questions concerning the report, please feel free to call me at (308) 665-2215.

Sincerely,  
CROW BUTTE RESOURCES, INC.



Michael L. Griffin  
Manager of Environmental and Regulatory Affairs

Enclosures - As Stated

c: Mr. John Surmeier - USNRC, Office of Nuclear Material Safety and Safeguards

IE17

**CROW BUTTE RESOURCES, INC.**



---

**CROW BUTTE URANIUM PROJECT  
RADIOLOGICAL EFFLUENT  
AND  
ENVIRONMENTAL MONITORING  
REPORT**

**for**

**THIRD AND FOURTH QUARTERS, 1999**

**USNRC Source Materials License SUA 1534**



**Table of Contents**

**1 WATER QUALITY MONITORING DATA.....1**

    1.1 Excursion Monitoring.....1

    1.2 Water Supply Wells and Surface Water .....1

**2 OPERATIONAL.....2**

    2.1 Production Data Summary.....2

    2.2 Wastewater Summary .....2

    2.3 Effluent Release.....2

    2.4 Inspections .....4

    2.5 Restoration.....5

**3 ENVIRONMENTAL MONITORING .....5**

    3.1 Air Monitor Stations .....5

    3.2 TLD Monitors.....5

    3.3 Stream Sediments .....5



## **1 WATER QUALITY MONITORING DATA**

### **1.1 Excursion Monitoring**

Biweekly excursion monitoring in the shallow aquifer and perimeter monitor wells was continued in Mine Units 1 through 6 during the third and fourth quarters of 1999. Biweekly excursion monitoring of the shallow aquifer and perimeter monitor wells for Mine Unit 7 was begun during the period. Copies of the Nebraska Department of Environmental Quality (NDEQ) Mining Monitoring Reports (MMR's) are included in Appendix A. These reports provide the minimum, maximum and mean monitoring data for each monitor well during both calendar quarters. Complete monitoring results are readily available on site for inspection.

On July 1, 1999, perimeter monitor well CM6-6 in Mine Unit 6 was placed on excursion status. CBR implemented corrective activities including termination of injection in selected wells adjacent to the monitor well. These actions resulted in CM6-6 being returned to normal status on September 23, 1999. CBR provided reports of the excursion in accordance with License Condition 12.2.

On September 20, 1999, injection well I-567 in Mine Unit 4 failed the five-year mechanical integrity test (MIT). An investigation indicated that a casing failure had occurred at the 40-foot level in the well. CBR installed monitoring wells adjacent to I-567 that indicated the failure had not caused a vertical excursion that affected the local aquifer. The results of the I-567 testing and investigation were submitted to NRC on October 12, 1999.

Biweekly excursion monitoring was also begun during the period for post-restoration perimeter monitor wells for Mine Unit 1 following NDEQ approval of restoration. These wells and the UCL values assigned to them were approved by NDEQ. NRC was notified of initiation of this sampling on December 28, 1999.


### **1.2 Water Supply Wells and Surface Water**

Summary sheets of quarterly radiological analytical data for the reporting period from all surface waters and water supply wells within one kilometer of the active wellfield boundary are included in Appendix B. The reported radiological data are within the expected ranges for each well or stream.

# **CROW BUTTE RESOURCES, INC.**

## **Second Half 1999 Semiannual Radiological Effluent and Environmental Monitoring Report**

---



## **2 OPERATIONAL**

### **2.1 Production Data Summary**

Mining operations continued through the third and fourth quarters of 1999. The average operating production flow rate was 4348 gpm for the third quarter and 4408 gpm for the fourth quarter. The annual average production flow for 1999 was 4397 gpm. Injection and production totals from the totalizers and the calculated bleed totals for the reporting period are included in Appendix C.

The main injection trunkline is equipped with a continuous pressure sensor. The pressure sensor is set to alarm below the 100-psi injection pressure limit contained in the NDEQ UIC Permit. The average and maximum injection pressures for each wellhouse are included in Appendix D in the Wellfield Injection Pressure table.

The chemical analysis summaries for both the injection and production streams are included in Appendix E. The daily chemical analyses were used to calculate a monthly average during the reporting period. The average monthly chemical analysis was calculated for calcium, sodium, chloride, sulfate, and total carbonate.

### **2.2 Wastewater Summary**

The total volume of wastewater discharged to the ponds was 601,250 gallons during the third quarter and 441,420 gallons during the fourth quarter. An additional 621,195 gallons of water generated from well workovers, well development, and well maintenance activities were discharged to the ponds during the second half of 1999. Currently, all five evaporation ponds contain wastewater.

Wastewater that is not disposed of in the evaporation ponds is injected into the Deep Disposal Well (DDW). Currently, the well is operated on a continuous basis and 13,255,874 gallons of wastewater was injected into the well during the second half of 1999. Operational and monitoring data for the DDW is reported to the NDEQ in the Monthly Monitoring Report (MMR). Copies of the MMRs for the third and fourth quarters of 1999 are included in Appendix F.

### **2.3 Effluent Release**

License Condition No. 12.1 of SUA-1534 requires that CBR report the results of effluent releases to the environment. In the Application for Renewal of Source Materials License SUA-1534, submitted December 1995, Table 7.3(A) presented calculations of the annual radon emissions for

# CROW BUTTE RESOURCES, INC.

## Second Half 1999 Semiannual Radiological Effluent and Environmental Monitoring Report

---



the Crow Butte Plant. These calculations assumed a  $7.04 \times 10^{-4}$  Curies/m<sup>3</sup> radon release from leaching operations and are the basis for the radon release calculations for the second half of 1999.

During the third quarter production occurred at an average flow rate of 4348 gpm (16,457 lpm). During the fourth quarter production occurred at an average flow rate of 4408 gpm (16,684 lpm). Production was maintained continuously for 92 days for the third quarter with the exception of 3 hours of downtime. This represents a third quarter operating factor of 99.86%. Production was maintained continuously for 92 days for the fourth quarter with the exception of 7.5 hours of downtime. This represents a fourth quarter operating factor of 99.66%. The production flow for the third quarter would result in a calculated radon release of 1,105 Curies. The production flow for the fourth quarter would result in a calculated radon release of 1,120 Curies. Calculations for radon release from production operations are shown in Appendix G.

Additional wells were brought on line during the second half of 1999. Calculations for the start-up of 7.48 acres of a new wellfield are shown in Appendix G. The calculated radon released from start-up of 7.48 acres is 10 Curies.


The total radon emission due to leaching operations from the Crow Butte plant for the second half of 1999 was 2,235 Curies. When combined with the calculated release of 2,264 Curies for the first half of 1999, the total calculated radon release from leaching operations for 1999 is 4,499 Curies. This calculated annual release rate is comparable with the releases estimated in CBR's License Renewal Application.

Radon is also released from restoration activities. For restoration water that is treated by ion exchange only, the radon concentration is 0.697  $\mu\text{Ci/l}$ . Of the total restoration production flow it is assumed that 25% of the radon is released through wellfield loss and 10% of the remaining radon is released during pressurized ion exchange treatment. For water that is treated by reverse osmosis, it is assumed that 100% of the remaining radon is released. For water treated by reverse osmosis the radon concentration is 0.470  $\mu\text{Ci/l}$  after adjusting for wellfield loss and ion exchange loss.

During the second half of 1999, a total of 58,252,400 gallons (220,485,334 l) of restoration water was produced from Mine Units 2 and 3. Based upon an estimated radon concentration of 0.697  $\mu\text{Ci/l}$ , the total amount of radon in the restoration solution was calculated to be 154 Curies as shown in Appendix G. The estimated release of radon through wellfield loss at 25% of this total was 39 Curies. The plant loss for ion exchange treatment of the restoration water is estimated at 10% of the remaining radon, or 12 Curies.

Of the total amount of restoration water produced in the second half of 1999, 23,067,223 gallons (87,309,439 l) of the water was treated by reverse osmosis. The release of radon from reverse osmosis treatment is estimated to be 100% of the remaining radon, after correction for wellfield and ion exchange losses. These corrections result in an estimated radon concentration of 0.470  $\mu\text{Ci/l}$ . The total estimated radon release from reverse osmosis treatment was 41 Curies. An additional 3.46

# CROW BUTTE RESOURCES, INC.



## Second Half 1999 Semiannual Radiological Effluent and Environmental Monitoring Report

---

acres of wellfields were placed in restoration during the second half of 1999. Calculations for the start-up of 3.46 acres of a wellfield placed in restoration are shown in Appendix G. The calculated radon released from start-up of 3.46 acres is 4 Curies.

Based upon the calculations shown in Appendix G, the total estimated semiannual radon emission for the second half of 1999 from restoration activities was 96 Curies. This resulted in a total estimated radon release from the Crow Butte project during the second half of 1999 of 2,331 Curies.

### 2.4 Inspections

Plant operators conduct a daily visual inspection of the evaporation pond areas. Both R&D ponds and commercial ponds Nos. 1, 3, and 4 are inspected. The condition of the fences, pond embankments, and liners are all noted on the inspection form. The depth of water is recorded for all of the cells. Pond freeboard requirements were not exceeded during the second half of 1999.


The Quarterly Evaporation Pond Inspections were conducted for the third and fourth quarters. Copies of these reports are included in Appendix H.

The leak detection standpipes on each cell are checked on a weekly basis. If six inches or more of fluid is present in the leak detection standpipes of the R&D ponds, License Condition No. 11.4 requires that it be sampled and analyzed for conductivity, chloride, alkalinity, sodium and sulfate. The standpipes at the R & D ponds have never exceeded six inches.

License Condition No. 11.4 also requires that if six inches or more of water is present in the leak detection standpipes of the commercial ponds that the water be sampled on a weekly basis and analyzed for specific conductance. In the event that the specific conductance shows an increase above the action level, the water in the standpipe would be analyzed for chloride, alkalinity, sodium, and sulfate in an attempt to verify a leak. At no time during the second half of 1999 did the conductivity of the standpipes of the commercial ponds exceed the action level. The daily pond inspection forms are on file at the plant.

Daily walk-through inspections of all work and storage areas are conducted and the inspection reports are maintained on file at the plant. As required in License Condition 11.5, a weekly inspection by the RSO and the Plant Manager or their designees is conducted to observe general radiation control practices and to review required changes in procedures and equipment. Weekly inspection reports are also on file at the plant.

# **CROW BUTTE RESOURCES, INC.**



## **Second Half 1999 Semiannual Radiological Effluent and Environmental Monitoring Report**

---

### **2.5 Restoration**

Restoration activities continued in Mine Unit #2 and Mine Unit #3 during the second half of 1999. Mine Unit 1 is shut-in following completion of the stabilization period and subsequent approval of restoration by the NDEQ. Monthly Restoration Reports, detailing restoration activities and associated water sampling results for the period, are included in Appendix I.

## **3 ENVIRONMENTAL MONITORING**

### **3.1 Air Monitor Stations**

Seven air monitoring stations are used to monitor the Crow Butte Plant. Ambient radon-222 concentrations and radionuclide concentrations in air for each monitoring site are listed in Appendix J. All of the data for both quarters are within the expected ranges.

### **3.2 TLD Monitors**

Environmental TLD monitors are located at each air monitoring station. The results of the area TLD monitors fall within the expected ranges and are listed in Appendix J.

### **3.3 Stream Sediments**

Sediment samples are collected from two locations on Squaw Creek and two locations on English Creek on an annual basis. The sample locations are immediately upstream and downstream of the point where the creeks cross the site boundary. The results of stream sediment samples taken during the second half of 1999 fall within the expected ranges and are listed in Appendix J.



**Appendix A**

**Mining Monitor Reports**

**Third and Fourth Quarter, 1999**

**NEBRASKA DEPARTMENT OF ENVIRONMENTAL QUALITY  
MINING MONITORING REPORT**

Month: July - SeptemberYear: 1999

Total volume or water level for reporting period: 564,511,268 gallons injected \*  
\* from individual well injection meters - excluding restoration injection

Quality of Injected Fluid (discuss any significant change in the constituents or concentrations of the injected fluid):

	Chloride (ppm)	Sulfate (ppm)	Sodium (ppm)	Alkalinity** (as ppm CaCO <sub>3</sub> )	pH (SU)
Minimum	517	955	1203	1335	7.2
Maximum	591	1110	1368	1810	7.9

\*\* Alkalinity = Total Carbonate/1.2

Volume of injected fluid:

Month	Average Daily Injection Commercial (gpm)	Average Daily Injection Restoration (gpm)
July	4193	98
August	4266	112
September	4338	212

1. Have any operational problems occurred over the reporting period? Yes
2. Has any well maintenance (repairs, workovers, etc.) been performed during the period? yes
3. Has any significant change occurred in any of the monitored parameters that might indicate a leak or other failure of any well? no

If the answer to any of the above is yes, describe below.

**Question 1:** In the preceding Mining Monitoring Reports (MMR), it was reported that a casing leak was found in well I-196-5 during the routine Mechanical Integrity Test (MIT) of that well. Remediation of the area was accepted by NDEQ on August 19.

A casing failure was found in well I-567-13 during the routine Mechanical Integrity Test (MIT) of that well on September 20. Three wells have been installed in the immediate area to determine

whether the casing failure at approx. 40 feet has impacted groundwater. Sample results to date indicate no impact. Investigation of the area continues.

On July 2 an excursion of well CM6-6 was confirmed. The excursion was reported to NDEQ IAW the UIC Permit. Corrective actions were taken which consisted principally of overproduction in the immediate area of Mine Unit 6. These corrective actions were successful in returning the well to normal status with the sample obtained on September 23. Weekly sampling of the well will continue until October 14 IAW the UIC Permit. The analytical results of the sampling performed during the third quarter are attached. A final report of corrective actions was submitted on September 30.



**Question 2:**



Rig Workovers: 1519, 1497, 415, 1454  
Mining wells with casing repaired: None



**I CERTIFY UNDER THE PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED IN THIS APPLICATION AND ALL THE ATTACHMENTS AND THAT, I BELIEVE THE INFORMATION IS TRUE, ACCURATE, AND COMPLETE. FURTHER, I CERTIFY AWARENESS THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF A FINE AND IMPRISONMENT.**

  
\_\_\_\_\_  
Signature/Date

**Charles R. Miller, Plant Manager**  
Name/Title (printer)







Crow Butte Project  
Monitor Well Laboratory Report

Page Number 1/2

Sample Date: 07-01-1999  
Analysis Date: 07-02-1999

Analyst:

Vell Number	Sodium (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	Conductivity (UHROS)	Alkalinity (mg/L)
SH6-3	120	53	12	560	200
	Multiple 148	63	26	703	246
	Single 177	75	31	844	295
SH6-4	116	45	8.1	540	205
	Multiple 140	55	14	670	258
	Single 168	67	17	804	310
SH6-5	116	39	6.8	520	210
	Multiple 134	53	8	642	262
	Single 161	63	10	770	314
SH6-6	108	20	3.6*	490	225
	Multiple 130	21	7	593	278
	Single 156	25	8	711	334
SH6-7	114	15	6.0*	510	230
	Multiple 136	18	27	649	286
	Single 163	22	33	779	343
SH6-8	63*	26	7.7	490	215
	Multiple 87	33	20	642	259
	Single 104	40	24	770	311
SH6-10	117	47	8.1	550	200
	Multiple 146	60	18	698	264
	Single 176	72	22	838	317
SH6-12	20*	12*	4.0*	510	238
	Multiple 30	16	6	613	290
	Single 36	19	7	736	348
SH6-17	37*	6.5	6.0	490	225
	Multiple 69	10	26	665	294
	Single 83	12	31	798	353
SH7-11	Multiple 74	26	12	449	180
	Single 89	32	15	539	216
SH7-12	Multiple 101	50	14	516	186
	Single 121	60	17	619	223
SH7-13	Multiple 96	37	12	493	194
	Single 115	45	14	592	233
CH6-5	423	378	191	1980	300
	Multiple 485	476	245	2436	347
	Single 582	572	294	2923	416
CH6-6	552*	550*	263*	2680*	378*
	Multiple 486	461	251	2412	370
	Single 583	553	301	2894	444

\* - Denotes 5% change from previous sample.

Crow Butte Project  
Monitor Well Laboratory Report

Page Number 1/2

Sample Date: 07-02-1999  
Analysis Date: 07-02-1999

Analyst:

Well Number	Sodium (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	Conductivity (UHOS)	Alkalinity (mg/L)
SH6-3 Multiple Single	140	63	26	703	246
	177	75	31	844	296
SH6-4 Multiple Single	140	55	14	670	258
	168	67	17	804	310
SH6-5 Multiple Single	134	53	8	642	262
	161	63	10	770	314
SH6-6 Multiple Single	130	21	7	593	278
	166	25	8	711	334
SH6-7 Multiple Single	136	18	27	649	286
	163	22	33	779	343
SH6-8 Multiple Single	87	33	20	642	259
	104	40	24	770	311
SH6-10 Multiple Single	146	60	18	698	264
	176	72	22	838	317
SH6-12 Multiple Single	30	16	6	613	290
	36	19	7	736	348
SH6-17 Multiple Single	69	10	26	665	294
	83	12	31	798	353
SH7-11 Multiple Single	74	26	12	449	180
	89	32	15	539	216
SH7-12 Multiple Single	101	50	14	516	186
	121	60	17	619	223
SH7-13 Multiple Single	96	37	12	493	194
	115	45	14	592	233
CH6-5 Multiple Single	485	476	245	2436	347
	582	572	294	2923	416
CH6-6 Multiple Single	571	572	268	2750	390
	486	461	251	2412	370
	583	553	301	2894	444

\* - Denotes 5% change from previous sample.



MONITOR WELL LABORATORY REPORT

Page Number 1/2

Sample Date: 07-06-1999  
 Analysis Date: 07-06-1999

Analyst:

Well Number	Sodium (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	Conductivity (UHOS)	Alkalinity (mg/L)
SH6-3 Multiple Single	148	63	26	703	246
	177	76	31	844	296
SH6-4 Multiple Single	140	55	14	670	260
	168	67	17	804	310
SH6-5 Multiple Single	134	53	8	642	262
	161	63	10	770	314
SH6-6 Multiple Single	130	21	7	593	278
	156	25	8	711	334
SH6-7 Multiple Single	136	18	27	649	286
	163	22	33	779	343
SH6-8 Multiple Single	87	33	20	642	259
	104	40	24	770	311
SH6-10 Multiple Single	146	60	18	698	264
	176	72	22	838	317
SH6-12 Multiple Single	30	16	6	613	290
	36	19	7	736	348
SH6-17 Multiple Single	69	10	26	665	294
	83	12	31	798	353
SH7-11 Multiple Single	74	26	12	449	180
	89	32	15	539	216
SH7-12 Multiple Single	101	50	14	516	186
	121	60	17	619	223
SH7-13 Multiple Single	96	37	12	493	194
	115	45	14	592	233
CH6-5 Multiple Single	485	476	245	2436	347
	582	572	294	2923	416
CH6-6 Multiple Single	562	545	253*	2650	380
	486	461	251	2412	370
	583	553	301	2894	444

\* - Denotes 5% change from previous sample.

Crow Butte Project  
Monitor Well Laboratory Report

Page Number 1/2

Sample Date: 07-08-1999  
Analysis Date: 07-08-1999

Analyst:

Well Number	Sodium (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	Conductivity (UMHOS)	Alkalinity (mg/L)	
SH6-3	Multiple	148	63	26	703	246
	Single	177	75	31	844	295
SH6-4	Multiple	140	55	14	670	258
	Single	168	67	17	804	310
SH6-5	Multiple	134	53	8	642	262
	Single	161	63	10	770	314
SH6-6	Multiple	130	21	7	593	278
	Single	156	25	8	711	334
SH6-7	Multiple	136	18	27	649	286
	Single	163	22	33	779	343
SH6-8	Multiple	87	33	20	642	259
	Single	104	40	24	770	311
SH6-10	Multiple	146	60	18	698	264
	Single	176	72	22	838	317
SH6-12	Multiple	30	16	6	613	290
	Single	36	19	7	736	348
SH6-17	Multiple	69	10	26	665	294
	Single	83	12	31	798	353
SH7-11	Multiple	74	26	12	449	180
	Single	89	32	15	539	216
SH7-12	Multiple	101	50	14	516	186
	Single	121	60	17	619	223
SH7-13	Multiple	96	37	12	493	194
	Single	115	45	14	592	233
CH6-5	Multiple	485	476	245	2436	347
	Single	582	572	294	2923	416
CH6-6	Multiple	545	536	252	2650	378
	Single	583	553	301	2894	444

\* - Denotes 5% change from previous sample.

Crow Butte Project  
Monitor Well Laboratory Report

Page Number 1/2

Sample Date: 07-15-1999

Analyst:

Analysis Date: 07-16-1999

Well Number	Sodium (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	Conductivity (UMHOS)	Alkalinity (mg/L)
SH6-3 Multiple Single	121	52	13 <sup>m</sup>	560	200
	148	63	26	703	246
	177	75	31	844	295
SH6-4 Multiple Single	116	45	8.1	540	213
	140	55	14	670	258
	168	67	17	804	310
SH6-5 Multiple Single	115	40	7.7 <sup>m</sup>	530	210
	134	53	8	642	262
	161	63	10	770	314
SH6-6 Multiple Single	109	18 <sup>m</sup>	3.6	490	215
	130	21	7	593	278
	156	25	8	711	334
SH6-7 Multiple Single	115	15	6.4 <sup>m</sup>	510	240
	136	18	27	649	286
	163	22	33	779	343
SH6-8 Multiple Single	67 <sup>m</sup>	26	8.1	490	200 <sup>m</sup>
	87	33	20	642	259
	104	40	24	770	311
SH6-10 Multiple Single	122	47	7.7	550	210
	146	60	18	698	264
	176	72	22	838	317
SH6-12 Multiple Single	22 <sup>m</sup>	13 <sup>m</sup>	4.4 <sup>m</sup>	510	235
	30	16	6	613	290
	36	19	7	736	348
SH6-17 Multiple Single	36	7.3 <sup>m</sup>	6.0	490	230
	69	10	26	665	294
	83	12	31	798	353
SH7-11 Multiple Single	74	26	12	449	180
	89	32	15	539	216
SH7-12 Multiple Single	101	50	14	516	186
	121	60	17	619	223
SH7-13 Multiple Single	96	37	12	493	194
	115	45	14	592	233
CH6-5 Multiple Single	411	367	187	1940	290
	485	476	245	2436	347
	582	572	294	2923	416
CH6-6 Multiple Single	535	519	245	2570	365
	486	461	251	2412	370
	583	553	301	2894	444

\* - Denotes 5% change from previous sample.

Crov Butte Project  
Monitor Well Laboratory Report

Page Number 1/2

Sample Date: 07-22-1999

Analyst:

Analysis Date: 07-22-1999

Well Number	Sodium (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	Conductivity (UMHOS)	Alkalinity (mg/L)
SH6-3 Multiple Single	148	63	26	703	246
	177	75	31	844	296
SH6-4 Multiple Single	140	55	14	670	258
	168	67	17	804	310
SH6-5 Multiple Single	134	53	8	642	262
	161	63	10	770	314
SH6-6 Multiple Single	130	21	7	593	278
	156	25	8	711	334
SH6-7 Multiple Single	136	18	27	649	286
	163	22	33	779	343
SH6-8 Multiple Single	87	33	20	642	259
	104	40	24	778	311
SH6-10 Multiple Single	146	60	18	698	264
	176	72	22	838	317
SH6-12 Multiple Single	30	16	6	613	290
	36	19	7	736	348
SH6-17 Multiple Single	69	10	26	665	294
	83	12	31	798	353
SH7-11 Multiple Single	74	26	12	449	180
	89	32	15	539	216
SH7-12 Multiple Single	101	50	14	516	186
	121	60	17	619	223
SH7-13 Multiple Single	96	37	12	493	194
	115	45	14	592	233
CH6-5 Multiple Single	485	476	245	2436	347
	582	572	294	2923	416
CH6-6 Multiple Single	529	521	238	2540	363
	486	461	251	2412	370
	583	553	301	2894	444

\* - Denotes 5% change from previous sample.

Crow Butte Project  
Monitor Well Laboratory Report

Page Number 1/2

Sample Date: 07-29-1999  
Analysis Date: 07-30-1999

Analyst:

Well Number	Sodium (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	Conductivity (UHROS)	Alkalinity (mg/L)
SH6-3 Multiple Single	122	54	14*	560	205
	148	63	26	703	246
	177	75	31	844	296
SH6-4 Multiple Single	118	46	8.3	540	205
	140	55	14	670	258
	168	67	17	804	310
SH6-5 Multiple Single	115	40	7.9	530	210
	134	53	8	642	262
	161	63	10	770	314
SH6-6 Multiple Single	109	19*	4.0*	490	228*
	130	21	7	593	278
	156	25	8	711	334
SH6-7 Multiple Single	115	15	6.0*	510	230
	136	18	27	649	286
	163	22	33	779	343
SH6-8 Multiple Single	67	27	7.7	490	205
	87	33	20	642	259
	104	40	24	770	311
SH6-10 Multiple Single	121	48	8.1	550	220
	146	60	18	698	264
	176	72	22	838	317
SH6-12 Multiple Single	24*	13	4.4	510	235
	30	16	6	613	290
	36	19	7	736	348
SH6-17 Multiple Single	38*	7.2	5.6*	490	225
	69	10	26	665	294
	83	12	31	798	353
SH7-11 Multiple Single	59*	20	6.4*	350	138
	74	26	12	449	180
	89	32	15	539	216
SH7-12 Multiple Single	83*	47	6.0*	420	140
	101	50	14	516	186
	121	60	17	619	223
SH7-13 Multiple Single	82*	31	5.8*	410	160
	96	37	12	493	194
	115	45	14	592	233
CH6-5 Multiple Single	418	369	187	1940	295
	485	476	245	2436	347
	582	572	294	2923	416
CH6-6 Multiple Single	529	510	245	2540	358
	486	461	251	2412	370
	583	553	301	2894	444

\* - Denotes 5% change from previous sample.

Monitor Well Laboratory Report

Page Number 1/2

Sample Date: 08-05-1999  
 Analysis Date: 08-06-1999

Analyst:

Well Number	Sodium (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	Conductivity (UHOS)	Alkalinity (mg/L)
SH6-3 Multiple Single	148	63	26	703	246
	177	75	31	844	295
SH6-4 Multiple Single	140	55	14	670	258
	168	67	17	804	310
SH6-5 Multiple Single	134	53	8	642	262
	161	63	10	770	314
SH6-6 Multiple Single	130	21	7	593	278
	156	25	8	711	334
SH6-7 Multiple Single	136	18	27	649	286
	163	22	33	779	343
SH6-8 Multiple Single	87	33	20	642	259
	104	40	24	770	311
SH6-10 Multiple Single	146	60	18	698	264
	176	72	22	838	317
SH6-12 Multiple Single	30	16	6	613	290
	36	19	7	736	348
SH6-17 Multiple Single	69	10	26	665	294
	83	12	31	798	353
SH7-11 Multiple Single	74	26	12	449	180
	89	32	15	539	216
SH7-12 Multiple Single	101	50	14	516	186
	121	60	17	619	223
SH7-13 Multiple Single	96	37	12	493	194
	115	46	14	592	233
CH6-5 Multiple Single	485	476	245	2436	347
	582	572	294	2923	416
CH6-6 Multiple Single	565*	579*	252	2690*	375
	486	461	251	2412	370
	583	553	301	2894	444

\* - Denotes 5% change from previous sample.

**Crow Butte Project  
Monitor Well Laboratory Report**

Page Number 1/2

Sample Date: 08-12-1999

Analyst:

Analysis Date: 08-13-1999

Well Number	Sodium (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	Conductivity (UHOS)	Alkalinity (mg/L)
SH6-3	122	54	13 <sup>m</sup>	560	200
	Multiple 148	63	26	703	246
	Single 177	75	31	844	295
SH6-4	118	46	8.1	540	210
	Multiple 140	55	14	670	258
	Single 168	67	17	804	310
SH6-5	117	40	7.7	530	215
	Multiple 134	53	8	642	262
	Single 161	63	10	770	314
SH6-6	109	18 <sup>m</sup>	3.6 <sup>m</sup>	490	225
	Multiple 130	21	7	593	278
	Single 156	25	8	711	334
SH6-7	116	14 <sup>m</sup>	6.0	510	235
	Multiple 136	18	27	649	286
	Single 163	22	33	779	343
SH6-8	67	27	7.3 <sup>m</sup>	490	205
	Multiple 87	33	20	642	259
	Single 104	40	24	770	311
SH6-10	121	48	8.1	560	210
	Multiple 146	60	18	698	264
	Single 176	72	22	838	317
SH6-12	23	13	4.4	510	240
	Multiple 30	16	6	613	290
	Single 36	19	7	736	348
SH6-17	38	7	5.6	490	230
	Multiple 69	10	26	665	294
	Single 83	12	31	798	353
SH7-11	58	19	4.4 <sup>m</sup>	350	143
	Multiple 74	26	12	449	180
	Single 89	32	15	539	216
SH7-12	85	47	4.8 <sup>m</sup>	430	150 <sup>m</sup>
	Multiple 101	50	14	516	186
	Single 121	60	17	619	223
SH7-13	78	27 <sup>m</sup>	3.8 <sup>m</sup>	390	155
	Multiple 96	37	12	493	194
	Single 115	45	14	592	233
CH6-5	413	374	183	1940	285
	Multiple 485	476	245	2436	347
	Single 582	572	294	2923	416
CH6-6	545	524 <sup>m</sup>	246	2590	368
	Multiple 486	461	251	2412	370
	Single 583	553	301	2894	444

\* - Denotes 5% change from previous sample.

Crow Butte Project  
Monitor Well Laboratory Report

Page Number 1/2

Sample Date: 08-19-1999  
Analysis Date: 08-20-1999

Analyst:

Well Number	Sodium (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	Conductivity (UMHOS)	Alkalinity (mg/L)
SH6-3 Multiple Single	148	63	26	703	246
	177	75	31	844	295
SH6-4 Multiple Single	140	55	14	670	258
	168	67	17	804	310
SH6-5 Multiple Single	134	53	8	642	262
	161	63	10	770	314
SH6-6 Multiple Single	130	21	7	593	278
	156	25	8	711	334
SH6-7 Multiple Single	136	18	27	649	286
	163	22	33	779	343
SH6-8 Multiple Single	87	33	20	642	259
	104	40	24	770	311
SH6-10 Multiple Single	146	60	18	698	264
	176	72	22	838	317
SH6-12 Multiple Single	30	16	6	613	290
	36	19	7	736	348
SH6-17 Multiple Single	69	10	26	665	294
	83	12	31	798	353
SH7-11 Multiple Single	74	26	12	449	180
	89	32	15	539	216
SH7-12 Multiple Single	101	50	14	516	186
	121	60	17	619	223
SH7-13 Multiple Single	96	37	12	493	194
	115	45	14	592	233
CH6-5 Multiple Single	485	476	245	2436	347
	582	572	294	2923	416
CH6-6 Multiple Single	525	492*	237	2510	350
	486	461	251	2412	370
	583	553	301	2894	444

\* - Denotes 5% change from previous sample.



Crow Butte Project  
Monitor Well Laboratory Report

Page Number 1/2

Sample Date: 08-26-1999  
Analysis Date: 08-26-1999

Analyst:

Well Number	Sodium (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	Conductivity (UMHOS)	Alkalinity (mg/L)
SH6-3 Multiple Single	148	63	26	703	246
	177	75	31	844	295
SH6-4 Multiple Single	140	55	14	670	258
	168	67	17	804	310
SH6-5 Multiple Single	134	53	8	642	262
	161	63	10	770	314
SH6-6 Multiple Single	130	21	7	593	278
	156	25	8	711	334
SH6-7 Multiple Single	136	18	27	649	286
	163	22	33	779	343
SH6-8 Multiple Single	87	33	20	642	259
	104	40	24	770	311
SH6-10 Multiple Single	146	60	18	698	264
	176	72	22	838	317
SH6-12 Multiple Single	30	16	6	613	290
	36	19	7	736	348
SH6-17 Multiple Single	69	10	26	665	294
	83	12	31	798	353
SH7-11 Multiple Single	74	26	12	449	180
	89	32	15	539	216
SH7-12 Multiple Single	101	50	14	516	186
	121	60	17	619	223
SH7-13 Multiple Single	96	37	12	493	194
	115	45	14	592	233
CH6-5 Multiple Single	485	476	245	2436	347
	582	572	294	2923	416
CH6-6 Multiple Single	523	497	234	2450	358
	486	461	251	2412	370
	583	553	301	2894	444

\* - Denotes 5% change from previous sample.

Crow Butte Project  
Monitor Well Laboratory Report

Page Number 1/2

Sample Date: 09-02-1999  
Analysis Date: 09-03-1999

Analyst: SM/IG

Well Number	Sodium (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	Conductivity (UHOS)	Alkalinity (mg/L)
SH6-3 Multiple Single	148 177	63 75	26 31	703 844	246 295
SH6-4 Multiple Single	140 168	55 67	14 17	670 804	258 310
SH6-5 Multiple Single	134 161	53 63	8 10	642 770	262 314
SH6-6 Multiple Single	130 156	21 25	7 8	593 711	278 334
SH6-7 Multiple Single	136 163	18 22	27 33	649 779	286 343
SH6-8 Multiple Single	87 104	33 40	20 24	642 770	259 311
SH6-10 Multiple Single	146 176	60 72	18 22	698 838	264 317
SH6-12 Multiple Single	30 36	16 19	6 7	613 736	290 348
SH6-17 Multiple Single	69 83	10 12	26 31	665 798	294 353
SH7-11 Multiple Single	74 89	26 32	12 15	449 539	180 216
SH7-12 Multiple Single	101 121	50 60	14 17	516 619	186 223
SH7-13 Multiple Single	96 115	37 45	12 14	493 592	194 233
CH6-5 Multiple Single	485 582	476 572	245 294	2436 2923	347 416
CH6-6 Multiple Single	500 486 583	463* 461 553	223 251 301	2400 2412 2894	350 370 444

\* - Denotes 5% change from previous sample.

Crow Butte Project  
Monitor Well Laboratory Report

Page Number 1/2

Sample Date: 09-09-1999  
Analysis Date: 09-10-1999

Analyst: SH/IG

Well Number	Sodium (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	Conductivity (UMHOS)	Alkalinity (mg/L)
SH6-3 Multiple Single	148 177	63 75	26 31	703 844	246 295
SH6-4 Multiple Single	140 168	55 67	14 17	670 804	258 310
SH6-5 Multiple Single	134 161	53 63	8 10	642 770	262 314
SH6-6 Multiple Single	130 156	21 25	7 8	593 711	278 334
SH6-7 Multiple Single	136 163	18 22	27 33	649 779	286 343
SH6-8 Multiple Single	87 104	33 40	20 24	642 770	259 311
SH6-10 Multiple Single	146 176	60 72	18 22	698 838	264 317
SH6-12 Multiple Single	30 36	16 19	6 7	613 736	290 348
SH6-17 Multiple Single	69 83	10 12	26 31	665 798	294 353
SH7-11 Multiple Single	74 89	26 32	12 15	449 539	180 216
SH7-12 Multiple Single	101 121	50 60	14 17	516 619	186 223
SH7-13 Multiple Single	96 116	37 45	12 14	493 592	194 233
CH6-5 Multiple Single	485 582	476 572	245 294	2436 2923	347 416
CH6-6 Multiple Single	492 486 583	458 461 553	218 251 301	2315 2412 2894	340 370 444

\* - Denotes 5% change from previous sample.

Crow Butte Project  
Monitor Well Laboratory Report

Page Number 1/2

Sample Date: 09-16-1999  
Analysis Date: 09-17-1999

Analyst: SH/LG

Well Number	Sodium (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	Conductivity (UHOS)	Alkalinity (mg/L)
SH6-3 Multiple Single	148	63	26	703	246
	177	75	31	844	295
SH6-4 Multiple Single	140	55	14	670	258
	168	67	17	804	310
SH6-5 Multiple Single	134	53	8	642	262
	161	63	10	770	314
SH6-6 Multiple Single	130	21	7	593	278
	156	25	8	711	334
SH6-7 Multiple Single	136	18	27	649	286
	163	22	33	779	343
SH6-8 Multiple Single	87	33	20	642	259
	104	40	24	770	311
SH6-10 Multiple Single	146	60	18	698	264
	176	72	22	838	317
SH6-12 Multiple Single	30	16	6	613	290
	36	19	7	736	348
SH6-17 Multiple Single	69	10	26	665	294
	83	12	31	798	353
SH7-11 Multiple Single	74	26	12	449	180
	89	32	15	539	216
SH7-12 Multiple Single	101	50	14	516	186
	121	60	17	619	223
SH7-13 Multiple Single	96	37	12	493	194
	115	45	14	592	233
CH6-5 Multiple Single	485	476	245	2436	347
	582	572	294	2923	416
CH6-6 Multiple Single	468	438	211	2250	325
	486	461	251	2412	370
	583	553	301	2894	444

\* - Denotes 5% change from previous sample.

Crow Butte Project  
Monitor Well Laboratory Report

Page Number 1/2

Sample Date: 09-23-1999  
Analysis Date: 09-24-1999

Analyst: SH/LG

Well Number	Sodium (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	Conductivity (UHOS)	Alkalinity (mg/L)
SH6-3	122	51	13	560	200
Multiple	148	63	26	703	246
Single	177	75	31	844	295
SH6-4	119	44	7.7	540	208
Multiple	140	55	14	670	258
Single	168	67	17	804	310
SH6-5	116	39	7.5	530	210
Multiple	134	53	8	642	262
Single	161	63	10	770	314
SH6-6	110	19	2.8*	490	225
Multiple	130	21	7	593	278
Single	156	25	8	711	334
SH6-7	116	15	5.6	500	235*
Multiple	136	18	27	649	286
Single	163	22	33	779	343
SH6-8	65	25*	6.4*	490	205
Multiple	87	33	20	642	259
Single	104	40	24	770	311
SH6-10	122	47	7.7	550	210
Multiple	146	60	18	698	264
Single	176	72	22	838	317
SH6-12	23*	12*	4.0	510	230
Multiple	30	16	6	613	290
Single	36	19	7	736	348
SH6-17	39	7.1	4.4*	480	230
Multiple	69	10	26	665	294
Single	83	12	31	798	353
SH7-11	58	19	2.4	340	143
Multiple	74	26	12	449	180
Single	89	32	15	539	216
SH7-12	86	43	2.8*	440	155
Multiple	101	50	14	516	186
Single	121	60	17	619	223
SH7-13	76	26*	2.0*	380	155
Multiple	96	37	12	493	194
Single	115	46	14	592	233
CH6-5	416	378	179	1950	285
Multiple	485	476	245	2436	347
Single	582	572	294	2923	416
CH6-6	475	441	206	2250	330
Multiple	486	461	251	2412	370
Single	583	553	301	2894	444

\* - Denotes 5% change from previous sample.

Crow Butte Project  
Monitor Well Laboratory Report

Page Number 1/2

Sample Date: 09-30-1999  
Analysis Date: 09-30-1999

Analyst: SH/IG

Vell Number	Sodium (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	Conductivity (UHHOS)	Alkalinity (mg/L)
SH6-3 Multiple	148	63	26	703	246
Single	177	75	31	844	295
SH6-4 Multiple	140	55	14	670	258
Single	168	67	17	804	310
SH6-5 Multiple	134	53	8	642	262
Single	161	63	10	770	314
SH6-6 Multiple	130	21	7	593	278
Single	156	25	8	711	334
SH6-7 Multiple	136	18	27	649	286
Single	163	22	33	779	343
SH6-8 Multiple	87	33	20	642	259
Single	104	40	24	770	311
SH6-10 Multiple	146	60	18	698	264
Single	176	72	22	838	317
SH6-12 Multiple	30	16	6	613	290
Single	36	19	7	736	348
SH6-17 Multiple	69	10	26	665	294
Single	83	12	31	798	353
SH7-11 Multiple	74	26	12	449	180
Single	89	32	15	539	216
SH7-12 Multiple	101	50	14	516	186
Single	121	60	17	619	223
SH7-13 Multiple	96	37	12	493	194
Single	115	45	14	592	233
CH6-5 Multiple	485	476	245	2436	347
Single	582	572	294	2923	416
CH6-6 Multiple	459	421	207	2180	330
Single	486	461	251	2412	370
Single	583	553	301	2894	444

\* - Denotes 5% change from previous sample.

(NOT BATTER RESOURCES, INC.)  
PLACING PROCEDURE

TRUCK NUMBER	ACTIVITY AND ALTERNATES	TONNAGE	DATE	INSPECTED BY
2076	Soda Ash	27	8/24/98	Capped 7/6/99
2315	Soda Ash	30	4/26/99	Capped 7/6/99
2335	Soda Ash	28	5/17/99	Capped 7/6/99
2352	Soda Ash	29	7/2/99	Capped 7/6/99
2351	Soda Ash	29	5/27/99	Capped 7/6/99
2356	Soda Ash	30	6/17/99	Capped 7/6/99
2358	Soda Ash	28	7/6/99	Capped 7/9/99
2222	Soda Ash	31	11/14/98	Capped 7/11/99
2345	Soda Ash	27	5/24/99	Capped 7/11/99
2357	Soda Ash	28	6/18/99	Capped 7/16/99
2375	Soda Ash	30	7/14/99	Capped 7/16/99
2195	Soda Ash	29	10/28/98	Capped 7/16/99
2363	Soda Ash	29	12/16/98	Capped 7/28/99
2364	Soda Ash	27	1/5/99	Capped 7/28/99
2194	Soda Ash	29	10/30/98	Capped 8/13/99
2151	Soda Ash	29	8/24/98	Capped 8/13/99
2380	Soda Ash	27	8/4/99	Capped 8/13/99
2346	Soda Ash	29	7/29/99	Capped 8/13/99
1845	Soda Ash	27	10-1-98	Capped 9/2/99
1651	Soda Ash	29	10-2-97	Capped 9/2/99
1847	Soda Ash	28	10-14-98	Capped 9/2/99
1844	Soda Ash	27	2-10-98	Capped 9/2/99
1834	Soda Ash	27	2-6-98	Capped 9/2/99
1627	Soda Ash	31	9-24-97	Capped 9/2/99
1835	Soda Ash	29	2-5-98	Capped 9/2/99
1838	Soda Ash	27	2-9-98	Capped 9/2/99
1905	Soda Ash	29	10-23-98	Capped 9/2/99
1856	Soda Ash	28	10-22-98	Capped 9/2/99
1906	Soda Ash	29	10-21-98	Capped 9/2/99
1830	Soda Ash	27	2-5-98	Capped 9/2/99
1696	Soda Ash	28	10-20-98	Capped 9/2/99





Well Number	SM7-1			SM7-2			SM7-3		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	51.0	52.2	55.4	52.9	53.3	54.1	52.0	52.4	52.6
Barometric Pressure, in.	29.8	30.0	30.2	29.8	30.0	30.2	29.8	30.0	30.2
Sodium, ppm	97.0	104.0	109.0	85.0	89.4	91.0	96.0	97.2	101.0
Sulfate, ppm	40.0	43.2	46.0	30.0	31.6	34.0	38.0	39.4	43.0
Chloride, ppm	6.0	6.5	6.8	5.6	8.2	13.0	5.6	7.3	11.0
Conductivity, umhos	470	492	510	420	426	430	450	462	500
Total Alkalinity, ppm	180.0	185.0	190.0	130.0	153.0	160.0	170.0	174.0	175.0

Well Number	SM7-4			SM7-5			SM7-6		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	74.0	74.2	74.6	57.7	57.9	58.5	78.3	78.4	78.5
Barometric Pressure, in.	29.8	30.0	30.2	29.9	30.0	30.1	29.9	30.0	30.1
Sodium, ppm	92.0	92.6	94.0	88.0	88.8	91.0	63.0	64.2	66.0
Sulfate, ppm	31.0	32.2	33.0	35.0	36.8	40.0	17.0	17.6	19.0
Chloride, ppm	6.8	9.6	11.0	3.0	4.6	6.8	5.0	7.5	11.0
Conductivity, umhos	430	446	450	430	440	450	360	366	370
Total Alkalinity, ppm	160.0	165.0	175.0	160.0	164.0	170.0	138.0	143.6	150.0

Well Number	SM7-7			SM7-8			SM7-9		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	71.3	71.5	71.9	46.9	47.3	48.6	45.9	46.2	47.2
Barometric Pressure, in.	29.9	30.0	30.1	29.9	30.0	30.1	29.9	30.0	30.1
Sodium, ppm	92.0	93.0	94.0	98.0	99.2	101.0	90.0	91.4	95.0
Sulfate, ppm	36.0	37.2	38.0	47.0	51.2	56.0	33.0	34.0	35.0
Chloride, ppm	3.6	4.4	6.2	5.6	9.6	14.0	5.2	7.5	9.7
Conductivity, umhos	440	444	460	470	482	500	440	440	440
Total Alkalinity, ppm	155.0	165.6	178.0	155.0	160.6	168.0	160.0	165.0	170.0

Well Number	SM7-10			SM7-11			SM7-12		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	54.6	55.3	55.8	78.0	78.1	78.1	50.3	50.3	50.4
Barometric Pressure, in.	29.9	30.0	30.1	29.9	29.9	29.9	29.9	29.9	29.9
Sodium, ppm	90.0	92.2	95.0	58.0	58.4	59.0	83.0	85.0	86.0
Sulfate, ppm	38.0	38.6	40.0	19.0	19.4	20.0	43.0	45.4	47.0
Chloride, ppm	2.8	3.3	4.0	2.4	3.8	6.4	2.8	4.3	6.0
Conductivity, umhos	440	442	450	340	344	350	420	430	440
Total Alkalinity, ppm	160.0	167.0	170.0	138.0	142.4	145.0	140.0	152.0	160.0

Well Number	SM7-13			SM7-14			SM7-15		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	53.7	53.7	53.7	83.3	83.4	83.5	102.0	102.1	102.2
Barometric Pressure, in.	29.9	29.9	29.9	29.9	30.1	30.3	0.3	24.1	30.2
Sodium, ppm	74.0	77.6	82.0	59.0	60.8	63.0	50.0	50.8	52.0
Sulfate, ppm	26.0	27.6	31.0	17.0	17.0	17.0	20.0	21.0	23.0
Chloride, ppm	2.0	3.4	5.8	7.0	10.3	14.0	2.0	2.2	2.4
Conductivity, umhos	380	388	410	340	342	350	340	340	340
Total Alkalinity, ppm	150.0	156.0	160.0	120.0	132.6	140.0	130.0	138.0	140.0

Well Number	SM7-16			SM7-17			SM7-18		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	130.6	130.6	130.7	102.8	103.1	103.3	124.5	124.8	125.0
Barometric Pressure, in.	29.9	30.1	30.3	29.8	30.0	30.2	29.8	30.0	30.2
Sodium, ppm	50.0	54.2	60.0	60.0	61.8	63.0	61.0	62.2	64.0
Sulfate, ppm	15.0	16.4	19.0	16.0	17.4	19.0	20.0	22.2	25.0
Chloride, ppm	2.4	2.8	3.2	2.8	3.2	3.6	1.6	1.9	2.2
Conductivity, umhos	320	324	330	370	370	370	340	354	370
Total Alkalinity, ppm	133.0	138.8	143.0	135.0	144.2	158.0	140.0	145.6	150.0

New Balle Project Emission Monitoring  
Third Quarter, 1999 - Page 2

Well Number	SM7-19			SM7-20			SM7-21		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	100.4	100.6	101.1	110.9	111.1	111.7	122.8	123.1	123.6
Barometric Pressure, in.	29.8	30.0	30.2	29.9	30.1	30.2	29.9	30.1	30.2
Sodium, ppm	72.0	73.2	74.0	70.0	72.2	74.0	66.0	67.6	68.0
Sulfate, ppm	22.0	24.8	28.0	21.0	21.6	22.0	20.0	20.6	21.0
Chloride, ppm	5.6	6.1	6.8	2.8	3.3	4.4	2.6	2.8	3.2
Conductivity, umhos	360	370	380	360	364	380	350	350	350
Total Alkalinity, ppm	140.0	145.0	150.0	150.0	151.2	153.0	140.0	145.6	150.0

Well Number	SM7-22			SM7-23			SM7-24		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	91.7	92.0	92.2	104.1	104.8	105.3	106.8	107.1	107.4
Barometric Pressure, in.	29.9	30.0	30.2	29.9	30.0	30.2	29.9	30.0	30.2
Sodium, ppm	69.0	72.9	86.0	102.0	106.0	111.0	108.0	111.6	115.0
Sulfate, ppm	21.0	21.6	22.0	42.0	42.2	43.0	51.0	54.8	59.0
Chloride, ppm	15.0	24.0	54.0	15.0	19.8	29.0	13.0	16.0	19.0
Conductivity, umhos	390	421	520	510	522	550	520	536	550
Total Alkalinity, ppm	133.0	143.3	155.0	175.0	178.8	183.0	170.0	180.6	188.0

Well Number	SM7-25			SM6-1			SM6-2		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	101.0	101.2	101.4	49.4	50.6	52.1	41.6	42.0	42.4
Barometric Pressure, in.	29.9	30.0	30.2	29.8	30.0	30.2	29.8	30.0	30.2
Sodium, ppm	75.0	77.2	80.0	121.0	122.2	127.0	120.0	123.3	126.0
Sulfate, ppm	20.0	22.6	26.0	51.0	52.3	53.0	50.0	50.9	52.0
Chloride, ppm	7.0	10.8	15.0	9.3	9.7	10.0	11.0	11.8	12.0
Conductivity, umhos	370	378	390	560	563	570	560	568	570
Total Alkalinity, ppm	136.0	145.2	150.0	200.0	205.7	210.0	200.0	205.3	210.0

Well Number	SM6-3			SM6-4			SM6-5		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	33.7	34.0	34.4	46.7	47.2	47.7	40.6	41.1	41.5
Barometric Pressure, in.	29.8	29.9	30.0	29.8	29.9	30.0	29.8	29.9	30.0
Sodium, ppm	119.0	121.6	123.0	116.0	117.8	120.0	114.0	115.9	117.0
Sulfate, ppm	51.0	52.3	54.0	44.0	45.0	46.0	39.0	39.4	40.0
Chloride, ppm	12.0	12.9	14.0	7.5	8.0	8.3	6.8	7.4	7.9
Conductivity, umhos	550	559	560	540	540	540	520	528	530
Total Alkalinity, ppm	190.0	197.8	205.0	205.0	207.9	213.0	210.0	210.6	215.0

Well Number	SM6-6			SM6-7			SM6-8		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	51.8	52.2	52.6	35.8	36.2	36.6	25.8	26.6	27.1
Barometric Pressure, in.	29.8	29.9	30.0	29.8	29.9	30.0	29.8	29.9	30.0
Sodium, ppm	106.0	109.0	112.0	113.0	115.2	117.0	63.0	66.4	68.0
Sulfate, ppm	18.0	18.9	20.0	14.0	14.9	16.0	25.0	26.4	27.0
Chloride, ppm	2.8	3.5	4.0	5.6	6.0	6.4	6.4	7.5	8.1
Conductivity, umhos	480	489	490	500	507	510	490	490	490
Total Alkalinity, ppm	215.0	225.3	230.0	223.0	233.4	240.0	200.0	205.9	215.0

Well Number	SM6-9			SM6-10			SM6-11		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	17.2	17.7	18.7	13.1	13.9	14.4	9.0	9.7	10.3
Barometric Pressure, in.	29.1	29.9	30.2	29.8	29.9	30.0	29.8	30.1	30.3
Sodium, ppm	73.0	74.8	76.0	117.0	121.1	123.0	18.0	19.1	21.0
Sulfate, ppm	13.0	14.1	15.0	47.0	47.2	48.0	13.0	14.2	15.0
Chloride, ppm	6.0	6.6	7.3	7.7	8.2	8.9	5.2	5.8	6.4
Conductivity, umhos	510	511	520	550	551	560	480	483	490
Total Alkalinity, ppm	225.0	228.3	235.0	200.0	208.3	220.0	200.0	207.9	220.0

Well Number	SM6-12			SM6-13			SM6-14		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	12.6	13.6	14.2	9.7	10.5	11.7	25.3	25.6	26.3
Barometric Pressure, in.	29.8	29.9	30.0	29.9	30.0	30.2	29.8	30.0	30.2
Sodium, ppm	20.0	23.1	25.0	21.0	22.4	24.0	122.0	123.0	124.0
Sulfate, ppm	12.0	12.6	13.0	14.0	15.3	17.0	52.0	54.0	55.0
Chloride, ppm	3.6	4.1	4.6	4.8	5.3	5.6	13.0	13.6	14.0
Conductivity, umhos	510	510	510	530	532	540	570	570	570
Total Alkalinity, ppm	230.0	235.3	240.0	240.0	244.9	250.0	195.0	202.8	210.0

Well Number	SM6-15			SM6-16			SM6-17		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	30.1	30.5	30.9	36.9	37.4	37.9	16.5	17.1	17.8
Barometric Pressure, in.	29.8	29.9	30.1	29.8	29.9	30.1	29.8	29.9	30.0
Sodium, ppm	118.0	121.2	125.0	50.0	52.2	55.0	36.0	38.2	40.0
Sulfate, ppm	49.0	50.4	52.0	7.0	8.0	8.7	6.2	6.9	7.3
Chloride, ppm	12.0	12.9	14.0	3.2	3.8	4.0	4.4	5.5	6.0
Conductivity, umhos	560	560	560	450	451	460	480	487	490
Total Alkalinity, ppm	190.0	199.8	205.0	200.0	207.0	210.0	225.0	228.9	230.0

Well Number	SM6-18			SM6-19			SM6-20		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	21.2	21.7	22.1	34.5	35.2	35.8	14.8	18.4	19.3
Barometric Pressure, in.	29.8	30.1	30.3	29.8	30.1	30.3	29.8	30.0	30.2
Sodium, ppm	119.0	120.3	122.0	53.0	54.5	56.0	17.0	18.4	19.0
Sulfate, ppm	52.0	53.5	55.0	23.0	23.9	25.0	14.0	15.1	17.0
Chloride, ppm	12.0	12.9	15.0	4.8	5.9	6.9	5.6	7.1	8.1
Conductivity, umhos	560	563	570	480	484	490	490	498	520
Total Alkalinity, ppm	195.0	198.8	200.0	200.0	201.9	205.0	195.0	205.4	213.0

Well Number	SM6-21			SM6-22			SM6-23		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	2.2	3.0	3.6	0.1	0.5	1.1	0.8	1.6	2.2
Barometric Pressure, in.	29.9	30.0	30.2	29.9	30.0	30.2	29.9	30.0	30.2
Sodium, ppm	20.0	21.0	22.0	19.0	19.4	21.0	24.0	25.8	28.0
Sulfate, ppm	14.0	14.7	16.0	12.0	13.6	15.0	14.0	14.8	16.0
Chloride, ppm	6.2	6.8	7.3	4.2	4.5	4.8	4.4	4.7	5.0
Conductivity, umhos	480	490	500	460	461	470	500	506	510
Total Alkalinity, ppm	205.0	210.0	215.0	200.0	206.4	210.0	225.0	230.7	238.0

Well Number	SM6-24			SM6-25			SM6-26		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	8.9	10.2	11.3	4.0	4.9	5.6	1.1	2.0	2.7
Barometric Pressure, in.	29.9	30.0	30.2	29.9	30.0	30.2	29.9	30.0	30.2
Sodium, ppm	22.0	24.1	27.0	22.0	23.6	26.0	25.0	26.4	28.0
Sulfate, ppm	13.0	13.8	15.0	13.0	14.2	15.0	12.0	12.8	14.0
Chloride, ppm	4.4	4.9	5.2	6.0	6.2	6.4	5.2	5.5	5.8
Conductivity, umhos	460	464	470	470	479	480	460	460	460
Total Alkalinity, ppm	195.0	206.7	210.0	200.0	206.6	210.0	200.0	201.4	205.0

Well Number	SM6-27			SM6-28			SM5-1		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	0.3	1.1	1.8	10.9	12.0	12.6	23.1	23.5	24.4
Barometric Pressure, in.	29.9	30.0	30.2	29.9	30.0	30.2	29.8	30.0	30.2
Sodium, ppm	25.0	26.3	28.0	27.0	28.4	30.0	134.0	136.2	140.0
Sulfate, ppm	12.0	13.2	15.0	21.0	22.2	29.0	55.0	56.7	58.0
Chloride, ppm	4.8	4.9	5.2	4.5	4.8	5.2	13.0	13.0	13.0
Conductivity, umhos	470	471	480	610	619	620	630	630	630
Total Alkalinity, ppm	200.0	205.3	215.0	220.0	230.0	237.0	225.0	231.0	235.0

Well Number	SMS-2			SMS-3			SMS-4		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	32.9	33.4	34.6	48.8	49.3	50.1	37.3	37.6	38.5
Barometric Pressure, in.	29.8	30.0	30.2	29.8	30.0	30.2	29.8	30.0	30.2
Sodium, ppm	98.0	100.0	102.0	132.0	133.7	137.0	120.0	123.1	126.0
Sulfate, ppm	31.0	31.8	33.0	51.0	52.0	53.0	48.0	49.1	50.0
Chloride, ppm	5.6	6.1	6.8	15.0	16.2	17.0	14.0	14.9	16.0
Conductivity, umhos	460	467	470	610	610	610	560	562	570
Total Alkalinity, ppm	180.0	186.7	190.0	223.0	226.2	230.0	200.0	206.1	210.0

Well Number	SMS-5			SMS-6			SMS-7		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	51.1	51.4	52.3	54.0	54.2	54.7	40.6	40.9	41.9
Barometric Pressure, in.	29.8	30.0	30.2	29.8	30.0	30.2	29.1	29.9	30.2
Sodium, ppm	135.0	136.4	138.0	126.0	127.7	129.0	127.0	129.9	132.0
Sulfate, ppm	52.0	54.4	56.0	56.0	57.1	58.0	57.0	58.6	60.0
Chloride, ppm	13.0	14.1	15.0	13.0	14.4	15.0	10.0	10.9	12.0
Conductivity, umhos	620	621	630	590	590	590	590	590	590
Total Alkalinity, ppm	230.0	232.8	235.0	200.0	205.3	210.0	205.0	212.6	220.0

Well Number	SMS-8			SMS-9			SMS-10		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	42.4	42.8	43.9	39.6	40.1	41.3	28.6	29.8	31.3
Barometric Pressure, in.	29.1	29.9	30.2	29.1	29.9	30.2	29.1	29.9	30.2
Sodium, ppm	122.0	123.8	126.0	121.0	122.4	124.0	122.0	122.9	124.0
Sulfate, ppm	51.0	54.0	56.0	51.0	53.1	54.0	54.0	55.3	57.0
Chloride, ppm	11.0	11.7	12.0	11.0	11.3	12.0	9.7	10.0	10.0
Conductivity, umhos	570	570	570	560	560	560	560	568	570
Total Alkalinity, ppm	200.0	203.8	210.0	200.0	206.4	215.0	195.0	204.4	210.0

Well Number	SMS-11			SMS-12			SMS-13		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	28.4	28.9	30.8	60.5	61.0	62.7	47.5	48.0	48.5
Barometric Pressure, in.	29.1	29.9	30.2	29.1	29.9	30.2	29.8	30.0	30.2
Sodium, ppm	131.0	132.9	135.0	124.0	124.7	126.0	117.0	119.7	121.0
Sulfate, ppm	53.0	55.3	57.0	53.0	54.9	57.0	52.0	53.7	55.0
Chloride, ppm	14.0	15.6	16.0	9.6	10.4	11.0	12.0	12.4	13.0
Conductivity, umhos	610	610	610	570	570	570	540	557	560
Total Alkalinity, ppm	210.0	221.7	230.0	200.0	203.8	210.0	190.0	197.7	200.0

Well Number	SMS-14			SMS-15			SMS-16		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	22.9	23.4	24.4	31.5	31.8	32.1	4.4	4.9	5.4
Barometric Pressure, in.	29.8	30.0	30.2	29.8	30.0	30.2	29.8	30.0	30.2
Sodium, ppm	103.0	105.4	108.0	120.0	123.1	125.0	98.0	99.8	102.0
Sulfate, ppm	47.0	48.0	49.0	50.0	50.7	52.0	36.0	36.4	38.0
Chloride, ppm	6.4	6.6	6.9	15.0	15.1	16.0	5.2	5.7	6.2
Conductivity, umhos	490	490	490	570	570	570	460	460	460
Total Alkalinity, ppm	170.0	175.2	180.0	199.0	204.7	210.0	170.0	178.3	185.0

Well Number	SMS-17			SMS-18			SMS-19		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	61.2	61.5	61.9	77.6	77.9	78.2	49.4	49.7	50.1
Barometric Pressure, in.	29.8	30.0	30.2	29.8	30.0	30.2	29.8	30.1	30.3
Sodium, ppm	88.0	89.2	91.0	92.0	93.3	96.0	103.0	105.0	107.0
Sulfate, ppm	35.0	35.3	36.0	37.0	37.4	38.0	47.0	47.9	49.0
Chloride, ppm	1.8	2.1	2.4	2.4	3.0	3.2	3.2	3.6	4.0
Conductivity, umhos	420	420	420	440	440	440	480	490	500
Total Alkalinity, ppm	150.0	161.1	170.0	160.0	169.4	175.0	175.0	184.1	190.0

Well Number	SM5-20			SM5-21			SM5-22		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	44.8	45.1	45.4	32.9	33.2	33.6	19.8	20.1	20.5
Barometric Pressure, in.	29.8	30.1	30.3	29.8	30.1	30.3	29.8	30.1	30.3
Sodium, ppm	104.0	105.9	110.0	101.0	101.6	104.0	100.0	101.6	105.0
Sulfate, ppm	52.0	54.0	57.0	42.0	43.1	44.0	44.0	45.0	47.0
Chloride, ppm	4.6	5.2	5.6	5.2	5.6	6.0	3.2	3.8	4.0
Conductivity, umhos	490	499	500	470	474	480	470	470	470
Total Alkalinity, ppm	175.0	177.7	183.0	173.0	177.7	180.0	173.0	179.8	185.0

Well Number	SM5-23			SM5-24			SM5-25		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	29.1	29.4	29.8	22.2	22.5	22.9	41.4	41.7	42.0
Barometric Pressure, in.	29.8	30.1	30.3	29.8	30.1	30.3	29.8	30.1	30.3
Sodium, ppm	100.0	100.6	103.0	92.0	93.8	96.0	97.0	98.9	101.0
Sulfate, ppm	43.0	43.9	45.0	39.0	40.2	41.0	46.0	47.8	49.0
Chloride, ppm	3.1	3.4	3.6	5.4	5.7	6.0	6.4	6.6	7.0
Conductivity, umhos	470	470	470	450	450	450	470	472	480
Total Alkalinity, ppm	165.0	178.1	180.0	163.0	166.9	170.0	165.0	172.2	175.0

Well Number	SM4-1			SM4-2			SM4-3		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	72.7	73.1	73.6	68.8	69.1	69.3	81.4	81.4	81.5
Barometric Pressure, in.	29.1	29.9	30.2	29.8	30.1	30.3	29.8	30.1	30.3
Sodium, ppm	75.0	76.8	79.0	124.0	128.3	133.0	124.0	126.6	129.0
Sulfate, ppm	24.0	24.9	26.0	97.0	99.7	104.0	91.0	94.3	97.0
Chloride, ppm	3.6	4.3	4.8	15.0	16.2	18.0	13.0	13.1	14.0
Conductivity, umhos	380	381	390	600	623	630	610	611	620
Total Alkalinity, ppm	140.0	143.1	150.0	155.0	170.3	185.0	170.0	171.7	180.0

Well Number	SM4-4			SM4-5A			SM4-6		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	20.6	20.7	20.8	41.5	42.0	43.3	29.2	30.6	33.3
Barometric Pressure, in.	29.8	30.0	30.2	29.1	29.9	30.2	29.8	30.0	30.2
Sodium, ppm	129.0	131.0	133.0	118.0	119.3	120.0	144.0	147.6	151.0
Sulfate, ppm	77.0	78.9	80.0	51.0	52.9	54.0	46.0	47.4	48.0
Chloride, ppm	15.0	15.0	15.0	13.0	13.9	14.0	13.0	13.2	14.0
Conductivity, umhos	630	630	630	560	560	560	660	660	660
Total Alkalinity, ppm	200.0	201.8	210.0	190.0	200.0	205.0	255.0	265.0	270.0

Well Number	SM4-7			SM4-8			SM4-9		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	37.1	37.4	37.9	34.9	35.3	35.9	35.8	36.1	36.3
Barometric Pressure, in.	29.8	30.1	30.3	29.8	29.9	30.1	29.8	30.1	30.3
Sodium, ppm	117.0	117.9	119.0	158.0	160.9	163.0	155.0	157.0	159.0
Sulfate, ppm	50.0	51.3	53.0	48.0	50.0	52.0	50.0	51.1	52.0
Chloride, ppm	21.0	21.6	22.0	12.0	12.4	13.0	12.0	12.5	14.0
Conductivity, umhos	560	560	560	710	710	710	690	695	700
Total Alkalinity, ppm	180.0	186.0	190.0	290.0	292.2	295.0	275.0	282.4	285.0

Well Number	SM4-10A			SM4-11A			SM3-1		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	32.1	32.4	32.8	36.5	38.2	38.9	58.3	58.6	59.0
Barometric Pressure, in.	29.8	30.0	30.2	29.8	30.1	30.3	29.8	29.9	30.1
Sodium, ppm	161.0	163.2	165.0	161.0	162.3	164.0	143.0	145.2	147.0
Sulfate, ppm	52.0	53.0	54.0	54.0	54.5	56.0	98.0	99.2	101.0
Chloride, ppm	10.0	11.3	13.0	12.0	12.1	13.0	13.0	13.7	14.0
Conductivity, umhos	720	723	730	720	720	720	680	682	690
Total Alkalinity, ppm	295.0	299.4	305.0	285.0	291.9	300.0	205.0	208.9	210.0

Well Number	SM3-2			SM3-3			SM2-1		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	79.4	79.6	80.0	45.4	45.7	46.1	36.3	36.9	37.4
Barometric Pressure, in.	29.8	29.9	30.1	29.8	29.9	30.1	29.8	30.1	30.3
Sodium, ppm	95.0	97.1	100.0	97.0	99.2	101.0	116.0	117.4	120.0
Sulfate, ppm	36.0	36.8	40.0	40.0	40.2	41.0	46.0	46.3	49.0
Chloride, ppm	3.0	3.3	3.6	4.4	4.6	5.2	17.0	17.0	17.0
Conductivity, umhos	450	456	460	460	462	470	550	550	550
Total Alkalinity, ppm	165.0	177.3	183.0	160.0	173.7	183.0	170.0	186.0	195.0

Well Number	SM2-2			SM2-3			SM1-1		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	12.6	13.2	13.7	31.7	32.1	32.4	22.1	22.4	22.7
Barometric Pressure, in.	29.8	30.1	30.3	29.8	30.1	30.3	29.8	29.9	30.1
Sodium, ppm	98.0	99.0	100.0	118.0	119.5	122.0	97.0	100.3	103.0
Sulfate, ppm	44.0	44.3	45.0	51.0	52.1	53.0	31.0	31.9	33.0
Chloride, ppm	8.9	9.3	9.7	10.0	10.9	12.0	5.6	6.2	6.6
Conductivity, umhos	470	473	480	550	550	550	460	469	470
Total Alkalinity, ppm	170.0	175.0	195.0	188.0	198.0	205.0	170.0	179.8	185.0

Well Number	SM1-2			SM1-3			CM7-1		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	13.7	13.9	14.3	45.6	45.9	46.7	204.8	209.6	212.6
Barometric Pressure, in.	29.8	29.9	30.1	29.8	29.9	30.1	29.8	30.0	30.2
Sodium, ppm	124.0	127.2	132.0	98.0	99.7	102.0	382.0	389.6	393.0
Sulfate, ppm	61.0	62.0	63.0	40.0	40.7	41.0	329.0	340.4	370.0
Chloride, ppm	13.0	13.1	14.0	6.4	7.1	7.9	155.0	172.6	182.0
Conductivity, umhos	590	590	590	470	470	470	1840	1852	1870
Total Alkalinity, ppm	200.0	206.1	215.0	170.0	176.3	183.0	278.0	289.2	300.0

Well Number	CM7-2			CM7-3			CM7-4		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	192.5	213.1	228.0	195.6	197.0	199.4	199.8	201.6	204.4
Barometric Pressure, in.	29.9	30.0	30.1	29.9	30.0	30.1	29.9	30.0	30.1
Sodium, ppm	387.0	394.8	408.0	398.0	413.6	423.0	384.0	389.0	396.0
Sulfate, ppm	325.0	328.6	336.0	314.0	320.0	328.0	312.0	313.2	315.0
Chloride, ppm	191.0	198.6	222.0	191.0	207.8	236.0	184.0	188.8	191.0
Conductivity, umhos	1890	1904	1960	1890	1940	2010	1850	1854	1860
Total Alkalinity, ppm	285.0	292.4	300.0	300.0	305.0	312.0	295.0	299.4	302.0

Well Number	CM7-5			CM7-6			CM7-7		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	188.0	200.6	210.5	107.5	161.6	199.0	192.0	197.8	202.4
Barometric Pressure, in.	29.9	30.0	30.1	29.9	30.0	30.1	29.9	30.0	30.1
Sodium, ppm	391.0	400.6	407.0	405.0	408.2	412.0	392.0	396.2	402.0
Sulfate, ppm	319.0	321.0	325.0	316.0	319.8	324.0	336.0	343.2	359.0
Chloride, ppm	193.0	203.6	212.0	204.0	216.8	226.0	181.0	189.0	194.0
Conductivity, umhos	1900	1922	1940	1920	1962	1990	1900	1912	1930
Total Alkalinity, ppm	288.0	296.0	300.0	295.0	300.0	307.0	290.0	298.0	300.0

Well Number	CM7-8			CM7-9			CM7-10		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	198.1	202.9	207.2	251.9	255.3	259.4	243.6	247.0	250.4
Barometric Pressure, in.	29.9	30.0	30.1	29.9	30.0	30.1	29.9	30.0	30.1
Sodium, ppm	401.0	403.6	406.0	399.0	411.6	434.0	408.0	415.6	425.0
Sulfate, ppm	329.0	336.6	343.0	323.0	329.8	336.0	348.0	358.0	367.0
Chloride, ppm	187.0	190.8	199.0	195.0	211.8	244.0	184.0	198.6	219.0
Conductivity, umhos	1890	1900	1910	1920	1962	2070	1940	1966	2010
Total Alkalinity, ppm	288.0	293.2	300.0	290.0	292.6	295.0	290.0	297.0	300.0

Well Number	CM7-11			CM7-12			CM7-13		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	210.9	214.3	217.2	196.7	204.5	220.9	178.4	183.4	186.7
Barometric Pressure, in.	29.9	30.0	30.1	29.9	30.0	30.1	29.9	30.0	30.1
Sodium, ppm	406.0	420.4	444.0	408.0	420.2	442.0	407.0	409.0	412.0
Sulfate, ppm	358.0	360.4	364.0	357.0	362.6	369.0	363.0	371.2	380.0
Chloride, ppm	187.0	201.2	232.0	185.0	201.8	239.0	185.0	190.2	199.0
Conductivity, umhos	1960	1996	2100	1950	1992	2090	1960	1972	1990
Total Alkalinity, ppm	290.0	293.0	295.0	283.0	289.2	295.0	290.0	293.0	295.0

Well Number	CM7-14			CM7-15			CM7-16		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	164.9	168.7	172.6	178.8	183.4	188.4	187.1	191.4	198.2
Barometric Pressure, in.	29.9	30.0	30.1	29.9	30.0	30.1	29.9	30.0	30.1
Sodium, ppm	406.0	408.8	413.0	417.0	420.2	424.0	412.0	415.4	419.0
Sulfate, ppm	374.0	379.2	387.0	351.0	365.8	378.0	353.0	360.0	367.0
Chloride, ppm	181.0	188.6	199.0	183.0	190.0	197.0	183.0	186.0	189.0
Conductivity, umhos	1930	1950	1990	1950	1960	1970	1930	1944	1960
Total Alkalinity, ppm	268.0	278.6	285.0	290.0	295.0	300.0	290.0	296.0	300.0

Well Number	CM6-1			CM6-2			CM6-3		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	83.9	93.8	107.6	86.7	97.2	110.7	76.1	89.3	102.9
Barometric Pressure, in.	29.8	30.0	30.2	29.8	30.0	30.2	29.8	30.0	30.2
Sodium, ppm	402.0	407.1	413.0	402.0	404.2	407.0	404.0	407.1	410.0
Sulfate, ppm	360.0	376.6	389.0	378.0	392.7	404.0	360.0	365.8	374.0
Chloride, ppm	183.0	188.0	193.0	175.0	177.7	181.0	179.0	183.8	189.0
Conductivity, umhos	1930	1951	1990	1930	1939	1940	1930	1934	1940
Total Alkalinity, ppm	275.0	280.0	288.0	270.0	276.7	280.0	285.0	292.6	300.0

Well Number	CM6-4			CM6-5			CM6-6		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	91.1	108.7	129.3	80.6	98.0	116.8	78.0	99.5	113.5
Barometric Pressure, in.	29.8	30.0	30.2	29.8	29.9	30.0	29.8	29.9	30.3
Sodium, ppm	398.0	404.2	407.0	406.0	414.7	423.0	428.0	515.0	571.0
Sulfate, ppm	354.0	366.7	379.0	367.0	375.1	383.0	398.0	494.4	579.0
Chloride, ppm	179.0	186.8	189.0	179.0	186.1	195.0	198.0	234.0	268.0
Conductivity, umhos	1930	1939	1940	1940	1954	1990	2060	2461	2750
Total Alkalinity, ppm	285.0	288.3	295.0	285.0	291.2	300.0	300.0	352.9	390.0

Well Number	CM6-7			CM6-8			CM6-9		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	72.7	88.1	102.2	75.4	89.0	101.8	72.4	85.0	97.1
Barometric Pressure, in.	29.8	29.9	30.0	29.8	29.9	30.0	29.8	29.9	30.0
Sodium, ppm	408.0	412.1	418.0	410.0	417.6	422.0	407.0	413.3	419.0
Sulfate, ppm	379.0	388.7	400.0	364.0	374.2	384.0	360.0	368.9	374.0
Chloride, ppm	175.0	178.6	183.0	179.0	190.1	195.0	178.0	183.1	185.0
Conductivity, umhos	1950	1950	1950	1960	1972	1990	1930	1941	1950
Total Alkalinity, ppm	285.0	287.2	295.0	285.0	292.2	300.0	280.0	290.7	300.0

Well Number	CM6-10			CM6-11			CM6-12		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	66.4	76.4	85.9	50.1	59.8	68.1	82.3	92.5	103.2
Barometric Pressure, in.	29.8	29.9	30.0	29.8	29.9	30.0	29.8	30.1	30.3
Sodium, ppm	413.0	415.8	420.0	410.0	416.1	422.0	412.0	419.2	433.0
Sulfate, ppm	371.0	379.8	389.0	391.0	402.1	411.0	365.0	386.2	400.0
Chloride, ppm	179.0	183.6	188.0	179.0	181.9	185.0	183.0	186.6	189.0
Conductivity, umhos	1950	1961	1970	1970	1984	2000	1960	1994	2040
Total Alkalinity, ppm	285.0	288.7	295.0	270.0	277.9	288.0	293.0	298.4	300.0

Well Number	CM6-13			CM6-14			CM6-15		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	92.2	102.1	112.0	83.8	94.7	105.1	85.5	97.3	107.7
Barometric Pressure, in.	29.8	30.1	30.3	29.8	30.1	30.3	29.8	30.1	30.3
Sodium, ppm	408.0	411.3	419.0	401.0	404.0	410.0	402.0	406.6	415.0
Sulfate, ppm	351.0	360.3	370.0	350.0	363.9	373.0	364.0	373.2	387.0
Chloride, ppm	183.0	187.7	191.0	179.0	183.7	189.0	177.0	183.9	191.0
Conductivity, umhos	1940	1948	1950	1930	1937	1950	1930	1940	1950
Total Alkalinity, ppm	290.0	297.3	302.0	290.0	293.4	300.0	283.0	291.1	300.0

Well Number	CM6-16A			CM6-17			CM6-18		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	83.3	95.7	106.4	79.2	90.7	102.5	75.4	88.5	100.8
Barometric Pressure, in.	29.8	30.1	30.3	29.1	29.9	30.2	29.1	29.9	30.2
Sodium, ppm	402.0	406.4	411.0	401.0	406.0	415.0	401.0	406.6	414.0
Sulfate, ppm	358.0	366.7	379.0	354.0	360.4	368.0	360.0	366.4	380.0
Chloride, ppm	181.0	185.8	193.0	179.0	182.8	186.0	177.0	181.0	185.0
Conductivity, umhos	1930	1940	1950	1930	1930	1930	1930	1932	1940
Total Alkalinity, ppm	290.0	294.7	300.0	285.0	291.2	300.0	290.0	292.8	295.0

Well Number	CM6-19			CM6-20			CM6-21		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	62.9	76.4	87.8	40.8	49.8	57.7	36.3	44.7	52.1
Barometric Pressure, in.	29.1	29.9	30.2	29.8	29.9	30.0	29.8	29.9	30.0
Sodium, ppm	404.0	412.1	418.0	410.0	416.9	425.0	399.0	402.4	406.0
Sulfate, ppm	371.0	385.6	407.0	343.0	351.8	360.0	353.0	359.6	370.0
Chloride, ppm	175.0	180.2	185.0	189.0	196.9	203.0	181.0	185.2	189.0
Conductivity, umhos	1950	1951	1960	1950	1966	1980	1910	1914	1920
Total Alkalinity, ppm	280.0	287.2	295.0	290.0	297.2	300.0	285.0	288.1	298.0

Well Number	CM6-22			CM6-23			CM6-24		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	33.3	41.1	48.3	32.0	39.5	45.6	31.8	38.3	43.8
Barometric Pressure, in.	29.8	29.9	30.0	29.9	30.0	30.2	29.9	30.0	30.2
Sodium, ppm	403.0	405.9	408.0	402.0	405.4	410.0	397.0	406.3	415.0
Sulfate, ppm	354.0	359.6	368.0	337.0	343.9	350.0	323.0	336.8	356.0
Chloride, ppm	183.0	186.3	189.0	185.0	190.4	195.0	181.0	186.1	195.0
Conductivity, umhos	1910	1919	1920	1900	1921	1930	1900	1911	1930
Total Alkalinity, ppm	285.0	288.9	290.0	295.0	302.8	310.0	293.0	305.8	314.0

Well Number	CM6-25			CM6-26			CM6-27		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	53.0	66.1	76.0	49.7	62.0	71.9	36.0	41.9	47.2
Barometric Pressure, in.	29.9	30.0	30.2	29.9	30.0	30.2	29.9	30.0	30.2
Sodium, ppm	397.0	402.3	412.0	398.0	402.4	408.0	395.0	406.7	416.0
Sulfate, ppm	348.0	358.2	375.0	346.0	357.6	367.0	323.0	332.2	342.0
Chloride, ppm	179.0	184.0	189.0	179.0	183.8	189.0	187.0	193.3	202.0
Conductivity, umhos	1920	1920	1920	1910	1917	1920	1910	1922	1950
Total Alkalinity, ppm	290.0	293.7	300.0	290.0	293.4	296.0	295.0	307.6	310.0

Well Number	CM6-28			CM6-29			CM6-30		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	43.2	49.1	53.9	51.8	63.0	72.5	47.4	54.2	60.4
Barometric Pressure, in.	29.9	30.0	30.2	29.9	30.0	30.2	29.9	30.0	30.2
Sodium, ppm	389.0	398.1	403.0	401.0	408.9	417.0	390.0	403.0	410.0
Sulfate, ppm	318.0	324.8	339.0	344.0	352.2	364.0	323.0	330.1	341.0
Chloride, ppm	177.0	179.9	181.0	182.0	189.6	193.0	181.0	189.2	200.0
Conductivity, umhos	1860	1862	1870	1930	1943	1960	1880	1898	1920
Total Alkalinity, ppm	300.0	305.3	310.0	288.0	296.4	305.0	295.0	304.8	310.0



Well Number	CM6-31			CM6-32			CMS-1		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	48.1	55.4	61.2	50.7	60.6	68.1	150.7	155.6	158.2
Barometric Pressure, in.	29.9	30.0	30.2	29.9	30.0	30.2	29.8	30.1	30.3
Sodium, ppm	397.0	405.3	413.0	406.0	410.1	414.0	414.0	427.3	448.0
Sulfate, ppm	322.0	333.1	342.0	336.0	347.6	359.0	360.0	371.6	382.0
Chloride, ppm	179.0	182.0	185.0	179.0	185.8	191.0	187.0	193.8	200.0
Conductivity, umhos	1890	1892	1900	1910	1914	1920	1950	2004	2060
Total Alkalinity, ppm	310.0	310.6	315.0	290.0	301.8	310.0	300.0	310.0	320.0

Well Number	CMS-2			CMS-3			CMS-4		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	152.1	156.5	159.5	171.5	175.4	177.6	156.1	160.1	163.5
Barometric Pressure, in.	29.8	30.1	30.3	29.8	30.1	30.3	29.8	30.1	30.3
Sodium, ppm	405.0	425.3	457.0	395.0	400.3	404.0	398.0	403.5	405.0
Sulfate, ppm	352.0	371.3	392.0	330.0	337.8	342.0	329.0	334.3	342.0
Chloride, ppm	183.0	193.0	205.0	181.0	182.8	185.0	180.0	181.6	184.0
Conductivity, umhos	1930	2011	2140	1860	1869	1890	1890	1890	1890
Total Alkalinity, ppm	300.0	306.6	320.0	295.0	298.5	300.0	295.0	300.4	310.0

Well Number	CMS-5			CMS-6			CMS-7		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	141.0	144.5	148.3	139.3	142.4	145.8	135.0	138.2	142.7
Barometric Pressure, in.	29.8	30.1	30.3	29.8	30.0	30.2	29.8	30.0	30.2
Sodium, ppm	404.0	406.6	410.0	399.0	403.4	410.0	397.0	403.4	408.0
Sulfate, ppm	333.0	338.9	349.0	328.0	341.2	352.0	345.0	353.8	361.0
Chloride, ppm	181.0	183.0	185.0	179.0	182.8	185.0	177.0	181.4	185.0
Conductivity, umhos	1890	1890	1890	1890	1892	1900	1900	1900	1900
Total Alkalinity, ppm	295.0	301.6	313.0	290.0	300.3	305.0	290.0	296.4	300.0

Well Number	CMS-8			CMS-9			CMS-10		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	137.6	146.2	150.8	127.9	133.7	139.5	118.7	125.6	131.3
Barometric Pressure, in.	29.8	30.0	30.2	29.8	30.0	30.2	29.8	30.0	30.2
Sodium, ppm	426.0	436.0	451.0	402.0	406.3	413.0	402.0	404.4	407.0
Sulfate, ppm	366.0	380.9	392.0	343.0	354.8	364.0	344.0	356.7	366.0
Chloride, ppm	193.0	198.7	212.0	179.0	180.3	183.0	183.0	185.7	190.0
Conductivity, umhos	2020	2052	2110	1900	1912	1920	1910	1918	1940
Total Alkalinity, ppm	308.0	313.3	322.0	295.0	300.0	305.0	290.0	292.9	295.0

Well Number	CMS-11			CMS-12			CMS-13		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	107.0	114.0	120.7	93.6	101.0	109.8	85.3	97.6	108.6
Barometric Pressure, in.	29.8	30.0	30.2	29.8	30.0	30.2	29.8	30.1	30.3
Sodium, ppm	408.0	415.8	421.0	407.0	409.6	413.0	399.0	406.3	421.0
Sulfate, ppm	354.0	362.4	374.0	352.0	359.4	367.0	374.0	387.2	406.0
Chloride, ppm	189.0	194.8	205.0	181.0	186.6	191.0	179.0	188.9	205.0
Conductivity, umhos	1930	1968	2000	1920	1923	1930	1920	1956	2030
Total Alkalinity, ppm	280.0	290.1	295.0	285.0	291.3	297.0	270.0	279.3	290.0

Well Number	CMS-18			CMS-19			CMS-20		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	92.3	102.7	112.8	130.0	138.7	146.8	104.3	111.5	119.0
Barometric Pressure, in.	29.8	30.1	30.3	29.8	30.1	30.3	29.8	30.1	30.3
Sodium, ppm	402.0	410.7	450.0	402.0	404.9	408.0	404.0	407.0	412.0
Sulfate, ppm	355.0	363.6	390.0	355.0	362.8	371.0	358.0	363.7	371.0
Chloride, ppm	181.0	188.3	217.0	183.0	185.3	187.0	182.0	184.1	187.0
Conductivity, umhos	1930	1953	2130	1930	1932	1940	1930	1936	1940
Total Alkalinity, ppm	290.0	295.7	302.0	286.0	295.8	305.0	290.0	298.0	307.0

Well Number	CMS-21			CMS-22			CMS-23		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	90.2	97.4	105.4	98.9	105.6	113.7	109.4	115.2	122.9
Barometric Pressure, in.	29.8	30.1	30.3	29.1	29.9	30.2	29.1	29.9	30.2
Sodium, ppm	400.0	403.7	409.0	405.0	411.0	415.0	400.0	407.9	413.0
Sulfate, ppm	360.0	367.9	375.0	349.0	361.1	367.0	358.0	364.2	373.0
Chloride, ppm	181.0	183.3	187.0	179.0	183.0	186.0	179.0	182.7	185.0
Conductivity, umhos	1930	1936	1940	1940	1940	1940	1930	1932	1940
Total Alkalinity, ppm	280.0	290.6	300.0	293.0	296.9	300.0	285.0	292.6	300.0

Well Number	CMS-24			CMS-25			CMS-26		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	120.0	123.8	133.1	123.4	129.3	140.6	160.4	165.7	178.9
Barometric Pressure, in.	29.1	29.9	30.2	29.1	29.9	30.2	29.1	29.9	30.2
Sodium, ppm	405.0	410.4	415.0	399.0	413.7	423.0	404.0	413.0	421.0
Sulfate, ppm	351.0	362.3	370.0	368.0	378.4	390.0	354.0	361.9	367.0
Chloride, ppm	181.0	185.4	189.0	175.0	177.3	182.0	183.0	185.8	189.0
Conductivity, umhos	1940	1940	1940	1940	1952	1960	1950	1951	1960
Total Alkalinity, ppm	280.0	294.2	300.0	280.0	289.2	295.0	288.0	294.6	300.0

Well Number	CMS-27			CM4-1			CM4-2		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	185.7	191.4	206.6	144.4	147.5	149.8	163.9	166.5	168.8
Barometric Pressure, in.	29.1	29.9	30.2	29.8	30.1	30.3	29.8	30.1	30.3
Sodium, ppm	410.0	414.6	420.0	404.0	407.6	411.0	386.0	392.0	398.0
Sulfate, ppm	361.0	368.7	378.0	333.0	340.6	347.0	323.0	329.4	336.0
Chloride, ppm	182.0	183.9	186.0	183.0	186.3	189.0	181.0	182.4	185.0
Conductivity, umhos	1950	1958	1960	1890	1903	1910	1850	1859	1860
Total Alkalinity, ppm	290.0	293.7	295.0	300.0	303.8	310.0	290.0	298.5	305.0

Well Number	CM4-3			CM4-4			CM4-5		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	153.3	155.3	158.7	168.6	170.6	173.8	177.4	179.8	182.9
Barometric Pressure, in.	29.8	30.0	30.2	29.8	30.0	30.2	29.8	30.0	30.2
Sodium, ppm	386.0	392.0	396.0	382.0	389.1	399.0	383.0	384.3	386.0
Sulfate, ppm	315.0	319.4	326.0	309.0	315.4	322.0	315.0	324.7	333.0
Chloride, ppm	179.0	184.2	187.0	181.0	184.9	189.0	179.0	182.9	186.0
Conductivity, umhos	1860	1863	1870	1850	1854	1860	1840	1846	1850
Total Alkalinity, ppm	298.0	301.4	305.0	295.0	300.6	307.0	285.0	291.1	298.0

Well Number	CM4-6			CM4-7			CM4-8		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	183.6	186.6	189.7	188.3	191.9	195.2	179.6	182.7	184.5
Barometric Pressure, in.	29.8	30.0	30.2	29.8	30.0	30.2	29.8	29.9	30.2
Sodium, ppm	384.0	387.9	390.0	382.0	387.4	396.0	383.0	386.8	389.0
Sulfate, ppm	322.0	326.2	338.0	318.0	323.7	338.0	311.0	315.8	320.0
Chloride, ppm	179.0	181.3	185.0	179.0	182.8	185.0	179.0	181.0	183.0
Conductivity, umhos	1850	1851	1860	1850	1851	1860	1830	1838	1840
Total Alkalinity, ppm	290.0	295.0	300.0	285.0	295.1	303.0	290.0	296.3	300.0

Well Number	CM4-9			CM4-10			CM4-11		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	175.2	178.7	180.5	178.6	182.2	184.2	186.2	189.4	191.3
Barometric Pressure, in.	29.8	29.9	30.2	29.8	29.9	30.2	29.8	29.9	30.1
Sodium, ppm	389.0	390.5	392.0	399.0	400.5	402.0	397.0	399.5	402.0
Sulfate, ppm	316.0	322.3	331.0	321.0	326.3	339.0	325.0	334.0	342.0
Chloride, ppm	183.0	186.8	189.0	185.0	186.5	189.0	182.0	183.3	185.0
Conductivity, umhos	1850	1858	1860	1880	1883	1890	1860	1860	1860
Total Alkalinity, ppm	290.0	297.0	303.0	295.0	303.8	315.0	295.0	298.3	300.0

Well Number	CM4-12			CM4-13			CM4-14		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	201.8	205.4	206.8	175.2	179.0	180.8	179.3	183.2	185.0
Barometric Pressure, in.	29.8	29.9	30.1	29.8	29.9	30.1	29.8	29.9	30.1
Sodium, ppm	398.0	400.8	404.0	399.0	401.8	405.0	403.0	406.3	411.0
Sulfate, ppm	329.0	335.0	340.0	331.0	338.5	345.0	359.0	363.0	367.0
Chloride, ppm	181.0	183.5	185.0	181.0	183.5	185.0	185.0	186.5	189.0
Conductivity, umhos	1880	1880	1880	1890	1890	1890	1920	1930	1940
Total Alkalinity, ppm	290.0	297.5	300.0	290.0	297.5	300.0	283.0	287.0	290.0

Well Number	CM4-15			CM4-16			CM4-17		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	209.3	212.7	214.3	223.0	226.2	227.8	228.6	231.7	233.4
Barometric Pressure, in.	29.8	29.9	30.1	29.8	29.9	30.1	29.8	29.9	30.1
Sodium, ppm	405.0	407.8	412.0	403.0	407.5	412.0	400.0	404.5	410.0
Sulfate, ppm	350.0	356.3	364.0	348.0	353.3	361.0	354.0	361.5	373.0
Chloride, ppm	185.0	186.0	187.0	185.0	186.5	187.0	185.0	186.8	189.0
Conductivity, umhos	1910	1915	1920	1920	1923	1930	1930	1938	1940
Total Alkalinity, ppm	290.0	295.0	300.0	285.0	290.0	295.0	290.0	292.5	295.0

Well Number	CM4-18			CM3-5			CM3-6		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	219.4	222.4	224.1	193.1	198.8	215.7	195.0	201.8	216.9
Barometric Pressure, in.	29.8	29.9	30.1	29.1	29.9	30.2	29.8	29.9	30.1
Sodium, ppm	411.0	415.8	420.0	405.0	414.0	420.0	410.0	412.8	418.0
Sulfate, ppm	354.0	361.0	368.0	357.0	368.0	381.0	348.0	364.8	380.0
Chloride, ppm	183.0	187.5	191.0	185.0	186.7	189.0	183.0	189.0	193.0
Conductivity, umhos	1940	1943	1950	1950	1954	1960	1940	1947	1950
Total Alkalinity, ppm	290.0	293.8	300.0	290.0	295.6	300.0	290.0	293.9	300.0

Well Number	CM3-7			CM2-5			CM2-6		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	208.1	211.1	212.7	143.3	146.5	149.0	144.5	148.2	150.6
Barometric Pressure, in.	29.8	29.9	30.1	29.8	30.1	30.3	29.8	30.1	30.3
Sodium, ppm	414.0	416.0	418.0	398.0	402.0	406.0	397.0	399.8	403.0
Sulfate, ppm	358.0	365.0	371.0	329.0	336.0	341.0	329.0	335.4	349.0
Chloride, ppm	185.0	186.5	188.0	181.0	183.3	185.0	180.0	184.4	187.0
Conductivity, umhos	1950	1950	1950	1890	1890	1890	1890	1890	1890
Total Alkalinity, ppm	288.0	292.8	298.0	290.0	299.1	310.0	295.0	298.5	300.0

Well Number	CM2-7		
	MIN	MEAN	MAX
Water Level, ft.	127.3	131.6	134.1
Barometric Pressure, in.	29.8	30.1	30.3
Sodium, ppm	412.0	416.4	422.0
Sulfate, ppm	345.0	355.9	369.0
Chloride, ppm	185.0	189.0	193.0
Conductivity, umhos	1950	1968	1990
Total Alkalinity, ppm	305.0	310.6	315.0

NEBRASKA DEPARTMENT OF ENVIRONMENTAL QUALITY  
MINING MONITORING REPORT

Month: October - DecemberYear: 1999

Total volume or water level for reporting period: 566,685,743 gallons injected \*  
\* from individual well injection meters - excluding restoration injection

Quality of Injected Fluid (discuss any significant change in the constituents or concentrations of the injected fluid):

	Chloride (ppm)	Sulfate (ppm)	Sodium (ppm)	Alkalinity** (as ppm CaCO <sub>3</sub> )	pH (SU)
Minimum	520	964	1218	1169	7.3
Maximum	608	1080	1371	1488	8.6

\*\* Alkalinity = Total Carbonate / 1.2

Volume of injected fluid:

Month	Average Daily Injection Commercial (gpm)	Average Daily Injection Restoration (gpm)
October	4147	278
November	4342	201
December	4389	119

1. Have any operational problems occurred over the reporting period? No
2. Has any well maintenance (repairs, workovers, etc.) been performed during the period? yes
3. Has any significant change occurred in any of the monitored parameters that might indicate a leak or other failure of any well? no

If the answer to any of the above is yes, describe below.

Question 2:

Rig Workovers: None

Mining wells with casing repaired: I-567

I CERTIFY UNDER THE PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED IN THIS APPLICATION AND ALL THE ATTACHMENTS AND THAT, I BELIEVE THE INFORMATION IS TRUE, ACCURATE, AND COMPLETE. FURTHER, I CERTIFY AWARENESS THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF A FINE AND IMPRISONMENT.

 1/14/00  
Signature/Date

Charles R. Miller, Plant Manager  
Name/Title (printed)

NEBRASKA DEPARTMENT OF ENVIRONMENTAL QUALITY  
 MINING MONITORING REPORT  
 Fourth Quarter, 1999- page 1

Submitted by:  
 Crow Butte Resources, Inc.  
 P.O. Box 169  
 Crawford, NE 69339

Submitted To:  
 NDEQ - P/C  
 P.O. Box 98922  
 Lincoln, NE 68509

Permit No. NE0122611

Report Date: 01-13-2000

Well Number	SM7-1			SM7-2			SM7-3		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	51.7	52.0	52.2	51.6	52.4	53.7	52.5	52.6	53.2
Barometric Pressure, in.	29.7	30.1	30.4	29.7	30.1	30.4	29.7	30.1	30.4
Sodium, ppm	105.0	107.1	110.0	89.0	90.4	92.0	93.0	96.1	99.0
Sulfate, ppm	43.0	44.6	46.0	30.0	31.1	33.0	38.0	38.4	40.0
Chloride, ppm	5.9	6.4	7.0	4.5	5.5	6.3	5.2	5.7	6.4
Conductivity, umhos	490	501	510	420	424	430	450	456	470
Total Alkalinity, ppm	180.0	187.1	190.0	155.0	162.9	170.0	160.0	171.4	180.0

Well Number	SM7-4			SM7-5			SM7-6		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	74.4	74.6	74.7	58.3	58.4	58.5	78.8	78.8	78.9
Barometric Pressure, in.	29.7	30.1	30.4	29.9	30.1	30.3	29.9	30.1	30.3
Sodium, ppm	88.0	89.7	92.0	85.0	86.9	89.0	53.0	56.4	62.0
Sulfate, ppm	31.0	31.4	32.0	34.0	35.3	36.0	16.0	17.4	20.0
Chloride, ppm	6.3	6.7	7.6	2.6	3.0	3.5	3.7	4.2	5.0
Conductivity, umhos	430	430	430	430	430	430	360	369	370
Total Alkalinity, ppm	165.0	169.3	175.0	165.0	169.7	175.0	150.0	152.1	155.0

Well Number	SM7-7			SM7-8			SM7-9		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	71.8	71.9	71.9	46.8	47.2	47.5	45.8	46.2	46.4
Barometric Pressure, in.	29.9	30.1	30.3	29.1	29.8	30.2	29.1	29.8	30.2
Sodium, ppm	90.0	92.4	95.0	94.0	98.4	100.0	86.0	89.0	90.0
Sulfate, ppm	38.0	38.3	39.0	53.0	54.9	60.0	33.0	34.3	37.0
Chloride, ppm	3.3	3.6	3.8	5.2	5.5	5.9	4.8	5.0	5.2
Conductivity, umhos	440	440	440	480	490	500	440	440	440
Total Alkalinity, ppm	160.0	170.0	175.0	163.0	168.3	170.0	160.0	165.7	175.0

Well Number	SM7-10			SM7-11			SM7-12		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	54.8	55.2	55.4	78.2	78.4	78.5	50.0	50.5	50.9
Barometric Pressure, in.	29.1	29.8	30.2	29.5	29.8	30.0	29.5	29.8	30.0
Sodium, ppm	86.0	89.3	90.0	54.0	55.3	56.0	85.0	86.4	90.0
Sulfate, ppm	37.0	37.6	38.0	18.0	19.1	20.0	41.0	42.4	43.0
Chloride, ppm	3.0	3.1	3.5	2.1	2.5	3.0	2.8	3.1	3.5
Conductivity, umhos	440	440	440	340	341	350	440	440	440
Total Alkalinity, ppm	155.0	165.7	170.0	135.0	139.7	145.0	160.0	162.9	165.0

Well Number	SM7-13			SM7-14			SM7-15		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	53.7	54.1	54.2	83.5	83.7	83.8	101.5	102.2	102.6
Barometric Pressure, in.	29.8	29.8	30.0	28.8	29.8	30.1	28.8	29.8	30.1
Sodium, ppm	72.0	73.7	76.0	57.0	58.7	60.0	49.0	50.2	51.0
Sulfate, ppm	24.0	25.3	26.0	16.0	17.2	18.0	17.0	19.5	21.0
Chloride, ppm	2.1	2.3	2.6	4.5	5.3	5.9	1.5	2.1	2.4
Conductivity, umhos	380	380	380	330	333	340	330	338	340
Total Alkalinity, ppm	148.0	156.6	160.0	135.0	139.2	140.0	135.0	139.2	145.0

Well Number	SM7-16			SM7-17			SM7-18		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	130.6	130.9	131.2	103.1	103.3	103.6	125.2	125.4	125.5
Barometric Pressure, in.	28.8	29.8	30.1	29.7	29.9	30.1	29.7	29.9	30.1
Sodium, ppm	48.0	49.0	51.0	59.0	60.3	61.0	56.0	57.8	59.0
Sulfate, ppm	14.0	14.8	17.0	16.0	17.3	19.0	19.0	20.0	21.0
Chloride, ppm	1.4	1.7	2.1	3.1	3.6	4.5	1.4	1.8	2.2
Conductivity, umhos	320	322	330	370	373	380	340	340	340
Total Alkalinity, ppm	135.0	138.3	145.0	145.0	154.2	160.0	140.0	145.0	150.0

NEBRASKA DEPARTMENT OF ENVIRONMENTAL QUALITY  
 MINING MONITORING REPORT  
 Fourth Quarter, 1999 - page 2

Well Number	SM7-19			SM7-20			SM7-21		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	100.4	100.7	101.0	111.5	111.5	111.7	122.9	123.1	123.7
Barometric Pressure, in.	29.7	29.9	30.1	29.8	30.0	30.1	29.8	30.0	30.1
Sodium, ppm	68.0	69.0	70.0	67.0	70.2	72.0	64.0	65.8	67.0
Sulfate, ppm	22.0	22.5	24.0	20.0	20.3	21.0	20.0	20.8	22.0
Chloride, ppm	3.0	4.2	4.9	2.4	2.7	3.0	2.4	2.8	3.1
Conductivity, umhos	350	358	360	350	355	360	350	350	350
Total Alkalinity, ppm	138.0	142.5	150.0	140.0	145.8	150.0	140.0	144.2	150.0

Well Number	SM7-22			SM7-23			SM7-24		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	91.8	92.0	92.5	104.8	105.0	105.5	107.6	108.0	108.2
Barometric Pressure, in.	29.8	30.0	30.1	29.8	30.0	30.2	29.8	30.0	30.2
Sodium, ppm	67.0	69.3	72.0	100.0	103.2	107.0	111.0	113.3	116.0
Sulfate, ppm	20.0	20.5	21.0	42.0	44.0	47.0	60.0	62.7	65.0
Chloride, ppm	9.3	11.6	14.0	14.0	15.1	16.0	11.0	12.0	13.0
Conductivity, umhos	370	377	390	500	505	510	540	550	560
Total Alkalinity, ppm	140.0	143.3	150.0	160.0	171.7	175.0	180.0	182.5	185.0

Well Number	SM7-25			SM6-1			SM6-2		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	101.1	101.3	101.7	51.9	52.0	52.0	43.0	43.2	43.3
Barometric Pressure, in.	29.8	30.0	30.2	29.9	30.1	30.3	29.9	30.1	30.3
Sodium, ppm	74.0	75.7	77.0	118.0	121.3	123.0	120.0	123.1	126.0
Sulfate, ppm	19.0	20.5	22.0	51.0	52.1	53.0	50.0	50.6	52.0
Chloride, ppm	5.6	5.9	6.6	9.0	9.5	10.0	12.0	12.6	13.0
Conductivity, umhos	370	370	370	560	560	560	560	567	570
Total Alkalinity, ppm	140.0	151.7	165.0	200.0	207.6	215.0	205.0	208.3	213.0

Well Number	SM6-3			SM6-4			SM6-5		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	34.4	34.7	35.0	47.5	47.8	48.0	41.4	41.8	42.0
Barometric Pressure, in.	29.5	29.8	30.0	29.5	29.8	30.0	29.5	29.8	30.0
Sodium, ppm	118.0	119.6	122.0	116.0	117.6	119.0	114.0	115.1	117.0
Sulfate, ppm	50.0	51.4	53.0	44.0	45.1	46.0	38.0	40.0	42.0
Chloride, ppm	13.0	13.7	14.0	8.0	8.5	9.0	7.3	7.8	8.2
Conductivity, umhos	550	559	560	540	541	550	520	530	540
Total Alkalinity, ppm	198.0	201.6	205.0	200.0	207.9	215.0	200.0	209.7	220.0

Well Number	SM6-6			SM6-7			SM6-8		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	52.5	52.8	53.1	36.5	36.7	36.9	26.9	27.0	27.2
Barometric Pressure, in.	29.5	29.8	30.0	29.5	29.8	30.0	29.5	29.8	30.0
Sodium, ppm	107.0	108.3	110.0	112.0	114.3	116.0	62.0	66.0	74.0
Sulfate, ppm	18.0	18.9	21.0	14.0	15.3	17.0	23.0	25.6	27.0
Chloride, ppm	3.1	3.4	3.7	4.5	5.7	6.7	5.9	7.2	8.0
Conductivity, umhos	480	484	490	500	506	510	490	491	500
Total Alkalinity, ppm	220.0	223.3	230.0	225.0	233.3	240.0	190.0	200.0	205.0

Well Number	SM6-9			SM6-10			SM6-11		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	18.1	18.4	18.7	14.1	14.3	14.5	9.8	10.1	10.5
Barometric Pressure, in.	29.8	30.0	30.1	29.5	29.8	30.0	28.8	29.8	30.1
Sodium, ppm	71.0	72.5	74.0	118.0	119.7	123.0	18.0	19.7	21.0
Sulfate, ppm	13.0	14.2	16.0	46.0	47.0	48.0	14.0	14.5	15.0
Chloride, ppm	5.6	5.9	6.2	7.3	8.0	8.7	5.2	5.7	5.9
Conductivity, umhos	510	510	510	550	551	560	470	477	480
Total Alkalinity, ppm	225.0	230.5	235.0	205.0	212.9	215.0	205.0	207.5	210.0

NEBRASKA DEPARTMENT OF ENVIRONMENTAL QUALITY  
MINING MONITORING REPORT  
Fourth Quarter, 1999 - page 3 .

Well Number	SM6-12			SM6-13			SM6-14		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	13.8	13.9	14.1	11.2	11.3	11.5	26.2	26.5	26.8
Barometric Pressure, in.	29.5	29.8	30.0	29.8	30.0	30.2	29.7	29.9	30.1
Sodium, ppm	22.0	23.4	25.0	21.0	22.2	23.0	121.0	122.0	124.0
Sulfate, ppm	12.0	13.0	14.0	13.0	14.2	16.0	53.0	54.3	56.0
Chloride, ppm	3.8	4.4	4.9	4.8	5.3	5.6	13.0	13.5	14.0
Conductivity, umhos	510	510	510	520	528	540	560	567	570
Total Alkalinity, ppm	220.0	230.0	235.0	235.0	240.0	245.0	200.0	200.8	205.0

Well Number	SM6-15			SM6-16			SM6-17		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	30.8	31.2	31.5	38.0	38.3	38.6	17.8	18.0	18.4
Barometric Pressure, in.	29.1	29.8	30.2	29.1	29.8	30.2	29.5	29.8	30.0
Sodium, ppm	118.0	119.1	121.0	51.0	52.7	54.0	37.0	37.3	38.0
Sulfate, ppm	50.0	50.1	51.0	7.8	8.4	9.0	5.5	6.6	7.9
Chloride, ppm	13.0	13.7	14.0	3.5	4.0	4.4	4.7	5.1	5.6
Conductivity, umhos	550	559	560	450	453	460	480	487	490
Total Alkalinity, ppm	200.0	201.4	205.0	200.0	205.0	210.0	225.0	229.0	230.0

Well Number	SM6-18			SM6-19			SM6-20		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	22.1	22.5	22.6	35.4	35.7	35.9	19.3	19.4	19.5
Barometric Pressure, in.	29.7	30.1	30.4	29.7	30.1	30.4	29.9	30.1	30.3
Sodium, ppm	119.0	121.3	123.0	52.0	53.3	55.0	17.0	18.7	21.0
Sulfate, ppm	51.0	52.7	54.0	22.0	23.4	25.0	14.0	14.9	16.0
Chloride, ppm	14.0	15.4	18.0	4.8	5.6	6.3	5.9	6.3	6.7
Conductivity, umhos	570	570	570	480	480	480	480	484	490
Total Alkalinity, ppm	195.0	199.3	200.0	198.0	204.7	210.0	205.0	208.0	213.0

Well Number	SM6-21			SM6-22			SM6-23		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	2.7	3.0	3.6	0.2	0.5	1.1	1.4	1.9	2.2
Barometric Pressure, in.	29.8	30.0	30.2	29.8	30.0	30.2	29.8	30.0	30.2
Sodium, ppm	19.0	20.2	21.0	18.0	19.5	21.0	24.0	25.0	26.0
Sulfate, ppm	13.0	14.5	15.0	12.0	13.2	14.0	13.0	14.0	15.0
Chloride, ppm	6.3	6.8	7.3	4.2	4.5	4.8	4.5	5.1	5.6
Conductivity, umhos	480	482	490	460	460	460	500	500	500
Total Alkalinity, ppm	210.0	211.7	220.0	205.0	208.0	215.0	225.0	229.2	235.0

Well Number	SM6-24			SM6-25			SM6-26		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	10.2	10.6	11.4	5.1	5.2	5.5	2.3	2.5	2.6
Barometric Pressure, in.	29.8	30.0	30.2	29.8	30.0	30.2	29.8	30.0	30.2
Sodium, ppm	23.0	23.8	24.0	22.0	23.0	24.0	25.0	25.7	26.0
Sulfate, ppm	13.0	14.2	15.0	13.0	13.8	15.0	11.0	11.8	13.0
Chloride, ppm	4.9	5.4	5.6	6.3	6.3	6.6	5.6	6.1	6.3
Conductivity, umhos	470	470	470	470	475	480	460	460	460
Total Alkalinity, ppm	200.0	210.8	215.0	200.0	207.5	220.0	195.0	200.8	205.0

Well Number	SM6-27			SM6-28			SM5-1		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	0.3	0.6	1.1	11.9	12.5	13.5	23.8	24.1	24.5
Barometric Pressure, in.	29.8	30.0	30.2	29.8	30.0	30.2	29.7	29.9	30.1
Sodium, ppm	24.0	25.0	26.0	26.0	27.2	28.0	134.0	135.7	137.0
Sulfate, ppm	12.0	13.2	14.0	20.0	21.3	24.0	55.0	56.2	58.0
Chloride, ppm	4.9	5.3	5.6	4.5	5.0	5.2	13.0	13.2	14.0
Conductivity, umhos	470	470	470	510	517	520	620	628	630
Total Alkalinity, ppm	200.0	208.5	213.0	225.0	230.2	235.0	225.0	233.0	240.0



NEBRASKA DEPARTMENT OF ENVIRONMENTAL QUALITY  
MINING MONITORING REPORT

Fourth Quarter, 1999 - page 4

Well Number	SM5-2			SM5-3			SM5-4		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	33.1	33.7	34.5	49.5	49.9	50.2	38.2	38.4	38.6
Barometric Pressure, in.	29.7	29.9	30.1	29.7	29.9	30.1	29.7	29.9	30.1
Sodium, ppm	98.0	99.0	101.0	131.0	132.2	133.0	121.0	122.2	123.0
Sulfate, ppm	31.0	31.7	33.0	51.0	51.8	53.0	47.0	48.2	49.0
Chloride, ppm	5.9	6.7	7.1	16.0	16.2	17.0	15.0	15.7	16.0
Conductivity, umhos	460	465	470	610	610	610	560	567	570
Total Alkalinity, ppm	185.0	186.8	190.0	220.0	225.8	235.0	200.0	203.3	205.0

Well Number	SM5-5			SM5-6			SM5-7		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	52.1	52.2	52.3	54.5	54.9	55.2	41.2	41.8	42.0
Barometric Pressure, in.	29.7	29.9	30.1	29.7	29.8	30.1	29.8	30.0	30.1
Sodium, ppm	135.0	136.0	138.0	126.0	127.0	128.0	129.0	129.7	131.0
Sulfate, ppm	53.0	54.5	57.0	56.0	57.2	59.0	56.0	57.3	59.0
Chloride, ppm	13.0	14.3	16.0	15.0	15.0	15.0	10.0	10.5	11.0
Conductivity, umhos	620	622	630	590	590	590	590	590	590
Total Alkalinity, ppm	230.0	232.2	235.0	195.0	204.2	210.0	210.0	215.0	220.0

Well Number	SM5-8			SM5-9			SM5-10		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	43.2	43.5	43.8	40.6	40.8	41.3	30.4	30.8	31.3
Barometric Pressure, in.	29.8	30.0	30.1	29.8	30.0	30.1	29.8	30.0	30.1
Sodium, ppm	121.0	123.0	126.0	119.0	121.2	123.0	120.0	121.8	123.0
Sulfate, ppm	52.0	53.2	54.0	51.0	52.2	54.0	54.0	55.3	56.0
Chloride, ppm	11.0	11.7	12.0	11.0	11.5	12.0	10.0	10.3	11.0
Conductivity, umhos	570	570	570	560	560	560	560	565	570
Total Alkalinity, ppm	200.0	205.5	210.0	200.0	205.0	210.0	200.0	206.3	215.0

Well Number	SM5-11			SM5-12			SM5-13		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	29.6	30.0	30.7	61.8	62.3	62.7	49.2	49.2	49.3
Barometric Pressure, in.	29.8	30.0	30.1	29.8	30.0	30.1	29.9	30.1	30.3
Sodium, ppm	128.0	131.5	133.0	122.0	124.0	125.0	118.0	120.3	122.0
Sulfate, ppm	54.0	54.8	56.0	54.0	54.8	56.0	52.0	53.3	54.0
Chloride, ppm	15.0	15.7	17.0	10.0	10.8	11.0	13.0	13.7	14.0
Conductivity, umhos	600	608	610	570	570	570	560	560	560
Total Alkalinity, ppm	210.0	217.5	220.0	200.0	204.3	210.0	195.0	201.1	205.0

Well Number	SM5-14			SM5-15			SM5-16		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	24.4	24.5	24.6	32.4	32.7	32.8	5.8	5.9	6.0
Barometric Pressure, in.	29.9	30.1	30.3	29.9	30.1	30.3	29.9	30.1	30.3
Sodium, ppm	105.0	105.7	107.0	122.0	123.6	125.0	97.0	99.7	102.0
Sulfate, ppm	47.0	47.9	49.0	49.0	50.9	53.0	36.0	36.3	37.0
Chloride, ppm	7.0	7.1	7.4	15.0	15.1	16.0	5.7	5.9	5.9
Conductivity, umhos	490	490	490	570	570	570	460	460	460
Total Alkalinity, ppm	170.0	174.7	180.0	200.0	205.0	210.0	178.0	181.1	185.0

Well Number	SM5-17			SM5-18			SM5-19		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	62.2	62.2	62.3	78.7	78.8	78.9	50.1	50.4	50.6
Barometric Pressure, in.	29.9	30.1	30.3	29.9	30.1	30.3	29.7	30.1	30.4
Sodium, ppm	88.0	89.4	91.0	92.0	93.7	95.0	103.0	105.7	108.0
Sulfate, ppm	35.0	35.6	37.0	36.0	37.3	38.0	47.0	48.3	50.0
Chloride, ppm	1.7	2.1	2.4	2.8	3.1	3.7	3.5	3.8	4.1
Conductivity, umhos	420	420	420	440	440	440	490	491	500
Total Alkalinity, ppm	165.0	170.7	180.0	160.0	169.3	175.0	180.0	183.6	190.0

NEBRASKA DEPARTMENT OF ENVIRONMENTAL QUALITY  
MINING MONITORING REPORT

Fourth Quarter, 1999 - page 5

Well Number	SM5-20			SM5-21			SM5-22		
Water Level, ft.	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Barometric Pressure, in.	45.3	45.8	45.8	33.3	33.5	33.8	20.2	20.7	20.9
Sodium, ppm	28.8	29.8	30.1	28.8	29.8	30.1	28.8	29.8	30.1
Sulfate, ppm	105.0	106.3	108.0	101.0	101.7	103.0	100.0	101.5	102.0
Chloride, ppm	52.0	53.3	56.0	42.0	42.7	43.0	43.0	43.3	44.0
Conductivity, umhos	5.2	5.6	5.9	5.2	5.6	5.9	3.1	3.4	3.7
Total Alkalinity, ppm	490	500	510	470	472	480	470	470	470
	170.0	179.2	185.0	173.0	177.7	180.0	175.0	180.8	185.0
Well Number	SM5-23			SM5-24			SM5-25		
Water Level, ft.	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Barometric Pressure, in.	29.5	29.8	30.1	22.9	22.9	23.0	42.1	42.1	42.2
Sodium, ppm	28.8	29.8	30.1	28.8	29.8	30.1	28.8	29.8	30.1
Sulfate, ppm	100.0	100.8	103.0	92.0	93.3	97.0	97.0	98.5	100.0
Chloride, ppm	42.0	43.0	44.0	39.0	39.2	40.0	45.0	46.3	47.0
Conductivity, umhos	3.1	3.4	3.7	5.6	5.8	5.9	6.3	6.6	7.0
Total Alkalinity, ppm	470	470	470	450	450	450	470	470	470
	170.0	176.7	185.0	158.0	167.2	175.0	163.0	169.7	175.0
Well Number	SM4-1			SM4-2			SM4-3		
Water Level, ft.	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Barometric Pressure, in.	73.3	73.3	73.4	69.4	69.7	70.1	81.5	81.6	81.6
Sodium, ppm	29.8	30.0	30.1	28.8	29.8	30.1	28.8	29.8	30.1
Sulfate, ppm	74.0	77.0	79.0	130.0	130.8	132.0	125.0	126.8	128.0
Chloride, ppm	23.0	24.5	26.0	97.0	99.2	102.0	92.0	94.5	97.0
Conductivity, umhos	3.7	3.9	4.3	15.0	15.5	16.0	13.0	13.2	14.0
Total Alkalinity, ppm	380	380	380	630	630	630	610	615	620
	145.0	150.0	160.0	165.0	175.8	185.0	170.0	171.3	175.0
Well Number	SM4-4			SM4-5A			SM4-6		
Water Level, ft.	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Barometric Pressure, in.	21.0	21.1	21.2	42.1	42.5	43.1	30.1	30.7	31.2
Sodium, ppm	29.7	29.9	30.1	29.8	30.0	30.1	29.7	29.9	30.1
Sulfate, ppm	129.0	131.2	134.0	117.0	118.7	121.0	145.0	146.7	148.0
Chloride, ppm	76.0	78.2	80.0	51.0	52.2	53.0	46.0	47.8	49.0
Conductivity, umhos	15.0	15.3	16.0	14.0	14.5	15.0	13.0	13.8	14.0
Total Alkalinity, ppm	630	630	630	560	560	560	660	660	660
	195.0	198.3	205.0	195.0	198.3	200.0	263.0	265.5	270.0
Well Number	SM4-7			SM4-8			SM4-9		
Water Level, ft.	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Barometric Pressure, in.	37.9	38.1	38.2	35.4	35.8	36.5	36.4	36.7	36.9
Sodium, ppm	29.7	30.1	30.4	29.1	29.8	30.2	29.7	30.1	30.4
Sulfate, ppm	117.0	118.4	120.0	156.0	160.0	163.0	154.0	156.4	159.0
Chloride, ppm	50.0	51.0	52.0	49.0	49.9	50.0	49.0	50.6	52.0
Conductivity, umhos	21.0	21.4	22.0	12.0	12.6	13.0	12.0	12.6	13.0
Total Alkalinity, ppm	550	557	560	710	710	710	670	684	690
	180.0	183.6	190.0	285.0	290.0	295.0	275.0	281.1	285.0
Well Number	SM4-10A			SM4-11A			SM3-1		
Water Level, ft.	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Barometric Pressure, in.	33.3	33.5	34.1	38.5	39.2	39.6	58.5	59.1	59.2
Sodium, ppm	29.9	30.1	30.3	29.7	30.1	30.4	29.1	29.8	30.2
Sulfate, ppm	162.0	164.0	165.0	161.0	162.7	164.0	141.0	143.4	146.0
Chloride, ppm	52.0	53.6	56.0	53.0	54.0	55.0	97.0	99.0	101.0
Conductivity, umhos	11.0	11.0	11.0	12.0	12.6	13.0	14.0	14.1	15.0
Total Alkalinity, ppm	720	727	730	720	720	720	680	683	690
	293.0	300.4	305.0	295.0	295.7	300.0	205.0	207.9	210.0

NEBRASKA DEPARTMENT OF ENVIRONMENTAL QUALITY  
MINING MONITORING REPORT  
Fourth Quarter, 1999 - page 6

Well Number	SM3-2			SM3-3			SM2-1		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	79.5	80.0	80.2	46.0	46.1	46.3	36.9	37.6	37.9
Barometric Pressure, in.	29.1	29.8	30.2	29.1	29.8	30.2	29.7	30.1	30.4
Sodium, ppm	95.0	96.4	99.0	96.0	96.3	100.0	117.0	117.7	119.0
Sulfate, ppm	36.0	36.7	39.0	39.0	39.9	41.0	46.0	47.1	48.0
Chloride, ppm	3.1	3.6	4.1	5.2	5.2	5.5	17.0	17.0	17.0
Conductivity, umhos	450	457	460	460	463	470	550	550	550
Total Alkalinity, ppm	170.0	176.4	180.0	175.0	175.7	180.0	190.0	190.0	190.0

Well Number	SM2-2			SM2-3			SM1-1		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	13.1	13.7	14.1	32.8	33.1	33.2	22.2	22.7	23.0
Barometric Pressure, in.	29.7	30.1	30.4	29.7	30.1	30.4	29.1	29.8	30.2
Sodium, ppm	97.0	98.9	100.0	118.0	120.6	122.0	98.0	100.1	101.0
Sulfate, ppm	43.0	44.3	45.0	50.0	52.1	54.0	32.0	32.6	34.0
Chloride, ppm	9.0	9.4	10.0	11.0	11.9	13.0	5.9	6.2	6.7
Conductivity, umhos	470	473	480	550	550	550	470	470	470
Total Alkalinity, ppm	160.0	168.6	175.0	198.0	200.4	205.0	180.0	183.6	190.0

Well Number	SM1-2			SM1-3			PR-8		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	14.3	14.6	14.9	46.0	46.3	46.6	142.9	142.9	142.9
Barometric Pressure, in.	29.1	29.8	30.2	29.1	29.8	30.2	29.8	29.8	29.8
Sodium, ppm	124.0	126.4	128.0	97.0	98.9	100.0	387.0	387.0	387.0
Sulfate, ppm	60.0	61.3	62.0	40.0	40.9	42.0	342.0	342.0	342.0
Chloride, ppm	13.0	13.0	13.0	7.0	7.3	7.8	145.0	145.0	145.0
Conductivity, umhos	590	590	590	470	470	470	1830	1830	1830
Total Alkalinity, ppm	200.0	201.4	205.0	170.0	174.0	180.0	330.0	330.0	330.0

Well Number	PR-15			IJ-13			CM7-1		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	130.7	130.7	130.7	164.4	164.4	164.4	204.0	206.0	210.4
Barometric Pressure, in.	29.8	29.8	29.8	29.8	29.8	29.8	29.7	30.1	30.4
Sodium, ppm	273.0	273.0	273.0	408.0	408.0	408.0	382.0	387.7	395.0
Sulfate, ppm	216.0	216.0	216.0	357.0	357.0	357.0	320.0	331.9	362.0
Chloride, ppm	111.0	111.0	111.0	4.8	25.0	165.0	162.0	176.9	186.0
Conductivity, umhos	1340	1340	1340	1960	1960	1960	1850	1854	1860
Total Alkalinity, ppm	270.0	270.0	270.0	360.0	360.0	360.0	290.0	297.9	305.0

Well Number	CM7-2			CM7-3			CM7-4		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	220.6	224.3	227.3	189.0	194.7	197.8	191.4	198.8	202.3
Barometric Pressure, in.	29.9	30.1	30.3	29.9	30.1	30.3	29.9	30.1	30.3
Sodium, ppm	376.0	383.7	391.0	397.0	402.6	406.0	380.0	385.0	391.0
Sulfate, ppm	319.0	323.4	330.0	317.0	321.4	327.0	308.0	319.0	323.0
Chloride, ppm	182.0	192.7	199.0	191.0	201.6	214.0	184.0	188.6	196.0
Conductivity, umhos	1860	1873	1880	1880	1913	1940	1840	1849	1860
Total Alkalinity, ppm	285.0	290.0	295.0	288.0	296.6	305.0	290.0	293.3	300.0

Well Number	CM7-5			CM7-6			CM7-7		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	196.4	204.3	208.1	185.1	191.0	197.0	193.9	197.5	200.4
Barometric Pressure, in.	29.9	30.1	30.3	29.9	30.1	30.3	29.1	29.8	30.2
Sodium, ppm	393.0	397.3	406.0	392.0	399.3	409.0	388.0	397.0	403.0
Sulfate, ppm	311.0	317.9	327.0	316.0	321.9	327.0	335.0	348.9	360.0
Chloride, ppm	198.0	206.4	220.0	205.0	211.7	221.0	186.0	190.4	193.0
Conductivity, umhos	1880	1911	1940	1920	1939	1960	1900	1916	1930
Total Alkalinity, ppm	285.0	291.4	300.0	288.0	294.7	300.0	290.0	294.0	300.0

NEBRASKA DEPARTMENT OF ENVIRONMENTAL QUALITY  
MINING MONITORING REPORT

Fourth Quarter, 1999 - page 7

Well Number	CM7-8			CM7-9			CM7-10		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	200.9	202.4	205.4	253.1	255.4	257.6	244.7	247.0	248.9
Barometric Pressure, in.	29.1	29.8	30.2	29.1	29.8	30.2	29.1	29.8	30.2
Sodium, ppm	393.0	397.3	406.0	391.0	397.9	405.0	400.0	405.6	409.0
Sulfate, ppm	332.0	335.0	339.0	316.0	324.3	330.0	351.0	358.6	368.0
Chloride, ppm	186.0	188.7	191.0	193.0	196.6	202.0	189.0	192.4	195.0
Conductivity, umhos	1880	1889	1900	1880	1901	1930	1940	1944	1950
Total Alkalinity, ppm	290.0	292.6	295.0	290.0	292.6	295.0	285.0	290.0	295.0

Well Number	CM7-11			CM7-12			CM7-13		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	211.8	214.6	216.9	197.7	200.9	204.3	180.0	183.7	188.7
Barometric Pressure, in.	29.1	29.8	30.2	29.1	29.8	30.2	29.1	29.8	30.2
Sodium, ppm	398.0	400.9	404.0	400.0	404.1	408.0	402.0	405.0	408.0
Sulfate, ppm	356.0	360.6	364.0	352.0	358.7	369.0	361.0	364.6	371.0
Chloride, ppm	187.0	191.1	194.0	187.0	190.1	193.0	187.0	190.0	195.0
Conductivity, umhos	1930	1940	1950	1940	1947	1950	1960	1963	1970
Total Alkalinity, ppm	280.0	287.1	290.0	285.0	293.3	300.0	283.0	289.9	295.0

Well Number	CM7-14			CM7-15			CM7-16		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	165.9	169.8	178.9	177.6	182.8	191.9	184.7	189.9	203.6
Barometric Pressure, in.	29.1	29.8	30.2	29.1	29.8	30.2	29.1	29.8	30.2
Sodium, ppm	396.0	399.7	404.0	410.0	413.0	419.0	405.0	408.3	415.0
Sulfate, ppm	363.0	372.1	381.0	360.0	362.6	368.0	344.0	349.1	357.0
Chloride, ppm	184.0	187.3	191.0	186.0	190.0	193.0	182.0	186.3	191.0
Conductivity, umhos	1920	1939	1960	1930	1960	1970	1940	1941	1950
Total Alkalinity, ppm	283.0	289.0	295.0	290.0	296.1	300.0	290.0	294.3	300.0

Well Number	CM6-1			CM6-2			CM6-3		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	103.4	107.8	113.9	106.6	110.5	116.3	98.6	102.8	108.1
Barometric Pressure, in.	29.7	29.9	30.1	29.7	29.9	30.1	29.7	29.9	30.1
Sodium, ppm	407.0	409.7	415.0	401.0	404.8	408.0	402.0	405.8	409.0
Sulfate, ppm	370.0	379.3	393.0	376.0	383.5	387.0	355.0	361.3	368.0
Chloride, ppm	191.0	195.3	198.0	178.0	181.3	183.0	182.0	185.3	188.0
Conductivity, umhos	1950	1963	1980	1930	1937	1940	1920	1928	1930
Total Alkalinity, ppm	270.0	274.7	280.0	280.0	280.0	280.0	285.0	290.0	295.0

Well Number	CM6-4			CM6-5			CM6-6		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	123.1	127.3	130.1	106.4	114.3	122.8	102.3	110.2	117.6
Barometric Pressure, in.	29.9	30.1	30.3	29.5	29.8	30.0	29.5	29.8	30.0
Sodium, ppm	389.0	399.7	409.0	400.0	404.1	409.0	422.0	435.1	455.0
Sulfate, ppm	354.0	364.0	376.0	372.0	380.4	387.0	380.0	398.2	420.0
Chloride, ppm	182.0	184.3	186.0	179.0	182.7	184.0	191.0	197.7	204.0
Conductivity, umhos	1930	1934	1950	1920	1930	1940	2010	2070	2150
Total Alkalinity, ppm	285.0	291.9	300.0	280.0	282.9	285.0	298.0	306.2	320.0

Well Number	CM6-7			CM6-8			CM6-9		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	92.9	99.7	105.9	94.1	100.3	105.0	90.1	95.8	99.8
Barometric Pressure, in.	29.8	29.8	30.0	29.5	29.8	30.0	29.5	29.8	30.0
Sodium, ppm	402.0	406.3	409.0	402.0	408.0	415.0	407.0	426.0	442.0
Sulfate, ppm	373.0	382.0	394.0	372.0	374.4	380.0	364.0	375.6	391.0
Chloride, ppm	179.0	181.3	184.0	186.0	188.6	196.0	184.0	194.9	204.0
Conductivity, umhos	1940	1947	1960	1950	1960	1970	1940	2017	2090
Total Alkalinity, ppm	280.0	287.1	290.0	280.0	286.9	293.0	290.0	297.9	310.0

NEBRASKA DEPARTMENT OF ENVIRONMENTAL QUALITY  
MINING MONITORING REPORT  
Fourth Quarter, 1999 - page 8

Well Number	CM6-10			CM6-11			CM6-12		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	78.1	82.7	86.9	61.7	65.3	70.1	103.5	108.0	110.6
Barometric Pressure, in.	29.5	29.8	30.0	29.5	29.8	30.0	28.8	29.8	30.1
Sodium, ppm	404.0	412.0	418.0	406.0	410.4	416.0	408.0	416.3	423.0
Sulfate, ppm	370.0	378.9	389.0	345.0	357.1	390.0	366.0	376.7	386.0
Chloride, ppm	179.0	183.9	186.0	179.0	187.0	193.0	184.0	187.2	191.0
Conductivity, umhos	1950	1957	1970	1940	1946	1970	1970	1982	1990
Total Alkalinity, ppm	280.0	284.3	290.0	283.0	291.6	300.0	290.0	295.8	300.0

Well Number	CM6-13			CM6-14			CM6-15		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	111.7	116.0	119.2	103.9	108.3	111.9	105.6	110.4	114.0
Barometric Pressure, in.	28.8	29.8	30.1	28.8	29.8	30.1	28.8	29.8	30.1
Sodium, ppm	406.0	411.5	414.0	398.0	403.5	407.0	401.0	405.5	410.0
Sulfate, ppm	347.0	354.5	359.0	353.0	360.2	366.0	362.0	367.3	375.0
Chloride, ppm	186.0	187.7	189.0	182.0	184.0	186.0	179.0	181.8	184.0
Conductivity, umhos	1940	1943	1950	1920	1930	1940	1930	1932	1940
Total Alkalinity, ppm	295.0	299.3	303.0	288.0	290.7	293.0	285.0	288.3	295.0

Well Number	CM6-16A			CM6-17			CM6-18		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	103.8	108.5	112.2	97.1	101.2	104.6	84.9	86.8	101.7
Barometric Pressure, in.	28.8	29.8	30.1	29.8	30.0	30.1	29.8	30.0	30.1
Sodium, ppm	401.0	405.8	409.0	400.0	402.2	405.0	400.0	402.2	406.0
Sulfate, ppm	351.0	363.3	374.0	355.0	359.5	366.0	351.0	363.7	376.0
Chloride, ppm	184.0	185.8	189.0	182.0	185.2	189.0	181.0	184.8	189.0
Conductivity, umhos	1930	1940	1950	1930	1930	1930	1930	1932	1940
Total Alkalinity, ppm	280.0	287.5	290.0	285.0	291.3	295.0	285.0	290.8	300.0

Well Number	CM6-19			CM6-20			CM6-21		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	81.4	85.9	88.7	51.6	55.7	58.9	48.0	51.2	53.5
Barometric Pressure, in.	29.8	30.0	30.1	29.8	29.8	30.0	29.5	29.8	30.0
Sodium, ppm	404.0	408.5	412.0	413.0	416.4	421.0	398.0	402.7	407.0
Sulfate, ppm	361.0	365.8	374.0	343.0	349.4	358.0	346.0	352.9	360.0
Chloride, ppm	181.0	185.3	188.0	191.0	196.0	203.0	182.0	187.3	191.0
Conductivity, umhos	1940	1953	1970	1950	1964	1980	1910	1916	1920
Total Alkalinity, ppm	280.0	288.0	295.0	290.0	296.4	300.0	290.0	290.7	295.0

Well Number	CM6-22			CM6-23			CM6-24		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	45.6	48.5	51.5	43.4	46.2	48.9	42.3	44.2	45.8
Barometric Pressure, in.	29.5	29.8	30.0	29.8	30.0	30.2	29.8	30.0	30.2
Sodium, ppm	400.0	403.3	406.0	401.0	406.7	413.0	400.0	404.8	410.0
Sulfate, ppm	344.0	349.9	356.0	333.0	340.0	350.0	328.0	333.5	341.0
Chloride, ppm	186.0	188.3	191.0	187.0	190.7	195.0	184.0	186.3	188.0
Conductivity, umhos	1910	1917	1920	1910	1915	1920	1890	1898	1900
Total Alkalinity, ppm	280.0	285.7	290.0	305.0	306.7	310.0	295.0	305.0	310.0

Well Number	CM6-25			CM6-26			CM6-27		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	69.0	73.9	76.5	66.0	70.2	72.2	46.0	47.2	48.8
Barometric Pressure, in.	29.8	30.0	30.2	29.8	30.0	30.2	29.8	30.0	30.2
Sodium, ppm	398.0	403.3	407.0	398.0	401.7	407.0	397.0	401.2	405.0
Sulfate, ppm	349.0	357.2	366.0	345.0	352.7	357.0	324.0	329.5	339.0
Chloride, ppm	182.0	184.3	186.0	182.0	185.6	191.0	188.0	191.3	194.0
Conductivity, umhos	1920	1920	1920	1910	1915	1920	1890	1898	1910
Total Alkalinity, ppm	290.0	295.5	300.0	290.0	294.8	299.0	305.0	307.5	310.0

NEBRASKA DEPARTMENT OF ENVIRONMENTAL QUALITY  
MINING MONITORING REPORT  
Fourth Quarter, 1999 - page 9 .

Well Number	CM6-28			CM6-29			CM6-30		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	53.1	54.7	56.0	66.0	70.0	72.6	57.8	60.2	61.7
Barometric Pressure, in.	29.8	30.0	30.2	29.8	30.0	30.2	29.8	30.0	30.2
Sodium, ppm	389.0	397.5	401.0	403.0	405.3	408.0	391.0	396.5	400.0
Sulfate, ppm	314.0	322.0	330.0	332.0	345.3	357.0	317.0	325.5	335.0
Chloride, ppm	180.0	182.3	186.0	185.0	189.0	193.0	184.0	186.3	188.0
Conductivity, umhos	1840	1855	1860	1920	1928	1930	1870	1877	1880
Total Alkalinity, ppm	300.0	306.7	310.0	290.0	295.5	300.0	300.0	300.8	305.0

Well Number	CM6-31			CM6-32			CM5-1		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	59.5	62.2	63.9	65.5	68.3	70.6	152.3	156.6	159.6
Barometric Pressure, in.	29.8	30.0	30.2	29.8	30.0	30.2	29.7	30.1	30.4
Sodium, ppm	399.0	402.3	407.0	404.0	408.7	412.0	412.0	421.9	430.0
Sulfate, ppm	326.0	331.3	339.0	333.0	339.8	349.0	356.0	364.6	374.0
Chloride, ppm	180.0	183.4	186.0	180.0	184.6	188.0	188.0	192.6	196.0
Conductivity, umhos	1880	1892	1900	1910	1913	1920	1940	1981	2010
Total Alkalinity, ppm	300.0	308.0	310.0	300.0	305.8	310.0	295.0	305.0	315.0

Well Number	CM5-2			CM5-3			CM5-4		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	154.7	158.8	162.5	173.6	177.0	179.3	156.8	162.3	164.1
Barometric Pressure, in.	29.7	30.1	30.4	29.7	30.1	30.4	29.7	30.1	30.4
Sodium, ppm	399.0	419.3	459.0	393.0	395.7	401.0	400.0	402.1	407.0
Sulfate, ppm	353.0	368.9	401.0	328.0	340.0	353.0	327.0	333.9	338.0
Chloride, ppm	182.0	193.0	215.0	182.0	183.7	186.0	182.0	184.9	188.0
Conductivity, umhos	1910	1990	2170	1880	1880	1880	1880	1886	1890
Total Alkalinity, ppm	295.0	303.3	320.0	290.0	296.9	300.0	295.0	296.6	305.0

Well Number	CM5-5			CM5-6			CM5-7		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	144.2	147.3	149.3	142.9	146.2	152.2	140.1	141.7	145.3
Barometric Pressure, in.	29.7	30.1	30.4	29.7	29.9	30.1	29.7	29.9	30.1
Sodium, ppm	400.0	404.6	410.0	397.0	401.0	405.0	397.0	400.8	405.0
Sulfate, ppm	332.0	337.9	345.0	334.0	339.8	347.0	340.0	351.8	358.0
Chloride, ppm	180.0	182.7	186.0	181.0	184.2	186.0	182.0	182.8	184.0
Conductivity, umhos	1890	1893	1900	1870	1882	1890	1890	1897	1900
Total Alkalinity, ppm	295.0	300.0	305.0	290.0	295.0	305.0	293.0	296.8	300.0

Well Number	CM5-8			CM5-9			CM5-10		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	147.9	152.6	160.0	135.5	140.1	150.4	127.9	132.8	142.4
Barometric Pressure, in.	29.7	29.9	30.1	29.7	29.9	30.1	29.7	29.9	30.1
Sodium, ppm	442.0	449.3	458.0	403.0	406.3	412.0	409.0	411.2	412.0
Sulfate, ppm	391.0	398.7	411.0	346.0	349.7	353.0	350.0	359.2	366.0
Chloride, ppm	202.0	207.8	212.0	182.0	183.5	187.0	186.0	191.2	196.0
Conductivity, umhos	2100	2120	2130	1910	1918	1920	1920	1955	1990
Total Alkalinity, ppm	320.0	322.5	325.0	290.0	295.8	300.0	290.0	295.0	300.0

Well Number	CM5-11			CM5-12			CM5-13		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	116.8	122.8	134.1	106.5	111.2	121.4	109.6	113.7	117.4
Barometric Pressure, in.	29.7	29.9	30.1	29.7	29.9	30.1	28.8	29.8	30.1
Sodium, ppm	411.0	418.7	423.0	404.0	407.7	413.0	412.0	418.3	427.0
Sulfate, ppm	352.0	361.2	377.0	345.0	357.3	390.0	377.0	384.2	391.0
Chloride, ppm	189.0	192.3	196.0	184.0	187.3	189.0	191.0	200.2	209.0
Conductivity, umhos	1930	1950	1960	1910	1918	1920	1970	2013	2070
Total Alkalinity, ppm	290.0	295.8	300.0	283.0	286.3	290.0	280.0	285.5	290.0

NEBRASKA DEPARTMENT OF ENVIRONMENTAL QUALITY  
 MINING MONITORING REPORT  
 Fourth Quarter, 1999 - page 10-

Well Number	CM5-18			CM5-19			CM5-20		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	114.6	118.9	122.8	147.5	152.1	157.4	120.0	123.9	129.4
Barometric Pressure, in.	28.8	29.8	30.1	28.8	29.8	30.1	28.8	29.8	30.1
Sodium, ppm	400.0	404.2	410.0	400.0	407.0	411.0	401.0	407.0	411.0
Sulfate, ppm	345.0	355.3	365.0	349.0	359.7	369.0	351.0	357.5	363.0
Chloride, ppm	184.0	186.7	191.0	182.0	185.5	188.0	182.0	185.3	189.0
Conductivity, umhos	1920	1922	1930	1930	1937	1940	1930	1933	1940
Total Alkalinity, ppm	290.0	290.0	290.0	295.0	298.0	300.0	290.0	290.8	295.0

Well Number	CM5-21			CM5-22			CM5-23		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	106.4	110.4	114.5	111.1	114.5	117.9	118.5	121.5	125.4
Barometric Pressure, in.	28.8	29.8	30.1	29.8	30.0	30.1	29.8	30.0	30.1
Sodium, ppm	403.0	407.7	414.0	400.0	407.8	417.0	399.0	403.3	406.0
Sulfate, ppm	348.0	362.3	370.0	357.0	363.7	378.0	352.0	363.3	374.0
Chloride, ppm	180.0	185.7	188.0	181.0	185.3	189.0	182.0	186.2	189.0
Conductivity, umhos	1920	1937	1940	1940	1943	1950	1930	1933	1940
Total Alkalinity, ppm	285.0	291.3	295.0	293.0	298.2	303.0	285.0	288.3	290.0

Well Number	CM5-24			CM5-25			CM5-26		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	124.6	127.9	131.4	128.0	131.9	134.9	165.6	169.6	171.6
Barometric Pressure, in.	29.8	30.0	30.1	29.8	30.0	30.1	29.8	30.0	30.1
Sodium, ppm	403.0	408.0	408.0	403.0	407.8	413.0	408.0	410.0	411.0
Sulfate, ppm	353.0	357.8	369.0	363.0	372.0	378.0	357.0	364.5	378.0
Chloride, ppm	184.0	186.7	189.0	181.0	185.0	189.0	182.0	185.2	189.0
Conductivity, umhos	1920	1940	1950	1950	1955	1960	1940	1948	1950
Total Alkalinity, ppm	285.0	292.7	298.0	295.0	296.7	300.0	280.0	289.7	295.0

Well Number	CM5-27			CM4-1			CM4-2		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	190.5	193.5	196.9	142.8	145.2	148.5	162.5	164.4	167.2
Barometric Pressure, in.	29.8	30.0	30.1	29.7	30.1	30.4	29.7	30.1	30.4
Sodium, ppm	413.0	415.0	417.0	393.0	398.7	405.0	385.0	387.4	391.0
Sulfate, ppm	359.0	367.0	376.0	327.0	330.9	338.0	316.0	327.9	336.0
Chloride, ppm	184.0	186.5	188.0	182.0	184.0	186.0	184.0	184.7	186.0
Conductivity, umhos	1950	1962	1970	1870	1880	1890	1860	1860	1860
Total Alkalinity, ppm	295.0	298.8	305.0	300.0	303.6	315.0	293.0	297.3	300.0

Well Number	CM4-3			CM4-4			CM4-5		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	150.7	153.3	155.7	166.2	168.7	171.1	175.7	178.0	180.0
Barometric Pressure, in.	29.9	30.1	30.3	29.9	30.1	30.3	29.9	30.1	30.3
Sodium, ppm	389.0	393.4	398.0	389.0	391.6	393.0	378.0	380.7	385.0
Sulfate, ppm	311.0	322.0	330.0	304.0	314.1	321.0	312.0	324.6	331.0
Chloride, ppm	186.0	187.9	191.0	184.0	186.3	188.0	180.0	181.9	184.0
Conductivity, umhos	1860	1864	1870	1850	1851	1860	1840	1841	1850
Total Alkalinity, ppm	290.0	297.9	305.0	295.0	301.9	310.0	290.0	290.7	295.0

Well Number	CM4-6			CM4-7			CM3-5		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	181.6	184.8	187.1	185.7	189.8	192.5	194.8	198.5	202.6
Barometric Pressure, in.	29.9	30.1	30.3	29.9	30.1	30.3	29.8	30.0	30.1
Sodium, ppm	380.0	384.7	390.0	377.0	382.9	387.0	408.0	414.8	420.0
Sulfate, ppm	321.0	326.7	335.0	313.0	321.1	328.0	361.0	369.7	379.0
Chloride, ppm	181.0	182.7	186.0	180.0	183.3	186.0	186.0	189.7	193.0
Conductivity, umhos	1840	1851	1860	1850	1851	1860	1960	1963	1970
Total Alkalinity, ppm	290.0	295.4	300.0	295.0	295.7	300.0	290.0	295.8	300.0

NEBRASKA DEPARTMENT OF ENVIRONMENTAL QUALITY  
 MINING MONITORING REPORT  
 Fourth Quarter, 1999 - page 11.

Well Number	CM3-6			CM2-5			CM2-6		
	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX
Water Level, ft.	194.6	201.0	218.7	141.9	145.0	147.9	143.9	147.3	150.7
Barometric Pressure, in.	29.1	29.8	30.2	29.7	30.1	30.4	29.7	30.1	30.4
Sodium, ppm	402.0	406.1	411.0	403.0	404.6	407.0	392.0	396.6	402.0
Sulfate, ppm	356.0	365.1	375.0	325.0	336.6	352.0	324.0	334.1	343.0
Chloride, ppm	189.0	190.7	193.0	182.0	186.4	192.0	184.0	186.7	189.0
Conductivity, umhos	1940	1947	1950	1900	1909	1920	1880	1887	1890
Total Alkalinity, ppm	290.0	293.6	305.0	300.0	306.4	315.0	290.0	295.4	300.0

Well Number	CM2-7		
	MIN	MEAN	MAX
Water Level, ft.	128.0	132.1	135.1
Barometric Pressure, in.	29.7	30.1	30.4
Sodium, ppm	411.0	427.1	455.0
Sulfate, ppm	350.0	374.1	407.0
Chloride, ppm	188.0	197.6	212.0
Conductivity, umhos	1950	2039	2170
Total Alkalinity, ppm	305.0	319.0	348.0





**CROW BUTTE RESOURCES, INC.**  
**PLUGGING PROCEDURE**

HOLE NUMBER	METHOD AND MATERIALS USED	TD ITS	FINAL ITS	DATE	INSPECTED BY:
R-428	6 Bags Plug Gel Soda Ash	27	61	11/12/99	D.C.
R-429	7 Bags Plug Gel Soda Ash	28	70	11/18/99	D.C.
R-430	8 Bags Plug Gel Soda Ash	27	67	11/18/99	
R-431	8 Bags Plug Gel Soda Ash	27	88	11/19/99	D.C.
R-432	7 Bags Plug Gel Soda Ash	29	67	11/19/99	D.C.
R-433	10 Bags Plug Gel Soda Ash	27	63	11/19/99	
R-434	10 Bags Plug Gel Soda Ash	27	62	11/22/99	D.C.
R-435	6 Bags Plug Gel Soda Ash	29	66	11/23/99	D.C.
R-436	8 Bags Plug Gel Soda Ash	28	70	11/23/99	D.C.
R-437	7 Bags Plug Gel Soda Ash	28	64	11/23/99	
R-438	6 Bags Plug Gel Soda Ash	29	68	11/24/99	D.C.
R-439	6 Bags Plug Gel Soda Ash	28	62	11/24/99	
R-440	11 Bags Plug Gel Soda Ash	27	61	12/1/99	D.C.
R-441	10 Bags Plug Gel Soda Ash	27	61	11/30/99	D.C.
R-442	11 Bags Plug Gel Soda Ash	27	72	11/29/99	D.C.
R-443	7 Bags Plug Gel Soda Ash	28	64	11/29/99	D.C.
R-444	10 Bags Plug Gel Soda Ash	27	63	11/30/99	D.C.
R-445	8 Bags Plug Gel Soda Ash	27	67	12/1/99	
R-446	9 Bags Plug Gel Soda Ash	27	71	12/2/99	
R-447	9 Bags Plug Gel Soda Ash	27	72	12/1/99	D.C.
R-448	7 Bags Plug Gel Soda Ash	28	65	11/30/99	
R-449	8 Bags Plug Gel Soda Ash	28	66	12/2/99	D.C.
R-450	8 Bags Plug Gel Soda Ash	27	67	12/4/99	D.C.
R-451	8 Bags Plug Gel Soda Ash	27	63	12/1/99	
R-452	7 Bags Plug Gel Soda Ash	30	60	12/1/99	D.C.
R-453	12 Bags Plug Gel Soda Ash	28	65	12/2/99	D.C.
R-454	12 Bags Plug Gel Soda Ash	28	62	12/2/99	D.C.
R-455	12 Bags Plug Gel Soda Ash	27	61	12/3/99	D.C.
R-456	8 Bags Plug Gel Soda Ash	27	61	12/2/99	D.C.
R-457	8 Bags Plug Gel Soda Ash	27	65	12/6/99	D.C.
R-458	8 Bags Plug Gel Soda Ash	27	63	12/6/99	

CROW BUTTE RESOURCES, INC.  
PLACING PROCEDURE

HOLES NUMBER	METHOD AND MATERIALS (USED)	TD 175	FINAL 175	DATE	INSPECTED BY
R-397	12 Bags Plug Gel	27	66	10/29/99	D.C.
R-398	11 Bags Plug Gel	27	64	10/29/99	D.C.
R-399	11 Bags Plug Gel	27	67	11/2/99	
R-400	12 Bags Plug Gel	27	66	11/3/99	
R-401	9 Bags Plug Gel	29	67	11/5/99	D.C.
R-402	10 Bags Plug Gel	27	65	11/5/99	
R-403	10 Bags Plug Gel	27	61	11/4/99	
R-404	10 Bags Plug Gel	27	65	11/4/99	
R-405	10 Bags Plug Gel	27	63	11/4/99	
R-406	9 Bags Plug Gel	27	66	11/5/99	
R-407	9 Bags Plug Gel	27	63	11/8/99	
R-408	8 Bags Plug Gel	27	68	11/8/99	
R-409	9 Bags Plug Gel	27	62	11/9/99	D.C.
R-410	13 Bags Plug Gel	27	71	11/9/99	D.C.
R-411	9 Bags Plug Gel	27	61	11/8/99	D.C.
R-412	10 Bags Plug Gel	27	73	11/9/99	D.C.
R-413	10 Bags Plug Gel	27	61	11/9/99	D.C.
R-414	10 Bags Plug Gel	27	63	11/10/99	D.C.
R-415	7 Bags Plug Gel	27	62	11/10/99	D.C.
R-416	7 Bags Plug Gel	27	70	11/11/99	
R-417	9 Bags Plug Gel	27	63	11/11/99	
R-418	9 Bags Plug Gel	27	100+	11/15/99	D.C.
R-419	7 Bags Plug Gel	27	67	11/15/99	
R-420	6 Bags Plug Gel	27	63	11/12/99	
R-421	8 Bags Plug Gel	27	72	11/12/99	D.C.
R-422	11 Bags Plug Gel	27	65	11/22/99	
R-423	12 Bags Plug Gel	27	60	11/22/99	D.C.
R-424	9 Bags Plug Gel	27	81	11/15/99	D.C.
R-425	7 Bags Plug Gel	27	62	11/14/99	
R-426	6 Bags Plug Gel	28	66	11/14/99	D.C.
R-427	4 Bags Plug Gel	28	60	11/18/99	D.C.

CROW BUTTE RESOURCES, INC.  
 PLACING PROCEDURE

PILE NUMBER	MATERIALS AND MATERIALS USED	TD 175	FINAL 175	DATE	INSPECTED BY:
R-366	10 Bags Plug Gel Soda Ash	27	67	10/22/99	D.C.
R-367	11 Bags Plug Gel Soda Ash	27	62	11/1/99	
R-368	12 Bags Plug Gel Soda Ash	27	64	11/1/99	
R-369	11 Bags Plug Gel Soda Ash	27	68	10/21/99	D.C.
R-370	10 Bags Plug Gel Soda Ash	28	74	10/21/99	
R-371	12 Bags Plug Gel Soda Ash	27	65	10/25/99	D.C.
R-372	11 Bags Plug Gel Soda Ash	27	61	11/2/99	
R-373	11 Bags Plug Gel Soda Ash	27	63	11/2/99	
R-374	10 Bags Plug Gel Soda Ash	27	62	11/3/99	
R-375	11 Bags Plug Gel Soda Ash	27	69	11/3/99	
R-376	11 Bags Plug Gel Soda Ash	27	67	10/22/99	D.C.
R-377	10 Bags Plug Gel Soda Ash	27	94	10/31/99	D.C.
R-378	9 Bags Plug Gel Soda Ash	28	65	12/8/99	D.C.
R-379	10 Bags Plug Gel Soda Ash	27	63	12/7/99	
R-380	10 Bags Plug Gel Soda Ash	27	64	12/7/99	D.C.
R-381	9 Bags Plug Gel Soda Ash	28	62	12/10/99	
R-382	7 Bags Plug Gel Soda Ash	27	66	12/10/99	D.C.
R-383	9 Bags Plug Gel Soda Ash	27	63	12/8/99	
R-384	9 Bags Plug Gel Soda Ash	27	67	12/9/99	D.C.
R-385	8 Bags Plug Gel Soda Ash	28	77	12/13/99	D.C.
R-386	9 Bags Plug Gel Soda Ash	28	63	12/10/99	
R-387	9 Bags Plug Gel Soda Ash	27	68	12/8/99	D.C.
R-388	10 Bags Plug Gel Soda Ash	27	63	10/26/99	D.C.
R-389	11 Bags Plug Gel Soda Ash	27	61	10/27/99	D.C.
R-390	10 Bags Plug Gel Soda Ash	27	64	10/25/99	
R-391	10 Bags Plug Gel Soda Ash	27	77	10/26/99	D.C.
R-392	12 Bags Plug Gel Soda Ash	27	63	10/27/99	
R-393	12 Bags Plug Gel Soda Ash	27	70	10/28/99	D.C.
R-394	13 Bags Plug Gel Soda Ash	27	62	10/28/99	D.C.
R-395	11 Bags Plug Gel Soda Ash	27	61	10/27/99	D.C.
R-396	13 Bags Plug Gel Soda Ash	27	61	10/29/99	D.C.

CROW BUILT RESOURCES, INC.  
PLUGGING PROCEDURE

WELL NUMBER	METHOD AND MATERIALS USED	TOOTS	TONS TIS	DATE	INSPECTOR:
1900	10 Bags Plug Gel Soda Ash	27	63	9-24-98	Capped 10/13/99
2207	5 Bags Plug Gel Soda Ash	28	69	10-28-98	Capped 12/24/99
2290	9 Bags Plug Gel Soda Ash	29	62	4-16-99	Capped 12/24/99
2085	7 Bags Plug Gel Soda Ash	27	66	9-10-98	Capped 12/24/99
2404	8 Bags Plug Gel Soda Ash	28	67	12-8-99	Capped 12/24/99
2082	11 Bags Plug Gel Soda Ash	29	61	8-3-98	Capped 12/24/99
2295	8 Bags Plug Gel Soda Ash	30	67	4-21-99	Capped 12/24/99
2419	10 Bags Plug Gel Soda Ash	27	61	12-15-99	Capped 12/24/99
2084	8 Bags Plug Gel Soda Ash	28	71	9-9-98	Capped 12/24/99
2293	8 Bags Plug Gel Soda Ash	30	76	4-12-99	Capped 12/22/99
2022	6 Bags Plug Gel Soda Ash	33	75	6-17-98	Capped 12/27/99
1967	10 Bags Plug Gel Soda Ash	30	65	5-21-98	Capped 12/27/99
2292	9 Bags Plug Gel Soda Ash	30	63	4-7-99	Capped 12/27/99
1969	12 Bags Plug Gel Soda Ash	27	63	5-26-98	Capped 12/27/99
1997	9 Bags Plug Gel Soda Ash	30	64	6-16-98	Capped 12/27/99
2023	11 Bags Plug Gel Soda Ash	28	68	6-15-98	Capped 12/27/99
2287	6 Bags Plug Gel Soda Ash	31	67	4-15-99	Capped 12/27/99
2294	8 Bags Plug Gel Soda Ash	30	69	4-22-99	Capped 12/27/99
2024	10 Bags Plug Gel Soda Ash	29	63	6-22-98	Capped 12/27/99
2025	9 Bags Plug Gel Soda Ash	29	64	7-6-98	Capped 12/27/99
2069	5 Bags Plug Gel Soda Ash	36	100+	7-22-98	Capped 12/27/99
2070	4 Bags Plug Gel Soda Ash	33	100+	7-23-98	Capped 12/27/99
2016	13 Bags Plug Gel Soda Ash	29	63	7-13-98	Capped 12/27/99
1968	10 Bags Plug Gel Soda Ash	29	68	5-22-98	Capped 12/27/99
1970	10 Bags Plug Gel Soda Ash	28	77	5-27-98	Capped 12/27/99
2288	6 Bags Plug Gel Soda Ash	29	74	4-12-99	Capped 12/27/99
2165	13 Bags Plug Gel Soda Ash	28	64	9-3-98	Capped 12/27/99
2162	14 Bags Plug Gel Soda Ash	27	66	9-9-98	Capped 12/27/99
	Bags Plug Gel Soda Ash				
	Bags Plug Gel Soda Ash				
	Bags Plug Gel Soda Ash				

**Appendix B**

**Private Well and Surface Water Radiological Monitoring Results**

**Third and Fourth Quarter, 1999**

LABORATORY ANALYSIS REPORT - CROW BUTTE RESOURCES, INC.

Sample ID:  
 Laboratory ID:  
 Sample Matrix:  
 Sample Date:  
 Date Received:  
 Report Date:

Sample ID	Lab ID	Matrix	Date	Received	Report
Wd# #19	37732-001	Water	08-27-99	09-03-99	September 29, 1999
Wd# #27	37732-002	Water	08-27-99	09-03-99	September 29, 1999
Wd# #28	37732-003	Water	08-27-99	09-03-99	September 29, 1999
Wd# #33A	37732-004	Water	08-27-99	09-03-99	September 29, 1999
Wd# #25	37732-005	Water	08-27-99	09-03-99	September 29, 1999

Radionuclide	Results	Results	Results	Results	Results
Uranium, mg/L	0.0079	0.0094	0.0075	0.012	0.0087
Uranium, µCi/mL	5.35E-09	6.36E-09	5.08E-09	7.99E-09	5.89E-09
Radium-226, pCi/L	0.9	<0.2	0.9	<0.2	0.2
Radium Precision ±	0.3	-	0.3	-	-

**LABORATORY ANALYSIS R**

<b>Sample ID:</b>	Well #41A	Well #63	Well #41	Well #8	Well #11
<b>Laboratory ID:</b>	32732-006	32732-007	32732-008	32732-009	32732-010
<b>Sample Matrix:</b>	Water	Water	Water	Water	Water
<b>Sample Date:</b>	08-27-99	08-27-99	08-27-99	08-27-99	08-27-99
<b>Date Received:</b>	09-03-99	09-03-99	09-03-99	09-03-99	09-03-99
<b>Report Date:</b>	September 29, 1999	September 29, 1999	September 29, 1999	September 29, 1999	September 29, 1999

Radiometric	Results	Results	Results	Results	Results
Uranium, mg/L	0.0074	0.011	0.0075	0.016	0.0087
Uranium, $\mu\text{Ci/mL}$	5.01E-09	7.24E-09	5.08E-09	1.07E-08	5.89E-09
Radium-226, pCi/L	0.8	<0.2	<0.2	<0.2	<0.2
Radium Precision $\pm$	0.3	-	-	-	-



**LABORATORY ANALYSIS R**

**Sample ID:**  
**Laboratory ID:**  
**Sample Matrix:**  
**Sample Date:**  
**Date Received:**  
**Report Date:**

<b>Well #24</b>	<b>Stream S-1</b>	<b>Well #25</b>	<b>Well #17</b>	<b>Well #57</b>
32732-011	32732-012	32732-013	32732-014	32732-015
Water	Water	Water	Water	Water
08-27-99	08-27-99	08-27-99	08-27-99	08-27-99
09-03-99	09-03-99	09-03-99	09-03-99	09-03-99
September 29, 1999	September 29, 1999	September 29, 1999	September 29, 1999	September 29, 1999

<b>Radiometric</b>	<b>Results</b>	<b>Results</b>	<b>Results</b>	<b>Results</b>	<b>Results</b>
Uranium, mg/L	0.0049	0.0036	0.0057	0.0042	0.0096
Uranium, $\mu\text{Ci/mL}$	3.32E-09	2.44E-09	3.86E-09	2.84E-09	6.50E-09
Radium-226, pCi/L	<0.2	<0.2	<0.2	<0.2	<0.2
Radium Precision $\pm$	-	-	-	-	-

**LABORATORY ANALYSIS R**

Sample ID:	Well #129	Well #125	Drinking Water
Laboratory ID:	32732-016	32732-017	32732-018
Sample Matrix:	Water	Water	Water
Sample Date:	06-27-99	09-02-99	09-02-99
Date Received:	09-03-99	09-03-99	09-03-99
Report Date:	September 25, 1999	September 25, 1999	September 25, 1999

Radionuclide	Results	Results	Results	Units	Reporting Limit
Uranium, mg/L	0.0086	0.0061	0.0076	mg/L	0.0003
Uranium, µCi/mL	3.82E-09	4.13E-09	5.15E-09	µCi/mL	2.03E-10
Radium-226, pCi/L	<0.2	<0.2	<0.2	pCi/L	0.2
Radium Precision =	.	.	.		

LABORATORY ANALYSIS REPORT - CROW BUTTE RESOURCES, INC.

Sample ID:  
 Laboratory ID:  
 Sample Matrix:  
 Sample Date:  
 Date Received:  
 Report Date:

Sample #1E-Well #11	Sample #2E-Well #24	Sample #3E-Stream S-1	Sample #4E-Stream S-2	Sample #5E-Well #19
34555-001	34555-002	34555-003	34555-004	34555-005
Water	Water	Water	Water	Water
11-12-99	11-12-99	11-12-99	11-12-99	11-12-99
11-19-99	11-19-99	11-19-99	11-19-99	11-19-99
December 14, 1999	December 14, 1999	December 14, 1999	December 14, 1999	December 14, 1999

Radiometric	Results	Results	Results	Results	Results
Uranium, mg/L	0.0086	0.0048	0.0043	0.0042	0.0058
Uranium, $\mu\text{Ci/mL}$	5.82E-09	3.25E-09	2.91E-09	2.84E-09	3.93E-09
Radium-226, pCi/L	<0.2	<0.2	<0.2	<0.2	<0.2
Radium Precision $\pm$	-	-	-	-	-

**LABORATORY ANALYSIS R**

Sample ID:	Sample #22E-Well #12	Sample #23E-Well #28	Sample #24E-Drinking Water
Laboratory ID:	34553-002	34553-003	34553-004
Sample Matrix:	Water	Water	Water
Sample Date:	11-12-99	11-12-99	11-16-99
Date Received:	11-19-99	11-19-99	11-19-99
Report Date:	December 14, 1999	December 14, 1999	December 14, 1999

Sample ID:  
 Laboratory ID:  
 Sample Matrix:  
 Sample Date:  
 Date Received:  
 Report Date:

Radionuclide	Results	Results	Results	Units	Reporting Limit
Uranium, mg/L	0.0042	0.0071	0.0084	mg/L	0.0003
Uranium, $\mu\text{Ci/mL}$	2.84E-09	4.81E-09	5.69E-09	$\mu\text{Ci/mL}$	2.03E-10
Radium-226, pCi/L	0.5	0.4	<0.2	pCi/L	0.2
Radium Precision $\pm$	0.3	0.2	-		

**LABORATORY ANALYSIS R**

Sample ID: Laboratory ID: Sample Matrix: Sample Date: Date Received: Report Date:	Sample 17E-Well #17 34555-016 Water 11-12-99 11-19-99 December 14, 1999	Sample 18E-Well #8 34555-017 Water 11-12-99 11-19-99 December 14, 1999	Sample 19E-Well #57 34555-018 Water 11-12-99 11-19-99 December 14, 1999	Sample 20E-Well #129 34555-019 Water 11-12-99 11-19-99 December 14, 1999	Sample #21E-Well #125 34553-091 Water 11-12-99 11-19-99 December 14, 1999
--	--	---	--	---	--

Radiometric	Results	Results	Results	Results	Results
Uranium, mg/L	0.0043	0.015	0.0096	0.0089	0.0069
Uranium, $\mu\text{Ci/mL}$	2.91E-09	1.03E-08	6.50E-09	6.03E-09	4.67E-09
Radium-226, pCi/L	<0.2	<0.2	0.6	<0.2	0.3
Radium Precision =	-	-	0.3	-	0.2

**LABORATORY ANALYSIS R**

Sample ID: Laboratory ID: Sample Matrix: Sample Date: Date Received: Report Date:	Sample 11E-Stream E-1 34555-011 Water 11-12-99 11-19-99 December 14, 1999	Sample 12E-Wed #63 34555-012 Water 11-12-99 11-19-99 December 14, 1999	Sample 13E-Wed #41 34555-013 Water 11-12-99 11-19-99 December 14, 1999	Sample 14E-Wed #16 34555-014 Water 11-12-99 11-19-99 December 14, 1999	Sample 16E-Wed #25 34555-015 Water 11-12-99 11-19-99 December 14, 1999
--	--	---	---	---	---

Radionuclide	Results	Results	Results	Results	Results
Uranium, mg/L	0.043	0.013	0.0069	0.0068	0.0057
Uranium, µCi/mL	2.90E-08	8.73E-09	4.67E-09	4.60E-09	3.86E-09
Radium-226, pCi/L	<0.2	<0.2	<0.2	<0.2	<0.2
Radium Precision z	-	-	-	-	-

**LABORATORY ANALYSIS R**

Sample ID:	Sample #6E-Well #27	Sample #7E-Well #63A	Sample #8E-Stream S-5	Sample #9E-Well #37A	Sample #10E-Stream E1 & E2 Composite
Laboratory ID:	34555-006	34555-007	34555-008	34555-009	34555-010
Sample Matrix:	Water	Water	Water	Water	Water
Sample Date:	11-12-99	11-12-99	11-12-99	11-12-99	11-12-99
Date Received:	11-19-99	11-19-99	11-19-99	11-19-99	11-19-99
Report Date:	December 14, 1999	December 14, 1999	December 14, 1999	December 14, 1999	December 14, 1999

Radionuclide	Results	Results	Results	Results	Results
Uranium, mg/L	0.0083	0.014	0.0047	0.0097	0.018
Uranium, $\mu\text{Ci}/\text{mL}$	5.62E-09	9.14E-09	3.18E-09	6.57E-09	1.21E-08
Radium-226, pCi/L	<0.2	<0.2	<0.2	0.6	0.2
Radium Precision z	-	-	-	0.2	-

**Appendix C**

**Plant Production and Waste Totals**

**Third and Fourth Quarter, 1999**



Appendix C  
Crow Butte Resources

WELLFIELD TOTALIZER/BLEED DATA  
THIRD AND FOURTH QUARTERS, 1999

MONTH	PLANT POND WASTE	TOTAL DPW WASTE	TOTAL PLANT DPW WASTE	RO-DPW WASTE	PLANT POTABLE	PLNT PROD TO RO-FEED	PROD GALS	INJ GALS	PLANT BLEED %	ON-LINE FLOW
July	198080	2326596	876426	1450170	286274	1316406	189370997	187176715	1.1%	4242
August	264860	2467611	1027369	1440242	285217	1319504	192797497	190449321	1.2%	4323
September	138310	2377719	1228226	1149493	299237	1056783	193561141	186885232	1.1%	4480
October	122020	2294741	1021884	1272857	281327	1183370	191943421	185124734	1.1%	4300
November	207200	2128677	1012009	1116668	199572	1155889	190977852	185615231	1.1%	4421
December	85200	1660530	1122775	537755	317976	445273	201032149	195945778	0.7%	4503
3 <sup>rd</sup> Qtr Sum/Avg	601250	7171926	3132021	4039905	870728	3692693	575729635	564511268	1.1%	4348
4 <sup>th</sup> Qtr Sum/Avg	414420	6083948	3156668	2927280	798875	2784532	583953422	566685743	1.0%	4408
2 <sup>nd</sup> Half Sum/Avg	1015670	13255874	6288689	6967185	1669603	6477225	1159683057	1131197011	1.0%	4378

PLANT BLEED % = (PLANT POND WASTE + TOTAL DPW WASTE - RO-DPW WASTE - PLANT POTABLE + PLNT PROD TO RO FEED) / PRODUCTION

RESTORATION TOTALIZER DATA  
THIRD AND FOURTH QUARTERS, 1999

MONTH	MU1 PROD GALS	MU2 PROD GALS	MU3 PROD GALS	RO BRINE GALS	RO PERM GALS	PLNT PROD TO RO-FEED	REST. RO GALS TREATED
July	5002	4882826	1989578	1450170	4424816	1316406	4558580
August	0	5075569	2625877	1440242	4469509	1319504	4590247
September	0	3979761	5966166	1149493	3539504	1056783	3632214
October	0	4983716	9189997	1272857	4354652	1183370	4444139
November	0	4514804	7171949	1116668	3973788	1155889	3934567
December	0	2049026	5818131	537755	1814994	445273	1907476
Sum	5002	25485702	32761696	6967185	22577263	6477225	23067223

TOTAL GALLONS-INJECTION  
SECOND AND THIRD QUARTERS, 1999

July	187176715	October	185124734
August	190449321	November	185615231
September	186885232	December	195945778

WELLFIELD BLEED CALCULATIONS  
SECOND AND THIRD QUARTERS, 1999

MONTH	PLANT WASTE	REST WASTE	TOTAL POTABLE	PLANT PRODUCTION	REST. PRODUCTION	REST. INJECTION	WELLFIELD BLEED %
July	1074506	1450170	286274	189370997	6877404	4382266	1.1%
August	129229	1440242	285217	192797497	7701446	4993269	0.6%
September	1366536	1149493	299237	193561141	8945927	9113172	1.1%
October	1143904	1272857	281327	191943421	14173713	12391319	1.0%
November	1219209	1116668	199572	190977852	11686753	8596184	1.1%
December	1207975	537755	317976	201032149	7887157	5316942	0.7%
Sum/Avg.	6141359	6967185	1669603	1159683057	58252400	44783162	0.9%

Note: All totals are in gallons. Wellfield bleed is calculated as Plant Waste plus Restoration Waste minus Total Potable divided by Plant Production plus Restoration Production.

**Appendix D**

**Wellfield Injection Pressures**

**Third and Fourth Quarter, 1999**

Appendix D  
Grew Subsea Resources  
Wellfield Injection Pressures  
Third and Fourth Quarter, 1999

WELLFIELD INJECTION PRESSURE Third Quarter 1999													
WF HOUSE #1		WF HOUSE #2		WF HOUSE #3		WF HOUSE #4		WF HOUSE #5		WF HOUSE #6		WF HOUSE #7	
AVERAGE	MAXIMUM	AVERAGE	MAXIMUM	AVERAGE	MAXIMUM	AVERAGE	MAXIMUM	AVERAGE	MAXIMUM	AVERAGE	MAXIMUM	AVERAGE	MAXIMUM
July	0	0	0	0	37	34	42	62	29	47	0	0	0
August	1	13	2	22	77	57	37	57	45	67	0	0	0
September	0	0	0	0	48	69	51	70	38	80	0	0	0
AVERAGE	0	15	1	22	46	70	50	77	37	80	0	0	0
WF HOUSE #8		WF HOUSE #9		WF HOUSE #10		WF HOUSE #11		WF HOUSE #12		WF HOUSE #13		WF HOUSE #14	
AVERAGE	MAXIMUM	AVERAGE	MAXIMUM	AVERAGE	MAXIMUM	AVERAGE	MAXIMUM	AVERAGE	MAXIMUM	AVERAGE	MAXIMUM	AVERAGE	MAXIMUM
July	88	94	0	0	0	0	83	92	78	82	0	0	0
August	32	92	7	45	6	47	88	93	77	81	0	0	0
September	42	48	21	35	41	82	90	72	72	98	0	0	0
AVERAGE	54	54	9	43	14	47	86	92	76	88	0	0	0
WF HOUSE #15		WF HOUSE #16		WF HOUSE #17		WF HOUSE #18		WF HOUSE #19		WF HOUSE #20		WF HOUSE #21	
AVERAGE	MAXIMUM	AVERAGE	MAXIMUM	AVERAGE	MAXIMUM	AVERAGE	MAXIMUM	AVERAGE	MAXIMUM	AVERAGE	MAXIMUM	AVERAGE	MAXIMUM
July	77	87	0	84	88	83	83	83	75	78	0	0	0
August	76	87	0	84	89	86	88	88	79	82	0	0	0
September	70	75	3	82	79	91	82	91	76	82	0	0	0
AVERAGE	75	87	1	82	83	90	83	91	76	82	0	0	0
WF HOUSE #22		WF HOUSE #23		WF HOUSE #24		WF HOUSE #25		WF HOUSE #26		WF HOUSE #27		WF HOUSE #28	
AVERAGE	MAXIMUM	AVERAGE	MAXIMUM	AVERAGE	MAXIMUM	AVERAGE	MAXIMUM	AVERAGE	MAXIMUM	AVERAGE	MAXIMUM	AVERAGE	MAXIMUM
July	91	95	66	70	82	86	89	93	74	78	0	0	0
August	54	98	70	78	86	82	90	92	86	79	0	0	0
September	91	98	68	75	83	80	90	95	76	83	0	0	0
AVERAGE	92	98	68	78	84	80	90	96	76	83	0	0	0
WF HOUSE #29		WF HOUSE #30		WF HOUSE #31		WF HOUSE #32		WF HOUSE #33		WF HOUSE #34		WF HOUSE #35	
AVERAGE	MAXIMUM	AVERAGE	MAXIMUM	AVERAGE	MAXIMUM	AVERAGE	MAXIMUM	AVERAGE	MAXIMUM	AVERAGE	MAXIMUM	AVERAGE	MAXIMUM
July	91	95	84	89	85	90	93	93	80	80	0	0	0
August	96	100	94	100	92	97	94	94	94	94	0	0	0
September	93	100	91	100	91	99	90	93	93	93	0	0	0
AVERAGE	93	100	90	100	89	99	91	93	93	93	0	0	0
WF HOUSE #36		WF HOUSE #37		WF HOUSE #38		WF HOUSE #39		WF HOUSE #40		WF HOUSE #41		WF HOUSE #42	
AVERAGE	MAXIMUM	AVERAGE	MAXIMUM	AVERAGE	MAXIMUM	AVERAGE	MAXIMUM	AVERAGE	MAXIMUM	AVERAGE	MAXIMUM	AVERAGE	MAXIMUM
July	77	80	0	0	0	0	0	0	0	0	0	0	0
August	76	90	0	0	0	0	0	0	0	0	0	0	0
September	70	80	0	0	0	0	0	0	0	0	0	0	0
AVERAGE	73	90	0	0	0	0	0	0	0	0	0	0	0

WELLFIELD INJECTION PRESSURE Fourth Quarter 1999													
WF HOUSE #1		WF HOUSE #2		WF HOUSE #3		WF HOUSE #4		WF HOUSE #5		WF HOUSE #6		WF HOUSE #7	
AVERAGE	MAXIMUM	AVERAGE	MAXIMUM	AVERAGE	MAXIMUM	AVERAGE	MAXIMUM	AVERAGE	MAXIMUM	AVERAGE	MAXIMUM	AVERAGE	MAXIMUM
October	0	0	1	7	49	66	72	41	58	0	0	0	0
November	0	6	1	16	40	71	44	35	71	0	0	0	0
December	0	0	0	30	30	86	30	22	74	0	0	0	0
AVERAGE	0	6	0	16	40	82	42	32	74	0	0	0	0
WF HOUSE #8		WF HOUSE #9		WF HOUSE #10		WF HOUSE #11		WF HOUSE #12		WF HOUSE #13		WF HOUSE #14	
AVERAGE	MAXIMUM	AVERAGE	MAXIMUM	AVERAGE	MAXIMUM	AVERAGE	MAXIMUM	AVERAGE	MAXIMUM	AVERAGE	MAXIMUM	AVERAGE	MAXIMUM
October	51	56	30	35	40	49	84	90	73	78	0	0	0
November	31	36	18	34	26	49	84	86	72	86	0	0	0
December	12	37	2	13	9	34	84	89	72	78	0	0	0
AVERAGE	31	36	17	35	23	49	84	90	72	86	0	0	0
WF HOUSE #15		WF HOUSE #16		WF HOUSE #17		WF HOUSE #18		WF HOUSE #19		WF HOUSE #20		WF HOUSE #21	
AVERAGE	MAXIMUM	AVERAGE	MAXIMUM	AVERAGE	MAXIMUM	AVERAGE	MAXIMUM	AVERAGE	MAXIMUM	AVERAGE	MAXIMUM	AVERAGE	MAXIMUM
October	72	77	0	80	82	83	83	83	82	82	0	0	0
November	70	74	0	80	84	83	84	83	84	84	0	0	0
December	70	90	0	79	83	83	91	80	86	86	0	0	0
AVERAGE	71	80	0	80	84	84	91	80	86	86	0	0	0
WF HOUSE #22		WF HOUSE #23		WF HOUSE #24		WF HOUSE #25		WF HOUSE #26		WF HOUSE #27		WF HOUSE #28	
AVERAGE	MAXIMUM	AVERAGE	MAXIMUM	AVERAGE	MAXIMUM	AVERAGE	MAXIMUM	AVERAGE	MAXIMUM	AVERAGE	MAXIMUM	AVERAGE	MAXIMUM
October	95	97	72	76	86	90	94	96	70	84	0	0	0
November	94	98	70	78	85	90	92	96	78	84	0	0	0
December	95	98	72	76	88	92	94	98	81	85	0	0	0
AVERAGE	95	98	71	78	86	92	93	98	80	85	0	0	0
WF HOUSE #29		WF HOUSE #30		WF HOUSE #31		WF HOUSE #32		WF HOUSE #33		WF HOUSE #34		WF HOUSE #35	
AVERAGE	MAXIMUM	AVERAGE	MAXIMUM	AVERAGE	MAXIMUM	AVERAGE	MAXIMUM	AVERAGE	MAXIMUM	AVERAGE	MAXIMUM	AVERAGE	MAXIMUM
October	96	99	93	99	96	99	91	97	97	97	0	0	0
November	94	99	91	98	94	98	91	95	95	95	0	0	0
December	94	100	92	98	96	100	92	96	96	96	0	0	0
AVERAGE	95	100	93	99	95	100	95	97	96	96	0	0	0
WF HOUSE #36		WF HOUSE #37		WF HOUSE #38		WF HOUSE #39		WF HOUSE #40		WF HOUSE #41		WF HOUSE #42	
AVERAGE	MAXIMUM	AVERAGE	MAXIMUM	AVERAGE	MAXIMUM	AVERAGE	MAXIMUM	AVERAGE	MAXIMUM	AVERAGE	MAXIMUM	AVERAGE	MAXIMUM
October	71	75	0	0	0	0	0	0	0	0	0	0	0
November	70	77	0	0	0	0	0	0	0	0	0	0	0
December	68	80	0	63	67	0	67	0	70	0	0	0	0
AVERAGE	70	78	0	64	70	0	64	0	70	0	0	0	0

**Appendix E**  
**Production and Injection Chemistry**  
**Third and Fourth Quarter, 1999**

**Appendix E**  
**Crow Butte Resources**  
**Production and Injection Chemistry**  
**Third and Fourth Quarter, 1999**

**AVERAGE CHEMICAL ANALYSIS, MONTHLY**  
**Fourth Quarter 1999**

<b>WELLFIELD PRODUCTION</b>	<b>Ca ppm</b>	<b>Na ppm</b>	<b>Cl ppm</b>	<b>SO4 ppm</b>	<b>CO3<sup>-</sup> ppm(Ct)*</b>
October	102.5	1231.0	539.6	1041.4	1467.8
November	104.7	1269.2	545.8	1036.2	1538.5
December	101.4	1251.9	543.8	1047.6	1495.2
<b>WELLFIELD INJECTION</b>	<b>Ca ppm</b>	<b>Na ppm</b>	<b>Cl ppm</b>	<b>SO4 ppm</b>	<b>CO3<sup>-</sup> ppm(Ct)*</b>
October	100.7	1316.5	568.3	1031.6	1626.8
November	103.4	1335.3	577.2	1027.1	1687.5
December	100.4	1322.2	569.7	1038.6	1637.0

**MAXIMUM & MINIMUM ASSAYS INJECTED**  
**Fourth Quarter 1999**

<b>WELLFIELD INJECTION</b>	<b>pH s.u.</b>	<b>Na ppm</b>	<b>Cl ppm</b>	<b>SO4 ppm</b>	<b>CO3<sup>-</sup> ppm(Ct)*</b>
<b>MINIMUM</b>	7.3	1218.0	520.0	964.0	1403.0
<b>MAXIMUM</b>	8.6	1371.0	608.0	1080.0	1785.0

**AVERAGE CHEMICAL ANALYSIS, MONTHLY**  
**Third Quarter 1999**

<b>WELLFIELD PRODUCTION</b>	<b>Ca ppm</b>	<b>Na ppm</b>	<b>Cl ppm</b>	<b>SO4 ppm</b>	<b>CO3<sup>-</sup> ppm(Ct)*</b>
July	106.8	1248.5	538.3	1068.9	1473.7
August	101.9	1219.3	523.7	1039.8	1447.7
September	101.2	1222.5	522.5	1035.9	1440.7
<b>WELLFIELD INJECTION</b>	<b>Ca ppm</b>	<b>Na ppm</b>	<b>Cl ppm</b>	<b>SO4 ppm</b>	<b>CO3<sup>-</sup> ppm(Ct)*</b>
July	105.6	1331.7	561.8	1066.4	1673.4
August	101.1	1297.7	544.2	1039.2	1626.5
September	99.7	1275.8	548.4	1025.8	1536.3

**MAXIMUM & MINIMUM ASSAYS INJECTED**  
**Third Quarter 1999**

<b>WELLFIELD INJECTION</b>	<b>pH s.u.</b>	<b>Na ppm</b>	<b>Cl ppm</b>	<b>SO4 ppm</b>	<b>CO3<sup>-</sup> ppm(Ct)*</b>
<b>MINIMUM</b>	7.2	1203.0	517.0	955.0	1335.0
<b>MAXIMUM</b>	7.9	1368.0	591.0	1110.0	1815.0

\* ALK = Ct / 1.2

**Appendix F**  
**Monthly Deep Disposal Well Reports**  
**Third and Fourth Quarter, 1999**

**CROW BUTTE RESOURCES, INC.**  
**1670 BROADWAY, SUITE 3450**  
**DENVER, COLORADO 80202**

**(303) 830-3549**  
**(303) 830-3544 FAX**

---

August 24, 1999

Nebraska Department of Environmental Quality  
Ground Water Section  
Suite 400, The Atrium  
1200 "N" Street  
P.O. Box 98922  
Lincoln, Nebraska 68509-8922  
Attn: Mr. David Miesbach

**Re: July 1999 Monthly Monitoring Report for Crow Butte Mine Class I Non Hazardous  
Waste Injection Well, Permit Number NE0206369**

Dear Mr. Miesbach:


Attached is the monthly monitoring report (MMR) data for the Class I Injection Well ( Deep Disposal Well (DDW)) located at the Crow Butte Mine near Crawford, Nebraska. The MMR is submitted in accordance with Part II, B. of permit number NE0206369.

Table 1 lists the operating statistics from the DDW continuous recording devices for the month. All permit parameters were in compliance for the month.

Table 2 lists the operating statistics based on the daily inspection readings. The daily readings are taken by the process plant operators three times a day and a copy of the actual recording sheet is shown on Table 3. A summary of the weekly grab sample assay results is given on Table 4.

Please contact me if you need additional information pertaining to the DDW monthly monitoring report.

Sincerely,



Steven D. Magnuson  
Vice President

Attachments

cc: Dave Carlson, NDEQ

**Table 1**

**Crow Butte Project  
Deepwell Operational Monitoring  
Continuous Data Record Statistics  
July 1999**

	<b>Min.</b>	<b>Average</b>	<b>Max.</b>
<b>Injection Pressure</b>	0.0	79.8	231.0
<b>Flowrate (GPM)</b>	0.0	52.5	87.0
<b>Annulus Pressure (psi)</b>	414.0	429.7	456.8
<b>pH</b>		7.6	
<b>Gallons/Day (Gals.)</b>		75051	
<b>Total Gals. In Month</b>			2326596

**Table 2**

**Crow Butte Project  
Deepwell Operational Monitoring  
Daily Manual Inspection Statistics  
July 1999**

	<b>Min.</b>	<b>Average</b>	<b>Max.</b>
<b>Injection Pressure</b>	0.0	54.0	205.0
<b>Flowrate (GPM)</b>	0.0	51.5	76.0
<b>Annulus Pressure (psi)</b>	423.0	433.0	440.0
<b>Total Gals. In Month</b>			2326596



TABLE 4

**CROW BUTTE PROJECT  
DEEP WELL DATA ANALYSIS  
JULY 1999**

LABORATORY	ELEMENT	JULY1,1999	JULY8,1999	ULY15,1999	ULY22,99	ULY29,99	DNTHLY AVG.	LIMIT
CROW BUTTE LAB	Na mg/l	5.166	6.341	9.286	4.704	4.210	6.374	40,000
CROW BUTTE LAB	SO4 mg/l	2.289	2.032	2.450	1.947	2.053	2.180	10,000
CROW BUTTE LAB	Cl mg/l	5.399	7.493	11.562	4.673	3.706	7.282	40,000
ENERGY LAB	As mg/l						<0.10	1
ENERGY LAB	Ba mg/l						<0.10	20
ENERGY LAB	Se mg/l						<0.10	2
CROW BUTTE LAB	V mg/l	31.0	26.0	42.0	15.0	7.8	28.5	50
CROW BUTTE LAB	U-nat mg/l	2.5	8.0	9.0	3.4	1.4	5.7	25
ENERGY LAB	Ra 226 pCi/l						1.310	5,000
CROW BUTTE LAB	Alkalinity mg	2.150	1,675	1,700	1,988	2,225	1,878	4,100
CROW BUTTE LAB	Ph STD UNI	8.3	8.2	8.2	8.4	8.4	8.2	5.0-8.5
CROW BUTTE LAB	Temp (F)	71	73	72	72	75	72	NONE

**Report Approved By:**  
 Energy Lab - CRM for ELI  
 Crow Butte Lab - SM  
 Plant Superintendent - CRM

**CROW BUTTE RESOURCES, INC.**  
**1670 BROADWAY, SUITE 3450**  
**DENVER, COLORADO 80202**

**(303) 830-3549**  
**(303) 830-3544 FAX**

---

September 20, 1999

Nebraska Department of Environmental Quality  
Ground Water Section  
Suite 400, The Atrium  
1200 "N" Street  
P.O. Box 98922  
Lincoln, Nebraska 68509-8922  
Attn: Mr. David Miesbach

Re: **August 1999 Monthly Monitoring Report for Crow Butte Mine Class I Non Hazardous Waste Injection Well, Permit Number NE0206369**

Dear Mr. Miesbach:


Attached is the monthly monitoring report (MMR) data for the Class I Injection Well ( Deep Disposal Well (DDW)) located at the Crow Butte Mine near Crawford, Nebraska. The MMR is submitted in accordance with Part II, B. of permit number NE0206369.

Table 1 lists the operating statistics from the DDW continuous recording devices for the month. All permit parameters were in compliance for the month.

Table 2 lists the operating statistics based on the daily inspection readings. The daily readings are taken by the process plant operators three times a day and a copy of the actual recording sheet is shown on Table 3. A summary of the weekly grab sample assay results is given on Table 4.

Please contact me if you need additional information pertaining to the DDW monthly monitoring report.

Sincerely,



Steven D. Magnuson  
Vice President

Attachments

cc: Dave Carlson, NDEQ

<b>Table 1</b>			
<b>Crow Butte Project</b>			
<b>Deepwell Operational Monitoring</b>			
<b>Continuous Data Record Statistics</b>			
<b>August 1999</b>			
	<b>Min.</b>	<b>Average</b>	<b>Max.</b>
Injection Pressure	0.0	100.8	244.3
Flowrate (GPM)	0.0	56.6	79.0
Annulus Pressure (psi)	400.0	417.0	440.0
pH		7.7	
Gallons/Day (Gals.)		79600	
Total Gals. in Month			2467611

<b>Table 2</b>			
<b>Crow Butte Project</b>			
<b>Deepwell Operational Monitoring</b>			
<b>Daily Manual Inspection Statistics</b>			
<b>August 1999</b>			
	<b>Min.</b>	<b>Average</b>	<b>Max.</b>
Injection Pressure	0.0	81.1	220.0
Flowrate (GPM)	23.0	55.8	74.0
Annulus Pressure (psi)	410.0	421.7	433.0
Total Gals. in Month			2467611

TABLE 3

## Crow Butte Project Deep Well Injection Data Record

Date	Time	Initials	Injection Flow	MORNING SHIFT				DAY SHIFT				EVENING SHIFT									
				Daily Gallons	Annulus Pressure	Wellhead U Press	Temp F	Time	Initials	Injection Flow	Daily Gallons	Annulus Pressure	Wellhead U Press	Temp F	Time	Initials	Injection Flow	Daily Gallons	Annulus Pressure	Wellhead U Press	Temp F
1	0100	AN	2.4	4258	420	160	74	0720	6m	41	1220	430	0	72	0745	4m	70	1050	430	0	72
2	0100	AM	2.0	3466	420	160	72	0710	6m	23	2510	425	0	72	0715	4m	45	1750	430	0	72
3	0100	AM	2.8	2980	425	0	72	0705	4m	25	1750	420	0	72	0710	4m	71	2970	430	0	72
4	0100	AM	2.0	4919	425	165	74	0720	4m	21	2510	420	0	72	0715	4m	46	1750	425	165	72
5	0100	AM	3.5	2676	420	0	72	0715	4m	23	1750	420	0	72	0710	4m	68	1750	425	165	72
6	0100	AM	3.1	3791	420	0	72	0715	4m	18	1470	425	0	72	0710	4m	71	1770	425	165	72
7	0100	AM	7.1	7439	420	0	72	0715	4m	63	1970	425	0	72	0710	4m	21	1770	425	165	72
8	0100	AM	6.0	7747	420	0	74	0720	4m	67	2460	425	0	72	0715	4m	21	1770	425	165	72
8	0230	AM	7.1	6045	420	0	74	0720	4m	63	2270	420	0	72	0715	4m	47	1770	425	165	72
10	0300	AM	7.1	9487	420	180	72	0750	4m	69	2785	425	115	72	0710	4m	31	1770	425	165	72
11	0330	AM	10.5	15287	420	180	72	0800	4m	109	3200	425	175	72	0710	4m	64	1770	425	165	72
12	0345	AM	1.0	5811	420	910	72	0815	4m	70	2785	425	170	74	0720	4m	10	1770	425	165	72
13	0345	AM	4.7	8607	415	45	72	0815	4m	45	2610	420	40	72	0720	4m	10	1770	425	165	72
14	0345	AM	6.9	7800	425	120	72	0820	4m	50	3000	420	40	72	0720	4m	10	1770	425	165	72
15	0345	AM	4.2	4692	425	5m	72	0820	4m	44	3100	425	40	72	0720	4m	10	1770	425	165	72
16	0345	AM	3.5	6712	420	0	72	0820	4m	44	3100	425	40	72	0720	4m	10	1770	425	165	72
17	0345	AM	4.5	7200	420	0	72	0820	4m	44	3100	425	40	72	0720	4m	10	1770	425	165	72
18	0345	AM	7.0	6057	425	170	72	0820	4m	34	2785	425	40	72	0720	4m	10	1770	425	165	72
19	0345	AM	4.6	6220	425	0	72	0820	4m	50	1870	410	45	72	0720	4m	10	1770	425	165	72
20	0345	AM	5.2	6158	425	170	74	0820	4m	53	2510	420	50	72	0720	4m	10	1770	425	165	72
21	0345	AM	6.0	8528	425	110	74	0820	4m	53	2510	420	50	72	0720	4m	10	1770	425	165	72
22	0345	AM	5.6	8199	420	0	74	0820	4m	24	2160	420	0	72	0720	4m	10	1770	425	165	72
22	0400	AM	0.3	8200	420	60	72	0820	4m	67	1980	415	173	72	0720	4m	10	1770	425	165	72
23	0400	AM	6.2	8495	420	130	72	0820	4m	51	2510	425	40	72	0720	4m	10	1770	425	165	72
25	0400	AM	6.2	8495	420	130	72	0820	4m	51	2510	425	40	72	0720	4m	10	1770	425	165	72
26	0400	AM	1.8	431	420	150	72	0820	4m	6.9	2970	416	190	72	0720	4m	10	1770	425	165	72
27	0400	AM	1.8	431	420	150	72	0820	4m	6.9	2970	416	190	72	0720	4m	10	1770	425	165	72
28	0400	AM	1.3	4383	425	110	72	0820	4m	6.9	2970	416	190	72	0720	4m	10	1770	425	165	72
29	0400	AM	1.3	4383	425	110	72	0820	4m	6.9	2970	416	190	72	0720	4m	10	1770	425	165	72
30								0820	4m	6.5	2320	410	0	72	0820	4m	10	1770	425	165	72
31								0740	4m	51	2160	415	173	72	0740	4m	10	1770	425	165	72

WEEKLY COMPOSITE SAMPLE  
DATE/TIME INITIALS

WEEKLY COMPOSITE SAMPLE  
DATE/TIME INITIALS

WEEKLY COMPOSITE SAMPLE  
DATE/TIME INITIALS

TABLE 4

**CROW BUTTE PROJECT  
DEEP WELL DATA ANALYSIS  
AUGUST 1999**

LABORATORY	ELEMENT	AUG5,1999	AUG12,1999	AUG19,1999	AUG26,1999	MONTHLY AVG.	LIMIT
CROW BUTTE LAB	Na mg/l	4,244	3,948	3,423	3,507	3,781	40,000
CROW BUTTE LAB	SO4 mg/l	1,965	1,664	1,762	1,172	1,641	10,000
CROW BUTTE LAB	Cl mg/l	4,029	3,767	2,860	3,465	3,530	40,000
ENERGY LAB	As mg/l					0.12	1
ENERGY LAB	Ba mg/l					<0.10	20
ENERGY LAB	Se mg/l					<0.10	2
CROW BUTTE LAB	V mg/l	11.0	8.4	4.4	5.3	7	50
CROW BUTTE LAB	U-nat mg/l	2.9	3.7	3.6	10.7	5	25
ENERGY LAB	Ra 226 pCi/l					1,250	5,000
CROW BUTTE LAB	Alkalinity mg/l	2,000	1,800	1,950	1,900	1,913	4,100
CROW BUTTE LAB	Ph STD UNIT	8.3	8.3	8.3	8.2	8.3	5.0-8.5
CROW BUTTE LAB	Temp (F)	72	73	72	73	73	NONE

**Report Approved By:**

Energy Lab - CRM for ELI

Crow Butte Lab - SM

Plant Superintendent - CRM

R6

**CROW BUTTE RESOURCES, INC.**  
**1670 BROADWAY, SUITE 3450**  
**DENVER, COLORADO 80202**

**(303) 830-3549**  
**(303) 830-3544 FAX**

---

October 22, 1999

Nebraska Department of Environmental Quality  
Ground Water Section  
Suite 400, The Atrium  
1200 "N" Street  
P.O. Box 98922  
Lincoln, Nebraska 68509-8922  
Attn: Mr. David Miesbach

Re: **September 1999 Monthly Monitoring Report for Crow Butte Mine Class I Non Hazardous Waste Injection Well, Permit Number NE0206369**

Dear Mr. Miesbach:

Attached is the monthly monitoring report (MMR) data for the Class I Injection Well ( Deep Disposal Well (DDW)) located at the Crow Butte Mine near Crawford, Nebraska. The MMR is submitted in accordance with Part II, B. of permit number NE0206369.

Table 1 lists the operating statistics from the DDW continuous recording devices for the month. All permit parameters were in compliance for the month.

Table 2 lists the operating statistics based on the daily inspection readings. The daily readings are taken by the process plant operators three times a day and a copy of the actual recording sheet is shown on Table 3. A summary of the weekly grab sample assay results is given on Table 4.

Please contact me if you need additional information pertaining to the DDW monthly monitoring report.

Sincerely,



Steven D. Magnuson  
Vice President

Attachments

cc: Dave Carlson, NDEQ

<b>Table 1</b>			
<b>Crow Butte Project</b>			
<b>Deepwell Operational Monitoring</b>			
<b>Continuous Data Record Statistics</b>			
<b>September 1999</b>			
	<b>Min.</b>	<b>Average</b>	<b>Max.</b>
<b>Injection Pressure</b>	0.0	85.6	231.0
<b>Flowrate (GPM)</b>	0.0	55.8	87.0*
<b>Annulus Pressure (psi)</b>	140.3	412.8	447.0
<b>pH</b>		7.6	
<b>Gallons/Day (Gals.)</b>		79257	
<b>Total Gals. In Month</b>			2377719

<b>Table 2</b>			
<b>Crow Butte Project</b>			
<b>Deepwell Operational Monitoring</b>			
<b>Daily Manual Inspection Statistics</b>			
<b>September 1999</b>			
	<b>Min.</b>	<b>Average</b>	<b>Max.</b>
<b>Injection Pressure</b>	0.0	65.7	220.0
<b>Flowrate (GPM)</b>	17.0	58.3	77.0
<b>Annulus Pressure (psi)</b>	380.0	418.3	450.0
<b>Total Gals. In Month</b>			2377719

\* - Pump startup surge of 114 gpm for less than 60 seconds 9/17/99 @ 22:46.

# Crow Butte Project Deep Well Injection Data Record

TABLE 3

MONTH  
YEAR  
Sept  
1999

Date	Time	MORNING SHIFT				DAY SHIFT				EVENING SHIFT			
		Temp	Flow	Injection	Wellhead	Temp	Flow	Injection	Wellhead	Temp	Flow	Injection	Wellhead
		F	Gallons	Pressure	U Press	F	Gallons	Pressure	U Press	F	Gallons	Pressure	U Press
1		66	28757	419	50	72	2052	419	50	72	2052	419	50
2		67	27167	418	50	72	2052	418	50	72	2052	418	50
3		67	27167	418	50	72	2052	418	50	72	2052	418	50
4		67	27167	418	50	72	2052	418	50	72	2052	418	50
5		67	27167	418	50	72	2052	418	50	72	2052	418	50
6		67	27167	418	50	72	2052	418	50	72	2052	418	50
7		67	27167	418	50	72	2052	418	50	72	2052	418	50
8		67	27167	418	50	72	2052	418	50	72	2052	418	50
8		67	27167	418	50	72	2052	418	50	72	2052	418	50
10		67	27167	418	50	72	2052	418	50	72	2052	418	50
11		67	27167	418	50	72	2052	418	50	72	2052	418	50
12		67	27167	418	50	72	2052	418	50	72	2052	418	50
13		67	27167	418	50	72	2052	418	50	72	2052	418	50
14		67	27167	418	50	72	2052	418	50	72	2052	418	50
15		67	27167	418	50	72	2052	418	50	72	2052	418	50
16		67	27167	418	50	72	2052	418	50	72	2052	418	50
17		67	27167	418	50	72	2052	418	50	72	2052	418	50
18		67	27167	418	50	72	2052	418	50	72	2052	418	50
19		67	27167	418	50	72	2052	418	50	72	2052	418	50
20		67	27167	418	50	72	2052	418	50	72	2052	418	50
21		67	27167	418	50	72	2052	418	50	72	2052	418	50
22		67	27167	418	50	72	2052	418	50	72	2052	418	50
23		67	27167	418	50	72	2052	418	50	72	2052	418	50
24		67	27167	418	50	72	2052	418	50	72	2052	418	50
25		67	27167	418	50	72	2052	418	50	72	2052	418	50
26		67	27167	418	50	72	2052	418	50	72	2052	418	50
27		67	27167	418	50	72	2052	418	50	72	2052	418	50
28		67	27167	418	50	72	2052	418	50	72	2052	418	50
29		67	27167	418	50	72	2052	418	50	72	2052	418	50
30		67	27167	418	50	72	2052	418	50	72	2052	418	50
31		67	27167	418	50	72	2052	418	50	72	2052	418	50


WEEKLY COMPOSITE SAMPLE  
DATE/TIME INITIALS


WEEKLY COMPOSITE SAMPLE  
DATE/TIME INITIALS


WEEKLY COMPOSITE SAMPLE  
DATE/TIME INITIALS



**TABLE 4**  
**CROW BUTTE PROJECT**  
**DEEP WELL DATA ANALYSIS**  
**SEPTEMBER 1999**

LABORATORY	ELEMENT	SEPT2,1999	SEPT9,1999	SEPT16,1999	SEPT23,1999	SEP30,1999	MONTHLY AVG.	LIMIT
CROW BUTTE LAB	Na mg/l	5822.0	2,236	5,109	3,150	2,667	3,797	40,000
CROW BUTTE LAB	SO4 mg/l	1687.0	1,667	1,751	1,560	1,437	1,620	10,000
CROW BUTTE LAB	Cl mg/l	6768.0	1,128	5,540	2,659	2,155	3,650	40,000
ENERGY LAB	As mg/l						0.12	1
ENERGY LAB	Ba mg/l						<0.10	20
ENERGY LAB	Se mg/l						<0.10	2
CROW BUTTE LAB	V mg/l	13.0	2.7	11.6	5.6	3.5	7.3	50
CROW BUTTE LAB	U-nat mg/l	3.9	4.3	5.2	3.6	8.1	5.0	25
ENERGY LAB	Ra 226 pCi/l						1,640	5,000
CROW BUTTE LAB	Alkalinity mg/l	1675.0	2,050	1,625	1,775	1,700	1,765	4,100
CROW BUTTE LAB	Ph STD UNIT	8.2	8.1	8.2	8.2	8.2	8.2	5.0-8.5
CROW BUTTE LAB	Temp (F)		72	71	70	70	71	NONE

**Report Approved By:**  
Energy Lab - CRM for ELI  
Crow Butte Lab - SM  
Plant Superintendent - CRM

**CROW BUTTE RESOURCES, INC.**  
**1670 BROADWAY, SUITE 3450**  
**DENVER, COLORADO 80202**

**(303) 830-3549**  
**(303) 830-3544 FAX**

---

November 23, 1999

Nebraska Department of Environmental Quality  
Ground Water Section  
Suite 400, The Atrium  
1200 "N" Street  
P.O. Box 98922  
Lincoln, Nebraska 68509-8922  
Attn: Mr. David Miesbach

Re: **October 1999 Monthly Monitoring Report for Crow Butte Mine Class I Non Hazardous Waste Injection Well, Permit Number NE0206369**

Dear Mr. Miesbach:

Attached is the monthly monitoring report (MMR) data for the Class I Injection Well ( Deep Disposal Well (DDW)) located at the Crow Butte Mine near Crawford, Nebraska. The MMR is submitted in accordance with Part II, B. of permit number NE0206369.

Table 1 lists the operating statistics from the DDW continuous recording devices for the month. All permit parameters were in compliance for the month.

Table 2 lists the operating statistics based on the daily inspection readings. The daily readings are taken by the process plant operators three times a day and a copy of the actual recording sheet is shown on Table 3. A summary of the weekly grab sample assay results is given on Table 4.

Please contact me if you need additional information pertaining to the DDW monthly monitoring report.

Sincerely,



Steven D. Magnuson  
Vice President

Attachments

cc: Dave Carlson, NDEQ

<b>Table 1</b>			
<b>Crow Butte Project</b>			
<b>Deepwell Operational Monitoring</b>			
<b>Continuous Data Record Statistics</b>			
<b>October 1999</b>			
	<b>Min.</b>	<b>Average</b>	<b>Max.</b>
<b>Injection Pressure</b>	0.0	89.4	277.5
<b>Flowrate (GPM)</b>	0.0	51.7	90.0
<b>Annulus Pressure (psi)</b>	405.0	422.1	462.0
<b>pH</b>		7.6	
<b>Gallons/Day (Gals.)</b>		74024	
<b>Total Gals. In Month</b>			2294741

<b>Table 2</b>			
<b>Crow Butte Project</b>			
<b>Deepwell Operational Monitoring</b>			
<b>Daily Manual Inspection Statistics</b>			
<b>October 1999</b>			
	<b>Min.</b>	<b>Average</b>	<b>Max.</b>
<b>Injection Pressure</b>	0.0	81.0	207.0
<b>Flowrate (GPM)</b>	15.0	52.2	78.0
<b>Annulus Pressure (psi)</b>	414.0	428.5	452.0
<b>Total Gals. In Month</b>			2294741

TABLE 3

# Crow Butte Project Deep Well Injection Data Record

Month Oct --  
Year 1999

DAY SHIFT

EVENING SHIFT

Date	Time	Initials	Injection Flow	Daily Gallons	Annulus Pressure	Wellhead LJ Press	Temp F	Time	Initials	Injection Flow	Daily Gallons	Annulus Pressure	Wellhead LJ Press	Temp F
1	07:16	U.n	57	26863	425	35	69	22:15	SH	75	84099	430	20	70°
2	07:40	FF	70	33525	425	110	69°	19:40	FE	47	75221	420	0	70°
3	07:35	LF	65	28665	425	135	69°	20:50	FE	60	18125	425	100	70°
4	07:50	FE	56	28912	420	35	68°	20:40	FE	38	53150	420	0	70°
5	07:20	FE	58	27946	420	37	69°	17:45	FE	54	70564	420	40	69°
6	09:06	SH	26	20438	425	0	70	20:25	U.n	54	55652	430	150	70°
7	08:06	SH	54	33030	428	30	70	20:43	U.n	78	82727	430	153	70°
8	09:10	FE	51	33526	425	10	70°	20:30	U.n	29	43174	430	0	67
9	07:55	FE	72	21764	420	185	69°	20:35	U.n	41	51242	430	0	70°
10	08:00	FE	49	14626	430	40	69°	22:55	RL	70	67737	430	160	70°
11	07:50	LF	66	22786	425	160	69°	20:43	SH	51	60677	425	44	70°
12	07:45	E.D	27	27946	421	0	69°	20:59	SH	44	55701	422	0	69°
13	07:30	FE	63	27760	425	60	69°	19:39	U.n	35	56914	430	0	70°
14	09:01	SH	37	17236	430	40	69°	19:09	U.n	51	41355	430	0	70°
15	11:43	SH	39	29468	430	0	70°	21:19	U.n	32	49525	426	50	67
16	09:15	RL	61	30108	425	140	70°	20:58	U.n	29	52818	425	0	65°
17	11:53	SH	25	30685	425	0	70°	21:02	U.n	75	68254	420	200	69°
18	07:45	FE	28	30613	425	0	70°	20:00	FE	51	67998	420	60	69°
19	08:20	FE	25	21409	425	0	68°	19:40	FE	15	56675	425	0	69°
20	07:25	FE	60	25442	425	180	68°	19:35	FE	17	56480	414	197	69°
21	08:50	FE	62	22161	420	190	68°	19:00	FE	61	61546	420	170	68°
22	07:12	U.n	40	24967	422	55	69°	23:00	SH	71	71356	420	180	69°
23	07:20	U.n	42	28610	420	54	68°	22:00	SH	65	72815	420	170	68°
24	08:11	U.n	41	23891	418	53	68°	09:01	SH	77	0	420	900	69°
25	07:15	U.n	73	32255	415	207	69°	22:50	SH	75	93557	420	140	65°
26	09:50	P.S.	51	41725	420	46	69°	19:30	FE	25	65781	450	0	69°
27	07:25	FE	68	28783	450	190	69°	19:45	FE	58	73283	450	165	69°
28	07:45	FE	39	15295	450	0	69°	19:40	FE	61	41836	440	165	69°
29	08:20	FE	44	30000	450	0	68°	19:45	FE	57	67512	445	165	69°
30	07:41	U.n	29	20476	455	59	69°	22:38	SH	67	60336	450	160	69°
31	07:40	U.n	65	27917	452	201	68°	22:09	SH	70	68570	450	50	69°

Weekly Composite Sample

DATE	TIME	INITIALS

Weekly Composite Sample

DATE	TIME	INITIALS

TABLE 4


**CROW BUTTE PROJECT  
DEEP WELL DATA ANALYSIS  
OCTOBER 1999**

LABORATORY	ELEMENT	OCT7,1999	OCT14,1999	OCT21,1999	OCT28,1999	MONTHLY AVG.	LIMIT
CROW BUTTE LAB	Na mg/l	4,694	10,482	5,802	5,371	6,587	40.000
CROW BUTTE LAB	SO4 mg/l	1,639	2,400	1,827	1,718	1,896	10.000
CROW BUTTE LAB	Cl mg/l	4,831	13,730	6,708	6,465	7,934	40.000
ENERGY LAB	As mg/l					0.14	
ENERGY LAB	Ba mg/l					<0.10	20
ENERGY LAB	Se mg/l					<0.10	
CROW BUTTE LAB	V mg/l	8.4	21.0	13.0	12.5	14.0	50
CROW BUTTE LAB	U-nat mg/l	6.6	7.7	12.9	3.9	7.8	25
ENERGY LAB	Ra 226 pCi/l					1.572	5.000
CROW BUTTE LAB	Alkalinity mg/l	1,750	1,650	1,675	1,725	1,700	4.100
CROW BUTTE LAB	Ph STD UNIT	8.3	8.4	8.2	8.3	8.3	5.0-8.5
CROW BUTTE LAB	Temp (F)	70	70	69	69	70	NON

**Report Approved By:**  
 Energy Lab - CRM for ELI  
 Crow Butte Lab - SM  
 Plant Superintendent - CRM

**CROW BUTTE RESOURCES, INC.**

86 Crow Butte Road  
P.O. Box 169  
Crawford, Nebraska 69339-0169



(308) 665-2215  
(308) 665-2341 - FAX

December 22, 1999

Nebraska Department of Environmental Quality  
Ground Water Section  
PO Box 98922  
Lincoln, Nebraska 68509-8922

Attention: Mr. Dave Miesbach

Re: November 1999 Monthly Monitoring Report for Crow Butte Mine Class I Non-Hazardous Waste Injection Well, Permit Number NE0206369


Dear Mr. Miesbach:

Attached is the monthly monitoring report (MMR) data for the Class I Injection Well (Deep Disposal Well (DDW)) located at the Crow Butte Mine near Crawford, Nebraska. The MMR is submitted in accordance with Part II, B. of the referenced UIC permit.

Table 1 lists the operation statistics for the DDW continuous recording devices for the month. All the permit parameters were in compliance for the month. Table 2 lists the operating statistics based on the daily inspection readings. The process plant operators take the daily readings three times a day and a copy of the actual recording sheet is shown on Table 3. A summary of the weekly grab sample assay results is given on Table 4.

If you have any questions or require any further information, please do not hesitate to call me at (308) 665-2215.

Sincerely,  
CROW BUTTE RESOURCES, INC.



Michael Griffin  
Manager of Environmental and Regulatory Affairs

Attachments: As Stated

cc: Dave Carlson - NDEQ

<b>Table 1</b>			
<b>Crow Butte Project</b>			
<b>Deepwell Operational Monitoring</b>			
<b>Continuous Data Record Statistics</b>			
<b>November 1999</b>			
	<b>Min.</b>	<b>Average</b>	<b>Max.</b>
<b>Injection Pressure</b>	0.0	77.4	270.0
<b>Flowrate (GPM)</b>	0.0	49.7	99.0
<b>Annulus Pressure (psi)</b>	421.0	438.7	493.0
<b>pH</b>		7.9	
<b>Gallons/Day (Gals.)</b>		70956	
<b>Total Gals. in Month</b>			2128677

<b>Table 2</b>			
<b>Crow Butte Project</b>			
<b>Deepwell Operational Monitoring</b>			
<b>Daily Manual Inspection Statistics</b>			
<b>November 1999</b>			
	<b>Min.</b>	<b>Average</b>	<b>Max.</b>
<b>Injection Pressure</b>	0.0	60.8	230.0
<b>Flowrate (GPM)</b>	20.0	48.7	76.0
<b>Annulus Pressure (psi)</b>	425.0	445.3	492.0
<b>Total Gals. in Month</b>			2128677

# Crow Butte Project Deep Well Injection Data Record

Month Nov  
Year 1959

### DAY SHIFT

### EVENING SHIFT

Date	Time	Initials	Injection Flow	Daily Gallons	Annulus Pressure	Wellhead LI Press	Temp F	Time	Initials	Injection Flow	Daily Gallons	Annulus Pressure	Wellhead LI Press	Temp F
1	07:12	um	72	36279	412	170	69°	2142	SH	49	85825	450	50	68°
2	07:17	um	50	25876	425	35	68°	2330	KH	41	925	450	0	68°
3	07:50	VS	67	22709	428	205	69°	2216	TC	46	99500	770	0	69°
4	07:15	LP	47	23074	445	65	69°	2222	TC	41	52091	440	0	69°
5	08:45	LP	46	27754	445	40	69°	2030	TC	27	55264	445	0	69°
6	09:00	SH	61	27706	450	100	70°	2040	TC	46	57977	450	0	69°
7	10:00	KH	40	21707	450	50	69°	20:00	um	73	70670	450	250	70°
8	09:25	SH	59	36309	450	142	69°	20:00	um	35	59515	753	0	69°
9	09:13	SH	42	27922	455	105	70°	20:00	um	44	52200	753	75	69°
10	10:00	KH	28	40210	455	0	69°	20:00	um	53	66156	453	110	70°
11	07:25	PK	42	18006	446	19	70°	01:19	SH	38	4845	452	10	69°
12	07:15	LP	51	30941	450	50	70°	20:21	um	34	61033	456	0	69°
13	07:30	PR	57	17533	450	0	70°	20:05	P.S.	65	63105	445	172	69°
14	07:25	PR	59	23909	441	0	70°	20:20	P.S.	62	50324	400	107	69°
15	17:51	SH	23	48695	447	0	70°	19:45	um	74	60077	454	210	70°
16	13:42	SH	20	37279	455	150	69°	20:06	um	30	47376	454	0	69°
17	13:00	SH	41	12598	470	0	66°	19:29	um	67	7377	446	160	69°
18	18:24	SH	25	30753	450	0	69°	21:55	PR	50	49094	472	0	69°
19	13:50	TC	26	42121	450	0	69°	19:20	PR	30	59457	474	0	69°
20	09:40	TC	20	29152	450	0	69°	21:50	PR	67	72050	476	153	69°
21	07:50	TC	26	31607	470	0	69°	19:25	PR	48	66040	477	29	69°
22	09:50	TC	55	41797	430	0	69°	20:20	PR	49	60355	427	51	69°
23	07:22	um	45	22527	450	35	66°	22:15	PR	62	70660	425	120	69°
24	07:20	um	35	29577	450	0	66°	22:56	SH	30	66981	450	0	67°
25	08:11	um	31	32177	450	31	67°	23:30	KH	45	10320	450	40	68°
26	08:00	um	51	29454	470	100	67°	21:37	KH	70	76433	430	150	68°
27	07:45	TC	47	29000	450	0	68°	20:03	PR	36	65352	432	0	68°
28	08:20	TC	40	3431	430	0	69°	19:35	LP	69	76362	432	210	69°
29	09:46	TC	29	3609	430	0	69°	20:10	TC	59	77030	430	145	69°
30	09:20	TC	59	28529	430	0	69°	20:00	TC	70	66450	440	210	69°
31														

#### Weekly Composite Sample

DATE	TIME	INITIALS

#### Weekly Composite Sample

DATE	TIME	INITIALS



**CROW BUTTE PROJECT  
DEEP WELL DATA ANALYSIS  
NOVEMBER 1999**

LABORATORY	ELEMENT	Nov4,1999	Nov11,1999	Nov18,1999	Nov25,1999	NTHLY AVG.	LIMIT
CROW BUTTE LAB	Na mg/l	7,318	6,252	7,585	4,387	6,386	40,000
CROW BUTTE LAB	SO4 mg/l	2,091	1,960	1,371	1,977	1,975	10,000
CROW BUTTE LAB	Cl mg/l	8,933	7,126	10,228	4,936	7,806	40,000
ENERGY LAB	As mg/l					0.14	1
ENERGY LAB	Ba mg/l					<0.10	20
ENERGY LAB	Se mg/l					<0.10	2
CROW BUTTE LAB	V mg/l	22.0	17.0	23.0	7.5	17	50
CROW BUTTE LAB	U-nat mg/l	7.4	8.3	6.6	5.7	7	25
ENERGY LAB	Ra 226 pCi/l					1,440	5,000
CROW BUTTE LAB	Alkalinity m	1,975	1,850	1,312	1,900	1,759	4,100
CROW BUTTE LAB	Ph STD UN	8.4	8.4	8.2	8.1	8.3	5.0-8.5
CROW BUTTE LAB	Temp (F)	69	70	69	68	69	NONE

**Report Approved By:**  
 Energy Lab - CRM for ELI  
 Crow Butte Lab - SM  
 Plant Manager - CRM

# CROW BUTTE RESOURCES, INC.

86 Crow Butte Road  
P.O. Box 169  
Crawford, Nebraska 69339-0169



(308) 665-2215  
(308) 665-2341 - FAX

January 19, 2000

Nebraska Department of Environmental Quality  
Ground Water Section  
PO Box 98922  
Lincoln, Nebraska 68509-8922

Attention: Mr. Dave Miesbach

Re: December 1999 Monthly Monitoring Report for Crow Butte Mine Class I Non-Hazardous Waste Injection Well, Permit Number NE0206369


Dear Mr. Miesbach:

Attached is the monthly monitoring report (MMR) data for the Class I Injection Well (Deep Disposal Well (DDW)) located at the Crow Butte Mine near Crawford, Nebraska. The MMR is submitted in accordance with Part II, B. of the referenced UIC permit.

Table 1 lists the operation statistics for the DDW continuous recording devices for the month. All the permit parameters were in compliance for the month. Table 2 lists the operating statistics based on the daily inspection readings. The process plant operators take the daily readings twice per day and a copy of the actual recording sheet is shown on Table 3. A summary of the weekly grab sample assay results is given on Table 4.

If you have any questions or require any further information, please do not hesitate to call me at (308) 665-2215.

Sincerely,  
CROW BUTTE RESOURCES, INC.



Michael Griffin  
Manager of Environmental and Regulatory Affairs

Attachments: As Stated

cc: Dave Carlson - NDEQ

<b>Table 1</b>			
<b>Crow Butte Project</b>			
<b>Deepwell Operational Monitoring</b>			
<b>Continuous Data Record Statistics</b>			
<b>December 1999</b>			
	<b>Min.</b>	<b>Average</b>	<b>Max.</b>
<b>Injection Pressure</b>	<b>0.0</b>	<b>18.6</b>	<b>204.7</b>
<b>Flowrate (GPM)</b>	<b>0.0</b>	<b>37.4</b>	<b>100.0</b>
<b>Annulus Pressure (psf)</b>	<b>413.0</b>	<b>435.7</b>	<b>515.0</b>
<b>pH</b>		<b>7.3</b>	
<b>Gallons/Day (Gals.)</b>		<b>53565</b>	
<b>Total Gals. in Month</b>			<b>1660530</b>

<b>Table 2</b>			
<b>Crow Butte Project</b>			
<b>Deepwell Operational Monitoring</b>			
<b>Daily Manual Inspection Statistics</b>			
<b>December 1999</b>			
	<b>Min.</b>	<b>Average</b>	<b>Max.</b>
<b>Injection Pressure</b>	<b>0.0</b>	<b>15.8</b>	<b>170.0</b>
<b>Flowrate (GPM)</b>	<b>0.0</b>	<b>37.3</b>	<b>75.0</b>
<b>Annulus Pressure (psf)</b>	<b>400.0</b>	<b>439.9</b>	<b>490.0</b>
<b>Total Gals. in Month</b>			<b>1660530</b>

# Crow Butte Project Deep Well Injection Data Record

Month Dec  
Year 2011

## DAY SHIFT

## EVENING SHIFT

Date	Time	Initials	Injection Flow	Daily Gallons	Annulus Pressure	Wellhead LJ Press	Temp F	Time	Initials	Injection Flow	Daily Gallons	Annulus Pressure	Wellhead LJ Press	Temp F
1	07:11	um	31	2446	442	0	67°	2400	KH	33	1948	445	0	68°
2	07:11	um	53	16250	440	125	68°	2226	KH	74	69680	440	140	68°
3	07:11	um	37	25000	440	0	68°	2215	KH	74	75335	440	90	68°
4	07:12	um	72	37279	435	150	68°	2224	KH	67	94236	440	130	68°
5	0740	UF	72	35316	425	170	68°	2002	TC	75	80172	440	0	68°
6	0710	KE	60	28566	430	30	65°	2002	TC	51	59240	430	0	68°
7	0710	KE	3	779	490	0	68°							
8	0710	KE	73	16640	480	0	68°	2003	TC	42	29301	450	0	68°
9	0700	KE	0	11160	450	0	68°	17:20	um	0	23471	450	0	57°
10	0800	AD	9	14703	437	0	68°	17:50	um	39	30730	440	0	66°
11	0830	AF	92	19576	446	0	68°	17:51	um	36	32272	435	0	66°
12	1155	KH	13	27008	440	0	66°	20:11	um	79	40659	435	0	66°
13	0716	UF	0	9590	430	0	66°	2020	TC	25	17115	460	0	66°
14	0716	UF	12	5800	446	0	66°	1945	TC	55	17222	400	0	66°
15	0765	UF	0	8260	490	0	66°	2010	TC	62	22439	460	0	66°
16	0706	UF	0	16900	440	0	66°	1935	TC	19	27805	445	0	66°
17	0834	SH	0	14025	445	0	63°	20:10	um	42	32371	435	0	68°
18	0940	AD	17	20893	430	0	66°	20:24	um	15	34244	440	0	62°
19	0920	KE	16	58657	445	0	65°	21:50	um	18	38124	445	0	64°
20	0920	KE						19:58	um	14	39358	440	0	62°
21	0920	TC	0	5429	460	0	64°	1925	PR	0	16379	476	0	62°
22	0804	TC	22	17384	430	0	62°	1750	PR	30	44186	427	0	62°
23	0830	TC	26	29153	410	0	62°	1535	PR	18	7176	423	0	62°
24	0805	KE	48	23045	420	0	62°	2020	UF	71	147956	431	0	62°
25	0745	PR	40	12761	425	0	62°	2400	KH	69	3709	430	0	62°
26	09:28	um	18	32774	420	0	66°	2315	KH	75	400	440	51	68°
27	09:20	um	71	30699	430	0	66°	2215	KH	65	87410	430	0	66°
28	07:10	um	16	28957	430	0	65°	2120	KH	70	74557	430	40	68°
29	0925	TC	68	25825	420	0	68°	1921	PR	41	78613	426	0	66°
30	0815	TC	40	29537	430	0	66°	1435	PR	28	56353	424	0	66°
31	0730	TC	35	25405	440	0	65°	1955	UF	65	67276	435	0	66°

### Weekly Composite Sample

DATE	TIME	INITIALS

### Weekly Composite Sample

DATE	TIME	INITIALS

**CROW BUTTE PROJECT  
DEEP WELL DATA ANALYSIS  
DECEMBER 1999**

LABORATORY	ELEMENT						MONTHLY AVG.	LIMIT
		DEC2,1999	DEC9,1999	DEC16,1999	DEC23,1999	DEC30,1999		
CROW BUTTE LAB	Na mg/l	4,574	19,542	20,200	10,808	7,339	12,493	40,000
CROW BUTTE LAB	SO4 mg/l	2,094	2,497	2,957	1,877	2,025	2,290	10,000
CROW BUTTE LAB	Cl mg/l	4,418	18,769	27,459	14,972	9,504	15,024	40,000
ENERGY LAB	As mg/l						<0.10	1
ENERGY LAB	Ba mg/l						<0.10	20
ENERGY LAB	Se mg/l						<0.10	2
CROW BUTTE LAB	V mg/l	7.7	35.0	37.0	30.0	19.0	26	50
CROW BUTTE LAB	U-nat mg/l	2.8	7.0	3.8	6.3	5.9	5.2	25
ENERGY LAB	Ra 226 pCi/l						2,110	5,000
CROW BUTTE LAB	Alkalinity m	2,200	700	612	750	1,475	1,147	4,100
CROW BUTTE LAB	Ph STD UN	8.3	8.0	8.0	8.3	8.3	8.2	5.0-8.5
CROW BUTTE LAB	Temp (F)	68	67	66	62	66	66	NONE

**Report Approved By:**  
 Energy Lab - CRM for ELI  
 Crow Butte Lab - SM  
 Plant Manager - CRM

**Appendix G**

**Radon Release Calculations**

**Third and Fourth Quarter, 1999**

### **Radon Effluent Release Calculation (Production and Startup)**

**Third Quarter 1999 Radon Release from Leaching Operations:**

$$\left[ \left( \frac{7.04E^{-4} \text{ Curies}}{\text{meter}^3} \right) \times \left( \frac{16,457 \text{ liters}}{\text{min}} \right) \times (0.72) \times (92 \text{ days}) \times \left( \frac{\text{meter}^3}{1000 \text{ liters}} \right) \times \left( \frac{24 \text{ hours}}{\text{day}} \right) \times \left( \frac{60 \text{ min}}{\text{hour}} \right) \right] = 1,105 \text{ Curies}$$

**Fourth Quarter 1999 Radon Release from Leaching Operations:**

$$\left[ \left( \frac{7.04E^{-4} \text{ Curies}}{\text{meter}^3} \right) \times \left( \frac{16,684 \text{ liters}}{\text{min}} \right) \times (0.72) \times (92 \text{ days}) \times \left( \frac{\text{meter}^3}{1000 \text{ liters}} \right) \times \left( \frac{24 \text{ hours}}{\text{day}} \right) \times \left( \frac{60 \text{ min}}{\text{hour}} \right) \right] = 1,120 \text{ Curies}$$

**Radon Release from Wellfield Startup:**

$$\left[ \left( \frac{7.04E^{-4} \text{ Curies}}{\text{meter}^3} \right) \times (7.48 \text{ acres}) \times \left( \frac{4074 \text{ meter}^2}{\text{acre}} \right) \times (1.52 \text{ meters}) \times (0.29) \right] = 10 \text{ Curies}$$

***Total Estimated Radon Emissions from Leaching: 2,235 Curies***

## Radon Effluent Release Calculation (Restoration)

Second Half 1999 Radon Release from Restoration:

$$(220,485,334 \text{ liters}) \times \left( \frac{0.697 \text{ } \mu\text{Ci}}{\text{liter}} \right) = 154 \text{ Curies (production potential)}$$

$$154 \text{ Curies} \times 0.25 = 39 \text{ Curies (25\% Wellfield Loss)}$$

$$(154 \text{ Curies} - 39 \text{ Curies}) \times 0.10 = 12 \text{ Curies (10\% Ion Exchange Loss)}$$

$$(87,309,439 \text{ liters}) \times \left( \frac{0.470 \text{ } \mu\text{Ci}}{\text{liter}} \right) = 41 \text{ Curies (100\% Reverse Osmosis Loss)}$$

Startup of additional restoration patterns:

$$\left[ \left( \frac{7.04\text{E}^{-4} \text{ Curies}}{\text{meter}^3} \right) \times (3.46 \text{ acres}) \times \left( \frac{4074 \text{ meter}^2}{\text{acre}} \right) \times (1.52 \text{ meters}) \times (0.29) \right] = 4 \text{ Curies}$$

***Total Estimated Radon Emissions from Restoration: 96 Curies***


***Total Estimated Radon Emissions from Crow Butte Operations, 2<sup>nd</sup> Half 1999: 2,331 Curies***



**Appendix II**  
**Quarterly Pond Inspections**  
**Third and Fourth Quarter, 1999**

# CROW BUTTE RESOURCES, INC.

86 Crow Butte Road  
P.O. Box 169  
Crawford, Nebraska 69339-0169



(308) 665-2215  
(308) 665-2341 - FAX

TO: File  
THROUGH: Chuck Miller  
FROM: Rhonda Grantham  
DATE: September 30, 1999  
SUBJECT: Third Quarter Visual Evaporation Pond Inspection

On September 17, 1999 the quarterly visual evaporation pond inspection was performed as required by License Condition No. 11.4 of SUA-1534. The R & D Evaporation Ponds and the Commercial Evaporation Ponds #1, #3, and #4 were all included in the inspection. All ponds are inspected on a daily basis.

1. No apparent settlement or erosion problems with dikes or slopes have occurred at the R & D Ponds. With the exception of very small erosional gullies on the slopes of all of the Commercial Ponds, generally the pond slopes are in good condition. Erosional activity that was discussed in the second quarter report has been repaired. Some new gopher and/or mole activity was evident at the south end of Pond #1 and at the north end of Pond #3. No apparent settlement of dikes or slopes was evident at the Commercial Ponds.
2. The game proof fences and entrance gates at both sets of Ponds appear to be in good condition. The Radioactive Materials signs posted on the fences are visible and readable.
3. No pond or feed line seepage has been noted.
4. The standpipe underdrains of the R & D ponds remain at less than six inches and no sampling has been required. As per License Condition #11.4, on a weekly basis, CBR samples any underdrain of the Commercial Ponds that contains six inches or more of fluid. The samples are analyzed for conductivity and if the sampling results are below the action level no further sampling is necessary. Currently nine of the underdrains are measured at a weekly frequency for conductivity. At no time during the third quarter, 1999, did the conductivity of the underdrains of the Commercial Ponds exceed the action level.
5. Footage markers on all of the ponds are readable. All liners appear to be in good condition.
6. Inspections are performed on all of the ponds on a daily basis. Inspection forms were reviewed and are on file.

cc: Steve Collings  
Steve Magnuson

# CROW BUTTE RESOURCES, INC.

86 Crow Butte Road  
P.O. Box 169  
Crawford, Nebraska 69339-0169



(308) 665-2215  
(308) 665-2341 - FAX

TO: File  
THROUGH: Chuck Miller *CM*  
FROM: Rhonda Grantham *RG*  
DATE: December 28, 1999  
SUBJECT: Fourth Quarter Visual Evaporation Pond Inspection

On December 23, 1999 the quarterly visual evaporation pond inspection was performed as required by License Condition No. 11.4 of SUA-1534. The R & D Evaporation Ponds and the Commercial Evaporation Ponds #1, #3, and #4 were all included in the inspection. All ponds are inspected on a daily basis.

1. No apparent settlement or erosion problems with dikes or slopes have occurred at the R & D Ponds. With the exception of one washout on the south slope of Pond #1 and very small erosional gullies on the slopes of all of the Commercial Ponds, generally the pond slopes are in good condition. There is increased gopher and mole activity evident on all of the slopes of Pond #1, on the west and north slopes of Pond #3, on the west slope of Pond #4, and on the east slope of the East R&D Pond. No apparent settlement of dikes or slopes was evident at the Commercial Ponds.
2. The game proof fences and entrance gates at both sets of Ponds appear to be in good condition. The Radioactive Materials signs posted on the fences are visible and readable.
3. No pond or feed line seepage has been noted.
4. The standpipe underdrains of the R & D ponds remain at less than six inches and no sampling has been required. As per License Condition No. 11.4, on a weekly basis, CBR samples any underdrain of the Commercial Ponds that contains six inches or more of fluid. The samples are analyzed for conductivity and if the sampling results are below the action level no further sampling is necessary. Currently seven of the underdrains are measured at a weekly frequency for conductivity. At no time during the fourth quarter, 1999, did the conductivity of the underdrains of the Commercial Ponds exceed the action level.
5. Footage markers on all of the ponds are readable. All liners appear to be in good condition.
6. Inspections are performed on all of the ponds on a daily basis. Inspection forms were reviewed and are on file.

cc: Steve Collings  
Steve Magnuson

**Appendix I**  
**Monthly Restoration Reports**  
**Third and Fourth Quarter, 1999**

**CROW BUTTE MINE**  
**MONTHLY RESTORATION REPORT**  
**JULY 1999**  
**MINE UNIT 1**

**1. RESTORATION ACTIVITY DURING MONTH:**

	YES	NO	
a. Groundwater Transfer		x	(if yes, complete part 2)
b. Groundwater Sweep		x	(if yes, complete part 3)
c. Groundwater Treatment		x	
d. Wellfield Recirculation		x	
e. Other (explain):	x		

**2. LIST WELLS USED IN GROUNDWATER TRANSFER DURING THE MONTH:**

**3. LIST WELLS USED IN GROUNDWATER SWEEP DURING THE MONTH:**

**4. LIST WELLS SAMPLED DURING MONTH AND ASSAY RESULTS:**

The Mine Unit 1 Baseline Restoration wells were sampled on July 15, 1999. The samples were sent to Energy Labs in Casper, Wyoming.

**CROW BUTTE MINE**  
**MONTHLY RESTORATION REPORT**  
**AUGUST 1999**  
**MINE UNIT 1**

**1. RESTORATION ACTIVITY DURING MONTH:**

	YES	NO	
a. Groundwater Transfer		x	(if yes, complete part 2)
b. Groundwater Sweep		x	(if yes, complete part 3)
c. Groundwater Treatment		x	
d. Wellfield Recirculation		x	
e. Other (explain):	x		

**2. LIST WELLS USED IN GROUNDWATER TRANSFER DURING THE MONTH:**

**3. LIST WELLS USED IN GROUNDWATER SWEEP DURING THE MONTH:**

**4. LIST WELLS SAMPLED DURING MONTH AND ASSAY RESULTS:**

Mine Unit 1 restoration and stabilization complete. Results from final stabilization sample of baseline restoration wells sampled July 15, 1999 is attached. The reports are a summary of all six rounds of stabilization samples.



**ENERGY LABORATORIES, INC.**

SHIPPING: 2393 SALT CREEK HIGHWAY • CASPER, WY 82601

MAILING: P.O. BOX 3258 • CASPER, WY 82602

E-mail: energy@trib.com • FAX: (307) 234-1639 • PHONE: (307) 235-0516 • TOLL FREE: (888) 235-0516

**LABORATORY ANALYSIS REPORT - CROW BUTTE RESOURCES**

Sample ID:  
Round:  
Laboratory ID:  
Sample Matrix:  
Sample Date:  
Report Date:  
Revised Report Date:

UGP	136	136	136	136	136
Round 1	Round 2	Round 3	Round 4	Round 5	Round 6
99-16077	99-26859	99-24259	99-26317	99-30541	99-35337
Water	Water	Water	Water	Water	Water
02-19-99	03-12-99	03-15-99	05-26-99	06-17-99	07-15-99
March 12, 1999	April 12, 1999	May 6, 1999	June 8, 1999	July 8, 1999	August 12, 1999
-	April 15, 1999	-	-	-	-

Major Ions	Units	Reporting Limit	Results	Results	Results	Results	Results	Results	
Calcium	Ca	mg/L	1.0	16.7	18.0	18.9	19.0	18.2	18.0
Magnesium	Mg	mg/L	1.0	4.4	4.9	5.0	5.0	4.8	5.4
Sodium	Na	mg/L	1.0	347	334	353	345	352	333
Potassium	K	mg/L	1.0	11.9	12.3	12.7	12.3	13.6	14.0
Carbonate	CO <sub>3</sub>	mg/L	1.0	< 1.0	< 1.0	< 1.0	5.7	5.2	6.4
Dicarbonate	HCO <sub>3</sub>	mg/L	1.0	409	421	427	428	432	438
Sulfate	SO <sub>4</sub>	mg/L	1.0	323	323	342	331	332	323
Chloride	Cl	mg/L	1.0	131	126	138	129	138	126
Ammonium as N	NH <sub>4</sub>	mg/L	0.03	0.03	0.03	0.14	< 0.03	0.13	0.13
Nitrite as N	NO <sub>2</sub>	mg/L	0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Nitrate + Nitrite as N	NO <sub>3</sub> + NO <sub>2</sub>	mg/L	0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Fluoride	F	mg/L	0.10	0.61	0.64	0.69	0.70	0.71	0.80
Silica	SiO <sub>2</sub>	mg/L	1.0	15.3	17.7	16.4	17.0	15.6	14.4

Non-Metals		Units	Reporting Limit	Results	Results	Results	Results	Results	Results
Total Dissolved Solids @ 180°C	TDS	mg/L	2.0	1040	1050	1080	1080	1120	1060
Conductivity		µmho/cm	1.0	1720	1740	1730	1780	1730	1800
Alkalinity	CaCO <sub>3</sub>	mg/L	1.0	336	347	350	359	362	368
pH		nd. units	0.10	8.08	8.23	8.18	8.37	8.33	8.41

Trace Metals		Units	Reporting Limit	Results	Results	Results	Results	Results	Results
Aluminum	Al	mg/L	0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Arsenic	As	mg/L	0.001	0.003	0.003	0.003	0.002	0.002	0.001
Barium	Ba	mg/L	0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Boron	B	mg/L	0.10	0.44	0.43	0.30	0.45	0.44	0.54
Cadmium	Cd	mg/L	0.003	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003
Chromium	Cr	mg/L	0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05
Copper	Cu	mg/L	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Iron	Fe	mg/L	0.01	0.01	< 0.01	0.01	< 0.01	0.01	0.01
Lead	Pb	mg/L	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Manganese	Mn	mg/L	0.01	0.01	0.01	0.01	0.01	0.01	0.01
Mercury	Hg	mg/L	0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001
Molybdenum	Mo	mg/L	0.01	< 0.01*	< 0.01	0.02	0.03	0.03	0.03
Nickel	Ni	mg/L	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Selenium	Se	mg/L	0.001	0.001	0.001	0.002	0.001	0.002	0.005
Vanadium	V	mg/L	0.01	0.04	0.02	0.02	0.01	0.01	0.01
Zinc	Zn	mg/L	0.01	< 0.01	< 0.01	< 0.01	0.02	< 0.01	< 0.01

Radiometrics		Units	Reporting Limit	Results	Results	Results	Results	Results	Results
Uranium	<sup>238</sup> U	mg/L	0.0003	0.208	0.291	0.345	0.269	0.347	0.314
Radium 226	<sup>226</sup> Ra	pCi/L	0.2	127	113	124	133	130	143
Radium Error Estimate ±				3.1	3.2	3.4	3.6	3.3	3.7

Quality Assurance Data		Target Range	Results	Results	Results	Results	Results	Results
Amion	meq		17.22	17.30	18.06	17.75	18.09	17.69
Carion	meq		16.61	17.01	17.06	16.70	16.98	17.08
WYDEQ A/C Balance	%	-3 - +3	-1.80	-0.76	-2.84	-3.07	-3.13	-1.73
Calc TDS	mg/L		1038	1071	1101	1078	1096	1080
TDS A/C Balance	d.c. %	0.80 - 1.20	0.98	0.98	0.98	1.00	1.02	0.98

\*Molybdenum was analyzed at a detection limit of 0.05 for this Round



**ENERGY LABORATORIES, INC.**  
 SHIPPING: 2393 SALT CREEK HIGHWAY • CASPER, WY 82601  
 MAILING: P.O. BOX 3258 • CASPER, WY 82602  
 E-mail: energy@tlb.com • FAX: (307) 234-1639 • PHONE: (307) 235-0515 • TOLL FREE: (888) 235-0515

LABORATORY ANALYSIS REPORT - CROW BUTTE RESOURCES

Sample ID:	PR-15	PR-15	PR-15	PR-15	PR-15	PR-15
Round:	Round 1	Round 2	Round 3	Round 4	Round 5	Round 6
Laboratory ID:	99-18100	99-20239	99-24881	99-28281	99-20245	99-28281
Sample Matrix:	Water	Water	Water	Water	Water	Water
Report Date:	03-19-99	03-18-99	04-19-99	05-20-99	04-17-99	07-15-99
Method Report Date:	March 12, 1999	April 12, 1999	April 15, 1999	May 6, 1999	June 8, 1999	July 6, 1999
Method Report Date:						August 13, 1999

Major Ions	Units	Reporting Limit						
		PR-15	PR-15	PR-15	PR-15	PR-15	PR-15	
Calcium	mg/L	1.0	11.6	13.8	19.6	11.3	10.8	11.3
Magnesium	mg/L	1.0	2.7	2.2	3.2	2.6	2.6	3.3
Sodium	mg/L	1.0	210	214	214	217	230	228
Potassium	mg/L	1.0	10.9	11.5	12.0	11.5	12.9	13.0
Chloride	mg/L	1.0	3.7	3.3	3.4	4.1	5.3	7.5
Bicarbonate	mg/L	1.0	289	289	291	335	334	375
Sulfate	mg/L	1.0	160	156	163	152	155	139
Chloride	mg/L	1.0	87.7	86.2	97.5	81.0	85.8	72.0
Ammonium as N	mg/L	0.05	< 0.05	0.06	0.06	< 0.05	0.07	0.13
Nitrate as N	mg/L	0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Nitrite as N	mg/L	0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Fluoride	mg/L	0.10	6.31	6.47	6.49	6.58	6.59	6.48
Silica	mg/L	1.0	13.6	14.1	13.5	13.0	13.0	12.0

Non-Acids		Reporting Limit							
Total Dissolved Solids @ 180°C	TDS	mg/L	2.0	606	631	670	675	685	659
Conductivity		µmhos/cm	1.0	1070	1110	1090	1140	1100	1140
Alkalinity	CaCO <sub>3</sub>	mg/L	1.0	243	242	244	281	288	216
pH		nd. unit	0.10	8.55	8.31	8.31	8.34	8.42	8.55

Trace Metals		Reporting Limit							
Aluminum	Al	mg/L	0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Arsenic	As	mg/L	0.001	0.033	0.030	0.034	0.041	0.043	0.045
Barium	Ba	mg/L	0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Boron	B	mg/L	0.10	0.41	0.40	0.35	0.40	0.40	0.45
Cadmium	Cd	mg/L	0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005
Chromium	Cr	mg/L	0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05
Copper	Cu	mg/L	0.01	0.01	0.02	0.02	0.01	0.02	0.05
Iron	Fe	mg/L	0.01	0.01	0.01	0.01	0.01	0.01	0.01
Lead	Pb	mg/L	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Manganese	Mn	mg/L	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Molybdenum	Mo	mg/L	0.001	0.13	0.14	0.12	0.16	0.15	0.14
Nickel	Ni	mg/L	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Selenium	Se	mg/L	0.001	0.002	0.002	0.002	0.003	0.003	0.003
Vanadium	V	mg/L	0.01	0.32	0.39	0.33	0.32	0.38	0.38
Zinc	Zn	mg/L	0.01	0.01	< 0.01	< 0.01	0.02	0.01	< 0.01

Radiometrics		Reporting Limit							
Uranium	<sup>238</sup> U	mg/L	0.0003	0.307	0.430	0.403	0.468	0.608	0.653
Radium 226	<sup>226</sup> Ra	pCi/L	0.3	13.8	35.8	29.5	30.4	35.9	31.7
Radium Error Estimate ±			0.7	0.7	1.5	1.7	1.7	1.5	1.8

Quality Assurance Data		Target Range					
Ashon	mg/g	10.70	10.55	10.91	11.11	11.64	11.33
Carbon	mg/g	10.32	10.57	10.58	10.52	11.11	11.11
WYDEQ A/C Balance	%	-5.15	0.11	-1.57	-2.20	-2.37	-0.99
Old TDS	mg/L	616	637	662	661	693	674
TDS A/C Balance	dec. %	0.80 - 1.20	0.94	1.01	1.02	0.99	0.99

COMPLETE ANALYTICAL SERVICES





# ENERGY LABORATORIES, INC.

SHIPPING: 2393 SALT CREEK HIGHWAY • CASPER, WY 82601

MAILING: P.O. BOX 3258 • CASPER, WY 82602

E-mail: energy@rlrb.com • FAX: (307) 234-1639 • PHONE: (307) 235-0515 • TOLL FREE: (888) 235-0515

Billings • Casper • Gillette • Rapid City

## LABORATORY ANALYSIS REPORT - CROW BUTTE RESOURCES

Sample ID:  
Round:  
Laboratory ID:  
Sample Matrix:  
Sample Date:  
Report Date:  
Revised Report Date:

PR-19	PR-19	PR-19	PR-19	PR-19	PR-19
Round 1	Round 2	Round 3	Round 4	Round 5	Round 6
99-16101	99-20338	99-24862	99-28320	99-30532	99-32339
Water	Water	Water	Water	Water	Water
03-19-99	03-18-99	04-15-99	05-20-99	06-17-99	07-15-99
March 12, 1999	April 02, 1999	May 6, 1999	June 8, 1999	July 8, 1999	August 13, 1999
	April 15, 1999				

Major Ions	Units	Reporting Limit	Results	Results	Results	Results	Results	Results	
Calcium	Ca	mg/L	1.0	26.4	27.8	30.7	35.0	51.2	67.0
Magnesium	Mg	mg/L	1.0	6.3	6.9	7.7	8.3	13.2	18.0
Sodium	Na	mg/L	1.0	346	339	381	385	513	616
Potassium	K	mg/L	1.0	11.3	12.0	13.6	14.0	19.3	24.0
Carbonate	CO <sub>3</sub>	mg/L	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Bicarbonate	HCO <sub>3</sub>	mg/L	1.0	406	412	429	444	534	607
Sulfate	SO <sub>4</sub>	mg/L	1.0	320	341	391	402	589	696
Chloride	Cl	mg/L	1.0	143	141	172	170	263	313
Ammonium as N	NH <sub>4</sub>	mg/L	0.05	0.06	0.15	0.17	0.14	0.28	0.36
Nitrite as N	NO <sub>2</sub>	mg/L	0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Nitrate + Nitrite as N	NO <sub>3</sub> + NO <sub>2</sub>	mg/L	0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Fluoride	F	mg/L	0.10	0.44	0.42	0.40	0.41	0.37	0.36
Silica	SiO <sub>2</sub>	mg/L	1.0	9.8	10.9	10.6	11.0	10.8	10.3

Non-Metals		Units	Reporting Limit	Results	Results	Results	Results	Results	Results
Total Dissolved Solids @ 180°C	TDS	mg/L	2.0	1060	1130	1200	1280	1740	2120
Conductivity		µmhos/cm	1.0	1770	1820	1930	2090	2630	3300
Alkalinity	CaCO <sub>3</sub>	mg/L	1.0	332	338	352	365	438	498
pH		std. units	0.10	8.07	7.93	7.90	7.98	7.90	8.30

Trace Metals		Units	Reporting Limit	Results	Results	Results	Results	Results	Results
Aluminum	Al	mg/L	0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Arsenic	As	mg/L	0.001	0.016	0.016	0.020	0.018	0.018	0.018
Barium	Ba	mg/L	0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Boron	B	mg/L	0.10	0.30	0.32	0.39	0.33	0.63	0.83
Cadmium	Cd	mg/L	0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005
Chromium	Cr	mg/L	0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05
Copper	Cu	mg/L	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Iron	Fe	mg/L	0.01	0.09	0.19	0.28	0.40	0.46	0.70
Lead	Pb	mg/L	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Manganese	Mn	mg/L	0.01	0.03	0.03	0.04	0.04	0.06	0.09
Mercury	Hg	mg/L	0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001
Molybdenum	Mo	mg/L	0.01	< 0.03*	0.08	0.08	0.11	0.14	0.13
Nickel	Ni	mg/L	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	0.01
Selenium	Se	mg/L	0.001	0.001	0.002	0.002	0.002	0.003	0.004
Vanadium	V	mg/L	0.01	0.09	0.07	0.06	0.06	0.07	0.08
Zinc	Zn	mg/L	0.01	0.01	0.04	0.03	0.07	0.04	0.04

Radiometrics		Units	Reporting Limit	Results	Results	Results	Results	Results	Results
Uranium	<sup>238</sup> U	mg/L	0.0003	1.03	1.34	1.66	1.19	2.70	4.17
Radium 226	<sup>226</sup> Ra	pCi/L	0.2	439	623	730	711	1600	1910
Radium Error Estimate ±				7.3	7.2	8.3	8.3	11.6	13.3

Quality Assurance Data		Target Range	Results	Results	Results	Results	Results	Results
Anion	meq		17.44	17.87	20.06	20.49	28.47	33.30
Cation	meq		17.20	17.92	19.13	19.60	26.32	32.33
WYDEQ A/C Balance	%	-5 - +5	-0.70	0.14	-2.37	-2.22	-3.33	-1.48
Calc TDS	mg/L		1069	1106	1230	1230	1728	2030
TDS A/C Balance	dec. %	0.80 - 1.20	0.99	1.02	0.98	1.02	1.01	1.03

\*Molybdenum was analyzed at a detection limit of 0.05 for this Round

msj er/rep/mt/rlrb/99/crow\_butte/waterline\_resour/01/99/35539.xls

Eng In No. 54403



**ENERGY LABORATORIES, INC.**  
 SHIPPING: 2393 SALT CREEK HIGHWAY • CASPER, WY 82601  
 MAILING: P.O. BOX 3258 • CASPER, WY 82602  
 E-mail: energy@trib.com • FAX: (307) 234-1639 • PHONE: (307) 235-0515 • TOLL FREE: (888) 235-0515

LABORATORY ANALYSIS REPORT - CROW BUTTE RESOURCES

Sample ID:  
 Round:  
 Laboratory ID:  
 Sample Matrix:  
 Sample Date:  
 Report Date:  
 Revised Report Date:

13-28 P	13-28 P	13-28 P	13-28 P	13-28 P	13-28 P
Round 1	Round 2	Round 3	Round 4	Round 5	Round 6
99-16099	99-20356	99-24864	99-28319	99-30545	99-33540
Water	Water	Water	Water	Water	Water
02-19-99	03-18-99	04-19-99	05-20-99	06-17-99	07-15-99
March 13, 1999	April 13, 1999	May 6, 1999	June 8, 1999	July 8, 1999	August 13, 1999
	April 15, 1999				

Major Ions	Units	Reporting Limit	Results	Results	Results	Results	Results	Results	
Calcium	Ca	mg/L	1.0	18.3	20.3	19.4	20.8	19.2	18.0
Magnesium	Mg	mg/L	1.0	4.5	5.1	5.8	4.9	4.8	5.1
Sodium	Na	mg/L	1.0	333	348	357	336	357	340
Potassium	K	mg/L	1.0	9.7	10.8	11.3	11.8	12.0	12.0
Carbonate	CO <sub>3</sub>	mg/L	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	4.8
Bicarbonate	HCO <sub>3</sub>	mg/L	1.0	405	418	428	424	429	416
Sulfate	SO <sub>4</sub>	mg/L	1.0	291	307	310	312	332	299
Chloride	Cl	mg/L	1.0	130	131	133	131	140	122
Ammonium as N	NH <sub>4</sub>	mg/L	0.03	0.03	0.11	0.11	0.06	0.12	0.14
Nitrite as N	NO <sub>2</sub>	mg/L	0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Nitrate + Nitrite as N	NO <sub>3</sub> + NO <sub>2</sub>	mg/L	0.10	0.27	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Fluoride	F	mg/L	0.10	0.58	0.34	0.53	0.36	0.39	0.63
Silica	SiO <sub>2</sub>	mg/L	1.0	14.0	14.8	15.7	14.0	14.0	14.2

Non-Metals		Reporting Limit	Results	Results	Results	Results	Results	Results	
Total Dissolved Solids @ 180°C	TDS	mg/L	2.0	1010	1050	1080	1050	1060	1070
Conductivity		µmhos/cm	1.0	1640	1780	1740	1730	1700	1700
Alkalinity	CaCO <sub>3</sub>	mg/L	1.0	333	343	351	348	352	348
pH		sd units	0.10	8.17	7.99	8.23	8.12	8.13	8.31

Trace Metals		Reporting Limit	Results	Results	Results	Results	Results	Results	
Aluminum	Al	mg/L	0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Arsenic	As	mg/L	0.001	0.023	0.023	0.026	0.023	0.027	0.029
Barium	Ba	mg/L	0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Boron	B	mg/L	0.10	0.44	0.46	0.31	0.44	0.44	0.53
Calcium	Ca	mg/L	0.005	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003
Chromium	Cr	mg/L	0.03	< 0.03	< 0.03	< 0.03	< 0.03	< 0.03	< 0.03
Copper	Cu	mg/L	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Iron	Fe	mg/L	0.01	0.64	0.04	0.03	0.06	0.06	0.06
Lead	Pb	mg/L	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Manganese	Mn	mg/L	0.01	0.03	0.04	0.03	0.04	0.04	0.03
Mercury	Hg	mg/L	0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001
Molybdenum	Mo	mg/L	0.01	0.02	0.11	0.12	0.10	0.11	0.10
Nickel	Ni	mg/L	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Selenium	Se	mg/L	0.001	0.002	0.003	0.003	0.003	0.003	0.003
Vanadium	V	mg/L	0.01	0.16	0.16	0.13	0.14	0.14	0.13
Zinc	Zn	mg/L	0.01	< 0.01	0.02	0.03	0.03	0.02	0.01

Radiometrics		Reporting Limit	Results	Results	Results	Results	Results	Results	
Uranium	<sup>238</sup> U	mg/L	0.0003	0.463	0.739	0.734	0.456	0.756	0.710
Radium 226	<sup>226</sup> Ra	pCi/L	0.2	160	192	212	203	206	183
Radium Error Estimate ±				4.5	4.1	4.4	4.4	4.1	4.1

Quality Assurance Data		Target Range	Results	Results	Results	Results	Results	Results
Arsenic	mg/L		16.43	16.92	17.26	17.19	17.94	16.67
Calcium	mg/L		16.13	16.87	17.23	16.52	17.22	16.43
WYDEQ A/C Balance	%	-5 - +5	-0.91	-0.33	-0.09	-2.38	-2.06	-0.66
Calc YDS	mg/L		1008	1017	1067	1042	1055	1024
TDS A/C Balance	dec. %	0.80 - 1.20	1.00	1.00	1.01	1.01	0.97	1.00



**ENERGY LABORATORIES, INC.**  
 SHIPPING: 2393 SALT CREEK HIGHWAY • CASPER, WY 82601  
 MAILING: P.O. BOX 3258 • CASPER, WY 82602  
 E-mail: energy@irlb.com • FAX: (307) 234-1639 • PHONE: (307) 235-0515 • TOLL FREE: (888) 235-0515

**LABORATORY ANALYSIS REPORT - CROW BUTTE RESOURCES**

Sample ID:  
 Round:  
 Laboratory ID:  
 Sample Matrix:  
 Sample Date:  
 Report Date:  
 Revised Report Date:

01-23-P	11-23-P	12-23-P	11-23-P	12-23-P	12-23-P
Round 1	Round 2	Round 3	Round 4	Round 5	Round 6
99-16098	99-20837	99-24863	99-28316	99-30547	99-33541
Water	Water	Water	Water	Water	Water
02-19-99	03-18-99	04-15-99	05-20-99	06-17-99	07-14-99
March 12, 1999	April 15, 1999	May 6, 1999	June 8, 1999	July 6, 1999	August 13, 1999

Major Ions	Units	Reporting Limit	Results	Results	Results	Results	Results	Results	
Calcium	Ca	mg/L	1.0	19.0	18.6	18.3	17.0	16.9	16.0
Magnesium	Mg	mg/L	1.0	4.6	4.6	4.5	4.3	4.2	4.7
Sodium	Na	mg/L	1.0	336	339	333	329	351	341
Potassium	K	mg/L	1.0	15.2	15.2	15.2	12.5	14.3	14.4
Carbonate	CO <sub>3</sub>	mg/L	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Bicarbonate	HCO <sub>3</sub>	mg/L	1.0	419	410	409	421	425	450
Sulfate	SO <sub>4</sub>	mg/L	1.0	310	304	315	315	331	302
Chloride	Cl	mg/L	1.0	137	120	133	137	138	118
Ammonium as N	NH <sub>4</sub>	mg/L	0.05	0.07	0.11	0.11	< 0.05	0.10	0.15
Nitrite as N	NO <sub>2</sub>	mg/L	0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Nitrate + Nitrite as N	NO <sub>3</sub> + NO <sub>2</sub>	mg/L	0.10	< 0.10	< 0.10	< 0.10	< 0.10	0.16	< 0.10
Fluoride	F	mg/L	0.10	0.56	0.57	0.58	0.60	0.63	0.69
Silica	SiO <sub>2</sub>	mg/L	1.0	13.7	14.3	13.6	14.0	13.3	13.4

Non-Metals	Units	Reporting Limit	Results	Results	Results	Results	Results	Results	
Total Dissolved Solids @ 180°C	TDS	mg/L	2.0	1030	1050	1050	1040	1070	1030
Conductivity	µmhos/cm	1.0	1690	1680	1670	1720	1670	1710	
Alkalinity	CaCO <sub>3</sub>	mg/L	1.0	344	337	336	346	349	353
pH	sw. units	0.10	8.10	7.97	8.06	8.11	8.15	8.21	

Trace Metals	Units	Reporting Limit	Results	Results	Results	Results	Results	Results	
Aluminum	Al	mg/L	0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Arsenic	As	mg/L	0.001	0.020	0.020	0.023	0.023	0.023	0.027
Barium	Ba	mg/L	0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Boron	B	mg/L	0.10	0.49	0.31	0.35	0.31	0.30	0.64
Cadmium	Cd	mg/L	0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005
Chromium	Cr	mg/L	0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05
Copper	Cu	mg/L	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Iron	Fe	mg/L	0.01	0.04	0.04	0.06	0.05	0.05	0.04
Lead	Pb	mg/L	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Manganese	Mn	mg/L	0.01	0.02	0.02	0.02	0.02	0.02	0.02
Mercury	Hg	mg/L	0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001
Molybdenum	Mo	mg/L	0.01	0.07	0.10	0.10	0.11	0.11	0.10
Nickel	Ni	mg/L	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Selenium	Se	mg/L	0.001	0.002	0.002	0.003	0.002	0.002	0.003
Vanadium	V	mg/L	0.01	0.08	0.07	0.07	0.09	0.09	0.10
Zinc	Zn	mg/L	0.01	< 0.01	0.02	0.03	0.04	0.02	0.01

Radiometrics	Units	Reporting Limit	Results	Results	Results	Results	Results	Results	
Uranium	<sup>238</sup> U	mg/L	0.0003	0.757	1.04	0.966	0.666	1.12	1.26
Radium 226	<sup>226</sup> Ra	pCi/L	0.2	253	318	236	225	242	202
Radium Error Estimate ±			3.4	4.4	4.7	4.7	4.5	4.3	

Quality Assurance Data	Units	Target Range	Results	Results	Results	Results	Results	Results
Ambin	mcg		16.95	16.49	17.07	17.10	17.81	16.72
Cadmium	mcg		16.32	16.44	16.13	15.85	16.85	16.41
WYDEQ A/C Balance	K	-3 - +3	-1.91	-0.13	-2.83	-3.78	-1.78	-0.93
Calc TDS	mg/L		1035	1021	1037	1031	1083	1026
TDS A/C Balance	dec. K	0.80 - 1.20	1.00	1.01	1.01	1.01	0.99	1.00



Billings • Casper • Glendive • Rapid City

# ENERGY LABORATORIES, INC.

SHIPPING: 2393 SALT CREEK HIGHWAY • CASPER, WY 82601

MAILING: P.O. BOX 3258 • CASPER, WY 82602

E-mail: energy@rlrb.com • FAX: (307) 234-1639 • PHONE: (307) 235-0515 • TOLL FREE: (888) 235-0515

## LABORATORY ANALYSIS REPORT - CROW BUTTE RESOURCES

Sample ID:  
Round:  
Laboratory #:   
Sample Address:  
Sample Date:  
Report Date:  
Revised Report Date:

U-13 P	U-13 P	U-13 P	U-13 P	U-13 P	U-13 P
Round 1	Round 2	Round 3	Round 4	Round 5	Round 6
99-16106	99-20860	99-24860	99-28322	99-30546	99-35542
Water	Water	Water	Water	Water	Water
02-19-99	03-18-99	04-15-99	05-20-99	06-17-99	07-13-99
March 12, 1999	April 12, 1999	May 6, 1999	June 8, 1999	July 6, 1999	August 13, 1999
.	April 13, 1999	.	.	.	.

Major Ions		Units	Reporting Limit	Results	Results	Results	Results	Results	Results
Calcium	Ca	mg/L	1.0	16.0	19.7	20.2	21.0	20.9	19.6
Magnesium	Mg	mg/L	1.0	4.2	5.2	5.3	5.3	5.4	5.7
Sodium	Na	mg/L	1.0	332	350	354	339	367	346
Potassium	K	mg/L	1.0	11.3	12.3	12.7	12.0	13.7	13.4
Carbonate	CO <sub>3</sub>	mg/L	1.0	< 1.0	5.1	< 1.0	5.0	6.1	6.2
Bicarbonate	HCO <sub>3</sub>	mg/L	1.0	402	419	432	424	439	434
Sulfate	SO <sub>4</sub>	mg/L	1.0	306	326	335	351	353	319
Chloride	Cl	mg/L	1.0	126	125	139	135	145	123
Ammonium as N	NH <sub>4</sub>	mg/L	0.05	0.05	0.15	0.24	0.13	0.26	0.30
Nitrite as N	NO <sub>2</sub>	mg/L	0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Nitrate + Nitrite as N	NO <sub>3</sub> + NO <sub>2</sub>	mg/L	0.10	< 0.10	< 0.10	< 0.10	< 0.10	0.23	< 0.10
Fluoride	F	mg/L	0.10	0.39	0.64	0.63	0.61	0.62	0.72
Silica	SiO <sub>2</sub>	mg/L	1.0	14.0	15.8	14.2	15.0	13.9	14.2

Non-Metals									
Total Dissolved Solids @ 180°C	TDS	mg/L	2.0	1060	1080	1110	1100	1120	1080
Conductivity		µmho/cm	1.0	1720	1740	1750	1820	1760	1780
Alkalinity	CaCO <sub>3</sub>	mg/L	1.0	330	351	354	355	369	365
pH		std. unit	0.10	8.18	8.33	8.28	8.32	8.39	8.40

Trace Metals									
Aluminum	Al	mg/L	0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Arsenic	As	mg/L	0.001	0.006	0.012	0.017	0.013	0.016	0.016
Barium	Ba	mg/L	0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Boron	B	mg/L	0.10	0.43	0.41	0.28	0.44	0.45	0.34
Cadmium	Cd	mg/L	0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005
Chromium	Cr	mg/L	0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05
Copper	Cu	mg/L	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Iron	Fe	mg/L	0.01	0.02	0.10	0.13	0.05	0.07	0.06
Lead	Pb	mg/L	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Manganese	Mn	mg/L	0.01	0.01	0.02	0.02	0.02	0.02	0.02
Mercury	Hg	mg/L	0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001
Molybdenum	Mo	mg/L	0.01	< 0.05*	0.10	0.13	0.21	0.19	0.21
Nickel	Ni	mg/L	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Selenium	Se	mg/L	0.001	0.001	0.001	0.001	0.001	0.001	0.001
Vanadium	V	mg/L	0.01	0.05	0.03	0.02	0.02	0.02	0.02
Zinc	Zn	mg/L	0.01	< 0.01	< 0.01	< 0.01	0.01	< 0.01	< 0.01

Radiometrics									
Uranium	<sup>238</sup> U	mg/L	0.0003	0.242	1.27	1.60	1.49	1.75	1.71
Radium 226	<sup>226</sup> Ra	pCi/L	0.2	376	665	764	770	920	849
Radium Error Estimate ±				6.5	7.6	8.5	8.7	8.7	9.1

Quality Assurance Data		Target Range							
Anion	meq		16.36	17.37	18.01	18.25	18.87	17.46	
Cation	meq		15.89	16.98	17.31	16.94	17.84	16.88	
WYDEQ A/C Balance	%	-3 - +3	-2.07	-1.15	-2.30	-4.86	-2.81	-1.68	
Calc TDS	mg/L		1012	1099	1098	1096	1146	1065	
TDS A/C Balance	dec. %	0.80 - 1.20	1.05	1.01	1.01	1.00	0.98	1.01	

\*Molybdenum was analyzed at a detection limit of 0.05 for this Round.



# ENERGY LABORATORIES, INC.

SHIPPING: 2393 SALT CREEK HIGHWAY • CASPER, WY 82601

MAILING: P.O. BOX 3258 • CASPER, WY 82602

E-mail: energy@trib.com • FAX: (307) 234-1639 • PHONE: (307) 235-0515 • TOLL FREE: (888) 235-0515

## LABORATORY ANALYSIS REPORT - CROW BUTTE RESOURCES

Sample ID:  
Round:  
Laboratory ID:  
Sample Matrix:  
Sample Date:  
Report Date:  
Revised Report Date:

PAI-S	PAI-S	PAI-S	PAI-S	PAI-S	PAI-S
Round 1	Round 2	Round 3	Round 4	Round 5	Round 6
99-16102	99-20835	99-24866	99-28323	99-30548	99-35543
Water	Water	Water	Water	Water	Water
02-19-99	03-18-99	04-15-99	05-20-99	06-17-99	07-18-99
March 12, 1999	April 12, 1999	May 6, 1999	June 8, 1999	July 8, 1999	August 12, 1999
-	April 15, 1999	-	-	-	-

Major Ions	Unit	Reporting Limit	Results	Results	Results	Results	Results	Results	
Calcium	Ca	mg/L	1.0	13.6	19.3	29.6	38.0	39.4	25.0
Magnesium	Mg	mg/L	1.0	3.8	5.5	8.5	10.1	10.8	7.0
Sodium	Na	mg/L	1.0	349	367	466	477	533	441
Potassium	K	mg/L	1.0	14.4	17.8	19.2	20.0	23.1	19.8
Carbonate	CO <sub>3</sub>	mg/L	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Bicarbonate	HCO <sub>3</sub>	mg/L	1.0	418	436	494	519	560	483
Sulfate	SO <sub>4</sub>	mg/L	1.0	306	338	459	514	595	437
Chloride	Cl	mg/L	1.0	132	152	201	226	267	184
Ammonium as N	NH <sub>4</sub>	mg/L	0.05	< 0.05	0.07	0.12	0.08	0.17	0.16
Nitrite as N	NO <sub>2</sub>	mg/L	0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Nitrate + Nitrite as N	NO <sub>3</sub> + NO <sub>2</sub>	mg/L	0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Fluoride	F	mg/L	0.10	0.42	0.39	0.38	0.39	0.39	0.46
Silica	SiO <sub>2</sub>	mg/L	1.0	13.3	14.3	16.7	15.0	14.5	14.4

Non-Metals	Unit	Reporting Limit	Results	Results	Results	Results	Results	Results	
Total Dissolved Solids @ 180°C	TDS	mg/L	2.0	1070	1180	1460	1610	1760	1420
Conductivity	µmho/cm	1.0	1770	1920	2330	2560	2680	2270	
Alkalinity	CaCO <sub>3</sub>	mg/L	1.0	343	337	406	426	459	396
pH	nd. unit	0.10	8.21	8.05	8.22	8.08	8.13	8.11	

Trace Metals	Unit	Reporting Limit	Results	Results	Results	Results	Results	Results	
Aluminum	Al	mg/L	0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Arsenic	As	mg/L	0.001	0.013	0.011	0.013	0.012	0.012	0.013
Barium	Ba	mg/L	0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Boron	B	mg/L	0.10	0.43	0.54	0.46	0.60	0.64	0.65
Cadmium	Cd	mg/L	0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005
Chromium	Cr	mg/L	0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05
Copper	Cu	mg/L	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	0.01
Iron	Fe	mg/L	0.01	< 0.01	0.01	0.03	0.06	0.06	0.04
Lead	Pb	mg/L	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Manganese	Mn	mg/L	0.01	< 0.01	0.01	0.03	0.03	0.04	0.02
Mercury	Hg	mg/L	0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001
Molybdenum	Mo	mg/L	0.01	< 0.05*	0.08	0.06	0.06	0.09	0.08
Nickel	Ni	mg/L	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Selenium	Se	mg/L	0.001	0.001	0.002	0.003	0.002	0.003	0.003
Vanadium	V	mg/L	0.01	0.20	0.19	0.15	0.20	0.17	0.14
Zinc	Zn	mg/L	0.01	0.01	0.02	0.02	0.04	0.03	0.02

Radiometrics	Unit	Reporting Limit	Results	Results	Results	Results	Results	Results	
Uranium	<sup>238</sup> U	mg/L	0.0003	3.03	3.65	5.26	5.01	9.35	6.54
Radium 226	<sup>226</sup> Ra	pCi/L	0.2	35.8	38.9	119	172	202	114
Radium Error Estimate ±			2.2	2.3	3.3	4.0	4.1	3.3	

Quality Assurance Data	Unit	Target Range	Results	Results	Results	Results	Results	Results
Anion	meq		16.98	18.91	21.37	25.62	29.12	22.24
Cation	meq		16.56	18.70	22.97	24.02	27.62	21.52
WYDEQ A/C Balance	%	-3 - +3	-1.37	-0.54	-0.88	-3.23	-2.63	-1.61
Calc TDS	mg/L		1042	1173	1449	1561	1786	1370
TDS A/C Balance	dec. %	0.80 - 1.20	1.03	1.01	1.01	1.03	0.99	1.01

\*Molybdenum was analyzed at a detection limit of 0.05 for this Round.

mf 07/rep/01/01/01/99/crow\_butte/wydeq/01/35543 sth

Log No. 54403



# ENERGY LABORATORIES, INC.

SHIPPING: 2393 SALT CREEK HIGHWAY • CASPER, WY 82601

MAILING: P.O. BOX 3258 • CASPER, WY 82602

E-mail: energy@lrlab.com • FAX: (307) 234-1639 • PHONE: (307) 235-0516 • TOLL FREE: (888) 235-0516

## LABORATORY ANALYSIS REPORT - CROW BUTTE RESOURCES

Sample ID:  
Round:  
Laboratory ID:  
Sample Matrix:  
Sample Date:  
Report Date:  
Revised Report Date:

P21-4	P21-4	P21-4	P21-4	P21-4	P21-4
Round 1	Round 2	Round 3	Round 4	Round 5	Round 6
99-16107	99-20254	99-24263	99-28324	99-30549	99-38341
Water	Water	Water	Water	Water	Water
02-19-99	03-18-99	04-15-99	05-20-99	06-17-99	07-15-99
March 12, 1999	April 12, 1999	May 6, 1999	June 8, 1999	July 6, 1999	August 13, 1999
	April 15, 1999				

Major Ions	Units	Reporting Limit	Results	Results	Results	Results	Results	Results
Calcium	Ca	mg/L	1.0	16.2	16.2	17.0	15.0	15.3
Magnesium	Mg	mg/L	1.0	4.4	5.1	4.8	4.4	4.7
Sodium	Na	mg/L	1.0	334	350	345	319	314
Potassium	K	mg/L	1.0	12.0	13.1	13.2	12.0	13.0
Carbonate	CO <sub>3</sub>	mg/L	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Bicarbonate	HCO <sub>3</sub>	mg/L	1.0	429	421	399	396	393
Sulfate	SO <sub>4</sub>	mg/L	1.0	300	307	304	306	298
Chloride	Cl	mg/L	1.0	144	136	133	125	129
Ammonium as N	NH <sub>4</sub>	mg/L	0.03	0.10	0.13	0.13	0.09	0.14
Nitrite as N	NO <sub>2</sub>	mg/L	0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Nitrate + Nitrite as N	NO <sub>3</sub> + NO <sub>2</sub>	mg/L	0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Fluoride	F	mg/L	0.10	0.50	0.47	0.46	0.50	0.51
Silica	SiO <sub>2</sub>	mg/L	1.0	12.3	13.7	14.4	14.0	12.3

Non-Metals		Units	Reporting Limit	Results	Results	Results	Results	Results
Total Dissolved Solids @ 180°C	TDS	mg/L	2.0	1080	1060	1030	997	982
Conductivity		µmho/c	1.0	1791	1750	1710	1670	1670
Alkalinity	CaCO <sub>3</sub>	mg/L	1.0	352	346	327	325	323
pH		std. unk	0.10	8.28	8.23	8.26	8.16	8.16

Trace Metals		Units	Reporting Limit	Results	Results	Results	Results	Results
Aluminum	Al	mg/L	0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Arsenic	As	mg/L	0.001	< 0.001	< 0.001	0.001	< 0.001	< 0.001
Barium	Ba	mg/L	0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Boron	B	mg/L	0.10	0.49	0.30	0.35	0.49	0.46
Cadmium	Cd	mg/L	0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005
Chromium	Cr	mg/L	0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05
Copper	Cu	mg/L	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Iron	Fe	mg/L	0.01	0.05	0.05	0.05	0.06	0.05
Lead	Pb	mg/L	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Manganese	Mn	mg/L	0.01	0.02	0.02	0.02	0.02	0.01
Mercury	Hg	mg/L	0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001
Molybdenum	Mo	mg/L	0.01	0.10	0.12	0.12	0.15	0.16
Nickel	Ni	mg/L	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Selenium	Se	mg/L	0.001	< 0.001	0.002	0.001	< 0.001	< 0.001
Vanadium	V	mg/L	0.01	< 0.10*	< 0.01	< 0.01	< 0.01	< 0.01
Zinc	Zn	mg/L	0.01	< 0.01	0.02	0.01	< 0.01	0.01

Radiometrics		Units	Reporting Limit	Results	Results	Results	Results	Results
Uranium	<sup>238</sup> U	mg/L	0.0003	0.172	0.158	0.122	0.103	0.129
Radium 226	<sup>226</sup> Ra	pCi/L	0.2	174	173	184	160	161
Radium Error Estimate ±				0.4	3.9	4.2	3.9	3.6

Quality Assurance Data		Target Range	Results	Results	Results	Results	Results
Anion	meq		17.38	17.18	16.83	16.43	16.34
Cation	meq		16.03	16.91	16.61	15.32	15.34
WYDEQ A/C Balance	%	-3 - 13	-4.04	-0.78	-0.12	-3.51	-3.13
Calc TDS	mg/L		1039	1033	1033	973	989
TDS A/C Balance	dec. %	0.80 - 1.20	1.04	1.00	1.02	1.00	0.90

\*Vanadium was analyzed at a detection limit of 0.10 for this Round.



Billing • Casper • Gillette • Rapid City

**ENERGY LABORATORIES, INC.**

SHIPPING: 2393 SALT CREEK HILLWAY • CASPER, WY 82601  
 MAILING: P.O. BOX 3258 • CASPER, WY 82602  
 E-mail: energy@tlb.com • FAX: (307) 234-1639 • PIONEER: (307) 235-0515 • TOLL FREE: (888) 235-0515

LABORATORY ANALYSIS REPORT - CROW BUTTE RESOURCES

Sample ID:  
 Round:  
 Laboratory ID:  
 Sample Name:  
 Sample Date:  
 Report Date:  
 Revised Report Date:

PR-#	Round	PR-#	Round	PR-#	Round	PR-#	Round	PR-#	Round
Round 1	99-16103	Round 2	99-20333	Round 3	99-24869	Round 4	99-28317	Round 5	99-30551
Water	Water	Water	Water	Water	Water	Water	Water	Water	Water
March 12, 1999	03-19-99	April 12, 1999	04-19-99	May 6, 1999	05-26-99	June 4, 1999	06-17-99	July 8, 1999	07-15-99
		April 15, 1999							August 13, 1999

Analyte	Unit	Reporting Limit	Result	Result	Result	Result	Result	Result	Result
Calcium	mg/L	1.0	15.0	16.3	17.5	17.0	18.0	18.0	18.0
Magnesium	mg/L	1.0	3.9	4.6	4.6	4.5	4.7	5.0	5.0
Sodium	mg/L	1.0	371	386	375	366	347	371	371
Potassium	mg/L	1.0	10.9	11.9	12.1	12.8	13.6	13.6	13.0
Carbonate	mg/L	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Bicarbonate	mg/L	1.0	431	439	403	421	433	433	428
Sulfate	mg/L	1.0	352	355	343	368	384	358	348
Chloride	mg/L	1.0	157	150	163	152	164	158	158
Ammonium as N	mg/L	0.05	0.13	0.12	0.17	0.15	0.18	0.21	0.21
Nitrate as N	mg/L	0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Nitrate + Nitrite as N	mg/L	0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Fluoride	mg/L	0.10	0.59	0.57	0.48	0.52	0.51	0.60	0.60
Silica	mg/L	1.0	12.6	14.5	15.2	14.0	12.7	12.3	12.3

Analyte	Unit	Reporting Limit	Result	Result	Result	Result	Result	Result	Result
Total Dissolved Solids @ 180°C	mg/L	2.0	1160	1160	1150	1160	1160	1190	1160
Conductivity	µmhos/cm	1.0	1960	1900	1830	1850	1820	1920	1870
Alkalinity	mg/L	1.0	353	357	331	346	355	355	351
pH	inf. unit	0.10	8.11	8.09	8.30	8.17	8.04	8.04	8.23

Analyte	Unit	Reporting Limit	Result	Result	Result	Result	Result	Result	Result
Aluminum	mg/L	0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Arsenic	mg/L	0.021	0.032	0.021	0.024	0.022	0.023	0.024	0.024
Barium	mg/L	0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Boron	mg/L	0.10	0.47	0.50	0.32	0.47	0.47	0.44	0.44
Cadmium	mg/L	0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005
Chromium	mg/L	0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05
Copper	mg/L	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Iron	mg/L	0.01	0.12	0.17	0.15	0.23	0.25	0.25	0.20
Manganese	mg/L	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Nickel	mg/L	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
Nitrate	mg/L	0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001
Nitrite	mg/L	0.05	0.05	0.07	0.08	0.09	0.09	0.09	0.09
Selenium	mg/L	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Silver	mg/L	0.001	0.001	0.003	0.003	0.003	0.004	0.004	0.004
Vanadium	mg/L	0.01	0.17	0.08	0.05	0.05	0.05	0.05	0.04
Zinc	mg/L	0.01	< 0.01	0.04	0.03	0.02	0.02	0.02	0.02

Analyte	Unit	Reporting Limit	Result	Result	Result	Result	Result	Result	Result
Uranium	mg/L	0.0003	2.28	2.1	1.62	1.08	1.56	1.58	1.58
Radium 226	pCi/L	0.3	304	190	184	199	205	192	192
Radium Error Estimate %			4.9	4.1	4.1	4.4	4.2	4.3	4.3

Analyte	Unit	Reporting Limit	Result	Result	Result	Result	Result	Result	Result
Acidon	mg	18.85	18.85	18.70	17.83	18.90	19.75	18.30	18.30
Chloro	mg	17.51	17.51	18.43	17.91	17.42	18.55	17.82	17.82
WYBEQ A/C Balance	%	-5.43	-5.49	-4.72	-3.91	-3.14	-4.05	-4.05	-4.05
Chlor TDS	mg/L	1135	1135	1136	1133	1146	1209	1133	1133
TDS A/C Balance	dec. %	0.80 - 1.30	1.02	1.00	1.03	1.05	0.99	1.03	1.03

COMPLETE ANALYTICAL SERVICES



# ENERGY LABORATORIES, INC.

SHIPPING: 2393 SALT CREEK HIGHWAY • CASPER, WY 82601

MAILING: P.O. BOX 3258 • CASPER, WY 82602

E-mail: energy@trib.com • FAX: (307) 234-1639 • PHONE: (307) 235-0515 • TOLL FREE: (888) 235-0515

## LABORATORY ANALYSIS REPORT - CROW BUTTE RESOURCES

Sample ID:  
Round:  
Laboratory ID:  
Sample Address:  
Sample Dates:  
Report Date:  
Revised Report Date:

U-43 P	U-43 P	U-43 P	U-43 P	U-43 P	U-43 P
Round 1	Round 2	Round 3	Round 4	Round 5	Round 6
99-16104	99-30831	99-34870	99-28326	99-30344	99-35546
Water	Water	Water	Water	Water	Water
02-19-99	03-18-99	04-15-99	05-20-99	06-17-99	07-15-99
March 12, 1999	April 12, 1999	May 8, 1999	June 8, 1999	July 8, 1999	August 13, 1999
	April 13, 1999				

Major Ion	Units	Reporting Limit	Results	Results	Results	Results	Results	Results
Calcium	Ca mg/L	1.0	16.6	18.1	17.6	17.0	18.7	18.1
Magnesium	Mg mg/L	1.0	4.3	4.8	4.7	5.0	4.8	5.2
Sodium	Na mg/L	1.0	342	349	353	334	355	343
Potassium	K mg/L	1.0	12.2	12.8	13.1	12.0	13.9	14.0
Carbonate	CO <sub>3</sub> mg/L	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Bicarbonate	HCO <sub>3</sub> mg/L	1.0	404	404	402	399	403	412
Sulfate	SO <sub>4</sub> mg/L	1.0	304	312	319	339	347	333
Chloride	Cl mg/L	1.0	139	136	140	146	149	127
Ammonium as N	NH <sub>4</sub> mg/L	0.05	0.03	0.06	0.06	< 0.05	0.09	0.12
Nitrite as N	NO <sub>2</sub> mg/L	0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Nitrate + Nitrite as N	NO <sub>3</sub> + NO <sub>2</sub> mg/L	0.10	< 0.10	< 0.10	0.12	< 0.10	< 0.10	< 0.10
Fluoride	F mg/L	0.10	0.58	0.55	0.54	0.55	0.56	0.64
Silica	SiO <sub>2</sub> mg/L	1.0	15.7	17.2	18.1	17.0	15.8	16.0

Non-Metals		Units	Reporting Limit	Results	Results	Results	Results	Results	Results
Total Dissolved Solids @ 180°C	TDS	mg/L	2.0	1060	1070	1090	1090	1080	1090
Conductivity		µmho/cm	1.0	1790	1740	1750	1760	1710	1730
Alkalinity	CaCO <sub>3</sub>	mg/L	1.0	332	332	330	328	330	328
pH		nd. unit	0.10	7.98	7.99	8.17	8.00	8.01	8.27

Trace Metals		Units	Reporting Limit	Results	Results	Results	Results	Results	Results
Aluminum	Al	mg/L	0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Arsenic	As	mg/L	0.001	0.035	0.033	0.037	0.031	0.033	0.035
Barium	Ba	mg/L	0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Boron	B	mg/L	0.10	0.54	0.55	0.59	0.51	0.53	0.51
Cadmium	Cd	mg/L	0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005
Chromium	Cr	mg/L	0.03	< 0.03	< 0.03	< 0.03	< 0.03	< 0.03	< 0.03
Copper	Cu	mg/L	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Iron	Fe	mg/L	0.01	0.10	0.10	0.10	0.12	0.26	0.20
Lead	Pb	mg/L	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Manganese	Mn	mg/L	0.01	0.02	0.02	0.02	0.02	0.03	0.02
Mercury	Hg	mg/L	0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001
Molybdenum	Mo	mg/L	0.01	0.16	0.16	0.15	0.16	0.16	0.16
Nickel	Ni	mg/L	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Selenium	Se	mg/L	0.001	0.002	0.002	0.002	0.001	0.002	0.002
Vanadium	V	mg/L	0.01	0.22	0.22	0.22	0.21	0.18	0.18
Zinc	Zn	mg/L	0.01	< 0.01	0.03	0.03	0.02	0.03	0.02

Radiometrics		Units	Reporting Limit	Results	Results	Results	Results	Results	Results
Uranium	<sup>238</sup> U	mg/L	0.0003	0.932	1.20	1.18	0.828	1.16	1.22
Radium 226	<sup>226</sup> Ra	pCi/L	0.2	445	431	447	468	309	487
Radium Error Estimate ±				7.2	6.2	6.2	6.7	6.3	6.7

Quality Assurance Data		Target Range	Results	Results	Results	Results	Results	Results
Aolon	mcg		16.93	17.01	17.23	17.77	18.06	16.90
Carlon	mcg		16.39	16.83	16.98	16.12	17.16	16.64
WYDEQ A/C Balance	%	-5 - +5	-1.60	-0.52	-0.73	-4.82	-2.56	-0.77
Calc TDS	mg/L		1037	1054	1068	1071	1071	1044
TDS A/C Balance	dec. %	0.80 - 1.20	1.02	1.02	1.02	1.02	0.98	1.04





# ENERGY LABORATORIES, INC.

SHIPPING: 2393 SALT CREEK HIGHWAY • CASPER, WY 82601

MAILING: P.O. BOX 3258 • CASPER, WY 82602

E-mail: energy@lrb.com • FAX: (307) 234-1639 • PHONE: (307) 235-0515 • TOLL FREE: (888) 235-0515

## LABORATORY ANALYSIS REPORT - CROW BUTTE RESOURCES

Sample ID:  
Round:  
Laboratory ID:  
Sample Matrix:  
Sample Date:  
Report Date:  
Revised Report Date:

PT-S PR-1	PT-S PR-2	PT-S PR-3	PT-S PR-4	PT-S PR-5	PT-S PR-6
Round 1	Round 2	Round 3	Round 4	Round 5	Round 6
99-16103	99-20532	99-34668	99-28328	99-30550	99-35547
Water	Water	Water	Water	Water	Water
02-19-99	03-18-99	04-15-99	05-20-99	06-17-99	07-15-99
March 12, 1999	April 12, 1999	May 6, 1999	June 8, 1999	July 8, 1999	August 13, 1999
	April 19, 1999				

Major Ion	Ca	Mg	Na	K	CO <sub>3</sub>	HCO <sub>3</sub>	SO <sub>4</sub>	Cl	NH <sub>4</sub>	NH <sub>3</sub> as N	NH <sub>4</sub> + NH <sub>3</sub> as N	F	SiO <sub>2</sub>
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Reporting Limit	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.05	0.10	0.10	0.10	1.0
Results	12.9	3.3	346	10.3	< 1.0	403	302	127	0.08	< 0.10	< 0.10	0.38	14.0
Results	15.4	4.3	355	11.2	< 1.0	407	325	127	0.06	< 0.10	< 0.10	0.49	16.2
Results	14.8	4.2	360	12.0	< 1.0	421	334	134	0.09	< 0.10	< 0.10	0.51	16.8
Results	14.0	4.0	349	11.2	< 1.0	400	352	135	0.08	< 0.10	< 0.10	0.30	15.5
Results	14.6	4.0	355	12.3	< 1.0	405	356	141	0.09	< 0.10	< 0.10	0.49	14.2
Results	14.0	4.4	351	12.0	< 1.0	401	334	136	0.14	< 0.10	< 0.10	0.38	14.2

Non-Metals		TDS	mg/L	2.0	1070	1060	1080	1100	1090	1050
Total Dissolved Solids @ 180°C										
Conductivity	µmho/cm	1.0	1750	1740	1760	1790	1740	1750	1750	1750
Alkalinity	CaCO <sub>3</sub>	1.0	332	334	343	328	332	329	329	329
pH	acid. unit	0.10	8.06	8.06	8.22	8.13	8.09	8.17	8.17	8.17

Trace Metals		Al	As	Ba	B	Cd	Cr	Cu	Fe	Pb	Mn	Hg	Mo	Ni	Se	V	Zn
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Reporting Limit	0.10	0.001	0.10	0.10	0.10	0.005	0.05	0.01	0.01	0.01	0.01	0.001	0.01	0.01	0.001	0.01	0.01
Results	< 0.10	0.011	< 0.10	< 0.10	0.41	< 0.005	< 0.05	< 0.01	0.07	< 0.01	0.01	< 0.001	0.05	< 0.01	0.001	0.09	< 0.01
Results	< 0.10	0.011	< 0.10	< 0.10	0.42	< 0.005	< 0.05	< 0.01	0.05	< 0.01	0.02	< 0.001	0.06	< 0.01	0.002	0.08	0.03
Results	< 0.10	0.014	< 0.10	< 0.10	0.37	< 0.005	< 0.05	< 0.01	0.04	< 0.01	0.01	< 0.001	0.05	< 0.01	0.001	0.09	0.02
Results	< 0.10	0.010	< 0.10	< 0.10	0.39	< 0.005	< 0.05	< 0.01	0.07	< 0.01	0.01	< 0.001	0.07	< 0.01	0.002	0.07	0.03
Results	< 0.10	0.012	< 0.10	< 0.10	0.39	< 0.005	< 0.05	< 0.01	0.07	< 0.01	0.01	< 0.001	0.07	< 0.01	0.002	0.07	0.02
Results	< 0.10	0.011	< 0.10	< 0.10	0.39	< 0.005	< 0.05	< 0.01	0.07	< 0.01	0.01	< 0.001	0.08	< 0.01	0.002	0.06	0.02

Radiometrics		Uranium	Radium 226	Radium Error Estimate ±
Units	mg/L	mg/L	pCi/L	
Reporting Limit	0.0003	0.2	3.3	
Results	2.06	263	4.7	
Results	2.36	243	4.6	
Results	2.22	246	4.8	
Results	1.68	239	5.0	
Results	2.36	246	4.5	
Results	2.40	233	4.7	

Quality Assurance Data		Target Range
Anion	meq	16.55
Cation	meq	16.27
WYDEQ A/C Balance	%	-3 - +3
Calc TDS	mg/L	1070
TDS A/C Balance	dec. %	0.60 - 1.20
Results		17.06
Results		16.87
Results		17.07
Results		16.52
Results		16.83
Results		-3.52
Results		1059
Results		1057
Results		0.99
Results		1.02
Results		0.99
Results		0.99

msj r:\reports\k\99\crow\_butte\lab\lrb\report\99-35547.rpt

### COMPLETE ANALYTICAL SERVICES



**ENERGY LABORATORIES, INC.**

SHIPPING: 2393 SALT CREEK HIGHWAY • CASPER, WY 82601

MAILING: P.O. BOX 3258 • CASPER, WY 82602

E-mail: energy@trib.com • FAX: (307) 234-1639 • PHONE: (307) 235-0515 • TOLL FREE: (888) 235-0515

**LABORATORY ANALYSIS REPORT - CROW BUTTE RESOURCES**

Sample ID:  
Round:  
Laboratory ID:  
Sample Matrix:  
Sample Date:  
Report Date:  
Revised Report Date:

PR-4 Round 1	PR-4 (PA1-1) Round 2	PR-4 (PA1-1) Round 3	PR-4 (PA1-1) Round 4	PR-4 (PA1-1) Round 5	PR-4 (PA1-1) Round 6
99-16108	99-20361	99-24867	99-28323	99-30552	99-35548
Water	Water	Water	Water	Water	Water
02-19-99	03-18-99	04-15-99	05-20-99	06-17-99	07-15-99
March 12, 1999	April 12, 1999	May 6, 1999	June 8, 1999	July 8, 1999	August 13, 1999

Major Ions	Units	Reporting Limit	Results	Results	Results	Results	Results	Results	
Calcium	Ca	mg/L	1.0	16.8	21.3	20.4	19.6	21.1	14.0
Magnesium	Mg	mg/L	1.0	4.4	5.6	5.4	5.3	5.4	4.2
Sodium	Na	mg/L	1.0	341	362	369	348	365	271
Potassium	K	mg/L	1.0	11.8	13.2	13.8	13.0	14.6	11.0
Carbonate	CO <sub>3</sub>	mg/L	1.0	< 1.0	< 1.0	5.7	< 1.0	< 1.0	< 1.0
Bicarbonate	HCO <sub>3</sub>	mg/L	1.0	413	442	444	460	468	399
Sulfate	SO <sub>4</sub>	mg/L	1.0	319	345	337	347	354	225
Chloride	Cl	mg/L	1.0	124	130	132	130	134	76.0
Ammonium as N	NH <sub>4</sub>	mg/L	0.03	0.07	0.07	0.11	0.08	0.11	0.15
Nitrite as N	NO <sub>2</sub>	mg/L	0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Nitrate + Nitrite as N	NO <sub>3</sub> + NO <sub>2</sub>	mg/L	0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Fluoride	F	mg/L	0.10	0.39	0.48	0.42	0.44	0.43	0.79
Silica	SiO <sub>2</sub>	mg/L	1.0	14.5	17.9	19.0	17.0	15.9	14.3

Non-Metals	Units	Reporting Limit	Results	Results	Results	Results	Results	Results	
Total Dissolved Solids @ 180°C	TDS	mg/L	2.0	1060	1130	1140	1120	937	839
Conductivity	µmho/c	1.0	1760	1860	1810	1820	2420	1340	
Alkalinity	CaCO <sub>3</sub>	mg/L	1.0	339	362	372	377	364	327
pH	std. unit	0.10	8.24	8.20	8.36	8.18	8.21	8.28	

Trace Metals	Units	Reporting Limit	Results	Results	Results	Results	Results	Results	
Aluminum	Al	mg/L	0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Arsenic	As	mg/L	0.001	0.004	0.004	0.003	0.002	0.002	0.002
Barium	Ba	mg/L	0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Boron	B	mg/L	0.10	0.42	0.41	0.26	0.37	0.36	0.33
Cadmium	Cd	mg/L	0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005
Chromium	Cr	mg/L	0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05
Copper	Cu	mg/L	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Iron	Fe	mg/L	0.01	0.02	0.03	0.04	< 0.01	0.03	0.04
Lead	Pb	mg/L	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Manganese	Mn	mg/L	0.01	0.01	0.02	0.02	0.02	0.02	0.01
Mercury	Hg	mg/L	0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001
Molybdenum	Mo	mg/L	0.01	< 0.01*	0.03	0.04	0.08	0.07	0.04
Nickel	Ni	mg/L	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Selenium	Se	mg/L	0.001	0.001	0.001	0.002	< 0.001	0.001	0.001
Vanadium	V	mg/L	0.01	0.04	0.02	0.01	0.02	0.01	0.01
Zinc	Zn	mg/L	0.01	< 0.01	0.01	0.01	0.02	0.01	< 0.01

Radiometrics	Units	Reporting Limit	Results	Results	Results	Results	Results	Results	
Uranium	<sup>238</sup> U	mg/L	0.0003	1.62	5.44	5.74	4.08	5.83	3.56
Radium 226	<sup>226</sup> Ra	pCi/L	0.2	105	168	153	153	166	99.1
Radium Error Estimate ±				3.7	3.8	3.8	3.8	3.7	3.0

Quality Assurance Data	Units	Target Range	Results	Results	Results	Results	Results	Results
Anion	meq		16.96	18.12	18.21	18.46	18.65	13.42
Cation	meq		16.35	17.64	17.89	16.90	17.77	13.14
WYDEQ A/C Balance	%	-5 - +5	-1.81	-1.33	-0.68	-4.80	-2.97	-1.03
Calc TDS	mg/L		1039	1117	1124	1111	1145	816
TDS A/C Balance	dec. %	0.80 - 1.20	1.03	1.01	1.01	1.01	0.82	1.03

\*Molybdenum was analyzed at a detection limit of 0.05 for this Round.

m:\r\reports\k\99crow\_butte\baseline\_testwork\wq\9935548.sh

Log In No. 31403

**COMPLETE ANALYTICAL SERVICES**

**CROW BUTTE MINE**  
**MONTHLY RESTORATION REPORT**  
**SEPTEMBER 1999**  
**MINE UNIT 1**

**1. RESTORATION ACTIVITY DURING MONTH:**

	YES	NO	
a. Groundwater Transfer		x	(if yes, complete part 2)
b. Groundwater Sweep		x	(if yes, complete part 3)
c. Groundwater Treatment		x	
d. Wellfield Recirculation		x	
e. Other (explain):			

**2. LIST WELLS USED IN GROUNDWATER TRANSFER DURING THE MONTH:**

**3. LIST WELLS USED IN GROUNDWATER SWEEP DURING THE MONTH:**

**4. LIST WELLS SAMPLED DURING MONTH AND ASSAY RESULTS:**

**CROW BUTTE MINE**  
**MONTHLY RESTORATION REPORT**  
**OCTOBER 1999**  
**MINE UNIT 1**

**1. RESTORATION ACTIVITY DURING MONTH:**

	YES	NO	
a. Groundwater Transfer		x	(if yes, complete part 2)
b. Groundwater Sweep		x	(if yes, complete part 3)
c. Groundwater Treatment		x	
d. Wellfield Recirculation		x	
e. Other (explain):			

**2. LIST WELLS USED IN GROUNDWATER TRANSFER DURING THE MONTH:**

**3. LIST WELLS USED IN GROUNDWATER SWEEP DURING THE MONTH:**

**4. LIST WELLS SAMPLED DURING MONTH AND ASSAY RESULTS:**

**CROW BUTTE MINE**  
**MONTHLY RESTORATION REPORT**  
**NOVEMBER 1999**  
**MINE UNIT I**

**1. RESTORATION ACTIVITY DURING MONTH:**

	YES	NO	
a. Groundwater Transfer		x	(if yes, complete part 2)
b. Groundwater Sweep		x	(if yes, complete part 3)
c. Groundwater Treatment		x	
d. Wellfield Recirculation		x	
e. Other (explain):			

**2. LIST WELLS USED IN GROUNDWATER TRANSFER DURING THE MONTH:**

**3. LIST WELLS USED IN GROUNDWATER SWEEP DURING THE MONTH:**

**4. LIST WELLS SAMPLED DURING MONTH AND ASSAY RESULTS:**

**CROW BUTTE MINE**  
**MONTHLY RESTORATION REPORT**  
**DECEMBER 1999**  
**MINE UNIT 1**

**1. RESTORATION ACTIVITY DURING MONTH:**

	YES	NO	
a. Groundwater Transfer		x	(if yes, complete part 2)
b. Groundwater Sweep		x	(if yes, complete part 3)
c. Groundwater Treatment		x	
d. Wellfield Recirculation		x	
e. Other (explain):	x		Restoration approved - FINAL REPORT

**2. LIST WELLS USED IN GROUNDWATER TRANSFER DURING THE MONTH:**

**3. LIST WELLS USED IN GROUNDWATER SWEEP DURING THE MONTH:**

**4. LIST WELLS SAMPLED DURING MONTH AND ASSAY RESULTS:**

**CROW BUTTE MINE**  
**MONTHLY RESTORATION REPORT**  
**JULY 1999**  
**MINE UNIT 2**

**1. RESTORATION ACTIVITY DURING MONTH:**

	YES	NO	
a. Groundwater Transfer		x	(if yes, complete part 2)
b. Groundwater Sweep		x	(if yes, complete part 3)
c. Groundwater Treatment	x		
d. Wellfield Recirculation		x	
e. Other (explain):		x	

**2. LIST WELLS USED IN GROUNDWATER TRANSFER DURING THE MONTH:**

**3. LIST WELLS USED IN GROUNDWATER SWEEP DURING THE MONTH:**

**4. LIST WELLS SAMPLED DURING MONTH AND ASSAY RESULTS:**

I147P, P119, P125, P127, P210, P81, P83, P88, P89. Analytical results are listed in Table 1.





**CROW BUTTE MINE**  
**MONTHLY RESTORATION REPORT**  
**AUGUST 1999**  
**MINE UNIT 2**

**1. RESTORATION ACTIVITY DURING MONTH:**

	YES	NO	
a. Groundwater Transfer		x	(if yes, complete part 2)
b. Groundwater Sweep		x	(if yes, complete part 3)
c. Groundwater Treatment	x		
d. Wellfield Recirculation		x	
e. Other (explain):		x	

**2. LIST WELLS USED IN GROUNDWATER TRANSFER DURING THE MONTH:**

**3. LIST WELLS USED IN GROUNDWATER SWEEP DURING THE MONTH:**

**4. LIST WELLS SAMPLED DURING MONTH AND ASSAY RESULTS:**

1147P, P119, P120, P127, P210, P81, P83, P89, P93. Analytical results are listed in Table 1.

**CROW BUTTE MINE**  
**MONTHLY RESTORATION REPORT**  
**SEPTEMBER 1999**  
**MINE UNIT 2**

**1. RESTORATION ACTIVITY DURING MONTH:**

	YES	NO	
a. Groundwater Transfer		x	(if yes, complete part 2)
b. Groundwater Sweep		x	(if yes, complete part 3)
c. Groundwater Treatment	x		
d. Wellfield Recirculation		x	
e. Other (explain):		x	

**2. LIST WELLS USED IN GROUNDWATER TRANSFER DURING THE MONTH:**

**3. LIST WELLS USED IN GROUNDWATER SWEEP DURING THE MONTH:**

**4. LIST WELLS SAMPLED DURING MONTH AND ASSAY RESULTS:**

I147P, P104, P119, P120, P127, P210, P81, P83, P93.

Mine Unit 2 Restoration Data

WellNum2	Date	U308	V	Total_CO3	PH	Ca	Na	Cl	SO4	Cond
I147p	1-Sep-99	2.2	0	---	---	---	---	---	---	2440
I147p	8-Sep-99	1.9	0	---	---	---	---	---	---	2430
I147p	15-Sep-99	3.1	0	---	---	---	---	---	---	2390
I147p	21-Sep-99	2.1	0.4	---	---	---	---	---	---	2580
I147p	29-Sep-99	2.3	0.4	---	---	---	---	---	---	2530
p104	13-Sep-99	---	---	---	---	---	---	---	---	---
p104	21-Sep-99	2.6	1	---	---	---	---	---	---	1512
p104	29-Sep-99	3.2	1	---	---	---	---	---	---	1613
p119	1-Sep-99	1.7	0.7	---	---	---	---	---	---	892
p119	8-Sep-99	1.2	0.9	---	---	---	---	---	---	842
p119	15-Sep-99	1.6	0.6	---	---	---	---	---	---	804
p120	7-Sep-99	2.7	1.3	---	---	---	---	---	---	1660
p120	15-Sep-99	2.9	1.3	---	---	---	---	---	---	1441
p120	21-Sep-99	2.3	1.6	---	---	---	---	---	---	1319
p120	29-Sep-99	2.1	1.6	---	---	---	---	---	---	1175
p127	1-Sep-99	14.5	0.1	---	---	---	---	---	---	1924
p127	8-Sep-99	15.3	0.2	---	---	---	---	---	---	2060
p127	15-Sep-99	15.4	<0.1	---	---	---	---	---	---	2040
p127	21-Sep-99	16.6	0.1	---	---	---	---	---	---	2250
p210	1-Sep-99	5.9	0	---	---	---	---	---	---	3310
p210	8-Sep-99	5.7	0.2	---	---	---	---	---	---	3340
p210	15-Sep-99	6	0.2	---	---	---	---	---	---	3290
p210	21-Sep-99	5.8	0.1	---	---	---	---	---	---	3380
p210	29-Sep-99	6.3	0.1	---	---	---	---	---	---	3520
p81	1-Sep-99	1.7	1.5	---	---	---	---	---	---	1217
p81	8-Sep-99	1.2	1.6	---	---	---	---	---	---	1232
p81	15-Sep-99	1.3	1.6	---	---	---	---	---	---	1077
p81	21-Sep-99	1.4	1.7	---	---	---	---	---	---	1092
p81	29-Sep-99	1.6	1.7	---	---	---	---	---	---	989
p83	1-Sep-99	1.4	1.6	---	---	---	---	---	---	1783
p83	8-Sep-99	1.1	2	---	---	---	---	---	---	1752
p83	15-Sep-99	1.4	2	---	---	---	---	---	---	1680
p83	21-Sep-99	1.2	2	---	---	---	---	---	---	1679
p83	29-Sep-99	1.2	2	---	---	---	---	---	---	1679
p93	1-Sep-99	2.4	0.8	---	---	---	---	---	---	1469
p93	8-Sep-99	1.4	0.9	---	---	---	---	---	---	1751
p93	13-Sep-99	2.1	1.2	---	---	---	---	---	---	1265
p93	21-Sep-99	2.1	1.3	---	---	---	---	---	---	1211
p93	29-Sep-99	2.2	1.3	---	---	---	---	---	---	1119

**CROW BUTTE MINE**  
**MONTHLY RESTORATION REPORT**  
**OCTOBER 1999**  
**MINE UNIT 2**

**1. RESTORATION ACTIVITY DURING MONTH:**

	YES	NO	
a. Groundwater Transfer		x	(if yes, complete part 2)
b. Groundwater Sweep		x	(if yes, complete part 3)
c. Groundwater Treatment	x		
d. Wellfield Recirculation		x	
e. Other (explain):		x	

**2. LIST WELLS USED IN GROUNDWATER TRANSFER DURING THE MONTH:**

**3. LIST WELLS USED IN GROUNDWATER SWEEP DURING THE MONTH:**

**4. LIST WELLS SAMPLED DURING MONTH AND ASSAY RESULTS:**

I147P, P81, P83, P93, P96, P102, P104, P120, P127, P210



**CROW BUTTE MINE**  
**MONTHLY RESTORATION REPORT**  
**NOVEMBER 1999**  
**MINE UNIT 2**

**1. RESTORATION ACTIVITY DURING MONTH:**

	YES	NO	
a. Groundwater Transfer		x	(if yes, complete part 2)
b. Groundwater Sweep		x	(if yes, complete part 3)
c. Groundwater Treatment	x		
d. Wellfield Recirculation		x	
e. Other (explain):		x	

**2. LIST WELLS USED IN GROUNDWATER TRANSFER DURING THE MONTH:**

**3. LIST WELLS USED IN GROUNDWATER SWEEP DURING THE MONTH:**

**4. LIST WELLS SAMPLED DURING MONTH AND ASSAY RESULTS:**

1147P, P83, P94, P96, P98, P102, P108, P110, P117, P118, P120, P127, P210

Mine Unit 2 Restoration Data

WellNum2	Date	U3O8	V	Total_CO3	PH	Ca	Na	Cl	SO4	Cond
I147p	02-Nov-99	2.2	0.4	--	--	--	--	--	--	2370
I147p	09-Nov-99	2.1	0.2	--	--	--	--	--	--	2270
I147p	16-Nov-99	2.6	0.2	--	--	--	--	--	--	2170
I147p	24-Nov-99	2	0.3	--	--	--	--	--	--	2250
I147p	30-Nov-99	1.8	0.3	--	--	--	--	--	--	2210
p102	02-Nov-99	1.1	1.2	--	--	--	--	--	--	1367
p102	09-Nov-99	1.1	0.9	--	--	--	--	--	--	1198
p102	16-Nov-99	1.6	1.2	--	--	--	--	--	--	1067
p102	24-Nov-99	1	1	--	--	--	--	--	--	1128
p102	30-Nov-99	0.5	1.3	--	--	--	--	--	--	1037
p108	11-Nov-99	4.4	0.5	--	--	--	--	--	--	1704
p110	11-Nov-99	0.5	3.9	--	--	--	--	--	--	477
p117	11-Nov-99	0.7	1.2	--	--	--	--	--	--	506
p118	11-Nov-99	0.8	0.2	--	--	--	--	--	--	668
p120	02-Nov-99	1	1	--	--	--	--	--	--	1011
p120	09-Nov-99	0.7	0.8	--	--	--	--	--	--	901
p120	10-Nov-99	0.8	0.8	--	--	--	--	--	--	901
p127	01-Nov-99	17.7	0.2	--	--	--	--	--	--	2430
p127	09-Nov-99	17.4	0.1	--	--	--	--	--	--	2380
p127	16-Nov-99	16.4	0.1	--	--	--	--	--	--	2320
p127	24-Nov-99	15.6	0.2	--	--	--	--	--	--	2240
p127	30-Nov-99	14.2	0.2	--	--	--	--	--	--	2130
p210	02-Nov-99	5.3	0.2	--	--	--	--	--	--	3230
p210	09-Nov-99	5.3	0	--	--	--	--	--	--	3270
p210	16-Nov-99	5.3	0.2	--	--	--	--	--	--	3200
p210	24-Nov-99	5.3	0.2	--	--	--	--	--	--	3550
p210	30-Nov-99	5.1	0.2	--	--	--	--	--	--	3220
p83	02-Nov-99	1.2	1.5	--	--	--	--	--	--	1605
p83	09-Nov-99	1.2	1.5	--	--	--	--	--	--	1605
p83	16-Nov-99	0.9	1.3	--	--	--	--	--	--	1472
p83	24-Nov-99	1.2	1.3	--	--	--	--	--	--	1628
p83	30-Nov-99	1	1.3	--	--	--	--	--	--	1559
p94	11-Nov-99	1.3	0	--	--	--	--	--	--	1030
p96	02-Nov-99	1.5	0.2	--	--	--	--	--	--	1849
p96	09-Nov-99	1.3	0.3	--	--	--	--	--	--	1605
p96	16-Nov-99	1.1	0.4	--	--	--	--	--	--	1449
p96	25-Nov-99	0.8	0.6	--	--	--	--	--	--	1356
p96	30-Nov-99	1	0.5	--	--	--	--	--	--	1335
p98	10-Nov-99	1.5	0.7	--	--	--	--	--	--	1586
p98	16-Nov-99	1.5	0.8	--	--	--	--	--	--	1586
p98	24-Nov-99	2	0.6	--	--	--	--	--	--	2160
p98	30-Nov-99	1.5	0.8	--	--	--	--	--	--	1348

**CROW BUTTE MINE**  
**MONTHLY RESTORATION REPORT**  
**DECEMBER 1999**  
**MINE UNIT 2**

**1. RESTORATION ACTIVITY DURING MONTH:**

	YES	NO	
a. Groundwater Transfer		x	(if yes, complete part 2)
b. Groundwater Sweep		x	(if yes, complete part 3)
c. Groundwater Treatment	x		
d. Wellfield Recirculation		x	
e. Other (explain):	x		Shut in 12/7 through 12/27 for trunkline maintenance

**2. LIST WELLS USED IN GROUNDWATER TRANSFER DURING THE MONTH:**

**3. LIST WELLS USED IN GROUNDWATER SWEEP DURING THE MONTH:**

**4. LIST WELLS SAMPLED DURING MONTH AND ASSAY RESULTS:**

I147P, P83, P98, I175P





**CROW BUTTE MINE**  
**MONTHLY RESTORATION REPORT**  
**JULY 1999**  
**MINE UNIT 3**

**1. RESTORATION ACTIVITY DURING MONTH:**

	YES	NO	
a. Groundwater Transfer		x	(if yes, complete part 2)
b. Groundwater Sweep	x		(if yes, complete part 3)
c. Groundwater Treatment		x	
d. Wellfield Recirculation		x	
e. Other (explain):		x	

**2. LIST WELLS USED IN GROUNDWATER TRANSFER DURING THE MONTH:**

**3. LIST WELLS USED IN GROUNDWATER SWEEP DURING THE MONTH:**

P213, P223, P226, P228, P232, P233, P241, P244, P246, P248, P250, P262

**4. LIST WELLS SAMPLED DURING MONTH AND ASSAY RESULTS:**

P213, P223, P226, P228, P232, P233, P241, P244, P246, P248, P250. Analytical results are listed in Table 1.

**Mine Unit 3 Restoration Data**

<b>WellNum2</b>	<b>Date</b>	<b>U3O8</b>	<b>V</b>	<b>Total CO3</b>	<b>PH</b>	<b>Ca</b>	<b>Na</b>	<b>Cl</b>	<b>SO4</b>	<b>Cond</b>
P213	27-Jul-99	17.1	0.2	-	-	-	-	-	-	5100
P223	27-Jul-99	39.7	0.2	-	-	-	-	-	-	4810
P228	27-Jul-99	32.7	0.7	-	-	-	-	-	-	5270
P228	27-Jul-99	30	0.9	-	-	-	-	-	-	5840
P232	27-Jul-99	34.7	1.3	-	-	-	-	-	-	5670
P233	27-Jul-99	28	0.4	-	-	-	-	-	-	5040
P241	27-Jul-99	51.5	0.7	-	-	-	-	-	-	5370
P244	27-Jul-99	14.9	2	-	-	-	-	-	-	5170
P248	27-Jul-99	10.9	1.5	-	-	-	-	-	-	4540
P248	27-Jul-99	22	1	-	-	-	-	-	-	4440
P250	27-Jul-99	44.5	0.4	-	-	-	-	-	-	5180

**CROW BUTTE MINE**  
**MONTHLY RESTORATION REPORT**  
**AUGUST 1999**  
**MINE UNIT 3**

**I. RESTORATION ACTIVITY DURING MONTH:**

	YES	NO	
a. Groundwater Transfer		x	(if yes, complete part 2)
b. Groundwater Sweep	x		(if yes, complete part 3)
c. Groundwater Treatment	x		
d. Wellfield Recirculation		x	
e. Other (explain):		x	

**2. LIST WELLS USED IN GROUNDWATER TRANSFER DURING THE MONTH:**

**3. LIST WELLS USED IN GROUNDWATER SWEEP DURING THE MONTH:**

P223, P226, P228, P232, P233, P241, P244, P246, P248, P250, P262

**4. LIST WELLS SAMPLED DURING MONTH AND ASSAY RESULTS:**

P213, P223, P226, P228, P232, P233, P241, P244, P246, P248, P250, P262. Analytical results are listed in Table I.



**CROW BUTTE MINE**  
**MONTHLY RESTORATION REPORT**  
**SEPTEMBER 1999**  
**MINE UNIT 3**

**1. RESTORATION ACTIVITY DURING MONTH:**

	YES	NO	
a. Groundwater Transfer		x	(if yes, complete part 2)
b. Groundwater Sweep		x	(if yes, complete part 3)
c. Groundwater Treatment		x	
d. Wellfield Recirculation	x		
e. Other (explain):		x	

**2. LIST WELLS USED IN GROUNDWATER TRANSFER DURING THE MONTH:**

**3. LIST WELLS USED IN GROUNDWATER SWEEP DURING THE MONTH:**

**4. LIST WELLS SAMPLED DURING MONTH AND ASSAY RESULTS:**

P223, P226, P228, P232, P233, P241, P244, P246, P248



**CROW BUTTE MINE**  
**MONTHLY RESTORATION REPORT**  
**OCTOBER 1999**  
**MINE UNIT 3**

**1. RESTORATION ACTIVITY DURING MONTH:**

	YES	NO	
a. Groundwater Transfer		x	(if yes, complete part 2)
b. Groundwater Sweep		x	(if yes, complete part 3)
c. Groundwater Treatment		x	
d. Wellfield Recirculation	x		
e. Other (explain):		x	

**2. LIST WELLS USED IN GROUNDWATER TRANSFER DURING THE MONTH:**

**3. LIST WELLS USED IN GROUNDWATER SWEEP DURING THE MONTH:**

**4. LIST WELLS SAMPLED DURING MONTH AND ASSAY RESULTS:**

P219, P223, P226, P228, P232, P233, P241, P244, P246, P248, P250





**CROW BUTTE MINE**  
**MONTHLY RESTORATION REPORT**  
**NOVEMBER 1999**  
**MINE UNIT 3**

**1. RESTORATION ACTIVITY DURING MONTH:**

	YES	NO	
a. Groundwater Transfer		x	(if yes, complete part 2)
b. Groundwater Sweep	x		(if yes, complete part 3)
c. Groundwater Treatment		x	
d. Wellfield Recirculation	x		
e. Other (explain):		x	

**2. LIST WELLS USED IN GROUNDWATER TRANSFER DURING THE MONTH:**

**3. LIST WELLS USED IN GROUNDWATER SWEEP DURING THE MONTH:**

P213, P219, P228, P232, P233, P241, P244, P246, P248, P250

**4. LIST WELLS SAMPLED DURING MONTH AND ASSAY RESULTS:**

P213, P219, P223, P226, P228, P232, P233, P241, P244, P246, P248, P250

Mine Unit 3 Restoration Data

WellNum2	Date	U308	V	Total CO3	PH	Ca	Na	Cl	SO4	Cond
P213	09-Nov-99	15	0.6	.	.	.	.	.	.	5003
P213	16-Nov-99	13.8	0.7	.	.	.	.	.	.	5070
P213	30-Nov-99	14.1	0.5	.	.	.	.	.	.	5100
P219	02-Nov-99	44.2	0.4	.	.	.	.	.	.	5230
P219	09-Nov-99	20	0.4	.	.	.	.	.	.	5160
P219	16-Nov-99	19.8	0.6	.	.	.	.	.	.	5150
P219	24-Nov-99	32.2	0.3	.	.	.	.	.	.	5140
P219	30-Nov-99	28.7	0.3	.	.	.	.	.	.	5060
P223	01-Nov-99	21.9	0.6	.	.	.	.	.	.	4850
P223	09-Nov-99	36.4	0.6	.	.	.	.	.	.	4680
P223	16-Nov-99	33.8	0.7	.	.	.	.	.	.	4720
P226	02-Nov-99	28.3	0.7	.	.	.	.	.	.	5150
P226	09-Nov-99	28	0.6	.	.	.	.	.	.	5080
P226	16-Nov-99	27.4	0.6	.	.	.	.	.	.	5070
P228	02-Nov-99	20.1	0.7	.	.	.	.	.	.	5400
P228	09-Nov-99	19.5	0.6	.	.	.	.	.	.	5360
P228	16-Nov-99	19.4	0.8	.	.	.	.	.	.	5330
P228	30-Nov-99	17.9	0.7	.	.	.	.	.	.	5300
P232	02-Nov-99	20.5	1.1	.	.	.	.	.	.	5150
P232	09-Nov-99	22.8	0.7	.	.	.	.	.	.	5210
P232	16-Nov-99	24.8	0.9	.	.	.	.	.	.	5180
P232	30-Nov-99	29.3	0.9	.	.	.	.	.	.	5250
P233	02-Nov-99	27.1	0.7	.	.	.	.	.	.	5210
P233	09-Nov-99	26.8	0.4	.	.	.	.	.	.	5140
P233	16-Nov-99	19.7	0.8	.	.	.	.	.	.	5120
P233	30-Nov-99	29.5	0.7	.	.	.	.	.	.	5160
P241	02-Nov-99	27.4	0.3	.	.	.	.	.	.	4960
P241	09-Nov-99	27.5	0.2	.	.	.	.	.	.	4950
P241	16-Nov-99	19.3	1.3	.	.	.	.	.	.	5050
P241	30-Nov-99	27.7	0.4	.	.	.	.	.	.	4840
P244	02-Nov-99	19.8	1.5	.	.	.	.	.	.	5090
P244	09-Nov-99	20	1.3	.	.	.	.	.	.	5040
P244	16-Nov-99	20.9	1.3	.	.	.	.	.	.	5000
P244	16-Nov-99	20.9	1.4	.	.	.	.	.	.	4970
P246	02-Nov-99	8.6	1.2	.	.	.	.	.	.	5030
P246	09-Nov-99	9.2	1.1	.	.	.	.	.	.	5050
P246	16-Nov-99	8.1	1.1	.	.	.	.	.	.	4980
P246	30-Nov-99	6.9	1.2	.	.	.	.	.	.	5000
P248	02-Nov-99	22.1	1.1	.	.	.	.	.	.	4500
P248	09-Nov-99	21	0.8	.	.	.	.	.	.	4380
P248	16-Nov-99	20.3	0.8	.	.	.	.	.	.	4420
P248	30-Nov-99	19	1	.	.	.	.	.	.	4130
P250	02-Nov-99	30.3	0.7	.	.	.	.	.	.	5070
P250	09-Nov-99	29.1	0.6	.	.	.	.	.	.	5050
P250	16-Nov-99	28.8	0.8	.	.	.	.	.	.	5040
P250	30-Nov-99	29.2	0.8	.	.	.	.	.	.	5070

**CROW BUTTE MINE**  
**MONTHLY RESTORATION REPORT**  
**DECEMBER 1999**  
**MINE UNIT 3**

**1. RESTORATION ACTIVITY DURING MONTH:**

	YES	NO	
a. Groundwater Transfer		x	(if yes, complete part 2)
b. Groundwater Sweep	x		(if yes, complete part 3)
c. Groundwater Treatment		x	
d. Wellfield Recirculation	x		
e. Other (explain):	x		Shut in 12/8 through 12/19 for trunkline maintenance

**2. LIST WELLS USED IN GROUNDWATER TRANSFER DURING THE MONTH:**

**3. LIST WELLS USED IN GROUNDWATER SWEEP DURING THE MONTH:**

P213, P219, P228, P232, P233, P241, P244, P246, P248, P250

**4. LIST WELLS SAMPLED DURING MONTH AND ASSAY RESULTS:**

P213, P219, P223, P226, P228, P232, P233, P241, P244, P246, P248, P250



**Appendix J**

**Environmental Air, Gamma Exposure and Sediment Monitoring Results**

**Third and Fourth Quarter, 1999**

Eberline Dosimetry Services  
 7021 Pan American Fwy NE  
 Albuquerque, NM 87109

# TLD ENVIRONMENTAL MONITOR REPORT

(505) 345-9931 Voice (505) 761-5410 Fax  
 (888) 343-8537 Toll-Free

Customer No. 06192  
 Report Date October 13, 1999

Badge No		Dosimeter Readings (mrem)					EXPOSURE PERIOD - 7/1/99 - 10/4/99	
Type	Freq	Chip 1 Identification	Chip 2	Chip 3 Average	Chip 4 ± 2σ	Chip 5 mrem Per Week	Date Issued	Date Annealed
							Date Returned	Date Read
01000		61	54	62	52	60	7/1/99	6/15/99
S	Q	CONTROL		57.8	9.0	3.52	10/7/99	10/8/99
01001		21	23	26	26	29	7/1/99	6/15/99
S	Q	AM-1		25.0	6.2	1.52	10/7/99	10/8/99
01002		25	33	25	34	28	7/1/99	6/15/99
S	Q	AM-2		29.0	8.6	1.77	10/7/99	10/8/99
01003		22	22	26	34	27	7/1/99	6/15/99
S	Q	AM-6		26.2	9.8	1.59	10/7/99	10/8/99
01008		27	25	28	25	25	7/1/99	6/15/99
S	Q	AM-8		26.0	2.8	1.58	10/7/99	10/8/99
01009		25	22	14	34	13	7/1/99	6/15/99
S	Q	AM-3		21.6	17.2	1.31	10/7/99	10/8/99
01010		25	17	32	24	26	7/1/99	6/15/99
S	Q	AM-4		24.8	10.7	1.51	10/7/99	10/8/99
01011		28	28	25	29	28	7/1/99	6/15/99
S	Q	AM-5		27.6	3.0	1.68	10/7/99	10/8/99

Frequency Code  
 W - Weekly  
 B - BiWeekly  
 M - Monthly  
 P - BiMonthly  
 Q - Quarterly  
 S - SemiAnnual  
 A - Annual  
 I - Irregular

Company CROW BUTTE RESOURCES  
 Attention RHONDA GRANTHAM  
 Address P.O. BOX 169

CRAWFORD, NE 69339

Eberline Dosimetry Services  
 7021 Pan American Fwy NE  
 Albuquerque, NM 87109

# TLD ENVIRONMENTAL MONITOR REPORT

(505) 345-9931 Voice (505) 761-5410 Fax  
 (888) 343-8537 Toll-Free

Customer No. 06192  
 Report Date January 25, 2000

Dosimeter Readings (mrem)							Exposure Period 10/4/99-1/4/00	
Badge No	Chip 1	Chip 2	Chip 3	Chip 4	Chip 5	Date Issued	Date Annealed	
Type	Freq	Identification	Average	$\pm 2\sigma$	mrem Per Week	Date Returned	Date Read	
01000	57	39	64	45	56	10/1/99	9/22/99	
S	Q	CONTROL	52.2	20.1	3.10	1/11/00	1/18/00	
01001	21	24	32	31	32	10/1/99	9/22/99	
S	Q	AM-1	28.0	10.3	1.66	1/11/00	1/18/00	
01002	34	32	31	33	31	10/1/99	9/22/99	
S	Q	AM-2	32.2	2.6	1.91	1/11/00	1/18/00	
01003	26	31	31	31	24	10/1/99	9/22/99	
S	Q	AM-6	28.6	6.7	1.70	1/11/00	1/18/00	
01008	31	27	34	33	31	10/1/99	9/22/99	
S	Q	AM-8	31.2	5.4	1.85	1/11/00	1/18/00	
01009	35	36	26	35	30	10/1/99	9/22/99	
S	Q	AM-3	32.4	8.6	1.92	1/11/00	1/18/00	
01010	34	31	34	22	29	10/1/99	9/22/99	
S	Q	AM-4	30.0	9.9	1.78	1/11/00	1/18/00	
01011	31	24	33	40	35	10/1/99	9/22/99	
S	Q	AM-5	32.6	11.7	1.93	1/11/00	1/18/00	

Frequency Code  
 W - Weekly  
 B - BiWeekly  
 M - Monthly  
 P - BiMonthly  
 Q - Quarterly  
 S - SemiAnnual  
 A - Annual  
 I - Irregular

Company CROW BUTTE RESOURCES  
 Attention RHONDA GRANTHAM  
 Address P.O. BOX 169

CRAWFORD, NE 69339






**ENERGY LABORATORIES, INC.**

SHIPPING: 2393 SALT CREEK HIGHWAY • CASPER, WY 82601  
 MAILING: P.O. BOX 3258 • CASPER, WY 82602  
 E-mail: energy@lrlb.com • FAX: (307) 234-1639  
 PHONE: (307) 235-0515 • TOLL FREE: (888) 235-0515

**LABORATORY ANALYSIS REPORT - CROW BUTTE RESOURCES, INC.**

<b>Project:</b>	<b>Annual Stream Sediments</b>
<b>Sample ID:</b>	<b>Sample #1 Stream Sed. S-1</b>
<b>Laboratory ID:</b>	<b>33913-001</b>
<b>Sample Matrix:</b>	<b>Soil</b>
<b>Sample Date:</b>	<b>10-20-99</b>
<b>Date Received:</b>	<b>10-22-99</b>
<b>Report Date:</b>	<b>November 22, 1999</b>

<b>Radiometric</b>	<b>Results</b>	<b>Units</b>	<b>Reporting Limit</b>
<b>Uranium</b>	<b>0.48</b>	<b>pCi/g</b>	<b>0.01</b>
<b>Radium-226</b>	<b>0.37</b>	<b>pCi/g</b>	<b>0.01</b>
<b>Radium Precision ±</b>	<b>0.07</b>		
<b>Lead-210</b>	<b>&lt;0.05</b>	<b>pCi/g</b>	<b>0.05</b>
<b>Lead Precision ±</b>	<b>-</b>		




**ENERGY LABORATORIES, INC.**

SHIPPING: 2393 SALT CREEK HIGHWAY • CASPER, WY 82601  
 MAILING: P.O. BOX 3258 • CASPER, WY 82602  
 E-mail: energy@trib.com • FAX: (307) 234-1639  
 PHONE: (307) 235-0515 • TOLL FREE: (888) 235-0515

**LABORATORY ANALYSIS REPORT - CROW BUTTE RESOURCES, INC.**

Project:	Annual Stream Sediments
Sample ID:	Sample #2 Stream Sed. S-2
Laboratory ID:	33913-002
Sample Matrix:	Soil
Sample Date:	10-20-99
Date Received:	10-22-99
Report Date:	November 22, 1999

Radiometric	Results	Units	Reporting Limit
Uranium	0.71	pCi/g	0.01
Radium-226	0.43	pCi/g	0.01
Radium Precision ±	0.07		
Lead-210	<0.05	pCi/g	0.05
Lead Precision ±	-		



**ENERGY LABORATORIES, INC.**

SHIPPING: 2393 SALT CREEK HIGHWAY • CASPER, WY 82601  
 MAILING: P.O. BOX 3258 • CASPER, WY 82602  
 E-mail: energy@trib.com • FAX: (307) 234-1639  
 PHONE: (307) 235-0515 • TOLL FREE: (888) 235-0515

**LABORATORY ANALYSIS REPORT - CROW BUTTE RESOURCES, INC.**

Project:  
 Sample ID:  
 Laboratory ID:  
 Sample Matrix:  
 Sample Date:  
 Date Received:  
 Report Date:

Annual Stream Sediments
Sample #3 Stream Sed. S-5
33913-003
Soil
10-20-99
10-22-99
November 22, 1999

Radiometric	Results	Units	Reporting Limit
Uranium	0.55	pCi/g	0.01
Radium-226	0.39	pCi/g	0.01
Radium Precision ±	0.07		
Lead-210	<0.05	pCi/g	0.05
Lead Precision ±			



**ENERGY LABORATORIES, INC.**

SHIPPING: 2393 SALT CREEK HIGHWAY • CASPER, WY 82601  
 MAILING: P.O. BOX 3258 • CASPER, WY 82602  
 E-mail: energy@irlb.com • FAX: (307) 234-1639  
 PHONE: (307) 235-0515 • TOLL FREE: (888) 235-0515

**LABORATORY ANALYSIS REPORT - CROW BUTTE RESOURCES, INC.**

<b>Project:</b>	Annual Stream Sediments
<b>Sample ID:</b>	Sample #4 Stream Sed. E-1 & E-2 Composite
<b>Laboratory ID:</b>	33913-004
<b>Sample Matrix:</b>	Soil
<b>Sample Date:</b>	10-20-99
<b>Date Received:</b>	10-22-99
<b>Report Date:</b>	November 22, 1999

Radiometric	Results	Units	Reporting Limit
Uranium	3.70	pCi/g	0.01
Radium-226	0.85	pCi/g	0.01
Radium Precision ±	0.10		
Lead-210	1.40	pCi/g	0.05
Lead Precision ±	0.35		



Billings • Casper • Gillette  
Helena • Rapid City

# ENERGY LABORATORIES, INC.

SHIPPING: 2393 SALT CREEK HIGHWAY • CASPER, WY 82601  
MAILING: P.O. BOX 3258 • CASPER, WY 82602  
E-mail: energy@trib.com • FAX: (307) 234-1639  
PHONE: (307) 235-0515 • TOLL FREE: (888) 235-0515

## LABORATORY ANALYSIS REPORT - CROW BUTTE RESOURCES, INC.

Project:	Annual Stream Sediments
Sample ID:	Sample #5 Stream Sed. E-4
Laboratory ID:	33913-005
Sample Matrix:	Soil
Sample Date:	10-20-99
Date Received:	10-22-99
Report Date:	November 22, 1999

Radiometric	Results	Units	Reporting Limit
Uranium	6.30	pCi/g	0.01
Radium-226	0.64	pCi/g	0.01
Radium Precision ±	0.08		
Lead-210	1.32	pCi/g	0.05
Lead Precision ±	0.34		

**Crow Butte Resources, Inc.  
Crow Butte Uranium Project**

**Track Etch Cup Ambient Radon Concentrations**

*Air Monitoring Station  
No.*

*Period: July 1, 1999 to January 4, 2000*

	Gross Count	Average Radon Concentration (x $10^{-9}$ uCi/ml)	Accuracy (x $10^{-9}$ uCi/ml)	Percent Effluent Concentration
AM-1	87	0.7	0.08	7.0%
AM-2	85	0.7	0.08	7.0%
AM-3	70	0.5	0.06	5.0%
AM-4	87	0.7	0.08	7.0%
AM-5	93	0.8	0.08	8.0%
AM-6	66	0.5	0.06	5.0%
AM-8	67	0.5	0.06	5.0%
AB-3 (AM-3 Duplicate)	63	0.5	0.06	5.0%
AB-6 (AM-6 Duplicate)	58	0.4	0.05	4.0%
LLD (x $10^{-9}$ uCi/ml)				0.2
Effluent Concentration Limit, 10 CFR 20 App B Column 2:				10



Billings • Casper • Gillette  
Helena • Rapid City

# ENERGY LABORATORIES, INC.

SHIPPING: 2393 SALT CREEK HIGHWAY • CASPER, WY 82601

MAILING: P.O. BOX 3258 • CASPER, WY 82602

E-mail: energy@trib.com • FAX: (307) 234-1639

PHONE: (307) 235-0515 • TOLL FREE: (888) 235-0515

## HIGH VOLUME AIR SAMPLING REPORT

CLIENT: CROW BUTTE RESOURCES

REPORT DATE: January 24, 2000

SAMPLE ID: AM #1

Quarter/Date Sampled Air Volume	Radionuclide	Conc. μCi/mL	Error Est. μCi/mL	L.L.D. μCi/mL	Eff. Conc. μCi/mL	Eff. Conc. %
99-20862 01/04/99-03/15/99 Air Volume in mLs 2.09E+09	<sup>235</sup> U	< 1.00E-16	N/A	1.00E-16	9.00E-14	< 1.11E-01
	<sup>226</sup> Ra	< 1.00E-16	N/A	1.00E-16	9.00E-13	< 1.11E-02
	<sup>210</sup> Pb	1.30E-14	5.91E-16	2.00E-15	6.00E-13	2.17E+00
99-30516 04/01/99-06/15/99 Air Volume in mLs 1.98E+09	<sup>235</sup> U	3.57E-16	N/A	1.00E-16	9.00E-14	3.97E-01
	<sup>226</sup> Ra	< 1.00E-16	N/A	1.00E-16	9.00E-13	< 1.11E-02
	<sup>210</sup> Pb	8.78E-15	4.80E-16	2.00E-15	6.00E-13	1.46E+00
33045-001 07/01/99-09/15/99 Air Volume in mLs 1.98E+09	<sup>235</sup> U	1.63E-16	N/A	1.00E-16	9.00E-14	1.81E-01
	<sup>226</sup> Ra	< 1.00E-16	N/A	1.00E-16	9.00E-13	< 1.11E-02
	<sup>210</sup> Pb	1.29E-14	1.97E-15	2.00E-15	6.00E-13	2.15E+00
35160-1 10/04/99-12/15/99 Air Volume in mLs 2.07E+09	<sup>235</sup> U	2.49E-16	N/A	1.00E-16	9.00E-14	2.76E-01
	<sup>226</sup> Ra	8.72E-16	2.29E-16	1.00E-16	9.00E-13	9.69E-02
	<sup>210</sup> Pb	1.49E-14	2.07E-15	2.00E-15	6.00E-13	2.48E+00

Final prep volume is 0.95 liter

LLD's are from Reg. Guide 4.14

\*Effluent Concentration from the NEW 10 CFR Part 20 - Appendix B - Table 2

Year for Natural Uranium

Week for Radium-226

Day for Lead-210



# ENERGY LABORATORIES, INC.

SHIPPING: 2393 SALT CREEK HIGHWAY • CASPER, WY 82601  
 MAILING: P.O. BOX 3258 • CASPER, WY 82602  
 E-mail: energy@trib.com • FAX: (307) 234-1639  
 PHONE: (307) 235-0515 • TOLL FREE: (888) 235-0515

## HIGH VOLUME AIR SAMPLING REPORT

CLIENT: CROW BUTTE RESOURCES

REPORT DATE: January 24, 2000

SAMPLE ID: AM #2

Quarter/Date Sampled Air Volume	Radionuclide	Conc. µCi/mL	Error Est. µCi/mL	L.L.D. µCi/mL	Eff. Conc. µCi/mL	Eff. Conc. %
99-20863 01/04/99-03/15/99 Air Volume in mLs 2.06E+09	<sup>235</sup> U	< 1.00E-16	N/A	1.00E-16	9.00E-14	< 1.11E-01
	<sup>226</sup> Ra	4.15E-16	1.38E-16	1.00E-16	9.00E-13	4.61E-02
	<sup>210</sup> Pb	1.86E-14	6.46E-16	2.00E-15	6.00E-13	3.11E+00
99-30517 04/01/99-06/15/99 Air Volume in mLs 2.01E+09	<sup>235</sup> U	< 1.00E-16	N/A	1.00E-16	9.00E-14	< 1.11E-01
	<sup>226</sup> Ra	< 1.00E-16	N/A	1.00E-16	9.00E-13	< 1.11E-02
	<sup>210</sup> Pb	9.45E-15	4.73E-16	2.00E-15	6.00E-13	1.58E+00
33045-002 07/01/99-09/15/99 Air Volume in mLs 2.01E+09	<sup>235</sup> U	4.82E-16	N/A	1.00E-16	9.00E-14	5.36E-01
	<sup>226</sup> Ra	< 1.00E-16	N/A	1.00E-16	9.00E-13	< 1.11E-02
	<sup>210</sup> Pb	1.42E-14	1.99E-15	2.00E-15	6.00E-13	2.36E+00
35160-2 10/04/99-12/15/99 Air Volume in mLs 2.08E+09	<sup>235</sup> U	4.33E-16	N/A	1.00E-16	9.00E-14	4.81E-01
	<sup>226</sup> Ra	9.59E-16	2.28E-16	1.00E-16	9.00E-13	1.07E-01
	<sup>210</sup> Pb	1.08E-14	1.96E-15	2.00E-15	6.00E-13	1.80E+00

Final prep volume is 0.95 liter

LLD's are from Reg. Guide 4.14

\*Effluent Concentration from the NEW 10 CFR Part 20 - Appendix B - Table 2

Year for Natural Uranium

Week for Radium-226

Day for Lead-210

Path: r:\Reports\Clients\99\Crow\_Butte\Air\4q99.xls

TRACKING NO. PAGE NO.





Billings • Casper • Gillette  
Helena • Rapid City

# ENERGY LABORATORIES, INC.

SHIPPING: 2393 SALT CREEK HIGHWAY • CASPER, WY 82601

MAILING: P.O. BOX 3258 • CASPER, WY 82602

E-mail: energy@lrhb.com • FAX: (307) 234-1639

PHONE: (307) 235-0515 • TOLL FREE: (888) 235-0515

## HIGH VOLUME AIR SAMPLING REPORT

CLIENT: CROW BUTTE RESOURCES

REPORT DATE: January 24, 2000

SAMPLE ID: AM #3

Quarter/Date Sampled Air Volume	Radionuclide	Conc. µCi/mL	Error Est. µCi/mL	L.L.D. µCi/mL	Eff. Conc. µCi/mL	Eff. Conc. %
99-20864 01/04/99-03/15/99 Air Volume in mLs 2.27E+09	<sup>235</sup> U	< 1.00E-16	N/A	1.00E-16	9.00E-14	< 1.11E-01
	<sup>226</sup> Ra	< 1.00E-16	N/A	1.00E-16	9.00E-13	< 1.11E-02
	<sup>210</sup> Pb	1.23E-14	5.44E-16	2.00E-15	6.00E-13	2.05E+00

99-30518 04/01/99-06/15/99 Air Volume in mLs 2.16E+09	<sup>235</sup> U	4.17E-16	N/A	1.00E-16	9.00E-14	4.63E-01
	<sup>226</sup> Ra	4.40E-16	8.80E-17	1.00E-16	9.00E-13	4.89E-02
	<sup>210</sup> Pb	1.50E-14	4.84E-16	2.00E-15	6.00E-13	2.50E+00

33045-003 07/01/99-09/15/99 Air Volume in mLs 2.16E+09	<sup>235</sup> U	1.49E-16	N/A	1.00E-16	9.00E-14	1.66E-01
	<sup>226</sup> Ra	< 1.00E-16	N/A	1.00E-16	9.00E-13	< 1.11E-02
	<sup>210</sup> Pb	1.56E-14	1.89E-15	2.00E-15	6.00E-13	2.60E+00

35160-3 10/04/99-12/15/99 Air Volume in mLs 2.20E+09	<sup>235</sup> U	5.26E-16	N/A	1.00E-16	9.00E-14	5.85E-01
	<sup>226</sup> Ra	4.32E-16	2.16E-16	1.00E-16	9.00E-13	4.80E-02
	<sup>210</sup> Pb	1.61E-14	1.99E-15	2.00E-15	6.00E-13	2.68E+00

Final prep volume is 0.95 liter

LLD's are from Reg. Guide 4.14

\*Effluent Concentration from the NEW 10 CFR Part 20 - Appendix B - Table 2

Year for Natural Uranium

Week for Radium-226

Day for Lead-210

lmh r:\Reports\Clients\99\Crow\_Butte\Air-1q99.xls



Billings • Casper • Gillette  
Helena • Rapid City

# ENERGY LABORATORIES, INC.

SHIPPING: 2393 SALT CREEK HIGHWAY • CASPER, WY 82601  
MAILING: P.O. BOX 3258 • CASPER, WY 82602  
E-mail: energy@trib.com • FAX: (307) 234-1639  
PHONE: (307) 235-0515 • TOLL FREE: (888) 235-0516

## HIGH VOLUME AIR SAMPLING REPORT

CLIENT: CROW BUTTE RESOURCES

REPORT DATE: January 24, 2000

SAMPLE ID: AM #4

Quarter/Date Sampled Air Volume	Radionuclide	Conc. μCi/mL	Error Est. μCi/mL	L.L.D. μCi/mL	Eff. Conc. μCi/mL	Eff. Conc. %
99-20865 01/04/99-03/15/99 Air Volume in mLs 2.14E+09	<sup>235</sup> U	< 1.00E-16	N/A	1.00E-16	9.00E-14	< 1.11E-01
	<sup>226</sup> Ra	< 1.00E-16	N/A	1.00E-16	9.00E-13	< 1.11E-02
	<sup>210</sup> Pb	1.64E-14	6.21E-16	2.00E-15	6.00E-13	2.73E+00
99-30519 04/01/99-06/15/99 Air Volume in mLs 2.05E+09	<sup>235</sup> U	4.08E-16	N/A	1.00E-16	9.00E-14	4.53E-01
	<sup>226</sup> Ra	< 1.00E-16	N/A	1.00E-16	9.00E-13	< 1.11E-02
	<sup>210</sup> Pb	1.31E-14	5.10E-16	2.00E-15	6.00E-13	2.19E+00
33045-004 07/01/99-09/15/99 Air Volume in mLs 2.05E+09	<sup>235</sup> U	2.20E-16	N/A	1.00E-16	9.00E-14	2.44E-01
	<sup>226</sup> Ra	< 1.00E-16	N/A	1.00E-16	9.00E-13	< 1.11E-02
	<sup>210</sup> Pb	1.43E-14	1.95E-15	2.00E-15	6.00E-13	2.39E+00
35160-4 10/04/99-12/15/99 Air Volume in mLs 2.14E+09	<sup>235</sup> U	1.80E-16	N/A	1.00E-16	9.00E-14	2.00E-01
	<sup>226</sup> Ra	< 1.00E-16	N/A	1.00E-16	9.00E-13	< 1.11E-02
	<sup>210</sup> Pb	1.81E-14	2.09E-15	2.00E-15	6.00E-13	3.02E+00

Final prep volume is 0.95 liter

LLD's are from Reg. Guide 4.14

\*Effluent Concentration from the NEW 10 CFR Part 20 - Appendix B - Table 2

Year for Natural Uranium

Week for Radium-226

Day for Lead-210

\\nh r:\Reports\Clients\_99\Crow\_Butte\Air\4q99.xls



# ENERGY LABORATORIES, INC.

SHIPPING: 2393 SALT CREEK HIGHWAY • CASPER, WY 82601  
 MAILING: P.O. BOX 3258 • CASPER, WY 82602  
 E-mail: energy@trib.com • FAX: (307) 234-1639  
 PHONE: (307) 235-0515 • TOLL FREE: (888) 235-0515

## HIGH VOLUME AIR SAMPLING REPORT

CLIENT: CROW BUTTE RESOURCES

REPORT DATE: January 24, 2000

SAMPLE ID: AM #5

Quarter/Date Sampled Air Volume	Radionuclide	Conc. µCi/mL	Error Est. µCi/mL	L.L.D. µCi/mL	Eff. Conc. µCi/mL	Eff. Conc. %
99-20866 01/04/99-03/15/99 Air Volume in mLs 2.07E+09	<sup>nat</sup> U	2.80E-16	N/A	1.00E-16	9.00E-14	3.11E-01
	<sup>226</sup> Ra	< 1.00E-16	N/A	1.00E-16	9.00E-13	< 1.11E-02
	<sup>210</sup> Pb	1.52E-14	5.97E-16	2.00E-15	6.00E-13	2.54E+00
99-30520 04/01/99-06/15/99 Air Volume in mLs 2.04E+09	<sup>nat</sup> U	1.20E-15	N/A	1.00E-16	9.00E-14	1.33E+00
	<sup>226</sup> Ra	3.45E-15	4.19E-16	1.00E-16	9.00E-13	3.83E-01
	<sup>210</sup> Pb	1.40E-14	5.12E-16	2.00E-15	6.00E-13	2.34E+00
33045-005 07/01/99-09/15/99 Air Volume in mLs 2.04E+09	<sup>nat</sup> U	5.68E-16	N/A	1.00E-16	9.00E-14	6.31E-01
	<sup>226</sup> Ra	< 1.00E-16	N/A	1.00E-16	9.00E-13	< 1.11E-02
	<sup>210</sup> Pb	1.52E-14	1.96E-15	2.00E-15	6.00E-13	2.54E+00
35160-5 10/04/99-12/15/99 Air Volume in mLs 2.05E+09	<sup>nat</sup> U	2.82E-16	N/A	1.00E-16	9.00E-14	3.14E-01
	<sup>226</sup> Ra	< 1.00E-16	N/A	1.00E-16	9.00E-13	< 1.11E-02
	<sup>210</sup> Pb	1.67E-14	2.13E-15	2.00E-15	6.00E-13	2.78E+00

Final prep volume is 0.95 liter

LLD's are from Reg. Guide 4.14

\*Effluent Concentration from the NEW 10 CFR Part 20 - Appendix B - Table 2

Year for Natural Uranium

Week for Radium-226

Day for Lead-210

\\mh r:\Reports\Clients\99\Crow\_Butte\Air\4q99.xls



Billings • Casper • Gillette  
Helena • Rapid City

# ENERGY LABORATORIES, INC.

SHIPPING: 2393 SALT CREEK HIGHWAY • CASPER, WY 82601  
MAILING: P.O. BOX 3258 • CASPER, WY 82602  
E-mail: energy@trib.com • FAX: (307) 234-1639  
PHONE: (307) 235-0515 • TOLL FREE: (888) 235-0515

## HIGH VOLUME AIR SAMPLING REPORT

CLIENT: CROW BUTTE RESOURCES

REPORT DATE: January 24, 2000

SAMPLE ID: AM #6

Quarter/Date Sampled Air Volume	Radionuclide	Conc. µCi/mL	Error Est. µCi/mL	L.L.D. µCi/mL	Eff. Conc. µCi/mL	Eff. Conc. %
99-20867 01/04/99-03/15/99 Air Volume in mLs 2.08E+09	<sup>238</sup> U	< 1.00E-16	N/A	1.00E-16	9.00E-14	< 1.11E-01
	<sup>226</sup> Ra	< 1.00E-16	N/A	1.00E-16	9.00E-13	< 1.11E-02
	<sup>210</sup> Pb	1.68E-14	5.94E-16	2.00E-15	6.00E-13	2.79E+00
99-30521 04/01/99-06/15/99 Air Volume in mLs 1.97E+09	<sup>238</sup> U	2.29E-16	N/A	1.00E-16	9.00E-14	2.54E-01
	<sup>226</sup> Ra	7.23E-16	9.64E-17	1.00E-16	9.00E-13	8.04E-02
	<sup>210</sup> Pb	1.13E-14	4.82E-16	2.00E-15	6.00E-13	1.89E+00
33045-006 07/01/99-09/15/99 Air Volume in mLs 1.97E+09	<sup>238</sup> U	< 1.00E-16	N/A	1.00E-16	9.00E-14	< 1.11E-01
	<sup>226</sup> Ra	< 1.00E-16	N/A	1.00E-16	9.00E-13	< 1.11E-02
	<sup>210</sup> Pb	1.74E-14	2.07E-15	2.00E-15	6.00E-13	2.90E+00
35160-6 10/04/99-12/15/99 Air Volume in mLs 2.08E+09	<sup>238</sup> U	1.18E-15	N/A	1.00E-16	9.00E-14	1.31E+00
	<sup>226</sup> Ra	< 1.00E-16	N/A	1.00E-16	9.00E-13	< 1.11E-02
	<sup>210</sup> Pb	1.61E-14	2.10E-15	2.00E-15	6.00E-13	2.69E+00

Final prep volume is 0.95 liter

LLD's are from Reg. Guide 4.14

\*Effluent Concentration from the NEW 10 CFR Part 20 - Appendix B - Table 2

Year for Natural Uranium

Week for Radium-226

Day for Lead-210

link r:\Reports\Clients\99\Crow\_Butte\Air4q99.xls



Billings • Casper • Gillette  
Helena • Rapid City

# ENERGY LABORATORIES, INC.

SHIPPING: 2393 SALT CREEK HIGHWAY • CASPER, WY 82601

MAILING: P.O. BOX 3258 • CASPER, WY 82602

E-mail: energy@arb.com • FAX: (307) 234-1639

PHONE: (307) 235-0515 • TOLL FREE: (888) 235-0515

## HIGH VOLUME AIR SAMPLING REPORT

CLIENT: CROW BUTTE RESOURCES

REPORT DATE: January 24, 2000

SAMPLE ID: AM #8

Quarter/Date Sampled Air Volume	Radionuclide	Conc. $\mu\text{Ci/mL}$	Error Est. $\mu\text{Ci/mL}$	L.L.D. $\mu\text{Ci/mL}$	Eff. Conc. $\mu\text{Ci/mL}$	Eff. Conc. %
99-20868 01/04/99-03/15/99 Air Volume in mLs 2.07E+09	$^{238}\text{U}$	< 1.00E-16	N/A	1.00E-16	9.00E-14	< 1.11E-01
	$^{226}\text{Ra}$	< 1.00E-16	N/A	1.00E-16	9.00E-13	< 1.11E-02
	$^{210}\text{Pb}$	1.50E-14	5.97E-16	2.00E-15	6.00E-13	2.49E+00
99-30522 04/01/99-06/15/99 Air Volume in mLs 2.05E+09	$^{238}\text{U}$	1.29E-15	N/A	1.00E-16	9.00E-14	1.43E+00
	$^{226}\text{Ra}$	7.14E-15	5.56E-16	1.00E-16	9.00E-13	7.93E-01
	$^{210}\text{Pb}$	1.21E-14	5.10E-16	2.00E-15	6.00E-13	2.02E+00
33045-007 07/01/99-09/15/99 Air Volume in mLs 2.06E+09	$^{238}\text{U}$	2.19E-16	N/A	1.00E-16	9.00E-14	2.43E-01
	$^{226}\text{Ra}$	< 1.00E-16	N/A	1.00E-16	9.00E-13	< 1.11E-02
	$^{210}\text{Pb}$	1.09E-14	1.84E-15	2.00E-15	6.00E-13	1.82E+00
35160-7 10/04/99-12/15/99 Air Volume in mLs 2.05E+09	$^{238}\text{U}$	1.57E-16	N/A	1.00E-16	9.00E-14	1.75E-01
	$^{226}\text{Ra}$	< 1.00E-16	N/A	1.00E-16	9.00E-13	< 1.11E-02
	$^{210}\text{Pb}$	1.03E-14	1.95E-15	2.00E-15	6.00E-13	1.72E+00

Final prep volume is 0.95 liter

LLD's are from Reg. Guide 4.14

\*Effluent Concentration from the NEW 10 CFR Part 20 - Appendix B - Table 2

Year for Natural Uranium

Week for Radium-226

Day for Lead-210

\\nh r:\Reports\Clients\99\Crow Butte\Air\1q\99.xls