

Entergy Nuclear Generation Company

Pilgrim Nuclear Power Station 600 Rocky Hill Road Plymouth, MA 02360

J. F. Alexander
Director
Nuclear Assessment

ENV 1.00.005 March 16, 2000

Water Technical Unit (SEW) U.S. Environmental Protection Agency P.O. Box 8127 Boston, MA 02114-8127

Massachusetts Dept. of Environmental Protection Southeast Regional Office 20 Riverside Drive Lakeville, MA 02347

Discharge Monitoring Report

Dear Sirs:

Enclosed is the Discharge Monitoring Report for Pilgrim Nuclear Power Station (PNPS), NPDES permit number MA0003557 (Federal) and number 359 (State).

The period covered by this report is February 2000.

Should you have any questions on this report, please direct them to our Principal Marine Biologist, Mr. Robert Anderson, at (508) 830-7935.

Sincerely,

RDA/vc

Attachments: 1. Summary

2. Discharge Monitoring Report

cc: U. S. Nuclear Regulatory Commission

Senior NRC Resident Inspector Document Control Desk Washington, DC 20555

Senior Resident Inspector Pilgrim Nuclear Power Station

U. S. Nuclear Regulatory Commission 475 Allendale Road Region I

King of Prussia, PA 19406

500006

IE25

ATTACHMENT 1 TO ENV LETTER 1.00-005

SUMMARY

PILGRIM I DISCHARGE MONITORING REPORT

In accordance with the Federal Clean Water Act, as amended (33USC 1251 et seq: the "CWA"), and the Massachusetts Clean Water Act, as amended (M.G.L.; Chap. 21, 26-53), regarding effluent limitations, monitoring requirements and other conditions set forth in the Pilgrim NPDES permit (Federal Permit Number MA0003557, and State Permit Number 359), Parts I and II, the following information is submitted for the period February 2000.

I. <u>Discharge Points Covered in this Report</u>

Discharge Point Olimination Discharge Identification Olimination Ontrol Olimination Olimination Ontrol Olimination Olimination Ontrol Olimination Oli

Makeup Water and Demineralizer Waste Discharge

II. Summary and Notes of Discharge Report

011

- A. The flows at points 001 and 010 are calculated from system pump capacity and are equal to the total for all pumps in each system running at full capacity for a 24-hour period. The flow at 011 is measured by noting sump levels before and after discharge. Flow at point 002 is a conservative figure obtained by calculating flow if backwashing took place for 24 hours. Flows at points 003 and 008 are calculated from system pump capacity and mean operating time.
- B. The temperatures at points 001 and 002 are measured by resistance temperature detectors (RTD's).
- C. Periodically, total residual chlorine (TRC) concentration in the service cooling water (010) exceeds permit requirements (0.50 ppm daily average TRC and 1.00 ppm daily maximum TRC) prior to mixing with any other stream, primarily because of the number of service water pumps in operation. Chlorine injection levels are lowered as a corrective measure. The dilution provided by the PNPS circulating water flow keeps total residual chlorine concentrations discharged to Cape Cod Bay below the NPDES permit limit of 0.1 ppm.
- D. For stormwater outfalls 004, 005, 006 and 007, samples are collected by grab sampling. Samples are handled and stored in accordance with 40 CFR 136. No additional inputs to these stormwater outfalls occur downstream of the sampling locations.

- E. Intake traveling water screens were operated without dechlorination pumps on one occasion in February. On February 2, 2000, a dechlorination pump did not operate for a period of time due to an equipment problem which has since been identified. An inspection of the intake area revealed no environmental effects.
- F. No sawdust was applied to seek and seal PNPS condenser leaks in February 2000.
- G. Boron and sodium nitrite discharges (ppm) did not occur in February 2000 from discharge point #001.

Date Discharged Gallons Discharged Concentration
Before Discharge

Concentration Discharged

Boron

None

Sodium Nitrite

None

ATTACHMENT 2 to ENV LETTER 1.00-005

DISCHARGE MONITORING REPORT

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR) PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different) Form Approved. NAME OMB No. 2040-0004 ENTERGY NUCLEAR GENERATION CO MAJOR Approval expires 05-31-98 ADDRESS PILGRIM NUCLEAR POWER STATION M&0003557 001 (SUBR S) PERMIT NUMBER DISCHARGE NUMBER 600 ROCKY HILL ROAD F - FINAL PLYNCUTH MA 02360 CONDENSER COOLING WATER MONITORING PERIOD **FACILITY** FILGRIM NUCLEAR POWER STATION YEAR MO DAY YEAR MO DAY LOCATION PLYMOUTH **FROM** ~ 00 0.2 01 MA 02360 00 *** NO DISCHARGE | ™ | *** NOTE: Read instructions before completing this form. (20-21) (22-23) (24-25) (26-27) (28-29) (30-31) ATTN: WILLIAM J. DICROCE QUANTITY OR LOADING QUANTITY OR CONCENTRATION (3 Card Only) (4 Card Only) FREQUENCY PARAMETER NO. SAMPLE (46-53)(54-61) (38-45) (46-53)(54-61) OF ... EX. TYPE (32-37) ANALYSIS MINIMUM **AVERAGE MAXIMUM** UNITS **AVERAGE** MAXIMUM UNITS (62-63) (64-68) (69-70)SAMPLE **** **** TEMPERATURE, WATER **** **** 15) MEASUREMENT DEG. FAHRENHEIT OF PERMIT 00011 1 0 0 ***** **** *** **** **** 102 CONTINECOED REQUIREMENT EFFLUENT GROSS VALU *** D.A. ISLAY DEG. DOUS SAMPLE *** **** OXIDANTS. TOTAL *** 19) 0.02 01 O I MEASUREMENT RESIDUAL MG/C PERMIT 34044 1 0 0 **** **** 0.1 **** *** 0.1 HEN GRAB REQUIREMENT EFFLUENT GROSS VALUE *** MO AVG DATLY MY MG/L DISCH SAMPLE FLOW, IN CONDUIT OR 446.4 (03)**** **** *** MEASUREMENT THRU TREATMENT PLAN MED PERMIT 447.0 50050 1 510.0 **** **** *** *** ESTIM REQUIREMENT EFFLUENT GROSS VALU HC AVG DATLY MX *** MGD UOUS SAMPLE **** **** DIFF. BETHEEN *** 15) MEASUREMENT INTAKE AND DISCHARG PERMIT 61576 1 0 **** **** *** *** **** 32 CALCT REQUIREMENT EFFLUENT GROSS VALU *** DEG. DAILY MX UOUS SAMPLE Section 1 **MEASUREMENT** PERMIT REQUIREMENT SAMPLE MEASUREMENT PERMIT REQUIREMENT SAMPLE **MEASUREMENT** PERMIT REQUIREMENT NAME/TITLE PRINCIPAL EXECUTIVE OFFICER I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND **TELEPHONE** DATE AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PLANT MANAGER

TYPED OR PRINTED

PH SHALL NOT VARY MORE THAN 0.5 PH STANDARD UNITS FROM INTAKE WATER. SEE PERMIT PAGE 5 PARAGRAPHS MEN FOR BORON AND SODIUM NITRATE REPORTING REQUIREMENTS. ATTACH ALL RELATED REPORTS TO THIS FORM. A BARRIER

and or maximum imprisonment of between 6 months and 5 years.)

TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING

THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. 1 1001 AND 33

U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000

YEAR

PAGE

ÍNATURE OF PRINCIPAL EXECUTIVE

OFFICER OR AUTHORIZED AGENT

MO

DAY

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different) NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) Form Approved. DISCHARGE MONITORING REPORT (DMR) ENTERGY NUCLEAR GENERATION CO MAJOR OMB No. 2040-0004 (2-16) (17-19) Approval expires 05-31-98 ADDRESS PILGRIM NUCLEAR FOWER STATION MA0003557 002 1 (SUBR 5) 600 ROCKY HILL ROAD PERMIT NUMBER DISCHARGE NUMBER F - FINAL PLYMOUTH MA 02360 THERMAL BACKWASH MONITORING PERIOD FACILITY FILGRIM NUCLEAR POWER STATION YEAR MO DAY YEAR MO DAY LOCATION PLYNCUTH MA 02360 *** NO DISCHARGE | * + ** FROM UΖ UΙ TO UŪ 29 ATTN: WILLIAM J. DICROCE NOTE: Read instructions before completing this form. (20-21) (22-23) (24-25) (26-27) (28-29) (30-31) QUANTITY OR LOADING (3 Card Only) (4 Card Only) QUANTITY OR CONCENTRATION FREQUENCY **PARAMETER** NO. SAMPLE (46-53)(54-61) (38-45)(46-53)(54-61)EX (32-37) **TYPE** ANALYSIS **AVERAGE MAXIMUM** UNITS MINIMUM **AVERAGE** MAXIMUM UNITS (62-63) (64-68)(69-70) TEMPERATURE, WATER *** **** **** **** SAMPLE 15) MEASUREMENT DEG. FAHRENHEIT OF 00011 1 0 0 *** ***** PERMIT **** *** 120 RCORD EFFLUENT GROSS VALUEREQUIREMENT *** DAILY MX DEG.F uous FLOW, IN CONDUIT OR SAMPLE **** *** *** **** (03) THRU TREATMENT PLANTMEASUREMENT 50050 1 0 0 *** PERMIT *** **** **** *** ESTIB. HEN EFFLUENT GROSS VALUEREQUIREMENT *** DAILY MX MGD DISCHR SAMPLE MEASUREMENT PERMIT REQUIREMENT SAMPLE MEASUREMENT 7. PERMIT REQUIREMENT SAMPLE MEASUREMENT PERMIT REQUIREMENT SAMPLE MEASUREMENT PERMIT REQUIREMENT SAMPLE MEASUREMENT PERMIT REQUIREMENT NAME/TITLE PRINCIPAL EXECUTIVE OFFICER I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND TELEPHONE' DATE AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR W.J. DCCROCE OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING PLANT MANAGER 508,830-8100 03 THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. \$ 1001 AND 33 SIGNATURE OF PRINCIPAL EXECUTIVE U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 NUMBER and or maximum imprisonment of between 6 months and 5 years.) ØFFICER OR AUTHORIZED AGENT YEAR MO DAY COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

THE PH SHALL NOT VARY MORE THAN 0.5 STANDARD UNITS FROM THAT OF THE INTAKE WATER. FLOW RATE IS TO BE MATED AS IF BACKFLUSHING TOOK PLACE FOR 24 CONTINOUS HOURS. SEE PERMIT PAGE 8 FOR CONDITIONS REGARDING TH E FREQUENCY OF DISCHARGE.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)
(2-16) (17-19) Form Approved. PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different) OMB No. 2040-0004 MAJOR ENTERGY NUCLEAR GENERATION CO Approval expires 05-31-98 ADDRESS PILGRIM NUCLEAR POWER STATION MA0003557 003 A (SUER 5) DISCHARGE NUMBER F - FINAL 600 ROCKY HILL ROAD PERMIT NUMBER MA 02360 PLYMOUTH INTAKE SCREEN - WASH MONITORING PERIOD FACILITY PILGRIH NUCLEAR POWER STATION YEAR MO DAY YEAR! MO *** NO DISCHARGE | LOCATION PINMONTH MA 02360 00 02 UI υυ FROM TO NOTE: Read instructions before completing this form. ATTN: WILLIAM J. DICROCE (26-27) (28-29) (30-31) (20-21) (22-23) (24-25) QUANTITY OR CONCENTRATION (3 Card Only) QUANTITY OR LOADING NO. FREQUENCY (4 Card Only) SAMPLE **PARAMETER** (46-53) (38-45) (46-53)(54-61)(54-61) TYPE (32-37) ANALYSIS **AVERAGE MAXIMUM UNITS** MINIMUM **AVERAGE MAXIMUM** UNITS (62-63) (64-68) (69-70)(03)**** *** *** FLOW, IN CONDUIT OR SAMPLE THRU TREATMENT PLANTMEASUREMENT MGD 4.1 4.1 **** *** ***** ¢≎≎ estim 50050 1 0 1 DAILY PERMIT EFFLUENT GROSS VALUEREQUIREMENT *** MC AVG DAILY MX MGD SAMPLE MEASUREMENT PERMIT REQUIREMENT SAMPLE MEASUREMENT PERMIT REQUIREMENT SAMPLE **MEASUREMENT** PERMIT REQUIREMENT SAMPLE MEASUREMENT PERMIT REQUIREMENT SAMPLE MEASUREMENT PERMIT REQUIREMENT SAMPLE MEASUREMENT PERMIT REQUIREMENT I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND **TELEPHONE** NAME/TITLE PRINCIPAL EXECUTIVE OFFICER DATE AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR W.J. DICROCE OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING PLANT MANAGER THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. \$ 1001 AND 33 TURE OF PRINCIPAL EXECUTIVE U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 NUMBER YEAR MO DAY FFICER OR AUTHORIZED AGENT and or maximum imprisonment of between 6 months and 5 years.) COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here) THE TEMPERATURE OF THIS DISCHARGE SHALL AT NO TIME EXCEED THE TEMPERATURE OF THE INTAKE WATER.

ALL FISH SHELLFISH AND OTHER ORGANISMS COLLECTED OR TRAPPED ON INTAKE SCREEN SHOULD BE RETURNED TO WATER OF AMBIENT TEMP. SUFFICIENTLY DISTAN FORM INTAKE STRUCTURES TO PREVENT REIMPINGEMENT.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR) PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different) Form Approved. ENTERGY NUCLEAR GENERATION CO OMB No. 2040-0004 MAJOR (2-16) (17-19)Approval expires 05-31-98 ADDRESS PILGRIM NUCLEAR POWER STATION MA0003557 008 A (SUBR S) 600 ROCKY HILL ROAD F - FINAL PERMIT NUMBER DISCHARGE NUMBER PLYMOUTH MA 02360 SEA FOAM SUPRESSION DISCHARGE MONITORING PERIOD FACILITY PILGRIM NUCLEAR POWER STATION MO DAY YEAR MO DAY *** NO DISCHARGE LOCATION PLYMOUTH MA 02360 - 00 UΖ FROM TO ATTN: WILLIAM J. DICROCE NOTE: Read instructions before completing this form. A (20-21) (22-23) (24-25) (26-27) (28-29) (30-31) QUANTITY OR LOADING QUANTITY OR CONCENTRATION (3 Card Only) 14 Card Only) NO. FREQUENCY **PARAMETER** SAMPLE (54-61) (46-53)(54-61)(38-45)(46-53)EX TYPE (32-37) ANALYSIS **AVERAGE MAXIMUM** UNITS MINIMUM **AVERAGE MAXIMUM** UNITS (62-63 (64-68) (69-70)FLOW, IN CONDUIT OR SAMPLE *** なななななな (03)*** THRU TREATMENT PLANTMEASUREMENT MGD 50050 1 0 PERMIT 0.73 0.73 **** *** *** **** ESTIM DATLY EFFLUENT GROSS VALUEREQUIREMENT MC AVG DAILY MX MGD *** SAMPLE MEASUREMENT PERMIT REQUIREMENT SAMPLE **MEASUREMENT** PERMIT REQUIREMENT NAME/TITLE PRINCIPAL EXECUTIVE OFFICER I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND **TELEPHONE** DATE AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON W.J. DCCROCE PLANT MANAGER MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT, SEE 18 U.S.C. \$ 1001 AND 33 SIGNATURE OF PRINCIPAL EXECUTIVE U.S.C. § 1319. (Penelties under these statutes may include fines up to \$10,000 TYPED OR PRINTED **NUMBER** YEAR and or maximum imprisonment of between 6 months and 5 years.) OFFICER OR AUTHORIZED AGENT MO COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different) NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) Form Approved. DISCHARGE MONITORING REPORT (DMR) NAME ENTERGY NUCLEAR GENERATION CO MAJOR OMB No. 2040-0004 (2-16) Approval expires 05-31-98 ADDRESS PILGRIM NUCLEAR POWER STATION MA0003557 010 A (SUBR S) 600 ROCKY HILL ROAD PERMIT NUMBER DISCHARGE NUMBER F - FINAL PLYMOUTH MA 02360 PLANT SERVICE COOLING WATER MONITORING PERIOD FACILITY PILGRIM NUCLEAR POWER STATION МО DAY YEAR MO DAY LOCATION PLYNCUTH MA 02360 *** NO DISCHARGE | *** UI 23 FROM TO ATTN: WILLIAM J. DICROCE NOTE: Read instructions before completing this form. (20-21) (22-23) (24-25) (26-27) (28-29) (30-31) QUANTITY OR LOADING QUANTITY OR CONCENTRATION (3 Card Only) (4 Card Only) FREQUENCY NO. **PARAMETER** SAMPLE (54-61) (38-45) (46-53)(46-53)(54-61)EX (32-37)TYPE ANALYSIS **AVERAGE** MAXIMUM UNITS MINIMUM UNITS AVERAGE: **MAXIMUM** (62-63) (64-68) (69-70)*** **** *** OXIDANTS. TOTAL SAMPLE 19) MEASUREMENT RESIDUAL MG/C 34044 *** **** *** 1 PERMIT *** 0.5 1.0 CONTINECOED. EFFLUENT GROSS VALUEREQUIREMENT *** MO AVG DAILY MX MG/L UOUS FLOW, IN CONDUIT OR **** *** **** **** SAMPLE (03)THRU TREATMENT PLANTMEASUREMENT 50050 1 19.4 **** 0 PERMIT **** **** ***** *** ESTIM EFFLUENT GROSS VALUEREQUIREMENT NO AVG MGD *** OOUS SAMPLE MEASUREMENT PERMIT REQUIREMENT SAMPLE MEASUREMENT 14 PERMIT REQUIREMENT in est SAMPLE 1. A MEASUREMENT PERMIT REQUIREMENT SAMPLE MEASUREMENT PERMIT REQUIREMENT SAMPLE MEASUREMENT PERMIT REQUIREMENT NAME/TITLE PRINCIPAL EXECUTIVE OFFICER I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND **TELEPHONE** DATE I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING W. J. Di CROCE PLANT MANAGER 508 230-8100 03 THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. \$ 1001 AND 33 ATURE OF PRINCIPAL EXECUTIVE U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 TYPED OR PRINTED NUMBER FICER OR AUTHORIZED AGENT YEAR MO DAY and or maximum imprisonment of between 6 months and 5 years.)

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

CONTINOUS CHLORINATION OF SERVICE WATER SYSTEM MAY BE USED FOR MACROINVERTEBRATE CONTROL. FLOW RATE SHAL L BE ESTIMATED FROM PUMP CAPACITY CURVES AND OPERATIONAL HOURS.

00058/000112-1043

PERMITTEE NAME/ADDRESS (Include Facility Name/Location of Different) NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR) Form Approved. NAME ENTERGY NUCLEAR GENERATION CO OMB No. 2040-0004 MAJOR (2-16) (17-19) Approval expires 05-31-98 ADDRESS PILGRIM NUCLEAR POWER STATION MA0003557 (SUBR S) 011 A PERMIT NUMBER 600 ROCKY HILL ROAD DISCHARGE NUMBER F - FINAL PLYMOUTH MA 02360 MAKE UP WATER AND DEMINERALIZE MONITORING PERIOD FACILITY PILGRIM NUCLEAR POWER STATION MO DAY YEAR MO DAY LOCATION PLYMOUTH *** NO DISCHARGE IN *** NA 02360 FROM UΖ OΙ 00 ATTN: NILLIAM J. DICROCK NOTE: Read instructions before completing this form. (20-21) (22-23) (24-25) (26-27) (28-29) (30-31) (3 Card Only) QUANTITY OR LOADING (4 Card Only) QUANTITY OR CONCENTRATION FREQUENCY NO. **PARAMETER** SAMPLE (46-53)(54-61)" (38-45) (46-53)(54-61) EX (32-37)TYPE **ANALYSIS AVERAGE** MAXIMUM UNITS MINIMUM **AVERAGE MAXIMUM** UNITS (62-63) (64-68) (69-70)SOLIDS, TOTAL *** SAMPLE *** *** 19 MEASUREMENT SUSPENDED MG/L 00530 1 0 **** PERMIT 22222 **** 30 100 ONCE/ GRAB EFFLUENT GROSS VALUEREQUIREMENT *** MO AVG DAILY #X MG/L BATCH FLOW, IN CONDUIT OR SAMPLE (03) **** **** **** THRU TREATMENT PLANTMEASUREMENT MGD 50050 1 0 0 PERMIT 0.015 0.06 **** *** **** *** ESTIM EFFLUENT GROSS VALUEREQUIREMENT MC AVG DAILY MX MGD *** DISCHR SAMPLE MEASUREMENT PERMIT REQUIREMENT SAMPLE MEASUREMENT ACTES Contract PERMIT REQUIREMENT SAMPLE MEASUREMENT PERMIT REQUIREMENT SAMPLE MEASUREMENT PERMIT

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

W.J.DICROCE PLANT MANAGER TYPED OR PRINTED I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS: IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. \$ 1001 AND 33 U.S.C. \$ 1318. (Penalties under these statutes may include fines up to \$10,000 and or maximum imprisonment of between 6 months and 5 years.)

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

00070/000112-1043

TELEPHONE DATE

508 830-8100 00 03 16

AREA NUMBER YEAR MO DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

SAMPLE
SAMPLE
MEASUREMENT
PERMIT
REQUIREMENT

SEE PAGE 5 OF PERMIT PARAGRAPH N FOR SODIUM NITRATE REPORTING REQUIERMENTS. ATTACH ALL RELATED REPORTS TO THIS FORM