U.S. NUCLEAR REGULATORY COMMISSION

APPROVED BY OMB 3150-0027 EXPIRES 12-31-90

APPLICATION FOR LICENSE TO EXPORT NUCLEAR MATERIAL AND EQUIPMENT (See Instructions on Reverse)

. APPLICANT'S . DATE OF APPLICATION									
USE 2 24 00	D. APPLICAN	T'S REFERENCE	2. NRC USE	100	5193	b.	XCOM	1136	2
APPLICANT'S NAME AND ADDRESS			4. SUPPLIE	R'S NAME A	ND ADDRES	S (====================================	RIS		
Wah Chang	J		(Complete	e if applicant is	not supplier of	materiai)	·		
1600 Old Salem Rd NE, P.C	. Box 4	60	a. NAME						
city Albany	STATE Z	1P CODE 97321	b. STREET	ADDRESS	;				
S. TELEPHONE NUMBER (Area Code - Number -	- Extension)		c. CITY			s	STATE ZIP	CODE	1
541-917-6712 5. FIRST SHIPMENT 6. FINAL SHIPME	-117 4001	TO ANT'S CONTE	PACTUALIS	PROPOSED	LICENSE	9. U.S. D	EPARTMEN'	T OF EN	ERGY
SCHEDULED SCHEDULED		IVERY DATE	ACTOAL	EXPIRATION	ON DATE		RACT NO. (
May 2000 Nov 2000									
O. ULTIMATE CONSIGNEE	RIS	\$4° \$0.70 4.85	11. ULTIM	ATE END US	E	i			
a. NAME	•		l	plant or facilit			•		1
Atucha I			Conua	ar Combus	stibles	will s	end the	se	1
b. STREET ADDRESS Casilla de Correo 20, 280	na T.ima		tubes	to Arge	entina's	Atuch	a I read	ctor.	1
c. CITY - STATE - COUNTRY	O DING		1	-					
Provincia de Buenos Aires	s, Araen	ntina	11a. EST.	DATE OF FIR	RST USE				
12. INTERMEDIATE CONSIGNEE	RIS		13. INTER	MEDIATE EN	ND USE	3		e, e	
a. NAME									
Conuar Combustibles Nucle	eares Ar	gentinos	4						
b. STREET ADDRESS Centro Atomio	co de Ez	elza CD 1904)							
Partido de Esteban, Echev	verria (CP 16047	1						
Buenos Aires 01000 AR			13a. EST.	DATE OF FIF	RST USE				
14. INTERMEDIATE CONSIGNEE		W. C. W. C. S. C.					14. W. 270	200	
14. INTERMEDIATE CONSIGNEE	RIS		15. INTER	RMEDIATE E	ND USE	L	7. 15 S.	Carlo Carlo Carlo	namen mengapan d
a. NAME	RIS		15. INTER	RMEDIATE EI	ND USE	L			
a. NAME	RIS		15. INTER	RMEDIATE EI	ND USE	Ľ			
	RIS		15. INTER	RMEDIATE EI	ND USE	Ľ			
a. NAME	RIS			DATE OF FII	RST USE		2 tt		
a. NAME b. STREET ADDRESS c. CITY – STATE – COUNTRY 16. 17. DE (Include chemical and physical for	ESCRIPTION		15a. EST.	DATE OF FII	RST USE , ELEMENT		2 tt	оторе нт О	
a. NAME b. STREET ADDRESS c. CITY – STATE – COUNTRY 16. NRC (Include chemical and physical for nuclear equipment and componen	ESCRIPTION		15a. EST.	DATE OF FII	RST USE , ELEMENT	19. MAX.	20.MAX. IS	оторе нт С	21.
a. NAME b. STREET ADDRESS c. CITY - STATE - COUNTRY 16.	ESCRIPTION m of nuclear n	l naterial; give dollar	15a. EST.	DATE OF FII	RST USE , ELEMENT	19. MAX.	20.MAX. IS WEIS	DTOFF OF IV	21.
a. NAME b. STREET ADDRESS c. CITY – STATE – COUNTRY 16. NRC Include chemical and physical for nuclear equipment and componen	ESCRIPTION m of nuclear n	l naterial; give dollar	15a. EST.	DATE OF FII	RST USE , ELEMENT	19. MAX.	20. MAX. IS WEE 20. MAX. IS	оторе нт С	21.
a. NAME b. STREET ADDRESS c. CITY - STATE - COUNTRY 16.	ESCRIPTION m of nuclear n	l naterial; give dollar	15a. EST.	DATE OF FII	RST USE , ELEMENT	19. MAX.	20. MAX. IS WEE 20. MAX. IS	DANIED FOR	21.
a. NAME b. STREET ADDRESS c. CITY - STATE - COUNTRY 16.	ESCRIPTION m of nuclear n	l naterial; give dollar	15a. EST.	DATE OF FII	RST USE , ELEMENT	19. MAX.	20.MAX. IS WEIS	DTOFF OF IV	21.
a. NAME b. STREET ADDRESS c. CITY - STATE - COUNTRY 16.	ESCRIPTION m of nuclear n	l naterial; give dollar	15a. EST.	DATE OF FII	RST USE , ELEMENT	19. MAX.	20. MAX. IS WEE 20. MAX. IS	DANIED FOR	21.
a. NAME b. STREET ADDRESS c. CITY - STATE - COUNTRY 16.	ESCRIPTION m of nuclear n	l naterial; give dollar	15a. EST.	DATE OF FII	RST USE , ELEMENT	19. MAX.	20. MAX. IS WEE 20. MAX. IS	DANIED FOR	21.
a. NAME b. STREET ADDRESS c. CITY - STATE - COUNTRY 16.	ESCRIPTION m of nuclear n	l naterial; give dollar	15a. EST.	DATE OF FII	RST USE , ELEMENT	19. MAX.	20. MAX. IS WEE 20. MAX. IS	DANIED FOR	21.
a. NAME b. STREET ADDRESS c. CITY - STATE - COUNTRY 16.	ESCRIPTION m of nuclear n	l naterial; give dollar	15a. EST.	DATE OF FII	RST USE . ELEMENT GHT	19. MAX. WT. %	20. MAX. IS WEED 20 AN II: 15	SECEIVED OIP	21. UNIT
a. NAME b. STREET ADDRESS c. CITY - STATE - COUNTRY 16.	ESCRIPTION mm of nuclear nucle	naterial; give dollar	15a. EST.	DATE OF FII	RST USE . ELEMENT GHT	19. MAX. WT. %	20.MAX.IS WEIS 20 AM II: 15	SECEIVED OIP	21.
b. STREET ADDRESS c. CITY - STATE - COUNTRY 16.	ESCRIPTION mm of nuclear nucle	naterial; give dollar	15a. EST.	DATE OF FII	RST USE . ELEMENT GHT	19. MAX. WT. %	20.MAX.IS WEIS 20 AM II: 15	SECEIVED OIP	21. UNIT
a. NAME b. STREET ADDRESS c. CITY - STATE - COUNTRY 16.	ESCRIPTION mm of nuclear nus) 349,952	naterial; give dollar OO JNTRY OF ORIGERE ENRICHED	15a. EST. value of IN-SNM OR PRODUC	DATE OF FII	RST USE . ELEMENT GHT 24. COUNT SAFEGU	19. MAX. WT. %	20. MAX. IS WEIG 20 AM 1: 15	E EIVED OIP	21. UNIT
a. NAME b. STREET ADDRESS c. CITY - STATE - COUNTRY 16.	ESCRIPTION mof nuclear nats) 349,952 23. COL WHI	.00 JNTRY OF ORIGERE ENRICHED	15a. EST. value of IN-SNM OR PRODUC	DATE OF FII 18. MAX WEIG	RST USE . ELEMENT GHT 24. COUNT SAFEGUE The tube	19. MAX. WT. % RIES WHICE JARDS (If I	20. MAX. IS WELL 20 AM III SHE ATTACH Known)	THE CEIVED OIP	21. UNIT
a. NAME b. STREET ADDRESS c. CITY - STATE - COUNTRY 16.	23. COL WHI	Inaterial; give dollar OO UNTRY OF ORIGERE ENRICHED	15a. EST. value of IN-SNM OR PRODUCT ang will nd perf	DATE OF FII 18. MAX WEIG	24. COUNT SAFEGUE	19. MAX. WT.% RIES WHIC JARDS (If I	20.MAX.IS WEIG AN H ATTACH Known) Onuar Co	THE CEIVED OIP	21. UNIT
a. NAME b. STREET ADDRESS c. CITY - STATE - COUNTRY 16.	23. cou while the sheet if nece to a tube	JNTRY OF ORIGERE ENRICHED ssary) Wah Ch reducer a	IN-SNM OR PRODUCT ang will swill	DATE OF FILE 18. MAX WEIG CED 1 ship to the installation of th	24. COUNT SAFEGUE	19. MAX. WT.% RIES WHICE JARDS (If I	20.MAX.IS WEEG 20 H ATTACH Known)	ombusione	21. UNIT
a. NAME b. STREET ADDRESS c. CITY - STATE - COUNTRY 16.	23. COL WHILE sheet if neces to a tube to prepared in	JNTRY OF ORIGERE ENRICHED ssary) Wah Ch reducer a	IN-SNM OR PRODUCT ang will swill	DATE OF FII 18. MAX WEIG CED 1 ship to the instantal sele of Federal F	24. COUNT SAFEGUE the tube dental	19. MAX. WT.% RIES WHICE JARDS (If I	20.MAX.IS WEEG 20 H ATTACH Known)	ombusione	21. UNIT
a. NAME b. STREET ADDRESS c. CITY - STATE - COUNTRY 16.	23. COL WHI The sheet if neces a tube The response in nowledge.	JNTRY OF ORIGERE ENRICHED ssary) Wah Ch reducer a	IN-SNM OR PRODUCT ang will swill	DATE OF FII 18. MAX WEIG CED 1 ship to the instance of Federal Figure 1. The instance inst	24. COUNT SAFEGUE the tube dental	19. MAX. WT.% RIES WHICE JARDS (If I	20. MAX. IS WEIGHT HATTACH Known) Onuar Co ing beforeactor.	DTOPE HT CEIVED OIP	21. UNIT

Template OIP-001

REVISED APPLICATION