

April 17, 2000

Mr. Curtis O. Sealy, General Manager
Umetco Minerals Corporation
P.O. Box 1029
Grand Junction, CO 81502

SUBJECT: REQUEST FOR ADDITIONAL INFORMATION CONCERNING THE ALTERNATE
CONCENTRATION LIMITS APPLICATION FOR LICENSE SUA-648, UMETCO
MINERALS CORPORATION, GAS HILLS URANIUM MILL SITE

Dear Mr. Sealy:

The U.S. Nuclear Regulatory Commission (NRC) staff has completed its review of the alternate concentration limits (ACL) application that you submitted by letter dated February 18, 1999. The application indicates that the current groundwater protection standards for the Gas Hills site (license condition 35B) are impractical and unattainable and proposes ACLs for nine constituents at the points of compliance. The staff cannot complete the evaluation of this license amendment request without additional information to support or clarify portions of the application. The required information is described in the enclosure.

Please provide your response within 30 days of this letter or indicate when your response will be provided. If you have any questions concerning this letter or the enclosure, please contact Ms. Elaine Brummett of my staff at (301) 415-6606.

Sincerely,

/RA/

Thomas H. Essig, Chief
Uranium Recovery and
Low-Level Waste Branch
Division of Waste Management
Office of Nuclear Material Safety
and Safeguards

Docket No. 40-0299
License No. SUA-648

Enclosure: Request for Additional Information-ACL

cc: M. Moxley, LQD, WY

Mr. Curtis O. Sealy, General Manager
 Umetco Minerals Corporation
 P.O. Box 1029
 Grand Junction, CO 81502

April 17, 2000

SUBJECT: REQUEST FOR ADDITIONAL INFORMATION CONCERNING THE ALTERNATE CONCENTRATION LIMITS APPLICATION FOR LICENSE SUA-648, UMETCO MINERALS CORPORATION, GAS HILLS URANIUM MILL SITE

Dear Mr. Sealy:

The U.S. Nuclear Regulatory Commission (NRC) staff has completed its review of the alternate concentration limits (ACL) application that you submitted by letter dated February 18, 1999. The application indicates that the current groundwater protection standards for the Gas Hills site (license condition 35B) are impractical and unattainable and proposes ACLs for nine constituents at the points of compliance. The staff cannot complete the evaluation of this license amendment request without additional information to support or clarify portions of the application. The required information is described in the enclosure.

Please provide your response within 30 days of this letter or indicate when your response will be provided. If you have any questions concerning this letter or the enclosure, please contact Ms. Elaine Brummett of my staff at (301) 415-6606.

Sincerely,
/RAI
 Thomas H. Essig, Chief
 Uranium Recovery and
 Low-Level Waste Branch
 Division of Waste Management
 Office of Nuclear Material Safety
 and Safeguards

Docket No. 40-0299
 License No. SUA-648

Enclosure: Request for Additional Information-ACL
 cc: M. Moxley, LQD, WY

DISTRIBUTION: File Center NMSS r/f URLL r/f PUBLIC CNWRA
 B.Spitzberg, RIV W.Ford ACNW
 W/O enclosure: J.Holonich

PATH & FILE NAME: ADAMS\NMSS\DWM\URLL\Title II Licensing\umet_ACL_RAI_itr
Package: ML003696299

OFC	URLL	C	URLL		URLL			
NAME	EBrummett:bg		DRom		TEssig			
DATE	4/6 /00	H	4/ 6/00	H	4/ 17/00			

OFFICIAL RECORD COPY

This document should be made available to the PUBLIC ___ESB 4/ 6/00
 (Initials) (Date)