EA Number: Date of SERP: Licensee: Facility/Location: **Docket Number:** License Number: **Inspection Report Number:** Date of Exit Meeting: **Cornerstones Affected: Proposed Preliminary Results: Issue Sponsor: Meeting Members: Technical Spokesperson:** (Chief of SPSB or IEPB, or DD of DNS) Program Spokesperson: (Chief of IIPB) **OE Spokesperson:** (DD of OE) **Regional Attendees:** 

HQ Attendees:

## Information Regarding Issue:

- A. Brief Description of Issue
- **B.** Statement of Performance Deficiency

## C. Significance Determination Basis

- 1. Reactor Inspection for IE, MS, B Cornerstones
- a. Phase 1 Screening Logic, Results and Assumptions
- b. Phase 2 Risk Evaluation (when applicable)

A risk analyst should review and verify that the Phase 2 process was followed correctly and that the results are reasonable.

- List dominant affected accident sequences by initiator, in order of contribution and each sequence's numerical contribution.
- List any pertinent assumptions under each initiator group.
- Attach applicable Phase 2 worksheets.
- List any confirmatory checks made using licensee risk information, SPAR model results, or other source of risk insights. Note any discrepancies and an evaluation of their effect on this determination
- c. Phase 3 Analysis (if necessary)

Concisely address each of the analysis aspects that follow.

- ► PRA tools used.
- Affected sequences.
- Influential assumptions.
- Sensitivity of results to each influential assumption.
- Contribution of greatest uncertainty factors and impact on assumptions.
- Previous similar analyses if applicable.
- Proposed preliminary or final color.

2. All Other Inspection Findings (Not IE, MS, B Cornerstones)

## **D. Proposed Enforcement**

- 1. Regulatory Requirement Not Met
- 2. Proposed Citation
- 3. Date Violation Occurred
- 4. Historical Precedent

## E. Determination of Follow-up Review

✓ Remember: For White findings, propose whether Headquarters (NRR and/or OE) should review the final determination letter before issuance. For greater than White findings, review and concurrence by NRR and OE is required.