

September 7, 2007

Jeffrey B. Archie
Vice President, Nuclear Operations
Virgil C. Summer Nuclear Station
P.O. Box 88
Jenkinsville, SC 29065

SUBJECT: VIRGIL C. SUMMER NUCLEAR STATION - EVALUATION OF FINITE
ELEMENT ANALYSIS IN SUPPORT OF ALLOY 82/182 PRESSURIZER BUTT
WELD INSPECTIONS IN 2008 AS PROVIDED BY CONFIRMATORY ACTION
LETTER NRR-07-002 (TAC NO. MD4188)

Dear Mr. Archie:

On March 15, 2007, the U.S. Nuclear Regulatory Commission (NRC) issued Confirmatory Action Letter (CAL) No. NRR-07-002 (Agencywide Documents Access and Management System (ADAMS) Accession Number ML070730269) regarding dissimilar metal welds in the pressurizer surge, spray, and safety/relief nozzle-to-safe end welds at Virgil C. Summer Nuclear Station (VCSNS). The CAL and the supporting commitment letter (ADAMS Accession No. ML070520146) indicate that inspection and mitigation actions may be conducted during your spring 2008 refueling outage, contingent on the industry providing an analysis that demonstrates an acceptable level of safety to the NRC for the operation of these welds until the spring of 2008. This letter acknowledges receipt of your letter dated August 1, 2007 (ADAMS Accession No. ML072190080), informing the NRC that the analysis referred to by this CAL and the supporting commitment letter has been completed, and that the analysis is applicable to your plant.

The NRC received MRP-216, Rev. 1, "Materials Reliability Program: Advanced FEA [Finite Element Analysis] Evaluation of Growth of Postulated Circumferential PWSCC [Primary Water Stress-Corrosion Cracking] Flaws in Pressurizer Nozzle Dissimilar Metal Welds," on August 13, 2007 (ADAMS Accession No. ML072410235). Based on our review of this report, the NRC concludes that the analysis provides adequate justification to permit inspections during your spring 2008 refueling outage, and that the analysis is applicable to VCSNS. The results of the staff's review are contained in a safety assessment dated August 31, 2007 (ADAMS Accession No. ML072400199) and the associated contractor report (ADAMS Accession No. ML072470394).

Based on the above, the NRC concludes that a plant shutdown by December 31, 2007, is no longer required. Therefore, the pressurizer surge, spray, and safety/relief nozzle-to-safe end Alloy 82/182 butt weld inspections for VCSNS must be performed prior to exiting your scheduled spring 2008 refueling outage. All other requirements of the CAL and the supporting commitment letter regarding enhanced inspection and leakage monitoring requirements for the reactor coolant system and associated reports remain valid.

The CAL will remain open until all CAL commitments pertaining to VCSNS are complete.

Current NRC guidance regarding CALs is contained in the NRC Enforcement Policy and the NRC Enforcement Manual, which are available at the NRC web site at <http://www.nrc.gov/about-nrc/regulatory/enforcement.html> (click on Enforcement Policy or Enforcement Guidance) or by contacting the Government Printing Office (GPO) toll-free at 1-888-293-6498. The GPO is open from 7:00 a.m. to 9:00 p.m. EST, Monday through Friday (except Federal holidays).

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter will be made available electronically for public inspection in the NRC Public Document Room or from the NRC's document system (ADAMS), accessible from the NRC Web site at <http://www.nrc.gov/reading-rm.html>.

Sincerely,

/RA/

Catherine Haney, Director
Division of Operating Reactor Licensing
Office of Nuclear Reactor Regulation

Docket No. 50-395

cc: See next page

The CAL will remain open until all CAL commitments pertaining to VCSNS are complete.

Current NRC guidance regarding CALs is contained in the NRC Enforcement Policy and the NRC Enforcement Manual, which are available at the NRC web site at <http://www.nrc.gov/about-nrc/regulatory/enforcement.html> (click on Enforcement Policy or Enforcement Guidance) or by contacting the Government Printing Office (GPO) toll-free at 1-888-293-6498. The GPO is open from 7:00 a.m. to 9:00 p.m. EST, Monday through Friday (except Federal holidays).

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter will be made available electronically for public inspection in the NRC Public Document Room or from the NRC's document system (ADAMS), accessible from the NRC Web site at <http://www.nrc.gov/reading-rm.html>.

Sincerely,

/RA/

Catherine Haney, Director
 Division of Operating Reactor Licensing
 Office of Nuclear Reactor Regulation

Docket No. 50-395

cc: See next page

Distribution:

PUBLIC	LPL2-1 R/F	RidsNrrPM RMartin
RidsNrrLACSola	RidsNrrDorLpl2-1	RidsOgcRp
RidsAcrsAcnwMailCenter	RidsRgn2MailCenter	RidsNrrOd
RidsNrrDorl	RidsNrrDci	RidsNrrDirs
RidsOEMailCenter	RidsEdoMailCenter	SCampbell, EDO Region 2
KClark,OPA, Region 2	RTrojanowski, Region 2 SLO	RidsNrrDciCpnb
TLupold, NRR	ESullivan, NRR	RidsNrrPMBMoroney

ADAMS Accession No. ML072410535

OFFICE	DCI/CPNB	DCI/CPNB	LPL2-1/PM	LPL2-1/LA	LPL2-1/BC
NAME	TLupold	TChan	RMartin	CSola	EMarinos
DATE	9/6/07	9/6/07	9/5/07	9/5/07	9/6/07

OFFICE	DCI/D	DRP/D, RGN2	DORL/D
NAME	MEvans	CCasto	CHaney
DATE	9/7/07	9/7/07	9/7/07

OFFICIAL RECORD COPY

Virgil C. Summer Nuclear Station

cc:

Mr. Jeffrey B. Archie
Vice President, Nuclear Operations
South Carolina Electric & Gas Company
Virgil C. Summer Nuclear Station
Post Office Box 88
Jenkinsville, SC 29065

Mr. R. J. White
Nuclear Coordinator S.C. Public Service Authority
c/o Virgil C. Summer Nuclear Station Post Office Box 88, Mail Code 802
Jenkinsville, SC 29065

Resident Inspector/Summer NPS
c/o U.S. Nuclear Regulatory Commission
576 Stairway Road
Jenkinsville, SC 29065

Chairman, Fairfield County Council
Drawer 60
Winnsboro, SC 29180

Mr. Henry Porter, Assistant Director
Division of Waste Management
Bureau of Land & Waste Management
Dept. of Health & Environmental Control
2600 Bull Street
Columbia, SC 29201

Mr. Thomas D. Gatlin, General Manager
Nuclear Plant Operations
South Carolina Electric & Gas Company
Virgil C. Summer Nuclear Station
Post Office Box 88, Mail Code 300
Jenkinsville, SC 29065

Mr. Robert G. Sweet, Manager
Nuclear Licensing
South Carolina Electric & Gas Company
Virgil C. Summer Nuclear Station
Post Office Box 88, Mail Code 830
Jenkinsville, SC 29065

Ms. Kathryn M. Sutton
Morgan, Lewis & Bockius LLP
111 Pennsylvania Avenue, NW.
Washington, DC 20004