



UNITED STATES  
NUCLEAR REGULATORY COMMISSION  
REGION I  
475 ALLENDALE ROAD  
KING OF PRUSSIA, PENNSYLVANIA 19406-1415

August 30, 2007

Docket No. 03011759  
Control No. 140961

License No. 07-16862-01

Clarence R. LaLiberty, Jr.  
President and CEO  
St. Francis Hospital  
7<sup>th</sup> & Clayton Streets  
Wilmington, DE 19805

SUBJECT: ST. FRANCIS HOSPITAL, LICENSE AMENDMENT, CONTROL NO. 140961

Dear Mr. LaLiberty:

This refers to your license amendment request. Enclosed with this letter is the amended license.

Please review the enclosed document carefully and be sure that you understand and fully implement all the conditions incorporated into the amended license. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region I Office, Licensing Assistance Team, (610) 337-5239, so that we can provide appropriate corrections and answers.

An environmental assessment for this action is not required, since this action is categorically excluded under 10 CFR 51.22(c)(14).

Current NRC regulations and guidance are included on the NRC's website at [www.nrc.gov](http://www.nrc.gov); select **Nuclear Materials; Medical, Academic, and Industrial Uses of Nuclear Material**; then **Regulations, Guidance, and Communications**. You may also obtain these documents by contacting the Government Printing Office (GPO) toll-free at 1-866-512-1800. The GPO is open from 7:00 a.m. to 8:00 p.m. EST, Monday through Friday (except Federal holidays).

Thank you for your cooperation.

Sincerely,

***Original signed by Richard McKinley***

Richard McKinley  
Health Physicist  
Medical Branch  
Division of Nuclear Materials Safety

Enclosure:  
Amendment No. 21

cc:  
John Matthews, M.D., Radiation Safety Officer

DOCUMENT NAME: C:\FileNet\ML072470289.wpd

**SUNSI Review Complete: RMckinley**

After declaring this document "An Official Agency Record" it will be released to the Public.

To receive a copy of this document, indicate in the box: "C" = Copy w/o attach/encl "E" = Copy w/ attach/encl "N" = No copy

OFFICE	DNMS/RI	<input checked="" type="checkbox"/> N	DNMS/RI	<input type="checkbox"/>	DNMS/RI	<input type="checkbox"/>	<input type="checkbox"/>
NAME	RMckinley/RWM						
DATE	8/30/07						

OFFICIAL RECORD COPY

**MATERIALS LICENSE**

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

<p>Licensee</p> <p>1. St. Francis Hospital, Inc.</p> <p>2. Seventh and Clayton Streets Wilmington, Delaware 19805</p>	<p>In accordance with the letter dated August 7, 2007,</p> <p>3. License number 07-16862-01 is amended in its entirety to read as follows:</p> <hr/> <p>4. Expiration date January 31, 2013</p> <hr/> <p>5. Docket No. 030-11759 Reference No.</p>
---	--

<p>6. Byproduct, source, and/or special nuclear material</p> <p>A. Any byproduct material permitted by 10 CFR 35.100</p> <p>B. Any byproduct material permitted by 10 CFR 35.200</p> <p>C. Any byproduct material permitted by 10 CFR 35.300</p>	<p>7. Chemical and/or physical form</p> <p>A. Any</p> <p>B. Any</p> <p>C. Any</p>	<p>8. Maximum amount that licensee may possess at any one time under this license</p> <p>A. As needed</p> <p>B. As needed</p> <p>C. 300 millicuries</p>
--	---	---

<p>9. Authorized use:</p> <p>A. Any uptake, dilution and excretion study permitted by 10 CFR 35.100.</p> <p>B. Any imaging and localization study permitted by 10 CFR 35.200.</p> <p>C. Any diagnostic study or therapy procedure permitted by 10 CFR 35.300.</p>
---

**CONDITIONS**

- 10. Licensed material may be used or stored only at the licensee's facilities located at Seventh and Clayton Streets, Wilmington, Delaware.
- 11. Licensed material is only authorized for use by, or under the supervision of:
  - A. Individuals permitted to work as an authorized user in accordance with 10 CFR 35.13 and 35.14.
  - B. The following individuals are authorized users for medical use as indicated:

**MATERIALS LICENSE  
SUPPLEMENTARY SHEET**

License Number  
07-16862-01

Docket or Reference Number  
030-11759

Amendment No. 21

Authorized Users

Material and Use

Lynne Frances Taus, M.D.

35.100; 35.200; 35.300

Donald S. Ostrum, M.D.

35.100; 35.200; Iodine-131 sodium iodide for imaging and localization studies

Suat Eng Ter, M.D.

35.100; 35.200; 35.300

Steven Herman, M.D.

35.100; 35.200; Iodine-131 sodium iodide for imaging and localization studies

Fred Wang, M.D.

35.100; 35.200

John Matthews, M.D.

35.100; 35.200; 300

12. The Radiation Safety Officer for this license is John Matthews, M.D.
13. In addition to the possession limits in Item 8, the licensee shall further restrict the possession of licensed material to quantities below the minimum limit specified in 10 CFR 30.35(d) for establishing decommissioning financial assurance.
14. The licensee is authorized to transport licensed material in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."

**MATERIALS LICENSE  
SUPPLEMENTARY SHEET**License Number  
07-16862-01Docket or Reference Number  
030-11759

Amendment No. 21

15. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. This license condition applies only to those procedures that are required to be submitted in accordance with the regulations. Additionally, this license condition does not limit the licensee's ability to make changes to the radiation protection program as provided for in 10 CFR 35.26. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.
- A. Letter dated December 18, 2002
  - B. Letter dated February 4, 2003
  - C. Letter dated March 10, 2003



For the U.S. Nuclear Regulatory Commission

***Original signed by Richard McKinley***Date August 30, 2007

By \_\_\_\_\_

Richard McKinley  
Medical Branch  
Region I  
King of Prussia, Pennsylvania 19406