



NRC FORM 591M PART 1

U.S. NUCLEAR REGULATORY COMMISSION

(10-2003)
10 CFR 2.201

SAFETY INSPECTION REPORT AND COMPLIANCE INSPECTION

1. LICENSEE/LOCATION INSPECTED:
Schoolcraft Memorial Hosp.
500 Main St.
Manistique, MI
REPORT *07-01*

2. NRC/REGIONAL OFFICE
U.S. Nuclear Regulatory Commission
Region III
2443 Warrenville Road
Suite 210
Lisle, Illinois 60532-4351

3. DOCKET NUMBER(S)
030-29993

4. LICENSEE NUMBER(S)
21-16542-03

5. DATE(S) OF INSPECTION
8/8/07

LICENSEE:

The inspection was an examination of the activities conducted under your license as they relate to radiation safety and to compliance with the Nuclear Regulatory Commission (NRC) rules and regulations and the conditions of your license. The inspection consisted of selective examinations of procedures and representative records, interviews with personnel, and observations by the inspector. The inspection findings are as follows:

- 1. Based on the inspection findings, no violations were identified.
- 2. Previous violation(s) closed.
- 3. The violation(s), specifically described to you by the inspector as non-cited violations, are not being cited because they were self-identified, non-repetitive, and corrective action was or is being taken, and the remaining criteria in the NRC Enforcement Policy, NUREG-1600, to exercise discretion, were satisfied.

_____ Non-Cited Violation(s) was/were discussed involving the following requirement(s) and Corrective Action(s):

- 4. During this inspection certain of your activities, as described below and/or attached, were in violation of NRC requirements and are being cited. This form is a NOTICE OF VIOLATION, which may be subject to posting in accordance with 10 CFR 19.11.

(Violations and Corrective Actions)

Licensee's Statement of Corrective Actions for Item 4, above.

I hereby state that, within 30 days, the actions described by me to the inspector will be taken to correct the violations identified. This statement of corrective actions is made in accordance with the requirements of 10 CFR 2.201 (corrective steps already taken, corrective steps which will be taken, date when full compliance will be achieved). I understand that no further written response to NRC will be required, unless specifically requested.

Title	Printed Name	Signature	Date
LICENSEE'S REPRESENTATIVE			
NRC INSPECTOR	Kenneth J. Lambert	<i>Kenneth J. Lambert</i>	<i>8/8/07</i>

Initial	Announced	x	Unannounced	x	Routine	Special
---------	-----------	---	-------------	---	---------	---------

NRC FORM 591M PART 3
(10-2003) 10 CFR 2.201

U.S. NUCLEAR REGULATORY COMMISSION

Docket File Information
**SAFETY INSPECTION REPORT
AND COMPLIANCE INSPECTION**

1. LICENSEE Schoolcraft Memorial Hospital 500 Main Street Manistique, MI		2. NRC/REGIONAL OFFICE U.S. Nuclear Regulatory Commission Region III, 2443 Warrenville Road Suite 210 Lisle Illinois, 60532-4352	
REPORT NOS			
3. DOCKET NUMBER(S) 030-29993		4. LICENSE NUMBER(S) 21-16542-03	
		5. DATE(S) OF INSPECTION 08/08/2007	
6. INSPECTION PROCEDURES USED 87130		7. INSPECTION FOCUS AREAS 03.01-.08	
		8. INSPECTOR K. Lambert	

SUPPLEMENTAL INSPECTION INFORMATION

1. PROGRAM CODE(S) 02121	2. PRIORITY 5	3. LICENSEE CONTACT Roger Schneider	4. TELEPHONE NUMBER 906-341-3200
-----------------------------	------------------	--	-------------------------------------

<input checked="" type="checkbox"/> Main Office Inspection	Next Inspection Date: 08/2012
Field Office _____	
Temporary Job Site _____	

PROGRAM SCOPE

This was a routine unannounced inspection at a small community hospital which is authorized for 35.100 and 200 materials. The hospital conducts 2-3 cardiac stress tests/day and 3-4 general studies/day. The Nuclear Medicine department is staffed Monday thru Friday, with the technologist on call during the weekend. The facility receives a generator weekly. No iodine-131 imaging or uptake studies are performed.

The inspection consisted of interviews with licensee personnel, a review of selected records, a tour of the nuclear medicine department and independent measurements. The inspection included observations of security of byproduct material, use of personnel monitoring, dose calibrator QA checks, areas surveys, and radioactive material packages receipt surveys. The inspector also observed licensee nuclear medicine personnel prepare, assay and administer several unit doses for various imaging procedures. The inspector reviewed dosimetry records, inventory records, package receipt survey results, waste storage records, annual radiation program review records and training records. Maximum calendar year 2006 whole body and extremity exposures were 40 mrem and 4528 mrem respectively. Maximum calendar year 2007 to date whole body and extremity exposures were 14 mrem and 2213 mrem respectively. No violations or issues were identified during the inspection.