

**GRAND RAPIDS**

743 East Beltline, N.E.  
Grand Rapids, MI 49525  
(616) 456-9553  
Toll Free (888) 259-8044  
Fax (616) 454-5371

**GREENVILLE**

705 Greenville West Dr.  
Suite 101  
Greenville, MI 48838  
(616) 754-9146  
Toll Free (888) 259-8043  
Fax (616) 754-9152

June 4, 2008


William P. Reichhold  
UNITED STATES NUCLEAR REGULATORY COMMISSION  
Region III, Materials Licensing Section  
2443 Warrenville Road, Suite 210  
Lisle, IL 60532-4352

**Re: Control Number 316942, West Michigan Cardiology, P.C. (License No. 21-32147-01).**

1. Please amend our license to add William M. Merhi, DO as authorized user of 10 CFR 35.100 and 35.200. Form 313A and a copy of his board certification is enclosed for your review.
2. Per your request, a current diagram of our Grand Rapids facility is enclosed for your records. This should be the same diagram submitted in 2005 when we closed out our previous department and moved to new areas in the same office.

Thank you for your cooperation in this matter. If you have any questions, please contact our consulting physicist, Dawn Edwards at 734-662-3197.

Sincerely,



Administrator

RECEIVED JUN 06 2008


**GRAND RAPIDS**

743 East Beltline, N.E.  
Grand Rapids, MI 49525  
(616) 456-9553  
Toll Free (888) 259-8044  
Fax (616) 454-5371

June 4, 2008  
West Michigan Cardiology (Grand Rapids)  
Facility Diagram


**GREENVILLE**

705 Greenville West Dr.  
Suite 101  
Greenville, MI 48838  
(616) 754-9146  
Toll Free (888) 259-8043  
Fax (616) 754-9152



1. Locked Door
2. Hand Sink
3. Lead Glass Face Shield / Dose Storage
4. Package Receipt
5. Sealed Source and Waste Storage
6. Camera
7. Treadmill

Nothing is above or below



# Certification Board of Nuclear Cardiology


Incorporated 1996

Certifies that


## William M Merhi, DO

HAVING MET THE REQUIREMENTS PRESCRIBED BY THIS BOARD  
FOR PHYSICIANS TRAINED IN THE UNITED STATES  
AND HAVING SATISFACTORILY PASSED THE REQUIRED EXAMINATION,  
IS HEREBY DESIGNATED  
A DIPLOMATE CERTIFIED IN THE SUBSPECIALTY OF  
**NUCLEAR CARDIOLOGY**

**FOR THE PERIOD 2007 - 2017**



President



Secretary



CERTIFICATE NUMBER: 5560

**AUTHORIZED USER TRAINING AND EXPERIENCE  
AND PRECEPTOR ATTESTATION**  
(for uses defined under 35.100, 35.200, and 35.500)  
[10 CFR 35.190, 35.290, and 35.590]

APPROVED BY OMB: NO. 3150-0120  
EXPIRES: 10/31/2008

Name of Proposed Authorized User

William M. Merhi, DO

State or Territory Where Licensed

Michigan

Requested Authorization(s) (check all that apply)

- 35.100 Uptake, dilution, and excretion studies
- 35.200 Imaging and localization studies
- 35.500 Sealed sources for diagnosis (specify device \_\_\_\_\_)

**PART I -- TRAINING AND EXPERIENCE**  
(Select one of the three methods below)

\* Training and Experience, including board certification, must have been obtained within the 7 years preceding the date of application or the individual must have obtained related continuing education and experience since the required training and experience was completed. Provide dates, duration, and description of continuing education and experience related to the uses checked above.

**1. Board Certification**

- a. Provide a copy of the board certification.
- b. If using only 35.500 materials, stop here. If using 35.100 and 35.200 materials, skip to and complete Part II Preceptor Attestation.

**2. Current 35.390 Authorized User Seeking Additional 35.290 Authorization**

- a. Authorized user on Materials License \_\_\_\_\_ meeting 10 CFR 35.390 or equivalent Agreement State requirements seeking authorization for 35.290.
- b. Supervised Work Experience.  
(If more than one supervising individual is necessary to document supervised work experience, provide multiple copies of this section.)

Description of Experience	Location of Experience/License or Permit Number of Facility	Clock Hours	Dates of Experience*
Eluting generator systems appropriate for the preparation of radioactive drugs for imaging and localization studies, measuring and testing the eluate for radionuclidic purity, and processing the eluate with reagent kits to prepare labeled radioactive drugs			

**Total Hours of Experience:**

Supervising Individual

License/Permit Number listing supervising individual as an authorized user

Supervisor meets the requirements below, or equivalent Agreement State requirements (check all that apply).

- 35.290
- 35.390 + generator experience in 32.290(c)(1)(ii)(G)

**AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)**

**3. Training and Experience for Proposed Authorized User**

a. Classroom and Laboratory Training.

Description of Training	Location of Training	Clock Hours	Dates of Training*
Radiation physics and instrumentation			
Radiation protection			
Mathematics pertaining to the use and measurement of radioactivity			
Chemistry of byproduct material for medical use <i>(not required for 35.590)</i>			
Radiation biology			

**Total Hours of Training:**

b. Supervised Work Experience (completion of this table is not required for 35.590).  
*(If more than one supervising individual is necessary to document supervised work experience, provide multiple copies of this section.)*

Supervised Work Experience		Total Hours of Experience:	
Description of Experience Must Include:	Location of Experience/License or Permit Number of Facility	Confirm	Dates of Experience*
Ordering, receiving, and unpacking radioactive materials safely and performing the related radiation surveys		<input type="checkbox"/> Yes <input type="checkbox"/> No	
Performing quality control procedures on instruments used to determine the activity of dosages and performing checks for proper operation of survey meters		<input type="checkbox"/> Yes <input type="checkbox"/> No	

**AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)**

**3. Training and Experience for Proposed Authorized User (continued)**

b. Supervised Work Experience. (continued)

Description of Experience Must Include:	Location of Experience/License or Permit Number of Facility	Confirm	Dates of Experience*
Calculating, measuring, and safely preparing patient or human research subject dosages		<input type="checkbox"/> Yes <input type="checkbox"/> No	
Using administrative controls to prevent a medical event involving the use of unsealed byproduct material		<input type="checkbox"/> Yes <input type="checkbox"/> No	
Using procedures to contain spilled byproduct material safely and using proper decontamination procedures		<input type="checkbox"/> Yes <input type="checkbox"/> No	
Administering dosages of radioactive drugs to patients or human research subjects		<input type="checkbox"/> Yes <input type="checkbox"/> No	
Eluting generator systems appropriate for the preparation of radioactive drugs for imaging and localization studies, measuring and testing the eluate for radionuclidic purity, and processing the eluate with reagent kits to prepare labeled radioactive drugs		<input type="checkbox"/> Yes <input type="checkbox"/> No	

Supervising Individual \_\_\_\_\_ License/Permit Number listing supervising individual as an authorized user \_\_\_\_\_

Supervisor meets the requirements below, or equivalent Agreement State requirements (*check one*).

35.190     35.290     35.390     35.390 + generator experience in 35.290(c)(1)(ii)(G)

c. For 35.590 only, provide documentation of training on use of the device.

Device	Type of Training	Location and Dates

d. For 35.500 uses only, stop here. For 35.100 and 35.200 uses, skip to and complete Part II Preceptor Attestation.

**AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)**

**PART II – PRECEPTOR ATTESTATION**

Note: This part must be completed by the individual's preceptor. The preceptor does not have to be the supervising individual as long as the preceptor provides, directs, or verifies training and experience required. If more than one preceptor is necessary to document experience, obtain a separate preceptor statement from each. (Not required to meet training requirements in 35.590)

By checking the boxes below, the preceptor is attesting that the individual has knowledge to fulfill the duties of the position sought and not attesting to the individual's "general clinical competency."

**First Section**

Check one of the following for each use requested:

For 35.190

Board Certification

I attest that William M. Merhi, DO has satisfactorily completed the requirements in  
Name of Proposed Authorized User

10 CFR 35.190(a)(1) and has achieved a level of competency sufficient to function independently as an authorized user for the medical uses authorized under 10 CFR 35.100.

OR

Training and Experience

I attest that \_\_\_\_\_ has satisfactorily completed the 60 hours of training and  
Name of Proposed Authorized User

experience, including a minimum of 8 hours of classroom and laboratory training, required by 10 CFR 35.190(c)(1), and has achieved a level of competency sufficient to function independently as an authorized user for the medical uses authorized under 10 CFR 35.100.

For 35.290

Board Certification

I attest that William M. Merhi, DO has satisfactorily completed the requirements in  
Name of Proposed Authorized User

10 CFR 35.290(a)(1) and has achieved a level of competency sufficient to function independently as an authorized user for the medical uses authorized under 10 CFR 35.100 and 35.200.

OR

Training and Experience

I attest that \_\_\_\_\_ has satisfactorily completed the 700 hours of training  
Name of Proposed Authorized User

and experience, including a minimum of 80 hours of classroom and laboratory training, required by 10 CFR 35.290(c)(1), and has achieved a level of competency sufficient to function independently as an authorized user for the medical uses authorized under 10 CFR 35.100 and 35.200.

**Second Section**

Complete the following for preceptor attestation and signature:

I meet the requirements below, or equivalent Agreement State requirements, as an authorized user for:

- 35.190
- 35.290
- 35.390
- 35.390 + generator experience

Name of Preceptor <u>Tejinder S. Mander, MD</u>	Signature <u>A Mander</u>	Telephone Number <u>616 456-9553</u>	Date <u>5-22-08</u>
License/Permit Number/Facility Name <u>21-32147-01</u>			

ups  
NEXT DAY AIR

REUSABLE

UPS Reusable Letter. Use twice, then recycle.

ups

UPS Next Day Air  
UPS Worldwide Express

WEIGHT	DIMENSIONAL WEIGHT
LTR	

The addressee certifies that it is not an exporting agent for export control and that the goods are not being exported from the U.S. in violation of the Export Administration Regulations. The addressee certifies that the goods are not being exported from the U.S. in violation of the Export Administration Regulations. The addressee certifies that the goods are not being exported from the U.S. in violation of the Export Administration Regulations.

DKKBRDH N10W221 US 4955 Jun 05 19:06:00 2000 HIP 7.9.5 LP2844  
IL 603 9-03



(420) 60532-0000

A 6 8 4 X 4

Tom Evans (NAT) TELEPH 616-456-94

WEST MICHIGAN CARDIOLOGY PC

743 E BELTLINE NE

GRAND RAPIDS

MI 49525

UPS NEXT DAY AIR

TRACKING #: 1Z A68 4X4 22 1000 0233

UPS Next Day Air

1Z A68 4X4 22 1000 023 3



1Z A68 4X4 22 1000 023 3

United State Natl Bank  
Region III, Office of Materials Services  
2443 Warrenville Rd  
Lisle IL 60532-4352

0101911202609 8/00 M United Parcel Service, Louisville, KY

100% RECYCLED FIBER  
(80% Post-Consumer Content)

The Next Day Air Letter is to be used for document shipments only.  
There is no limit on weight or the number of pages you may enclose.  
Do not send cash or cash equivalent.

Call 1-800-PICK-UPS (1-800-742-5877) or visit our Web site at [www.ups.com](http://www.ups.com)

REUSABLE LETTER  
FOR LEGAL-SIZE DOCUMENTS

International Shipping Notice - Carriage hereunder may be subject to the rules relating to liability and other terms and/or conditions established by the Convention for the Unification of Certain Rules Relating to International Carriage by Air (the "Warsaw Convention") and/or the Convention on the Contract for the International Carriage of Goods by Road (the "CMR Convention"). These commodities, technology or software were exported from the U.S. in accordance with the Export Administration Regulations. Diversion contrary to U.S. law prohibited. For stopping places, call 1-800-782-7882.

UPS Airline: ISO 9001 Quality Registered 01019521212 9/00 RT United Parcel Service, Louisville, KY 36USC220508

1-405  
0403-1028  
P-YELLOW S-458  
LISE IL 60532-5873  
2443 WARRENVILLE RD  
LISE IL 60532-5873