

Report ID: 010317599

## WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
P.O. Box 730  
Mills, WY 82644Project: **Christensen**Sample ID: **MW-03**Lab ID: **0103W17599**Matrix: **Water**Condition: **Cool/Intact**

Date Received: 10/16/03

Date Reported: 10/27/03

Date Sampled: 10/16/03

| Parameter                             | Analytical |          | Analysis |       |              |               |               |    |
|---------------------------------------|------------|----------|----------|-------|--------------|---------------|---------------|----|
|                                       | Result     | Units    | Units    | PQL   | Method       | Date Time     | Init.         |    |
| <b>General Parameters</b>             |            |          |          |       |              |               |               |    |
| Lab pH                                | 8.3        | s.u.     |          | 0.1   | EPA 150.1    | 10/21/03 1742 | KB            |    |
| Lab Conductivity @ 25°C               | 409        | µmhos/cm |          | 5     | SM 2510 B    | 10/21/03 1742 | KB            |    |
| Total Dissolved Solids @ 180°C        | 250        | mg/L     |          | 10    | SM 2540 C    | 10/17/03 1400 | SV            |    |
| Total Dissolved Solids(Calc)          | 230        | mg/L     |          | 10    | SM 1030 F.   | 10/27/03 1329 |               |    |
| Total Alkalinity as CaCO <sub>3</sub> | 125        | mg/L     |          | 1.0   | SM 2320 B    | 10/21/03 1742 | KB            |    |
| Total Hardness as CaCO <sub>3</sub>   | 28.0       | mg/L     |          | 1.0   | SM 2340 B    | 10/27/03 1329 |               |    |
| Ammonia Nitrogen                      | 0.3        | mg/L     |          | 0.1   | EPA 350.1    | 10/23/03 1428 | RP            |    |
| Nitrite as N                          | <0.1       | mg/L     |          | 0.1   | EPA 353.2    | 10/21/03 1612 | RP            |    |
| Radium 226                            | 38.3±1.6   | pCi/L    |          | 0.2   | SM 7500 Ra-B | 10/24/03 1535 | TP            |    |
| Silica as SiO <sub>2</sub>            | 4.1        | mg/L     |          | 0.1   | EPA 200.7    | 10/27/03 1329 | BA            |    |
| Sodium Adsorption Ratio               | 6.4        |          |          | N/A   | Calculations | 10/27/03 1329 |               |    |
| <b>Anions</b>                         |            |          |          |       |              |               |               |    |
| Bicarbonate as HCO <sub>3</sub>       | 153        | mg/L     | 2.50     | meq/L | 1.0          | SM 2320 B     | 10/21/03 1742 | KB |
| Carbonate as CO <sub>3</sub>          | <1.0       | mg/L     | <0.01    | meq/L | 1.0          | SM 2320 B     | 10/21/03 1742 | KB |
| Hydroxide as OH                       | <1.0       | mg/L     | <0.01    | meq/L | 1.0          | SM 2320 B     | 10/21/03 1742 | KB |
| Chloride                              | 3.5        | mg/L     | 0.10     | meq/L | 1.0          | EPA 300.0     | 10/20/03 0645 | LK |
| Fluoride                              | <0.1       | mg/L     | <0.01    | meq/L | 0.1          | SM 4500-F-C   | 10/21/03 1742 | KB |
| Nitrate + Nitrite as N                | <0.1       | mg/L     | <0.01    | meq/L | 0.1          | EPA 353.2     | 10/27/03 0950 | RP |
| Sulfate                               | 60.9       | mg/L     | 1.27     | meq/L | 1.0          | EPA 300.0     | 10/20/03 0645 | LK |
| <b>Cations</b>                        |            |          |          |       |              |               |               |    |
| Calcium                               | 8.6        | mg/L     | 0.43     | meq/L | 1.0          | EPA 200.7     | 10/27/03 1329 | BA |
| Magnesium                             | 1.5        | mg/L     | 0.13     | meq/L | 1.0          | EPA 200.7     | 10/27/03 1329 | BA |
| Potassium                             | 1.5        | mg/L     | 0.04     | meq/L | 1.0          | EPA 200.7     | 10/27/03 1329 | BA |
| Sodium                                | 78.2       | mg/L     | 3.40     | meq/L | 0.2          | EPA 200.7     | 10/27/03 1329 | BA |
| Cations                               |            |          | 4.00     | meq/L | N/A          | SM 1030 F.    | 10/27/03 1329 |    |
| Anions                                |            |          | 3.87     | meq/L | N/A          | SM 1030 F.    | 10/21/03 1742 |    |
| Cation/Anion Balance                  |            |          | 1.65     | %     | N/A          | SM 1030 F.    | 10/27/03 1329 |    |

These results only apply to the samples tested.


Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.

"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.

U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.

EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By:



Wade Nieuwsma, Water Lab Supervisor

Report ID: 010317599

## WATER QUALITY REPORT

Client: COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644

Project: Christensen

Sample ID: MW-03

Lab ID: 0103W17599

Matrix: Water

Condition: Cool/Intact

Date Received: 10/16/03

Date Reported: 10/27/03

Date Sampled: 10/16/03

| Parameter               | Analytical Result | Units | Units | PQL    | Method    | Analysis |      |       |
|-------------------------|-------------------|-------|-------|--------|-----------|----------|------|-------|
|                         |                   |       |       |        |           | Date     | Time | Init. |
| <b>Dissolved Metals</b> |                   |       |       |        |           |          |      |       |
| Aluminum                | <0.1              | mg/L  |       | 0.1    | EPA 200.7 | 10/27/03 | 1329 | BA    |
| Arsenic                 | 0.026             | mg/L  |       | 0.005  | EPA 200.8 | 10/21/03 | 1454 | MS    |
| Barium                  | <0.5              | mg/L  |       | 0.5    | EPA 200.8 | 10/21/03 | 1454 | MS    |
| Boron                   | 0.05              | mg/L  |       | 0.01   | EPA 200.7 | 10/27/03 | 1329 | BA    |
| Cadmium                 | <0.002            | mg/L  |       | 0.002  | EPA 200.8 | 10/21/03 | 1454 | MS    |
| Chromium                | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 10/27/03 | 1329 | BA    |
| Copper                  | <0.01             | mg/L  |       | 0.01   | EPA 200.8 | 10/21/03 | 1454 | MS    |
| Iron                    | <0.05             | mg/L  |       | 0.05   | EPA 200.7 | 10/27/03 | 1329 | BA    |
| Lead                    | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 10/21/03 | 1454 | MS    |
| Manganese               | <0.02             | mg/L  |       | 0.02   | EPA 200.7 | 10/27/03 | 1329 | BA    |
| Mercury                 | <0.001            | mg/L  |       | 0.001  | EPA 245.1 | 10/21/03 | 0915 | MS    |
| Molybdenum              | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 10/21/03 | 1454 | MS    |
| Nickel                  | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 10/27/03 | 1329 | BA    |
| Selenium                | 1.27              | mg/L  |       | 0.005  | EPA 200.8 | 10/21/03 | 1454 | MS    |
| Uranium                 | 1.05              | mg/L  |       | 0.0001 | EPA 200.8 | 10/21/03 | 1454 | MS    |
| Vanadium                | 0.1               | mg/L  |       | 0.1    | EPA 200.8 | 10/21/03 | 1454 | MS    |
| Zinc                    | 0.01              | mg/L  |       | 0.01   | EPA 200.7 | 10/27/03 | 1329 | BA    |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By:



Wade Nieuwsma, Water Lab Supervisor

Report ID: 010317599

## WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
P.O. Box 730  
Mills, WY 82644Project: **Christensen**

Sample ID: 5AP54-1

Lab ID: 0103W17600

Matrix: Water

Condition: Cool/Intact

Date Received: 10/16/03

Date Reported: 10/27/03

Date Sampled: 10/16/03

| Parameter                      | Analytical Result | Units    | Units | PQL   | Method       | Analysis    |          |       |    |
|--------------------------------|-------------------|----------|-------|-------|--------------|-------------|----------|-------|----|
|                                |                   |          |       |       |              | Date        | Time     | Init. |    |
| <b>General Parameters</b>      |                   |          |       |       |              |             |          |       |    |
| Lab pH                         | 8.3               | s.u.     |       | 0.1   | EPA 150.1    | 10/21/03    | 1753     | KB    |    |
| Lab Conductivity @ 25°C        | 848               | µmhos/cm |       | 5     | SM 2510 B    | 10/21/03    | 1753     | KB    |    |
| Total Dissolved Solids @ 180°C | 510               | mg/L     |       | 10    | SM 2540 C    | 10/17/03    | 1400     | SV    |    |
| Total Dissolved Solids(Calc)   | 470               | mg/L     |       | 10    | SM 1030 F.   | 10/27/03    | 1332     |       |    |
| Total Alkalinity as CaCO3      | 277               | mg/L     |       | 1.0   | SM 2320 B    | 10/21/03    | 1753     | KB    |    |
| Total Hardness as CaCO3        | 135               | mg/L     |       | 1.0   | SM 2340 B    | 10/27/03    | 1332     |       |    |
| Ammonia Nitrogen               | 0.1               | mg/L     |       | 0.1   | EPA 350.1    | 10/23/03    | 1428     | RP    |    |
| Nitrite as N                   | <0.1              | mg/L     |       | 0.1   | EPA 353.2    | 10/21/03    | 1613     | RP    |    |
| Radium 226                     | 141.4±2.9         | pCi/L    |       | 0.2   | SM 7500 Ra-B | 10/24/03    | 1535     | TP    |    |
| Silica as SiO2                 | 6.2               | mg/L     |       | 0.1   | EPA 200.7    | 10/27/03    | 1329     | BA    |    |
| Sodium Adsorption Ratio        | 5.0               |          |       | N/A   | Calculations | 10/27/03    | 1332     |       |    |
| <b>Anions</b>                  |                   |          |       |       |              |             |          |       |    |
| Bicarbonate as HCO3            | 338               | mg/L     | 5.54  | meq/L | 1.0          | SM 2320 B   | 10/21/03 | 1753  | KB |
| Carbonate as CO3               | <1.0              | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 10/21/03 | 1753  | KB |
| Hydroxide as OH                | <1.0              | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 10/21/03 | 1753  | KB |
| Chloride                       | 12.7              | mg/L     | 0.36  | meq/L | 1.0          | EPA 300.0   | 10/20/03 | 0645  | LK |
| Fluoride                       | <0.1              | mg/L     | <0.01 | meq/L | 0.1          | SM 4500-F-C | 10/21/03 | 1753  | KB |
| Nitrate + Nitrite as N         | <0.1              | mg/L     | <0.01 | meq/L | 0.1          | EPA 353.2   | 10/27/03 | 0950  | RP |
| Sulfate                        | 111               | mg/L     | 2.30  | meq/L | 1.0          | EPA 300.0   | 10/20/03 | 0645  | LK |
| <b>Cations</b>                 |                   |          |       |       |              |             |          |       |    |
| Calcium                        | 40.9              | mg/L     | 2.04  | meq/L | 1.0          | EPA 200.7   | 10/27/03 | 1332  | BA |
| Magnesium                      | 8.0               | mg/L     | 0.66  | meq/L | 1.0          | EPA 200.7   | 10/27/03 | 1332  | BA |
| Potassium                      | 2.8               | mg/L     | 0.07  | meq/L | 1.0          | EPA 200.7   | 10/27/03 | 1329  | BA |
| Sodium                         | 132               | mg/L     | 5.75  | meq/L | 0.2          | EPA 200.7   | 10/27/03 | 1332  | BA |
| Cations                        |                   |          | 8.52  | meq/L | N/A          | SM 1030 F.  | 10/27/03 | 1332  |    |
| Anions                         |                   |          | 8.20  | meq/L | N/A          | SM 1030 F.  | 10/21/03 | 1753  |    |
| Cation/Anion Balance           |                   |          | 1.91  | %     | N/A          | SM 1030 F.  | 10/27/03 | 1332  |    |

These results only apply to the samples tested.


Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.

"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.

U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.

EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By:

  
 Wade Nieuwsma, Water Lab Supervisor

Report ID: 010317599

## WATER QUALITY REPORT

Client: COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644

Project: Christensen

Sample ID: 5AP54-1

Lab ID: 0103W17600

Matrix: Water

Condition: Cool/Intact

Date Received: 10/16/03

Date Reported: 10/27/03

Date Sampled: 10/16/03

| Parameter               | Analytical Result | Units | Units | PQL    | Method    | Analysis |      |       |
|-------------------------|-------------------|-------|-------|--------|-----------|----------|------|-------|
|                         |                   |       |       |        |           | Date     | Time | Init. |
| <b>Dissolved Metals</b> |                   |       |       |        |           |          |      |       |
| Aluminum                | <0.1              | mg/L  |       | 0.1    | EPA 200.7 | 10/27/03 | 1332 | BA    |
| Arsenic                 | 0.017             | mg/L  |       | 0.005  | EPA 200.8 | 10/21/03 | 1457 | MS    |
| Barium                  | <0.5              | mg/L  |       | 0.5    | EPA 200.8 | 10/21/03 | 1457 | MS    |
| Boron                   | 0.04              | mg/L  |       | 0.01   | EPA 200.7 | 10/27/03 | 1332 | BA    |
| Cadmium                 | <0.002            | mg/L  |       | 0.002  | EPA 200.8 | 10/21/03 | 1457 | MS    |
| Chromium                | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 10/27/03 | 1332 | BA    |
| Copper                  | <0.01             | mg/L  |       | 0.01   | EPA 200.8 | 10/21/03 | 1457 | MS    |
| Iron                    | <0.05             | mg/L  |       | 0.05   | EPA 200.7 | 10/27/03 | 1332 | BA    |
| Lead                    | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 10/21/03 | 1457 | MS    |
| Manganese               | 0.06              | mg/L  |       | 0.02   | EPA 200.7 | 10/27/03 | 1332 | BA    |
| Mercury                 | <0.001            | mg/L  |       | 0.001  | EPA 245.1 | 10/21/03 | 0915 | MS    |
| Molybdenum              | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 10/21/03 | 1457 | MS    |
| Nickel                  | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 10/27/03 | 1332 | BA    |
| Selenium                | 0.857             | mg/L  |       | 0.005  | EPA 200.8 | 10/21/03 | 1457 | MS    |
| Uranium                 | 1.37              | mg/L  |       | 0.0001 | EPA 200.8 | 10/21/03 | 1457 | MS    |
| Vanadium                | 0.4               | mg/L  |       | 0.1    | EPA 200.8 | 10/21/03 | 1457 | MS    |
| Zinc                    | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 10/27/03 | 1332 | BA    |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By:



Wade Nieuwsma, Water Lab Supervisor

Report ID: 010317599

## WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
P.O. Box 730  
Mills, WY 82644Project: **Christensen**

Sample ID: 5AO74-1

Lab ID: 0103W17601

Matrix: Water

Condition: Cool/Intact

Date Received: 10/16/03

Date Reported: 10/27/03

Date Sampled: 10/16/03

| Parameter                             | Analytical Result | Units    | Analysis |       |              |             |          |       |    |
|---------------------------------------|-------------------|----------|----------|-------|--------------|-------------|----------|-------|----|
|                                       |                   |          | Units    | PQL   | Method       | Date        | Time     | Init. |    |
| <b>General Parameters</b>             |                   |          |          |       |              |             |          |       |    |
| Lab pH                                | 8.2               | s.u.     |          | 0.1   | EPA 150.1    | 10/21/03    | 1804     | KB    |    |
| Lab Conductivity @ 25°C               | 286               | µmhos/cm |          | 5     | SM 2510 B    | 10/21/03    | 1804     | KB    |    |
| Total Dissolved Solids @ 180°C        | 190               | mg/L     |          | 10    | SM 2540 C    | 10/17/03    | 1400     | SV    |    |
| Total Dissolved Solids(Calc)          | 170               | mg/L     |          | 10    | SM 1030 F.   | 10/27/03    | 1335     |       |    |
| Total Alkalinity as CaCO <sub>3</sub> | 110               | mg/L     |          | 1.0   | SM 2320 B    | 10/21/03    | 1804     | KB    |    |
| Total Hardness as CaCO <sub>3</sub>   | 24.0              | mg/L     |          | 1.0   | SM 2340 B    | 10/27/03    | 1335     |       |    |
| Ammonia Nitrogen                      | 0.1               | mg/L     |          | 0.1   | EPA 350.1    | 10/23/03    | 1428     | RP    |    |
| Nitrite as N                          | <0.1              | mg/L     |          | 0.1   | EPA 353.2    | 10/21/03    | 1614     | RP    |    |
| Radium 226                            | 30.2±1.4          | pCi/L    |          | 0.2   | SM 7500 Ra-B | 10/24/03    | 1535     | TP    |    |
| Silica as SiO <sub>2</sub>            | 6.0               | mg/L     |          | 0.1   | EPA 200.7    | 10/27/03    | 1329     | BA    |    |
| Sodium Adsorption Ratio               | 5.1               |          |          | N/A   | Calculations | 10/27/03    | 1335     |       |    |
| <b>Anions</b>                         |                   |          |          |       |              |             |          |       |    |
| Bicarbonate as HCO <sub>3</sub>       | 134               | mg/L     | 2.20     | meq/L | 1.0          | SM 2320 B   | 10/21/03 | 1804  | KB |
| Carbonate as CO <sub>3</sub>          | <1.0              | mg/L     | <0.01    | meq/L | 1.0          | SM 2320 B   | 10/21/03 | 1804  | KB |
| Hydroxide as OH                       | <1.0              | mg/L     | <0.01    | meq/L | 1.0          | SM 2320 B   | 10/21/03 | 1804  | KB |
| Chloride                              | 2.3               | mg/L     | 0.06     | meq/L | 1.0          | EPA 300.0   | 10/20/03 | 0645  | LK |
| Fluoride                              | <0.1              | mg/L     | <0.01    | meq/L | 0.1          | SM 4500-F-C | 10/21/03 | 1804  | KB |
| Nitrate + Nitrite as N                | <0.1              | mg/L     | <0.01    | meq/L | 0.1          | EPA 353.2   | 10/27/03 | 0950  | RP |
| Sulfate                               | 35.2              | mg/L     | 0.73     | meq/L | 1.0          | EPA 300.0   | 10/20/03 | 0645  | LK |
| <b>Cations</b>                        |                   |          |          |       |              |             |          |       |    |
| Calcium                               | 7.3               | mg/L     | 0.36     | meq/L | 1.0          | EPA 200.7   | 10/27/03 | 1335  | BA |
| Magnesium                             | 1.4               | mg/L     | 0.12     | meq/L | 1.0          | EPA 200.7   | 10/27/03 | 1335  | BA |
| Potassium                             | 1.1               | mg/L     | 0.03     | meq/L | 1.0          | EPA 200.7   | 10/27/03 | 1329  | BA |
| Sodium                                | 57.9              | mg/L     | 2.52     | meq/L | 0.2          | EPA 200.7   | 10/27/03 | 1335  | BA |
| Cations                               |                   |          | 3.03     | meq/L | N/A          | SM 1030 F.  | 10/27/03 | 1335  |    |
| Anions                                |                   |          | 2.99     | meq/L | N/A          | SM 1030 F.  | 10/21/03 | 1804  |    |
| Cation/Anion Balance                  |                   |          | 0.66     | %     | N/A          | SM 1030 F.  | 10/27/03 | 1335  |    |

These results only apply to the samples tested.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.

"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.

U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.

EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By:

  
 Wade Nieuwsma, Water Lab Supervisor

Report ID: 010317599

## WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
P.O. Box 730  
Mills, WY 82644Project: **Christensen**

Sample ID: 5AO74-1

Lab ID: 0103W17601

Matrix: Water

Condition: Cool/Intact

Date Received: 10/16/03

Date Reported: 10/27/03

Date Sampled: 10/16/03

| Parameter               | Analytical Result | Units | Units | PQL    | Method    | Analysis |      |       |
|-------------------------|-------------------|-------|-------|--------|-----------|----------|------|-------|
|                         |                   |       |       |        |           | Date     | Time | Init. |
| <b>Dissolved Metals</b> |                   |       |       |        |           |          |      |       |
| Aluminum                | <0.1              | mg/L  |       | 0.1    | EPA 200.7 | 10/27/03 | 1335 | BA    |
| Arsenic                 | <0.005            | mg/L  |       | 0.005  | EPA 200.8 | 10/21/03 | 1459 | MS    |
| Barium                  | <0.5              | mg/L  |       | 0.5    | EPA 200.8 | 10/21/03 | 1459 | MS    |
| Boron                   | 0.04              | mg/L  |       | 0.01   | EPA 200.7 | 10/27/03 | 1335 | BA    |
| Cadmium                 | <0.002            | mg/L  |       | 0.002  | EPA 200.8 | 10/21/03 | 1459 | MS    |
| Chromium                | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 10/27/03 | 1335 | BA    |
| Copper                  | <0.01             | mg/L  |       | 0.01   | EPA 200.8 | 10/21/03 | 1459 | MS    |
| Iron                    | <0.05             | mg/L  |       | 0.05   | EPA 200.7 | 10/27/03 | 1335 | BA    |
| Lead                    | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 10/21/03 | 1459 | MS    |
| Manganese               | <0.02             | mg/L  |       | 0.02   | EPA 200.7 | 10/27/03 | 1335 | BA    |
| Mercury                 | <0.001            | mg/L  |       | 0.001  | EPA 245.1 | 10/21/03 | 0915 | MS    |
| Molybdenum              | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 10/21/03 | 1459 | MS    |
| Nickel                  | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 10/27/03 | 1335 | BA    |
| Selenium                | 0.074             | mg/L  |       | 0.005  | EPA 200.8 | 10/21/03 | 1459 | MS    |
| Uranium                 | 0.280             | mg/L  |       | 0.0001 | EPA 200.8 | 10/21/03 | 1459 | MS    |
| Vanadium                | <0.1              | mg/L  |       | 0.1    | EPA 200.8 | 10/21/03 | 1459 | MS    |
| Zinc                    | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 10/27/03 | 1335 | BA    |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By:



Wade Nieuwsma, Water Lab Supervisor

Report ID: 010317599

## WATER QUALITY REPORT

Client: COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644

Project: Christensen

Sample ID: 5 AP-02

Lab ID: 0103W17602

Matrix: Water

Condition: Cool/Intact

Date Received: 10/16/03

Date Reported: 10/27/03

Date Sampled: 10/16/03

| Parameter                             | Analytical Result | Units    | Units | PQL   | Method       | Analysis     |          |       |    |
|---------------------------------------|-------------------|----------|-------|-------|--------------|--------------|----------|-------|----|
|                                       |                   |          |       |       |              | Date         | Time     | Init. |    |
| <b>General Parameters</b>             |                   |          |       |       |              |              |          |       |    |
| Lab pH                                | 8.3               | s.u.     |       | 0.1   | EPA 150.1    | 10/21/03     | 1815     | KB    |    |
| Lab Conductivity @ 25°C               | 1,160             | µmhos/cm |       | 5     | SM 2510 B    | 10/21/03     | 1815     | KB    |    |
| Total Dissolved Solids @ 180°C        | 740               | mg/L     |       | 10    | SM 2540 C    | 10/17/03     | 1400     | SV    |    |
| Total Dissolved Solids(Calc)          | 670               | mg/L     |       | 10    | SM 1030 F.   | 10/27/03     | 1337     |       |    |
| Total Alkalinity as CaCO <sub>3</sub> | 295               | mg/L     |       | 1.0   | SM 2320 B    | 10/21/03     | 1815     | KB    |    |
| Total Hardness as CaCO <sub>3</sub>   | 135               | mg/L     |       | 1.0   | SM 2340 B    | 10/27/03     | 1337     |       |    |
| Ammonia Nitrogen                      | 0.2               | mg/L     |       | 0.1   | EPA 350.1    | 10/23/03     | 1428     | RP    |    |
| Nitrite as N                          | <0.1              | mg/L     |       | 0.1   | EPA 353.2    | 10/21/03     | 1615     | RP    |    |
| Radium 226                            | 53.6±1.8          | pCi/L    |       | 0.2   | SM 7500 Ra-B | 10/24/03     | 1535     | TP    |    |
| Silica as SiO <sub>2</sub>            | 6.9               | mg/L     |       | 0.1   | EPA 200.7    | 10/27/03     | 1329     | BA    |    |
| Sodium Adsorption Ratio               | 7.1               |          |       | N/A   | Calculations | 10/27/03     | 1337     |       |    |
| <b>Anions</b>                         |                   |          |       |       |              |              |          |       |    |
| Bicarbonate as HCO <sub>3</sub>       | 349               | mg/L     | 5.72  | meq/L | 1.0          | SM 2320 B    | 10/21/03 | 1815  | KB |
| Carbonate as CO <sub>3</sub>          | 5.1               | mg/L     | 0.17  | meq/L | 1.0          | SM 2320 B    | 10/21/03 | 1815  | KB |
| Hydroxide as OH                       | <1.0              | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B    | 10/21/03 | 1815  | KB |
| Chloride                              | 11.6              | mg/L     | 0.33  | meq/L | 1.0          | EPA 300.0    | 10/20/03 | 0645  | LK |
| Fluoride                              | <0.1              | mg/L     | <0.01 | meq/L | 0.1          | SM 4500-F-C  | 10/21/03 | 1815  | KB |
| Nitrate + Nitrite as N                | <0.1              | mg/L     | <0.01 | meq/L | 0.1          | EPA 353.2    | 10/27/03 | 0950  | RP |
| Sulfate                               | 244               | mg/L     | 5.09  | meq/L | 1.0          | EPA 300.0    | 10/20/03 | 0645  | LK |
| <b>Cations</b>                        |                   |          |       |       |              |              |          |       |    |
| Calcium                               | 40.1              | mg/L     | 2.00  | meq/L | 1.0          | EPA 200.7    | 10/27/03 | 1337  | BA |
| Magnesium                             | 8.4               | mg/L     | 0.69  | meq/L | 1.0          | EPA 200.7    | 10/27/03 | 1337  | BA |
| Potassium                             | 4.0               | mg/L     | 0.10  | meq/L | 1.0          | EPA 200.7    | 10/27/03 | 1329  | BA |
| Sodium                                | 189               | mg/L     | 8.22  | meq/L | 0.2          | SM 3500-Na D | 10/27/03 | 1400  | RM |
| Cations                               |                   |          | 11.01 | meq/L | N/A          | SM 1030 F.   | 10/27/03 | 1337  |    |
| Anions                                |                   |          | 11.31 | meq/L | N/A          | SM 1030 F.   | 10/21/03 | 1815  |    |
| Cation/Anion Balance                  |                   |          | 1.34  | %     | N/A          | SM 1030 F.   | 10/27/03 | 1337  |    |

These results only apply to the samples tested.


Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.

"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.

U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.

EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By:

  
 Wade Nieuwsma, Water Lab Supervisor

Report ID: 010317599

## WATER QUALITY REPORT

Client: COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644

Project: Christensen

Sample ID: AP-02

Lab ID: 0103W17602

Matrix: Water

Condition: Cool/Intact

Date Received: 10/16/03

Date Reported: 10/27/03


Date Sampled: 10/16/03

| Parameter               | Analytical Result | Units | Units | PQL    | Method    | Analysis |      |       |
|-------------------------|-------------------|-------|-------|--------|-----------|----------|------|-------|
|                         |                   |       |       |        |           | Date     | Time | Init. |
| <b>Dissolved Metals</b> |                   |       |       |        |           |          |      |       |
| Aluminum                | <0.1              | mg/L  |       | 0.1    | EPA 200.7 | 10/27/03 | 1337 | BA    |
| Arsenic                 | <0.005            | mg/L  |       | 0.005  | EPA 200.8 | 10/21/03 | 1505 | MS    |
| Barium                  | <0.5              | mg/L  |       | 0.5    | EPA 200.8 | 10/21/03 | 1505 | MS    |
| Boron                   | 0.04              | mg/L  |       | 0.01   | EPA 200.7 | 10/27/03 | 1337 | BA    |
| Cadmium                 | <0.002            | mg/L  |       | 0.002  | EPA 200.8 | 10/21/03 | 1505 | MS    |
| Chromium                | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 10/27/03 | 1337 | BA    |
| Copper                  | <0.01             | mg/L  |       | 0.01   | EPA 200.8 | 10/21/03 | 1505 | MS    |
| Iron                    | <0.05             | mg/L  |       | 0.05   | EPA 200.7 | 10/27/03 | 1337 | BA    |
| Lead                    | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 10/21/03 | 1505 | MS    |
| Manganese               | 0.04              | mg/L  |       | 0.02   | EPA 200.7 | 10/27/03 | 1337 | BA    |
| Mercury                 | <0.001            | mg/L  |       | 0.001  | EPA 245.1 | 10/21/03 | 0915 | MS    |
| Molybdenum              | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 10/21/03 | 1505 | MS    |
| Nickel                  | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 10/27/03 | 1337 | BA    |
| Selenium                | 0.028             | mg/L  |       | 0.005  | EPA 200.8 | 10/21/03 | 1505 | MS    |
| Uranium                 | 1.33              | mg/L  |       | 0.0001 | EPA 200.8 | 10/21/03 | 1505 | MS    |
| Vanadium                | <0.1              | mg/L  |       | 0.1    | EPA 200.8 | 10/21/03 | 1505 | MS    |
| Zinc                    | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 10/27/03 | 1337 | BA    |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By:



Wade Nieuwsma, Water Lab Supervisor



**SAMPLE SUBMITTAL AND CHAIN OF CUSTODY FORM**

COGEMA Mining Inc.; PO Box 730 Mills, WY 82644  
Phone 464-1429 (Christensen Mine) or 234-5019 (Mills Office)

Samples shipped to Inter-mountain lab sheridan,wy

Submitted by [Signature] Date 10-16-03

Received by [Signature] Date 10-16-03  
1652

**Restoration Sample Description**

Location: \_\_\_ Irigaray  Christensen Mine or Production Unit 5 Module # (if applicale) 2

Restoration Phase: \_\_\_ Groundwater Sweep (explain \_\_\_\_\_)  
 \_\_\_ Reverse Osmosis Filtration (explain \_\_\_\_\_)  
 \_\_\_ Recirculation (explain \_\_\_\_\_)  
 Stabilization (explain \_\_\_\_\_)

\*Analysis Requested: DEQ Guideline # 8 (Ca, Mg, Na, K, CO3, HCO3, SO4, Cl, NH4, NO2, NO3, TDS, Cond., Tot. Alk., pH, SiO2, Al, As, Ba, B, Cd, Cr, Cu, F, Fe, Pb, Mn, Hg, Mo, Ni, Se, Zn, U, V, Ra226)

Send Analysis Results to : Tom nicholson

| #  | Identification Name | Sample Date     | Sample Volume | Water Sample Preservation (X) |           |      |       | Comments |
|----|---------------------|-----------------|---------------|-------------------------------|-----------|------|-------|----------|
|    |                     |                 |               | Filtered                      | Not Filt. | HNO3 | H2SO4 |          |
| 1  | <u>MW-03</u>        | <u>10-16-03</u> | Half Gal.     | X                             |           | X    |       |          |
|    |                     |                 | Quart         | X                             |           |      |       |          |
|    |                     |                 | 8 ozs.        |                               | X         |      |       |          |
|    |                     |                 | 8 ozs.        | X                             |           |      | X     |          |
| 2  | <u>5AP54-1</u>      |                 | **            | **                            | **        | **   | **    |          |
| 3  | <u>5A074-1</u>      |                 | **            | **                            | **        | **   | **    |          |
| 4  | <u>AP-02</u>        |                 | **            | **                            | **        | **   | **    |          |
| 5  |                     |                 | **            | **                            | **        | **   | **    |          |
| 6  |                     |                 | **            | **                            | **        | **   | **    |          |
| 7  |                     |                 | **            | **                            | **        | **   | **    |          |
| 8  |                     |                 | **            | **                            | **        | **   | **    |          |
| 9  |                     |                 | **            | **                            | **        | **   | **    |          |
| 10 |                     |                 | **            | **                            | **        | **   | **    |          |
| 11 |                     |                 | **            | **                            | **        | **   | **    |          |
| 12 |                     |                 | **            | **                            | **        | **   | **    |          |
| 13 |                     |                 | **            | **                            | **        | **   | **    |          |
| 14 |                     |                 | **            | **                            | **        | **   | **    |          |
| 15 |                     |                 | **            | **                            | **        | **   | **    |          |

\*All analysis will be performed in accordance with EPA approved procedures and/or the latest edition of Standard Methods.

\*\* Same as sample #1

SAMPLE SUBMITTAL AND CHAIN OF CUSTODY FORM

COGEMA Mining Inc.; PO Box 730 Mills, WY 82644  
Phone 464-1429 (Christensen Mine) or 234-5019 (Mills Office)

Samples shipped to Inter-mountain lab sheridan,wy

Submitted by [Signature] Date 10-16-03

Received by [Signature] Date 10-16-03  
1652

**Restoration Sample Description**

Location:  Irigaray  Christensen Mine or Production Unit 5 Module # (if applicale) 2

Restoration Phase:  Groundwater Sweep (explain \_\_\_\_\_)  
 Reverse Osmosis Filtration (explain \_\_\_\_\_)  
 Recirculation (explain \_\_\_\_\_)  
 Stabilization (explain \_\_\_\_\_)

\*Analysis Requested: DEQ Guideline # 8 (Ca, Mg, Na, K, CO3, HCO3, SO4, Cl, NH4, NO2, NO3, TDS, Cond., Tot. Alk., pH, SiO2, Al, As, Ba, B, Cd, Cr, Cu, F, Fe, Pb, Mn, Hg, Mo, Ni, Se, Zn, U, V, Ra226)

Send Analysis Results to : Tom nicholson Sal 46 41429

| #  | Identification Name | Sample Date | Sample Volume | Water Sample Preservation (X) |           |      |       | Lab id. | Comments |
|----|---------------------|-------------|---------------|-------------------------------|-----------|------|-------|---------|----------|
|    |                     |             |               | Filtered                      | Not Filt. | HNO3 | H2SO4 |         |          |
| 1  | MW-03               | 10-16-03    | Half Gal.     | X                             |           | X    |       | 17599   |          |
|    |                     |             | Quart         | X                             |           |      |       |         |          |
|    |                     |             | 8 ozs.        |                               | X         |      |       |         |          |
|    |                     |             | 8 ozs.        | X                             |           |      | X     |         |          |
| 2  | 5AP54-1             |             | **            | **                            | **        | **   | **    | 17600   |          |
| 3  | 5AO74-1             |             | **            | **                            | **        | **   | **    | 17601   |          |
| 4  | AP-02               |             | **            | **                            | **        | **   | **    | 17602   |          |
| 5  |                     |             | **            | **                            | **        | **   | **    |         |          |
| 6  |                     |             | **            | **                            | **        | **   | **    |         |          |
| 7  |                     |             | **            | **                            | **        | **   | **    |         |          |
| 8  |                     |             | **            | **                            | **        | **   | **    |         |          |
| 9  |                     |             | **            | **                            | **        | **   | **    |         |          |
| 10 |                     |             | **            | **                            | **        | **   | **    |         |          |
| 11 |                     |             | **            | **                            | **        | **   | **    |         |          |
| 12 |                     |             | **            | **                            | **        | **   | **    |         |          |
| 13 |                     |             | **            | **                            | **        | **   | **    |         |          |
| 14 |                     |             | **            | **                            | **        | **   | **    |         |          |
| 15 |                     |             | **            | **                            | **        | **   | **    |         |          |

\*All analysis will be performed in accordance with EPA approved pcedures and/or the latest edition of Standard Methods.  
 \*\* Same as sample #1  
 L:\LARRY\pvds sub.xls]pvds sub

**SAMPLE SUBMITTAL AND CHAIN OF CUSTODY FORM**

COGEMA Mining Inc.; PO Box 730 Mills, WY 82644  
Phone 464-1429 (Christensen Mine) or 234-5019 (Mills Office)

Samples shipped to Inter-mountain lab sheridan,wy

Submitted by *J. [Signature]* Date 2-9-04

Received by \_\_\_\_\_ Date \_\_\_\_\_

**Restoration Sample Description**

Location: \_\_\_ Irigaray  Christensen Mine or Production Unit 645 Module # (if applicale) 65

Restoration Phase: \_\_\_ Groundwater Sweep (explain \_\_\_\_\_)  
 Reverse Osmosis Filtration (explain 65/3PVD)  
 \_\_\_ Recirculation (explain \_\_\_\_\_)  
 Stabilization (explain 2ND ROUND)

\*Analysis Requested: DEQ Guideline # 8 (Ca, Mg, Na, K, CO3, HCO3, SO4, Cl, NH4, NO2, NO3, TDS, Cond., Tot. Alk., pH, SiO2, Al, As, Ba, B, Cd, Cr, Cu, F, Fe, Pb, Mn, Hg, Mo, Ni, Se, Zn, U, V, Ra226)

Send Analysis Results to : Tom nicholson

| #  | Identification Name   | Sample Date   | Sample Volume | Water Sample Preservation (X) |           |      |       | Comments |
|----|-----------------------|---------------|---------------|-------------------------------|-----------|------|-------|----------|
|    |                       |               |               | Filtered                      | Not Filt. | HNO3 | H2SO4 |          |
| 1  | <i>CR mod 65/3PVD</i> | <i>2-9-04</i> | Half Gal.     | X                             |           | X    |       |          |
|    |                       |               | Quart         | X                             |           |      |       |          |
|    |                       |               | 8 ozs.        |                               | X         |      |       |          |
|    |                       |               | 8 ozs.        | X                             |           |      | X     |          |
| 2  | <i>SAP-02</i>         |               | **            | **                            | **        | **   | **    |          |
| 3  | <i>MW-03</i>          |               | **            | **                            | **        | **   | **    |          |
| 4  | <i>SAP54-1</i>        |               | **            | **                            | **        | **   | **    |          |
| 5  | <i>SAM78-2</i>        |               | **            | **                            | **        | **   | **    |          |
| 6  | <i>SAB68-1</i>        |               | **            | **                            | **        | **   | **    |          |
| 7  | <i>SAE90-1</i>        |               | **            | **                            | **        | **   | **    |          |
| 8  | <i>SAL66-1</i>        |               | **            | **                            | **        | **   | **    |          |
| 9  |                       |               | **            | **                            | **        | **   | **    |          |
| 10 |                       |               | **            | **                            | **        | **   | **    |          |
| 11 |                       |               | **            | **                            | **        | **   | **    |          |
| 12 |                       |               | **            | **                            | **        | **   | **    |          |
| 13 |                       |               | **            | **                            | **        | **   | **    |          |
| 14 |                       |               | **            | **                            | **        | **   | **    |          |
| 15 |                       |               | **            | **                            | **        | **   | **    |          |

\*All analysis will be performed in accordance with EPA approved procedures and/or the latest edition of Standard Methods.  
 \*\* Same as sample #1  
 L:\LARRY\pvds\pvds\pvds



Report ID: 010401500

## WATER QUALITY REPORT

Client: COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644

Project: Christensen

Sample ID: AP-02

Lab ID: 0104W01501

Matrix: Water

Condition: Cool/Intact

Date Received: 02/09/04

Date Reported: 02/23/04

Date Sampled: 02/09/04

| Parameter                      | Analytical |          |       |       |              | Analysis    |          |         |
|--------------------------------|------------|----------|-------|-------|--------------|-------------|----------|---------|
|                                | Result     | Units    | Units | PQL   | Method       | Date        | Time     | Init.   |
| <b>General Parameters</b>      |            |          |       |       |              |             |          |         |
| Lab pH                         | 7.9        | s.u.     |       | 0.1   | EPA 150.1    | 02/10/04    | 1711     | RM      |
| Lab Conductivity @ 25°C        | 965        | µmhos/cm |       | 5     | SM 2510 B    | 02/10/04    | 1711     | RM      |
| Total Dissolved Solids @ 180°C | 640        | mg/L     |       | 10    | SM 2540 C    | 02/10/04    | 1500     | SV      |
| Total Dissolved Solids(Calc)   | 610        | mg/L     |       | 10    | SM 1030 F.   | 02/12/04    | 1025     |         |
| Total Alkalinity as CaCO3      | 212        | mg/L     |       | 1.0   | SM 2320 B    | 02/10/04    | 1711     | RM      |
| Total Hardness as CaCO3        | 95.0       | mg/L     |       | 1.0   | SM 2340 B    | 02/11/04    | 0611     |         |
| Ammonia Nitrogen               | 0.2        | mg/L     |       | 0.1   | EPA 350.1    | 02/12/04    | 1604     | JF      |
| Nitrite as N                   | <0.1       | mg/L     |       | 0.1   | EPA 353.2    | 02/10/04    | 1543     | JF      |
| Radium 226                     | 51.7±5.1   | pCi/L    |       | 0.2   | SM 7500 Ra-B | 02/18/04    | 1242     | TP      |
| Silica as SiO2                 | 2.9        | mg/L     |       | 0.1   | EPA 200.7    | 02/11/04    | 0833     | MH      |
| Sodium Adsorption Ratio        | 8.1        |          |       | N/A   | Calculations | 02/11/04    | 0611     |         |
| <b>Anions</b>                  |            |          |       |       |              |             |          |         |
| Bicarbonate as HCO3            | 258        | mg/L     | 4.23  | meq/L | 1.0          | SM 2320 B   | 02/10/04 | 1711 RM |
| Carbonate as CO3               | <1.0       | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 02/10/04 | 1711 RM |
| Hydroxide as OH                | <1.0       | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 02/10/04 | 1711 RM |
| Chloride                       | 7.4        | mg/L     | 0.21  | meq/L | 1.0          | EPA 300.0   | 02/10/04 | 1329 LK |
| Fluoride                       | 0.1        | mg/L     | 0.01  | meq/L | 0.1          | SM 4500-F-C | 02/10/04 | 1711 RM |
| Nitrate + Nitrite as N         | <0.1       | mg/L     | <0.01 | meq/L | 0.1          | EPA 353.2   | 02/12/04 | 1025 JF |
| Sulfate                        | 260        | mg/L     | 5.41  | meq/L | 1.0          | EPA 300.0   | 02/10/04 | 1329 LK |
| <b>Cations</b>                 |            |          |       |       |              |             |          |         |
| Calcium                        | 28.7       | mg/L     | 1.43  | meq/L | 1.0          | EPA 200.7   | 02/11/04 | 0611 MH |
| Magnesium                      | 5.7        | mg/L     | 0.47  | meq/L | 1.0          | EPA 200.7   | 02/11/04 | 0611 MH |
| Potassium                      | 4.3        | mg/L     | 0.11  | meq/L | 1.0          | EPA 200.7   | 02/11/04 | 0611 MH |
| Sodium                         | 182        | mg/L     | 7.92  | meq/L | 0.2          | EPA 200.7   | 02/13/04 | 0625 MH |
| Cations                        |            |          | 9.93  | meq/L | N/A          | SM 1030 F.  | 02/11/04 | 0611    |
| Anions                         |            |          | 9.86  | meq/L | N/A          | SM 1030 F.  | 02/12/04 | 1025    |
| Cation/Anion Balance           |            |          | 0.35  | %     | N/A          | SM 1030 F.  | 02/11/04 | 0611    |

These results only apply to the samples tested.


Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.

"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.

U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.

EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By:


  
Karen Barten, Project Manager

Report ID: 010401500

**WATER QUALITY REPORT**

**Client:** COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644

**Project:** Christensen

**Sample ID:** AP-02

**Lab ID:** 0104W01501

**Matrix:** Water

**Condition:** Cool/Intact

**Date Received:** 02/09/04

**Date Reported:** 02/23/04

**Date Sampled:** 02/09/04

| Parameter               | Analytical Result | Units | Units | PQL    | Method    | Analysis |      |       |
|-------------------------|-------------------|-------|-------|--------|-----------|----------|------|-------|
|                         |                   |       |       |        |           | Date     | Time | Init. |
| <b>Dissolved Metals</b> |                   |       |       |        |           |          |      |       |
| Aluminum                | <0.1              | mg/L  |       | 0.1    | EPA 200.7 | 02/11/04 | 0836 | MH    |
| Arsenic                 | 0.009             | mg/L  |       | 0.005  | EPA 200.8 | 02/11/04 | 1252 | MS    |
| Barium                  | <0.5              | mg/L  |       | 0.5    | EPA 200.8 | 02/11/04 | 1255 | MS    |
| Boron                   | 0.04              | mg/L  |       | 0.01   | EPA 200.7 | 02/11/04 | 0836 | MH    |
| Cadmium                 | <0.002            | mg/L  |       | 0.002  | EPA 200.8 | 02/11/04 | 1255 | MS    |
| Chromium                | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/11/04 | 0836 | MH    |
| Copper                  | <0.01             | mg/L  |       | 0.01   | EPA 200.8 | 02/11/04 | 1255 | MS    |
| Iron                    | <0.05             | mg/L  |       | 0.05   | EPA 200.7 | 02/11/04 | 0836 | MH    |
| Lead                    | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/11/04 | 1255 | MS    |
| Manganese               | 0.03              | mg/L  |       | 0.02   | EPA 200.7 | 02/11/04 | 0836 | MH    |
| Mercury                 | <0.001            | mg/L  |       | 0.001  | EPA 245.1 | 02/13/04 | 0950 | MS    |
| Molybdenum              | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/11/04 | 1255 | MS    |
| Nickel                  | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/11/04 | 0836 | MH    |
| Selenium                | 0.053             | mg/L  |       | 0.005  | EPA 200.8 | 02/11/04 | 1255 | MS    |
| Uranium                 | 1.40              | mg/L  |       | 0.0001 | EPA 200.8 | 02/11/04 | 1255 | MS    |
| Vanadium                | <0.1              | mg/L  |       | 0.1    | EPA 200.8 | 02/11/04 | 1255 | MS    |
| Zinc                    | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/11/04 | 0836 | MH    |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By:



Karen Barten, Project Manager

Report ID: 010401562

## WATER QUALITY REPORT

Client: COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644

Project: Christensen

Sample ID: TW0001

Lab ID: 0104W01562

Matrix: Water

Condition: Cool/Intact

Date Received: 02/10/04

Date Reported: 02/24/04

Date Sampled: 02/09/04

| Parameter                      | Analytical Result | Units    | Units | PQL   | Method       | Analysis    |          |       |    |
|--------------------------------|-------------------|----------|-------|-------|--------------|-------------|----------|-------|----|
|                                |                   |          |       |       |              | Date        | Time     | Init. |    |
| <b>General Parameters</b>      |                   |          |       |       |              |             |          |       |    |
| Lab pH                         | 8.0               | s.u.     |       | 0.1   | EPA 150.1    | 02/11/04    | 1617     | RM    |    |
| Lab Conductivity @ 25°C        | 412               | µmhos/cm |       | 5     | SM 2510 B    | 02/11/04    | 1617     | RM    |    |
| Total Dissolved Solids @ 180°C | 270               | mg/L     |       | 10    | SM 2540 C    | 02/11/04    | 1100     | SV    |    |
| Total Dissolved Solids(Calc)   | 260               | mg/L     |       | 10    | SM 1030 F.   | 02/13/04    | 0005     |       |    |
| Total Alkalinity as CaCO3      | 142               | mg/L     |       | 1.0   | SM 2320 B    | 02/11/04    | 1617     | RM    |    |
| Total Hardness as CaCO3        | 34.0              | mg/L     |       | 1.0   | SM 2340 B    | 02/12/04    | 0615     |       |    |
| Ammonia Nitrogen               | 0.3               | mg/L     |       | 0.1   | EPA 350.1    | 02/12/04    | 1619     | JF    |    |
| Nitrite as N                   | <0.1              | mg/L     |       | 0.1   | EPA 353.2    | 02/11/04    | 1354     | KB    |    |
| Radium 226                     | 89.6±6.7          | pCi/L    |       | 0.2   | SM 7500 Ra-B | 02/18/04    | 1629     | TP    |    |
| Silica as SiO2                 | 3.9               | mg/L     |       | 0.1   | EPA 200.7    | 02/12/04    | 0710     | MH    |    |
| Sodium Adsorption Ratio        | 6.4               |          |       | N/A   | Calculations | 02/12/04    | 0615     |       |    |
| <b>Anions</b>                  |                   |          |       |       |              |             |          |       |    |
| Bicarbonate as HCO3            | 173               | mg/L     | 2.84  | meq/L | 1.0          | SM 2320 B   | 02/11/04 | 1617  | RM |
| Carbonate as CO3               | <1.0              | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 02/11/04 | 1617  | RM |
| Hydroxide as OH                | <1.0              | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 02/11/04 | 1617  | RM |
| Chloride                       | 4.2               | mg/L     | 0.12  | meq/L | 1.0          | EPA 300.0   | 02/13/04 | 0005  | LK |
| Fluoride                       | 0.2               | mg/L     | 0.01  | meq/L | 0.1          | SM 4500-F-C | 02/11/04 | 1617  | RM |
| Nitrate + Nitrite as N         | <0.1              | mg/L     | 0.01  | meq/L | 0.1          | EPA 353.2   | 02/12/04 | 1043  | JF |
| Sulfate                        | 68.6              | mg/L     | 1.43  | meq/L | 1.0          | EPA 300.0   | 02/13/04 | 0005  | LK |
| <b>Cations</b>                 |                   |          |       |       |              |             |          |       |    |
| Calcium                        | 10.2              | mg/L     | 0.51  | meq/L | 1.0          | EPA 200.7   | 02/12/04 | 0615  | MH |
| Magnesium                      | 2.1               | mg/L     | 0.17  | meq/L | 1.0          | EPA 200.7   | 02/12/04 | 0615  | MH |
| Potassium                      | 1.9               | mg/L     | 0.05  | meq/L | 1.0          | EPA 200.7   | 02/12/04 | 0615  | MH |
| Sodium                         | 85.1              | mg/L     | 3.70  | meq/L | 0.2          | EPA 200.7   | 02/12/04 | 0615  | MH |
| Cations                        |                   |          | 4.43  | meq/L | N/A          | SM 1030 F.  | 02/12/04 | 0615  |    |
| Anions                         |                   |          | 4.40  | meq/L | N/A          | SM 1030 F.  | 02/13/04 | 0005  |    |
| Cation/Anion Balance           |                   |          | 0.34  | %     | N/A          | SM 1030 F.  | 02/12/04 | 0615  |    |

These results only apply to the samples tested.


Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.

"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.

U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.

EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By:

  
 Karen Barten, Project Manager

Report ID: 010401562

## WATER QUALITY REPORT

Client: COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644Project: Christensen  
Sample ID: TW0001  
Lab ID: 0104W01562  
Matrix: Water  
Condition: Cool/IntactDate Received: 02/10/04  
Date Reported: 02/24/04  
Date Sampled: 02/09/04

| Parameter               | Analytical Result | Units | Units | PQL    | Method    | Analysis |      |       |
|-------------------------|-------------------|-------|-------|--------|-----------|----------|------|-------|
|                         |                   |       |       |        |           | Date     | Time | Init. |
| <b>Dissolved Metals</b> |                   |       |       |        |           |          |      |       |
| Aluminum                | <0.1              | mg/L  |       | 0.1    | EPA 200.7 | 02/12/04 | 0710 | MH    |
| Arsenic                 | <0.005            | mg/L  |       | 0.005  | EPA 200.8 | 02/12/04 | 1213 | MS    |
| Barium                  | <0.5              | mg/L  |       | 0.5    | EPA 200.8 | 02/12/04 | 1213 | MS    |
| Boron                   | 0.07              | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0710 | MH    |
| Cadmium                 | <0.002            | mg/L  |       | 0.002  | EPA 200.8 | 02/12/04 | 1213 | MS    |
| Chromium                | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0710 | MH    |
| Copper                  | <0.01             | mg/L  |       | 0.01   | EPA 200.8 | 02/12/04 | 1213 | MS    |
| Iron                    | <0.05             | mg/L  |       | 0.05   | EPA 200.7 | 02/12/04 | 0710 | MH    |
| Lead                    | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/12/04 | 1213 | MS    |
| Manganese               | <0.02             | mg/L  |       | 0.02   | EPA 200.7 | 02/12/04 | 0710 | MH    |
| Mercury                 | <0.001            | mg/L  |       | 0.001  | EPA 245.1 | 02/13/04 | 0950 | MS    |
| Molybdenum              | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/12/04 | 1213 | MS    |
| Nickel                  | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0710 | MH    |
| Selenium                | 0.331             | mg/L  |       | 0.005  | EPA 200.8 | 02/12/04 | 1213 | MS    |
| Uranium                 | 0.196             | mg/L  |       | 0.0001 | EPA 200.8 | 02/12/04 | 1213 | MS    |
| Vanadium                | 0.1               | mg/L  |       | 0.1    | EPA 200.8 | 02/12/04 | 1213 | MS    |
| Zinc                    | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0710 | MH    |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By:



Karen Barten, Project Manager



Report ID: 010401500

## WATER QUALITY REPORT

Client: COGEMA Mining, Inc.

P.O. Box 730  
Mills, WY 82644

Project: Christensen

Sample ID: MW-03

Lab ID: 0104W01502

Matrix: Water

Condition: Cool/Intact

Date Received: 02/09/04

Date Reported: 02/23/04

Date Sampled: 02/09/04

| Parameter                      | Analytical Result | Units    | Units | PQL   | Method       | Analysis    |          |         |
|--------------------------------|-------------------|----------|-------|-------|--------------|-------------|----------|---------|
|                                |                   |          |       |       |              | Date        | Time     | Init.   |
| <b>General Parameters</b>      |                   |          |       |       |              |             |          |         |
| Lab pH                         | 8.1               | s.u.     |       | 0.1   | EPA 150.1    | 02/10/04    | 1723     | RM      |
| Lab Conductivity @ 25°C        | 420               | µmhos/cm |       | 5     | SM 2510 B    | 02/10/04    | 1723     | RM      |
| Total Dissolved Solids @ 180°C | 270               | mg/L     |       | 10    | SM 2540 C    | 02/10/04    | 1500     | SV      |
| Total Dissolved Solids(Calc)   | 260               | mg/L     |       | 10    | SM 1030 F.   | 02/12/04    | 1025     |         |
| Total Alkalinity as CaCO3      | 159               | mg/L     |       | 1.0   | SM 2320 B    | 02/10/04    | 1723     | RM      |
| Total Hardness as CaCO3        | 28.0              | mg/L     |       | 1.0   | SM 2340 B    | 02/11/04    | 0611     |         |
| Ammonia Nitrogen               | 0.3               | mg/L     |       | 0.1   | EPA 350.1    | 02/12/04    | 1604     | JF      |
| Nitrite as N                   | <0.1              | mg/L     |       | 0.1   | EPA 353.2    | 02/10/04    | 1543     | JF      |
| Radium 226                     | 68.6±6.0          | pCi/L    |       | 0.2   | SM 7500 Ra-B | 02/18/04    | 1242     | TP      |
| Silica as SiO2                 | 2.1               | mg/L     |       | 0.1   | EPA 200.7    | 02/11/04    | 0833     | MH      |
| Sodium Adsorption Ratio        | 7.5               |          |       | N/A   | Calculations | 02/11/04    | 0611     |         |
| <b>Anions</b>                  |                   |          |       |       |              |             |          |         |
| Bicarbonate as HCO3            | 194               | mg/L     | 3.18  | meq/L | 1.0          | SM 2320 B   | 02/10/04 | 1723 RM |
| Carbonate as CO3               | <1.0              | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 02/10/04 | 1723 RM |
| Hydroxide as OH                | <1.0              | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 02/10/04 | 1723 RM |
| Chloride                       | 2.7               | mg/L     | 0.08  | meq/L | 1.0          | EPA 300.0   | 02/10/04 | 1329 LK |
| Fluoride                       | 0.1               | mg/L     | 0.01  | meq/L | 0.1          | SM 4500-F-C | 02/10/04 | 1723 RM |
| Nitrate + Nitrite as N         | <0.1              | mg/L     | <0.01 | meq/L | 0.1          | EPA 353.2   | 02/12/04 | 1025 JF |
| Sulfate                        | 58.5              | mg/L     | 1.22  | meq/L | 1.0          | EPA 300.0   | 02/10/04 | 1329 LK |
| <b>Cations</b>                 |                   |          |       |       |              |             |          |         |
| Calcium                        | 8.9               | mg/L     | 0.44  | meq/L | 1.0          | EPA 200.7   | 02/11/04 | 0611 MH |
| Magnesium                      | 1.5               | mg/L     | 0.12  | meq/L | 1.0          | EPA 200.7   | 02/11/04 | 0611 MH |
| Potassium                      | 1.9               | mg/L     | 0.05  | meq/L | 1.0          | EPA 200.7   | 02/11/04 | 0611 MH |
| Sodium                         | 90.5              | mg/L     | 3.94  | meq/L | 0.2          | EPA 200.7   | 02/11/04 | 0611 MH |
| Cations                        |                   |          | 4.55  | meq/L | N/A          | SM 1030 F.  | 02/11/04 | 0611    |
| Anions                         |                   |          | 4.49  | meq/L | N/A          | SM 1030 F.  | 02/12/04 | 1025    |
| Cation/Anion Balance           |                   |          | 0.66  | %     | N/A          | SM 1030 F.  | 02/11/04 | 0611    |

These results only apply to the samples tested.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.

"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.

U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.

EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By:

  
 Karen Barten, Project Manager

Report ID: 010401500

## WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
P.O. Box 730  
Mills, WY 82644Project: **Christensen**Sample ID: **MW-03**Lab ID: **0104W01502**Matrix: **Water**Condition: **Cool/Intact**Date Received: **02/09/04**Date Reported: **02/23/04**Date Sampled: **02/09/04**

| Parameter               | Analytical Result | Units | Units | PQL    | Method    | Analysis |            |
|-------------------------|-------------------|-------|-------|--------|-----------|----------|------------|
|                         |                   |       |       |        |           | Date     | Time Init. |
| <b>Dissolved Metals</b> |                   |       |       |        |           |          |            |
| Aluminum                | <0.1              | mg/L  |       | 0.1    | EPA 200.7 | 02/11/04 | 0842 MH    |
| Arsenic                 | 0.010             | mg/L  |       | 0.005  | EPA 200.8 | 02/11/04 | 1252 MS    |
| Barium                  | <0.5              | mg/L  |       | 0.5    | EPA 200.8 | 02/11/04 | 1300 MS    |
| Boron                   | 0.06              | mg/L  |       | 0.01   | EPA 200.7 | 02/11/04 | 0842 MH    |
| Cadmium                 | <0.002            | mg/L  |       | 0.002  | EPA 200.8 | 02/11/04 | 1300 MS    |
| Chromium                | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/11/04 | 0842 MH    |
| Copper                  | <0.01             | mg/L  |       | 0.01   | EPA 200.8 | 02/11/04 | 1300 MS    |
| Iron                    | <0.05             | mg/L  |       | 0.05   | EPA 200.7 | 02/11/04 | 0842 MH    |
| Lead                    | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/11/04 | 1300 MS    |
| Manganese               | <0.02             | mg/L  |       | 0.02   | EPA 200.7 | 02/11/04 | 0842 MH    |
| Mercury                 | <0.001            | mg/L  |       | 0.001  | EPA 245.1 | 02/13/04 | 0950 MS    |
| Molybdenum              | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/11/04 | 1300 MS    |
| Nickel                  | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/11/04 | 0842 MH    |
| Selenium                | 2.18              | mg/L  |       | 0.005  | EPA 200.8 | 02/11/04 | 1300 MS    |
| Uranium                 | 1.68              | mg/L  |       | 0.0001 | EPA 200.8 | 02/11/04 | 1300 MS    |
| Vanadium                | 0.2               | mg/L  |       | 0.1    | EPA 200.8 | 02/11/04 | 1300 MS    |
| Zinc                    | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/11/04 | 0842 MH    |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By:

  
 Karen Barten, Project Manager

**SAMPLE SUBMITTAL AND CHAIN OF CUSTODY FORM**

COGEMA Mining Inc.; PO Box 730 Mills, WY 82644  
Phone 464-1429 (Christensen Mine) or 234-5019 (Mills Office)

Samples shipped to Inter-mountain lab sheridan,wy

Submitted by [Signature] Date 2-11-04

Received by: [Signature] Date 2/11/04  
@1730

**Restoration Sample Description**

Location: \_\_\_ Irigaray  Christensen Mine or Production Unit 205 Module # (if applicale) \_\_\_

Restoration Phase: \_\_\_ Groundwater Sweep (explain \_\_\_\_\_)  
 \_\_\_ Reverse Osmosis Filtration (explain \_\_\_\_\_)  
 \_\_\_ Recirculation (explain \_\_\_\_\_)  
 Stabilization (explain \_\_\_\_\_)

\*Analysis Requested: DEQ Guideline # 8 (Ca, Mg, Na, K, CO3, HCO3, SO4, Cl, NH4, NO2, NO3, TDS, Cond., Tot. Alk., pH, SiO2, Al, As, Ba, B, Cd, Cr, Cu, F, Fe, Pb, Mn, Hg, Mo, Ni, Se, Zn, U, V, Ra226)

Send Analysis Results to : Tom nicholson

| #  | Identification Name | Sample Date | Sample Volume | Water Sample Preservation (X) |           |      |       | Lab id | Comments |
|----|---------------------|-------------|---------------|-------------------------------|-----------|------|-------|--------|----------|
|    |                     |             |               | Filtered                      | Not Filt. | HNO3 | H2SO4 |        |          |
| 1  | 5BL66-1             | 2-1-04      | Half Gal.     | X                             |           | X    |       | 1602   |          |
|    |                     |             | Quart         | X                             |           |      |       | "      |          |
|    |                     |             | 8 ozs.        |                               | X         |      |       | "      |          |
|    |                     |             | 8 ozs.        | X                             |           |      | X     | "      |          |
| 2  | 5BT138-1            |             | **            | **                            | **        | **   | **    | 1603d  |          |
| 3  | 5BL76-1             |             | **            | **                            | **        | **   | **    | 1604   |          |
| 4  | 5BJ54-1             |             | **            | **                            | **        | **   | **    | 1605   |          |
| 5  | 5BQ158-1            |             | **            | **                            | **        | **   | **    | 1606   |          |
| 6  | 2AA28-1             |             | **            | **                            | **        | **   | **    | 1607   |          |
| 7  | 2Y46-1              |             | **            | **                            | **        | **   | **    | 1608   |          |
| 8  | 2Z35-1              |             | **            | **                            | **        | **   | **    | 1609   |          |
| 9  |                     |             | **            | **                            | **        | **   | **    |        |          |
| 10 |                     |             | **            | **                            | **        | **   | **    |        |          |
| 11 |                     |             | **            | **                            | **        | **   | **    |        |          |
| 12 |                     |             | **            | **                            | **        | **   | **    |        |          |
| 13 |                     |             | **            | **                            | **        | **   | **    |        |          |
| 14 |                     |             | **            | **                            | **        | **   | **    |        |          |
| 15 |                     |             | **            | **                            | **        | **   | **    |        |          |

\*All analysis will be performed in accordance with EPA approved procedures and/or the latest edition of Standard Methods.  
 \*\* Same as sample #1  
 L:\LARRY[pvdsb.xls]pvdsb

Report ID: 010401602

## WATER QUALITY REPORT


Client: COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644Project: Christensen  
Sample ID: 5BL66-1  
Lab ID: 0104W01602  
Matrix: Water  
Condition: Cool/IntactDate Received: 02/11/04  
Date Reported: 02/24/04  
Date Sampled: 02/11/04

| Parameter                             | Analytical Result | Units    | Units | PQL   | Method       | Analysis    |          |         |
|---------------------------------------|-------------------|----------|-------|-------|--------------|-------------|----------|---------|
|                                       |                   |          |       |       |              | Date        | Time     | Init.   |
| <b>General Parameters</b>             |                   |          |       |       |              |             |          |         |
| Lab pH                                | 7.5               | s.u.     |       | 0.1   | EPA 150.1    | 02/12/04    | 1609     | RM      |
| Lab Conductivity @ 25°C               | 2,210             | µmhos/cm |       | 5     | SM 2510 B    | 02/12/04    | 1609     | RM      |
| Total Dissolved Solids @ 180°C        | 1,610             | mg/L     |       | 10    | SM 2540 C    | 02/12/04    | 1310     | SV      |
| Total Dissolved Solids(Calc)          | 1,490             | mg/L     |       | 10    | SM 1030 F.   | 02/13/04    | 0737     |         |
| Total Alkalinity as CaCO <sub>3</sub> | 864               | mg/L     |       | 1.0   | SM 2320 B    | 02/12/04    | 1609     | RM      |
| Total Hardness as CaCO <sub>3</sub>   | 408               | mg/L     |       | 1.0   | SM 2340 B    | 02/13/04    | 0625     |         |
| Ammonia Nitrogen                      | 0.5               | mg/L     |       | 0.1   | EPA 350.1    | 02/12/04    | 1650     | JF      |
| Nitrite as N                          | <0.1              | mg/L     |       | 0.1   | EPA 353.2    | 02/13/04    | 0833     | JF      |
| Radium 226                            | 344±15.1          | pCi/L    |       | 0.2   | SM 7500 Ra-B | 02/23/04    | 1503     | TP      |
| Silica as SiO <sub>2</sub>            | 4.8               | mg/L     |       | 0.1   | EPA 200.7    | 02/13/04    | 0848     | MH      |
| Sodium Adsorption Ratio               | 8.9               |          |       | N/A   | Calculations | 02/13/04    | 0625     |         |
| <b>Anions</b>                         |                   |          |       |       |              |             |          |         |
| Bicarbonate as HCO <sub>3</sub>       | 1,050             | mg/L     | 17.27 | meq/L | 1.0          | SM 2320 B   | 02/12/04 | 1609 RM |
| Carbonate as CO <sub>3</sub>          | <1.0              | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 02/12/04 | 1609 RM |
| Hydroxide as OH                       | <1.0              | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 02/12/04 | 1609 RM |
| Chloride                              | 34.4              | mg/L     | 0.97  | meq/L | 1.0          | EPA 300.0   | 02/13/04 | 0737 LK |
| Fluoride                              | <0.1              | mg/L     | <0.01 | meq/L | 0.1          | SM 4500-F-C | 02/12/04 | 1609 RM |
| Nitrate + Nitrite as N                | <0.1              | mg/L     | <0.01 | meq/L | 0.1          | EPA 353.2   | 01/16/04 | 1422 JF |
| Sulfate                               | 372               | mg/L     | 7.75  | meq/L | 1.0          | EPA 300.0   | 02/13/04 | 0737 LK |
| <b>Cations</b>                        |                   |          |       |       |              |             |          |         |
| Calcium                               | 120               | mg/L     | 5.99  | meq/L | 1.0          | EPA 200.7   | 02/13/04 | 0625 MH |
| Magnesium                             | 26.3              | mg/L     | 2.16  | meq/L | 1.0          | EPA 200.7   | 02/13/04 | 0625 MH |
| Potassium                             | 8.6               | mg/L     | 0.22  | meq/L | 1.0          | EPA 200.7   | 02/13/04 | 0625 MH |
| Sodium                                | 414               | mg/L     | 18.01 | meq/L | 0.2          | EPA 200.7   | 02/13/04 | 0625 MH |
| Cations                               |                   |          | 26.38 | meq/L | N/A          | SM 1030 F.  | 02/13/04 | 0625    |
| Anions                                |                   |          | 25.99 | meq/L | N/A          | SM 1030 F.  | 02/13/04 | 0737    |
| Cation/Anion Balance                  |                   |          | 0.74  | %     | N/A          | SM 1030 F.  | 02/13/04 | 0625    |

These results only apply to the samples tested.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.  
"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.  
U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.  
EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By:

  
 Karen Barten, Project Manager

Report ID: 010401602

## WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
P.O. Box 730  
Mills, WY 82644Project: **Christensen**

Sample ID: 5BL66-1

Lab ID: 0104W01602

Matrix: Water

Condition: Cool/Intact

Date Received: 02/11/04

Date Reported: 02/24/04

Date Sampled: 02/11/04

| Parameter               | Analytical Result | Units | Units | PQL    | Method    | Analysis |      |       |
|-------------------------|-------------------|-------|-------|--------|-----------|----------|------|-------|
|                         |                   |       |       |        |           | Date     | Time | Init. |
| <b>Dissolved Metals</b> |                   |       |       |        |           |          |      |       |
| Aluminum                | <0.1              | mg/L  |       | 0.1    | EPA 200.7 | 02/13/04 | 0848 | MH    |
| Arsenic                 | 0.015             | mg/L  |       | 0.005  | EPA 200.8 | 02/13/04 | 0810 | JB    |
| Barium                  | <0.5              | mg/L  |       | 0.5    | EPA 200.8 | 02/13/04 | 0810 | JB    |
| Boron                   | 0.09              | mg/L  |       | 0.01   | EPA 200.7 | 02/13/04 | 0848 | MH    |
| Cadmium                 | <0.002            | mg/L  |       | 0.002  | EPA 200.8 | 02/13/04 | 0810 | JB    |
| Chromium                | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/13/04 | 0848 | MH    |
| Copper                  | <0.01             | mg/L  |       | 0.01   | EPA 200.8 | 02/13/04 | 0810 | JB    |
| Iron                    | 1.53              | mg/L  |       | 0.05   | EPA 200.7 | 02/13/04 | 0848 | MH    |
| Lead                    | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/13/04 | 0810 | JB    |
| Manganese               | 0.33              | mg/L  |       | 0.02   | EPA 200.7 | 02/13/04 | 0848 | MH    |
| Mercury                 | <0.001            | mg/L  |       | 0.001  | EPA 245.1 | 02/18/04 | 0935 | MS    |
| Molybdenum              | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/13/04 | 0810 | JB    |
| Nickel                  | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/13/04 | 0848 | MH    |
| Selenium                | 0.023             | mg/L  |       | 0.005  | EPA 200.8 | 02/13/04 | 0810 | JB    |
| Uranium                 | 6.21              | mg/L  |       | 0.0001 | EPA 200.8 | 02/13/04 | 0810 | JB    |
| Vanadium                | 0.1               | mg/L  |       | 0.1    | EPA 200.8 | 02/13/04 | 0810 | JB    |
| Zinc                    | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/13/04 | 0848 | MH    |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By:



Karen Barten, Project Manager

Report ID: 010401602

## WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
P.O. Box 730  
Mills, WY 82644Project: **Christensen**

Sample ID: 5BT138-1

Lab ID: 0104W01603

Matrix: Water

Condition: Cool/Intact

Date Received: 02/11/04

Date Reported: 02/24/04

Date Sampled: 02/11/04

| Parameter                      | Analytical Result | Units    | Units | PQL   | Method       | Analysis    |          |         |
|--------------------------------|-------------------|----------|-------|-------|--------------|-------------|----------|---------|
|                                |                   |          |       |       |              | Date        | Time     | Init.   |
| <b>General Parameters</b>      |                   |          |       |       |              |             |          |         |
| Lab pH                         | 8.8               | s.u.     |       | 0.1   | EPA 150.1    | 02/12/04    | 1620     | RM      |
| Lab Conductivity @ 25°C        | 832               | µmhos/cm |       | 5     | SM 2510 B    | 02/12/04    | 1620     | RM      |
| Total Dissolved Solids @ 180°C | 570               | mg/L     |       | 10    | SM 2540 C    | 02/12/04    | 1310     | SV      |
| Total Dissolved Solids(Calc)   | 500               | mg/L     |       | 10    | SM 1030 F.   | 02/17/04    | 0611     |         |
| Total Alkalinity as CaCO3      | 100               | mg/L     |       | 1.0   | SM 2320 B    | 02/12/04    | 1620     | RM      |
| Total Hardness as CaCO3        | 31.5              | mg/L     |       | 1.0   | SM 2340 B    | 02/13/04    | 0625     |         |
| Ammonia Nitrogen               | 0.3               | mg/L     |       | 0.1   | EPA 350.1    | 02/12/04    | 1651     | JF      |
| Nitrite as N                   | <0.1              | mg/L     |       | 0.1   | EPA 353.2    | 02/13/04    | 0833     | JF      |
| Radium 226                     | 46.9±5.7          | pCi/L    |       | 0.2   | SM 7500 Ra-B | 02/23/04    | 1503     | TP      |
| Silica as SiO2                 | 3.4               | mg/L     |       | 0.1   | EPA 200.7    | 02/13/04    | 0851     | MH      |
| Sodium Adsorption Ratio        | 11.7              |          |       | N/A   | Calculations | 02/17/04    | 0611     |         |
| <b>Anions</b>                  |                   |          |       |       |              |             |          |         |
| Bicarbonate as HCO3            | 105               | mg/L     | 1.72  | meq/L | 1.0          | SM 2320 B   | 02/12/04 | 1620 RM |
| Carbonate as CO3               | 8.4               | mg/L     | 0.28  | meq/L | 1.0          | SM 2320 B   | 02/12/04 | 1620 RM |
| Hydroxide as OH                | <1.0              | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 02/12/04 | 1620 RM |
| Chloride                       | 5.6               | mg/L     | 0.16  | meq/L | 1.0          | EPA 300.0   | 02/13/04 | 0737 LK |
| Fluoride                       | 0.2               | mg/L     | 0.01  | meq/L | 0.1          | SM 4500-F-C | 02/12/04 | 1620 RM |
| Nitrate + Nitrite as N         | <0.1              | mg/L     | <0.01 | meq/L | 0.1          | EPA 353.2   | 01/16/04 | 1422 JF |
| Sulfate                        | 259               | mg/L     | 5.40  | meq/L | 1.0          | EPA 300.0   | 02/13/04 | 0737 LK |
| <b>Cations</b>                 |                   |          |       |       |              |             |          |         |
| Calcium                        | 9.9               | mg/L     | 0.49  | meq/L | 1.0          | EPA 200.7   | 02/13/04 | 0625 MH |
| Magnesium                      | 1.7               | mg/L     | 0.14  | meq/L | 1.0          | EPA 200.7   | 02/13/04 | 0625 MH |
| Potassium                      | 12.6              | mg/L     | 0.32  | meq/L | 1.0          | EPA 200.7   | 02/13/04 | 0625 MH |
| Sodium                         | 151               | mg/L     | 6.57  | meq/L | 0.2          | EPA 200.7   | 02/17/04 | 0611 MH |
| Cations                        |                   |          | 7.52  | meq/L | N/A          | SM 1030 F.  | 02/17/04 | 0611    |
| Anions                         |                   |          | 7.57  | meq/L | N/A          | SM 1030 F.  | 02/13/04 | 0737    |
| Cation/Anion Balance           |                   |          | 0.33  | %     | N/A          | SM 1030 F.  | 02/17/04 | 0611    |

These results only apply to the samples tested.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.

"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.

U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.

EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By:

  
 Karen Barten, Project Manager

Report ID: 010401602

## WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
P.O. Box 730  
Mills, WY 82644Project: **Christensen**Sample ID: **5BT138-1**Lab ID: **0104W01603**Matrix: **Water**Condition: **Cool/Intact**Date Received: **02/11/04**Date Reported: **02/24/04**Date Sampled: **02/11/04**

| Parameter               | Analytical Result | Units | Units | PQL    | Method    | Analysis |      |       |
|-------------------------|-------------------|-------|-------|--------|-----------|----------|------|-------|
|                         |                   |       |       |        |           | Date     | Time | Init. |
| <b>Dissolved Metals</b> |                   |       |       |        |           |          |      |       |
| Aluminum                | <0.1              | mg/L  |       | 0.1    | EPA 200.7 | 02/13/04 | 0851 | MH    |
| Arsenic                 | <0.005            | mg/L  |       | 0.005  | EPA 200.8 | 02/13/04 | 0810 | JB    |
| Barium                  | <0.5              | mg/L  |       | 0.5    | EPA 200.8 | 02/13/04 | 0810 | JB    |
| Boron                   | 0.05              | mg/L  |       | 0.01   | EPA 200.7 | 02/13/04 | 0851 | MH    |
| Cadmium                 | <0.002            | mg/L  |       | 0.002  | EPA 200.8 | 02/13/04 | 0810 | JB    |
| Chromium                | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/13/04 | 0851 | MH    |
| Copper                  | <0.01             | mg/L  |       | 0.01   | EPA 200.8 | 02/13/04 | 0810 | JB    |
| Iron                    | <0.05             | mg/L  |       | 0.05   | EPA 200.7 | 02/13/04 | 0851 | MH    |
| Lead                    | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/13/04 | 0810 | JB    |
| Manganese               | <0.02             | mg/L  |       | 0.02   | EPA 200.7 | 02/13/04 | 0851 | MH    |
| Mercury                 | <0.001            | mg/L  |       | 0.001  | EPA 245.1 | 02/18/04 | 0935 | MS    |
| Molybdenum              | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/13/04 | 0810 | JB    |
| Nickel                  | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/13/04 | 0851 | MH    |
| Selenium                | <0.005            | mg/L  |       | 0.005  | EPA 200.8 | 02/13/04 | 0810 | JB    |
| Uranium                 | 0.0158            | mg/L  |       | 0.0001 | EPA 200.8 | 02/13/04 | 0810 | JB    |
| Vanadium                | <0.1              | mg/L  |       | 0.1    | EPA 200.8 | 02/13/04 | 0810 | JB    |
| Zinc                    | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/13/04 | 0851 | MH    |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By:



Karen Barten, Project Manager

Quality Control Report  
Duplicate Analysis

Client: COGEMA Mining, Inc.  
 Project: Christensen  
 Sample ID: 5BT138-1  
 Lab ID: 0104W01603  
 Matrix: Water  
 Condition: Cool/Intact

Report Date: 02/24/04  
 Receipt Date: 02/11/04  
 Sample Date: 02/11/04

| Parameter                             | Original Conc. | Duplicate Conc. | Relative % Diff. | PQL | Units    |
|---------------------------------------|----------------|-----------------|------------------|-----|----------|
| <b>General Parameters</b>             |                |                 |                  |     |          |
| Lab pH                                | 8.8            | 8.9             | 1                | 0.1 | s.u.     |
| Lab Conductivity @ 25°C               | 832            | 833             | 0                | 5   | µmhos/cm |
| Total Dissolved Solids @ 180°C        | 570            | 560             | 2                | 10  | mg/L     |
| Total Dissolved Solids(Calc)          | 500            | 500             | 0                | 10  | mg/L     |
| Total Alkalinity as CaCO <sub>3</sub> | 100            | 100             | 0                | 1.0 | mg/L     |
| Total Hardness as CaCO <sub>3</sub>   | 31.5           | 31.5            | 0                | 1.0 | mg/L     |
| Ammonia Nitrogen                      | 0.3            | 0.3             | 0.0**            | 0.1 | mg/L     |
| Nitrite as N                          | <0.1           | <0.1            | NC*              | 0.1 | mg/L     |
| Silica as SiO <sub>2</sub>            | 3.4            | 3.4             | 0                | 0.1 | mg/L     |
| Sodium Adsorption Ratio               | 11.7           | 11.6            | 1                |     |          |
| <b>Anions</b>                         |                |                 |                  |     |          |
| Bicarbonate as HCO <sub>3</sub>       | 105            | 103             | 2                | 1.0 | mg/L     |
| Carbonate as CO <sub>3</sub>          | 8.4            | 9.6             | 13               | 1.0 | mg/L     |
| Hydroxide as OH                       | <1.0           | <1.0            | NC*              | 1.0 | mg/L     |
| Chloride                              | 5.6            | 6.0             | 7                | 1.0 | mg/L     |
| Fluoride                              | 0.2            | 0.2             | 0.0**            | 0.1 | mg/L     |
| Nitrate + Nitrite as N                | <0.1           | <0.1            | NC*              | 0.1 | mg/L     |
| Sulfate                               | 259            | 263             | 2                | 1.0 | mg/L     |
| <b>Cations</b>                        |                |                 |                  |     |          |
| Calcium                               | 9.9            | 9.8             | 1                | 1.0 | mg/L     |
| Magnesium                             | 1.7            | 1.7             | 0.0**            | 1.0 | mg/L     |
| Potassium                             | 12.6           | 12.5            | 1                | 1.0 | mg/L     |
| Sodium                                | 151            | 150             | 1                | 0.2 | mg/L     |
| Cations                               | 7.52           | 7.47            | 1                |     | meq/L    |
| Anions                                | 7.57           | 7.67            | 1                |     | meq/L    |
| Cation/Anion Balance                  | 0.33           | 1.32            |                  |     | %        |

\*NC - Non-Calculable RPD due to value(s) less than DL \*\* - Difference used for results < 5 X Detection Limit  
 These results only apply to the samples tested.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.  
 "Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.  
 U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.

Reviewed By:

  
 Karen Barten, Project Manager



Quality Control Report  
Duplicate Analysis

Client: COGEMA Mining, Inc.  
 Project: Christensen  
 Sample ID: 5BT138-1  
 Lab ID: 0104W01603  
 Matrix: Water  
 Condition: Cool/Intact

Report Date: 02/24/04  
 Receipt Date: 02/11/04  
 Sample Date: 02/11/04

| Parameter               | Original Conc. | Duplicate Conc. | Relative % Diff. | PQL    | Units |
|-------------------------|----------------|-----------------|------------------|--------|-------|
| <b>Dissolved Metals</b> |                |                 |                  |        |       |
| Aluminum                | <0.1           | <0.1            | NC*              | 0.1    | mg/L  |
| Arsenic                 | <0.005         | <0.005          | NC*              | 0.005  | mg/L  |
| Barium                  | <0.5           | <0.5            | NC*              | 0.5    | mg/L  |
| Boron                   | 0.05           | 0.05            | 0                | 0.01   | mg/L  |
| Cadmium                 | <0.002         | <0.002          | NC*              | 0.002  | mg/L  |
| Chromium                | <0.01          | <0.01           | NC*              | 0.01   | mg/L  |
| Copper                  | <0.01          | <0.01           | NC*              | 0.01   | mg/L  |
| Iron                    | <0.05          | <0.05           | NC*              | 0.05   | mg/L  |
| Lead                    | <0.02          | <0.02           | NC*              | 0.02   | mg/L  |
| Manganese               | <0.02          | <0.02           | NC*              | 0.02   | mg/L  |
| Mercury                 | <0.001         | <0.001          | NC*              | 0.001  | mg/L  |
| Molybdenum              | <0.02          | <0.02           | NC*              | 0.02   | mg/L  |
| Nickel                  | <0.01          | <0.01           | NC*              | 0.01   | mg/L  |
| Selenium                | <0.005         | <0.005          | NC*              | 0.005  | mg/L  |
| Uranium                 | 0.0158         | 0.0149          | 6                | 0.0001 | mg/L  |
| Vanadium                | <0.1           | <0.1            | NC*              | 0.1    | mg/L  |
| Zinc                    | <0.01          | <0.01           | NC*              | 0.01   | mg/L  |

\*NC - Non-Calculable RPD due to value(s) less than DL  
 These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By:

  
 Karen Barten, Project Manager

Report ID: 010401602

## WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
P.O. Box 730  
Mills, WY 82644Project: **Christensen**  
Sample ID: 5BL76-1  
Lab ID: 0104W01604  
Matrix: Water  
Condition: Cool/IntactDate Received: 02/11/04  
Date Reported: 02/24/04  
Date Sampled: 02/11/04

| Parameter                      | Analytical Result | Units    | Units | PQL   | Method       | Analysis    |          |       |    |
|--------------------------------|-------------------|----------|-------|-------|--------------|-------------|----------|-------|----|
|                                |                   |          |       |       |              | Date        | Time     | Init. |    |
| <b>General Parameters</b>      |                   |          |       |       |              |             |          |       |    |
| Lab pH                         | 7.9               | s.u.     |       | 0.1   | EPA 150.1    | 02/12/04    | 1645     | RM    |    |
| Lab Conductivity @ 25°C        | 1,860             | µmhos/cm |       | 5     | SM 2510 B    | 02/12/04    | 1645     | RM    |    |
| Total Dissolved Solids @ 180°C | 1,360             | mg/L     |       | 10    | SM 2540 C    | 02/12/04    | 1310     | SV    |    |
| Total Dissolved Solids(Calc)   | 1,220             | mg/L     |       | 10    | SM 1030 F.   | 02/13/04    | 0737     |       |    |
| Total Alkalinity as CaCO3      | 696               | mg/L     |       | 1.0   | SM 2320 B    | 02/12/04    | 1645     | RM    |    |
| Total Hardness as CaCO3        | 287               | mg/L     |       | 1.0   | SM 2340 B    | 02/13/04    | 0625     |       |    |
| Ammonia Nitrogen               | <0.1              | mg/L     |       | 0.1   | EPA 350.1    | 02/12/04    | 1653     | JF    |    |
| Nitrite as N                   | <0.1              | mg/L     |       | 0.1   | EPA 353.2    | 02/13/04    | 0833     | JF    |    |
| Radium 226                     | 378±15.7          | pCi/L    |       | 0.2   | SM 7500 Ra-B | 02/23/04    | 1503     | TP    |    |
| Silica as SiO2                 | 4.0               | mg/L     |       | 0.1   | EPA 200.7    | 02/13/04    | 0857     | MH    |    |
| Sodium Adsorption Ratio        | 8.7               |          |       | N/A   | Calculations | 02/13/04    | 0625     |       |    |
| <b>Anions</b>                  |                   |          |       |       |              |             |          |       |    |
| Bicarbonate as HCO3            | 849               | mg/L     | 13.92 | meq/L | 1.0          | SM 2320 B   | 02/12/04 | 1645  | RM |
| Carbonate as CO3               | <1.0              | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 02/12/04 | 1645  | RM |
| Hydroxide as OH                | <1.0              | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 02/12/04 | 1645  | RM |
| Chloride                       | 27.1              | mg/L     | 0.76  | meq/L | 1.0          | EPA 300.0   | 02/13/04 | 0737  | LK |
| Fluoride                       | <0.1              | mg/L     | <0.01 | meq/L | 0.1          | SM 4500-F-C | 02/12/04 | 1645  | RM |
| Nitrate + Nitrite as N         | 0.3               | mg/L     | 0.02  | meq/L | 0.1          | EPA 353.2   | 01/16/04 | 1422  | JF |
| Sulfate                        | 321               | mg/L     | 6.68  | meq/L | 1.0          | EPA 300.0   | 02/13/04 | 0737  | LK |
| <b>Cations</b>                 |                   |          |       |       |              |             |          |       |    |
| Calcium                        | 90.3              | mg/L     | 4.51  | meq/L | 1.0          | EPA 200.7   | 02/13/04 | 0625  | MH |
| Magnesium                      | 15.0              | mg/L     | 1.23  | meq/L | 1.0          | EPA 200.7   | 02/13/04 | 0625  | MH |
| Potassium                      | 6.9               | mg/L     | 0.18  | meq/L | 1.0          | EPA 200.7   | 02/13/04 | 0625  | MH |
| Sodium                         | 339               | mg/L     | 14.75 | meq/L | 0.2          | EPA 200.7   | 02/13/04 | 0625  | MH |
| Cations                        |                   |          | 20.67 | meq/L | N/A          | SM 1030 F.  | 02/13/04 | 0625  |    |
| Anions                         |                   |          | 21.38 | meq/L | N/A          | SM 1030 F.  | 02/13/04 | 0737  |    |
| Cation/Anion Balance           |                   |          | 1.69  | %     | N/A          | SM 1030 F.  | 02/13/04 | 0625  |    |

These results only apply to the samples tested.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.  
"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.  
U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.  
EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By:

  
Karen Barten, Project Manager

Report ID: 010401602

## WATER QUALITY REPORT

Client: COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644Project: Christensen  
Sample ID: 5BL76-1  
Lab ID: 0104W01604  
Matrix: Water  
Condition: Cool/IntactDate Received: 02/11/04  
Date Reported: 02/24/04  
Date Sampled: 02/11/04

| Parameter               | Analytical |       | Units | PQL    | Method    | Analysis |      |       |
|-------------------------|------------|-------|-------|--------|-----------|----------|------|-------|
|                         | Result     | Units |       |        |           | Date     | Time | Init. |
| <b>Dissolved Metals</b> |            |       |       |        |           |          |      |       |
| Aluminum                | 0.2        | mg/L  |       | 0.1    | EPA 200.7 | 02/13/04 | 0857 | MH    |
| Arsenic                 | 0.052      | mg/L  |       | 0.005  | EPA 200.8 | 02/13/04 | 0810 | JB    |
| Barium                  | <0.5       | mg/L  |       | 0.5    | EPA 200.8 | 02/13/04 | 0810 | JB    |
| Boron                   | 0.07       | mg/L  |       | 0.01   | EPA 200.7 | 02/13/04 | 0857 | MH    |
| Cadmium                 | <0.002     | mg/L  |       | 0.002  | EPA 200.8 | 02/13/04 | 0810 | JB    |
| Chromium                | 0.02       | mg/L  |       | 0.01   | EPA 200.7 | 02/13/04 | 0857 | MH    |
| Copper                  | <0.01      | mg/L  |       | 0.01   | EPA 200.8 | 02/13/04 | 0810 | JB    |
| Iron                    | <0.05      | mg/L  |       | 0.05   | EPA 200.7 | 02/13/04 | 0857 | MH    |
| Lead                    | <0.02      | mg/L  |       | 0.02   | EPA 200.8 | 02/13/04 | 0810 | JB    |
| Manganese               | 0.35       | mg/L  |       | 0.02   | EPA 200.7 | 02/13/04 | 0857 | MH    |
| Mercury                 | <0.001     | mg/L  |       | 0.001  | EPA 245.1 | 02/18/04 | 0935 | MS    |
| Molybdenum              | <0.02      | mg/L  |       | 0.02   | EPA 200.8 | 02/13/04 | 0810 | JB    |
| Nickel                  | <0.01      | mg/L  |       | 0.01   | EPA 200.7 | 02/13/04 | 0857 | MH    |
| Selenium                | 1.06       | mg/L  |       | 0.005  | EPA 200.8 | 02/13/04 | 0810 | JB    |
| Uranium                 | 20.7       | mg/L  |       | 0.0001 | EPA 200.8 | 02/13/04 | 0810 | JB    |
| Vanadium                | <0.1       | mg/L  |       | 0.1    | EPA 200.8 | 02/13/04 | 0810 | JB    |
| Zinc                    | <0.01      | mg/L  |       | 0.01   | EPA 200.7 | 02/13/04 | 0857 | MH    |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By:

  
 Karen Barten, Project Manager

Report ID: 010401602

## WATER QUALITY REPORT

Client: COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644Project: Christensen  
Sample ID: 5BQ158-1  
Lab ID: 0104W01606  
Matrix: Water  
Condition: Cool/IntactDate Received: 02/11/04  
Date Reported: 02/24/04  
Date Sampled: 02/11/04

| Parameter               | Analytical Result | Units | Units | PQL    | Method    | Analysis |      |       |
|-------------------------|-------------------|-------|-------|--------|-----------|----------|------|-------|
|                         |                   |       |       |        |           | Date     | Time | Init. |
| <b>Dissolved Metals</b> |                   |       |       |        |           |          |      |       |
| Aluminum                | <0.1              | mg/L  |       | 0.1    | EPA 200.7 | 02/13/04 | 0904 | MH    |
| Arsenic                 | <0.005            | mg/L  |       | 0.005  | EPA 200.8 | 02/13/04 | 0810 | JB    |
| Barium                  | <0.5              | mg/L  |       | 0.5    | EPA 200.8 | 02/13/04 | 0810 | JB    |
| Boron                   | 0.04              | mg/L  |       | 0.01   | EPA 200.7 | 02/13/04 | 0904 | MH    |
| Cadmium                 | <0.002            | mg/L  |       | 0.002  | EPA 200.8 | 02/13/04 | 0810 | JB    |
| Chromium                | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/13/04 | 0904 | MH    |
| Copper                  | <0.01             | mg/L  |       | 0.01   | EPA 200.8 | 02/13/04 | 0810 | JB    |
| Iron                    | <0.05             | mg/L  |       | 0.05   | EPA 200.7 | 02/13/04 | 0904 | MH    |
| Lead                    | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/13/04 | 0810 | JB    |
| Manganese               | <0.02             | mg/L  |       | 0.02   | EPA 200.7 | 02/13/04 | 0904 | MH    |
| Mercury                 | <0.001            | mg/L  |       | 0.001  | EPA 245.1 | 02/18/04 | 0935 | MS    |
| Molybdenum              | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/13/04 | 0810 | JB    |
| Nickel                  | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/13/04 | 0904 | MH    |
| Selenium                | <0.005            | mg/L  |       | 0.005  | EPA 200.8 | 02/13/04 | 0810 | JB    |
| Uranium                 | 0.0082            | mg/L  |       | 0.0001 | EPA 200.8 | 02/13/04 | 0810 | JB    |
| Vanadium                | <0.1              | mg/L  |       | 0.1    | EPA 200.8 | 02/13/04 | 0810 | JB    |
| Zinc                    | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/13/04 | 0904 | MH    |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By:



Karen Barten, Project Manager

Report ID: 010401500

## WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
P.O. Box 730  
Mills, WY 82644Project: **Christensen**  
Sample ID: 5AP54-1  
Lab ID: 0104W01503  
Matrix: Water  
Condition: Cool/IntactDate Received: 02/09/04  
Date Reported: 02/23/04  
Date Sampled: 02/09/04

| Parameter                             | Analytical |          | PQL   |       |              | Analysis    |          |       |    |
|---------------------------------------|------------|----------|-------|-------|--------------|-------------|----------|-------|----|
|                                       | Result     | Units    | Units | PQL   | Method       | Date        | Time     | Init. |    |
| <b>General Parameters</b>             |            |          |       |       |              |             |          |       |    |
| Lab pH                                | 8.0        | s.u.     |       | 0.1   | EPA 150.1    | 02/10/04    | 1737     | RM    |    |
| Lab Conductivity @ 25°C               | 1,220      | µmhos/cm |       | 5     | SM 2510 B    | 02/10/04    | 1737     | RM    |    |
| Total Dissolved Solids @ 180°C        | 830        | mg/L     |       | 10    | SM 2540 C    | 02/10/04    | 1500     | SV    |    |
| Total Dissolved Solids(Calc)          | 770        | mg/L     |       | 10    | SM 1030 F.   | 02/12/04    | 1025     |       |    |
| Total Alkalinity as CaCO <sub>3</sub> | 419        | mg/L     |       | 1.0   | SM 2320 B    | 02/10/04    | 1737     | RM    |    |
| Total Hardness as CaCO <sub>3</sub>   | 218        | mg/L     |       | 1.0   | SM 2340 B    | 02/11/04    | 0611     |       |    |
| Ammonia Nitrogen                      | 0.2        | mg/L     |       | 0.1   | EPA 350.1    | 02/12/04    | 1604     | JF    |    |
| Nitrite as N                          | <0.1       | mg/L     |       | 0.1   | EPA 353.2    | 02/10/04    | 1543     | JF    |    |
| Radium 226                            | 435±15.4   | pCi/L    |       | 0.2   | SM 7500 Ra-B | 02/18/04    | 1242     | TP    |    |
| Silica as SiO <sub>2</sub>            | 3.2        | mg/L     |       | 0.1   | EPA 200.7    | 02/11/04    | 0833     | MH    |    |
| Sodium Adsorption Ratio               | 6.1        |          |       | N/A   | Calculations | 02/11/04    | 0611     |       |    |
| <b>Anions</b>                         |            |          |       |       |              |             |          |       |    |
| Bicarbonate as HCO <sub>3</sub>       | 511        | mg/L     | 8.37  | meq/L | 1.0          | SM 2320 B   | 02/10/04 | 1737  | RM |
| Carbonate as CO <sub>3</sub>          | <1.0       | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 02/10/04 | 1737  | RM |
| Hydroxide as OH                       | <1.0       | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 02/10/04 | 1737  | RM |
| Chloride                              | 33.3       | mg/L     | 0.94  | meq/L | 1.0          | EPA 300.0   | 02/10/04 | 1329  | LK |
| Fluoride                              | <0.1       | mg/L     | <0.01 | meq/L | 0.1          | SM 4500-F-C | 02/10/04 | 1737  | RM |
| Nitrate + Nitrite as N                | <0.1       | mg/L     | <0.01 | meq/L | 0.1          | EPA 353.2   | 02/12/04 | 1025  | JF |
| Sulfate                               | 198        | mg/L     | 4.13  | meq/L | 1.0          | EPA 300.0   | 02/10/04 | 1329  | LK |
| <b>Cations</b>                        |            |          |       |       |              |             |          |       |    |
| Calcium                               | 67.3       | mg/L     | 3.36  | meq/L | 1.0          | EPA 200.7   | 02/11/04 | 0611  | MH |
| Magnesium                             | 12.2       | mg/L     | 1.00  | meq/L | 1.0          | EPA 200.7   | 02/11/04 | 0611  | MH |
| Potassium                             | 5.3        | mg/L     | 0.14  | meq/L | 1.0          | EPA 200.7   | 02/11/04 | 0611  | MH |
| Sodium                                | 207        | mg/L     | 9.00  | meq/L | 0.2          | EPA 200.7   | 02/13/04 | 0625  | MH |
| Cations                               |            |          | 13.50 | meq/L | N/A          | SM 1030 F.  | 02/11/04 | 0611  |    |
| Anions                                |            |          | 13.44 | meq/L | N/A          | SM 1030 F.  | 02/12/04 | 1025  |    |
| Cation/Anion Balance                  |            |          | 0.22  | %     | N/A          | SM 1030 F.  | 02/11/04 | 0611  |    |

These results only apply to the samples tested.


Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.

"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.

U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.

EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By:

  
 Karen Barten, Project Manager

Report ID: 010401500

## WATER QUALITY REPORT

Client: COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644Project: Christensen  
Sample ID: 5AP54-1  
Lab ID: 0104W01503  
Matrix: Water  
Condition: Cool/IntactDate Received: 02/09/04  
Date Reported: 02/23/04  
Date Sampled: 02/09/04

| Parameter               | Analytical Result | Units | Units | PQL    | Method    | Analysis |      |       |
|-------------------------|-------------------|-------|-------|--------|-----------|----------|------|-------|
|                         |                   |       |       |        |           | Date     | Time | Init. |
| <b>Dissolved Metals</b> |                   |       |       |        |           |          |      |       |
| Aluminum                | <0.1              | mg/L  |       | 0.1    | EPA 200.7 | 02/11/04 | 0845 | MH    |
| Arsenic                 | 0.013             | mg/L  |       | 0.005  | EPA 200.8 | 02/11/04 | 1252 | MS    |
| Barium                  | <0.5              | mg/L  |       | 0.5    | EPA 200.8 | 02/11/04 | 1303 | MS    |
| Boron                   | 0.06              | mg/L  |       | 0.01   | EPA 200.7 | 02/11/04 | 0845 | MH    |
| Cadmium                 | <0.002            | mg/L  |       | 0.002  | EPA 200.8 | 02/11/04 | 1303 | MS    |
| Chromium                | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/11/04 | 0845 | MH    |
| Copper                  | <0.01             | mg/L  |       | 0.01   | EPA 200.8 | 02/11/04 | 1303 | MS    |
| Iron                    | <0.05             | mg/L  |       | 0.05   | EPA 200.7 | 02/11/04 | 0845 | MH    |
| Lead                    | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/11/04 | 1303 | MS    |
| Manganese               | 0.10              | mg/L  |       | 0.02   | EPA 200.7 | 02/11/04 | 0845 | MH    |
| Mercury                 | <0.001            | mg/L  |       | 0.001  | EPA 245.1 | 02/13/04 | 0950 | MS    |
| Molybdenum              | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/11/04 | 1303 | MS    |
| Nickel                  | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/11/04 | 0845 | MH    |
| Selenium                | 0.584             | mg/L  |       | 0.005  | EPA 200.8 | 02/11/04 | 1303 | MS    |
| Uranium                 | 4.72              | mg/L  |       | 0.0001 | EPA 200.8 | 02/11/04 | 1303 | MS    |
| Vanadium                | 0.3               | mg/L  |       | 0.1    | EPA 200.8 | 02/11/04 | 1303 | MS    |
| Zinc                    | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/11/04 | 0845 | MH    |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By:


  
Karen Barten, Project Manager

**Quality Control Report**  
**Duplicate Analysis**

Client: COGEMA Mining, Inc.  
Project: Christensen  
Sample ID: 5AP54-1  
Lab ID: 0104W01503  
Matrix: Water  
Condition: Cool/Intact

Report Date: 02/23/04  
Receipt Date: 02/09/04  
Sample Date: 02/09/04

| Parameter                      | Original Conc. | Duplicate Conc. | Relative % Diff. | PQL | Units    |
|--------------------------------|----------------|-----------------|------------------|-----|----------|
| <b>General Parameters</b>      |                |                 |                  |     |          |
| Lab pH                         | 8.0            | 8.0             | 0                | 0.1 | s.u.     |
| Lab Conductivity @ 25°C        | 1,220          | 1,240           | 2                | 5   | µmhos/cm |
| Total Dissolved Solids @ 180°C | 830            | 830             | 0                | 10  | mg/L     |
| Total Dissolved Solids(Calc)   | 770            | 780             | 1                | 10  | mg/L     |
| Total Alkalinity as CaCO3      | 419            | 419             | 0                | 1.0 | mg/L     |
| Total Hardness as CaCO3        | 218            | 220             | 1                | 1.0 | mg/L     |
| Ammonia Nitrogen               | 0.2            | 0.2             | 0.0**            | 0.1 | mg/L     |
| Nitrite as N                   | <0.1           | <0.1            | NC*              | 0.1 | mg/L     |
| Silica as SiO2                 | 3.2            | 3.3             | 3                | 0.1 | mg/L     |
| Sodium Adsorption Ratio        | 6.1            | 6.1             | 0                |     |          |
| <b>Anions</b>                  |                |                 |                  |     |          |
| Bicarbonate as HCO3            | 511            | 511             | 0                | 1.0 | mg/L     |
| Carbonate as CO3               | <1.0           | <1.0            | NC*              | 1.0 | mg/L     |
| Hydroxide as OH                | <1.0           | <1.0            | NC*              | 1.0 | mg/L     |
| Chloride                       | 33.3           | 32.7            | 2                | 1.0 | mg/L     |
| Fluoride                       | <0.1           | <0.1            | NC*              | 0.1 | mg/L     |
| Nitrate + Nitrite as N         | <0.1           | <0.1            | NC*              | 0.1 | mg/L     |
| Sulfate                        | 198            | 199             | 1                | 1.0 | mg/L     |
| <b>Cations</b>                 |                |                 |                  |     |          |
| Calcium                        | 67.3           | 67.7            | 1                | 1.0 | mg/L     |
| Magnesium                      | 12.2           | 12.3            | 1                | 1.0 | mg/L     |
| Potassium                      | 5.3            | 5.2             | 2                | 1.0 | mg/L     |
| Sodium                         | 207            | 209             | 1                | 0.2 | mg/L     |
| Cations                        | 13.50          | 13.61           | 1                |     | meq/L    |
| Anions                         | 13.44          | 13.44           | 0                |     | meq/L    |
| Cation/Anion Balance           | 0.22           | 0.63            |                  |     | %        |

\*NC - Non-Calculable RPD due to value(s) less than DL \*\* - Difference used for results < 5 X Detection Limit  
These results only apply to the samples tested.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.  
"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.  
U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.

Reviewed By: Karen Barten  
Karen Barten, Project Manager

**Quality Control Report**  
**Duplicate Analysis**

**Client:** COGEMA Mining, Inc.  
**Project:** Christensen  
**Sample ID:** 5AP54-1  
**Lab ID:** 0104W01503  
**Matrix:** Water  
**Condition:** Cool/Intact

**Report Date:** 02/23/04  
**Receipt Date:** 02/09/04  
**Sample Date:** 02/09/04

| Parameter               | Original Conc. | Duplicate Conc. | Relative % Diff. | PQL    | Units |
|-------------------------|----------------|-----------------|------------------|--------|-------|
| <b>Dissolved Metals</b> |                |                 |                  |        |       |
| Aluminum                | <0.1           | <0.1            | NC*              | 0.1    | mg/L  |
| Arsenic                 | 0.013          | 0.012           | 0.001**          | 0.005  | mg/L  |
| Barium                  | <0.5           | <0.5            | NC*              | 0.5    | mg/L  |
| Boron                   | 0.06           | 0.06            | 0                | 0.01   | mg/L  |
| Cadmium                 | <0.002         | <0.002          | NC*              | 0.002  | mg/L  |
| Chromium                | <0.01          | <0.01           | NC*              | 0.01   | mg/L  |
| Copper                  | <0.01          | <0.01           | NC*              | 0.01   | mg/L  |
| Iron                    | <0.05          | <0.05           | NC*              | 0.05   | mg/L  |
| Lead                    | <0.02          | <0.02           | NC*              | 0.02   | mg/L  |
| Manganese               | 0.10           | 0.10            | 0                | 0.02   | mg/L  |
| Mercury                 | <0.001         | <0.001          | NC*              | 0.001  | mg/L  |
| Molybdenum              | <0.02          | <0.02           | NC*              | 0.02   | mg/L  |
| Nickel                  | <0.01          | <0.01           | NC*              | 0.01   | mg/L  |
| Selenium                | 0.584          | 0.575           | 2                | 0.005  | mg/L  |
| Uranium                 | 4.72           | 4.58            | 3                | 0.0001 | mg/L  |
| Vanadium                | 0.3            | 0.3             | 0.0**            | 0.1    | mg/L  |
| Zinc                    | <0.01          | <0.01           | NC*              | 0.01   | mg/L  |

\*NC - Non-Calculable RPD due to value(s) less than DL \*\* - Difference used for results < 5 X Detection Limit  
These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By: Karen Barten  
Karen Barten, Project Manager



Report ID: 010401500

## WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
P.O. Box 730  
Mills, WY 82644Project: **Christensen**

Sample ID: 5AM78-2

Lab ID: 0104W01504

Matrix: Water

Condition: Cool/Intact

Date Received: 02/09/04

Date Reported: 02/23/04

Date Sampled: 02/09/04

| Parameter                      | Analytical Result | Units    | Units | PQL   | Method       | Analysis    |          |         |
|--------------------------------|-------------------|----------|-------|-------|--------------|-------------|----------|---------|
|                                |                   |          |       |       |              | Date        | Time     | Init.   |
| <b>General Parameters</b>      |                   |          |       |       |              |             |          |         |
| Lab pH                         | 7.8               | s.u.     |       | 0.1   | EPA 150.1    | 02/10/04    | 1802     | RM      |
| Lab Conductivity @ 25°C        | 482               | µmhos/cm |       | 5     | SM 2510 B    | 02/10/04    | 1802     | RM      |
| Total Dissolved Solids @ 180°C | 300               | mg/L     |       | 10    | SM 2540 C    | 02/10/04    | 1500     | SV      |
| Total Dissolved Solids(Calc)   | 290               | mg/L     |       | 10    | SM 1030 F.   | 02/12/04    | 1025     |         |
| Total Alkalinity as CaCO3      | 155               | mg/L     |       | 1.0   | SM 2320 B    | 02/10/04    | 1802     | RM      |
| Total Hardness as CaCO3        | 60.0              | mg/L     |       | 1.0   | SM 2340 B    | 02/11/04    | 0611     |         |
| Ammonia Nitrogen               | 0.2               | mg/L     |       | 0.1   | EPA 350.1    | 02/12/04    | 1604     | JF      |
| Nitrite as N                   | <0.1              | mg/L     |       | 0.1   | EPA 353.2    | 02/10/04    | 1543     | JF      |
| Radium 226                     | 377±14.7          | pCi/L    |       | 0.2   | SM 7500 Ra-B | 02/18/04    | 1242     | TP      |
| Silica as SiO2                 | 3.0               | mg/L     |       | 0.1   | EPA 200.7    | 02/11/04    | 0833     | MH      |
| Sodium Adsorption Ratio        | 4.9               |          |       | N/A   | Calculations | 02/11/04    | 0611     |         |
| <b>Anions</b>                  |                   |          |       |       |              |             |          |         |
| Bicarbonate as HCO3            | 189               | mg/L     | 3.09  | meq/L | 1.0          | SM 2320 B   | 02/10/04 | 1802 RM |
| Carbonate as CO3               | <1.0              | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 02/10/04 | 1802 RM |
| Hydroxide as OH                | <1.0              | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 02/10/04 | 1802 RM |
| Chloride                       | 7.3               | mg/L     | 0.21  | meq/L | 1.0          | EPA 300.0   | 02/10/04 | 1329 LK |
| Fluoride                       | 0.1               | mg/L     | 0.01  | meq/L | 0.1          | SM 4500-F-C | 02/10/04 | 1802 RM |
| Nitrate + Nitrite as N         | <0.1              | mg/L     | <0.01 | meq/L | 0.1          | EPA 353.2   | 02/12/04 | 1025 JF |
| Sulfate                        | 80.6              | mg/L     | 1.68  | meq/L | 1.0          | EPA 300.0   | 02/10/04 | 1329 LK |
| <b>Cations</b>                 |                   |          |       |       |              |             |          |         |
| Calcium                        | 18.0              | mg/L     | 0.90  | meq/L | 1.0          | EPA 200.7   | 02/11/04 | 0611 MH |
| Magnesium                      | 3.7               | mg/L     | 0.30  | meq/L | 1.0          | EPA 200.7   | 02/11/04 | 0611 MH |
| Potassium                      | 1.8               | mg/L     | 0.05  | meq/L | 1.0          | EPA 200.7   | 02/11/04 | 0611 MH |
| Sodium                         | 87.5              | mg/L     | 3.80  | meq/L | 0.2          | EPA 200.7   | 02/11/04 | 0611 MH |
| Cations                        |                   |          | 5.05  | meq/L | N/A          | SM 1030 F.  | 02/11/04 | 0611    |
| Anions                         |                   |          | 4.99  | meq/L | N/A          | SM 1030 F.  | 02/12/04 | 1025    |
| Cation/Anion Balance           |                   |          | 0.60  | %     | N/A          | SM 1030 F.  | 02/11/04 | 0611    |

These results only apply to the samples tested.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.

"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.

U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.

EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By:

  
 Karen Barten, Project Manager

Report ID: 010401500

## WATER QUALITY REPORT


Client: COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644Project: Christensen  
Sample ID: 5AM78-2  
Lab ID: 0104W01504  
Matrix: Water  
Condition: Cool/IntactDate Received: 02/09/04  
Date Reported: 02/23/04  
Date Sampled: 02/09/04

| Parameter               | Analytical Result | Units | Units | PQL    | Method    | Analysis |      |       |
|-------------------------|-------------------|-------|-------|--------|-----------|----------|------|-------|
|                         |                   |       |       |        |           | Date     | Time | Init. |
| <b>Dissolved Metals</b> |                   |       |       |        |           |          |      |       |
| Aluminum                | <0.1              | mg/L  |       | 0.1    | EPA 200.7 | 02/11/04 | 0851 | MH    |
| Arsenic                 | 0.008             | mg/L  |       | 0.005  | EPA 200.8 | 02/11/04 | 1252 | MS    |
| Barium                  | <0.5              | mg/L  |       | 0.5    | EPA 200.8 | 02/11/04 | 1308 | MS    |
| Boron                   | 0.05              | mg/L  |       | 0.01   | EPA 200.7 | 02/11/04 | 0851 | MH    |
| Cadmium                 | <0.002            | mg/L  |       | 0.002  | EPA 200.8 | 02/11/04 | 1308 | MS    |
| Chromium                | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/11/04 | 0851 | MH    |
| Copper                  | <0.01             | mg/L  |       | 0.01   | EPA 200.8 | 02/11/04 | 1308 | MS    |
| Iron                    | 0.09              | mg/L  |       | 0.05   | EPA 200.7 | 02/11/04 | 0851 | MH    |
| Lead                    | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/11/04 | 1308 | MS    |
| Manganese               | 0.05              | mg/L  |       | 0.02   | EPA 200.7 | 02/11/04 | 0851 | MH    |
| Mercury                 | <0.001            | mg/L  |       | 0.001  | EPA 245.1 | 02/13/04 | 0950 | MS    |
| Molybdenum              | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/11/04 | 1308 | MS    |
| Nickel                  | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/11/04 | 0851 | MH    |
| Selenium                | 0.384             | mg/L  |       | 0.005  | EPA 200.8 | 02/11/04 | 1308 | MS    |
| Uranium                 | 0.916             | mg/L  |       | 0.0001 | EPA 200.8 | 02/11/04 | 1308 | MS    |
| Vanadium                | 0.2               | mg/L  |       | 0.1    | EPA 200.8 | 02/11/04 | 1308 | MS    |
| Zinc                    | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/11/04 | 0851 | MH    |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By:



Karen Barten, Project Manager

Report ID: 010401500

## WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
P.O. Box 730  
Mills, WY 82644Project: **Christensen**

Sample ID: 5AG68-1

Lab ID: 0104W01505

Matrix: Water

Condition: Cool/Intact

Date Received: 02/09/04

Date Reported: 02/23/04

Date Sampled: 02/09/04

| Parameter                      | Analytical Result | Units    | Units | PQL   | Method       | Analysis    |          |         |
|--------------------------------|-------------------|----------|-------|-------|--------------|-------------|----------|---------|
|                                |                   |          |       |       |              | Date        | Time     | Init.   |
| <b>General Parameters</b>      |                   |          |       |       |              |             |          |         |
| Lab pH                         | 8.2               | s.u.     |       | 0.1   | EPA 150.1    | 02/10/04    | 1815     | RM      |
| Lab Conductivity @ 25°C        | 402               | µmhos/cm |       | 5     | SM 2510 B    | 02/10/04    | 1815     | RM      |
| Total Dissolved Solids @ 180°C | 250               | mg/L     |       | 10    | SM 2540 C    | 02/10/04    | 1500     | SV      |
| Total Dissolved Solids(Calc)   | 240               | mg/L     |       | 10    | SM 1030 F.   | 02/12/04    | 1025     |         |
| Total Alkalinity as CaCO3      | 172               | mg/L     |       | 1.0   | SM 2320 B    | 02/10/04    | 1815     | RM      |
| Total Hardness as CaCO3        | 47.5              | mg/L     |       | 1.0   | SM 2340 B    | 02/11/04    | 0611     |         |
| Ammonia Nitrogen               | 0.4               | mg/L     |       | 0.1   | EPA 350.1    | 02/12/04    | 1604     | JF      |
| Nitrite as N                   | <0.1              | mg/L     |       | 0.1   | EPA 353.2    | 02/10/04    | 1543     | JF      |
| Radium 226                     | 119±7.8           | pCi/L    |       | 0.2   | SM 7500 Ra-B | 02/18/04    | 1242     | TP      |
| Silica as SiO2                 | 1.6               | mg/L     |       | 0.1   | EPA 200.7    | 02/11/04    | 0833     | MH      |
| Sodium Adsorption Ratio        | 4.8               |          |       | N/A   | Calculations | 02/11/04    | 0611     |         |
| <b>Anions</b>                  |                   |          |       |       |              |             |          |         |
| Bicarbonate as HCO3            | 209               | mg/L     | 3.43  | meq/L | 1.0          | SM 2320 B   | 02/10/04 | 1815 RM |
| Carbonate as CO3               | <1.0              | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 02/10/04 | 1815 RM |
| Hydroxide as OH                | <1.0              | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 02/10/04 | 1815 RM |
| Chloride                       | 3.6               | mg/L     | 0.10  | meq/L | 1.0          | EPA 300.0   | 02/10/04 | 1329 LK |
| Fluoride                       | 0.1               | mg/L     | 0.01  | meq/L | 0.1          | SM 4500-F-C | 02/10/04 | 1815 RM |
| Nitrate + Nitrite as N         | <0.1              | mg/L     | <0.01 | meq/L | 0.1          | EPA 353.2   | 02/12/04 | 1025 JF |
| Sulfate                        | 38.8              | mg/L     | 0.81  | meq/L | 1.0          | EPA 300.0   | 02/10/04 | 1329 LK |
| <b>Cations</b>                 |                   |          |       |       |              |             |          |         |
| Calcium                        | 14.4              | mg/L     | 0.72  | meq/L | 1.0          | EPA 200.7   | 02/13/04 | 0625 MH |
| Magnesium                      | 2.8               | mg/L     | 0.23  | meq/L | 1.0          | EPA 200.7   | 02/11/04 | 0611 MH |
| Potassium                      | 2.5               | mg/L     | 0.06  | meq/L | 1.0          | EPA 200.7   | 02/11/04 | 0611 MH |
| Sodium                         | 75.9              | mg/L     | 3.30  | meq/L | 0.2          | EPA 200.7   | 02/11/04 | 0611 MH |
| Cations                        |                   |          | 4.31  | meq/L | N/A          | SM 1030 F.  | 02/11/04 | 0611    |
| Anions                         |                   |          | 4.35  | meq/L | N/A          | SM 1030 F.  | 02/12/04 | 1025    |
| Cation/Anion Balance           |                   |          | 0.46  | %     | N/A          | SM 1030 F.  | 02/11/04 | 0611    |

These results only apply to the samples tested.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.

"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.

U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.

EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By:

  
 Karen Barten, Project Manager

Report ID: 010401500

## WATER QUALITY REPORT

Client: COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644Project: Christensen  
Sample ID: 5AG68-1  
Lab ID: 0104W01505  
Matrix: Water  
Condition: Cool/IntactDate Received: 02/09/04  
Date Reported: 02/23/04  
Date Sampled: 02/09/04

| Parameter               | Analytical Result | Units | Units | PQL    | Method    | Analysis |      |       |
|-------------------------|-------------------|-------|-------|--------|-----------|----------|------|-------|
|                         |                   |       |       |        |           | Date     | Time | Init. |
| <b>Dissolved Metals</b> |                   |       |       |        |           |          |      |       |
| Aluminum                | <0.1              | mg/L  |       | 0.1    | EPA 200.7 | 02/11/04 | 0854 | MH    |
| Arsenic                 | 0.023             | mg/L  |       | 0.005  | EPA 200.8 | 02/11/04 | 1252 | MS    |
| Barium                  | <0.5              | mg/L  |       | 0.5    | EPA 200.8 | 02/11/04 | 1311 | MS    |
| Boron                   | 0.04              | mg/L  |       | 0.01   | EPA 200.7 | 02/11/04 | 0854 | MH    |
| Cadmium                 | <0.002            | mg/L  |       | 0.002  | EPA 200.8 | 02/11/04 | 1311 | MS    |
| Chromium                | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/11/04 | 0854 | MH    |
| Copper                  | <0.01             | mg/L  |       | 0.01   | EPA 200.8 | 02/11/04 | 1311 | MS    |
| Iron                    | <0.05             | mg/L  |       | 0.05   | EPA 200.7 | 02/11/04 | 0854 | MH    |
| Lead                    | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/11/04 | 1311 | MS    |
| Manganese               | 0.03              | mg/L  |       | 0.02   | EPA 200.7 | 02/11/04 | 0854 | MH    |
| Mercury                 | <0.001            | mg/L  |       | 0.001  | EPA 245.1 | 02/13/04 | 0950 | MS    |
| Molybdenum              | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/11/04 | 1311 | MS    |
| Nickel                  | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/11/04 | 0854 | MH    |
| Selenium                | 0.752             | mg/L  |       | 0.005  | EPA 200.8 | 02/11/04 | 1311 | MS    |
| Uranium                 | 1.56              | mg/L  |       | 0.0001 | EPA 200.8 | 02/11/04 | 1311 | MS    |
| Vanadium                | 0.5               | mg/L  |       | 0.1    | EPA 200.8 | 02/11/04 | 1311 | MS    |
| Zinc                    | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/11/04 | 0854 | MH    |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By:



Karen Barten, Project Manager

Report ID: 010401500

**WATER QUALITY REPORT**

**Client:** COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644

**Project:** Christensen  
**Sample ID:** 5AE80-1  
**Lab ID:** 0104W01506  
**Matrix:** Water  
**Condition:** Cool/intact

**Date Received:** 02/09/04  
**Date Reported:** 02/23/04  
**Date Sampled:** 02/09/04

| Parameter                      | Analytical |          | PQL   |       |              | Analysis    |          |       |    |
|--------------------------------|------------|----------|-------|-------|--------------|-------------|----------|-------|----|
|                                | Result     | Units    | Units | PQL   | Method       | Date        | Time     | Init. |    |
| <b>General Parameters</b>      |            |          |       |       |              |             |          |       |    |
| Lab pH                         | 7.8        | s.u.     |       | 0.1   | EPA 150.1    | 02/10/04    | 1828     | RM    |    |
| Lab Conductivity @ 25°C        | 1,330      | µmhos/cm |       | 5     | SM 2510 B    | 02/10/04    | 1828     | RM    |    |
| Total Dissolved Solids @ 180°C | 900        | mg/L     |       | 10    | SM 2540 C    | 02/10/04    | 1500     | SV    |    |
| Total Dissolved Solids(Calc)   | 850        | mg/L     |       | 10    | SM 1030 F.   | 02/12/04    | 1025     |       |    |
| Total Alkalinity as CaCO3      | 450        | mg/L     |       | 1.0   | SM 2320 B    | 02/10/04    | 1828     | RM    |    |
| Total Hardness as CaCO3        | 181        | mg/L     |       | 1.0   | SM 2340 B    | 02/11/04    | 0611     |       |    |
| Ammonia Nitrogen               | 0.3        | mg/L     |       | 0.1   | EPA 350.1    | 02/12/04    | 1604     | JF    |    |
| Nitrite as N                   | <0.1       | mg/L     |       | 0.1   | EPA 353.2    | 02/10/04    | 1543     | JF    |    |
| Radium 226                     | 198±9.8    | pCi/L    |       | 0.2   | SM 7500 Ra-B | 02/18/04    | 1242     | TP    |    |
| Silica as SiO2                 | 3.9        | mg/L     |       | 0.1   | EPA 200.7    | 02/11/04    | 0833     | MH    |    |
| Sodium Adsorption Ratio        | 8.0        |          |       | N/A   | Calculations | 02/11/04    | 0611     |       |    |
| <b>Anions</b>                  |            |          |       |       |              |             |          |       |    |
| Bicarbonate as HCO3            | 548        | mg/L     | 8.99  | meq/L | 1.0          | SM 2320 B   | 02/10/04 | 1828  | RM |
| Carbonate as CO3               | <1.0       | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 02/10/04 | 1828  | RM |
| Hydroxide as OH                | <1.0       | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 02/10/04 | 1828  | RM |
| Chloride                       | 24.3       | mg/L     | 0.68  | meq/L | 1.0          | EPA 300.0   | 02/10/04 | 1329  | LK |
| Fluoride                       | <0.1       | mg/L     | <0.01 | meq/L | 0.1          | SM 4500-F-C | 02/10/04 | 1828  | RM |
| Nitrate + Nitrite as N         | <0.1       | mg/L     | <0.01 | meq/L | 0.1          | EPA 353.2   | 02/12/04 | 1025  | JF |
| Sulfate                        | 236        | mg/L     | 4.92  | meq/L | 1.0          | EPA 300.0   | 02/10/04 | 1329  | LK |
| <b>Cations</b>                 |            |          |       |       |              |             |          |       |    |
| Calcium                        | 53.4       | mg/L     | 2.66  | meq/L | 1.0          | EPA 200.7   | 02/13/04 | 0625  | MH |
| Magnesium                      | 11.5       | mg/L     | 0.95  | meq/L | 1.0          | EPA 200.7   | 02/11/04 | 0611  | MH |
| Potassium                      | 5.4        | mg/L     | 0.14  | meq/L | 1.0          | EPA 200.7   | 02/11/04 | 0611  | MH |
| Sodium                         | 248        | mg/L     | 10.79 | meq/L | 0.2          | EPA 200.7   | 02/11/04 | 0611  | MH |
| Cations                        |            |          | 14.54 | meq/L | N/A          | SM 1030 F.  | 02/11/04 | 0611  |    |
| Anions                         |            |          | 14.59 | meq/L | N/A          | SM 1030 F.  | 02/12/04 | 1025  |    |
| Cation/Anion Balance           |            |          | 0.17  | %     | N/A          | SM 1030 F.  | 02/11/04 | 0611  |    |

These results only apply to the samples tested.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.  
"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.  
U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.  
EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By: Karen Barten  
Karen Barten, Project Manager

Report ID: 010401500

## WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
P.O. Box 730  
Mills, WY 82644Project: **Christensen**  
Sample ID: 5AE80-1  
Lab ID: 0104W01506  
Matrix: Water  
Condition: Cool/IntactDate Received: 02/09/04  
Date Reported: 02/23/04  
Date Sampled: 02/09/04

| Parameter               | Analytical Result | Units | Units | PQL    | Method    | Analysis |      |       |
|-------------------------|-------------------|-------|-------|--------|-----------|----------|------|-------|
|                         |                   |       |       |        |           | Date     | Time | Init. |
| <b>Dissolved Metals</b> |                   |       |       |        |           |          |      |       |
| Aluminum                | <0.1              | mg/L  |       | 0.1    | EPA 200.7 | 02/11/04 | 0906 | MH    |
| Arsenic                 | 0.027             | mg/L  |       | 0.005  | EPA 200.8 | 02/11/04 | 1252 | MS    |
| Barium                  | <0.5              | mg/L  |       | 0.5    | EPA 200.8 | 02/11/04 | 1313 | MS    |
| Boron                   | 0.06              | mg/L  |       | 0.01   | EPA 200.7 | 02/11/04 | 0906 | MH    |
| Cadmium                 | <0.002            | mg/L  |       | 0.002  | EPA 200.8 | 02/11/04 | 1313 | MS    |
| Chromium                | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/11/04 | 0906 | MH    |
| Copper                  | <0.01             | mg/L  |       | 0.01   | EPA 200.8 | 02/11/04 | 1313 | MS    |
| Iron                    | 0.33              | mg/L  |       | 0.05   | EPA 200.7 | 02/11/04 | 0906 | MH    |
| Lead                    | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/11/04 | 1313 | MS    |
| Manganese               | 0.20              | mg/L  |       | 0.02   | EPA 200.7 | 02/11/04 | 0906 | MH    |
| Mercury                 | <0.001            | mg/L  |       | 0.001  | EPA 245.1 | 02/13/04 | 0950 | MS    |
| Molybdenum              | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/11/04 | 1313 | MS    |
| Nickel                  | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/11/04 | 0906 | MH    |
| Selenium                | 0.159             | mg/L  |       | 0.005  | EPA 200.8 | 02/11/04 | 1313 | MS    |
| Uranium                 | 1.81              | mg/L  |       | 0.0001 | EPA 200.8 | 02/11/04 | 1313 | MS    |
| Vanadium                | 0.3               | mg/L  |       | 0.1    | EPA 200.8 | 02/11/04 | 1313 | MS    |
| Zinc                    | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/11/04 | 0906 | MH    |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By:



Karen Barten, Project Manager

Report ID: 010401500

## WATER QUALITY REPORT

Client: COGEMA Mining, Inc.

P.O. Box 730  
Mills, WY 82644

Project: Christensen

Sample ID: 5AL66-1

Lab ID: 0104W01507

Matrix: Water

Condition: Cool/Intact

Date Received: 02/09/04

Date Reported: 02/23/04

Date Sampled: 02/09/04

| Parameter                             | Analytical |               | Units | Units | PQL | Method       | Analysis |      |       |
|---------------------------------------|------------|---------------|-------|-------|-----|--------------|----------|------|-------|
|                                       | Result     | Units         |       |       |     |              | Date     | Time | Init. |
| <b>General Parameters</b>             |            |               |       |       |     |              |          |      |       |
| Lab pH                                | 7.8        | s.u.          |       |       | 0.1 | EPA 150.1    | 02/10/04 | 1840 | RM    |
| Lab Conductivity @ 25°C               | 1,120      | $\mu$ mhos/cm |       |       | 5   | SM 2510 B    | 02/10/04 | 1840 | RM    |
| Total Dissolved Solids @ 180°C        | 730        | mg/L          |       |       | 10  | SM 2540 C    | 02/10/04 | 1500 | SV    |
| Total Dissolved Solids(Calc)          | 690        | mg/L          |       |       | 10  | SM 1030 F.   | 02/12/04 | 1025 |       |
| Total Alkalinity as CaCO <sub>3</sub> | 416        | mg/L          |       |       | 1.0 | SM 2320 B    | 02/10/04 | 1840 | RM    |
| Total Hardness as CaCO <sub>3</sub>   | 192        | mg/L          |       |       | 1.0 | SM 2340 B    | 02/11/04 | 0611 |       |
| Ammonia Nitrogen                      | 0.3        | mg/L          |       |       | 0.1 | EPA 350.1    | 02/12/04 | 1604 | JF    |
| Nitrite as N                          | <0.1       | mg/L          |       |       | 0.1 | EPA 353.2    | 02/10/04 | 1543 | JF    |
| Radium 226                            | 218±10.5   | pCi/L         |       |       | 0.2 | SM 7500 Ra-B | 02/18/04 | 1242 | TP    |
| Silica as SiO <sub>2</sub>            | 2.7        | mg/L          |       |       | 0.1 | EPA 200.7    | 02/11/04 | 0833 | MH    |
| Sodium Adsorption Ratio               | 5.9        |               |       |       | N/A | Calculations | 02/11/04 | 0611 |       |
| <b>Anions</b>                         |            |               |       |       |     |              |          |      |       |
| Bicarbonate as HCO <sub>3</sub>       | 507        | mg/L          | 8.31  | meq/L | 1.0 | SM 2320 B    | 02/10/04 | 1840 | RM    |
| Carbonate as CO <sub>3</sub>          | <1.0       | mg/L          | <0.01 | meq/L | 1.0 | SM 2320 B    | 02/10/04 | 1840 | RM    |
| Hydroxide as OH                       | <1.0       | mg/L          | <0.01 | meq/L | 1.0 | SM 2320 B    | 02/10/04 | 1840 | RM    |
| Chloride                              | 18.7       | mg/L          | 0.53  | meq/L | 1.0 | EPA 300.0    | 02/10/04 | 1329 | LK    |
| Fluoride                              | 0.1        | mg/L          | 0.01  | meq/L | 0.1 | SM 4500-F-C  | 02/10/04 | 1840 | RM    |
| Nitrate + Nitrite as N                | <0.1       | mg/L          | <0.01 | meq/L | 0.1 | EPA 353.2    | 02/12/04 | 1025 | JF    |
| Sulfate                               | 159        | mg/L          | 3.30  | meq/L | 1.0 | EPA 300.0    | 02/10/04 | 1329 | LK    |
| <b>Cations</b>                        |            |               |       |       |     |              |          |      |       |
| Calcium                               | 57.7       | mg/L          | 2.88  | meq/L | 1.0 | EPA 200.7    | 02/11/04 | 0611 | MH    |
| Magnesium                             | 11.7       | mg/L          | 0.96  | meq/L | 1.0 | EPA 200.7    | 02/11/04 | 0611 | MH    |
| Potassium                             | 4.6        | mg/L          | 0.12  | meq/L | 1.0 | EPA 200.7    | 02/11/04 | 0611 | MH    |
| Sodium                                | 188        | mg/L          | 8.18  | meq/L | 0.2 | EPA 200.7    | 02/13/04 | 0625 | MH    |
| Cations                               |            |               | 12.14 | meq/L | N/A | SM 1030 F.   | 02/11/04 | 0611 |       |
| Anions                                |            |               | 12.15 | meq/L | N/A | SM 1030 F.   | 02/12/04 | 1025 |       |
| Cation/Anion Balance                  |            |               | 0.04  | %     | N/A | SM 1030 F.   | 02/11/04 | 0611 |       |

These results only apply to the samples tested.


Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.

"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.

U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.

EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By:

  
 Karen Barten, Project Manager

Report ID: 010401500

## WATER QUALITY REPORT

Client: COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644

Project: Christensen

Sample ID: 5AL66-1

Lab ID: 0104W01507

Matrix: Water

Condition: Cool/Intact

Date Received: 02/09/04

Date Reported: 02/23/04

Date Sampled: 02/09/04

| Parameter               | Analytical Result | Units | Units | PQL    | Method    | Analysis |      |       |
|-------------------------|-------------------|-------|-------|--------|-----------|----------|------|-------|
|                         |                   |       |       |        |           | Date     | Time | Init. |
| <b>Dissolved Metals</b> |                   |       |       |        |           |          |      |       |
| Aluminum                | <0.1              | mg/L  |       | 0.1    | EPA 200.7 | 02/11/04 | 0910 | MH    |
| Arsenic                 | 0.020             | mg/L  |       | 0.005  | EPA 200.8 | 02/11/04 | 1252 | MS    |
| Barium                  | <0.5              | mg/L  |       | 0.5    | EPA 200.8 | 02/11/04 | 1324 | MS    |
| Boron                   | 0.06              | mg/L  |       | 0.01   | EPA 200.7 | 02/11/04 | 0910 | MH    |
| Cadmium                 | <0.002            | mg/L  |       | 0.002  | EPA 200.8 | 02/11/04 | 1324 | MS    |
| Chromium                | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/11/04 | 0910 | MH    |
| Copper                  | <0.01             | mg/L  |       | 0.01   | EPA 200.8 | 02/11/04 | 1324 | MS    |
| Iron                    | <0.05             | mg/L  |       | 0.05   | EPA 200.7 | 02/11/04 | 0910 | MH    |
| Lead                    | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/11/04 | 1324 | MS    |
| Manganese               | 0.14              | mg/L  |       | 0.02   | EPA 200.7 | 02/11/04 | 0910 | MH    |
| Mercury                 | <0.001            | mg/L  |       | 0.001  | EPA 245.1 | 02/13/04 | 0950 | MS    |
| Molybdenum              | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/11/04 | 1324 | MS    |
| Nickel                  | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/11/04 | 0910 | MH    |
| Selenium                | 0.695             | mg/L  |       | 0.005  | EPA 200.8 | 02/11/04 | 1324 | MS    |
| Uranium                 | 2.32              | mg/L  |       | 0.0001 | EPA 200.8 | 02/11/04 | 1324 | MS    |
| Vanadium                | 0.1               | mg/L  |       | 0.1    | EPA 200.8 | 02/11/04 | 1324 | MS    |
| Zinc                    | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/11/04 | 0910 | MH    |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By:

  
 Karen Barten, Project Manager





**SAMPLE SUBMITTAL AND CHAIN OF CUSTODY FORM**

COGEMA Mining Inc.; PO Box 730 Mills, WY 82644  
Phone 464-1429 (Christensen Mine) or 234-5019 (Mills Office)

Samples shipped to Inter-mountain lab sheridan,wy

Submitted by *J. Schubert* Date *2-10-04*

Received by *[Signature]* Date *2/10/04 @ 1730*

**Restoration Sample Description**

Location: \_\_\_ Irigaray  Christensen Mine or Production Unit *5* Module # (if applicale) \_\_\_\_\_

Restoration Phase: \_\_\_ Groundwater Sweep (explain \_\_\_\_\_)  
 \_\_\_ Reverse Osmosis Filtration (explain \_\_\_\_\_)  
 \_\_\_ Recirculation (explain \_\_\_\_\_)  
 Stabilization (explain *unit 5 and round*)

\*Analysis Requested: DEQ Guideline # 8 (Ca, Mg, Na, K, CO3, HCO3, SO4, Cl, NH4, NO2, NO3, TDS, Cond., Tot. Alk., pH, SiO2, Al, As, Ba, B, Cd, Cr, Cu, F, Fe, Pb, Mn, Hg, Mo, Ni, Se, Zn, U, V, Ra226)

Send Analysis Results to : Tom nicholson

| #  | Identification Name | Sample Date    | Sample Volume | Water Sample Preservation (X) |           |      |       | Lab id       | Comments |
|----|---------------------|----------------|---------------|-------------------------------|-----------|------|-------|--------------|----------|
|    |                     |                |               | Filtered                      | Not Filt. | HNO3 | H2SO4 |              |          |
| 1  | <i>TW 001</i>       | <i>2-9-04</i>  | Half Gal.     | X                             |           | X    |       | <i>1562</i>  |          |
|    |                     |                | Quart         | X                             |           |      |       | <i>"</i>     |          |
|    |                     |                | 8 ozs.        |                               | X         |      |       | <i>"</i>     |          |
|    |                     |                | 8 ozs.        | X                             |           |      | X     | <i>"</i>     |          |
| 2  | <i>MIN 07</i>       |                | **            | **                            | **        | **   | **    | <i>1563d</i> |          |
| 3  | <i>5A074-1</i>      |                | **            | **                            | **        | **   | **    | <i>1564</i>  |          |
| 4  | <i>5BD50-1</i>      | <i>2-10-04</i> | **            | **                            | **        | **   | **    | <i>1565</i>  |          |
| 5  | <i>5BJ68-1</i>      |                | **            | **                            | **        | **   | **    | <i>1566</i>  |          |
| 6  | <i>5BA48-1</i>      |                | **            | **                            | **        | **   | **    | <i>1567</i>  |          |
| 7  | <i>5BH58-2</i>      |                | **            | **                            | **        | **   | **    | <i>1568</i>  |          |
| 8  | <i>5BG46-1</i>      |                | **            | **                            | **        | **   | **    | <i>1569</i>  |          |
| 9  | <i>5BA58-1</i>      |                | **            | **                            | **        | **   | **    | <i>1570</i>  |          |
| 10 | <i>5BK90-1</i>      |                | **            | **                            | **        | **   | **    | <i>1571</i>  |          |
| 11 | <i>5BS120-1</i>     |                | **            | **                            | **        | **   | **    | <i>1572</i>  |          |
| 12 | <i>5BR162-2</i>     |                | **            | **                            | **        | **   | **    | <i>1573d</i> |          |
| 13 | <i>5BR94-1</i>      |                | **            | **                            | **        | **   | **    | <i>1574</i>  |          |
| 14 |                     |                | **            | **                            | **        | **   | **    |              |          |
| 15 |                     |                | **            | **                            | **        | **   | **    |              |          |

\*All analysis will be performed in accordance with EPA approved procedures and/or the latest edition of Standard Methods.  
 \*\* Same as sample #1  
 L:\LARRY\pvdsub.xls\pvdsub

Report ID: 010401562

## WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
P.O. Box 730  
Mills, WY 82644Project: **Christensen**Sample ID: **MW07**Lab ID: **0104W01563**Matrix: **Water**Condition: **Cool/Intact**

Date Received: 02/10/04

Date Reported: 02/24/04

Date Sampled: 02/09/04

| Parameter                      | Analytical Result | Units    | Units | PQL   | Method       | Analysis    |          |         |
|--------------------------------|-------------------|----------|-------|-------|--------------|-------------|----------|---------|
|                                |                   |          |       |       |              | Date        | Time     | Init.   |
| <b>General Parameters</b>      |                   |          |       |       |              |             |          |         |
| Lab pH                         | 7.8               | s.u.     |       | 0.1   | EPA 150.1    | 02/11/04    | 1617     | RM      |
| Lab Conductivity @ 25°C        | 1,360             | µmhos/cm |       | 5     | SM 2510 B    | 02/11/04    | 1630     | RM      |
| Total Dissolved Solids @ 180°C | 930               | mg/L     |       | 10    | SM 2540 C    | 02/11/04    | 1100     | SV      |
| Total Dissolved Solids(Calc)   | 890               | mg/L     |       | 10    | SM 1030 F.   | 02/13/04    | 0005     |         |
| Total Alkalinity as CaCO3      | 478               | mg/L     |       | 1.0   | SM 2320 B    | 02/11/04    | 1630     | RM      |
| Total Hardness as CaCO3        | 210               | mg/L     |       | 1.0   | SM 2340 B    | 02/12/04    | 0615     |         |
| Ammonia Nitrogen               | 0.1               | mg/L     |       | 0.1   | EPA 350.1    | 02/12/04    | 1620     | JF      |
| Nitrite as N                   | <0.1              | mg/L     |       | 0.1   | EPA 353.2    | 02/11/04    | 1354     | KB      |
| Radium 226                     | 352±13.5          | pCi/L    |       | 0.2   | SM 7500 Ra-B | 02/18/04    | 1629     | TP      |
| Silica as SiO2                 | 3.7               | mg/L     |       | 0.1   | EPA 200.7    | 02/12/04    | 0713     | MH      |
| Sodium Adsorption Ratio        | 7.7               |          |       | N/A   | Calculations | 02/12/04    | 0615     |         |
| <b>Anions</b>                  |                   |          |       |       |              |             |          |         |
| Bicarbonate as HCO3            | 583               | mg/L     | 9.55  | meq/L | 1.0          | SM 2320 B   | 02/11/04 | 1630 RM |
| Carbonate as CO3               | <1.0              | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 02/11/04 | 1630 RM |
| Hydroxide as OH                | <1.0              | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 02/11/04 | 1630 RM |
| Chloride                       | 22.5              | mg/L     | 0.63  | meq/L | 1.0          | EPA 300.0   | 02/13/04 | 0005 LK |
| Fluoride                       | <0.1              | mg/L     | <0.01 | meq/L | 0.1          | SM 4500-F-C | 02/11/04 | 1630 RM |
| Nitrate + Nitrite as N         | <0.1              | mg/L     | <0.01 | meq/L | 0.1          | EPA 353.2   | 02/12/04 | 1045 JF |
| Sulfate                        | 246               | mg/L     | 5.11  | meq/L | 1.0          | EPA 300.0   | 02/13/04 | 0005 LK |
| <b>Cations</b>                 |                   |          |       |       |              |             |          |         |
| Calcium                        | 62.3              | mg/L     | 3.11  | meq/L | 1.0          | EPA 200.7   | 02/12/04 | 0615 MH |
| Magnesium                      | 13.3              | mg/L     | 1.09  | meq/L | 1.0          | EPA 200.7   | 02/12/04 | 0615 MH |
| Potassium                      | 5.5               | mg/L     | 0.14  | meq/L | 1.0          | EPA 200.7   | 02/12/04 | 0615 MH |
| Sodium                         | 256               | mg/L     | 11.14 | meq/L | 0.2          | EPA 200.7   | 02/12/04 | 0615 MH |
| Cations                        |                   |          | 15.48 | meq/L | N/A          | SM 1030 F.  | 02/12/04 | 0615    |
| Anions                         |                   |          | 15.29 | meq/L | N/A          | SM 1030 F.  | 02/13/04 | 0005    |
| Cation/Anion Balance           |                   |          | 0.62  | %     | N/A          | SM 1030 F.  | 02/12/04 | 0615    |

These results only apply to the samples tested.


Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.

"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.

U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.

EPA 600/R93/100, "Methods for the Determination of Inorganic Substances In Environmental Samples", Aug. 1993.

Reviewed By:

  
 Karen Barten, Project Manager

Report ID: 010401562

## WATER QUALITY REPORT

Client: COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644Project: Christensen  
Sample ID: MW07  
Lab ID: 0104W01563  
Matrix: Water  
Condition: Cool/IntactDate Received: 02/10/04  
Date Reported: 02/24/04  
Date Sampled: 02/09/04

| Parameter               | Analytical Result | Units | Units | PQL    | Method    | Analysis |      |       |
|-------------------------|-------------------|-------|-------|--------|-----------|----------|------|-------|
|                         |                   |       |       |        |           | Date     | Time | Init. |
| <b>Dissolved Metals</b> |                   |       |       |        |           |          |      |       |
| Aluminum                | <0.1              | mg/L  |       | 0.1    | EPA 200.7 | 02/12/04 | 0713 | MH    |
| Arsenic                 | 0.022             | mg/L  |       | 0.005  | EPA 200.8 | 02/12/04 | 1216 | MS    |
| Barium                  | <0.5              | mg/L  |       | 0.5    | EPA 200.8 | 02/12/04 | 1216 | MS    |
| Boron                   | 0.06              | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0713 | MH    |
| Cadmium                 | <0.002            | mg/L  |       | 0.002  | EPA 200.8 | 02/12/04 | 1216 | MS    |
| Chromium                | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0713 | MH    |
| Copper                  | <0.01             | mg/L  |       | 0.01   | EPA 200.8 | 02/12/04 | 1216 | MS    |
| Iron                    | 0.16              | mg/L  |       | 0.05   | EPA 200.7 | 02/12/04 | 0713 | MH    |
| Lead                    | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/12/04 | 1216 | MS    |
| Manganese               | 0.44              | mg/L  |       | 0.02   | EPA 200.7 | 02/12/04 | 0713 | MH    |
| Mercury                 | <0.001            | mg/L  |       | 0.001  | EPA 245.1 | 02/13/04 | 0950 | MS    |
| Molybdenum              | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/12/04 | 1216 | MS    |
| Nickel                  | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0713 | MH    |
| Selenium                | 3.76              | mg/L  |       | 0.005  | EPA 200.8 | 02/12/04 | 1216 | MS    |
| Uranium                 | 2.85              | mg/L  |       | 0.0001 | EPA 200.8 | 02/12/04 | 1213 | MS    |
| Vanadium                | <0.1              | mg/L  |       | 0.1    | EPA 200.8 | 02/12/04 | 1216 | MS    |
| Zinc                    | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0713 | MH    |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By:


  
Karen Barten, Project Manager

Quality Control Report  
Duplicate Analysis

Client: COGEMA Mining, Inc.  
 Project: Christensen  
 Sample ID: MW07  
 Lab ID: 0104W01563  
 Matrix: Water  
 Condition: Cool/Intact

Report Date: 02/24/04  
 Receipt Date: 02/10/04  
 Sample Date: 02/09/04

| Parameter                             | Original Conc. | Duplicate Conc. | Relative % Diff. | PQL | Units    |
|---------------------------------------|----------------|-----------------|------------------|-----|----------|
| <b>General Parameters</b>             |                |                 |                  |     |          |
| Lab pH                                | 7.8            | 7.8             | 0                | 0.1 | s.u.     |
| Lab Conductivity @ 25°C               | 1,360          | 1,380           | -1               | 5   | µmhos/cm |
| Total Dissolved Solids @ 180°C        | 930            | 920             | 1                | 10  | mg/L     |
| Total Dissolved Solids(Calc)          | 890            | 880             | 1                | 10  | mg/L     |
| Total Alkalinity as CaCO <sub>3</sub> | 478            | 480             | 0                | 1.0 | mg/L     |
| Total Hardness as CaCO <sub>3</sub>   | 210            | 207             | 1                | 1.0 | mg/L     |
| Ammonia Nitrogen                      | 0.1            | 0.1             | 0.0**            | 0.1 | mg/L     |
| Nitrite as N                          | <0.1           | <0.1            | NC*              | 0.1 | mg/L     |
| Silica as SiO <sub>2</sub>            | 3.7            | 3.7             | 0                | 0.1 | mg/L     |
| Sodium Adsorption Ratio               | 7.7            | 7.7             | 0                |     |          |
| <b>Anions</b>                         |                |                 |                  |     |          |
| Bicarbonate as HCO <sub>3</sub>       | 583            | 586             | 1                | 1.0 | mg/L     |
| Carbonate as CO <sub>3</sub>          | <1.0           | <1.0            | NC*              | 1.0 | mg/L     |
| Hydroxide as OH                       | <1.0           | <1.0            | NC*              | 1.0 | mg/L     |
| Chloride                              | 22.5           | 22.0            | 2                | 1.0 | mg/L     |
| Fluoride                              | <0.1           | <0.1            | NC*              | 0.1 | mg/L     |
| Nitrate + Nitrite as N                | <0.1           | <0.1            | NC*              | 0.1 | mg/L     |
| Sulfate                               | 246            | 238             | 3                | 1.0 | mg/L     |
| <b>Cations</b>                        |                |                 |                  |     |          |
| Calcium                               | 62.3           | 61.4            | 1                | 1.0 | mg/L     |
| Magnesium                             | 13.3           | 13.1            | 2                | 1.0 | mg/L     |
| Potassium                             | 5.5            | 5.5             | 0                | 1.0 | mg/L     |
| Sodium                                | 256            | 254             | 1                | 0.2 | mg/L     |
| Cations                               | 15.48          | 15.33           | 1                |     | meq/L    |
| Anions                                | 15.29          | 15.17           | 1                |     | meq/L    |
| Cation/Anion Balance                  | 0.62           | 0.52            |                  |     | %        |

\*NC - Non-Calculable RPD due to value(s) less than DL \*\* - Difference used for results < 5 X Detection Limit  
 These results only apply to the samples tested.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.  
 "Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.  
 U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.

Reviewed By:

  
 Karen Barten, Project Manager

Quality Control Report  
Duplicate Analysis

Client: COGEMA Mining, Inc.  
 Project: Christensen  
 Sample ID: MW07  
 Lab ID: 0104W01563  
 Matrix: Water  
 Condition: Cool/Intact

Report Date: 02/24/04  
 Receipt Date: 02/10/04  
 Sample Date: 02/09/04

| Parameter               | Original Conc. | Duplicate Conc. | Relative % Diff. | PQL    | Units |
|-------------------------|----------------|-----------------|------------------|--------|-------|
| <b>Dissolved Metals</b> |                |                 |                  |        |       |
| Aluminum                | <0.1           | <0.1            | NC*              | 0.1    | mg/L  |
| Arsenic                 | 0.022          | 0.022           | 0.000**          | 0.005  | mg/L  |
| Barium                  | <0.5           | <0.5            | NC*              | 0.5    | mg/L  |
| Boron                   | 0.06           | 0.06            | 0                | 0.01   | mg/L  |
| Cadmium                 | <0.002         | <0.002          | NC*              | 0.002  | mg/L  |
| Chromium                | <0.01          | <0.01           | NC*              | 0.01   | mg/L  |
| Copper                  | <0.01          | <0.01           | NC*              | 0.01   | mg/L  |
| Iron                    | 0.16           | 0.17            | 0.01**           | 0.05   | mg/L  |
| Lead                    | <0.02          | <0.02           | NC*              | 0.02   | mg/L  |
| Manganese               | 0.44           | 0.44            | 0                | 0.02   | mg/L  |
| Mercury                 | <0.001         | <0.001          | NC*              | 0.001  | mg/L  |
| Molybdenum              | <0.02          | <0.02           | NC*              | 0.02   | mg/L  |
| Nickel                  | <0.01          | <0.01           | NC*              | 0.01   | mg/L  |
| Selenium                | 3.76           | 3.80            | 1                | 0.005  | mg/L  |
| Uranium                 | 2.85           | 2.94            | 3                | 0.0001 | mg/L  |
| Vanadium                | <0.1           | <0.1            | NC*              | 0.1    | mg/L  |
| Zinc                    | <0.01          | <0.01           | NC*              | 0.01   | mg/L  |

\*NC - Non-Calculable RPD due to value(s) less than DL \*\* - Difference used for results < 5 X Detection Limit  
 These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals In Environmental Samples-Supplement I", May 1994

Reviewed By: Karen Barten  
 Karen Barten, Project Manager

Report ID: 010401562

## WATER QUALITY REPORT

Client: COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644Project: Christensen  
Sample ID: 5A074-1  
Lab ID: 0104W01564  
Matrix: Water  
Condition: Cool/IntactDate Received: 02/10/04  
Date Reported: 02/24/04  
Date Sampled: 02/09/04

| Parameter                      | Analytical Result | Units    | Units | PQL   | Method       | Analysis    |          |         |
|--------------------------------|-------------------|----------|-------|-------|--------------|-------------|----------|---------|
|                                |                   |          |       |       |              | Date        | Time     | Init.   |
| <b>General Parameters</b>      |                   |          |       |       |              |             |          |         |
| Lab pH                         | 7.9               | s.u.     |       | 0.1   | EPA 150.1    | 02/11/04    | 1617     | RM      |
| Lab Conductivity @ 25°C        | 310               | µmhos/cm |       | 5     | SM 2510 B    | 02/11/04    | 1655     | RM      |
| Total Dissolved Solids @ 180°C | 200               | mg/L     |       | 10    | SM 2540 C    | 02/11/04    | 1100     | SV      |
| Total Dissolved Solids(Calc)   | 190               | mg/L     |       | 10    | SM 1030 F.   | 02/13/04    | 0005     |         |
| Total Alkalinity as CaCO3      | 118               | mg/L     |       | 1.0   | SM 2320 B    | 02/11/04    | 1655     | RM      |
| Total Hardness as CaCO3        | 24.0              | mg/L     |       | 1.0   | SM 2340 B    | 02/12/04    | 0615     |         |
| Ammonia Nitrogen               | <0.1              | mg/L     |       | 0.1   | EPA 350.1    | 02/12/04    | 1622     | JF      |
| Nitrite as N                   | <0.1              | mg/L     |       | 0.1   | EPA 353.2    | 02/11/04    | 1354     | KB      |
| Radium 226                     | 32.9±4.3          | pCi/L    |       | 0.2   | SM 7500 Ra-B | 02/18/04    | 1629     | TP      |
| Silica as SiO2                 | 3.0               | mg/L     |       | 0.1   | EPA 200.7    | 02/12/04    | 0719     | MH      |
| Sodium Adsorption Ratio        | 5.7               |          |       | N/A   | Calculations | 02/12/04    | 0615     |         |
| <b>Anions</b>                  |                   |          |       |       |              |             |          |         |
| Bicarbonate as HCO3            | 143               | mg/L     | 2.35  | meq/L | 1.0          | SM 2320 B   | 02/11/04 | 1655 RM |
| Carbonate as CO3               | <1.0              | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 02/11/04 | 1655 RM |
| Hydroxide as OH                | <1.0              | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 02/11/04 | 1655 RM |
| Chloride                       | 2.6               | mg/L     | 0.07  | meq/L | 1.0          | EPA 300.0   | 02/13/04 | 0005 LK |
| Fluoride                       | 0.1               | mg/L     | 0.01  | meq/L | 0.1          | SM 4500-F-C | 02/11/04 | 1655 RM |
| Nitrate + Nitrite as N         | <0.1              | mg/L     | <0.01 | meq/L | 0.1          | EPA 353.2   | 02/12/04 | 1047 JF |
| Sulfate                        | 45.1              | mg/L     | 0.94  | meq/L | 1.0          | EPA 300.0   | 02/13/04 | 0005 LK |
| <b>Cations</b>                 |                   |          |       |       |              |             |          |         |
| Calcium                        | 7.3               | mg/L     | 0.36  | meq/L | 1.0          | EPA 200.7   | 02/12/04 | 0615 MH |
| Magnesium                      | 1.4               | mg/L     | 0.12  | meq/L | 1.0          | EPA 200.7   | 02/12/04 | 0615 MH |
| Potassium                      | 1.3               | mg/L     | 0.03  | meq/L | 1.0          | EPA 200.7   | 02/12/04 | 0615 MH |
| Sodium                         | 64.0              | mg/L     | 2.78  | meq/L | 0.2          | EPA 200.7   | 02/12/04 | 0615 MH |
| Cations                        |                   |          | 3.29  | meq/L | N/A          | SM 1030 F.  | 02/12/04 | 0615    |
| Anions                         |                   |          | 3.37  | meq/L | N/A          | SM 1030 F.  | 02/13/04 | 0005    |
| Cation/Anion Balance           |                   |          | 1.20  | %     | N/A          | SM 1030 F.  | 02/12/04 | 0615    |

These results only apply to the samples tested.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.

"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.

U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.

EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By:

Karen Barten  
Karen Barten, Project Manager

Report ID: 010401562

## WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
P.O. Box 730  
Mills, WY 82644Project: **Christensen**

Sample ID: 5A074-1

Lab ID: 0104W01564

Matrix: Water

Condition: Cool/Intact

Date Received: 02/10/04

Date Reported: 02/24/04

Date Sampled: 02/09/04

| Parameter               | Analytical Result | Units | Units | PQL    | Method    | Analysis |      |       |
|-------------------------|-------------------|-------|-------|--------|-----------|----------|------|-------|
|                         |                   |       |       |        |           | Date     | Time | Init. |
| <b>Dissolved Metals</b> |                   |       |       |        |           |          |      |       |
| Aluminum                | <0.1              | mg/L  |       | 0.1    | EPA 200.7 | 02/12/04 | 0719 | MH    |
| Arsenic                 | <0.005            | mg/L  |       | 0.005  | EPA 200.8 | 02/12/04 | 1221 | MS    |
| Barium                  | <0.5              | mg/L  |       | 0.5    | EPA 200.8 | 02/12/04 | 1221 | MS    |
| Boron                   | 0.05              | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0719 | MH    |
| Cadmium                 | <0.002            | mg/L  |       | 0.002  | EPA 200.8 | 02/12/04 | 1221 | MS    |
| Chromium                | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0719 | MH    |
| Copper                  | <0.01             | mg/L  |       | 0.01   | EPA 200.8 | 02/12/04 | 1221 | MS    |
| Iron                    | <0.05             | mg/L  |       | 0.05   | EPA 200.7 | 02/12/04 | 0719 | MH    |
| Lead                    | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/12/04 | 1221 | MS    |
| Manganese               | <0.02             | mg/L  |       | 0.02   | EPA 200.7 | 02/12/04 | 0719 | MH    |
| Mercury                 | <0.001            | mg/L  |       | 0.001  | EPA 245.1 | 02/13/04 | 0950 | MS    |
| Molybdenum              | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/12/04 | 1221 | MS    |
| Nickel                  | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0719 | MH    |
| Selenium                | 0.031             | mg/L  |       | 0.005  | EPA 200.8 | 02/12/04 | 1221 | MS    |
| Uranium                 | 0.247             | mg/L  |       | 0.0001 | EPA 200.8 | 02/12/04 | 1213 | MS    |
| Vanadium                | <0.1              | mg/L  |       | 0.1    | EPA 200.8 | 02/12/04 | 1221 | MS    |
| Zinc                    | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0719 | MH    |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By:



Karen Barten, Project Manager



Report ID: 010401562

## WATER QUALITY REPORT

Client: COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644

Project: Christensen

Sample ID: 5BD50-1

Lab ID: 0104W01565

Matrix: Water

Condition: Cool/Intact

Date Received: 02/10/04

Date Reported: 02/24/04

Date Sampled: 02/10/04

| Parameter                      | Analytical Result | Units    | Units | PQL   | Method       | Analysis    |          |         |
|--------------------------------|-------------------|----------|-------|-------|--------------|-------------|----------|---------|
|                                |                   |          |       |       |              | Date        | Time     | Init.   |
| <b>General Parameters</b>      |                   |          |       |       |              |             |          |         |
| Lab pH                         | 8.0               | s.u.     |       | 0.1   | EPA 150.1    | 02/11/04    | 1617     | RM      |
| Lab Conductivity @ 25°C        | 468               | µmhos/cm |       | 5     | SM 2510 B    | 02/11/04    | 1706     | RM      |
| Total Dissolved Solids @ 180°C | 300               | mg/L     |       | 10    | SM 2540 C    | 02/11/04    | 1100     | SV      |
| Total Dissolved Solids(Calc)   | 300               | mg/L     |       | 10    | SM 1030 F.   | 02/13/04    | 0005     |         |
| Total Alkalinity as CaCO3      | 181               | mg/L     |       | 1.0   | SM 2320 B    | 02/11/04    | 1706     | RM      |
| Total Hardness as CaCO3        | 37.0              | mg/L     |       | 1.0   | SM 2340 B    | 02/12/04    | 0615     |         |
| Ammonia Nitrogen               | <0.1              | mg/L     |       | 0.1   | EPA 350.1    | 02/12/04    | 1623     | JF      |
| Nitrite as N                   | <0.1              | mg/L     |       | 0.1   | EPA 353.2    | 02/11/04    | 1354     | KB      |
| Radium 226                     | 89.9±7.1          | pCi/L    |       | 0.2   | SM 7500 Ra-B | 02/18/04    | 1629     | TP      |
| Silica as SiO2                 | 2.4               | mg/L     |       | 0.1   | EPA 200.7    | 02/12/04    | 0722     | MH      |
| Sodium Adsorption Ratio        | 7.2               |          |       | N/A   | Calculations | 02/12/04    | 0615     |         |
| <b>Anions</b>                  |                   |          |       |       |              |             |          |         |
| Bicarbonate as HCO3            | 220               | mg/L     | 3.61  | meq/L | 1.0          | SM 2320 B   | 02/11/04 | 1706 RM |
| Carbonate as CO3               | <1.0              | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 02/11/04 | 1706 RM |
| Hydroxide as OH                | <1.0              | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 02/11/04 | 1706 RM |
| Chloride                       | 4.9               | mg/L     | 0.14  | meq/L | 1.0          | EPA 300.0   | 02/13/04 | 0005 LK |
| Fluoride                       | 0.2               | mg/L     | 0.01  | meq/L | 0.1          | SM 4500-F-C | 02/11/04 | 1706 RM |
| Nitrate + Nitrite as N         | <0.1              | mg/L     | <0.01 | meq/L | 0.1          | EPA 353.2   | 02/12/04 | 1048 JF |
| Sulfate                        | 65.2              | mg/L     | 1.36  | meq/L | 1.0          | EPA 300.0   | 02/13/04 | 0005 LK |
| <b>Cations</b>                 |                   |          |       |       |              |             |          |         |
| Calcium                        | 11.3              | mg/L     | 0.56  | meq/L | 1.0          | EPA 200.7   | 02/12/04 | 0615 MH |
| Magnesium                      | 2.2               | mg/L     | 0.18  | meq/L | 1.0          | EPA 200.7   | 02/12/04 | 0615 MH |
| Potassium                      | 2.2               | mg/L     | 0.06  | meq/L | 1.0          | EPA 200.7   | 02/12/04 | 0615 MH |
| Sodium                         | 101               | mg/L     | 4.39  | meq/L | 0.2          | EPA 200.7   | 02/12/04 | 0615 MH |
| Cations                        |                   |          | 5.19  | meq/L | N/A          | SM 1030 F.  | 02/12/04 | 0615    |
| Anions                         |                   |          | 5.12  | meq/L | N/A          | SM 1030 F.  | 02/13/04 | 0005    |
| Cation/Anion Balance           |                   |          | 0.88  | %     | N/A          | SM 1030 F.  | 02/12/04 | 0615    |

These results only apply to the samples tested.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.

"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.

U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.

EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By:

  
 Karen Barten, Project Manager

Report ID: 010401562

## WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
P.O. Box 730  
Mills, WY 82644Project: **Christensen**

Sample ID: 5BD50-1

Lab ID: 0104W01565

Matrix: Water

Condition: Cool/Intact

Date Received: 02/10/04

Date Reported: 02/24/04

Date Sampled: 02/10/04

| Parameter               | Analytical Result | Units | Units | PQL    | Method    | Analysis |      |       |
|-------------------------|-------------------|-------|-------|--------|-----------|----------|------|-------|
|                         |                   |       |       |        |           | Date     | Time | Init. |
| <b>Dissolved Metals</b> |                   |       |       |        |           |          |      |       |
| Aluminum                | <0.1              | mg/L  |       | 0.1    | EPA 200.7 | 02/12/04 | 0722 | MH    |
| Arsenic                 | 0.023             | mg/L  |       | 0.005  | EPA 200.8 | 02/12/04 | 1338 | MS    |
| Barium                  | <0.5              | mg/L  |       | 0.5    | EPA 200.8 | 02/12/04 | 1338 | MS    |
| Boron                   | 0.04              | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0722 | MH    |
| Cadmium                 | <0.002            | mg/L  |       | 0.002  | EPA 200.8 | 02/12/04 | 1338 | MS    |
| Chromium                | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0722 | MH    |
| Copper                  | <0.01             | mg/L  |       | 0.01   | EPA 200.8 | 02/12/04 | 1338 | MS    |
| Iron                    | <0.05             | mg/L  |       | 0.05   | EPA 200.7 | 02/12/04 | 0722 | MH    |
| Lead                    | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/12/04 | 1338 | MS    |
| Manganese               | 0.02              | mg/L  |       | 0.02   | EPA 200.7 | 02/12/04 | 0722 | MH    |
| Mercury                 | <0.001            | mg/L  |       | 0.001  | EPA 245.1 | 02/13/04 | 0950 | MS    |
| Molybdenum              | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/12/04 | 1338 | MS    |
| Nickel                  | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0722 | MH    |
| Selenium                | 1.16              | mg/L  |       | 0.005  | EPA 200.8 | 02/12/04 | 1338 | MS    |
| Uranium                 | 3.29              | mg/L  |       | 0.0001 | EPA 200.8 | 02/12/04 | 1213 | MS    |
| Vanadium                | 0.3               | mg/L  |       | 0.1    | EPA 200.8 | 02/12/04 | 1338 | MS    |
| Zinc                    | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0722 | MH    |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By:



Karen Barten, Project Manager

Report ID: 010401562

## WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
P.O. Box 730  
Mills, WY 82644Project: **Christensen**

Sample ID: 5BJ62-1

Lab ID: 0104W01566

Matrix: Water

Condition: Cool/Intact

Date Received: 02/10/04

Date Reported: 02/24/04

Date Sampled: 02/10/04

| Parameter                             | Analytical Result | Units    | Units | PQL   | Method       | Analysis    |          |       |    |
|---------------------------------------|-------------------|----------|-------|-------|--------------|-------------|----------|-------|----|
|                                       |                   |          |       |       |              | Date        | Time     | Init. |    |
| <b>General Parameters</b>             |                   |          |       |       |              |             |          |       |    |
| Lab pH                                | 8.1               | s.u.     |       | 0.1   | EPA 150.1    | 02/11/04    | 1617     | RM    |    |
| Lab Conductivity @ 25°C               | 520               | µmhos/cm |       | 5     | SM 2510 B    | 02/11/04    | 1718     | RM    |    |
| Total Dissolved Solids @ 180°C        | 340               | mg/L     |       | 10    | SM 2540 C    | 02/11/04    | 1100     | SV    |    |
| Total Dissolved Solids(Calc)          | 330               | mg/L     |       | 10    | SM 1030 F.   | 02/13/04    | 0005     |       |    |
| Total Alkalinity as CaCO <sub>3</sub> | 212               | mg/L     |       | 1.0   | SM 2320 B    | 02/11/04    | 1718     | RM    |    |
| Total Hardness as CaCO <sub>3</sub>   | 71.0              | mg/L     |       | 1.0   | SM 2340 B    | 02/12/04    | 0615     |       |    |
| Ammonia Nitrogen                      | <0.1              | mg/L     |       | 0.1   | EPA 350.1    | 02/12/04    | 1624     | JF    |    |
| Nitrite as N                          | <0.1              | mg/L     |       | 0.1   | EPA 353.2    | 02/11/04    | 1354     | KB    |    |
| Radium 226                            | 72.6±6.3          | pCi/L    |       | 0.2   | SM 7500 Ra-B | 02/18/04    | 1629     | TP    |    |
| Silica as SiO <sub>2</sub>            | 2.4               | mg/L     |       | 0.1   | EPA 200.7    | 02/12/04    | 0725     | MH    |    |
| Sodium Adsorption Ratio               | 5.2               |          |       | N/A   | Calculations | 02/12/04    | 0615     |       |    |
| <b>Anions</b>                         |                   |          |       |       |              |             |          |       |    |
| Bicarbonate as HCO <sub>3</sub>       | 259               | mg/L     | 4.24  | meq/L | 1.0          | SM 2320 B   | 02/11/04 | 1718  | RM |
| Carbonate as CO <sub>3</sub>          | <1.0              | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 02/11/04 | 1718  | RM |
| Hydroxide as OH                       | <1.0              | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 02/11/04 | 1718  | RM |
| Chloride                              | 4.8               | mg/L     | 0.14  | meq/L | 1.0          | EPA 300.0   | 02/13/04 | 0005  | LK |
| Fluoride                              | 0.1               | mg/L     | 0.01  | meq/L | 0.1          | SM 4500-F-C | 02/11/04 | 1718  | RM |
| Nitrate + Nitrite as N                | <0.1              | mg/L     | <0.01 | meq/L | 0.1          | EPA 353.2   | 02/12/04 | 1049  | JF |
| Sulfate                               | 68.0              | mg/L     | 1.42  | meq/L | 1.0          | EPA 300.0   | 02/13/04 | 0005  | LK |
| <b>Cations</b>                        |                   |          |       |       |              |             |          |       |    |
| Calcium                               | 22.0              | mg/L     | 1.10  | meq/L | 1.0          | EPA 200.7   | 02/12/04 | 0615  | MH |
| Magnesium                             | 3.9               | mg/L     | 0.32  | meq/L | 1.0          | EPA 200.7   | 02/12/04 | 0615  | MH |
| Potassium                             | 2.3               | mg/L     | 0.06  | meq/L | 1.0          | EPA 200.7   | 02/12/04 | 0615  | MH |
| Sodium                                | 100               | mg/L     | 4.35  | meq/L | 0.2          | EPA 200.7   | 02/12/04 | 0615  | MH |
| Cations                               |                   |          | 5.83  | meq/L | N/A          | SM 1030 F.  | 02/12/04 | 0615  |    |
| Anions                                |                   |          | 5.81  | meq/L | N/A          | SM 1030 F.  | 02/13/04 | 0005  |    |
| Cation/Anion Balance                  |                   |          | 0.17  | %     | N/A          | SM 1030 F.  | 02/12/04 | 0615  |    |

These results only apply to the samples tested.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.

"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.

U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.

EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By:

  
 Karen Barten, Project Manager

Report ID: 010401562

## WATER QUALITY REPORT

Client: COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644Project: Christensen  
Sample ID: 5BJ62-1  
Lab ID: 0104W01566  
Matrix: Water  
Condition: Cool/IntactDate Received: 02/10/04  
Date Reported: 02/24/04  
Date Sampled: 02/10/04

| Parameter               | Analytical Result | Units | Units | PQL    | Method    | Analysis |         |
|-------------------------|-------------------|-------|-------|--------|-----------|----------|---------|
|                         |                   |       |       |        |           | Date     | Time    |
| <b>Dissolved Metals</b> |                   |       |       |        |           |          |         |
| Aluminum                | <0.1              | mg/L  |       | 0.1    | EPA 200.7 | 02/12/04 | 0725 MH |
| Arsenic                 | <0.005            | mg/L  |       | 0.005  | EPA 200.8 | 02/12/04 | 1227 MS |
| Barium                  | <0.5              | mg/L  |       | 0.5    | EPA 200.8 | 02/12/04 | 1227 MS |
| Boron                   | 0.05              | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0725 MH |
| Cadmium                 | <0.002            | mg/L  |       | 0.002  | EPA 200.8 | 02/12/04 | 1227 MS |
| Chromium                | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0725 MH |
| Copper                  | <0.01             | mg/L  |       | 0.01   | EPA 200.8 | 02/12/04 | 1227 MS |
| Iron                    | <0.05             | mg/L  |       | 0.05   | EPA 200.7 | 02/12/04 | 0725 MH |
| Lead                    | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/12/04 | 1227 MS |
| Manganese               | 0.05              | mg/L  |       | 0.02   | EPA 200.7 | 02/12/04 | 0725 MH |
| Mercury                 | <0.001            | mg/L  |       | 0.001  | EPA 245.1 | 02/13/04 | 0950 MS |
| Molybdenum              | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/12/04 | 1227 MS |
| Nickel                  | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0725 MH |
| Selenium                | 0.037             | mg/L  |       | 0.005  | EPA 200.8 | 02/12/04 | 1227 MS |
| Uranium                 | 1.45              | mg/L  |       | 0.0001 | EPA 200.8 | 02/12/04 | 1213 MS |
| Vanadium                | <0.1              | mg/L  |       | 0.1    | EPA 200.8 | 02/12/04 | 1227 MS |
| Zinc                    | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0725 MH |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By:


  
 Karen Barten, Project Manager

Report ID: 010401562

## WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
P.O. Box 730  
Mills, WY 82644Project: **Christensen**

Sample ID: 5BA48-1

Lab ID: 0104W01567

Matrix: Water

Condition: Cool/Intact

Date Received: 02/10/04

Date Reported: 02/24/04

Date Sampled: 02/10/04

| Parameter                             | Analytical Result | Units    | Units <sup>*</sup> | PQL   | Method       | Analysis    |          |       |    |
|---------------------------------------|-------------------|----------|--------------------|-------|--------------|-------------|----------|-------|----|
|                                       |                   |          |                    |       |              | Date        | Time     | Init. |    |
| <b>General Parameters</b>             |                   |          |                    |       |              |             |          |       |    |
| Lab pH                                | 8.4               | s.u.     |                    | 0.1   | EPA 150.1    | 02/11/04    | 1617     | RM    |    |
| Lab Conductivity @ 25°C               | 259               | µmhos/cm |                    | 5     | SM 2510 B    | 02/11/04    | 1729     | RM    |    |
| Total Dissolved Solids @ 180°C        | 170               | mg/L     |                    | 10    | SM 2540 C    | 02/11/04    | 1100     | SV    |    |
| Total Dissolved Solids(Calc)          | 160               | mg/L     |                    | 10    | SM 1030 F.   | 02/13/04    | 0005     |       |    |
| Total Alkalinity as CaCO <sub>3</sub> | 118               | mg/L     |                    | 1.0   | SM 2320 B    | 02/11/04    | 1729     | RM    |    |
| Total Hardness as CaCO <sub>3</sub>   | 19.0              | mg/L     |                    | 1.0   | SM 2340 B    | 02/12/04    | 0615     |       |    |
| Ammonia Nitrogen                      | <0.1              | mg/L     |                    | 0.1   | EPA 350.1    | 02/12/04    | 1625     | JF    |    |
| Nitrite as N                          | <0.1              | mg/L     |                    | 0.1   | EPA 353.2    | 02/11/04    | 1354     | KB    |    |
| Radium 226                            | 53.7±5.6          | pCi/L    |                    | 0.2   | SM 7500 Ra-B | 02/18/04    | 1629     | TP    |    |
| Silica as SiO <sub>2</sub>            | 1.7               | mg/L     |                    | 0.1   | EPA 200.7    | 02/12/04    | 0615     | MH    |    |
| Sodium Adsorption Ratio               | 5.5               |          |                    | N/A   | Calculations | 02/12/04    | 0615     |       |    |
| <b>Anions</b>                         |                   |          |                    |       |              |             |          |       |    |
| Bicarbonate as HCO <sub>3</sub>       | 139               | mg/L     | 2.27               | meq/L | 1.0          | SM 2320 B   | 02/11/04 | 1729  | RM |
| Carbonate as CO <sub>3</sub>          | 2.4               | mg/L     | 0.08               | meq/L | 1.0          | SM 2320 B   | 02/11/04 | 1729  | RM |
| Hydroxide as OH                       | <1.0              | mg/L     | <0.01              | meq/L | 1.0          | SM 2320 B   | 02/11/04 | 1729  | RM |
| Chloride                              | 2.0               | mg/L     | 0.06               | meq/L | 1.0          | EPA 300.0   | 02/13/04 | 0005  | LK |
| Fluoride                              | 0.2               | mg/L     | 0.01               | meq/L | 0.1          | SM 4500-F-C | 02/11/04 | 1729  | RM |
| Nitrate + Nitrite as N                | <0.1              | mg/L     | <0.01              | meq/L | 0.1          | EPA 353.2   | 02/12/04 | 1050  | JF |
| Sulfate                               | 21.0              | mg/L     | 0.44               | meq/L | 1.0          | EPA 300.0   | 02/13/04 | 0005  | LK |
| <b>Cations</b>                        |                   |          |                    |       |              |             |          |       |    |
| Calcium                               | 5.9               | mg/L     | 0.29               | meq/L | 1.0          | EPA 200.7   | 02/12/04 | 0615  | MH |
| Magnesium                             | 1.1               | mg/L     | 0.09               | meq/L | 1.0          | EPA 200.7   | 02/12/04 | 0615  | MH |
| Potassium                             | 1.4               | mg/L     | 0.04               | meq/L | 1.0          | EPA 200.7   | 02/12/04 | 0615  | MH |
| Sodium                                | 54.8              | mg/L     | 2.38               | meq/L | 0.2          | EPA 200.7   | 02/12/04 | 0615  | MH |
| Cations                               |                   |          | 2.80               | meq/L | N/A          | SM 1030 F.  | 02/12/04 | 0615  |    |
| Anions                                |                   |          | 2.86               | meq/L | N/A          | SM 1030 F.  | 02/13/04 | 0005  |    |
| Cation/Anion Balance                  |                   |          | 1.06               | %     | N/A          | SM 1030 F.  | 02/12/04 | 0615  |    |

These results only apply to the samples tested.


Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.

"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.

U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.

EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By:

  
Karen Barten, Project Manager

Report ID: 010401562

**WATER QUALITY REPORT**

**Client:** COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644

**Project:** Christensen  
**Sample ID:** 5BA48-1  
**Lab ID:** 0104W01567  
**Matrix:** Water  
**Condition:** Cool/Intact

**Date Received:** 02/10/04  
**Date Reported:** 02/24/04  
**Date Sampled:** 02/10/04

| Parameter               | Analytical Result | Units | Units | PQL    | Method    | Analysis |      |       |
|-------------------------|-------------------|-------|-------|--------|-----------|----------|------|-------|
|                         |                   |       |       |        |           | Date     | Time | Init. |
| <b>Dissolved Metals</b> |                   |       |       |        |           |          |      |       |
| Aluminum                | <0.1              | mg/L  |       | 0.1    | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Arsenic                 | 0.006             | mg/L  |       | 0.005  | EPA 200.8 | 02/12/04 | 1229 | MS    |
| Barium                  | <0.5              | mg/L  |       | 0.5    | EPA 200.8 | 02/12/04 | 1229 | MS    |
| Boron                   | 0.04              | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Cadmium                 | <0.002            | mg/L  |       | 0.002  | EPA 200.8 | 02/12/04 | 1229 | MS    |
| Chromium                | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Copper                  | <0.01             | mg/L  |       | 0.01   | EPA 200.8 | 02/12/04 | 1229 | MS    |
| Iron                    | <0.05             | mg/L  |       | 0.05   | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Lead                    | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/12/04 | 1229 | MS    |
| Manganese               | <0.02             | mg/L  |       | 0.02   | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Mercury                 | <0.001            | mg/L  |       | 0.001  | EPA 245.1 | 02/13/04 | 0950 | MS    |
| Molybdenum              | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/12/04 | 1229 | MS    |
| Nickel                  | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Selenium                | 0.130             | mg/L  |       | 0.005  | EPA 200.8 | 02/12/04 | 1229 | MS    |
| Uranium                 | 0.514             | mg/L  |       | 0.0001 | EPA 200.8 | 02/12/04 | 1213 | MS    |
| Vanadium                | <0.1              | mg/L  |       | 0.1    | EPA 200.8 | 02/12/04 | 1229 | MS    |
| Zinc                    | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0615 | MH    |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By: *Karen Barten*  
Karen Barten, Project Manager

Report ID: 010401562

## WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
P.O. Box 730  
Mills, WY 82644Project: **Christensen**  
Sample ID: 5BH58-2  
Lab ID: 0104W01568  
Matrix: Water  
Condition: Cool/IntactDate Received: 02/10/04  
Date Reported: 02/24/04  
Date Sampled: 02/10/04

| Parameter                      | Analytical |          | Units   | Units | PQL | Method       | Analysis |      |       |
|--------------------------------|------------|----------|---------|-------|-----|--------------|----------|------|-------|
|                                | Result     | Units    |         |       |     |              | Date     | Time | Init. |
| <b>General Parameters</b>      |            |          |         |       |     |              |          |      |       |
| Lab pH                         | 8.5        | s.u.     |         |       | 0.1 | EPA 150.1    | 02/11/04 | 1617 | RM    |
| Lab Conductivity @ 25°C        | 496        | µmhos/cm |         |       | 5   | SM 2510 B    | 02/11/04 | 1740 | RM    |
| Total Dissolved Solids @ 180°C | 320        | mg/L     |         |       | 10  | SM 2540 C    | 02/11/04 | 1100 | SV    |
| Total Dissolved Solids(Calc)   | 300        | mg/L     |         |       | 10  | SM 1030 F.   | 02/13/04 | 0005 |       |
| Total Alkalinity as CaCO3      | 229        | mg/L     |         |       | 1.0 | SM 2320 B    | 02/11/04 | 1740 | RM    |
| Total Hardness as CaCO3        | 39.5       | mg/L     |         |       | 1.0 | SM 2340 B    | 02/12/04 | 0615 |       |
| Ammonia Nitrogen               | 0.4        | mg/L     |         |       | 0.1 | EPA 350.1    | 02/12/04 | 1626 | JF    |
| Nitrite as N                   | <0.1       | mg/L     |         |       | 0.1 | EPA 353.2    | 02/11/04 | 1354 | KB    |
| Radium 226                     | 455±15.5   | pCi/L    |         |       | 0.2 | SM 7500 Ra-B | 02/18/04 | 1629 | TP    |
| Silica as SiO2                 | 2.8        | mg/L     |         |       | 0.1 | EPA 200.7    | 02/12/04 | 0615 | MH    |
| Sodium Adsorption Ratio        | 6.8        |          |         |       | N/A | Calculations | 02/12/04 | 0615 |       |
| <b>Anions</b>                  |            |          |         |       |     |              |          |      |       |
| Bicarbonate as HCO3            | 261        | mg/L     | 4.28    | meq/L | 1.0 | SM 2320 B    | 02/11/04 | 1740 | RM    |
| Carbonate as CO3               | 9.0        | mg/L     | 0.30    | meq/L | 1.0 | SM 2320 B    | 02/11/04 | 1740 | RM    |
| Hydroxide as OH                | <1.0       | mg/L     | <0.01   | meq/L | 1.0 | SM 2320 B    | 02/11/04 | 1740 | RM    |
| Chloride                       | 3.3        | mg/L     | 0.09    | meq/L | 1.0 | EPA 300.0    | 02/13/04 | 0005 | LK    |
| Fluoride                       | 0.2        | mg/L     | 0.01    | meq/L | 0.1 | SM 4500-F-C  | 02/11/04 | 1740 | RM    |
| Nitrate + Nitrite as N         | <0.1       | mg/L     | <0.01   | meq/L | 0.1 | EPA 353.2    | 02/12/04 | 1051 | JF    |
| Sulfate                        | 42.7       | mg/L     | 0.89    | meq/L | 1.0 | EPA 300.0    | 02/17/04 | 0005 | LK    |
| <b>Cations</b>                 |            |          |         |       |     |              |          |      |       |
| Calcium                        | 12.3       | mg/L     | 0.61    | meq/L | 1.0 | EPA 200.7    | 02/17/04 | 0611 | MH    |
| Magnesium                      | 2.2        | mg/L     | 0.18    | meq/L | 1.0 | EPA 200.7    | 02/17/04 | 0611 | MH    |
| Potassium                      | 2.2        | mg/L     | 0.06    | meq/L | 1.0 | EPA 200.7    | 02/12/04 | 0615 | MH    |
| Sodium                         | 97.8       | mg/L     | 4.25    | meq/L | 0.2 | EPA 200.7    | 02/12/04 | 0615 | MH    |
| Cations                        |            |          | 5.10    | meq/L | N/A | SM 1030 F.   | 02/12/04 | 0615 |       |
| Anions                         |            |          | 5.57    | meq/L | N/A | SM 1030 F.   | 02/13/04 | 0005 |       |
| Cation/Anion Balance           |            |          | 4.40 AN | %     | N/A | SM 1030 F.   | 02/12/04 | 0615 |       |

These results only apply to the samples tested. AN - Analysis repeated with no significant changes.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.  
"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.  
U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.  
EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.Reviewed By: Karen Barten  
Karen Barten, Project Manager

Report ID: 010401562

## WATER QUALITY REPORT

Client: COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644

Project: Christensen

Sample ID: 5BH58-2

Lab ID: 0104W01568

Matrix: Water

Condition: Cool/Intact

Date Received: 02/10/04

Date Reported: 02/24/04

Date Sampled: 02/10/04

| Parameter               | Analytical Result | Units | Units | PQL    | Method    | Analysis |      |       |
|-------------------------|-------------------|-------|-------|--------|-----------|----------|------|-------|
|                         |                   |       |       |        |           | Date     | Time | Init. |
| <b>Dissolved Metals</b> |                   |       |       |        |           |          |      |       |
| Aluminum                | <0.1              | mg/L  |       | 0.1    | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Arsenic                 | 0.027             | mg/L  |       | 0.005  | EPA 200.8 | 02/12/04 | 1333 | MS    |
| Barium                  | <0.5              | mg/L  |       | 0.5    | EPA 200.8 | 02/12/04 | 1333 | MS    |
| Boron                   | 0.04              | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Cadmium                 | <0.002            | mg/L  |       | 0.002  | EPA 200.8 | 02/12/04 | 1333 | MS    |
| Chromium                | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Copper                  | <0.01             | mg/L  |       | 0.01   | EPA 200.8 | 02/12/04 | 1333 | MS    |
| Iron                    | <0.05             | mg/L  |       | 0.05   | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Lead                    | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/12/04 | 1333 | MS    |
| Manganese               | <0.02             | mg/L  |       | 0.02   | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Mercury                 | <0.001            | mg/L  |       | 0.001  | EPA 245.1 | 02/13/04 | 0950 | MS    |
| Molybdenum              | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/12/04 | 1333 | MS    |
| Nickel                  | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Selenium                | 0.123             | mg/L  |       | 0.005  | EPA 200.8 | 02/12/04 | 1333 | MS    |
| Uranium                 | 1.29              | mg/L  |       | 0.0001 | EPA 200.8 | 02/12/04 | 1213 | MS    |
| Vanadium                | 0.1               | mg/L  |       | 0.1    | EPA 200.8 | 02/12/04 | 1333 | MS    |
| Zinc                    | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0615 | MH    |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By:



Karen Barten, Project Manager



Report ID: 010401562

## WATER QUALITY REPORT

Client: COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644Project: Christensen  
Sample ID: 5BG46-1  
Lab ID: 0104W01569  
Matrix: Water  
Condition: Cool/IntactDate Received: 02/10/04  
Date Reported: 02/24/04  
Date Sampled: 02/10/04

| Parameter                      | Analytical Result | Units    | Units | PQL   | Method       | Analysis    |          |       |    |
|--------------------------------|-------------------|----------|-------|-------|--------------|-------------|----------|-------|----|
|                                |                   |          |       |       |              | Date        | Time     | Init. |    |
| <b>General Parameters</b>      |                   |          |       |       |              |             |          |       |    |
| Lab pH                         | 8.1               | s.u.     |       | 0.1   | EPA 150.1    | 02/11/04    | 1617     | RM    |    |
| Lab Conductivity @ 25°C        | 368               | µmhos/cm |       | 5     | SM 2510 B    | 02/11/04    | 1752     | RM    |    |
| Total Dissolved Solids @ 180°C | 240               | mg/L     |       | 10    | SM 2540 C    | 02/11/04    | 1100     | SV    |    |
| Total Dissolved Solids(Calc)   | 230               | mg/L     |       | 10    | SM 1030 F.   | 02/13/04    | 0005     |       |    |
| Total Alkalinity as CaCO3      | 149               | mg/L     |       | 1.0   | SM 2320 B    | 02/11/04    | 1752     | RM    |    |
| Total Hardness as CaCO3        | 35.5              | mg/L     |       | 1.0   | SM 2340 B    | 02/12/04    | 0615     |       |    |
| Ammonia Nitrogen               | 0.1               | mg/L     |       | 0.1   | EPA 350.1    | 02/12/04    | 1627     | JF    |    |
| Nitrite as N                   | <0.1              | mg/L     |       | 0.1   | EPA 353.2    | 02/11/04    | 1354     | KB    |    |
| Radium 226                     | 197±9.7           | pCi/L    |       | 0.2   | SM 7500 Ra-B | 02/18/04    | 1629     | TP    |    |
| Silica as SiO2                 | 2.5               | mg/L     |       | 0.1   | EPA 200.7    | 02/12/04    | 0615     | MH    |    |
| Sodium Adsorption Ratio        | 5.5               |          |       | N/A   | Calculations | 02/12/04    | 0615     |       |    |
| <b>Anions</b>                  |                   |          |       |       |              |             |          |       |    |
| Bicarbonate as HCO3            | 182               | mg/L     | 2.98  | meq/L | 1.0          | SM 2320 B   | 02/11/04 | 1752  | RM |
| Carbonate as CO3               | <1.0              | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 02/11/04 | 1752  | RM |
| Hydroxide as OH                | <1.0              | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 02/11/04 | 1752  | RM |
| Chloride                       | 3.6               | mg/L     | 0.10  | meq/L | 1.0          | EPA 300.0   | 02/13/04 | 0005  | LK |
| Fluoride                       | 0.2               | mg/L     | 0.01  | meq/L | 0.1          | SM 4500-F-C | 02/11/04 | 1752  | RM |
| Nitrate + Nitrite as N         | <0.1              | mg/L     | <0.01 | meq/L | 0.1          | EPA 353.2   | 02/12/04 | 1052  | JF |
| Sulfate                        | 49.3              | mg/L     | 1.03  | meq/L | 1.0          | EPA 300.0   | 02/13/04 | 0005  | LK |
| <b>Cations</b>                 |                   |          |       |       |              |             |          |       |    |
| Calcium                        | 10.6              | mg/L     | 0.53  | meq/L | 1.0          | EPA 200.7   | 02/12/04 | 0615  | MH |
| Magnesium                      | 2.2               | mg/L     | 0.18  | meq/L | 1.0          | EPA 200.7   | 02/12/04 | 0615  | MH |
| Potassium                      | 1.8               | mg/L     | 0.05  | meq/L | 1.0          | EPA 200.7   | 02/12/04 | 0615  | MH |
| Sodium                         | 75.0              | mg/L     | 3.26  | meq/L | 0.2          | EPA 200.7   | 02/12/04 | 0615  | MH |
| Cations                        |                   |          | 4.02  | meq/L | N/A          | SM 1030 F.  | 02/12/04 | 0615  |    |
| Anions                         |                   |          | 4.12  | meq/L | N/A          | SM 1030 F.  | 02/13/04 | 0005  |    |
| Cation/Anion Balance           |                   |          | 1.23  | %     | N/A          | SM 1030 F.  | 02/12/04 | 0615  |    |

These results only apply to the samples tested.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.

"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.

U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.

EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By:



Karen Barten, Project Manager

Report ID: 010401562

## WATER QUALITY REPORT

Client: COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644Project: Christensen  
Sample ID: 5BG46-1  
Lab ID: 0104W01569  
Matrix: Water  
Condition: Cool/IntactDate Received: 02/10/04  
Date Reported: 02/24/04  
Date Sampled: 02/10/04

| Parameter               | Analytical Result | Units | Units | PQL    | Method    | Analysis |      |       |
|-------------------------|-------------------|-------|-------|--------|-----------|----------|------|-------|
|                         |                   |       |       |        |           | Date     | Time | Init. |
| <b>Dissolved Metals</b> |                   |       |       |        |           |          |      |       |
| Aluminum                | <0.1              | mg/L  |       | 0.1    | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Arsenic                 | <0.005            | mg/L  |       | 0.005  | EPA 200.8 | 02/12/04 | 1234 | MS    |
| Barium                  | <0.5              | mg/L  |       | 0.5    | EPA 200.8 | 02/12/04 | 1234 | MS    |
| Boron                   | 0.06              | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Cadmium                 | <0.002            | mg/L  |       | 0.002  | EPA 200.8 | 02/12/04 | 1234 | MS    |
| Chromium                | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Copper                  | <0.01             | mg/L  |       | 0.01   | EPA 200.8 | 02/12/04 | 1234 | MS    |
| Iron                    | <0.05             | mg/L  |       | 0.05   | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Lead                    | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/12/04 | 1234 | MS    |
| Manganese               | 0.02              | mg/L  |       | 0.02   | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Mercury                 | <0.001            | mg/L  |       | 0.001  | EPA 245.1 | 02/13/04 | 0950 | MS    |
| Molybdenum              | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/12/04 | 1234 | MS    |
| Nickel                  | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Selenium                | 0.078             | mg/L  |       | 0.005  | EPA 200.8 | 02/12/04 | 1234 | MS    |
| Uranium                 | 0.732             | mg/L  |       | 0.0001 | EPA 200.8 | 02/12/04 | 1213 | MS    |
| Vanadium                | <0.1              | mg/L  |       | 0.1    | EPA 200.8 | 02/12/04 | 1234 | MS    |
| Zinc                    | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0615 | MH    |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By:



Karen Barten, Project Manager

Report ID: 010401562

## WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
P.O. Box 730  
Mills, WY 82644Project: **Christensen**

Sample ID: 5BK58-1

Lab ID: 0104W01570

Matrix: Water

Condition: Cool/Intact

Date Received: 02/10/04

Date Reported: 02/24/04

Date Sampled: 02/10/04

| Parameter                      | Analytical Result | Units    | Units | PQL   | Method       | Analysis    |          |         |
|--------------------------------|-------------------|----------|-------|-------|--------------|-------------|----------|---------|
|                                |                   |          |       |       |              | Date        | Time     | Init.   |
| <b>General Parameters</b>      |                   |          |       |       |              |             |          |         |
| Lab pH                         | 7.7               | s.u.     |       | 0.1   | EPA 150.1    | 02/11/04    | 1617     | RM      |
| Lab Conductivity @ 25°C        | 1,340             | µmhos/cm |       | 5     | SM 2510 B    | 02/11/04    | 1804     | RM      |
| Total Dissolved Solids @ 180°C | 910               | mg/L     |       | 10    | SM 2540 C    | 02/11/04    | 1100     | SV      |
| Total Dissolved Solids(Calc)   | 830               | mg/L     |       | 10    | SM 1030 F.   | 02/13/04    | 0737     |         |
| Total Alkalinity as CaCO3      | 396               | mg/L     |       | 1.0   | SM 2320 B    | 02/11/04    | 1804     | RM      |
| Total Hardness as CaCO3        | 166               | mg/L     |       | 1.0   | SM 2340 B    | 02/12/04    | 0615     |         |
| Ammonia Nitrogen               | 0.1               | mg/L     |       | 0.1   | EPA 350.1    | 02/12/04    | 1634     | JF      |
| Nitrite as N                   | <0.1              | mg/L     |       | 0.1   | EPA 353.2    | 02/11/04    | 1354     | KB      |
| Radium 226                     | 1130±23.3         | pCi/L    |       | 0.2   | SM 7500 Ra-B | 02/18/04    | 1629     | TP      |
| Silica as SiO2                 | 3.8               | mg/L     |       | 0.1   | EPA 200.7    | 02/12/04    | 0615     | MH      |
| Sodium Adsorption Ratio        | 8.1               |          |       | N/A   | Calculations | 02/12/04    | 0615     |         |
| <b>Anions</b>                  |                   |          |       |       |              |             |          |         |
| Bicarbonate as HCO3            | 483               | mg/L     | 7.92  | meq/L | 1.0          | SM 2320 B   | 02/11/04 | 1804 RM |
| Carbonate as CO3               | <1.0              | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 02/11/04 | 1804 RM |
| Hydroxide as OH                | <1.0              | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 02/11/04 | 1804 RM |
| Chloride                       | 19.7              | mg/L     | 0.56  | meq/L | 1.0          | EPA 300.0   | 02/13/04 | 0737 LK |
| Fluoride                       | <0.1              | mg/L     | <0.01 | meq/L | 0.1          | SM 4500-F-C | 02/11/04 | 1804 RM |
| Nitrate + Nitrite as N         | <0.1              | mg/L     | <0.01 | meq/L | 0.1          | EPA 353.2   | 02/12/04 | 1053 JF |
| Sulfate                        | 267               | mg/L     | 5.55  | meq/L | 1.0          | EPA 300.0   | 02/13/04 | 0737 LK |
| <b>Cations</b>                 |                   |          |       |       |              |             |          |         |
| Calcium                        | 49.2              | mg/L     | 2.46  | meq/L | 1.0          | EPA 200.7   | 02/12/04 | 0615 MH |
| Magnesium                      | 10.5              | mg/L     | 0.86  | meq/L | 1.0          | EPA 200.7   | 02/12/04 | 0615 MH |
| Potassium                      | 5.1               | mg/L     | 0.13  | meq/L | 1.0          | EPA 200.7   | 02/12/04 | 0615 MH |
| Sodium                         | 241               | mg/L     | 10.48 | meq/L | 0.2          | EPA 200.7   | 02/17/04 | 0611 MH |
| Cations                        |                   |          | 13.93 | meq/L | N/A          | SM 1030 F.  | 02/12/04 | 0615    |
| Anions                         |                   |          | 14.03 | meq/L | N/A          | SM 1030 F.  | 02/13/04 | 0737    |
| Cation/Anion Balance           |                   |          | 0.36  | %     | N/A          | SM 1030 F.  | 02/12/04 | 0615    |

These results only apply to the samples tested.


Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.

"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.

U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.

EPA 800/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By:

  
Karen Barten, Project Manager

Report ID: 010401562

## WATER QUALITY REPORT

Client: COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644Project: Christensen  
Sample ID: 5BK58-1  
Lab ID: 0104W01570  
Matrix: Water  
Condition: Cool/Intact

Date Received: 02/10/04

Date Reported: 02/24/04


Date Sampled: 02/10/04

| Parameter               | Analytical Result | Units | Units | PQL    | Method    | Analysis |      |       |
|-------------------------|-------------------|-------|-------|--------|-----------|----------|------|-------|
|                         |                   |       |       |        |           | Date     | Time | Init. |
| <b>Dissolved Metals</b> |                   |       |       |        |           |          |      |       |
| Aluminum                | <0.1              | mg/L  |       | 0.1    | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Arsenic                 | <0.005            | mg/L  |       | 0.005  | EPA 200.8 | 02/12/04 | 1237 | MS    |
| Barium                  | <0.5              | mg/L  |       | 0.5    | EPA 200.8 | 02/12/04 | 1237 | MS    |
| Boron                   | 0.08              | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Cadmium                 | <0.002            | mg/L  |       | 0.002  | EPA 200.8 | 02/12/04 | 1237 | MS    |
| Chromium                | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Copper                  | <0.01             | mg/L  |       | 0.01   | EPA 200.8 | 02/12/04 | 1237 | MS    |
| Iron                    | 0.20              | mg/L  |       | 0.05   | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Lead                    | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/12/04 | 1237 | MS    |
| Manganese               | 0.13              | mg/L  |       | 0.02   | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Mercury                 | <0.001            | mg/L  |       | 0.001  | EPA 245.1 | 02/13/04 | 0950 | MS    |
| Molybdenum              | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/12/04 | 1237 | MS    |
| Nickel                  | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Selenium                | 0.152             | mg/L  |       | 0.005  | EPA 200.8 | 02/12/04 | 1237 | MS    |
| Uranium                 | 4.23              | mg/L  |       | 0.0001 | EPA 200.8 | 02/12/04 | 1213 | MS    |
| Vanadium                | <0.1              | mg/L  |       | 0.1    | EPA 200.8 | 02/12/04 | 1237 | MS    |
| Zinc                    | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0615 | MH    |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By:

  
 Karen Barten, Project Manager

Report ID: 010401562

## WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
P.O. Box 730  
Mills, WY 82644Project: **Christensen**

Sample ID: 5BK82-1

Lab ID: 0104W01571

Matrix: Water

Condition: Cool/Intact

Date Received: 02/10/04

Date Reported: 02/24/04

Date Sampled: 02/10/04

| Parameter                      | Analytical |          | PQL   |       |              | Analysis    |          |       |    |
|--------------------------------|------------|----------|-------|-------|--------------|-------------|----------|-------|----|
|                                | Result     | Units    | Units | PQL   | Method       | Date        | Time     | Init. |    |
| <b>General Parameters</b>      |            |          |       |       |              |             |          |       |    |
| Lab pH                         | 8.0        | s.u.     |       | 0.1   | EPA 150.1    | 02/11/04    | 1617     | RM    |    |
| Lab Conductivity @ 25°C        | 717        | µmhos/cm |       | 5     | SM 2510 B    | 02/11/04    | 1816     | RM    |    |
| Total Dissolved Solids @ 180°C | 460        | mg/L     |       | 10    | SM 2540 C    | 02/11/04    | 1100     | SV    |    |
| Total Dissolved Solids(Calc)   | 430        | mg/L     |       | 10    | SM 1030 F.   | 02/13/04    | 0737     |       |    |
| Total Alkalinity as CaCO3      | 306        | mg/L     |       | 1.0   | SM 2320 B    | 02/11/04    | 1816     | RM    |    |
| Total Hardness as CaCO3        | 90.5       | mg/L     |       | 1.0   | SM 2340 B    | 02/12/04    | 0615     |       |    |
| Ammonia Nitrogen               | 0.2        | mg/L     |       | 0.1   | EPA 350.1    | 02/12/04    | 1635     | JF    |    |
| Nitrite as N                   | <0.1       | mg/L     |       | 0.1   | EPA 353.2    | 02/11/04    | 1354     | KB    |    |
| Radium 226                     | 81.7±6.4   | pCi/L    |       | 0.2   | SM 7500 Ra-B | 02/18/04    | 1629     | TP    |    |
| Silica as SiO2                 | 3.4        | mg/L     |       | 0.1   | EPA 200.7    | 02/12/04    | 0615     | MH    |    |
| Sodium Adsorption Ratio        | 6.2        |          |       | N/A   | Calculations | 02/12/04    | 0615     |       |    |
| <b>Anions</b>                  |            |          |       |       |              |             |          |       |    |
| Bicarbonate as HCO3            | 373        | mg/L     | 6.11  | meq/L | 1.0          | SM 2320 B   | 02/11/04 | 1816  | RM |
| Carbonate as CO3               | <1.0       | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 02/11/04 | 1816  | RM |
| Hydroxide as OH                | <1.0       | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 02/11/04 | 1816  | RM |
| Chloride                       | 6.6        | mg/L     | 0.19  | meq/L | 1.0          | EPA 300.0   | 02/13/04 | 0737  | LK |
| Fluoride                       | 0.2        | mg/L     | 0.01  | meq/L | 0.1          | SM 4500-F-C | 02/11/04 | 1816  | RM |
| Nitrate + Nitrite as N         | <0.1       | mg/L     | <0.01 | meq/L | 0.1          | EPA 353.2   | 02/12/04 | 1101  | JF |
| Sulfate                        | 71.7       | mg/L     | 1.49  | meq/L | 1.0          | EPA 300.0   | 02/13/04 | 0737  | LK |
| <b>Cations</b>                 |            |          |       |       |              |             |          |       |    |
| Calcium                        | 26.7       | mg/L     | 1.33  | meq/L | 1.0          | EPA 200.7   | 02/12/04 | 0615  | MH |
| Magnesium                      | 5.8        | mg/L     | 0.48  | meq/L | 1.0          | EPA 200.7   | 02/12/04 | 0615  | MH |
| Potassium                      | 2.8        | mg/L     | 0.07  | meq/L | 1.0          | EPA 200.7   | 02/12/04 | 0615  | MH |
| Sodium                         | 136        | mg/L     | 5.92  | meq/L | 0.2          | EPA 200.7   | 02/17/04 | 0611  | MH |
| Cations                        |            |          | 7.80  | meq/L | N/A          | SM 1030 F.  | 02/12/04 | 0615  |    |
| Anions                         |            |          | 7.80  | meq/L | N/A          | SM 1030 F.  | 02/13/04 | 0737  |    |
| Cation/Anion Balance           |            |          | 0.00  | %     | N/A          | SM 1030 F.  | 02/12/04 | 0615  |    |

These results only apply to the samples tested.


Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.

"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.

U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.

EPA 600/R93/100, "Methods for the Determination of Inorganic Substances In Environmental Samples", Aug. 1993.

Reviewed By:

  
Karen Barten, Project Manager

Report ID: 010401562

## WATER QUALITY REPORT

Client: COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644Project: Christensen  
Sample ID: 5BK82-1  
Lab ID: 0104W01571  
Matrix: Water  
Condition: Cool/IntactDate Received: 02/10/04  
Date Reported: 02/24/04  
Date Sampled: 02/10/04

| Parameter               | Analytical Result | Units | Units | PQL    | Method    | Analysis |      |       |
|-------------------------|-------------------|-------|-------|--------|-----------|----------|------|-------|
|                         |                   |       |       |        |           | Date     | Time | Init. |
| <b>Dissolved Metals</b> |                   |       |       |        |           |          |      |       |
| Aluminum                | <0.1              | mg/L  |       | 0.1    | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Arsenic                 | 0.014             | mg/L  |       | 0.005  | EPA 200.8 | 02/12/04 | 1248 | MS    |
| Barium                  | <0.5              | mg/L  |       | 0.5    | EPA 200.8 | 02/12/04 | 1248 | MS    |
| Boron                   | 0.06              | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Cadmium                 | <0.002            | mg/L  |       | 0.002  | EPA 200.8 | 02/12/04 | 1248 | MS    |
| Chromium                | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Copper                  | <0.01             | mg/L  |       | 0.01   | EPA 200.8 | 02/12/04 | 1248 | MS    |
| Iron                    | <0.05             | mg/L  |       | 0.05   | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Lead                    | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/12/04 | 1248 | MS    |
| Manganese               | 0.05              | mg/L  |       | 0.02   | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Mercury                 | <0.001            | mg/L  |       | 0.001  | EPA 245.1 | 02/13/04 | 0950 | MS    |
| Molybdenum              | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/12/04 | 1248 | MS    |
| Nickel                  | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Selenium                | 0.284             | mg/L  |       | 0.005  | EPA 200.8 | 02/12/04 | 1248 | MS    |
| Uranium                 | 1.39              | mg/L  |       | 0.0001 | EPA 200.8 | 02/12/04 | 1213 | MS    |
| Vanadium                | 0.3               | mg/L  |       | 0.1    | EPA 200.8 | 02/12/04 | 1248 | MS    |
| Zinc                    | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0615 | MH    |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By:


  
Karen Barten, Project Manager

Report ID: 010401562

## WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
P.O. Box 730  
Mills, WY 82644Project: **Christensen**

Sample ID: 5BS120-1

Lab ID: 0104W01572

Matrix: Water

Condition: Cool/Intact

Date Received: 02/10/04

Date Reported: 02/24/04

Date Sampled: 02/10/04

| Parameter                      | Analytical |  | Units    | Units   | PQL   | Method       | Analysis    |          |       |    |
|--------------------------------|------------|--|----------|---------|-------|--------------|-------------|----------|-------|----|
|                                | Result     |  |          |         |       |              | Date        | Time     | Init. |    |
| <b>General Parameters</b>      |            |  |          |         |       |              |             |          |       |    |
| Lab pH                         | 8.5        |  | s.u.     |         | 0.1   | EPA 150.1    | 02/11/04    | 1617     | RM    |    |
| Lab Conductivity @ 25°C        | 511        |  | µmhos/cm |         | 5     | SM 2510 B    | 02/11/04    | 1827     | RM    |    |
| Total Dissolved Solids @ 180°C | 330        |  | mg/L     |         | 10    | SM 2540 C    | 02/11/04    | 1100     | SV    |    |
| Total Dissolved Solids(Calc)   | 300        |  | mg/L     |         | 10    | SM 1030 F.   | 02/13/04    | 0737     |       |    |
| Total Alkalinity as CaCO3      | 230        |  | mg/L     |         | 1.0   | SM 2320 B    | 02/11/04    | 1827     | RM    |    |
| Total Hardness as CaCO3        | 35.5       |  | mg/L     |         | 1.0   | SM 2340 B    | 02/12/04    | 0615     |       |    |
| Ammonia Nitrogen               | 0.2        |  | mg/L     |         | 0.1   | EPA 350.1    | 02/12/04    | 1636     | JF    |    |
| Nitrite as N                   | <0.1       |  | mg/L     |         | 0.1   | EPA 353.2    | 02/11/04    | 1354     | KB    |    |
| Radium 226                     | 93.7±6.9   |  | pCi/L    |         | 0.2   | SM 7500 Ra-B | 02/18/04    | 1629     | TP    |    |
| Silica as SiO2                 | 3.4        |  | mg/L     |         | 0.1   | EPA 200.7    | 02/12/04    | 0615     | MH    |    |
| Sodium Adsorption Ratio        | 7.2        |  |          |         | N/A   | Calculations | 02/12/04    | 0615     |       |    |
| <b>Anions</b>                  |            |  |          |         |       |              |             |          |       |    |
| Bicarbonate as HCO3            | 264        |  | mg/L     | 4.33    | meq/L | 1.0          | SM 2320 B   | 02/11/04 | 1827  | RM |
| Carbonate as CO3               | 7.8        |  | mg/L     | 0.26    | meq/L | 1.0          | SM 2320 B   | 02/11/04 | 1827  | RM |
| Hydroxide as OH                | <1.0       |  | mg/L     | <0.01   | meq/L | 1.0          | SM 2320 B   | 02/11/04 | 1827  | RM |
| Chloride                       | 3.1        |  | mg/L     | 0.09    | meq/L | 1.0          | EPA 300.0   | 02/13/04 | 0737  | LK |
| Fluoride                       | 0.3        |  | mg/L     | 0.02    | meq/L | 0.1          | SM 4500-F-C | 02/11/04 | 1827  | RM |
| Nitrate + Nitrite as N         | <0.1       |  | mg/L     | <0.01   | meq/L | 0.1          | EPA 353.2   | 02/12/04 | 1102  | JF |
| Sulfate                        | 41.6       |  | mg/L     | 0.87    | meq/L | 1.0          | EPA 300.0   | 02/13/04 | 0737  | LK |
| <b>Cations</b>                 |            |  |          |         |       |              |             |          |       |    |
| Calcium                        | 10.5       |  | mg/L     | 0.52    | meq/L | 1.0          | EPA 200.7   | 02/12/04 | 0615  | MH |
| Magnesium                      | 2.3        |  | mg/L     | 0.19    | meq/L | 1.0          | EPA 200.7   | 02/12/04 | 0615  | MH |
| Potassium                      | 2.8        |  | mg/L     | 0.07    | meq/L | 1.0          | EPA 200.7   | 02/12/04 | 0615  | MH |
| Sodium                         | 99.0       |  | mg/L     | 4.31    | meq/L | 0.2          | EPA 200.7   | 02/17/04 | 0611  | MH |
| Cations                        |            |  |          | 5.09    | meq/L | N/A          | SM 1030 F.  | 02/12/04 | 0615  |    |
| Anions                         |            |  |          | 5.57    | meq/L | N/A          | SM 1030 F.  | 02/13/04 | 0737  |    |
| Cation/Anion Balance           |            |  |          | 4.50 AN | %     | N/A          | SM 1030 F.  | 02/12/04 | 0615  |    |

These results only apply to the samples tested. AN - Analysis repeated with no significant changes.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.

"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.

U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.

EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By:

  
 Karen Barten, Project Manager

Report ID: 010401562

## WATER QUALITY REPORT

Client: COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644Project: Christensen  
Sample ID: 5BS120-1  
Lab ID: 0104W01572  
Matrix: Water  
Condition: Cool/IntactDate Received: 02/10/04  
Date Reported: 02/24/04  
Date Sampled: 02/10/04

| Parameter               | Analytical Result | Units | Units | PQL    | Method    | Analysis |      |       |
|-------------------------|-------------------|-------|-------|--------|-----------|----------|------|-------|
|                         |                   |       |       |        |           | Date     | Time | Init. |
| <b>Dissolved Metals</b> |                   |       |       |        |           |          |      |       |
| Aluminum                | <0.1              | mg/L  |       | 0.1    | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Arsenic                 | <0.005            | mg/L  |       | 0.005  | EPA 200.8 | 02/12/04 | 1253 | MS    |
| Barium                  | <0.5              | mg/L  |       | 0.5    | EPA 200.8 | 02/12/04 | 1253 | MS    |
| Boron                   | 0.06              | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Cadmium                 | <0.002            | mg/L  |       | 0.002  | EPA 200.8 | 02/12/04 | 1253 | MS    |
| Chromium                | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Copper                  | <0.01             | mg/L  |       | 0.01   | EPA 200.8 | 02/12/04 | 1253 | MS    |
| Iron                    | 0.07              | mg/L  |       | 0.05   | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Lead                    | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/12/04 | 1253 | MS    |
| Manganese               | <0.02             | mg/L  |       | 0.02   | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Mercury                 | <0.001            | mg/L  |       | 0.001  | EPA 245.1 | 02/13/04 | 0950 | MS    |
| Molybdenum              | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/12/04 | 1253 | MS    |
| Nickel                  | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Selenium                | 0.103             | mg/L  |       | 0.005  | EPA 200.8 | 02/12/04 | 1253 | MS    |
| Uranium                 | 0.841             | mg/L  |       | 0.0001 | EPA 200.8 | 02/12/04 | 1213 | MS    |
| Vanadium                | 0.1               | mg/L  |       | 0.1    | EPA 200.8 | 02/12/04 | 1253 | MS    |
| Zinc                    | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0615 | MH    |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By:



Karen Barten, Project Manager



Report ID: 010401562

## WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
P.O. Box 730  
Mills, WY 82644Project: **Christensen**

Sample ID: 5BN162-2

Lab ID: 0104W01573

Matrix: Water

Condition: Cool/Intact

Date Received: 02/10/04

Date Reported: 02/24/04

Date Sampled: 02/10/04

| Parameter                      | Analytical Result | Units    | Units | PQL   | Method       | Analysis    |          |       |    |
|--------------------------------|-------------------|----------|-------|-------|--------------|-------------|----------|-------|----|
|                                |                   |          |       |       |              | Date        | Time     | Init. |    |
| <b>General Parameters</b>      |                   |          |       |       |              |             |          |       |    |
| Lab pH                         | 8.2               | s.u.     |       | 0.1   | EPA 150.1    | 02/11/04    | 1617     | RM    |    |
| Lab Conductivity @ 25°C        | 342               | µmhos/cm |       | 5     | SM 2510 B    | 02/11/04    | 1839     | RM    |    |
| Total Dissolved Solids @ 180°C | 220               | mg/L     |       | 10    | SM 2540 C    | 02/11/04    | 1100     | SV    |    |
| Total Dissolved Solids(Calc)   | 210               | mg/L     |       | 10    | SM 1030 F.   | 02/13/04    | 0737     |       |    |
| Total Alkalinity as CaCO3      | 137               | mg/L     |       | 1.0   | SM 2320 B    | 02/11/04    | 1839     | RM    |    |
| Total Hardness as CaCO3        | 43.5              | mg/L     |       | 1.0   | SM 2340 B    | 02/12/04    | 0615     |       |    |
| Ammonia Nitrogen               | 0.2               | mg/L     |       | 0.1   | EPA 350.1    | 02/12/04    | 1637     | JF    |    |
| Nitrite as N                   | <0.1              | mg/L     |       | 0.1   | EPA 353.2    | 02/11/04    | 1354     | KB    |    |
| Radium 226                     | 56.9±6.4          | pCi/L    |       | 0.2   | SM 7500 Ra-B | 02/18/04    | 1629     | TP    |    |
| Silica as SiO2                 | 1.8               | mg/L     |       | 0.1   | EPA 200.7    | 02/12/04    | 0615     | MH    |    |
| Sodium Adsorption Ratio        | 4.2               |          |       | N/A   | Calculations | 02/12/04    | 0615     |       |    |
| <b>Anions</b>                  |                   |          |       |       |              |             |          |       |    |
| Bicarbonate as HCO3            | 167               | mg/L     | 2.73  | meq/L | 1.0          | SM 2320 B   | 02/11/04 | 1839  | RM |
| Carbonate as CO3               | <1.0              | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 02/11/04 | 1839  | RM |
| Hydroxide as OH                | <1.0              | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 02/11/04 | 1839  | RM |
| Chloride                       | 2.8               | mg/L     | 0.08  | meq/L | 1.0          | EPA 300.0   | 02/13/04 | 0737  | LK |
| Fluoride                       | <0.1              | mg/L     | <0.01 | meq/L | 0.1          | SM 4500-F-C | 02/11/04 | 1839  | RM |
| Nitrate + Nitrite as N         | <0.1              | mg/L     | <0.01 | meq/L | 0.1          | EPA 353.2   | 02/12/04 | 1103  | JF |
| Sulfate                        | 38.9              | mg/L     | 0.81  | meq/L | 1.0          | EPA 300.0   | 02/13/04 | 0737  | LK |
| <b>Cations</b>                 |                   |          |       |       |              |             |          |       |    |
| Calcium                        | 13.3              | mg/L     | 0.66  | meq/L | 1.0          | EPA 200.7   | 02/12/04 | 0615  | MH |
| Magnesium                      | 2.5               | mg/L     | 0.21  | meq/L | 1.0          | EPA 200.7   | 02/12/04 | 0615  | MH |
| Potassium                      | 2.1               | mg/L     | 0.05  | meq/L | 1.0          | EPA 200.7   | 02/12/04 | 0615  | MH |
| Sodium                         | 63.9              | mg/L     | 2.78  | meq/L | 0.2          | EPA 200.7   | 02/12/04 | 0615  | MH |
| Cations                        |                   |          | 3.70  | meq/L | N/A          | SM 1030 F.  | 02/12/04 | 0615  |    |
| Anions                         |                   |          | 3.62  | meq/L | N/A          | SM 1030 F.  | 02/13/04 | 0737  |    |
| Cation/Anion Balance           |                   |          | 1.09  | %     | N/A          | SM 1030 F.  | 02/12/04 | 0615  |    |

These results only apply to the samples tested.


Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.

"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.

U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.

EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By:



Karen Barten, Project Manager

Report ID: 010401562

## WATER QUALITY REPORT

Client: COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644

Project: Christensen

Sample ID: 5BN162-2

Lab ID: 0104W01573

Matrix: Water

Condition: Cool/Intact

Date Received: 02/10/04

Date Reported: 02/24/04

Date Sampled: 02/10/04

| Parameter               | Analytical Result | Units | PQL    | Method    | Analysis |      |       |
|-------------------------|-------------------|-------|--------|-----------|----------|------|-------|
|                         |                   |       |        |           | Date     | Time | Init. |
| <b>Dissolved Metals</b> |                   |       |        |           |          |      |       |
| Aluminum                | <0.1              | mg/L  | 0.1    | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Arsenic                 | 0.007             | mg/L  | 0.005  | EPA 200.8 | 02/12/04 | 1255 | MS    |
| Barium                  | <0.5              | mg/L  | 0.5    | EPA 200.8 | 02/12/04 | 1255 | MS    |
| Boron                   | 0.06              | mg/L  | 0.01   | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Cadmium                 | <0.002            | mg/L  | 0.002  | EPA 200.8 | 02/12/04 | 1255 | MS    |
| Chromium                | <0.01             | mg/L  | 0.01   | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Copper                  | <0.01             | mg/L  | 0.01   | EPA 200.8 | 02/12/04 | 1255 | MS    |
| Iron                    | <0.05             | mg/L  | 0.05   | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Lead                    | <0.02             | mg/L  | 0.02   | EPA 200.8 | 02/12/04 | 1255 | MS    |
| Manganese               | 0.02              | mg/L  | 0.02   | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Mercury                 | <0.001            | mg/L  | 0.001  | EPA 245.1 | 02/13/04 | 0950 | MS    |
| Molybdenum              | <0.02             | mg/L  | 0.02   | EPA 200.8 | 02/12/04 | 1255 | MS    |
| Nickel                  | <0.01             | mg/L  | 0.01   | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Selenium                | 0.108             | mg/L  | 0.005  | EPA 200.8 | 02/12/04 | 1255 | MS    |
| Uranium                 | 0.440             | mg/L  | 0.0001 | EPA 200.8 | 02/12/04 | 1213 | MS    |
| Vanadium                | 0.2               | mg/L  | 0.1    | EPA 200.8 | 02/12/04 | 1255 | MS    |
| Zinc                    | <0.01             | mg/L  | 0.01   | EPA 200.7 | 02/12/04 | 0615 | MH    |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By:



Karen Barten, Project Manager

Quality Control Report  
Duplicate Analysis

Client: COGEMA Mining, Inc.  
 Project: Christensen  
 Sample ID: 5BN162-2  
 Lab ID: 0104W01573  
 Matrix: Water  
 Condition: Cool/Intact

Report Date: 02/24/04  
 Receipt Date: 02/10/04  
 Sample Date: 02/10/04

| Parameter                             | Original Conc. | Duplicate Conc. | Relative % Diff. | PQL | Units    |
|---------------------------------------|----------------|-----------------|------------------|-----|----------|
| <b>General Parameters</b>             |                |                 |                  |     |          |
| Lab pH                                | 8.2            | 8.2             | 0                | 0.1 | s.u.     |
| Lab Conductivity @ 25°C               | 342            | 341             | 0                | 5   | µmhos/cm |
| Total Dissolved Solids @ 180°C        | 220            | 220             | 0                | 10  | mg/L     |
| Total Dissolved Solids(Calc)          | 210            | 210             | 0                | 10  | mg/L     |
| Total Alkalinity as CaCO <sub>3</sub> | 137            | 137             | 0                | 1.0 | mg/L     |
| Total Hardness as CaCO <sub>3</sub>   | 43.5           | 43.0            | 1                | 1.0 | mg/L     |
| Ammonia Nitrogen                      | 0.2            | 0.2             | 0.0**            | 0.1 | mg/L     |
| Nitrite as N                          | <0.1           | <0.1            | NC*              | 0.1 | mg/L     |
| Silica as SiO <sub>2</sub>            | 1.8            | 1.8             | 0                | 0.1 | mg/L     |
| Sodium Adsorption Ratio               | 4.2            | 4.2             | 0                |     |          |
| <b>Anions</b>                         |                |                 |                  |     |          |
| Bicarbonate as HCO <sub>3</sub>       | 167            | 167             | 0                | 1.0 | mg/L     |
| Carbonate as CO <sub>3</sub>          | <1.0           | <1.0            | NC*              | 1.0 | mg/L     |
| Hydroxide as OH                       | <1.0           | <1.0            | NC*              | 1.0 | mg/L     |
| Chloride                              | 2.8            | 2.6             | 0.2**            | 1.0 | mg/L     |
| Fluoride                              | <0.1           | <0.1            | NC*              | 0.1 | mg/L     |
| Nitrate + Nitrite as N                | <0.1           | <0.1            | NC*              | 0.1 | mg/L     |
| Sulfate                               | 38.9           | 39.7            | 2                | 1.0 | mg/L     |
| <b>Cations</b>                        |                |                 |                  |     |          |
| Calcium                               | 13.3           | 13.2            | 1                | 1.0 | mg/L     |
| Magnesium                             | 2.5            | 2.4             | 0.1**            | 1.0 | mg/L     |
| Potassium                             | 2.1            | 2.1             | 0.0**            | 1.0 | mg/L     |
| Sodium                                | 63.9           | 63.9            | 0                | 0.2 | mg/L     |
| Cations                               | 3.70           | 3.69            | 0                |     | meq/L    |
| Anions                                | 3.62           | 3.64            | 1                |     | meq/L    |
| Cation/Anion Balance                  | 1.09           | 0.88            |                  |     | %        |

\*NC - Non-Calculable RPD due to value(s) less than DL \*\* - Difference used for results < 5 X Detection Limit  
 These results only apply to the samples tested.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.  
 "Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.  
 U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.

Reviewed By: Karen Barten  
 Karen Barten, Project Manager

Quality Control Report  
Duplicate Analysis

Client: COGEMA Mining, Inc.  
 Project: Christensen  
 Sample ID: 5BN162-2  
 Lab ID: 0104W01573  
 Matrix: Water  
 Condition: Cool/Intact

Report Date: 02/24/04  
 Receipt Date: 02/10/04  
 Sample Date: 02/10/04

| Parameter               | Original Conc. | Duplicate Conc. | Relative % Diff. | PQL    | Units |
|-------------------------|----------------|-----------------|------------------|--------|-------|
| <b>Dissolved Metals</b> |                |                 |                  |        |       |
| Aluminum                | <0.1           | <0.1            | NC*              | 0.1    | mg/L  |
| Arsenic                 | 0.007          | 0.007           | 0.000**          | 0.005  | mg/L  |
| Barium                  | <0.5           | <0.5            | NC*              | 0.5    | mg/L  |
| Boron                   | 0.06           | 0.06            | 0                | 0.01   | mg/L  |
| Cadmium                 | <0.002         | <0.002          | NC*              | 0.002  | mg/L  |
| Chromium                | <0.01          | <0.01           | NC*              | 0.01   | mg/L  |
| Copper                  | <0.01          | <0.01           | NC*              | 0.01   | mg/L  |
| Iron                    | <0.05          | <0.05           | NC*              | 0.05   | mg/L  |
| Lead                    | <0.02          | <0.02           | NC*              | 0.02   | mg/L  |
| Manganese               | 0.02           | 0.02            | 0.00**           | 0.02   | mg/L  |
| Mercury                 | <0.001         | <0.001          | NC*              | 0.001  | mg/L  |
| Molybdenum              | <0.02          | <0.02           | NC*              | 0.02   | mg/L  |
| Nickel                  | <0.01          | <0.01           | NC*              | 0.01   | mg/L  |
| Selenium                | 0.108          | 0.092           | 16               | 0.005  | mg/L  |
| Uranium                 | 0.440          | 0.369           | 18               | 0.0001 | mg/L  |
| Vanadium                | 0.2            | 0.2             | 0.0**            | 0.1    | mg/L  |
| Zinc                    | <0.01          | <0.01           | NC*              | 0.01   | mg/L  |

\*NC - Non-Calculable RPD due to value(s) less than DL \*\* - Difference used for results < 5 X Detection Limit  
 These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By: Karen Barch  
 Karen Barch, Project Manager

Report ID: 010401602

## WATER QUALITY REPORT

Client: COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644

Project: Christensen

Sample ID: 5BJ54-1

Lab ID: 0104W01605

Matrix: Water

Condition: Cool/Intact

Date Received: 02/11/04

Date Reported: 02/24/04

Date Sampled: 02/11/04

| Parameter                      | Analytical Result | Units    | Units | PQL   | Method       | Analysis    |          |         |
|--------------------------------|-------------------|----------|-------|-------|--------------|-------------|----------|---------|
|                                |                   |          |       |       |              | Date        | Time     | Init.   |
| <b>General Parameters</b>      |                   |          |       |       |              |             |          |         |
| Lab pH                         | 7.4               | s.u.     |       | 0.1   | EPA 150.1    | 02/12/04    | 1657     | RM      |
| Lab Conductivity @ 25°C        | 1,120             | µmhos/cm |       | 5     | SM 2510 B    | 02/12/04    | 1657     | RM      |
| Total Dissolved Solids @ 180°C | 760               | mg/L     |       | 10    | SM 2540 C    | 02/12/04    | 1310     | SV      |
| Total Dissolved Solids(Calc)   | 680               | mg/L     |       | 10    | SM 1030 F.   | 02/17/04    | 0611     |         |
| Total Alkalinity as CaCO3      | 310               | mg/L     |       | 1.0   | SM 2320 B    | 02/12/04    | 1657     | RM      |
| Total Hardness as CaCO3        | 172               | mg/L     |       | 1.0   | SM 2340 B    | 02/13/04    | 0625     |         |
| Ammonia Nitrogen               | <0.1              | mg/L     |       | 0.1   | EPA 350.1    | 02/12/04    | 1654     | JF      |
| Nitrite as N                   | <0.1              | mg/L     |       | 0.1   | EPA 353.2    | 02/13/04    | 0833     | JF      |
| Radium 226                     | 456±17.1          | pCi/L    |       | 0.2   | SM 7500 Ra-B | 02/23/04    | 1503     | TP      |
| Silica as SiO2                 | 3.6               | mg/L     |       | 0.1   | EPA 200.7    | 02/13/04    | 0901     | MH      |
| Sodium Adsorption Ratio        | 5.9               |          |       | N/A   | Calculations | 02/17/04    | 0611     |         |
| <b>Anions</b>                  |                   |          |       |       |              |             |          |         |
| Bicarbonate as HCO3            | 378               | mg/L     | 6.19  | meq/L | 1.0          | SM 2320 B   | 02/12/04 | 1657 RM |
| Carbonate as CO3               | <1.0              | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 02/12/04 | 1657 RM |
| Hydroxide as OH                | <1.0              | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 02/12/04 | 1657 RM |
| Chloride                       | 14.5              | mg/L     | 0.41  | meq/L | 1.0          | EPA 300.0   | 02/13/04 | 0737 LK |
| Fluoride                       | <0.1              | mg/L     | <0.01 | meq/L | 0.1          | SM 4500-F-C | 02/12/04 | 1657 RM |
| Nitrate + Nitrite as N         | <0.1              | mg/L     | <0.01 | meq/L | 0.1          | EPA 353.2   | 01/16/04 | 1422 JF |
| Sulfate                        | 234               | mg/L     | 4.87  | meq/L | 1.0          | EPA 300.0   | 02/13/04 | 0737 LK |
| <b>Cations</b>                 |                   |          |       |       |              |             |          |         |
| Calcium                        | 51.6              | mg/L     | 2.57  | meq/L | 1.0          | EPA 200.7   | 02/13/04 | 0625 MH |
| Magnesium                      | 10.6              | mg/L     | 0.87  | meq/L | 1.0          | EPA 200.7   | 02/13/04 | 0625 MH |
| Potassium                      | 4.7               | mg/L     | 0.12  | meq/L | 1.0          | EPA 200.7   | 02/13/04 | 0625 MH |
| Sodium                         | 178               | mg/L     | 7.74  | meq/L | 0.2          | EPA 200.7   | 02/17/04 | 0611 MH |
| Cations                        |                   |          | 11.30 | meq/L | N/A          | SM 1030 F.  | 02/17/04 | 0611    |
| Anions                         |                   |          | 11.47 | meq/L | N/A          | SM 1030 F.  | 02/13/04 | 0737    |
| Cation/Anion Balance           |                   |          | 0.75  | %     | N/A          | SM 1030 F.  | 02/17/04 | 0611    |

These results only apply to the samples tested.


Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.

"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.

U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.

EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By:

  
 Karen Barten, Project Manager

Report ID: 010401602

## WATER QUALITY REPORT

Client: COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644Project: Christensen  
Sample ID: 5BJ54-1  
Lab ID: 0104W01605  
Matrix: Water  
Condition: Cool/IntactDate Received: 02/11/04  
Date Reported: 02/24/04  
Date Sampled: 02/11/04

| Parameter               | Analytical Result | Units | Units | PQL    | Method    | Analysis |            |
|-------------------------|-------------------|-------|-------|--------|-----------|----------|------------|
|                         |                   |       |       |        |           | Date     | Time Init. |
| <b>Dissolved Metals</b> |                   |       |       |        |           |          |            |
| Aluminum                | <0.1              | mg/L  |       | 0.1    | EPA 200.7 | 02/13/04 | 0901 MH    |
| Arsenic                 | 0.016             | mg/L  |       | 0.005  | EPA 200.8 | 02/13/04 | 0810 JB    |
| Barium                  | <0.5              | mg/L  |       | 0.5    | EPA 200.8 | 02/13/04 | 0810 JB    |
| Boron                   | 0.06              | mg/L  |       | 0.01   | EPA 200.7 | 02/13/04 | 0901 MH    |
| Cadmium                 | <0.002            | mg/L  |       | 0.002  | EPA 200.8 | 02/13/04 | 0810 JB    |
| Chromium                | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/13/04 | 0901 MH    |
| Copper                  | <0.01             | mg/L  |       | 0.01   | EPA 200.8 | 02/13/04 | 0810 JB    |
| Iron                    | 0.17              | mg/L  |       | 0.05   | EPA 200.7 | 02/13/04 | 0901 MH    |
| Lead                    | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/13/04 | 0810 JB    |
| Manganese               | 0.15              | mg/L  |       | 0.02   | EPA 200.7 | 02/13/04 | 0901 MH    |
| Mercury                 | <0.001            | mg/L  |       | 0.001  | EPA 245.1 | 02/18/04 | 0935 MS    |
| Molybdenum              | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/13/04 | 0810 JB    |
| Nickel                  | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/13/04 | 0901 MH    |
| Selenium                | 0.208             | mg/L  |       | 0.005  | EPA 200.8 | 02/13/04 | 0810 JB    |
| Uranium                 | 1.60              | mg/L  |       | 0.0001 | EPA 200.8 | 02/13/04 | 0810 JB    |
| Vanadium                | <0.1              | mg/L  |       | 0.1    | EPA 200.8 | 02/13/04 | 0810 JB    |
| Zinc                    | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/13/04 | 0901 MH    |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By:


  
Karen Barten, Project Manager

Report ID: 010401602

## WATER QUALITY REPORT

Client: COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644Project: Christensen  
Sample ID: 5BQ158-1  
Lab ID: 0104W01606  
Matrix: Water  
Condition: Cool/IntactDate Received: 02/11/04  
Date Reported: 02/24/04  
Date Sampled: 02/11/04

| Parameter                      | Analytical |          | Analysis |       |              |               |                  |
|--------------------------------|------------|----------|----------|-------|--------------|---------------|------------------|
|                                | Result     | Units    | Units    | PQL   | Method       | Date Time     | Init.            |
| <b>General Parameters</b>      |            |          |          |       |              |               |                  |
| Lab pH                         | 8.4        | s.u.     |          | 0.1   | EPA 150.1    | 02/12/04 1708 | RM               |
| Lab Conductivity @ 25°C        | 854        | µmhos/cm |          | 5     | SM 2510 B    | 02/12/04 1708 | RM               |
| Total Dissolved Solids @ 180°C | 570        | mg/L     |          | 10    | SM 2540 C    | 02/12/04 1310 | SV               |
| Total Dissolved Solids(Calc)   | 500        | mg/L     |          | 10    | SM 1030 F.   | 02/17/04 0611 |                  |
| Total Alkalinity as CaCO3      | 96.5       | mg/L     |          | 1.0   | SM 2320 B    | 02/12/04 1708 | RM               |
| Total Hardness as CaCO3        | 44.0       | mg/L     |          | 1.0   | SM 2340 B    | 02/13/04 0625 |                  |
| Ammonia Nitrogen               | <0.1       | mg/L     |          | 0.1   | EPA 350.1    | 02/12/04 1655 | JF               |
| Nitrite as N                   | <0.1       | mg/L     |          | 0.1   | EPA 353.2    | 02/13/04 0833 | JF               |
| Radium 226                     | 59.4±6.4   | pCi/L    |          | 0.2   | SM 7500 Ra-B | 02/23/04 1503 | TP               |
| Silica as SiO2                 | 3.5        | mg/L     |          | 0.1   | EPA 200.7    | 02/13/04 0904 | MH               |
| Sodium Adsorption Ratio        | 10.0       |          |          | N/A   | Calculations | 02/17/04 0611 |                  |
| <b>Anions</b>                  |            |          |          |       |              |               |                  |
| Bicarbonate as HCO3            | 114        | mg/L     | 1.87     | meq/L | 1.0          | SM 2320 B     | 02/12/04 1708 RM |
| Carbonate as CO3               | 1.8        | mg/L     | 0.06     | meq/L | 1.0          | SM 2320 B     | 02/12/04 1708 RM |
| Hydroxide as OH                | <1.0       | mg/L     | <0.01    | meq/L | 1.0          | SM 2320 B     | 02/12/04 1708 RM |
| Chloride                       | 5.4        | mg/L     | 0.15     | meq/L | 1.0          | EPA 300.0     | 02/13/04 0737 LK |
| Fluoride                       | 0.2        | mg/L     | 0.01     | meq/L | 0.1          | SM 4500-F-C   | 02/12/04 1708 RM |
| Nitrate + Nitrite as N         | <0.1       | mg/L     | <0.01    | meq/L | 0.1          | EPA 353.2     | 01/16/04 1422 JF |
| Sulfate                        | 264        | mg/L     | 5.49     | meq/L | 1.0          | EPA 300.0     | 02/13/04 0737 LK |
| <b>Cations</b>                 |            |          |          |       |              |               |                  |
| Calcium                        | 13.0       | mg/L     | 0.65     | meq/L | 1.0          | EPA 200.7     | 02/13/04 0625 MH |
| Magnesium                      | 2.8        | mg/L     | 0.23     | meq/L | 1.0          | EPA 200.7     | 02/13/04 0625 MH |
| Potassium                      | 3.4        | mg/L     | 0.09     | meq/L | 1.0          | EPA 200.7     | 02/13/04 0625 MH |
| Sodium                         | 152        | mg/L     | 6.61     | meq/L | 0.2          | EPA 200.7     | 02/17/04 0611 MH |
| Cations                        |            |          | 7.58     | meq/L | N/A          | SM 1030 F.    | 02/17/04 0611    |
| Anions                         |            |          | 7.58     | meq/L | N/A          | SM 1030 F.    | 02/13/04 0737    |
| Cation/Anion Balance           |            |          | 0.00     | %     | N/A          | SM 1030 F.    | 02/17/04 0611    |

These results only apply to the samples tested.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.  
"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.  
U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.  
EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By:

Karen Barten, Project Manager

Report ID: 010401562

## WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
P.O. Box 730  
Mills, WY 82644Project: **Christensen**

Sample ID: 5BN94-1

Lab ID: 0104W01574

Matrix: Water

Condition: Cool/Intact

Date Received: 02/10/04

Date Reported: 02/24/04

Date Sampled: 02/10/04

| Parameter                      | Analytical |          | Units | Units | PQL | Method       | Analysis |      |       |
|--------------------------------|------------|----------|-------|-------|-----|--------------|----------|------|-------|
|                                | Result     | Units    |       |       |     |              | Date     | Time | Init. |
| <b>General Parameters</b>      |            |          |       |       |     |              |          |      |       |
| Lab pH                         | 8.9        | s.u.     |       |       | 0.1 | EPA 150.1    | 02/11/04 | 1617 | RM    |
| Lab Conductivity @ 25°C        | 527        | µmhos/cm |       |       | 5   | SM 2510 B    | 02/11/04 | 1901 | RM    |
| Total Dissolved Solids @ 180°C | 340        | mg/L     |       |       | 10  | SM 2540 C    | 02/11/04 | 1100 | SV    |
| Total Dissolved Solids(Calc)   | 310        | mg/L     |       |       | 10  | SM 1030 F.   | 02/13/04 | 0737 |       |
| Total Alkalinity as CaCO3      | 114        | mg/L     |       |       | 1.0 | SM 2320 B    | 02/11/04 | 1901 | RM    |
| Total Hardness as CaCO3        | 33.5       | mg/L     |       |       | 1.0 | SM 2340 B    | 02/12/04 | 0615 |       |
| Ammonia Nitrogen               | 0.2        | mg/L     |       |       | 0.1 | EPA 350.1    | 02/12/04 | 1639 | JF    |
| Nitrite as N                   | <0.1       | mg/L     |       |       | 0.1 | EPA 353.2    | 02/11/04 | 1354 | KB    |
| Radium 226                     | 14.3±3.1   | pCi/L    |       |       | 0.2 | SM 7500 Ra-B | 02/18/04 | 1629 | TP    |
| Silica as SiO2                 | 2.4        | mg/L     |       |       | 0.1 | EPA 200.7    | 02/12/04 | 0615 | MH    |
| Sodium Adsorption Ratio        | 7.2        |          |       |       | N/A | Calculations | 02/12/04 | 0615 |       |
| <b>Anions</b>                  |            |          |       |       |     |              |          |      |       |
| Bicarbonate as HCO3            | 118        | mg/L     | 1.93  | meq/L | 1.0 | SM 2320 B    | 02/11/04 | 1901 | RM    |
| Carbonate as CO3               | 10.2       | mg/L     | 0.34  | meq/L | 1.0 | SM 2320 B    | 02/11/04 | 1901 | RM    |
| Hydroxide as OH                | <1.0       | mg/L     | <0.01 | meq/L | 1.0 | SM 2320 B    | 02/11/04 | 1901 | RM    |
| Chloride                       | 5.2        | mg/L     | 0.15  | meq/L | 1.0 | EPA 300.0    | 02/13/04 | 0737 | LK    |
| Fluoride                       | 0.3        | mg/L     | 0.02  | meq/L | 0.1 | SM 4500-F-C  | 02/11/04 | 1901 | RM    |
| Nitrate + Nitrite as N         | <0.1       | mg/L     | <0.01 | meq/L | 0.1 | EPA 353.2    | 02/12/04 | 1105 | JF    |
| Sulfate                        | 122        | mg/L     | 2.54  | meq/L | 1.0 | EPA 300.0    | 02/13/04 | 0737 | LK    |
| <b>Cations</b>                 |            |          |       |       |     |              |          |      |       |
| Calcium                        | 10.6       | mg/L     | 0.53  | meq/L | 1.0 | EPA 200.7    | 02/12/04 | 0615 | MH    |
| Magnesium                      | 1.7        | mg/L     | 0.14  | meq/L | 1.0 | EPA 200.7    | 02/12/04 | 0615 | MH    |
| Potassium                      | 2.2        | mg/L     | 0.06  | meq/L | 1.0 | EPA 200.7    | 02/12/04 | 0615 | MH    |
| Sodium                         | 95.8       | mg/L     | 4.17  | meq/L | 0.2 | EPA 200.7    | 02/12/04 | 0615 | MH    |
| Catons                         |            |          | 4.90  | meq/L | N/A | SM 1030 F.   | 02/12/04 | 0615 |       |
| Anions                         |            |          | 4.98  | meq/L | N/A | SM 1030 F.   | 02/13/04 | 0737 |       |
| Cation/Anion Balance           |            |          | 0.81  | %     | N/A | SM 1030 F.   | 02/12/04 | 0615 |       |

These results only apply to the samples tested.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.

"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.

U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.

EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By:



Karen Barten, Project Manager



Report ID: 010401562

## WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
P.O. Box 730  
Mills, WY 82644Project: **Christensen**  
Sample ID: 5BN94-1  
Lab ID: 0104W01574  
Matrix: Water  
Condition: Cool/IntactDate Received: 02/10/04  
Date Reported: 02/24/04  
Date Sampled: 02/10/04

| Parameter               | Analytical Result | Units | PQL    | Method    | Analysis |           |       |
|-------------------------|-------------------|-------|--------|-----------|----------|-----------|-------|
|                         |                   |       |        |           | Units    | Date Time | Init. |
| <b>Dissolved Metals</b> |                   |       |        |           |          |           |       |
| Aluminum                | <0.1              | mg/L  | 0.1    | EPA 200.7 | 02/12/04 | 0615      | MH    |
| Arsenic                 | <0.005            | mg/L  | 0.005  | EPA 200.8 | 02/12/04 | 1336      | MS    |
| Barium                  | <0.5              | mg/L  | 0.5    | EPA 200.8 | 02/12/04 | 1336      | MS    |
| Boron                   | 0.04              | mg/L  | 0.01   | EPA 200.7 | 02/12/04 | 0615      | MH    |
| Cadmium                 | <0.002            | mg/L  | 0.002  | EPA 200.8 | 02/12/04 | 1336      | MS    |
| Chromium                | <0.01             | mg/L  | 0.01   | EPA 200.7 | 02/12/04 | 0615      | MH    |
| Copper                  | <0.01             | mg/L  | 0.01   | EPA 200.8 | 02/12/04 | 1336      | MS    |
| Iron                    | <0.05             | mg/L  | 0.05   | EPA 200.7 | 02/12/04 | 0615      | MH    |
| Lead                    | <0.02             | mg/L  | 0.02   | EPA 200.8 | 02/12/04 | 1336      | MS    |
| Manganese               | <0.02             | mg/L  | 0.02   | EPA 200.7 | 02/12/04 | 0615      | MH    |
| Mercury                 | <0.001            | mg/L  | 0.001  | EPA 245.1 | 02/13/04 | 0950      | MS    |
| Molybdenum              | <0.02             | mg/L  | 0.02   | EPA 200.8 | 02/12/04 | 1336      | MS    |
| Nickel                  | <0.01             | mg/L  | 0.01   | EPA 200.7 | 02/12/04 | 0615      | MH    |
| Selenium                | 0.675             | mg/L  | 0.005  | EPA 200.8 | 02/12/04 | 1336      | MS    |
| Uranium                 | 0.321             | mg/L  | 0.0001 | EPA 200.8 | 02/12/04 | 1213      | MS    |
| Vanadium                | 0.1               | mg/L  | 0.1    | EPA 200.8 | 02/12/04 | 1336      | MS    |
| Zinc                    | <0.01             | mg/L  | 0.01   | EPA 200.7 | 02/12/04 | 0615      | MH    |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By:

  
 Karen Barten, Project Manager

**SAMPLE SUBMITTAL AND CHAIN OF CUSTODY FORM**

COGEMA Mining Inc.; PO Box 730 Mills, WY 82644  
Phone 464-1429 (Christensen Mine) or 234-5010 (Mills Office)

Samples shipped to Inter-mountain lab sheridan,wy

Submitted by [Signature] Date 2-11-04

Received by: [Signature] Date 2/11/04  
@1730

**Restoration Sample Description**

Location: \_\_\_ Irigaray X Christensen Mine or Production Unit 225 Module # (if applicale) \_\_\_\_\_

Restoration Phase: \_\_\_ Groundwater Sweep (explain \_\_\_\_\_)  
 \_\_\_ Reverse Osmosis Filtration (explain \_\_\_\_\_)  
 \_\_\_ Recirculation (explain \_\_\_\_\_)  
X Stabilization (explain \_\_\_\_\_)

\*Analysis Requested: DEQ Guideline # 8 (Ca, Mg, Na, K, CO3, HCO3, SO4, Cl, NH4, NO2, NO3, TDS, Cond., Tot. Alk., pH, SiO2, Al, As, Ba, B, Cd, Cr, Cu, F, Fe, Pb, Mn, Hg, Mo, Ni, Se, Zn, U, V, Ra226)

Send Analysis Results to : Tom nicholson

| #  | Identification Name | Sample Date | Sample Volume | Water Sample Preservation (X) |           |      |       | Lab id | Comments |
|----|---------------------|-------------|---------------|-------------------------------|-----------|------|-------|--------|----------|
|    |                     |             |               | Filtered                      | Not Filt. | HNO3 | H2SO4 |        |          |
| 1  | 5BL66-1             | 2-11-04     | Half Gal.     | X                             |           | X    |       | 1602   |          |
|    |                     |             | Quart         | X                             |           |      |       | 11     |          |
|    |                     |             | 8 ozs.        |                               | X         |      |       | 11     |          |
|    |                     |             | 8 ozs.        | X                             |           |      | X     | 11     |          |
| 2  | 5BT138-1            |             | **            | **                            | **        | **   | **    | 1603d  |          |
| 3  | 5BL76-1             |             | **            | **                            | **        | **   | **    | 1604   |          |
| 4  | 5BT54-1             |             | **            | **                            | **        | **   | **    | 1605   |          |
| 5  | 5BQ158-1            |             | **            | **                            | **        | **   | **    | 1606   |          |
| 6  | 2AA28-1             |             | **            | **                            | **        | **   | **    | 1607   |          |
| 7  | 2V46-1              |             | **            | **                            | **        | **   | **    | 1608   |          |
| 8  | 2Z35-1              |             | **            | **                            | **        | **   | **    | 1609   |          |
| 9  |                     |             | **            | **                            | **        | **   | **    |        |          |
| 10 |                     |             | **            | **                            | **        | **   | **    |        |          |
| 11 |                     |             | **            | **                            | **        | **   | **    |        |          |
| 12 |                     |             | **            | **                            | **        | **   | **    |        |          |
| 13 |                     |             | **            | **                            | **        | **   | **    |        |          |
| 14 |                     |             | **            | **                            | **        | **   | **    |        |          |
| 15 |                     |             | **            | **                            | **        | **   | **    |        |          |

\*All analysis will be performed in accordance with EPA approved procedures and/or the latest edition of Standard Methods.  
 \*\* Same as sample #1  
 L:\LARRY[pvdsb.xls]pvdsb

SAMPLE SUBMITTAL AND CHAIN OF CUSTODY FORM

COGEMA Mining Inc.; PO Box 730 Mills, WY 82644  
 Phone 464-1429 (Christensen Mine) or 234-5019 (Mills Office)

Samples shipped to Inter-mountain lab sheridan,wy

Submitted by [Signature] Date 2-9-04 Received by \_\_\_\_\_ Date \_\_\_\_\_

**Restoration Sample Description**

Location: \_\_\_ Irigaray  Christensen Mine or Production Unit 645 Module # (if applicale) 65

Restoration Phase: \_\_\_ Groundwater Sweep (explain \_\_\_\_\_)  
 Reverse Osmosis Filtration (explain 65/3PVD)  
 \_\_\_ Recirculation (explain \_\_\_\_\_)  
 Stabilization (explain 2nd Round)

\*Analysis Requested: DEQ Guideline # 8 (Ca, Mg, Na, K, CO3, HCO3, SO4, Cl, NH4, NO2, NO3, TDS, Cond., Tot. Alk., pH, SiO2, Al, As, Ba, B, Cd, Cr, Cu, F, Fe, Pb, Mn, Hg, Mo, Ni, Se, Zn, U, V, Ra226)

Send Analysis Results to : Tom nicholson

| #  | Identification Name   | Sample Date   | Sample Volume | Water Sample Preservation (X) |           |      |       | Comments |
|----|-----------------------|---------------|---------------|-------------------------------|-----------|------|-------|----------|
|    |                       |               |               | Filtered                      | Not Filt. | HNO3 | H2SO4 |          |
| 1  | <u>CR mod 65/3PVD</u> | <u>2-9-04</u> | Half Gal.     | X                             |           | X    |       |          |
|    |                       |               | Quart         | X                             |           |      |       |          |
|    |                       |               | 8 ozs.        |                               | X         |      |       |          |
|    |                       |               | 8 ozs.        | X                             |           |      | X     |          |
| 2  | <u>AP-02</u>          |               | **            | **                            | **        | **   | **    |          |
| 3  | <u>MW-03</u>          |               | **            | **                            | **        | **   | **    |          |
| 4  | <u>SAP54-1</u>        |               | **            | **                            | **        | **   | **    |          |
| 5  | <u>SAM78-2</u>        |               | **            | **                            | **        | **   | **    |          |
| 6  | <u>SAB68-1</u>        |               | **            | **                            | **        | **   | **    |          |
| 7  | <u>SAE80-1</u>        |               | **            | **                            | **        | **   | **    |          |
| 8  | <u>SAL66-1</u>        |               | **            | **                            | **        | **   | **    |          |
| 9  |                       |               | **            | **                            | **        | **   | **    |          |
| 10 |                       |               | **            | **                            | **        | **   | **    |          |
| 11 |                       |               | **            | **                            | **        | **   | **    |          |
| 12 |                       |               | **            | **                            | **        | **   | **    |          |
| 13 |                       |               | **            | **                            | **        | **   | **    |          |
| 14 |                       |               | **            | **                            | **        | **   | **    |          |
| 15 |                       |               | **            | **                            | **        | **   | **    |          |

\*All analysis will be performed in accordance with EPA approved procedures and/or the latest edition of Standard Methods.  
 \*\* Same as sample #1  
 L:\LARRY\pvdsup.xls\pvdsup

**SAMPLE SUBMITTAL AND CHAIN OF CUSTODY FORM**

COGEMA Mining Inc.; PO Box 730 Mills, WY 82644  
Phone 464-1429 (Christensen Mine) or 234-5019 (Mills Office)

Samples shipped to Inter-mountain lab sheridan,wy

Submitted by [Signature] Date 2-9-11

Received by [Signature] Date 2/9/11 @ 1730

**Restoration Sample Description**

Location:  Irigaray  Christensen Mine or Production Unit 6-5 Module # (if applicale) 65

Restoration Phase:  Groundwater Sweep (explain \_\_\_\_\_)  
 Reverse Osmosis Filtration (explain RS/3PVD)  
 Recirculation (explain \_\_\_\_\_)  
 Stabilization (explain SRP, Rovers)

\*Analysis Requested: DEQ Guideline # 8 (Ca, Mg, Na, K, CO<sub>3</sub>, HCO<sub>3</sub>, SO<sub>4</sub>, Cl, NH<sub>4</sub>, NO<sub>2</sub>, NO<sub>3</sub>, TDS, Cond., Tot. Alk., pH, SiO<sub>2</sub>, Al, As, Ba, B, Cd, Cr, Cu, F, Fe, Pb, Mn, Hg, Mo, Ni, Se, Zn, U, V, Ra226)

Send Analysis Results to : Tom nicholson

| #  | Identification Name   | Sample Date   | Sample Volume | Water Sample Preservation (X) |           |      |       | Lab id | Comments |
|----|-----------------------|---------------|---------------|-------------------------------|-----------|------|-------|--------|----------|
|    |                       |               |               | Filtered                      | Not Filt. | HNO3 | H2SO4 |        |          |
| 1  | <u>CR mod 65/3PVD</u> | <u>2-9-11</u> | Half Gal.     | X                             |           | X    |       | 1500   |          |
|    |                       |               | Quart         | X                             |           |      |       | "      |          |
|    |                       |               | 8 ozs.        |                               | X         |      |       | "      |          |
|    |                       |               | 8 ozs.        | X                             |           |      | X     | "      |          |
| 2  | <u>AP-02</u>          |               | **            | **                            | **        | **   | **    | 1501   |          |
| 3  | <u>MW-03</u>          |               | **            | **                            | **        | **   | **    | 1502   |          |
| 4  | <u>SAP54-1</u>        |               | **            | **                            | **        | **   | **    | 1503 d |          |
| 5  | <u>SAM78-2</u>        |               | **            | **                            | **        | **   | **    | 1504   |          |
| 6  | <u>SAB68-1</u>        |               | **            | **                            | **        | **   | **    | 1505   |          |
| 7  | <u>SAE80-1</u>        |               | **            | **                            | **        | **   | **    | 1506   |          |
| 8  | <u>SA666-1</u>        |               | **            | **                            | **        | **   | **    | 1507   |          |
| 9  |                       |               | **            | **                            | **        | **   | **    |        |          |
| 10 |                       |               | **            | **                            | **        | **   | **    |        |          |
| 11 |                       |               | **            | **                            | **        | **   | **    |        |          |
| 12 |                       |               | **            | **                            | **        | **   | **    |        |          |
| 13 |                       |               | **            | **                            | **        | **   | **    |        |          |
| 14 |                       |               | **            | **                            | **        | **   | **    |        |          |
| 15 |                       |               | **            | **                            | **        | **   | **    |        |          |

\*All analysis will be performed in accordance with EPA approved procedures and/or the latest edition of Standard Methods.

\*\* Same as sample #1

**SAMPLE SUBMITTAL AND CHAIN OF CUSTODY FORM**

COGEMA Mining Inc.; PO Box 730 Mills, WY 82644  
Phone 464-1429 (Christensen Mine) or 234-5019 (Mills Office)

Samples shipped to Inter-mountain lab sheridan,wy

Submitted by *J. [Signature]* Date 2/10/04

Received by *[Signature]* Date 2/10/04 @ 1730

**Restoration Sample Description**

Location: \_\_\_ Irigaray  Christensen Mine or Production Unit 5 Module # (if applicale) \_\_\_

Restoration Phase: \_\_\_ Groundwater Sweep (explain \_\_\_\_\_)  
 \_\_\_ Reverse Osmosis Filtration (explain \_\_\_\_\_)  
 \_\_\_ Recirculation (explain \_\_\_\_\_)  
 Stabilization (explain unit 5 and record)

\*Analysis Requested: DEQ Guideline # 8 (Ca, Mg, Na, K, CO3, HCO3, SO4, Cl, NH4, NO2, NO3, TDS, Cond., Tot. Alk., pH, SiO2, Al, As, Ba, B, Cd, Cr, Cu, F, Fe, Pb, Mn, Hg, Mo, Ni, Se, Zn, U, V, Ra226)

Send Analysis Results to : Tom nicholson

| #  | Identification Name | Sample Date | Sample Volume | Water Sample Preservation (X) |           |      |       | Lab id | Comments |
|----|---------------------|-------------|---------------|-------------------------------|-----------|------|-------|--------|----------|
|    |                     |             |               | Filtered                      | Not Filt. | HNO3 | H2SO4 |        |          |
| 1  | TW 001              | 2-9-04      | Half Gal.     | X                             |           | X    |       | 1562   |          |
|    |                     |             | Quart         | X                             |           |      |       | "      |          |
|    |                     |             | 8 ozs.        |                               | X         |      |       | "      |          |
|    |                     |             | 8 ozs.        | X                             |           |      | X     | "      |          |
| 2  | MIN 07              |             | **            | **                            | **        | **   | **    | 1563d  |          |
| 3  | 5A074-1             |             | **            | **                            | **        | **   | **    | 1564   |          |
| 4  | 5BD50-1             | 2-10-04     | **            | **                            | **        | **   | **    | 1565   |          |
| 5  | 5BJ68-1             |             | **            | **                            | **        | **   | **    | 1566   |          |
| 6  | 5BA48-1             |             | **            | **                            | **        | **   | **    | 1567   |          |
| 7  | 5BH58-2             |             | **            | **                            | **        | **   | **    | 1568   |          |
| 8  | 5BG46-1             |             | **            | **                            | **        | **   | **    | 1569   |          |
| 9  | 5BK58-1             |             | **            | **                            | **        | **   | **    | 1570   |          |
| 10 | 5BK90-1             |             | **            | **                            | **        | **   | **    | 1571   |          |
| 11 | 5BS120-1            |             | **            | **                            | **        | **   | **    | 1572   |          |
| 12 | 5BR162-2            |             | **            | **                            | **        | **   | **    | 1573d  |          |
| 13 | 5BR94-1             |             | **            | **                            | **        | **   | **    | 1574   |          |
| 14 |                     |             | **            | **                            | **        | **   | **    |        |          |
| 15 |                     |             | **            | **                            | **        | **   | **    |        |          |

\*All analysis will be performed in accordance with EPA approved procedures and/or the latest edition of Standard Methods.  
 \*\* Same as sample #1  
 L:\LARRY\pvdsb.xls\pvdsb

Report ID: 010401602

## WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
P.O. Box 730  
Mills, WY 82644Project: **Christensen**

Sample ID: 5BT138-1

Lab ID: 0104W01603

Matrix: Water

Condition: Cool/Intact

Date Received: 02/11/04

Date Reported: 02/24/04

Date Sampled: 02/11/04

| Parameter                      | Analytical Result | Units    | Units | PQL   | Method       | Analysis    |          |       |    |
|--------------------------------|-------------------|----------|-------|-------|--------------|-------------|----------|-------|----|
|                                |                   |          |       |       |              | Date        | Time     | Init. |    |
| <b>General Parameters</b>      |                   |          |       |       |              |             |          |       |    |
| Lab pH                         | 8.8               | s.u.     |       | 0.1   | EPA 150.1    | 02/12/04    | 1620     | RM    |    |
| Lab Conductivity @ 25°C        | 832               | µmhos/cm |       | 5     | SM 2510 B    | 02/12/04    | 1620     | RM    |    |
| Total Dissolved Solids @ 180°C | 570               | mg/L     |       | 10    | SM 2540 C    | 02/12/04    | 1310     | SV    |    |
| Total Dissolved Solids(Calc)   | 500               | mg/L     |       | 10    | SM 1030 F.   | 02/17/04    | 0611     |       |    |
| Total Alkalinity as CaCO3      | 100               | mg/L     |       | 1.0   | SM 2320 B    | 02/12/04    | 1620     | RM    |    |
| Total Hardness as CaCO3        | 31.5              | mg/L     |       | 1.0   | SM 2340 B    | 02/13/04    | 0625     |       |    |
| Ammonia Nitrogen               | 0.3               | mg/L     |       | 0.1   | EPA 350.1    | 02/12/04    | 1651     | JF    |    |
| Nitrite as N                   | <0.1              | mg/L     |       | 0.1   | EPA 353.2    | 02/13/04    | 0833     | JF    |    |
| Radium 226                     | 46.9±5.7          | pCi/L    |       | 0.2   | SM 7500 Ra-B | 02/23/04    | 1503     | TP    |    |
| Silica as SiO2                 | 3.4               | mg/L     |       | 0.1   | EPA 200.7    | 02/13/04    | 0851     | MH    |    |
| Sodium Adsorption Ratio        | 11.7              |          |       | N/A   | Calculations | 02/17/04    | 0611     |       |    |
| <b>Anions</b>                  |                   |          |       |       |              |             |          |       |    |
| Bicarbonate as HCO3            | 105               | mg/L     | 1.72  | meq/L | 1.0          | SM 2320 B   | 02/12/04 | 1620  | RM |
| Carbonate as CO3               | 8.4               | mg/L     | 0.28  | meq/L | 1.0          | SM 2320 B   | 02/12/04 | 1620  | RM |
| Hydroxide as OH                | <1.0              | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 02/12/04 | 1620  | RM |
| Chloride                       | 5.6               | mg/L     | 0.16  | meq/L | 1.0          | EPA 300.0   | 02/13/04 | 0737  | LK |
| Fluoride                       | 0.2               | mg/L     | 0.01  | meq/L | 0.1          | SM 4500-F-C | 02/12/04 | 1620  | RM |
| Nitrate + Nitrite as N         | <0.1              | mg/L     | <0.01 | meq/L | 0.1          | EPA 353.2   | 01/16/04 | 1422  | JF |
| Sulfate                        | 259               | mg/L     | 5.40  | meq/L | 1.0          | EPA 300.0   | 02/13/04 | 0737  | LK |
| <b>Cations</b>                 |                   |          |       |       |              |             |          |       |    |
| Calcium                        | 9.9               | mg/L     | 0.49  | meq/L | 1.0          | EPA 200.7   | 02/13/04 | 0625  | MH |
| Magnesium                      | 1.7               | mg/L     | 0.14  | meq/L | 1.0          | EPA 200.7   | 02/13/04 | 0625  | MH |
| Potassium                      | 12.6              | mg/L     | 0.32  | meq/L | 1.0          | EPA 200.7   | 02/13/04 | 0625  | MH |
| Sodium                         | 151               | mg/L     | 6.57  | meq/L | 0.2          | EPA 200.7   | 02/17/04 | 0611  | MH |
| Cations                        |                   |          | 7.52  | meq/L | N/A          | SM 1030 F.  | 02/17/04 | 0611  |    |
| Anions                         |                   |          | 7.57  | meq/L | N/A          | SM 1030 F.  | 02/13/04 | 0737  |    |
| Cation/Anion Balance           |                   |          | 0.33  | %     | N/A          | SM 1030 F.  | 02/17/04 | 0611  |    |

These results only apply to the samples tested.


Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.

"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.

U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.

EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By:

  
 Karen Barten, Project Manager

Report ID: 010401602

## WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
P.O. Box 730  
Mills, WY 82644Project: **Christensen**

Sample ID: 5BT138-1

Lab ID: 0104W01603

Matrix: Water

Condition: Cool/Intact

Date Received: 02/11/04

Date Reported: 02/24/04

Date Sampled: 02/11/04

| Parameter               | Analytical Result | Units | Units | PQL    | Method    | Analysis |            |
|-------------------------|-------------------|-------|-------|--------|-----------|----------|------------|
|                         |                   |       |       |        |           | Date     | Time Init. |
| <b>Dissolved Metals</b> |                   |       |       |        |           |          |            |
| Aluminum                | <0.1              | mg/L  |       | 0.1    | EPA 200.7 | 02/13/04 | 0851 MH    |
| Arsenic                 | <0.005            | mg/L  |       | 0.005  | EPA 200.8 | 02/13/04 | 0810 JB    |
| Barium                  | <0.5              | mg/L  |       | 0.5    | EPA 200.8 | 02/13/04 | 0810 JB    |
| Boron                   | 0.05              | mg/L  |       | 0.01   | EPA 200.7 | 02/13/04 | 0851 MH    |
| Cadmium                 | <0.002            | mg/L  |       | 0.002  | EPA 200.8 | 02/13/04 | 0810 JB    |
| Chromium                | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/13/04 | 0851 MH    |
| Copper                  | <0.01             | mg/L  |       | 0.01   | EPA 200.8 | 02/13/04 | 0810 JB    |
| Iron                    | <0.05             | mg/L  |       | 0.05   | EPA 200.7 | 02/13/04 | 0851 MH    |
| Lead                    | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/13/04 | 0810 JB    |
| Manganese               | <0.02             | mg/L  |       | 0.02   | EPA 200.7 | 02/13/04 | 0851 MH    |
| Mercury                 | <0.001            | mg/L  |       | 0.001  | EPA 245.1 | 02/18/04 | 0935 MS    |
| Molybdenum              | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/13/04 | 0810 JB    |
| Nickel                  | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/13/04 | 0851 MH    |
| Selenium                | <0.005            | mg/L  |       | 0.005  | EPA 200.8 | 02/13/04 | 0810 JB    |
| Uranium                 | 0.0158            | mg/L  |       | 0.0001 | EPA 200.8 | 02/13/04 | 0810 JB    |
| Vanadium                | <0.1              | mg/L  |       | 0.1    | EPA 200.8 | 02/13/04 | 0810 JB    |
| Zinc                    | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/13/04 | 0851 MH    |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By:



Karen Barten, Project Manager

Quality Control Report  
Duplicate Analysis

Client: COGEMA Mining, Inc.  
 Project: Christensen  
 Sample ID: 5BT138-1  
 Lab ID: 0104W01603  
 Matrix: Water  
 Condition: Cool/Intact


Report Date: 02/24/04  
 Receipt Date: 02/11/04  
 Sample Date: 02/11/04

| Parameter                             | Original Conc. | Duplicate Conc. | Relative % Diff. | PQL | Units    |
|---------------------------------------|----------------|-----------------|------------------|-----|----------|
| <b>General Parameters</b>             |                |                 |                  |     |          |
| Lab pH                                | 8.8            | 8.9             | 1                | 0.1 | s.u.     |
| Lab Conductivity @ 25°C               | 832            | 833             | 0                | 5   | µmhos/cm |
| Total Dissolved Solids @ 180°C        | 570            | 560             | 2                | 10  | mg/L     |
| Total Dissolved Solids(Calc)          | 500            | 500             | 0                | 10  | mg/L     |
| Total Alkalinity as CaCO <sub>3</sub> | 100            | 100             | 0                | 1.0 | mg/L     |
| Total Hardness as CaCO <sub>3</sub>   | 31.5           | 31.5            | 0                | 1.0 | mg/L     |
| Ammonia Nitrogen                      | 0.3            | 0.3             | 0.0**            | 0.1 | mg/L     |
| Nitrite as N                          | <0.1           | <0.1            | NC*              | 0.1 | mg/L     |
| Silica as SiO <sub>2</sub>            | 3.4            | 3.4             | 0                | 0.1 | mg/L     |
| Sodium Adsorption Ratio               | 11.7           | 11.6            | 1                |     |          |
| <b>Anions</b>                         |                |                 |                  |     |          |
| Bicarbonate as HCO <sub>3</sub>       | 105            | 103             | 2                | 1.0 | mg/L     |
| Carbonate as CO <sub>3</sub>          | 8.4            | 9.6             | 13               | 1.0 | mg/L     |
| Hydroxide as OH                       | <1.0           | <1.0            | NC*              | 1.0 | mg/L     |
| Chloride                              | 5.6            | 6.0             | 7                | 1.0 | mg/L     |
| Fluoride                              | 0.2            | 0.2             | 0.0**            | 0.1 | mg/L     |
| Nitrate + Nitrite as N                | <0.1           | <0.1            | NC*              | 0.1 | mg/L     |
| Sulfate                               | 259            | 263             | 2                | 1.0 | mg/L     |
| <b>Cations</b>                        |                |                 |                  |     |          |
| Calcium                               | 9.9            | 9.8             | 1                | 1.0 | mg/L     |
| Magnesium                             | 1.7            | 1.7             | 0.0**            | 1.0 | mg/L     |
| Potassium                             | 12.6           | 12.5            | 1                | 1.0 | mg/L     |
| Sodium                                | 151            | 150             | 1                | 0.2 | mg/L     |
| Cations                               | 7.52           | 7.47            | 1                |     | meq/L    |
| Anions                                | 7.57           | 7.67            | 1                |     | meq/L    |
| Cation/Anion Balance                  | 0.33           | 1.32            |                  |     | %        |

\*NC - Non-Calculable RPD due to value(s) less than DL \*\* - Difference used for results < 5 X Detection Limit  
 These results only apply to the samples tested.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.  
 "Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.  
 U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.

Reviewed By:

  
 Karen Barten, Project Manager



**Quality Control Report**  
*Duplicate Analysis*

**Client:** COGEMA Mining, Inc.  
**Project:** Christensen  
**Sample ID:** 5BT138-1  
**Lab ID:** 0104W01603  
**Matrix:** Water  
**Condition:** Cool/Intact

**Report Date:** 02/24/04  
**Receipt Date:** 02/11/04  
**Sample Date:** 02/11/04

| Parameter               | Original Conc. | Duplicate Conc. | Relative % Diff. | PQL    | Units |
|-------------------------|----------------|-----------------|------------------|--------|-------|
| <b>Dissolved Metals</b> |                |                 |                  |        |       |
| Aluminum                | <0.1           | <0.1            | NC*              | 0.1    | mg/L  |
| Arsenic                 | <0.005         | <0.005          | NC*              | 0.005  | mg/L  |
| Barium                  | <0.5           | <0.5            | NC*              | 0.5    | mg/L  |
| Boron                   | 0.05           | 0.05            | 0                | 0.01   | mg/L  |
| Cadmium                 | <0.002         | <0.002          | NC*              | 0.002  | mg/L  |
| Chromium                | <0.01          | <0.01           | NC*              | 0.01   | mg/L  |
| Copper                  | <0.01          | <0.01           | NC*              | 0.01   | mg/L  |
| Iron                    | <0.05          | <0.05           | NC*              | 0.05   | mg/L  |
| Lead                    | <0.02          | <0.02           | NC*              | 0.02   | mg/L  |
| Manganese               | <0.02          | <0.02           | NC*              | 0.02   | mg/L  |
| Mercury                 | <0.001         | <0.001          | NC*              | 0.001  | mg/L  |
| Molybdenum              | <0.02          | <0.02           | NC*              | 0.02   | mg/L  |
| Nickel                  | <0.01          | <0.01           | NC*              | 0.01   | mg/L  |
| Selenium                | <0.005         | <0.005          | NC*              | 0.005  | mg/L  |
| Uranium                 | 0.0158         | 0.0149          | 6                | 0.0001 | mg/L  |
| Vanadium                | <0.1           | <0.1            | NC*              | 0.1    | mg/L  |
| Zinc                    | <0.01          | <0.01           | NC*              | 0.01   | mg/L  |

\*NC - Non-Calculable RPD due to value(s) less than DL  
These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By: Karen Barten  
Karen Barten, Project Manager

Report ID: 010401562

## WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
P.O. Box 730  
Mills, WY 82644Project: **Christensen**  
Sample ID: 5BS120-1  
Lab ID: 0104W01572  
Matrix: Water  
Condition: Cool/IntactDate Received: 02/10/04  
Date Reported: 02/24/04  
Date Sampled: 02/10/04

| Parameter                             | Analytical Result | Units    | Units   | PQL   | Method       | Analysis    |          |         |
|---------------------------------------|-------------------|----------|---------|-------|--------------|-------------|----------|---------|
|                                       |                   |          |         |       |              | Date        | Time     | Init.   |
| <b>General Parameters</b>             |                   |          |         |       |              |             |          |         |
| Lab pH                                | 8.5               | s.u.     |         | 0.1   | EPA 150.1    | 02/11/04    | 1617     | RM      |
| Lab Conductivity @ 25°C               | 511               | µmhos/cm |         | 5     | SM 2510 B    | 02/11/04    | 1827     | RM      |
| Total Dissolved Solids @ 180°C        | 330               | mg/L     |         | 10    | SM 2540 C    | 02/11/04    | 1100     | SV      |
| Total Dissolved Solids(Calc)          | 300               | mg/L     |         | 10    | SM 1030 F.   | 02/13/04    | 0737     |         |
| Total Alkalinity as CaCO <sub>3</sub> | 230               | mg/L     |         | 1.0   | SM 2320 B    | 02/11/04    | 1827     | RM      |
| Total Hardness as CaCO <sub>3</sub>   | 35.5              | mg/L     |         | 1.0   | SM 2340 B    | 02/12/04    | 0615     |         |
| Ammonia Nitrogen                      | 0.2               | mg/L     |         | 0.1   | EPA 350.1    | 02/12/04    | 1636     | JF      |
| Nitrite as N                          | <0.1              | mg/L     |         | 0.1   | EPA 353.2    | 02/11/04    | 1354     | KB      |
| Radium 226                            | 93.7±6.9          | pCi/L    |         | 0.2   | SM 7500 Ra-B | 02/18/04    | 1629     | TP      |
| Silica as SiO <sub>2</sub>            | 3.4               | mg/L     |         | 0.1   | EPA 200.7    | 02/12/04    | 0615     | MH      |
| Sodium Adsorption Ratio               | 7.2               |          |         | N/A   | Calculations | 02/12/04    | 0615     |         |
| <b>Anions</b>                         |                   |          |         |       |              |             |          |         |
| Bicarbonate as HCO <sub>3</sub>       | 264               | mg/L     | 4.33    | meq/L | 1.0          | SM 2320 B   | 02/11/04 | 1827 RM |
| Carbonate as CO <sub>3</sub>          | 7.8               | mg/L     | 0.26    | meq/L | 1.0          | SM 2320 B   | 02/11/04 | 1827 RM |
| Hydroxide as OH                       | <1.0              | mg/L     | <0.01   | meq/L | 1.0          | SM 2320 B   | 02/11/04 | 1827 RM |
| Chloride                              | 3.1               | mg/L     | 0.09    | meq/L | 1.0          | EPA 300.0   | 02/13/04 | 0737 LK |
| Fluoride                              | 0.3               | mg/L     | 0.02    | meq/L | 0.1          | SM 4500-F-C | 02/11/04 | 1827 RM |
| Nitrate + Nitrite as N                | <0.1              | mg/L     | <0.01   | meq/L | 0.1          | EPA 353.2   | 02/12/04 | 1102 JF |
| Sulfate                               | 41.6              | mg/L     | 0.87    | meq/L | 1.0          | EPA 300.0   | 02/13/04 | 0737 LK |
| <b>Cations</b>                        |                   |          |         |       |              |             |          |         |
| Calcium                               | 10.5              | mg/L     | 0.52    | meq/L | 1.0          | EPA 200.7   | 02/12/04 | 0615 MH |
| Magnesium                             | 2.3               | mg/L     | 0.19    | meq/L | 1.0          | EPA 200.7   | 02/12/04 | 0615 MH |
| Potassium                             | 2.8               | mg/L     | 0.07    | meq/L | 1.0          | EPA 200.7   | 02/12/04 | 0615 MH |
| Sodium                                | 99.0              | mg/L     | 4.31    | meq/L | 0.2          | EPA 200.7   | 02/17/04 | 0611 MH |
| Cations                               |                   |          | 5.09    | meq/L | N/A          | SM 1030 F.  | 02/12/04 | 0615    |
| Anions                                |                   |          | 5.57    | meq/L | N/A          | SM 1030 F.  | 02/13/04 | 0737    |
| Cation/Anion Balance                  |                   |          | 4.50 AN | %     | N/A          | SM 1030 F.  | 02/12/04 | 0615    |

These results only apply to the samples tested. AN - Analysis repeated with no significant changes.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.

"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.

U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.

EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By:

  
 Karen Barten, Project Manager

Report ID: 010401562

## WATER QUALITY REPORT

Client: COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644Project: Christensen  
Sample ID: 5BS120-1  
Lab ID: 0104W01572  
Matrix: Water  
Condition: Cool/IntactDate Received: 02/10/04  
Date Reported: 02/24/04  
Date Sampled: 02/10/04

| Parameter               | Analytical Result | Units | PQL    | Method    | Analysis |      |       |
|-------------------------|-------------------|-------|--------|-----------|----------|------|-------|
|                         |                   |       |        |           | Date     | Time | Init. |
| <b>Dissolved Metals</b> |                   |       |        |           |          |      |       |
| Aluminum                | <0.1              | mg/L  | 0.1    | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Arsenic                 | <0.005            | mg/L  | 0.005  | EPA 200.8 | 02/12/04 | 1253 | MS    |
| Barium                  | <0.5              | mg/L  | 0.5    | EPA 200.8 | 02/12/04 | 1253 | MS    |
| Boron                   | 0.06              | mg/L  | 0.01   | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Cadmium                 | <0.002            | mg/L  | 0.002  | EPA 200.8 | 02/12/04 | 1253 | MS    |
| Chromium                | <0.01             | mg/L  | 0.01   | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Copper                  | <0.01             | mg/L  | 0.01   | EPA 200.8 | 02/12/04 | 1253 | MS    |
| Iron                    | 0.07              | mg/L  | 0.05   | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Lead                    | <0.02             | mg/L  | 0.02   | EPA 200.8 | 02/12/04 | 1253 | MS    |
| Manganese               | <0.02             | mg/L  | 0.02   | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Mercury                 | <0.001            | mg/L  | 0.001  | EPA 245.1 | 02/13/04 | 0950 | MS    |
| Molybdenum              | <0.02             | mg/L  | 0.02   | EPA 200.8 | 02/12/04 | 1253 | MS    |
| Nickel                  | <0.01             | mg/L  | 0.01   | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Selenium                | 0.103             | mg/L  | 0.005  | EPA 200.8 | 02/12/04 | 1253 | MS    |
| Uranium                 | 0.841             | mg/L  | 0.0001 | EPA 200.8 | 02/12/04 | 1213 | MS    |
| Vanadium                | 0.1               | mg/L  | 0.1    | EPA 200.8 | 02/12/04 | 1253 | MS    |
| Zinc                    | <0.01             | mg/L  | 0.01   | EPA 200.7 | 02/12/04 | 0615 | MH    |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By:


  
 Karen Barten, Project Manager

Report ID: 010401602

## WATER QUALITY REPORT

Client: COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644

Project: Christensen

Sample ID: 5BQ158-1

Lab ID: 0104W01606

Matrix: Water

Condition: Cool/Intact

Date Received: 02/11/04

Date Reported: 02/24/04

Date Sampled: 02/11/04

| Parameter                      | Analytical Result | Units    | Units | PQL   | Method       | Analysis    |          |         |
|--------------------------------|-------------------|----------|-------|-------|--------------|-------------|----------|---------|
|                                |                   |          |       |       |              | Date        | Time     | Init.   |
| <b>General Parameters</b>      |                   |          |       |       |              |             |          |         |
| Lab pH                         | 8.4               | s.u.     |       | 0.1   | EPA 150.1    | 02/12/04    | 1708     | RM      |
| Lab Conductivity @ 25°C        | 854               | µmhos/cm |       | 5     | SM 2510 B    | 02/12/04    | 1708     | RM      |
| Total Dissolved Solids @ 180°C | 570               | mg/L     |       | 10    | SM 2540 C    | 02/12/04    | 1310     | SV      |
| Total Dissolved Solids(Calc)   | 500               | mg/L     |       | 10    | SM 1030 F.   | 02/17/04    | 0611     |         |
| Total Alkalinity as CaCO3      | 96.5              | mg/L     |       | 1.0   | SM 2320 B    | 02/12/04    | 1708     | RM      |
| Total Hardness as CaCO3        | 44.0              | mg/L     |       | 1.0   | SM 2340 B    | 02/13/04    | 0625     |         |
| Ammonia Nitrogen               | <0.1              | mg/L     |       | 0.1   | EPA 350.1    | 02/12/04    | 1655     | JF      |
| Nitrite as N                   | <0.1              | mg/L     |       | 0.1   | EPA 353.2    | 02/13/04    | 0833     | JF      |
| Radium 226                     | 59.4±6.4          | pCi/L    |       | 0.2   | SM 7500 Ra-B | 02/23/04    | 1503     | TP      |
| Silica as SiO2                 | 3.5               | mg/L     |       | 0.1   | EPA 200.7    | 02/13/04    | 0904     | MH      |
| Sodium Adsorption Ratio        | 10.0              |          |       | N/A   | Calculations | 02/17/04    | 0611     |         |
| <b>Anions</b>                  |                   |          |       |       |              |             |          |         |
| Bicarbonate as HCO3            | 114               | mg/L     | 1.87  | meq/L | 1.0          | SM 2320 B   | 02/12/04 | 1708 RM |
| Carbonate as CO3               | 1.8               | mg/L     | 0.06  | meq/L | 1.0          | SM 2320 B   | 02/12/04 | 1708 RM |
| Hydroxide as OH                | <1.0              | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 02/12/04 | 1708 RM |
| Chloride                       | 5.4               | mg/L     | 0.15  | meq/L | 1.0          | EPA 300.0   | 02/13/04 | 0737 LK |
| Fluoride                       | 0.2               | mg/L     | 0.01  | meq/L | 0.1          | SM 4500-F-C | 02/12/04 | 1708 RM |
| Nitrate + Nitrite as N         | <0.1              | mg/L     | <0.01 | meq/L | 0.1          | EPA 353.2   | 01/16/04 | 1422 JF |
| Sulfate                        | 264               | mg/L     | 5.49  | meq/L | 1.0          | EPA 300.0   | 02/13/04 | 0737 LK |
| <b>Cations</b>                 |                   |          |       |       |              |             |          |         |
| Calcium                        | 13.0              | mg/L     | 0.65  | meq/L | 1.0          | EPA 200.7   | 02/13/04 | 0625 MH |
| Magnesium                      | 2.8               | mg/L     | 0.23  | meq/L | 1.0          | EPA 200.7   | 02/13/04 | 0625 MH |
| Potassium                      | 3.4               | mg/L     | 0.09  | meq/L | 1.0          | EPA 200.7   | 02/13/04 | 0625 MH |
| Sodium                         | 152               | mg/L     | 6.61  | meq/L | 0.2          | EPA 200.7   | 02/17/04 | 0611 MH |
| Cations                        |                   |          | 7.58  | meq/L | N/A          | SM 1030 F.  | 02/17/04 | 0611    |
| Anions                         |                   |          | 7.58  | meq/L | N/A          | SM 1030 F.  | 02/13/04 | 0737    |
| Cation/Anion Balance           |                   |          | 0.00  | %     | N/A          | SM 1030 F.  | 02/17/04 | 0611    |

These results only apply to the samples tested.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.

"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.

U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.

EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By:

  
 Karen Barten, Project Manager

Report ID: 010401602

**WATER QUALITY REPORT**

**Client:** COGEMA Mining, Inc.  
 P.O. Box 730  
 Mills, WY 82644

**Project:** Christensen  
**Sample ID:** 5BQ158-1  
**Lab ID:** 0104W01606  
**Matrix:** Water  
**Condition:** Cool/Intact

**Date Received:** 02/11/04  
**Date Reported:** 02/24/04  
**Date Sampled:** 02/11/04

| Parameter               | Analytical Result | Units | PQL    | Method    | Analysis |           |       |
|-------------------------|-------------------|-------|--------|-----------|----------|-----------|-------|
|                         |                   |       |        |           | Units    | Date Time | Init. |
| <b>Dissolved Metals</b> |                   |       |        |           |          |           |       |
| Aluminum                | <0.1              | mg/L  | 0.1    | EPA 200.7 | 02/13/04 | 0904      | MH    |
| Arsenic                 | <0.005            | mg/L  | 0.005  | EPA 200.8 | 02/13/04 | 0810      | JB    |
| Barium                  | <0.5              | mg/L  | 0.5    | EPA 200.8 | 02/13/04 | 0810      | JB    |
| Boron                   | 0.04              | mg/L  | 0.01   | EPA 200.7 | 02/13/04 | 0904      | MH    |
| Cadmium                 | <0.002            | mg/L  | 0.002  | EPA 200.8 | 02/13/04 | 0810      | JB    |
| Chromium                | <0.01             | mg/L  | 0.01   | EPA 200.7 | 02/13/04 | 0904      | MH    |
| Copper                  | <0.01             | mg/L  | 0.01   | EPA 200.8 | 02/13/04 | 0810      | JB    |
| Iron                    | <0.05             | mg/L  | 0.05   | EPA 200.7 | 02/13/04 | 0904      | MH    |
| Lead                    | <0.02             | mg/L  | 0.02   | EPA 200.8 | 02/13/04 | 0810      | JB    |
| Manganese               | <0.02             | mg/L  | 0.02   | EPA 200.7 | 02/13/04 | 0904      | MH    |
| Mercury                 | <0.001            | mg/L  | 0.001  | EPA 245.1 | 02/18/04 | 0935      | MS    |
| Molybdenum              | <0.02             | mg/L  | 0.02   | EPA 200.8 | 02/13/04 | 0810      | JB    |
| Nickel                  | <0.01             | mg/L  | 0.01   | EPA 200.7 | 02/13/04 | 0904      | MH    |
| Selenium                | <0.005            | mg/L  | 0.005  | EPA 200.8 | 02/13/04 | 0810      | JB    |
| Uranium                 | 0.0082            | mg/L  | 0.0001 | EPA 200.8 | 02/13/04 | 0810      | JB    |
| Vanadium                | <0.1              | mg/L  | 0.1    | EPA 200.8 | 02/13/04 | 0810      | JB    |
| Zinc                    | <0.01             | mg/L  | 0.01   | EPA 200.7 | 02/13/04 | 0904      | MH    |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By: Karen Barten  
 Karen Barten, Project Manager

Report ID: 010401562

## WATER QUALITY REPORT

Client: COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644Project: Christensen  
Sample ID: 5BN162-2  
Lab ID: 0104W01573  
Matrix: Water  
Condition: Cool/IntactDate Received: 02/10/04  
Date Reported: 02/24/04  
Date Sampled: 02/10/04

| Parameter                      | Analytical |  | Units    | Units       | PQL | Method       | Analysis |         |
|--------------------------------|------------|--|----------|-------------|-----|--------------|----------|---------|
|                                | Result     |  |          |             |     |              | Date     | Time    |
| <b>General Parameters</b>      |            |  |          |             |     |              |          |         |
| Lab pH                         | 8.2        |  | s.u.     |             | 0.1 | EPA 150.1    | 02/11/04 | 1617 RM |
| Lab Conductivity @ 25°C        | 342        |  | µmhos/cm |             | 5   | SM 2510 B    | 02/11/04 | 1839 RM |
| Total Dissolved Solids @ 180°C | 220        |  | mg/L     |             | 10  | SM 2540 C    | 02/11/04 | 1100 SV |
| Total Dissolved Solids(Calc)   | 210        |  | mg/L     |             | 10  | SM 1030 F.   | 02/13/04 | 0737    |
| Total Alkalinity as CaCO3      | 137        |  | mg/L     |             | 1.0 | SM 2320 B    | 02/11/04 | 1839 RM |
| Total Hardness as CaCO3        | 43.5       |  | mg/L     |             | 1.0 | SM 2340 B    | 02/12/04 | 0615    |
| Ammonia Nitrogen               | 0.2        |  | mg/L     |             | 0.1 | EPA 350.1    | 02/12/04 | 1637 JF |
| Nitrite as N                   | <0.1       |  | mg/L     |             | 0.1 | EPA 353.2    | 02/11/04 | 1354 KB |
| Radium 226                     | 56.9±6.4   |  | pCi/L    |             | 0.2 | SM 7500 Ra-B | 02/18/04 | 1629 TP |
| Silica as SiO2                 | 1.8        |  | mg/L     |             | 0.1 | EPA 200.7    | 02/12/04 | 0615 MH |
| Sodium Adsorption Ratio        | 4.2        |  |          |             | N/A | Calculations | 02/12/04 | 0615    |
| <b>Anions</b>                  |            |  |          |             |     |              |          |         |
| Bicarbonate as HCO3            | 167        |  | mg/L     | 2.73 meq/L  | 1.0 | SM 2320 B    | 02/11/04 | 1839 RM |
| Carbonate as CO3               | <1.0       |  | mg/L     | <0.01 meq/L | 1.0 | SM 2320 B    | 02/11/04 | 1839 RM |
| Hydroxide as OH                | <1.0       |  | mg/L     | <0.01 meq/L | 1.0 | SM 2320 B    | 02/11/04 | 1839 RM |
| Chloride                       | 2.8        |  | mg/L     | 0.08 meq/L  | 1.0 | EPA 300.0    | 02/13/04 | 0737 LK |
| Fluoride                       | <0.1       |  | mg/L     | <0.01 meq/L | 0.1 | SM 4500-F-C  | 02/11/04 | 1839 RM |
| Nitrate + Nitrite as N         | <0.1       |  | mg/L     | <0.01 meq/L | 0.1 | EPA 353.2    | 02/12/04 | 1103 JF |
| Sulfate                        | 38.9       |  | mg/L     | 0.81 meq/L  | 1.0 | EPA 300.0    | 02/13/04 | 0737 LK |
| <b>Cations</b>                 |            |  |          |             |     |              |          |         |
| Calcium                        | 13.3       |  | mg/L     | 0.66 meq/L  | 1.0 | EPA 200.7    | 02/12/04 | 0615 MH |
| Magnesium                      | 2.5        |  | mg/L     | 0.21 meq/L  | 1.0 | EPA 200.7    | 02/12/04 | 0615 MH |
| Potassium                      | 2.1        |  | mg/L     | 0.05 meq/L  | 1.0 | EPA 200.7    | 02/12/04 | 0615 MH |
| Sodium                         | 63.9       |  | mg/L     | 2.78 meq/L  | 0.2 | EPA 200.7    | 02/12/04 | 0615 MH |
| Cations                        |            |  |          | 3.70 meq/L  | N/A | SM 1030 F.   | 02/12/04 | 0615    |
| Anions                         |            |  |          | 3.62 meq/L  | N/A | SM 1030 F.   | 02/13/04 | 0737    |
| Cation/Anion Balance           |            |  |          | 1.09 %      | N/A | SM 1030 F.   | 02/12/04 | 0615    |

These results only apply to the samples tested.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.  
"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.  
U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.  
EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By:

  
Karen Barten, Project Manager

Report ID: 010401562

## WATER QUALITY REPORT

Client: COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644

Project: Christensen

Sample ID: 5BN162-2

Lab ID: 0104W01573

Matrix: Water

Condition: Cool/intact

Date Received: 02/10/04

Date Reported: 02/24/04

Date Sampled: 02/10/04

| Parameter               | Analytical<br>Result | Units | PQL    | Method    | Analysis |           |       |
|-------------------------|----------------------|-------|--------|-----------|----------|-----------|-------|
|                         |                      |       |        |           | Units    | Date Time | Init. |
| <b>Dissolved Metals</b> |                      |       |        |           |          |           |       |
| Aluminum                | <0.1                 | mg/L  | 0.1    | EPA 200.7 | 02/12/04 | 0615      | MH    |
| Arsenic                 | 0.007                | mg/L  | 0.005  | EPA 200.8 | 02/12/04 | 1255      | MS    |
| Barium                  | <0.5                 | mg/L  | 0.5    | EPA 200.8 | 02/12/04 | 1255      | MS    |
| Boron                   | 0.06                 | mg/L  | 0.01   | EPA 200.7 | 02/12/04 | 0615      | MH    |
| Cadmium                 | <0.002               | mg/L  | 0.002  | EPA 200.8 | 02/12/04 | 1255      | MS    |
| Chromium                | <0.01                | mg/L  | 0.01   | EPA 200.7 | 02/12/04 | 0615      | MH    |
| Copper                  | <0.01                | mg/L  | 0.01   | EPA 200.8 | 02/12/04 | 1255      | MS    |
| Iron                    | <0.05                | mg/L  | 0.05   | EPA 200.7 | 02/12/04 | 0615      | MH    |
| Lead                    | <0.02                | mg/L  | 0.02   | EPA 200.8 | 02/12/04 | 1255      | MS    |
| Manganese               | 0.02                 | mg/L  | 0.02   | EPA 200.7 | 02/12/04 | 0615      | MH    |
| Mercury                 | <0.001               | mg/L  | 0.001  | EPA 245.1 | 02/13/04 | 0950      | MS    |
| Molybdenum              | <0.02                | mg/L  | 0.02   | EPA 200.8 | 02/12/04 | 1255      | MS    |
| Nickel                  | <0.01                | mg/L  | 0.01   | EPA 200.7 | 02/12/04 | 0615      | MH    |
| Selenium                | 0.108                | mg/L  | 0.005  | EPA 200.8 | 02/12/04 | 1255      | MS    |
| Uranium                 | 0.440                | mg/L  | 0.0001 | EPA 200.8 | 02/12/04 | 1213      | MS    |
| Vanadium                | 0.2                  | mg/L  | 0.1    | EPA 200.8 | 02/12/04 | 1255      | MS    |
| Zinc                    | <0.01                | mg/L  | 0.01   | EPA 200.7 | 02/12/04 | 0615      | MH    |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By:



Karen Barten, Project Manager

Quality Control Report  
Duplicate Analysis

Client: COGEMA Mining, Inc.  
 Project: Christensen  
 Sample ID: 5BN162-2  
 Lab ID: 0104W01573  
 Matrix: Water  
 Condition: Cool/Intact

Report Date: 02/24/04  
 Receipt Date: 02/10/04  
 Sample Date: 02/10/04

| Parameter                             | Original Conc. | Duplicate Conc. | Relative % Diff. | PQL | Units    |
|---------------------------------------|----------------|-----------------|------------------|-----|----------|
| <b>General Parameters</b>             |                |                 |                  |     |          |
| Lab pH                                | 8.2            | 8.2             | 0                | 0.1 | s.u.     |
| Lab Conductivity @ 25°C               | 342            | 341             | 0                | 5   | µmhos/cm |
| Total Dissolved Solids @ 180°C        | 220            | 220             | 0                | 10  | mg/L     |
| Total Dissolved Solids(Calc)          | 210            | 210             | 0                | 10  | mg/L     |
| Total Alkalinity as CaCO <sub>3</sub> | 137            | 137             | 0                | 1.0 | mg/L     |
| Total Hardness as CaCO <sub>3</sub>   | 43.5           | 43.0            | 1                | 1.0 | mg/L     |
| Ammonia Nitrogen                      | 0.2            | 0.2             | 0.0**            | 0.1 | mg/L     |
| Nitrite as N                          | <0.1           | <0.1            | NC*              | 0.1 | mg/L     |
| Silica as SiO <sub>2</sub>            | 1.8            | 1.8             | 0                | 0.1 | mg/L     |
| Sodium Adsorption Ratio               | 4.2            | 4.2             | 0                |     |          |
| <b>Anions</b>                         |                |                 |                  |     |          |
| Bicarbonate as HCO <sub>3</sub>       | 167            | 167             | 0                | 1.0 | mg/L     |
| Carbonate as CO <sub>3</sub>          | <1.0           | <1.0            | NC*              | 1.0 | mg/L     |
| Hydroxide as OH                       | <1.0           | <1.0            | NC*              | 1.0 | mg/L     |
| Chloride                              | 2.8            | 2.6             | 0.2**            | 1.0 | mg/L     |
| Fluoride                              | <0.1           | <0.1            | NC*              | 0.1 | mg/L     |
| Nitrate + Nitrite as N                | <0.1           | <0.1            | NC*              | 0.1 | mg/L     |
| Sulfate                               | 38.9           | 39.7            | 2                | 1.0 | mg/L     |
| <b>Cations</b>                        |                |                 |                  |     |          |
| Calcium                               | 13.3           | 13.2            | 1                | 1.0 | mg/L     |
| Magnesium                             | 2.5            | 2.4             | 0.1**            | 1.0 | mg/L     |
| Potassium                             | 2.1            | 2.1             | 0.0**            | 1.0 | mg/L     |
| Sodium                                | 63.9           | 63.9            | 0                | 0.2 | mg/L     |
| Cations                               | 3.70           | 3.69            | 0                |     | meq/L    |
| Anions                                | 3.62           | 3.64            | 1                |     | meq/L    |
| Cation/Anion Balance                  | 1.09           | 0.68            |                  |     | %        |

\*NC - Non-Calculable RPD due to value(s) less than DL \*\* - Difference used for results < 5 X Detection Limit  
 These results only apply to the samples tested.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.  
 "Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.  
 U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.

Reviewed By: Karen Barten  
 Karen Barten, Project Manager



Quality Control Report  
Duplicate Analysis

Client: COGEMA Mining, Inc.  
 Project: Christensen  
 Sample ID: 5BN162-2  
 Lab ID: 0104W01573  
 Matrix: Water  
 Condition: Cool/Intact

Report Date: 02/24/04  
 Receipt Date: 02/10/04  
 Sample Date: 02/10/04

| Parameter               | Original Conc. | Duplicate Conc. | Relative % Diff. | PQL    | Units |
|-------------------------|----------------|-----------------|------------------|--------|-------|
| <b>Dissolved Metals</b> |                |                 |                  |        |       |
| Aluminum                | <0.1           | <0.1            | NC*              | 0.1    | mg/L  |
| Arsenic                 | 0.007          | 0.007           | 0.000**          | 0.005  | mg/L  |
| Barium                  | <0.5           | <0.5            | NC*              | 0.5    | mg/L  |
| Boron                   | 0.06           | 0.06            | 0                | 0.01   | mg/L  |
| Cadmium                 | <0.002         | <0.002          | NC*              | 0.002  | mg/L  |
| Chromium                | <0.01          | <0.01           | NC*              | 0.01   | mg/L  |
| Copper                  | <0.01          | <0.01           | NC*              | 0.01   | mg/L  |
| Iron                    | <0.05          | <0.05           | NC*              | 0.05   | mg/L  |
| Lead                    | <0.02          | <0.02           | NC*              | 0.02   | mg/L  |
| Manganese               | 0.02           | 0.02            | 0.00**           | 0.02   | mg/L  |
| Mercury                 | <0.001         | <0.001          | NC*              | 0.001  | mg/L  |
| Molybdenum              | <0.02          | <0.02           | NC*              | 0.02   | mg/L  |
| Nickel                  | <0.01          | <0.01           | NC*              | 0.01   | mg/L  |
| Selenium                | 0.108          | 0.092           | 16               | 0.005  | mg/L  |
| Uranium                 | 0.440          | 0.369           | 18               | 0.0001 | mg/L  |
| Vanadium                | 0.2            | 0.2             | 0.0**            | 0.1    | mg/L  |
| Zinc                    | <0.01          | <0.01           | NC*              | 0.01   | mg/L  |

\*NC - Non-Calculable RPD due to value(s) less than DL \*\* - Difference used for results < 5 X Detection Limit  
 These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By: Karen Barten  
 Karen Barten, Project Manager

Report ID: 010401562

## WATER QUALITY REPORT

Client: COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644Project: Christensen  
Sample ID: 5BN94-1  
Lab ID: 0104W01574  
Matrix: Water  
Condition: Cool/IntactDate Received: 02/10/04  
Date Reported: 02/24/04  
Date Sampled: 02/10/04

| Parameter                             | Analytical Result | Units    | Units | PQL   | Method       | Analysis    |          |         |
|---------------------------------------|-------------------|----------|-------|-------|--------------|-------------|----------|---------|
|                                       |                   |          |       |       |              | Date        | Time     | Init.   |
| <b>General Parameters</b>             |                   |          |       |       |              |             |          |         |
| Lab pH                                | 8.9               | s.u.     |       | 0.1   | EPA 150.1    | 02/11/04    | 1617     | RM      |
| Lab Conductivity @ 25°C               | 527               | µmhos/cm |       | 5     | SM 2510 B    | 02/11/04    | 1901     | RM      |
| Total Dissolved Solids @ 180°C        | 340               | mg/L     |       | 10    | SM 2540 C    | 02/11/04    | 1100     | SV      |
| Total Dissolved Solids(Calc)          | 310               | mg/L     |       | 10    | SM 1030 F.   | 02/13/04    | 0737     |         |
| Total Alkalinity as CaCO <sub>3</sub> | 114               | mg/L     |       | 1.0   | SM 2320 B    | 02/11/04    | 1901     | RM      |
| Total Hardness as CaCO <sub>3</sub>   | 33.5              | mg/L     |       | 1.0   | SM 2340 B    | 02/12/04    | 0615     |         |
| Ammonia Nitrogen                      | 0.2               | mg/L     |       | 0.1   | EPA 350.1    | 02/12/04    | 1639     | JF      |
| Nitrite as N                          | <0.1              | mg/L     |       | 0.1   | EPA 353.2    | 02/11/04    | 1354     | KB      |
| Radium 226                            | 14.3±3.1          | pCi/L    |       | 0.2   | SM 7500 Ra-B | 02/18/04    | 1629     | TP      |
| Silica as SiO <sub>2</sub>            | 2.4               | mg/L     |       | 0.1   | EPA 200.7    | 02/12/04    | 0615     | MH      |
| Sodium Adsorption Ratio               | 7.2               |          |       | N/A   | Calculations | 02/12/04    | 0615     |         |
| <b>Anions</b>                         |                   |          |       |       |              |             |          |         |
| Bicarbonate as HCO <sub>3</sub>       | 118               | mg/L     | 1.93  | meq/L | 1.0          | SM 2320 B   | 02/11/04 | 1901 RM |
| Carbonate as CO <sub>3</sub>          | 10.2              | mg/L     | 0.34  | meq/L | 1.0          | SM 2320 B   | 02/11/04 | 1901 RM |
| Hydroxide as OH                       | <1.0              | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 02/11/04 | 1901 RM |
| Chloride                              | 5.2               | mg/L     | 0.15  | meq/L | 1.0          | EPA 300.0   | 02/13/04 | 0737 LK |
| Fluoride                              | 0.3               | mg/L     | 0.02  | meq/L | 0.1          | SM 4500-F-C | 02/11/04 | 1901 RM |
| Nitrate + Nitrite as N                | <0.1              | mg/L     | <0.01 | meq/L | 0.1          | EPA 353.2   | 02/12/04 | 1105 JF |
| Sulfate                               | 122               | mg/L     | 2.54  | meq/L | 1.0          | EPA 300.0   | 02/13/04 | 0737 LK |
| <b>Cations</b>                        |                   |          |       |       |              |             |          |         |
| Calcium                               | 10.6              | mg/L     | 0.53  | meq/L | 1.0          | EPA 200.7   | 02/12/04 | 0615 MH |
| Magnesium                             | 1.7               | mg/L     | 0.14  | meq/L | 1.0          | EPA 200.7   | 02/12/04 | 0615 MH |
| Potassium                             | 2.2               | mg/L     | 0.06  | meq/L | 1.0          | EPA 200.7   | 02/12/04 | 0615 MH |
| Sodium                                | 95.8              | mg/L     | 4.17  | meq/L | 0.2          | EPA 200.7   | 02/12/04 | 0615 MH |
| Cations                               |                   |          | 4.90  | meq/L | N/A          | SM 1030 F.  | 02/12/04 | 0615    |
| Anions                                |                   |          | 4.98  | meq/L | N/A          | SM 1030 F.  | 02/13/04 | 0737    |
| Cation/Anion Balance                  |                   |          | 0.81  | %     | N/A          | SM 1030 F.  | 02/12/04 | 0615    |

These results only apply to the samples tested.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.  
"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.

U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.

EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By: Karen Barten  
Karen Barten, Project Manager

Report ID: 010401562

## WATER QUALITY REPORT

Client: COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644Project: Christensen  
Sample ID: 5BN94-1  
Lab ID: 0104W01574  
Matrix: Water  
Condition: Cool/IntactDate Received: 02/10/04  
Date Reported: 02/24/04  
Date Sampled: 02/10/04

| Parameter               | Analytical Result | Units | Units | PQL    | Method    | Analysis |            |
|-------------------------|-------------------|-------|-------|--------|-----------|----------|------------|
|                         |                   |       |       |        |           | Date     | Time Init. |
| <b>Dissolved Metals</b> |                   |       |       |        |           |          |            |
| Aluminum                | <0.1              | mg/L  |       | 0.1    | EPA 200.7 | 02/12/04 | 0615 MH    |
| Arsenic                 | <0.005            | mg/L  |       | 0.005  | EPA 200.8 | 02/12/04 | 1336 MS    |
| Barium                  | <0.5              | mg/L  |       | 0.5    | EPA 200.8 | 02/12/04 | 1336 MS    |
| Boron                   | 0.04              | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0615 MH    |
| Cadmium                 | <0.002            | mg/L  |       | 0.002  | EPA 200.8 | 02/12/04 | 1336 MS    |
| Chromium                | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0615 MH    |
| Copper                  | <0.01             | mg/L  |       | 0.01   | EPA 200.8 | 02/12/04 | 1336 MS    |
| Iron                    | <0.05             | mg/L  |       | 0.05   | EPA 200.7 | 02/12/04 | 0615 MH    |
| Lead                    | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/12/04 | 1336 MS    |
| Manganese               | <0.02             | mg/L  |       | 0.02   | EPA 200.7 | 02/12/04 | 0615 MH    |
| Mercury                 | <0.001            | mg/L  |       | 0.001  | EPA 245.1 | 02/13/04 | 0950 MS    |
| Molybdenum              | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/12/04 | 1336 MS    |
| Nickel                  | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0615 MH    |
| Selenium                | 0.675             | mg/L  |       | 0.005  | EPA 200.8 | 02/12/04 | 1336 MS    |
| Uranium                 | 0.321             | mg/L  |       | 0.0001 | EPA 200.8 | 02/12/04 | 1213 MS    |
| Vanadium                | 0.1               | mg/L  |       | 0.1    | EPA 200.8 | 02/12/04 | 1336 MS    |
| Zinc                    | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0615 MH    |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By:



Karen Barten, Project Manager

Report ID: 010401602

## WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
P.O. Box 730  
Mills, WY 82644Project: **Christensen**

Sample ID: 5BL76-1

Lab ID: 0104W01604

Matrix: Water

Condition: Cool/Intact

Date Received: 02/11/04

Date Reported: 02/24/04

Date Sampled: 02/11/04

| Parameter                             | Analytical |  | Units    | Units | PQL   | Method       | Analysis    |          |       |    |
|---------------------------------------|------------|--|----------|-------|-------|--------------|-------------|----------|-------|----|
|                                       | Result     |  |          |       |       |              | Date        | Time     | Init. |    |
| <b>General Parameters</b>             |            |  |          |       |       |              |             |          |       |    |
| Lab pH                                | 7.9        |  | s.u.     |       | 0.1   | EPA 150.1    | 02/12/04    | 1645     | RM    |    |
| Lab Conductivity @ 25°C               | 1,860      |  | µmhos/cm |       | 5     | SM 2510 B    | 02/12/04    | 1645     | RM    |    |
| Total Dissolved Solids @ 180°C        | 1,360      |  | mg/L     |       | 10    | SM 2540 C    | 02/12/04    | 1310     | SV    |    |
| Total Dissolved Solids(Calc)          | 1,220      |  | mg/L     |       | 10    | SM 1030 F.   | 02/13/04    | 0737     |       |    |
| Total Alkalinity as CaCO <sub>3</sub> | 696        |  | mg/L     |       | 1.0   | SM 2320 B    | 02/12/04    | 1645     | RM    |    |
| Total Hardness as CaCO <sub>3</sub>   | 287        |  | mg/L     |       | 1.0   | SM 2340 B    | 02/13/04    | 0625     |       |    |
| Ammonia Nitrogen                      | <0.1       |  | mg/L     |       | 0.1   | EPA 350.1    | 02/12/04    | 1653     | JF    |    |
| Nitrite as N                          | <0.1       |  | mg/L     |       | 0.1   | EPA 353.2    | 02/13/04    | 0833     | JF    |    |
| Radium 226                            | 378±15.7   |  | pCi/L    |       | 0.2   | SM 7500 Ra-B | 02/23/04    | 1503     | TP    |    |
| Silica as SiO <sub>2</sub>            | 4.0        |  | mg/L     |       | 0.1   | EPA 200.7    | 02/13/04    | 0857     | MH    |    |
| Sodium Adsorption Ratio               | 8.7        |  |          |       | N/A   | Calculations | 02/13/04    | 0625     |       |    |
| <b>Anions</b>                         |            |  |          |       |       |              |             |          |       |    |
| Bicarbonate as HCO <sub>3</sub>       | 849        |  | mg/L     | 13.92 | meq/L | 1.0          | SM 2320 B   | 02/12/04 | 1645  | RM |
| Carbonate as CO <sub>3</sub>          | <1.0       |  | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 02/12/04 | 1645  | RM |
| Hydroxide as OH                       | <1.0       |  | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 02/12/04 | 1645  | RM |
| Chloride                              | 27.1       |  | mg/L     | 0.76  | meq/L | 1.0          | EPA 300.0   | 02/13/04 | 0737  | LK |
| Fluoride                              | <0.1       |  | mg/L     | <0.01 | meq/L | 0.1          | SM 4500-F-C | 02/12/04 | 1645  | RM |
| Nitrate + Nitrite as N                | 0.3        |  | mg/L     | 0.02  | meq/L | 0.1          | EPA 353.2   | 01/16/04 | 1422  | JF |
| Sulfate                               | 321        |  | mg/L     | 6.68  | meq/L | 1.0          | EPA 300.0   | 02/13/04 | 0737  | LK |
| <b>Cations</b>                        |            |  |          |       |       |              |             |          |       |    |
| Calcium                               | 90.3       |  | mg/L     | 4.51  | meq/L | 1.0          | EPA 200.7   | 02/13/04 | 0625  | MH |
| Magnesium                             | 15.0       |  | mg/L     | 1.23  | meq/L | 1.0          | EPA 200.7   | 02/13/04 | 0625  | MH |
| Potassium                             | 6.9        |  | mg/L     | 0.18  | meq/L | 1.0          | EPA 200.7   | 02/13/04 | 0625  | MH |
| Sodium                                | 339        |  | mg/L     | 14.75 | meq/L | 0.2          | EPA 200.7   | 02/13/04 | 0625  | MH |
| Cations                               |            |  |          | 20.67 | meq/L | N/A          | SM 1030 F.  | 02/13/04 | 0625  |    |
| Anions                                |            |  |          | 21.38 | meq/L | N/A          | SM 1030 F.  | 02/13/04 | 0737  |    |
| Cation/Anion Balance                  |            |  |          | 1.69  | %     | N/A          | SM 1030 F.  | 02/13/04 | 0625  |    |

These results only apply to the samples tested.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.

"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.

U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.

EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By:

  
 Karen Barten, Project Manager

Report ID: 010401602

## WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
P.O. Box 730  
Mills, WY 82644Project: **Christensen**

Sample ID: 5BL76-1

Lab ID: 0104W01604

Matrix: Water

Condition: Cool/Intact

Date Received: 02/11/04

Date Reported: 02/24/04

Date Sampled: 02/11/04

| Parameter               | Analytical Result | Units | Units | PQL    | Method    | Analysis |         |
|-------------------------|-------------------|-------|-------|--------|-----------|----------|---------|
|                         |                   |       |       |        |           | Date     | Time    |
| <b>Dissolved Metals</b> |                   |       |       |        |           |          |         |
| Aluminum                | 0.2               | mg/L  |       | 0.1    | EPA 200.7 | 02/13/04 | 0857 MH |
| Arsenic                 | 0.052             | mg/L  |       | 0.005  | EPA 200.8 | 02/13/04 | 0810 JB |
| Barium                  | <0.5              | mg/L  |       | 0.5    | EPA 200.8 | 02/13/04 | 0810 JB |
| Boron                   | 0.07              | mg/L  |       | 0.01   | EPA 200.7 | 02/13/04 | 0857 MH |
| Cadmium                 | <0.002            | mg/L  |       | 0.002  | EPA 200.8 | 02/13/04 | 0810 JB |
| Chromium                | 0.02              | mg/L  |       | 0.01   | EPA 200.7 | 02/13/04 | 0857 MH |
| Copper                  | <0.01             | mg/L  |       | 0.01   | EPA 200.8 | 02/13/04 | 0810 JB |
| Iron                    | <0.05             | mg/L  |       | 0.05   | EPA 200.7 | 02/13/04 | 0857 MH |
| Lead                    | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/13/04 | 0810 JB |
| Manganese               | 0.35              | mg/L  |       | 0.02   | EPA 200.7 | 02/13/04 | 0857 MH |
| Mercury                 | <0.001            | mg/L  |       | 0.001  | EPA 245.1 | 02/18/04 | 0935 MS |
| Molybdenum              | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/13/04 | 0810 JB |
| Nickel                  | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/13/04 | 0857 MH |
| Selenium                | 1.06              | mg/L  |       | 0.005  | EPA 200.8 | 02/13/04 | 0810 JB |
| Uranium                 | 20.7              | mg/L  |       | 0.0001 | EPA 200.8 | 02/13/04 | 0810 JB |
| Vanadium                | <0.1              | mg/L  |       | 0.1    | EPA 200.8 | 02/13/04 | 0810 JB |
| Zinc                    | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/13/04 | 0857 MH |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By:



Karen Barten, Project Manager

Report ID: 010401602

## WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
P.O. Box 730  
Mills, WY 82644Project: **Christensen**

Sample ID: 5BL66-1

Lab ID: 0104W01602

Matrix: Water

Condition: Cool/Intact

Date Received: 02/11/04

Date Reported: 02/24/04

Date Sampled: 02/11/04

| Parameter                             | Analytical |  | Units    | Units | PQL   | Method       | Analysis    |          |       |    |
|---------------------------------------|------------|--|----------|-------|-------|--------------|-------------|----------|-------|----|
|                                       | Result     |  |          |       |       |              | Date        | Time     | Init. |    |
| <b>General Parameters</b>             |            |  |          |       |       |              |             |          |       |    |
| Lab pH                                | 7.5        |  | s.u.     |       | 0.1   | EPA 150.1    | 02/12/04    | 1609     | RM    |    |
| Lab Conductivity @ 25°C               | 2,210      |  | µmhos/cm |       | 5     | SM 2510 B    | 02/12/04    | 1609     | RM    |    |
| Total Dissolved Solids @ 180°C        | 1,610      |  | mg/L     |       | 10    | SM 2540 C    | 02/12/04    | 1310     | SV    |    |
| Total Dissolved Solids(Calc)          | 1,490      |  | mg/L     |       | 10    | SM 1030 F.   | 02/13/04    | 0737     |       |    |
| Total Alkalinity as CaCO <sub>3</sub> | 864        |  | mg/L     |       | 1.0   | SM 2320 B    | 02/12/04    | 1609     | RM    |    |
| Total Hardness as CaCO <sub>3</sub>   | 408        |  | mg/L     |       | 1.0   | SM 2340 B    | 02/13/04    | 0625     |       |    |
| Ammonia Nitrogen                      | 0.5        |  | mg/L     |       | 0.1   | EPA 350.1    | 02/12/04    | 1650     | JF    |    |
| Nitrite as N                          | <0.1       |  | mg/L     |       | 0.1   | EPA 353.2    | 02/13/04    | 0833     | JF    |    |
| Radium 226                            | 344±15.1   |  | pCi/L    |       | 0.2   | SM 7500 Ra-B | 02/23/04    | 1503     | TP    |    |
| Silica as SiO <sub>2</sub>            | 4.8        |  | mg/L     |       | 0.1   | EPA 200.7    | 02/13/04    | 0848     | MH    |    |
| Sodium Adsorption Ratio               | 8.9        |  |          |       | N/A   | Calculations | 02/13/04    | 0625     |       |    |
| <b>Anions</b>                         |            |  |          |       |       |              |             |          |       |    |
| Bicarbonate as HCO <sub>3</sub>       | 1,050      |  | mg/L     | 17.27 | meq/L | 1.0          | SM 2320 B   | 02/12/04 | 1609  | RM |
| Carbonate as CO <sub>3</sub>          | <1.0       |  | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 02/12/04 | 1609  | RM |
| Hydroxide as OH                       | <1.0       |  | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 02/12/04 | 1609  | RM |
| Chloride                              | 34.4       |  | mg/L     | 0.97  | meq/L | 1.0          | EPA 300.0   | 02/13/04 | 0737  | LK |
| Fluoride                              | <0.1       |  | mg/L     | <0.01 | meq/L | 0.1          | SM 4500-F-C | 02/12/04 | 1609  | RM |
| Nitrate + Nitrite as N                | <0.1       |  | mg/L     | <0.01 | meq/L | 0.1          | EPA 353.2   | 01/16/04 | 1422  | JF |
| Sulfate                               | 372        |  | mg/L     | 7.75  | meq/L | 1.0          | EPA 300.0   | 02/13/04 | 0737  | LK |
| <b>Cations</b>                        |            |  |          |       |       |              |             |          |       |    |
| Calcium                               | 120        |  | mg/L     | 5.99  | meq/L | 1.0          | EPA 200.7   | 02/13/04 | 0625  | MH |
| Magnesium                             | 26.3       |  | mg/L     | 2.16  | meq/L | 1.0          | EPA 200.7   | 02/13/04 | 0625  | MH |
| Potassium                             | 8.6        |  | mg/L     | 0.22  | meq/L | 1.0          | EPA 200.7   | 02/13/04 | 0625  | MH |
| Sodium                                | 414        |  | mg/L     | 18.01 | meq/L | 0.2          | EPA 200.7   | 02/13/04 | 0625  | MH |
| Cations                               |            |  |          | 26.38 | meq/L | N/A          | SM 1030 F.  | 02/13/04 | 0625  |    |
| Anions                                |            |  |          | 25.99 | meq/L | N/A          | SM 1030 F.  | 02/13/04 | 0737  |    |
| Cation/Anion Balance                  |            |  |          | 0.74  | %     | N/A          | SM 1030 F.  | 02/13/04 | 0625  |    |

These results only apply to the samples tested.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.

"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.

U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.

EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By:

  
 Karen Barten, Project Manager

Report ID: 010401602

## WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
P.O. Box 730  
Mills, WY 82644Project: **Christensen**  
Sample ID: 5BL66-1  
Lab ID: 0104W01602  
Matrix: Water  
Condition: Cool/IntactDate Received: 02/11/04  
Date Reported: 02/24/04  
Date Sampled: 02/11/04

| Parameter               | Analytical Result | Units | Units | PQL    | Method    | Analysis |      |       |
|-------------------------|-------------------|-------|-------|--------|-----------|----------|------|-------|
|                         |                   |       |       |        |           | Date     | Time | Init. |
| <b>Dissolved Metals</b> |                   |       |       |        |           |          |      |       |
| Aluminum                | <0.1              | mg/L  |       | 0.1    | EPA 200.7 | 02/13/04 | 0848 | MH    |
| Arsenic                 | 0.015             | mg/L  |       | 0.005  | EPA 200.8 | 02/13/04 | 0810 | JB    |
| Barium                  | <0.5              | mg/L  |       | 0.5    | EPA 200.8 | 02/13/04 | 0810 | JB    |
| Boron                   | 0.09              | mg/L  |       | 0.01   | EPA 200.7 | 02/13/04 | 0848 | MH    |
| Cadmium                 | <0.002            | mg/L  |       | 0.002  | EPA 200.8 | 02/13/04 | 0810 | JB    |
| Chromium                | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/13/04 | 0848 | MH    |
| Copper                  | <0.01             | mg/L  |       | 0.01   | EPA 200.8 | 02/13/04 | 0810 | JB    |
| Iron                    | 1.53              | mg/L  |       | 0.05   | EPA 200.7 | 02/13/04 | 0848 | MH    |
| Lead                    | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/13/04 | 0810 | JB    |
| Manganese               | 0.33              | mg/L  |       | 0.02   | EPA 200.7 | 02/13/04 | 0848 | MH    |
| Mercury                 | <0.001            | mg/L  |       | 0.001  | EPA 245.1 | 02/18/04 | 0935 | MS    |
| Molybdenum              | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/13/04 | 0810 | JB    |
| Nickel                  | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/13/04 | 0848 | MH    |
| Selenium                | 0.023             | mg/L  |       | 0.005  | EPA 200.8 | 02/13/04 | 0810 | JB    |
| Uranium                 | 6.21              | mg/L  |       | 0.0001 | EPA 200.8 | 02/13/04 | 0810 | JB    |
| Vanadium                | 0.1               | mg/L  |       | 0.1    | EPA 200.8 | 02/13/04 | 0810 | JB    |
| Zinc                    | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/13/04 | 0848 | MH    |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals In Environmental Samples-Supplement I", May 1994

Reviewed By:


  
Karen Barten, Project Manager

Report ID: 010401562

## WATER QUALITY REPORT

Client: COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644Project: Christensen  
Sample ID: 5BK82-1  
Lab ID: 0104W01571  
Matrix: Water  
Condition: Cool/IntactDate Received: 02/10/04  
Date Reported: 02/24/04  
Date Sampled: 02/10/04

| Parameter                      | Analytical |  | Units    | Units | PQL   | Method       | Analysis    |          |       |    |
|--------------------------------|------------|--|----------|-------|-------|--------------|-------------|----------|-------|----|
|                                | Result     |  |          |       |       |              | Date        | Time     | Init. |    |
| <b>General Parameters</b>      |            |  |          |       |       |              |             |          |       |    |
| Lab pH                         | 8.0        |  | s.u.     |       | 0.1   | EPA 150.1    | 02/11/04    | 1617     | RM    |    |
| Lab Conductivity @ 25°C        | 717        |  | µmhos/cm |       | 5     | SM 2510 B    | 02/11/04    | 1816     | RM    |    |
| Total Dissolved Solids @ 180°C | 460        |  | mg/L     |       | 10    | SM 2540 C    | 02/11/04    | 1100     | SV    |    |
| Total Dissolved Solids(Calc)   | 430        |  | mg/L     |       | 10    | SM 1030 F.   | 02/13/04    | 0737     |       |    |
| Total Alkalinity as CaCO3      | 306        |  | mg/L     |       | 1.0   | SM 2320 B    | 02/11/04    | 1816     | RM    |    |
| Total Hardness as CaCO3        | 90.5       |  | mg/L     |       | 1.0   | SM 2340 B    | 02/12/04    | 0615     |       |    |
| Ammonia Nitrogen               | 0.2        |  | mg/L     |       | 0.1   | EPA 350.1    | 02/12/04    | 1635     | JF    |    |
| Nitrite as N                   | <0.1       |  | mg/L     |       | 0.1   | EPA 353.2    | 02/11/04    | 1354     | KB    |    |
| Radium 226                     | 81.7±6.4   |  | pCi/L    |       | 0.2   | SM 7500 Ra-B | 02/18/04    | 1629     | TP    |    |
| Silica as SiO2                 | 3.4        |  | mg/L     |       | 0.1   | EPA 200.7    | 02/12/04    | 0615     | MH    |    |
| Sodium Adsorption Ratio        | 6.2        |  |          |       | N/A   | Calculations | 02/12/04    | 0615     |       |    |
| <b>Anions</b>                  |            |  |          |       |       |              |             |          |       |    |
| Bicarbonate as HCO3            | 373        |  | mg/L     | 6.11  | meq/L | 1.0          | SM 2320 B   | 02/11/04 | 1816  | RM |
| Carbonate as CO3               | <1.0       |  | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 02/11/04 | 1816  | RM |
| Hydroxide as OH                | <1.0       |  | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 02/11/04 | 1816  | RM |
| Chloride                       | 6.6        |  | mg/L     | 0.19  | meq/L | 1.0          | EPA 300.0   | 02/13/04 | 0737  | LK |
| Fluoride                       | 0.2        |  | mg/L     | 0.01  | meq/L | 0.1          | SM 4500-F-C | 02/11/04 | 1816  | RM |
| Nitrate + Nitrite as N         | <0.1       |  | mg/L     | <0.01 | meq/L | 0.1          | EPA 353.2   | 02/12/04 | 1101  | JF |
| Sulfate                        | 71.7       |  | mg/L     | 1.49  | meq/L | 1.0          | EPA 300.0   | 02/13/04 | 0737  | LK |
| <b>Cations</b>                 |            |  |          |       |       |              |             |          |       |    |
| Calcium                        | 26.7       |  | mg/L     | 1.33  | meq/L | 1.0          | EPA 200.7   | 02/12/04 | 0615  | MH |
| Magnesium                      | 5.8        |  | mg/L     | 0.48  | meq/L | 1.0          | EPA 200.7   | 02/12/04 | 0615  | MH |
| Potassium                      | 2.8        |  | mg/L     | 0.07  | meq/L | 1.0          | EPA 200.7   | 02/12/04 | 0615  | MH |
| Sodium                         | 136        |  | mg/L     | 5.92  | meq/L | 0.2          | EPA 200.7   | 02/17/04 | 0611  | MH |
| Cations                        |            |  |          | 7.80  | meq/L | N/A          | SM 1030 F.  | 02/12/04 | 0615  |    |
| Anions                         |            |  |          | 7.80  | meq/L | N/A          | SM 1030 F.  | 02/13/04 | 0737  |    |
| Cation/Anion Balance           |            |  |          | 0.00  | %     | N/A          | SM 1030 F.  | 02/12/04 | 0615  |    |


These results only apply to the samples tested.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.  
"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.

U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.

EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By:

  
Karen Barten, Project Manager



Report ID: 010401562

## WATER QUALITY REPORT

Client: COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644

Project: Christensen

Sample ID: 5BK82-1

Lab ID: 0104W01571

Matrix: Water

Condition: Cool/Intact

Date Received: 02/10/04

Date Reported: 02/24/04

Date Sampled: 02/10/04

| Parameter               | Analytical Result | Units | Units | PQL    | Method    | Analysis |      |       |
|-------------------------|-------------------|-------|-------|--------|-----------|----------|------|-------|
|                         |                   |       |       |        |           | Date     | Time | Init. |
| <b>Dissolved Metals</b> |                   |       |       |        |           |          |      |       |
| Aluminum                | <0.1              | mg/L  |       | 0.1    | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Arsenic                 | 0.014             | mg/L  |       | 0.005  | EPA 200.8 | 02/12/04 | 1248 | MS    |
| Barium                  | <0.5              | mg/L  |       | 0.5    | EPA 200.8 | 02/12/04 | 1248 | MS    |
| Boron                   | 0.06              | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Cadmium                 | <0.002            | mg/L  |       | 0.002  | EPA 200.8 | 02/12/04 | 1248 | MS    |
| Chromium                | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Copper                  | <0.01             | mg/L  |       | 0.01   | EPA 200.8 | 02/12/04 | 1248 | MS    |
| Iron                    | <0.05             | mg/L  |       | 0.05   | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Lead                    | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/12/04 | 1248 | MS    |
| Manganese               | 0.05              | mg/L  |       | 0.02   | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Mercury                 | <0.001            | mg/L  |       | 0.001  | EPA 245.1 | 02/13/04 | 0950 | MS    |
| Molybdenum              | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/12/04 | 1248 | MS    |
| Nickel                  | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Selenium                | 0.284             | mg/L  |       | 0.005  | EPA 200.8 | 02/12/04 | 1248 | MS    |
| Uranium                 | 1.39              | mg/L  |       | 0.0001 | EPA 200.8 | 02/12/04 | 1213 | MS    |
| Vanadium                | 0.3               | mg/L  |       | 0.1    | EPA 200.8 | 02/12/04 | 1248 | MS    |
| Zinc                    | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0615 | MH    |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By:



Karen Barten, Project Manager

Report ID: 010401562

## WATER QUALITY REPORT


Client: COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644Project: Christensen  
Sample ID: 5BK58-1  
Lab ID: 0104W01570  
Matrix: Water  
Condition: Cool/IntactDate Received: 02/10/04  
Date Reported: 02/24/04  
Date Sampled: 02/10/04

| Parameter                             | Analytical |  | Units    | Units | PQL   | Method       | Analysis    |          |       |    |
|---------------------------------------|------------|--|----------|-------|-------|--------------|-------------|----------|-------|----|
|                                       | Result     |  |          |       |       |              | Date        | Time     | Init. |    |
| <b>General Parameters</b>             |            |  |          |       |       |              |             |          |       |    |
| Lab pH                                | 7.7        |  | s.u.     |       | 0.1   | EPA 150.1    | 02/11/04    | 1617     | RM    |    |
| Lab Conductivity @ 25°C               | 1,340      |  | µmhos/cm |       | 5     | SM 2510 B    | 02/11/04    | 1804     | RM    |    |
| Total Dissolved Solids @ 180°C        | 910        |  | mg/L     |       | 10    | SM 2540 C    | 02/11/04    | 1100     | SV    |    |
| Total Dissolved Solids(Calc)          | 830        |  | mg/L     |       | 10    | SM 1030 F.   | 02/13/04    | 0737     |       |    |
| Total Alkalinity as CaCO <sub>3</sub> | 398        |  | mg/L     |       | 1.0   | SM 2320 B    | 02/11/04    | 1804     | RM    |    |
| Total Hardness as CaCO <sub>3</sub>   | 166        |  | mg/L     |       | 1.0   | SM 2340 B    | 02/12/04    | 0615     |       |    |
| Ammonia Nitrogen                      | 0.1        |  | mg/L     |       | 0.1   | EPA 350.1    | 02/12/04    | 1634     | JF    |    |
| Nitrite as N                          | <0.1       |  | mg/L     |       | 0.1   | EPA 353.2    | 02/11/04    | 1354     | KB    |    |
| Radium 226                            | 1130±23.3  |  | pCi/L    |       | 0.2   | SM 7500 Ra-B | 02/18/04    | 1629     | TP    |    |
| Silica as SiO <sub>2</sub>            | 3.8        |  | mg/L     |       | 0.1   | EPA 200.7    | 02/12/04    | 0615     | MH    |    |
| Sodium Adsorption Ratio               | 8.1        |  |          |       | N/A   | Calculations | 02/12/04    | 0615     |       |    |
| <b>Anions</b>                         |            |  |          |       |       |              |             |          |       |    |
| Bicarbonate as HCO <sub>3</sub>       | 483        |  | mg/L     | 7.92  | meq/L | 1.0          | SM 2320 B   | 02/11/04 | 1804  | RM |
| Carbonate as CO <sub>3</sub>          | <1.0       |  | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 02/11/04 | 1804  | RM |
| Hydroxide as OH                       | <1.0       |  | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 02/11/04 | 1804  | RM |
| Chloride                              | 19.7       |  | mg/L     | 0.56  | meq/L | 1.0          | EPA 300.0   | 02/13/04 | 0737  | LK |
| Fluoride                              | <0.1       |  | mg/L     | <0.01 | meq/L | 0.1          | SM 4500-F-C | 02/11/04 | 1804  | RM |
| Nitrate + Nitrite as N                | <0.1       |  | mg/L     | <0.01 | meq/L | 0.1          | EPA 353.2   | 02/12/04 | 1053  | JF |
| Sulfate                               | 267        |  | mg/L     | 5.55  | meq/L | 1.0          | EPA 300.0   | 02/13/04 | 0737  | LK |
| <b>Cations</b>                        |            |  |          |       |       |              |             |          |       |    |
| Calcium                               | 49.2       |  | mg/L     | 2.46  | meq/L | 1.0          | EPA 200.7   | 02/12/04 | 0615  | MH |
| Magnesium                             | 10.5       |  | mg/L     | 0.86  | meq/L | 1.0          | EPA 200.7   | 02/12/04 | 0615  | MH |
| Potassium                             | 5.1        |  | mg/L     | 0.13  | meq/L | 1.0          | EPA 200.7   | 02/12/04 | 0615  | MH |
| Sodium                                | 241        |  | mg/L     | 10.48 | meq/L | 0.2          | EPA 200.7   | 02/17/04 | 0611  | MH |
| Cations                               |            |  |          | 13.93 | meq/L | N/A          | SM 1030 F.  | 02/12/04 | 0615  |    |
| Anions                                |            |  |          | 14.03 | meq/L | N/A          | SM 1030 F.  | 02/13/04 | 0737  |    |
| Cation/Anion Balance                  |            |  |          | 0.36  | %     | N/A          | SM 1030 F.  | 02/12/04 | 0615  |    |

These results only apply to the samples tested.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.  
"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.  
U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.  
EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By:

  
 Karen Barten, Project Manager

Report ID: 010401562

## WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
P.O. Box 730  
Mills, WY 82644Project: **Christensen**  
Sample ID: 5BK58-1  
Lab ID: 0104W01570  
Matrix: Water  
Condition: Cool/Intact

Date Received: 02/10/04

Date Reported: 02/24/04


Date Sampled: 02/10/04

| Parameter               | Analytical Result | Units | PQL    | Method    | Analysis |           |       |
|-------------------------|-------------------|-------|--------|-----------|----------|-----------|-------|
|                         |                   |       |        |           | Units    | Date Time | Init. |
| <b>Dissolved Metals</b> |                   |       |        |           |          |           |       |
| Aluminum                | <0.1              | mg/L  | 0.1    | EPA 200.7 | 02/12/04 | 0615      | MH    |
| Arsenic                 | <0.005            | mg/L  | 0.005  | EPA 200.8 | 02/12/04 | 1237      | MS    |
| Barium                  | <0.5              | mg/L  | 0.5    | EPA 200.8 | 02/12/04 | 1237      | MS    |
| Boron                   | 0.08              | mg/L  | 0.01   | EPA 200.7 | 02/12/04 | 0615      | MH    |
| Cadmium                 | <0.002            | mg/L  | 0.002  | EPA 200.8 | 02/12/04 | 1237      | MS    |
| Chromium                | <0.01             | mg/L  | 0.01   | EPA 200.7 | 02/12/04 | 0615      | MH    |
| Copper                  | <0.01             | mg/L  | 0.01   | EPA 200.8 | 02/12/04 | 1237      | MS    |
| Iron                    | 0.20              | mg/L  | 0.05   | EPA 200.7 | 02/12/04 | 0615      | MH    |
| Lead                    | <0.02             | mg/L  | 0.02   | EPA 200.8 | 02/12/04 | 1237      | MS    |
| Manganese               | 0.13              | mg/L  | 0.02   | EPA 200.7 | 02/12/04 | 0615      | MH    |
| Mercury                 | <0.001            | mg/L  | 0.001  | EPA 245.1 | 02/13/04 | 0950      | MS    |
| Molybdenum              | <0.02             | mg/L  | 0.02   | EPA 200.8 | 02/12/04 | 1237      | MS    |
| Nickel                  | <0.01             | mg/L  | 0.01   | EPA 200.7 | 02/12/04 | 0615      | MH    |
| Selenium                | 0.152             | mg/L  | 0.005  | EPA 200.8 | 02/12/04 | 1237      | MS    |
| Uranium                 | 4.23              | mg/L  | 0.0001 | EPA 200.8 | 02/12/04 | 1213      | MS    |
| Vanadium                | <0.1              | mg/L  | 0.1    | EPA 200.8 | 02/12/04 | 1237      | MS    |
| Zinc                    | <0.01             | mg/L  | 0.01   | EPA 200.7 | 02/12/04 | 0615      | MH    |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By:

  
 Karen Barten, Project Manager

Report ID: 010401562

## WATER QUALITY REPORT

Client: COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644Project: Christensen  
Sample ID: 5BJ62-1  
Lab ID: 0104W01566  
Matrix: Water  
Condition: Cool/IntactDate Received: 02/10/04  
Date Reported: 02/24/04  
Date Sampled: 02/10/04

| Parameter                             | Analytical Result | Units    | Units | PQL   | Method       | Analysis    |          |         |
|---------------------------------------|-------------------|----------|-------|-------|--------------|-------------|----------|---------|
|                                       |                   |          |       |       |              | Date        | Time     | Init.   |
| <b>General Parameters</b>             |                   |          |       |       |              |             |          |         |
| Lab pH                                | 8.1               | s.u.     |       | 0.1   | EPA 150.1    | 02/11/04    | 1617     | RM      |
| Lab Conductivity @ 25°C               | 520               | µmhos/cm |       | 5     | SM 2510 B    | 02/11/04    | 1718     | RM      |
| Total Dissolved Solids @ 180°C        | 340               | mg/L     |       | 10    | SM 2540 C    | 02/11/04    | 1100     | SV      |
| Total Dissolved Solids(Calc)          | 330               | mg/L     |       | 10    | SM 1030 F.   | 02/13/04    | 0005     |         |
| Total Alkalinity as CaCO <sub>3</sub> | 212               | mg/L     |       | 1.0   | SM 2320 B    | 02/11/04    | 1718     | RM      |
| Total Hardness as CaCO <sub>3</sub>   | 71.0              | mg/L     |       | 1.0   | SM 2340 B    | 02/12/04    | 0615     |         |
| Ammonia Nitrogen                      | <0.1              | mg/L     |       | 0.1   | EPA 350.1    | 02/12/04    | 1624     | JF      |
| Nitrite as N                          | <0.1              | mg/L     |       | 0.1   | EPA 353.2    | 02/11/04    | 1354     | KB      |
| Radium 226                            | 72.6±6.3          | pCi/L    |       | 0.2   | SM 7500 Ra-B | 02/18/04    | 1629     | TP      |
| Silica as SiO <sub>2</sub>            | 2.4               | mg/L     |       | 0.1   | EPA 200.7    | 02/12/04    | 0725     | MH      |
| Sodium Adsorption Ratio               | 5.2               |          |       | N/A   | Calculations | 02/12/04    | 0615     |         |
| <b>Anions</b>                         |                   |          |       |       |              |             |          |         |
| Bicarbonate as HCO <sub>3</sub>       | 259               | mg/L     | 4.24  | meq/L | 1.0          | SM 2320 B   | 02/11/04 | 1718 RM |
| Carbonate as CO <sub>3</sub>          | <1.0              | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 02/11/04 | 1718 RM |
| Hydroxide as OH                       | <1.0              | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 02/11/04 | 1718 RM |
| Chloride                              | 4.8               | mg/L     | 0.14  | meq/L | 1.0          | EPA 300.0   | 02/13/04 | 0005 LK |
| Fluoride                              | 0.1               | mg/L     | 0.01  | meq/L | 0.1          | SM 4500-F-C | 02/11/04 | 1718 RM |
| Nitrate + Nitrite as N                | <0.1              | mg/L     | <0.01 | meq/L | 0.1          | EPA 353.2   | 02/12/04 | 1049 JF |
| Sulfate                               | 68.0              | mg/L     | 1.42  | meq/L | 1.0          | EPA 300.0   | 02/13/04 | 0005 LK |
| <b>Cations</b>                        |                   |          |       |       |              |             |          |         |
| Calcium                               | 22.0              | mg/L     | 1.10  | meq/L | 1.0          | EPA 200.7   | 02/12/04 | 0615 MH |
| Magnesium                             | 3.9               | mg/L     | 0.32  | meq/L | 1.0          | EPA 200.7   | 02/12/04 | 0615 MH |
| Potassium                             | 2.3               | mg/L     | 0.06  | meq/L | 1.0          | EPA 200.7   | 02/12/04 | 0615 MH |
| Sodium                                | 100               | mg/L     | 4.35  | meq/L | 0.2          | EPA 200.7   | 02/12/04 | 0615 MH |
| Cations                               |                   |          | 5.83  | meq/L | N/A          | SM 1030 F.  | 02/12/04 | 0615    |
| Anions                                |                   |          | 5.81  | meq/L | N/A          | SM 1030 F.  | 02/13/04 | 0005    |
| Cation/Anion Balance                  |                   |          | 0.17  | %     | N/A          | SM 1030 F.  | 02/12/04 | 0615    |

These results only apply to the samples tested.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.  
"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.  
U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.  
EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By:

  
Karen Barten, Project Manager

Report ID: 010401562

## WATER QUALITY REPORT

Client: COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644

Project: Christensen

Sample ID: 5BJ62-1

Lab ID: 0104W01566

Matrix: Water

Condition: Cool/Intact

Date Received: 02/10/04

Date Reported: 02/24/04

Date Sampled: 02/10/04

| Parameter               | Analytical Result | Units | Units | PQL    | Method    | Analysis |      |       |
|-------------------------|-------------------|-------|-------|--------|-----------|----------|------|-------|
|                         |                   |       |       |        |           | Date     | Time | Init. |
| <b>Dissolved Metals</b> |                   |       |       |        |           |          |      |       |
| Aluminum                | <0.1              | mg/L  |       | 0.1    | EPA 200.7 | 02/12/04 | 0725 | MH    |
| Arsenic                 | <0.005            | mg/L  |       | 0.005  | EPA 200.8 | 02/12/04 | 1227 | MS    |
| Barium                  | <0.5              | mg/L  |       | 0.5    | EPA 200.8 | 02/12/04 | 1227 | MS    |
| Boron                   | 0.05              | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0725 | MH    |
| Cadmium                 | <0.002            | mg/L  |       | 0.002  | EPA 200.8 | 02/12/04 | 1227 | MS    |
| Chromium                | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0725 | MH    |
| Copper                  | <0.01             | mg/L  |       | 0.01   | EPA 200.8 | 02/12/04 | 1227 | MS    |
| Iron                    | <0.05             | mg/L  |       | 0.05   | EPA 200.7 | 02/12/04 | 0725 | MH    |
| Lead                    | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/12/04 | 1227 | MS    |
| Manganese               | 0.05              | mg/L  |       | 0.02   | EPA 200.7 | 02/12/04 | 0725 | MH    |
| Mercury                 | <0.001            | mg/L  |       | 0.001  | EPA 245.1 | 02/13/04 | 0950 | MS    |
| Molybdenum              | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/12/04 | 1227 | MS    |
| Nickel                  | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0725 | MH    |
| Selenium                | 0.037             | mg/L  |       | 0.005  | EPA 200.8 | 02/12/04 | 1227 | MS    |
| Uranium                 | 1.45              | mg/L  |       | 0.0001 | EPA 200.8 | 02/12/04 | 1213 | MS    |
| Vanadium                | <0.1              | mg/L  |       | 0.1    | EPA 200.8 | 02/12/04 | 1227 | MS    |
| Zinc                    | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0725 | MH    |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals In Environmental Samples-Supplement I", May 1994

Reviewed By:



Karen Barten, Project Manager

Report ID: 010401602

## WATER QUALITY REPORT

Client: COGEMA Mining, Inc.

P.O. Box 730  
Mills, WY 82644

Project: Christensen

Sample ID: 5BJ54-1

Lab ID: 0104W01605

Matrix: Water

Condition: Cool/Intact

Date Received: 02/11/04

Date Reported: 02/24/04

Date Sampled: 02/11/04

| Parameter                      | Analytical Result | Units    | Units | PQL   | Method       | Analysis    |          |         |
|--------------------------------|-------------------|----------|-------|-------|--------------|-------------|----------|---------|
|                                |                   |          |       |       |              | Date        | Time     | Init.   |
| <b>General Parameters</b>      |                   |          |       |       |              |             |          |         |
| Lab pH                         | 7.4               | s.u.     |       | 0.1   | EPA 150.1    | 02/12/04    | 1657     | RM      |
| Lab Conductivity @ 25°C        | 1,120             | µmhos/cm |       | 5     | SM 2510 B    | 02/12/04    | 1657     | RM      |
| Total Dissolved Solids @ 180°C | 760               | mg/L     |       | 10    | SM 2540 C    | 02/12/04    | 1310     | SV      |
| Total Dissolved Solids(Calc)   | 680               | mg/L     |       | 10    | SM 1030 F.   | 02/17/04    | 0611     |         |
| Total Alkalinity as CaCO3      | 310               | mg/L     |       | 1.0   | SM 2320 B    | 02/12/04    | 1657     | RM      |
| Total Hardness as CaCO3        | 172               | mg/L     |       | 1.0   | SM 2340 B    | 02/13/04    | 0625     |         |
| Ammonia Nitrogen               | <0.1              | mg/L     |       | 0.1   | EPA 350.1    | 02/12/04    | 1654     | JF      |
| Nitrite as N                   | <0.1              | mg/L     |       | 0.1   | EPA 353.2    | 02/13/04    | 0833     | JF      |
| Radium 226                     | 456±17.1          | pCi/L    |       | 0.2   | SM 7500 Ra-B | 02/23/04    | 1503     | TP      |
| Silica as SiO2                 | 3.6               | mg/L     |       | 0.1   | EPA 200.7    | 02/13/04    | 0901     | MH      |
| Sodium Adsorption Ratio        | 5.9               |          |       | N/A   | Calculations | 02/17/04    | 0611     |         |
| <b>Anions</b>                  |                   |          |       |       |              |             |          |         |
| Bicarbonate as HCO3            | 378               | mg/L     | 6.19  | meq/L | 1.0          | SM 2320 B   | 02/12/04 | 1657 RM |
| Carbonate as CO3               | <1.0              | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 02/12/04 | 1657 RM |
| Hydroxide as OH                | <1.0              | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 02/12/04 | 1657 RM |
| Chloride                       | 14.5              | mg/L     | 0.41  | meq/L | 1.0          | EPA 300.0   | 02/13/04 | 0737 LK |
| Fluoride                       | <0.1              | mg/L     | <0.01 | meq/L | 0.1          | SM 4500-F-C | 02/12/04 | 1657 RM |
| Nitrate + Nitrite as N         | <0.1              | mg/L     | <0.01 | meq/L | 0.1          | EPA 353.2   | 01/16/04 | 1422 JF |
| Sulfate                        | 234               | mg/L     | 4.87  | meq/L | 1.0          | EPA 300.0   | 02/13/04 | 0737 LK |
| <b>Cations</b>                 |                   |          |       |       |              |             |          |         |
| Calcium                        | 51.6              | mg/L     | 2.57  | meq/L | 1.0          | EPA 200.7   | 02/13/04 | 0625 MH |
| Magnesium                      | 10.6              | mg/L     | 0.87  | meq/L | 1.0          | EPA 200.7   | 02/13/04 | 0625 MH |
| Potassium                      | 4.7               | mg/L     | 0.12  | meq/L | 1.0          | EPA 200.7   | 02/13/04 | 0625 MH |
| Sodium                         | 178               | mg/L     | 7.74  | meq/L | 0.2          | EPA 200.7   | 02/17/04 | 0611 MH |
| Catons                         |                   |          | 11.30 | meq/L | N/A          | SM 1030 F.  | 02/17/04 | 0611    |
| Anions                         |                   |          | 11.47 | meq/L | N/A          | SM 1030 F.  | 02/13/04 | 0737    |
| Cation/Anion Balance           |                   |          | 0.75  | %     | N/A          | SM 1030 F.  | 02/17/04 | 0611    |

These results only apply to the samples tested.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.

"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.

U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.

EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By:

  
 Karen Barten, Project Manager

Report ID: 010401602

## WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
P.O. Box 730  
Mills, WY 82644Project: **Christensen**

Sample ID: 5BJ54-1

Lab ID: 0104W01605

Matrix: Water

Condition: Cool/Intact

Date Received: 02/11/04

Date Reported: 02/24/04


Date Sampled: 02/11/04

| Parameter               | Analytical Result | Units | Units | PQL    | Method    | Analysis |      |       |
|-------------------------|-------------------|-------|-------|--------|-----------|----------|------|-------|
|                         |                   |       |       |        |           | Date     | Time | Init. |
| <b>Dissolved Metals</b> |                   |       |       |        |           |          |      |       |
| Aluminum                | <0.1              | mg/L  |       | 0.1    | EPA 200.7 | 02/13/04 | 0901 | MH    |
| Arsenic                 | 0.016             | mg/L  |       | 0.005  | EPA 200.8 | 02/13/04 | 0810 | JB    |
| Barium                  | <0.5              | mg/L  |       | 0.5    | EPA 200.8 | 02/13/04 | 0810 | JB    |
| Boron                   | 0.06              | mg/L  |       | 0.01   | EPA 200.7 | 02/13/04 | 0901 | MH    |
| Cadmium                 | <0.002            | mg/L  |       | 0.002  | EPA 200.8 | 02/13/04 | 0810 | JB    |
| Chromium                | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/13/04 | 0901 | MH    |
| Copper                  | <0.01             | mg/L  |       | 0.01   | EPA 200.8 | 02/13/04 | 0810 | JB    |
| Iron                    | 0.17              | mg/L  |       | 0.05   | EPA 200.7 | 02/13/04 | 0901 | MH    |
| Lead                    | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/13/04 | 0810 | JB    |
| Manganese               | 0.15              | mg/L  |       | 0.02   | EPA 200.7 | 02/13/04 | 0901 | MH    |
| Mercury                 | <0.001            | mg/L  |       | 0.001  | EPA 245.1 | 02/18/04 | 0935 | MS    |
| Molybdenum              | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/13/04 | 0810 | JB    |
| Nickel                  | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/13/04 | 0901 | MH    |
| Selenium                | 0.208             | mg/L  |       | 0.005  | EPA 200.8 | 02/13/04 | 0810 | JB    |
| Uranium                 | 1.60              | mg/L  |       | 0.0001 | EPA 200.8 | 02/13/04 | 0810 | JB    |
| Vanadium                | <0.1              | mg/L  |       | 0.1    | EPA 200.8 | 02/13/04 | 0810 | JB    |
| Zinc                    | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/13/04 | 0901 | MH    |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By:

  
 Karen Barten, Project Manager

Report ID: 010401562

**WATER QUALITY REPORT**

**Client:** COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644

**Project:** Christensen  
**Sample ID:** 5BH58-2  
**Lab ID:** 0104W01568  
**Matrix:** Water  
**Condition:** Cool/Intact

**Date Received:** 02/10/04  
**Date Reported:** 02/24/04  
**Date Sampled:** 02/10/04

| Parameter                      | Analytical Result | Units    | Units   | PQL   | Method       | Analysis    |          |       |    |
|--------------------------------|-------------------|----------|---------|-------|--------------|-------------|----------|-------|----|
|                                |                   |          |         |       |              | Date        | Time     | Init. |    |
| <b>General Parameters</b>      |                   |          |         |       |              |             |          |       |    |
| Lab pH                         | 8.5               | s.u.     |         | 0.1   | EPA 150.1    | 02/11/04    | 1617     | RM    |    |
| Lab Conductivity @ 25°C        | 496               | µmhos/cm |         | 5     | SM 2510 B    | 02/11/04    | 1740     | RM    |    |
| Total Dissolved Solids @ 180°C | 320               | mg/L     |         | 10    | SM 2540 C    | 02/11/04    | 1100     | SV    |    |
| Total Dissolved Solids(Calc)   | 300               | mg/L     |         | 10    | SM 1030 F.   | 02/13/04    | 0005     |       |    |
| Total Alkalinity as CaCO3      | 229               | mg/L     |         | 1.0   | SM 2320 B    | 02/11/04    | 1740     | RM    |    |
| Total Hardness as CaCO3        | 39.5              | mg/L     |         | 1.0   | SM 2340 B    | 02/12/04    | 0615     |       |    |
| Ammonia Nitrogen               | 0.4               | mg/L     |         | 0.1   | EPA 350.1    | 02/12/04    | 1626     | JF    |    |
| Nitrite as N                   | <0.1              | mg/L     |         | 0.1   | EPA 353.2    | 02/11/04    | 1354     | KB    |    |
| Radium 226                     | 455±15.5          | pCi/L    |         | 0.2   | SM 7500 Ra-B | 02/18/04    | 1629     | TP    |    |
| Silica as SiO2                 | 2.8               | mg/L     |         | 0.1   | EPA 200.7    | 02/12/04    | 0615     | MH    |    |
| Sodium Adsorption Ratio        | 6.8               |          |         | N/A   | Calculations | 02/12/04    | 0615     |       |    |
| <b>Anions</b>                  |                   |          |         |       |              |             |          |       |    |
| Bicarbonate as HCO3            | 261               | mg/L     | 4.28    | meq/L | 1.0          | SM 2320 B   | 02/11/04 | 1740  | RM |
| Carbonate as CO3               | 9.0               | mg/L     | 0.30    | meq/L | 1.0          | SM 2320 B   | 02/11/04 | 1740  | RM |
| Hydroxide as OH                | <1.0              | mg/L     | <0.01   | meq/L | 1.0          | SM 2320 B   | 02/11/04 | 1740  | RM |
| Chloride                       | 3.3               | mg/L     | 0.09    | meq/L | 1.0          | EPA 300.0   | 02/13/04 | 0005  | LK |
| Fluoride                       | 0.2               | mg/L     | 0.01    | meq/L | 0.1          | SM 4500-F-C | 02/11/04 | 1740  | RM |
| Nitrate + Nitrite as N         | <0.1              | mg/L     | <0.01   | meq/L | 0.1          | EPA 353.2   | 02/12/04 | 1051  | JF |
| Sulfate                        | 42.7              | mg/L     | 0.89    | meq/L | 1.0          | EPA 300.0   | 02/17/04 | 0005  | LK |
| <b>Cations</b>                 |                   |          |         |       |              |             |          |       |    |
| Calcium                        | 12.3              | mg/L     | 0.61    | meq/L | 1.0          | EPA 200.7   | 02/17/04 | 0611  | MH |
| Magnesium                      | 2.2               | mg/L     | 0.18    | meq/L | 1.0          | EPA 200.7   | 02/17/04 | 0611  | MH |
| Potassium                      | 2.2               | mg/L     | 0.06    | meq/L | 1.0          | EPA 200.7   | 02/12/04 | 0615  | MH |
| Sodium                         | 97.8              | mg/L     | 4.25    | meq/L | 0.2          | EPA 200.7   | 02/12/04 | 0615  | MH |
| Cations                        |                   |          | 5.10    | meq/L | N/A          | SM 1030 F.  | 02/12/04 | 0615  |    |
| Anions                         |                   |          | 5.57    | meq/L | N/A          | SM 1030 F.  | 02/13/04 | 0005  |    |
| Cation/Anion Balance           |                   |          | 4.40 AN | %     | N/A          | SM 1030 F.  | 02/12/04 | 0615  |    |

These results only apply to the samples tested. AN - Analysis repeated with no significant changes.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.  
"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.  
U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.  
EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By: Karen Barten  
Karen Barten, Project Manager



Report ID: 010401562

## WATER QUALITY REPORT

Client: COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644

Project: Christensen

Sample ID: 5BH58-2

Lab ID: 0104W01568

Matrix: Water

Condition: Cool/Intact

Date Received: 02/10/04

Date Reported: 02/24/04

Date Sampled: 02/10/04

| Parameter               | Analytical Result | Units | Units | PQL    | Method    | Analysis |      |       |
|-------------------------|-------------------|-------|-------|--------|-----------|----------|------|-------|
|                         |                   |       |       |        |           | Date     | Time | Init. |
| <b>Dissolved Metals</b> |                   |       |       |        |           |          |      |       |
| Aluminum                | <0.1              | mg/L  |       | 0.1    | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Arsenic                 | 0.027             | mg/L  |       | 0.005  | EPA 200.8 | 02/12/04 | 1333 | MS    |
| Barium                  | <0.5              | mg/L  |       | 0.5    | EPA 200.8 | 02/12/04 | 1333 | MS    |
| Boron                   | 0.04              | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Cadmium                 | <0.002            | mg/L  |       | 0.002  | EPA 200.8 | 02/12/04 | 1333 | MS    |
| Chromium                | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Copper                  | <0.01             | mg/L  |       | 0.01   | EPA 200.8 | 02/12/04 | 1333 | MS    |
| Iron                    | <0.05             | mg/L  |       | 0.05   | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Lead                    | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/12/04 | 1333 | MS    |
| Manganese               | <0.02             | mg/L  |       | 0.02   | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Mercury                 | <0.001            | mg/L  |       | 0.001  | EPA 245.1 | 02/13/04 | 0950 | MS    |
| Molybdenum              | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/12/04 | 1333 | MS    |
| Nickel                  | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Selenium                | 0.123             | mg/L  |       | 0.005  | EPA 200.8 | 02/12/04 | 1333 | MS    |
| Uranium                 | 1.29              | mg/L  |       | 0.0001 | EPA 200.8 | 02/12/04 | 1213 | MS    |
| Vanadium                | 0.1               | mg/L  |       | 0.1    | EPA 200.8 | 02/12/04 | 1333 | MS    |
| Zinc                    | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0615 | MH    |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By:



Karen Barten, Project Manager

Report ID: 010401562

## WATER QUALITY REPORT

Client: COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644Project: Christensen  
Sample ID: 5BG46-1  
Lab ID: 0104W01569  
Matrix: Water  
Condition: Cool/IntactDate Received: 02/10/04  
Date Reported: 02/24/04  
Date Sampled: 02/10/04

| Parameter                             | Analytical |          | Units | Units | PQL | Method       | Analysis |         |
|---------------------------------------|------------|----------|-------|-------|-----|--------------|----------|---------|
|                                       | Result     | Units    |       |       |     |              | Date     | Time    |
| <b>General Parameters</b>             |            |          |       |       |     |              |          |         |
| Lab pH                                | 8.1        | s.u.     |       |       | 0.1 | EPA 150.1    | 02/11/04 | 1617 RM |
| Lab Conductivity @ 25°C               | 368        | µmhos/cm |       |       | 5   | SM 2510 B    | 02/11/04 | 1752 RM |
| Total Dissolved Solids @ 180°C        | 240        | mg/L     |       |       | 10  | SM 2540 C    | 02/11/04 | 1100 SV |
| Total Dissolved Solids(Calc)          | 230        | mg/L     |       |       | 10  | SM 1030 F.   | 02/13/04 | 0005    |
| Total Alkalinity as CaCO <sub>3</sub> | 149        | mg/L     |       |       | 1.0 | SM 2320 B    | 02/11/04 | 1752 RM |
| Total Hardness as CaCO <sub>3</sub>   | 35.5       | mg/L     |       |       | 1.0 | SM 2340 B    | 02/12/04 | 0615    |
| Ammonia Nitrogen                      | 0.1        | mg/L     |       |       | 0.1 | EPA 350.1    | 02/12/04 | 1627 JF |
| Nitrite as N                          | <0.1       | mg/L     |       |       | 0.1 | EPA 353.2    | 02/11/04 | 1354 KB |
| Radium 226                            | 197±9.7    | pCi/L    |       |       | 0.2 | SM 7500 Ra-B | 02/18/04 | 1629 TP |
| Silica as SiO <sub>2</sub>            | 2.5        | mg/L     |       |       | 0.1 | EPA 200.7    | 02/12/04 | 0615 MH |
| Sodium Adsorption Ratio               | 5.5        |          |       |       | N/A | Calculations | 02/12/04 | 0615    |
| <b>Anions</b>                         |            |          |       |       |     |              |          |         |
| Bicarbonate as HCO <sub>3</sub>       | 182        | mg/L     | 2.98  | meq/L | 1.0 | SM 2320 B    | 02/11/04 | 1752 RM |
| Carbonate as CO <sub>3</sub>          | <1.0       | mg/L     | <0.01 | meq/L | 1.0 | SM 2320 B    | 02/11/04 | 1752 RM |
| Hydroxide as OH                       | <1.0       | mg/L     | <0.01 | meq/L | 1.0 | SM 2320 B    | 02/11/04 | 1752 RM |
| Chloride                              | 3.6        | mg/L     | 0.10  | meq/L | 1.0 | EPA 300.0    | 02/13/04 | 0005 LK |
| Fluoride                              | 0.2        | mg/L     | 0.01  | meq/L | 0.1 | SM 4500-F-C  | 02/11/04 | 1752 RM |
| Nitrate + Nitrite as N                | <0.1       | mg/L     | <0.01 | meq/L | 0.1 | EPA 353.2    | 02/12/04 | 1052 JF |
| Sulfate                               | 49.3       | mg/L     | 1.03  | meq/L | 1.0 | EPA 300.0    | 02/13/04 | 0005 LK |
| <b>Cations</b>                        |            |          |       |       |     |              |          |         |
| Calcium                               | 10.6       | mg/L     | 0.53  | meq/L | 1.0 | EPA 200.7    | 02/12/04 | 0615 MH |
| Magnesium                             | 2.2        | mg/L     | 0.18  | meq/L | 1.0 | EPA 200.7    | 02/12/04 | 0615 MH |
| Potassium                             | 1.8        | mg/L     | 0.05  | meq/L | 1.0 | EPA 200.7    | 02/12/04 | 0615 MH |
| Sodium                                | 75.0       | mg/L     | 3.26  | meq/L | 0.2 | EPA 200.7    | 02/12/04 | 0615 MH |
| Cations                               |            |          | 4.02  | meq/L | N/A | SM 1030 F.   | 02/12/04 | 0615    |
| Anions                                |            |          | 4.12  | meq/L | N/A | SM 1030 F.   | 02/13/04 | 0005    |
| Cation/Anion Balance                  |            |          | 1.23  | %     | N/A | SM 1030 F.   | 02/12/04 | 0615    |

These results only apply to the samples tested.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.

"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.

U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.

EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By: Karen Barten  
Karen Barten, Project Manager

Report ID: 010401562

## WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
P.O. Box 730  
Mills, WY 82644Project: **Christensen**

Sample ID: 5BG46-1

Lab ID: 0104W01569

Matrix: Water

Condition: Cool/Intact

Date Received: 02/10/04

Date Reported: 02/24/04


Date Sampled: 02/10/04

| Parameter               | Analytical<br>Result | Units | Units | PQL    | Method    | Analysis |      |       |
|-------------------------|----------------------|-------|-------|--------|-----------|----------|------|-------|
|                         |                      |       |       |        |           | Date     | Time | Init. |
| <b>Dissolved Metals</b> |                      |       |       |        |           |          |      |       |
| Aluminum                | <0.1                 | mg/L  |       | 0.1    | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Arsenic                 | <0.005               | mg/L  |       | 0.005  | EPA 200.8 | 02/12/04 | 1234 | MS    |
| Barium                  | <0.5                 | mg/L  |       | 0.5    | EPA 200.8 | 02/12/04 | 1234 | MS    |
| Boron                   | 0.06                 | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Cadmium                 | <0.002               | mg/L  |       | 0.002  | EPA 200.8 | 02/12/04 | 1234 | MS    |
| Chromium                | <0.01                | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Copper                  | <0.01                | mg/L  |       | 0.01   | EPA 200.8 | 02/12/04 | 1234 | MS    |
| Iron                    | <0.05                | mg/L  |       | 0.05   | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Lead                    | <0.02                | mg/L  |       | 0.02   | EPA 200.8 | 02/12/04 | 1234 | MS    |
| Manganese               | 0.02                 | mg/L  |       | 0.02   | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Mercury                 | <0.001               | mg/L  |       | 0.001  | EPA 245.1 | 02/13/04 | 0950 | MS    |
| Molybdenum              | <0.02                | mg/L  |       | 0.02   | EPA 200.8 | 02/12/04 | 1234 | MS    |
| Nickel                  | <0.01                | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Selenium                | 0.078                | mg/L  |       | 0.005  | EPA 200.8 | 02/12/04 | 1234 | MS    |
| Uranium                 | 0.732                | mg/L  |       | 0.0001 | EPA 200.8 | 02/12/04 | 1213 | MS    |
| Vanadium                | <0.1                 | mg/L  |       | 0.1    | EPA 200.8 | 02/12/04 | 1234 | MS    |
| Zinc                    | <0.01                | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0615 | MH    |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By:



Karen Barten, Project Manager

Report ID: 010401562

## WATER QUALITY REPORT

Client: COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644

Project: Christensen

Sample ID: 5BD50-1

Lab ID: 0104W01565

Matrix: Water

Condition: Cool/Intact

Date Received: 02/10/04

Date Reported: 02/24/04

Date Sampled: 02/10/04

| Parameter                      | Analytical Result | Units    | Units | PQL   | Method       | Analysis    |          |         |
|--------------------------------|-------------------|----------|-------|-------|--------------|-------------|----------|---------|
|                                |                   |          |       |       |              | Date        | Time     | Init.   |
| <b>General Parameters</b>      |                   |          |       |       |              |             |          |         |
| Lab pH                         | 8.0               | s.u.     |       | 0.1   | EPA 150.1    | 02/11/04    | 1617     | RM      |
| Lab Conductivity @ 25°C        | 468               | µmhos/cm |       | 5     | SM 2510 B    | 02/11/04    | 1706     | RM      |
| Total Dissolved Solids @ 180°C | 300               | mg/L     |       | 10    | SM 2540 C    | 02/11/04    | 1100     | SV      |
| Total Dissolved Solids(Calc)   | 300               | mg/L     |       | 10    | SM 1030 F.   | 02/13/04    | 0005     |         |
| Total Alkalinity as CaCO3      | 181               | mg/L     |       | 1.0   | SM 2320 B    | 02/11/04    | 1706     | RM      |
| Total Hardness as CaCO3        | 37.0              | mg/L     |       | 1.0   | SM 2340 B    | 02/12/04    | 0615     |         |
| Ammonia Nitrogen               | <0.1              | mg/L     |       | 0.1   | EPA 350.1    | 02/12/04    | 1623     | JF      |
| Nitrite as N                   | <0.1              | mg/L     |       | 0.1   | EPA 353.2    | 02/11/04    | 1354     | KB      |
| Radium 226                     | 89.9±7.1          | pCi/L    |       | 0.2   | SM 7500 Ra-B | 02/18/04    | 1629     | TP      |
| Silica as SiO2                 | 2.4               | mg/L     |       | 0.1   | EPA 200.7    | 02/12/04    | 0722     | MH      |
| Sodium Adsorption Ratio        | 7.2               |          |       | N/A   | Calculations | 02/12/04    | 0615     |         |
| <b>Anions</b>                  |                   |          |       |       |              |             |          |         |
| Bicarbonate as HCO3            | 220               | mg/L     | 3.61  | meq/L | 1.0          | SM 2320 B   | 02/11/04 | 1706 RM |
| Carbonate as CO3               | <1.0              | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 02/11/04 | 1706 RM |
| Hydroxide as OH                | <1.0              | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 02/11/04 | 1706 RM |
| Chloride                       | 4.9               | mg/L     | 0.14  | meq/L | 1.0          | EPA 300.0   | 02/13/04 | 0005 LK |
| Fluoride                       | 0.2               | mg/L     | 0.01  | meq/L | 0.1          | SM 4500-F-C | 02/11/04 | 1706 RM |
| Nitrate + Nitrite as N         | <0.1              | mg/L     | <0.01 | meq/L | 0.1          | EPA 353.2   | 02/12/04 | 1048 JF |
| Sulfate                        | 65.2              | mg/L     | 1.36  | meq/L | 1.0          | EPA 300.0   | 02/13/04 | 0005 LK |
| <b>Cations</b>                 |                   |          |       |       |              |             |          |         |
| Calcium                        | 11.3              | mg/L     | 0.56  | meq/L | 1.0          | EPA 200.7   | 02/12/04 | 0615 MH |
| Magnesium                      | 2.2               | mg/L     | 0.18  | meq/L | 1.0          | EPA 200.7   | 02/12/04 | 0615 MH |
| Potassium                      | 2.2               | mg/L     | 0.06  | meq/L | 1.0          | EPA 200.7   | 02/12/04 | 0615 MH |
| Sodium                         | 101               | mg/L     | 4.39  | meq/L | 0.2          | EPA 200.7   | 02/12/04 | 0615 MH |
| Cations                        |                   |          | 5.19  | meq/L | N/A          | SM 1030 F.  | 02/12/04 | 0615    |
| Anions                         |                   |          | 5.12  | meq/L | N/A          | SM 1030 F.  | 02/13/04 | 0005    |
| Cation/Anion Balance           |                   |          | 0.68  | %     | N/A          | SM 1030 F.  | 02/12/04 | 0615    |

These results only apply to the samples tested.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.

"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.

U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.

EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By:


  
Karen Barten, Project Manager

Report ID: 010401562

## WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
P.O. Box 730  
Mills, WY 82644Project: **Christensen**  
Sample ID: 5BD50-1  
Lab ID: 0104W01565  
Matrix: Water  
Condition: Cool/IntactDate Received: 02/10/04  
Date Reported: 02/24/04  
Date Sampled: 02/10/04

| Parameter               | Analytical Result | Units | Units | PQL    | Method    | Analysis |      |       |
|-------------------------|-------------------|-------|-------|--------|-----------|----------|------|-------|
|                         |                   |       |       |        |           | Date     | Time | Init. |
| <b>Dissolved Metals</b> |                   |       |       |        |           |          |      |       |
| Aluminum                | <0.1              | mg/L  |       | 0.1    | EPA 200.7 | 02/12/04 | 0722 | MH    |
| Arsenic                 | 0.023             | mg/L  |       | 0.005  | EPA 200.8 | 02/12/04 | 1338 | MS    |
| Barium                  | <0.5              | mg/L  |       | 0.5    | EPA 200.8 | 02/12/04 | 1338 | MS    |
| Boron                   | 0.04              | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0722 | MH    |
| Cadmium                 | <0.002            | mg/L  |       | 0.002  | EPA 200.8 | 02/12/04 | 1338 | MS    |
| Chromium                | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0722 | MH    |
| Copper                  | <0.01             | mg/L  |       | 0.01   | EPA 200.8 | 02/12/04 | 1338 | MS    |
| Iron                    | <0.05             | mg/L  |       | 0.05   | EPA 200.7 | 02/12/04 | 0722 | MH    |
| Lead                    | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/12/04 | 1338 | MS    |
| Manganese               | 0.02              | mg/L  |       | 0.02   | EPA 200.7 | 02/12/04 | 0722 | MH    |
| Mercury                 | <0.001            | mg/L  |       | 0.001  | EPA 245.1 | 02/13/04 | 0950 | MS    |
| Molybdenum              | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/12/04 | 1338 | MS    |
| Nickel                  | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0722 | MH    |
| Selenium                | 1.16              | mg/L  |       | 0.005  | EPA 200.8 | 02/12/04 | 1338 | MS    |
| Uranium                 | 3.29              | mg/L  |       | 0.0001 | EPA 200.8 | 02/12/04 | 1213 | MS    |
| Vanadium                | 0.3               | mg/L  |       | 0.1    | EPA 200.8 | 02/12/04 | 1338 | MS    |
| Zinc                    | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0722 | MH    |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By:



Karen Barten, Project Manager

Report ID: 010401562

## WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
P.O. Box 730  
Mills, WY 82644Project: **Christensen**  
Sample ID: TW0001  
Lab ID: 0104W01562  
Matrix: Water  
Condition: Cool/IntactDate Received: 02/10/04  
Date Reported: 02/24/04  
Date Sampled: 02/09/04

| Parameter                             | Analytical Result | Units    | Units | PQL   | Method       | Analysis    |          |         |
|---------------------------------------|-------------------|----------|-------|-------|--------------|-------------|----------|---------|
|                                       |                   |          |       |       |              | Date        | Time     | Init.   |
| <b>General Parameters</b>             |                   |          |       |       |              |             |          |         |
| Lab pH                                | 8.0               | s.u.     |       | 0.1   | EPA 150.1    | 02/11/04    | 1617     | RM      |
| Lab Conductivity @ 25°C               | 412               | µmhos/cm |       | 5     | SM 2510 B    | 02/11/04    | 1617     | RM      |
| Total Dissolved Solids @ 180°C        | 270               | mg/L     |       | 10    | SM 2540 C    | 02/11/04    | 1100     | SV      |
| Total Dissolved Solids(Calc)          | 260               | mg/L     |       | 10    | SM 1030 F.   | 02/13/04    | 0005     |         |
| Total Alkalinity as CaCO <sub>3</sub> | 142               | mg/L     |       | 1.0   | SM 2320 B    | 02/11/04    | 1617     | RM      |
| Total Hardness as CaCO <sub>3</sub>   | 34.0              | mg/L     |       | 1.0   | SM 2340 B    | 02/12/04    | 0615     |         |
| Ammonia Nitrogen                      | 0.3               | mg/L     |       | 0.1   | EPA 350.1    | 02/12/04    | 1619     | JF      |
| Nitrite as N                          | <0.1              | mg/L     |       | 0.1   | EPA 353.2    | 02/11/04    | 1354     | KB      |
| Radium 226                            | 89.6±6.7          | pCi/L    |       | 0.2   | SM 7500 Ra-B | 02/18/04    | 1629     | TP      |
| Silica as SiO <sub>2</sub>            | 3.9               | mg/L     |       | 0.1   | EPA 200.7    | 02/12/04    | 0710     | MH      |
| Sodium Adsorption Ratio               | 6.4               |          |       | N/A   | Calculations | 02/12/04    | 0615     |         |
| <b>Anions</b>                         |                   |          |       |       |              |             |          |         |
| Bicarbonate as HCO <sub>3</sub>       | 173               | mg/L     | 2.84  | meq/L | 1.0          | SM 2320 B   | 02/11/04 | 1617 RM |
| Carbonate as CO <sub>3</sub>          | <1.0              | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 02/11/04 | 1617 RM |
| Hydroxide as OH                       | <1.0              | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 02/11/04 | 1617 RM |
| Chloride                              | 4.2               | mg/L     | 0.12  | meq/L | 1.0          | EPA 300.0   | 02/13/04 | 0005 LK |
| Fluoride                              | 0.2               | mg/L     | 0.01  | meq/L | 0.1          | SM 4500-F-C | 02/11/04 | 1617 RM |
| Nitrate + Nitrite as N                | <0.1              | mg/L     | 0.01  | meq/L | 0.1          | EPA 353.2   | 02/12/04 | 1043 JF |
| Sulfate                               | 68.6              | mg/L     | 1.43  | meq/L | 1.0          | EPA 300.0   | 02/13/04 | 0005 LK |
| <b>Cations</b>                        |                   |          |       |       |              |             |          |         |
| Calcium                               | 10.2              | mg/L     | 0.51  | meq/L | 1.0          | EPA 200.7   | 02/12/04 | 0615 MH |
| Magnesium                             | 2.1               | mg/L     | 0.17  | meq/L | 1.0          | EPA 200.7   | 02/12/04 | 0615 MH |
| Potassium                             | 1.9               | mg/L     | 0.05  | meq/L | 1.0          | EPA 200.7   | 02/12/04 | 0615 MH |
| Sodium                                | 85.1              | mg/L     | 3.70  | meq/L | 0.2          | EPA 200.7   | 02/12/04 | 0615 MH |
| Cations                               |                   |          | 4.43  | meq/L | N/A          | SM 1030 F.  | 02/12/04 | 0615    |
| Anions                                |                   |          | 4.40  | meq/L | N/A          | SM 1030 F.  | 02/13/04 | 0005    |
| Cation/Anion Balance                  |                   |          | 0.34  | %     | N/A          | SM 1030 F.  | 02/12/04 | 0615    |

These results only apply to the samples tested.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.  
"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.  
U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.  
EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.Reviewed By: Karen Barten  
Karen Barten, Project Manager

Report ID: 010401562

## WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
P.O. Box 730  
Mills, WY 82644Project: **Christensen**  
Sample ID: TW0001  
Lab ID: 0104W01562  
Matrix: Water  
Condition: Cool/IntactDate Received: 02/10/04  
Date Reported: 02/24/04  
Date Sampled: 02/09/04

| Parameter               | Analytical Result | Units | Units | PQL    | Method    | Analysis |      |       |
|-------------------------|-------------------|-------|-------|--------|-----------|----------|------|-------|
|                         |                   |       |       |        |           | Date     | Time | Init. |
| <b>Dissolved Metals</b> |                   |       |       |        |           |          |      |       |
| Aluminum                | <0.1              | mg/L  |       | 0.1    | EPA 200.7 | 02/12/04 | 0710 | MH    |
| Arsenic                 | <0.005            | mg/L  |       | 0.005  | EPA 200.8 | 02/12/04 | 1213 | MS    |
| Barium                  | <0.5              | mg/L  |       | 0.5    | EPA 200.8 | 02/12/04 | 1213 | MS    |
| Boron                   | 0.07              | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0710 | MH    |
| Cadmium                 | <0.002            | mg/L  |       | 0.002  | EPA 200.8 | 02/12/04 | 1213 | MS    |
| Chromium                | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0710 | MH    |
| Copper                  | <0.01             | mg/L  |       | 0.01   | EPA 200.8 | 02/12/04 | 1213 | MS    |
| Iron                    | <0.05             | mg/L  |       | 0.05   | EPA 200.7 | 02/12/04 | 0710 | MH    |
| Lead                    | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/12/04 | 1213 | MS    |
| Manganese               | <0.02             | mg/L  |       | 0.02   | EPA 200.7 | 02/12/04 | 0710 | MH    |
| Mercury                 | <0.001            | mg/L  |       | 0.001  | EPA 245.1 | 02/13/04 | 0950 | MS    |
| Molybdenum              | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/12/04 | 1213 | MS    |
| Nickel                  | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0710 | MH    |
| Selenium                | 0.331             | mg/L  |       | 0.005  | EPA 200.8 | 02/12/04 | 1213 | MS    |
| Uranium                 | 0.196             | mg/L  |       | 0.0001 | EPA 200.8 | 02/12/04 | 1213 | MS    |
| Vanadium                | 0.1               | mg/L  |       | 0.1    | EPA 200.8 | 02/12/04 | 1213 | MS    |
| Zinc                    | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0710 | MH    |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By:



Karen Barten, Project Manager

Report ID: 010401562

**WATER QUALITY REPORT**

**Client:** COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644

**Project:** Christensen  
**Sample ID:** MW07  
**Lab ID:** 0104W01563  
**Matrix:** Water  
**Condition:** Cool/Intact

**Date Received:** 02/10/04  
**Date Reported:** 02/24/04  
**Date Sampled:** 02/09/04

| Parameter                      | Analytical Result | Units    | Units | PQL   | Method       | Analysis    |          |         |
|--------------------------------|-------------------|----------|-------|-------|--------------|-------------|----------|---------|
|                                |                   |          |       |       |              | Date        | Time     | Init.   |
| <b>General Parameters</b>      |                   |          |       |       |              |             |          |         |
| Lab pH                         | 7.8               | s.u.     |       | 0.1   | EPA 150.1    | 02/11/04    | 1617     | RM      |
| Lab Conductivity @ 25°C        | 1,360             | µmhos/cm |       | 5     | SM 2510 B    | 02/11/04    | 1630     | RM      |
| Total Dissolved Solids @ 180°C | 930               | mg/L     |       | 10    | SM 2540 C    | 02/11/04    | 1100     | SV      |
| Total Dissolved Solids(Calc)   | 890               | mg/L     |       | 10    | SM 1030 F.   | 02/13/04    | 0005     |         |
| Total Alkalinity as CaCO3      | 478               | mg/L     |       | 1.0   | SM 2320 B    | 02/11/04    | 1630     | RM      |
| Total Hardness as CaCO3        | 210               | mg/L     |       | 1.0   | SM 2340 B    | 02/12/04    | 0615     |         |
| Ammonia Nitrogen               | 0.1               | mg/L     |       | 0.1   | EPA 350.1    | 02/12/04    | 1620     | JF      |
| Nitrite as N                   | <0.1              | mg/L     |       | 0.1   | EPA 353.2    | 02/11/04    | 1354     | KB      |
| Radium 226                     | 352±13.5          | pCi/L    |       | 0.2   | SM 7500 Ra-B | 02/18/04    | 1629     | TP      |
| Silica as SiO2                 | 3.7               | mg/L     |       | 0.1   | EPA 200.7    | 02/12/04    | 0713     | MH      |
| Sodium Adsorption Ratio        | 7.7               |          |       | N/A   | Calculations | 02/12/04    | 0615     |         |
| <b>Anions</b>                  |                   |          |       |       |              |             |          |         |
| Bicarbonate as HCO3            | 583               | mg/L     | 9.55  | meq/L | 1.0          | SM 2320 B   | 02/11/04 | 1630 RM |
| Carbonate as CO3               | <1.0              | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 02/11/04 | 1630 RM |
| Hydroxide as OH                | <1.0              | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 02/11/04 | 1630 RM |
| Chloride                       | 22.5              | mg/L     | 0.63  | meq/L | 1.0          | EPA 300.0   | 02/13/04 | 0005 LK |
| Fluoride                       | <0.1              | mg/L     | <0.01 | meq/L | 0.1          | SM 4500-F-C | 02/11/04 | 1630 RM |
| Nitrate + Nitrite as N         | <0.1              | mg/L     | <0.01 | meq/L | 0.1          | EPA 353.2   | 02/12/04 | 1045 JF |
| Sulfate                        | 246               | mg/L     | 5.11  | meq/L | 1.0          | EPA 300.0   | 02/13/04 | 0005 LK |
| <b>Cations</b>                 |                   |          |       |       |              |             |          |         |
| Calcium                        | 62.3              | mg/L     | 3.11  | meq/L | 1.0          | EPA 200.7   | 02/12/04 | 0615 MH |
| Magnesium                      | 13.3              | mg/L     | 1.09  | meq/L | 1.0          | EPA 200.7   | 02/12/04 | 0615 MH |
| Potassium                      | 5.5               | mg/L     | 0.14  | meq/L | 1.0          | EPA 200.7   | 02/12/04 | 0615 MH |
| Sodium                         | 256               | mg/L     | 11.14 | meq/L | 0.2          | EPA 200.7   | 02/12/04 | 0615 MH |
| Cations                        |                   |          | 15.48 | meq/L | N/A          | SM 1030 F.  | 02/12/04 | 0615    |
| Anions                         |                   |          | 15.29 | meq/L | N/A          | SM 1030 F.  | 02/13/04 | 0005    |
| Cation/Anion Balance           |                   |          | 0.62  | %     | N/A          | SM 1030 F.  | 02/12/04 | 0615    |

These results only apply to the samples tested.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.  
"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.  
U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.  
EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By: Karen Barten  
Karen Barten, Project Manager



Quality Control Report  
Duplicate Analysis

Client: COGEMA Mining, Inc.  
 Project: Christensen  
 Sample ID: MW07  
 Lab ID: 0104W01563  
 Matrix: Water  
 Condition: Cool/Intact

Report Date: 02/24/04  
 Receipt Date: 02/10/04  
 Sample Date: 02/09/04

| Parameter               | Original Conc. | Duplicate Conc. | Relative % Diff. | PQL    | Units |
|-------------------------|----------------|-----------------|------------------|--------|-------|
| <b>Dissolved Metals</b> |                |                 |                  |        |       |
| Aluminum                | <0.1           | <0.1            | NC*              | 0.1    | mg/L  |
| Arsenic                 | 0.022          | 0.022           | 0.000**          | 0.005  | mg/L  |
| Barium                  | <0.5           | <0.5            | NC*              | 0.5    | mg/L  |
| Boron                   | 0.06           | 0.06            | 0                | 0.01   | mg/L  |
| Cadmium                 | <0.002         | <0.002          | NC*              | 0.002  | mg/L  |
| Chromium                | <0.01          | <0.01           | NC*              | 0.01   | mg/L  |
| Copper                  | <0.01          | <0.01           | NC*              | 0.01   | mg/L  |
| Iron                    | 0.16           | 0.17            | 0.01**           | 0.05   | mg/L  |
| Lead                    | <0.02          | <0.02           | NC*              | 0.02   | mg/L  |
| Manganese               | 0.44           | 0.44            | 0                | 0.02   | mg/L  |
| Mercury                 | <0.001         | <0.001          | NC*              | 0.001  | mg/L  |
| Molybdenum              | <0.02          | <0.02           | NC*              | 0.02   | mg/L  |
| Nickel                  | <0.01          | <0.01           | NC*              | 0.01   | mg/L  |
| Selenium                | 3.76           | 3.80            | 1                | 0.005  | mg/L  |
| Uranium                 | 2.85           | 2.94            | 3                | 0.0001 | mg/L  |
| Vanadium                | <0.1           | <0.1            | NC*              | 0.1    | mg/L  |
| Zinc                    | <0.01          | <0.01           | NC*              | 0.01   | mg/L  |

\*NC - Non-Calculable RPD due to value(s) less than DL \*\* - Difference used for results < 5 X Detection Limit  
 These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By: Karen Barten  
 Karen Barten, Project Manager

Quality Control Report  
Duplicate Analysis

Client: COGEMA Mining, Inc.  
 Project: Christensen  
 Sample ID: MW07  
 Lab ID: 0104W01563  
 Matrix: Water  
 Condition: Cool/Intact

Report Date: 02/24/04  
 Receipt Date: 02/10/04  
 Sample Date: 02/09/04

| Parameter                             | Original Conc. | Duplicate Conc. | Relative % Diff. | PQL | Units    |
|---------------------------------------|----------------|-----------------|------------------|-----|----------|
| <b>General Parameters</b>             |                |                 |                  |     |          |
| Lab pH                                | 7.8            | 7.8             | 0                | 0.1 | s.u.     |
| Lab Conductivity @ 25°C               | 1,360          | 1,380           | -1               | 5   | µmhos/cm |
| Total Dissolved Solids @ 180°C        | 930            | 920             | 1                | 10  | mg/L     |
| Total Dissolved Solids(Calc)          | 890            | 880             | 1                | 10  | mg/L     |
| Total Alkalinity as CaCO <sub>3</sub> | 478            | 480             | 0                | 1.0 | mg/L     |
| Total Hardness as CaCO <sub>3</sub>   | 210            | 207             | 1                | 1.0 | mg/L     |
| Ammonia Nitrogen                      | 0.1            | 0.1             | 0.0**            | 0.1 | mg/L     |
| Nitrite as N                          | <0.1           | <0.1            | NC*              | 0.1 | mg/L     |
| Silica as SiO <sub>2</sub>            | 3.7            | 3.7             | 0                | 0.1 | mg/L     |
| Sodium Adsorption Ratio               | 7.7            | 7.7             | 0                |     |          |
| <b>Anions</b>                         |                |                 |                  |     |          |
| Bicarbonate as HCO <sub>3</sub>       | 583            | 586             | 1                | 1.0 | mg/L     |
| Carbonate as CO <sub>3</sub>          | <1.0           | <1.0            | NC*              | 1.0 | mg/L     |
| Hydroxide as OH                       | <1.0           | <1.0            | NC*              | 1.0 | mg/L     |
| Chloride                              | 22.5           | 22.0            | 2                | 1.0 | mg/L     |
| Fluoride                              | <0.1           | <0.1            | NC*              | 0.1 | mg/L     |
| Nitrate + Nitrite as N                | <0.1           | <0.1            | NC*              | 0.1 | mg/L     |
| Sulfate                               | 246            | 238             | 3                | 1.0 | mg/L     |
| <b>Cations</b>                        |                |                 |                  |     |          |
| Calcium                               | 62.3           | 61.4            | 1                | 1.0 | mg/L     |
| Magnesium                             | 13.3           | 13.1            | 2                | 1.0 | mg/L     |
| Potassium                             | 5.5            | 5.5             | 0                | 1.0 | mg/L     |
| Sodium                                | 256            | 254             | 1                | 0.2 | mg/L     |
| Cations                               | 15.48          | 15.33           | 1                |     | meq/L    |
| Anions                                | 15.29          | 15.17           | 1                |     | meq/L    |
| Cation/Anion Balance                  | 0.62           | 0.52            |                  |     | %        |

\*NC - Non-Calculable RPD due to value(s) less than DL \*\* - Difference used for results < 5 X Detection Limit  
 These results only apply to the samples tested.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.  
 "Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.  
 U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.

Reviewed By: Karen Barten  
 Karen Barten, Project Manager

**WATER QUALITY REPORT**

Date Received: 02/10/04  
Date Reported: 02/24/04  
Date Sampled: 02/09/04

| Analytical Result | Units | Units | PQL    | Method    | Analysis |      |       |
|-------------------|-------|-------|--------|-----------|----------|------|-------|
|                   |       |       |        |           | Date     | Time | Init. |
| <0.1              | mg/L  |       | 0.1    | EPA 200.7 | 02/12/04 | 0713 | MH    |
| 0.022             | mg/L  |       | 0.005  | EPA 200.8 | 02/12/04 | 1216 | MS    |
| <0.5              | mg/L  |       | 0.5    | EPA 200.8 | 02/12/04 | 1216 | MS    |
| 0.06              | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0713 | MH    |
| <0.002            | mg/L  |       | 0.002  | EPA 200.8 | 02/12/04 | 1216 | MS    |
| <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0713 | MH    |
| <0.01             | mg/L  |       | 0.01   | EPA 200.8 | 02/12/04 | 1216 | MS    |
| 0.16              | mg/L  |       | 0.05   | EPA 200.7 | 02/12/04 | 0713 | MH    |
| <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/12/04 | 1216 | MS    |
| 0.44              | mg/L  |       | 0.02   | EPA 200.7 | 02/12/04 | 0713 | MH    |
| <0.001            | mg/L  |       | 0.001  | EPA 245.1 | 02/13/04 | 0950 | MS    |
| <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/12/04 | 1216 | MS    |
| <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0713 | MH    |
| 3.76              | mg/L  |       | 0.005  | EPA 200.8 | 02/12/04 | 1216 | MS    |
| 2.85              | mg/L  |       | 0.0001 | EPA 200.8 | 02/12/04 | 1213 | MS    |
| <0.1              | mg/L  |       | 0.1    | EPA 200.8 | 02/12/04 | 1216 | MS    |
| <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0713 | MH    |

amples tested.

the Determination of Metals in Environmental Samples-Supplement I", May 1994

  
ager

Report ID: 010401562

## WATER QUALITY REPORT

Client: COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644Project: Christensen  
Sample ID: 5BA48-1  
Lab ID: 0104W01567  
Matrix: Water  
Condition: Cool/IntactDate Received: 02/10/04  
Date Reported: 02/24/04  
Date Sampled: 02/10/04

| Parameter                             | Analytical Result | Units    | Units | PQL   | Method       | Analysis    |          |         |
|---------------------------------------|-------------------|----------|-------|-------|--------------|-------------|----------|---------|
|                                       |                   |          |       |       |              | Date        | Time     | Init.   |
| <b>General Parameters</b>             |                   |          |       |       |              |             |          |         |
| Lab pH                                | 8.4               | s.u.     |       | 0.1   | EPA 150.1    | 02/11/04    | 1617     | RM      |
| Lab Conductivity @ 25°C               | 259               | µmhos/cm |       | 5     | SM 2510 B    | 02/11/04    | 1729     | RM      |
| Total Dissolved Solids @ 180°C        | 170               | mg/L     |       | 10    | SM 2540 C    | 02/11/04    | 1100     | SV      |
| Total Dissolved Solids(Calc)          | 160               | mg/L     |       | 10    | SM 1030 F.   | 02/13/04    | 0005     |         |
| Total Alkalinity as CaCO <sub>3</sub> | 118               | mg/L     |       | 1.0   | SM 2320 B    | 02/11/04    | 1729     | RM      |
| Total Hardness as CaCO <sub>3</sub>   | 19.0              | mg/L     |       | 1.0   | SM 2340 B    | 02/12/04    | 0615     |         |
| Ammonia Nitrogen                      | <0.1              | mg/L     |       | 0.1   | EPA 350.1    | 02/12/04    | 1625     | JF      |
| Nitrite as N                          | <0.1              | mg/L     |       | 0.1   | EPA 353.2    | 02/11/04    | 1354     | KB      |
| Radium 226                            | 53.7±5.6          | pCi/L    |       | 0.2   | SM 7500 Ra-B | 02/18/04    | 1629     | TP      |
| Silica as SiO <sub>2</sub>            | 1.7               | mg/L     |       | 0.1   | EPA 200.7    | 02/12/04    | 0615     | MH      |
| Sodium Adsorption Ratio               | 5.5               |          |       | N/A   | Calculations | 02/12/04    | 0615     |         |
| <b>Anions</b>                         |                   |          |       |       |              |             |          |         |
| Bicarbonate as HCO <sub>3</sub>       | 139               | mg/L     | 2.27  | meq/L | 1.0          | SM 2320 B   | 02/11/04 | 1729 RM |
| Carbonate as CO <sub>3</sub>          | 2.4               | mg/L     | 0.08  | meq/L | 1.0          | SM 2320 B   | 02/11/04 | 1729 RM |
| Hydroxide as OH                       | <1.0              | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 02/11/04 | 1729 RM |
| Chloride                              | 2.0               | mg/L     | 0.06  | meq/L | 1.0          | EPA 300.0   | 02/13/04 | 0005 LK |
| Fluoride                              | 0.2               | mg/L     | 0.01  | meq/L | 0.1          | SM 4500-F-C | 02/11/04 | 1729 RM |
| Nitrate + Nitrite as N                | <0.1              | mg/L     | <0.01 | meq/L | 0.1          | EPA 353.2   | 02/12/04 | 1050 JF |
| Sulfate                               | 21.0              | mg/L     | 0.44  | meq/L | 1.0          | EPA 300.0   | 02/13/04 | 0005 LK |
| <b>Cations</b>                        |                   |          |       |       |              |             |          |         |
| Calcium                               | 5.9               | mg/L     | 0.29  | meq/L | 1.0          | EPA 200.7   | 02/12/04 | 0615 MH |
| Magnesium                             | 1.1               | mg/L     | 0.09  | meq/L | 1.0          | EPA 200.7   | 02/12/04 | 0615 MH |
| Potassium                             | 1.4               | mg/L     | 0.04  | meq/L | 1.0          | EPA 200.7   | 02/12/04 | 0615 MH |
| Sodium                                | 54.8              | mg/L     | 2.38  | meq/L | 0.2          | EPA 200.7   | 02/12/04 | 0615 MH |
| Cations                               |                   |          | 2.80  | meq/L | N/A          | SM 1030 F.  | 02/12/04 | 0615    |
| Anions                                |                   |          | 2.86  | meq/L | N/A          | SM 1030 F.  | 02/13/04 | 0005    |
| Cation/Anion Balance                  |                   |          | 1.06  | %     | N/A          | SM 1030 F.  | 02/12/04 | 0615    |

These results only apply to the samples tested.


Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.

"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.

U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.

EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By:

  
Karen Barten, Project Manager

Report ID: 010401562

## WATER QUALITY REPORT

Client: COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644Project: Christensen  
Sample ID: 5BA48-1  
Lab ID: 0104W01567  
Matrix: Water  
Condition: Cool/IntactDate Received: 02/10/04  
Date Reported: 02/24/04  
Date Sampled: 02/10/04

| Parameter               | Analytical Result | Units | Units | PQL    | Method    | Analysis |      |       |
|-------------------------|-------------------|-------|-------|--------|-----------|----------|------|-------|
|                         |                   |       |       |        |           | Date     | Time | Init. |
| <b>Dissolved Metals</b> |                   |       |       |        |           |          |      |       |
| Aluminum                | <0.1              | mg/L  |       | 0.1    | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Arsenic                 | 0.006             | mg/L  |       | 0.005  | EPA 200.8 | 02/12/04 | 1229 | MS    |
| Barium                  | <0.5              | mg/L  |       | 0.5    | EPA 200.8 | 02/12/04 | 1229 | MS    |
| Boron                   | 0.04              | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Cadmium                 | <0.002            | mg/L  |       | 0.002  | EPA 200.8 | 02/12/04 | 1229 | MS    |
| Chromium                | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Copper                  | <0.01             | mg/L  |       | 0.01   | EPA 200.8 | 02/12/04 | 1229 | MS    |
| Iron                    | <0.05             | mg/L  |       | 0.05   | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Lead                    | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/12/04 | 1229 | MS    |
| Manganese               | <0.02             | mg/L  |       | 0.02   | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Mercury                 | <0.001            | mg/L  |       | 0.001  | EPA 245.1 | 02/13/04 | 0950 | MS    |
| Molybdenum              | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/12/04 | 1229 | MS    |
| Nickel                  | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0615 | MH    |
| Selenium                | 0.130             | mg/L  |       | 0.005  | EPA 200.8 | 02/12/04 | 1229 | MS    |
| Uranium                 | 0.514             | mg/L  |       | 0.0001 | EPA 200.8 | 02/12/04 | 1213 | MS    |
| Vanadium                | <0.1              | mg/L  |       | 0.1    | EPA 200.8 | 02/12/04 | 1229 | MS    |
| Zinc                    | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0615 | MH    |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By:


  
 Karen Barten, Project Manager

Report ID: 010401500

## WATER QUALITY REPORT

Client: COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644Project: Christensen  
Sample ID: MW-03  
Lab ID: 0104W01502  
Matrix: Water  
Condition: Cool/IntactDate Received: 02/09/04  
Date Reported: 02/23/04  
Date Sampled: 02/09/04

| Parameter                             | Analytical Result | Units    | Units | PQL   | Method       | Analysis    |          |       |    |
|---------------------------------------|-------------------|----------|-------|-------|--------------|-------------|----------|-------|----|
|                                       |                   |          |       |       |              | Date        | Time     | Init. |    |
| <b>General Parameters</b>             |                   |          |       |       |              |             |          |       |    |
| Lab pH                                | 8.1               | s.u.     |       | 0.1   | EPA 150.1    | 02/10/04    | 1723     | RM    |    |
| Lab Conductivity @ 25°C               | 420               | µmhos/cm |       | 5     | SM 2510 B    | 02/10/04    | 1723     | RM    |    |
| Total Dissolved Solids @ 180°C        | 270               | mg/L     |       | 10    | SM 2540 C    | 02/10/04    | 1500     | SV    |    |
| Total Dissolved Solids(Calc)          | 260               | mg/L     |       | 10    | SM 1030 F.   | 02/12/04    | 1025     |       |    |
| Total Alkalinity as CaCO <sub>3</sub> | 159               | mg/L     |       | 1.0   | SM 2320 B    | 02/10/04    | 1723     | RM    |    |
| Total Hardness as CaCO <sub>3</sub>   | 28.0              | mg/L     |       | 1.0   | SM 2340 B    | 02/11/04    | 0611     |       |    |
| Ammonia Nitrogen                      | 0.3               | mg/L     |       | 0.1   | EPA 350.1    | 02/12/04    | 1604     | JF    |    |
| Nitrite as N                          | <0.1              | mg/L     |       | 0.1   | EPA 353.2    | 02/10/04    | 1543     | JF    |    |
| Radium 226                            | 68.6±6.0          | pCi/L    |       | 0.2   | SM 7500 Ra-B | 02/18/04    | 1242     | TP    |    |
| Silica as SiO <sub>2</sub>            | 2.1               | mg/L     |       | 0.1   | EPA 200.7    | 02/11/04    | 0833     | MH    |    |
| Sodium Adsorption Ratio               | 7.5               |          |       | N/A   | Calculations | 02/11/04    | 0611     |       |    |
| <b>Anions</b>                         |                   |          |       |       |              |             |          |       |    |
| Bicarbonate as HCO <sub>3</sub>       | 194               | mg/L     | 3.18  | meq/L | 1.0          | SM 2320 B   | 02/10/04 | 1723  | RM |
| Carbonate as CO <sub>3</sub>          | <1.0              | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 02/10/04 | 1723  | RM |
| Hydroxide as OH                       | <1.0              | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 02/10/04 | 1723  | RM |
| Chloride                              | 2.7               | mg/L     | 0.08  | meq/L | 1.0          | EPA 300.0   | 02/10/04 | 1329  | LK |
| Fluoride                              | 0.1               | mg/L     | 0.01  | meq/L | 0.1          | SM 4500-F-C | 02/10/04 | 1723  | RM |
| Nitrate + Nitrite as N                | <0.1              | mg/L     | <0.01 | meq/L | 0.1          | EPA 353.2   | 02/12/04 | 1025  | JF |
| Sulfate                               | 58.5              | mg/L     | 1.22  | meq/L | 1.0          | EPA 300.0   | 02/10/04 | 1329  | LK |
| <b>Cations</b>                        |                   |          |       |       |              |             |          |       |    |
| Calcium                               | 8.9               | mg/L     | 0.44  | meq/L | 1.0          | EPA 200.7   | 02/11/04 | 0611  | MH |
| Magnesium                             | 1.5               | mg/L     | 0.12  | meq/L | 1.0          | EPA 200.7   | 02/11/04 | 0611  | MH |
| Potassium                             | 1.9               | mg/L     | 0.05  | meq/L | 1.0          | EPA 200.7   | 02/11/04 | 0611  | MH |
| Sodium                                | 90.5              | mg/L     | 3.94  | meq/L | 0.2          | EPA 200.7   | 02/11/04 | 0611  | MH |
| Cations                               |                   |          | 4.55  | meq/L | N/A          | SM 1030 F.  | 02/11/04 | 0611  |    |
| Anions                                |                   |          | 4.49  | meq/L | N/A          | SM 1030 F.  | 02/12/04 | 1025  |    |
| Cation/Anion Balance                  |                   |          | 0.66  | %     | N/A          | SM 1030 F.  | 02/11/04 | 0611  |    |

These results only apply to the samples tested.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.  
"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.  
U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.  
EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.Reviewed By: Karen Barten  
Karen Barten, Project Manager

Report ID: 010401500

## WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
P.O. Box 730  
Mills, WY 82644Project: **Christensen**  
Sample ID: **MW-03**  
Lab ID: **0104W01502**  
Matrix: **Water**  
Condition: **Cool/Intact**Date Received: 02/09/04  
Date Reported: 02/23/04  
Date Sampled: 02/09/04

| Parameter               | Analytical Result | Units | Units | PQL    | Method    | Analysis |            |
|-------------------------|-------------------|-------|-------|--------|-----------|----------|------------|
|                         |                   |       |       |        |           | Date     | Time Init. |
| <b>Dissolved Metals</b> |                   |       |       |        |           |          |            |
| Aluminum                | <0.1              | mg/L  |       | 0.1    | EPA 200.7 | 02/11/04 | 0842 MH    |
| Arsenic                 | 0.010             | mg/L  |       | 0.005  | EPA 200.8 | 02/11/04 | 1252 MS    |
| Barium                  | <0.5              | mg/L  |       | 0.5    | EPA 200.8 | 02/11/04 | 1300 MS    |
| Boron                   | 0.06              | mg/L  |       | 0.01   | EPA 200.7 | 02/11/04 | 0842 MH    |
| Cadmium                 | <0.002            | mg/L  |       | 0.002  | EPA 200.8 | 02/11/04 | 1300 MS    |
| Chromium                | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/11/04 | 0842 MH    |
| Copper                  | <0.01             | mg/L  |       | 0.01   | EPA 200.8 | 02/11/04 | 1300 MS    |
| Iron                    | <0.05             | mg/L  |       | 0.05   | EPA 200.7 | 02/11/04 | 0842 MH    |
| Lead                    | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/11/04 | 1300 MS    |
| Manganese               | <0.02             | mg/L  |       | 0.02   | EPA 200.7 | 02/11/04 | 0842 MH    |
| Mercury                 | <0.001            | mg/L  |       | 0.001  | EPA 245.1 | 02/13/04 | 0950 MS    |
| Molybdenum              | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/11/04 | 1300 MS    |
| Nickel                  | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/11/04 | 0842 MH    |
| Selenium                | 2.18              | mg/L  |       | 0.005  | EPA 200.8 | 02/11/04 | 1300 MS    |
| Uranium                 | 1.68              | mg/L  |       | 0.0001 | EPA 200.8 | 02/11/04 | 1300 MS    |
| Vanadium                | 0.2               | mg/L  |       | 0.1    | EPA 200.8 | 02/11/04 | 1300 MS    |
| Zinc                    | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/11/04 | 0842 MH    |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By:



Karen Barten, Project Manager

Report ID: 010401500

## WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
P.O. Box 730  
Mills, WY 82644Project: **Christensen**  
Sample ID: 5AP54-1  
Lab ID: 0104W01503  
Matrix: Water  
Condition: Cool/IntactDate Received: 02/09/04  
Date Reported: 02/23/04  
Date Sampled: 02/09/04

| Parameter                      | Analytical |          | Units | Units | PQL | Method       | Analysis |      |       |
|--------------------------------|------------|----------|-------|-------|-----|--------------|----------|------|-------|
|                                | Result     | Units    |       |       |     |              | Date     | Time | Init. |
| <b>General Parameters</b>      |            |          |       |       |     |              |          |      |       |
| Lab pH                         | 8.0        | s.u.     |       |       | 0.1 | EPA 150.1    | 02/10/04 | 1737 | RM    |
| Lab Conductivity @ 25°C        | 1,220      | µmhos/cm |       |       | 5   | SM 2510 B    | 02/10/04 | 1737 | RM    |
| Total Dissolved Solids @ 180°C | 830        | mg/L     |       |       | 10  | SM 2540 C    | 02/10/04 | 1500 | SV    |
| Total Dissolved Solids(Calc)   | 770        | mg/L     |       |       | 10  | SM 1030 F.   | 02/12/04 | 1025 |       |
| Total Alkalinity as CaCO3      | 419        | mg/L     |       |       | 1.0 | SM 2320 B    | 02/10/04 | 1737 | RM    |
| Total Hardness as CaCO3        | 218        | mg/L     |       |       | 1.0 | SM 2340 B    | 02/11/04 | 0611 |       |
| Ammonia Nitrogen               | 0.2        | mg/L     |       |       | 0.1 | EPA 350.1    | 02/12/04 | 1604 | JF    |
| Nitrite as N                   | <0.1       | mg/L     |       |       | 0.1 | EPA 353.2    | 02/10/04 | 1543 | JF    |
| Radium 226                     | 435±15.4   | pCi/L    |       |       | 0.2 | SM 7500 Ra-B | 02/18/04 | 1242 | TP    |
| Silica as SiO2                 | 3.2        | mg/L     |       |       | 0.1 | EPA 200.7    | 02/11/04 | 0833 | MH    |
| Sodium Adsorption Ratio        | 6.1        |          |       |       | N/A | Calculations | 02/11/04 | 0611 |       |
| <b>Anions</b>                  |            |          |       |       |     |              |          |      |       |
| Bicarbonate as HCO3            | 511        | mg/L     | 8.37  | meq/L | 1.0 | SM 2320 B    | 02/10/04 | 1737 | RM    |
| Carbonate as CO3               | <1.0       | mg/L     | <0.01 | meq/L | 1.0 | SM 2320 B    | 02/10/04 | 1737 | RM    |
| Hydroxide as OH                | <1.0       | mg/L     | <0.01 | meq/L | 1.0 | SM 2320 B    | 02/10/04 | 1737 | RM    |
| Chloride                       | 33.3       | mg/L     | 0.94  | meq/L | 1.0 | EPA 300.0    | 02/10/04 | 1329 | LK    |
| Fluoride                       | <0.1       | mg/L     | <0.01 | meq/L | 0.1 | SM 4500-F-C  | 02/10/04 | 1737 | RM    |
| Nitrate + Nitrite as N         | <0.1       | mg/L     | <0.01 | meq/L | 0.1 | EPA 353.2    | 02/12/04 | 1025 | JF    |
| Sulfate                        | 198        | mg/L     | 4.13  | meq/L | 1.0 | EPA 300.0    | 02/10/04 | 1329 | LK    |
| <b>Cations</b>                 |            |          |       |       |     |              |          |      |       |
| Calcium                        | 67.3       | mg/L     | 3.36  | meq/L | 1.0 | EPA 200.7    | 02/11/04 | 0611 | MH    |
| Magnesium                      | 12.2       | mg/L     | 1.00  | meq/L | 1.0 | EPA 200.7    | 02/11/04 | 0611 | MH    |
| Potassium                      | 5.3        | mg/L     | 0.14  | meq/L | 1.0 | EPA 200.7    | 02/11/04 | 0611 | MH    |
| Sodium                         | 207        | mg/L     | 9.00  | meq/L | 0.2 | EPA 200.7    | 02/13/04 | 0625 | MH    |
| Cations                        |            |          | 13.50 | meq/L | N/A | SM 1030 F.   | 02/11/04 | 0611 |       |
| Anions                         |            |          | 13.44 | meq/L | N/A | SM 1030 F.   | 02/12/04 | 1025 |       |
| Cation/Anion Balance           |            |          | 0.22  | %     | N/A | SM 1030 F.   | 02/11/04 | 0611 |       |

These results only apply to the samples tested.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.  
"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.  
U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.  
EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By:

Karen Barten  
Karen Barten, Project Manager



Report ID: 010401500

**WATER QUALITY REPORT**

**Client:** COGEMA Mining, Inc.  
 P.O. Box 730  
 Mills, WY 82644

**Project:** Christensen  
**Sample ID:** 5AP54-1  
**Lab ID:** 0104W01503  
**Matrix:** Water  
**Condition:** Cool/Intact

**Date Received:** 02/09/04  
**Date Reported:** 02/23/04  
**Date Sampled:** 02/09/04

| Parameter               | Analytical Result | Units | Units | PQL    | Method    | Analysis |      |       |
|-------------------------|-------------------|-------|-------|--------|-----------|----------|------|-------|
|                         |                   |       |       |        |           | Date     | Time | Init. |
| <b>Dissolved Metals</b> |                   |       |       |        |           |          |      |       |
| Aluminum                | <0.1              | mg/L  |       | 0.1    | EPA 200.7 | 02/11/04 | 0845 | MH    |
| Arsenic                 | 0.013             | mg/L  |       | 0.005  | EPA 200.8 | 02/11/04 | 1252 | MS    |
| Barium                  | <0.5              | mg/L  |       | 0.5    | EPA 200.8 | 02/11/04 | 1303 | MS    |
| Boron                   | 0.06              | mg/L  |       | 0.01   | EPA 200.7 | 02/11/04 | 0845 | MH    |
| Cadmium                 | <0.002            | mg/L  |       | 0.002  | EPA 200.8 | 02/11/04 | 1303 | MS    |
| Chromium                | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/11/04 | 0845 | MH    |
| Copper                  | <0.01             | mg/L  |       | 0.01   | EPA 200.8 | 02/11/04 | 1303 | MS    |
| Iron                    | <0.05             | mg/L  |       | 0.05   | EPA 200.7 | 02/11/04 | 0845 | MH    |
| Lead                    | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/11/04 | 1303 | MS    |
| Manganese               | 0.10              | mg/L  |       | 0.02   | EPA 200.7 | 02/11/04 | 0845 | MH    |
| Mercury                 | <0.001            | mg/L  |       | 0.001  | EPA 245.1 | 02/13/04 | 0950 | MS    |
| Molybdenum              | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/11/04 | 1303 | MS    |
| Nickel                  | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/11/04 | 0845 | MH    |
| Selenium                | 0.584             | mg/L  |       | 0.005  | EPA 200.8 | 02/11/04 | 1303 | MS    |
| Uranium                 | 4.72              | mg/L  |       | 0.0001 | EPA 200.8 | 02/11/04 | 1303 | MS    |
| Vanadium                | 0.3               | mg/L  |       | 0.1    | EPA 200.8 | 02/11/04 | 1303 | MS    |
| Zinc                    | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/11/04 | 0845 | MH    |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By: Karen Barten  
 Karen Barten, Project Manager

*\* No Radium Analysis*

**Quality Control Report  
Duplicate Analysis**

Client: COGEMA Mining, Inc.  
Project: Christensen  
Sample ID: 5AP54-1  
Lab ID: 0104W01503  
Matrix: Water  
Condition: Cool/Intact

Report Date: 02/23/04  
Receipt Date: 02/09/04  
Sample Date: 02/09/04

| Parameter                      | Original Conc. | Duplicate Conc. | Relative % Diff. | PQL | Units    |
|--------------------------------|----------------|-----------------|------------------|-----|----------|
| <b>General Parameters</b>      |                |                 |                  |     |          |
| Lab pH                         | 8.0            | 8.0             | 0                | 0.1 | s.u.     |
| Lab Conductivity @ 25°C        | 1,220          | 1,240           | 2                | 5   | µmhos/cm |
| Total Dissolved Solids @ 180°C | 830            | 830             | 0                | 10  | mg/L     |
| Total Dissolved Solids(Calc)   | 770            | 780             | 1                | 10  | mg/L     |
| Total Alkalinity as CaCO3      | 419            | 419             | 0                | 1.0 | mg/L     |
| Total Hardness as CaCO3        | 218            | 220             | 1                | 1.0 | mg/L     |
| Ammonia Nitrogen               | 0.2            | 0.2             | 0.0**            | 0.1 | mg/L     |
| Nitrite as N                   | <0.1           | <0.1            | NC*              | 0.1 | mg/L     |
| Silica as SiO2                 | 3.2            | 3.3             | 3                | 0.1 | mg/L     |
| Sodium Adsorption Ratio        | 6.1            | 6.1             | 0                |     |          |
| <b>Anions</b>                  |                |                 |                  |     |          |
| Bicarbonate as HCO3            | 511            | 511             | 0                | 1.0 | mg/L     |
| Carbonate as CO3               | <1.0           | <1.0            | NC*              | 1.0 | mg/L     |
| Hydroxide as OH                | <1.0           | <1.0            | NC*              | 1.0 | mg/L     |
| Chloride                       | 33.3           | 32.7            | 2                | 1.0 | mg/L     |
| Fluoride                       | <0.1           | <0.1            | NC*              | 0.1 | mg/L     |
| Nitrate + Nitrite as N         | <0.1           | <0.1            | NC*              | 0.1 | mg/L     |
| Sulfate                        | 198            | 199             | 1                | 1.0 | mg/L     |
| <b>Cations</b>                 |                |                 |                  |     |          |
| Calcium                        | 67.3           | 67.7            | 1                | 1.0 | mg/L     |
| Magnesium                      | 12.2           | 12.3            | 1                | 1.0 | mg/L     |
| Potassium                      | 5.3            | 5.2             | 2                | 1.0 | mg/L     |
| Sodium                         | 207            | 209             | 1                | 0.2 | mg/L     |
| Cations                        | 13.50          | 13.61           | 1                |     | meq/L    |
| Anions                         | 13.44          | 13.44           | 0                |     | meq/L    |
| Cation/Anion Balance           | 0.22           | 0.63            |                  |     | %        |

\*NC - Non-Calculable RPD due to value(s) less than DL \*\* - Difference used for results < 5 X Detection Limit  
These results only apply to the samples tested.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.  
"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.  
U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.

Reviewed By: Karen Barten  
Karen Barten, Project Manager

Quality Control Report  
Duplicate Analysis

Client: COGEMA Mining, Inc.  
 Project: Christensen  
 Sample ID: 5AP54-1  
 Lab ID: 0104W01503  
 Matrix: Water  
 Condition: Cool/Intact

Report Date: 02/23/04  
 Receipt Date: 02/09/04  
 Sample Date: 02/09/04

| Parameter               | Original Conc. | Duplicate Conc. | Relative % Diff. | PQL    | Units |
|-------------------------|----------------|-----------------|------------------|--------|-------|
| <b>Dissolved Metals</b> |                |                 |                  |        |       |
| Aluminum                | <0.1           | <0.1            | NC*              | 0.1    | mg/L  |
| Arsenic                 | 0.013          | 0.012           | 0.001**          | 0.005  | mg/L  |
| Barium                  | <0.5           | <0.5            | NC*              | 0.5    | mg/L  |
| Boron                   | 0.06           | 0.06            | 0                | 0.01   | mg/L  |
| Cadmium                 | <0.002         | <0.002          | NC*              | 0.002  | mg/L  |
| Chromium                | <0.01          | <0.01           | NC*              | 0.01   | mg/L  |
| Copper                  | <0.01          | <0.01           | NC*              | 0.01   | mg/L  |
| Iron                    | <0.05          | <0.05           | NC*              | 0.05   | mg/L  |
| Lead                    | <0.02          | <0.02           | NC*              | 0.02   | mg/L  |
| Manganese               | 0.10           | 0.10            | 0                | 0.02   | mg/L  |
| Mercury                 | <0.001         | <0.001          | NC*              | 0.001  | mg/L  |
| Molybdenum              | <0.02          | <0.02           | NC*              | 0.02   | mg/L  |
| Nickel                  | <0.01          | <0.01           | NC*              | 0.01   | mg/L  |
| Selenium                | 0.584          | 0.575           | 2                | 0.005  | mg/L  |
| Uranium                 | 4.72           | 4.58            | 3                | 0.0001 | mg/L  |
| Vanadium                | 0.3            | 0.3             | 0.0**            | 0.1    | mg/L  |
| Zinc                    | <0.01          | <0.01           | NC*              | 0.01   | mg/L  |

\*NC - Non-Calculable RPD due to value(s) less than DL \*\* - Difference used for results < 5 X Detection Limit  
 These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By:



Karen Barten, Project Manager

Report ID: 010401562

## WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
P.O. Box 730  
Mills, WY 82644Project: **Christensen**

Sample ID: 5A074-1

Lab ID: 0104W01564

Matrix: Water

Condition: Cool/Intact

Date Received: 02/10/04

Date Reported: 02/24/04

Date Sampled: 02/09/04

| Parameter                             | Analytical |          | Units | Units | PQL | Method       | Analysis |      |       |
|---------------------------------------|------------|----------|-------|-------|-----|--------------|----------|------|-------|
|                                       | Result     | Units    |       |       |     |              | Date     | Time | Init. |
| <b>General Parameters</b>             |            |          |       |       |     |              |          |      |       |
| Lab pH                                | 7.9        | s.u.     |       |       | 0.1 | EPA 150.1    | 02/11/04 | 1617 | RM    |
| Lab Conductivity @ 25°C               | 310        | µmhos/cm |       |       | 5   | SM 2510 B    | 02/11/04 | 1655 | RM    |
| Total Dissolved Solids @ 180°C        | 200        | mg/L     |       |       | 10  | SM 2540 C    | 02/11/04 | 1100 | SV    |
| Total Dissolved Solids(Calc)          | 190        | mg/L     |       |       | 10  | SM 1030 F.   | 02/13/04 | 0005 |       |
| Total Alkalinity as CaCO <sub>3</sub> | 118        | mg/L     |       |       | 1.0 | SM 2320 B    | 02/11/04 | 1655 | RM    |
| Total Hardness as CaCO <sub>3</sub>   | 24.0       | mg/L     |       |       | 1.0 | SM 2340 B    | 02/12/04 | 0615 |       |
| Ammonia Nitrogen                      | <0.1       | mg/L     |       |       | 0.1 | EPA 350.1    | 02/12/04 | 1622 | JF    |
| Nitrite as N                          | <0.1       | mg/L     |       |       | 0.1 | EPA 353.2    | 02/11/04 | 1354 | KB    |
| Radium 226                            | 32.9±4.3   | pCi/L    |       |       | 0.2 | SM 7500 Ra-B | 02/18/04 | 1629 | TP    |
| Silica as SiO <sub>2</sub>            | 3.0        | mg/L     |       |       | 0.1 | EPA 200.7    | 02/12/04 | 0719 | MH    |
| Sodium Adsorption Ratio               | 5.7        |          |       |       | N/A | Calculations | 02/12/04 | 0615 |       |
| <b>Anions</b>                         |            |          |       |       |     |              |          |      |       |
| Bicarbonate as HCO <sub>3</sub>       | 143        | mg/L     | 2.35  | meq/L | 1.0 | SM 2320 B    | 02/11/04 | 1655 | RM    |
| Carbonate as CO <sub>3</sub>          | <1.0       | mg/L     | <0.01 | meq/L | 1.0 | SM 2320 B    | 02/11/04 | 1655 | RM    |
| Hydroxide as OH                       | <1.0       | mg/L     | <0.01 | meq/L | 1.0 | SM 2320 B    | 02/11/04 | 1655 | RM    |
| Chloride                              | 2.6        | mg/L     | 0.07  | meq/L | 1.0 | EPA 300.0    | 02/13/04 | 0005 | LK    |
| Fluoride                              | 0.1        | mg/L     | 0.01  | meq/L | 0.1 | SM 4500-F-C  | 02/11/04 | 1655 | RM    |
| Nitrate + Nitrite as N                | <0.1       | mg/L     | <0.01 | meq/L | 0.1 | EPA 353.2    | 02/12/04 | 1047 | JF    |
| Sulfate                               | 45.1       | mg/L     | 0.94  | meq/L | 1.0 | EPA 300.0    | 02/13/04 | 0005 | LK    |
| <b>Cations</b>                        |            |          |       |       |     |              |          |      |       |
| Calcium                               | 7.3        | mg/L     | 0.36  | meq/L | 1.0 | EPA 200.7    | 02/12/04 | 0615 | MH    |
| Magnesium                             | 1.4        | mg/L     | 0.12  | meq/L | 1.0 | EPA 200.7    | 02/12/04 | 0615 | MH    |
| Potassium                             | 1.3        | mg/L     | 0.03  | meq/L | 1.0 | EPA 200.7    | 02/12/04 | 0615 | MH    |
| Sodium                                | 64.0       | mg/L     | 2.78  | meq/L | 0.2 | EPA 200.7    | 02/12/04 | 0615 | MH    |
| Cations                               |            |          | 3.29  | meq/L | N/A | SM 1030 F.   | 02/12/04 | 0615 |       |
| Anions                                |            |          | 3.37  | meq/L | N/A | SM 1030 F.   | 02/13/04 | 0005 |       |
| Cation/Anion Balance                  |            |          | 1.20  | %     | N/A | SM 1030 F.   | 02/12/04 | 0615 |       |

These results only apply to the samples tested.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.  
 "Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.  
 U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.  
 EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By:

Karen Barten  
 Karen Barten, Project Manager

Report ID: 010401562

## WATER QUALITY REPORT

Client: COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644

Project: Christensen

Sample ID: 5A074-1

Lab ID: 0104W01564

Matrix: Water

Condition: Cool/Intact

Date Received: 02/10/04

Date Reported: 02/24/04

Date Sampled: 02/09/04

| Parameter               | Analytical Result | Units | Units | PQL    | Method    | Analysis |      |       |
|-------------------------|-------------------|-------|-------|--------|-----------|----------|------|-------|
|                         |                   |       |       |        |           | Date     | Time | Init. |
| <b>Dissolved Metals</b> |                   |       |       |        |           |          |      |       |
| Aluminum                | <0.1              | mg/L  |       | 0.1    | EPA 200.7 | 02/12/04 | 0719 | MH    |
| Arsenic                 | <0.005            | mg/L  |       | 0.005  | EPA 200.8 | 02/12/04 | 1221 | MS    |
| Barium                  | <0.5              | mg/L  |       | 0.5    | EPA 200.8 | 02/12/04 | 1221 | MS    |
| Boron                   | 0.05              | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0719 | MH    |
| Cadmium                 | <0.002            | mg/L  |       | 0.002  | EPA 200.8 | 02/12/04 | 1221 | MS    |
| Chromium                | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0719 | MH    |
| Copper                  | <0.01             | mg/L  |       | 0.01   | EPA 200.8 | 02/12/04 | 1221 | MS    |
| Iron                    | <0.05             | mg/L  |       | 0.05   | EPA 200.7 | 02/12/04 | 0719 | MH    |
| Lead                    | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/12/04 | 1221 | MS    |
| Manganese               | <0.02             | mg/L  |       | 0.02   | EPA 200.7 | 02/12/04 | 0719 | MH    |
| Mercury                 | <0.001            | mg/L  |       | 0.001  | EPA 245.1 | 02/13/04 | 0950 | MS    |
| Molybdenum              | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/12/04 | 1221 | MS    |
| Nickel                  | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0719 | MH    |
| Selenium                | 0.031             | mg/L  |       | 0.005  | EPA 200.8 | 02/12/04 | 1221 | MS    |
| Uranium                 | 0.247             | mg/L  |       | 0.0001 | EPA 200.8 | 02/12/04 | 1213 | MS    |
| Vanadium                | <0.1              | mg/L  |       | 0.1    | EPA 200.8 | 02/12/04 | 1221 | MS    |
| Zinc                    | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/12/04 | 0719 | MH    |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By:



Karen Barten, Project Manager

Report ID: 010401500

## WATER QUALITY REPORT

Client: COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644

Project: Christensen

Sample ID: AP-02

Lab ID: 0104W01501

Matrix: Water

Condition: Cool/Intact

Date Received: 02/09/04

Date Reported: 02/23/04

Date Sampled: 02/09/04

| Parameter                      | Analytical |          | Units | Units | PQL | Method       | Analysis |      |       |
|--------------------------------|------------|----------|-------|-------|-----|--------------|----------|------|-------|
|                                | Result     | Units    |       |       |     |              | Date     | Time | Init. |
| <b>General Parameters</b>      |            |          |       |       |     |              |          |      |       |
| Lab pH                         | 7.9        | s.u.     |       |       | 0.1 | EPA 150.1    | 02/10/04 | 1711 | RM    |
| Lab Conductivity @ 25°C        | 965        | µmhos/cm |       |       | 5   | SM 2510 B    | 02/10/04 | 1711 | RM    |
| Total Dissolved Solids @ 180°C | 640        | mg/L     |       |       | 10  | SM 2540 C    | 02/10/04 | 1500 | SV    |
| Total Dissolved Solids(Calc)   | 610        | mg/L     |       |       | 10  | SM 1030 F.   | 02/12/04 | 1025 |       |
| Total Alkalinity as CaCO3      | 212        | mg/L     |       |       | 1.0 | SM 2320 B    | 02/10/04 | 1711 | RM    |
| Total Hardness as CaCO3        | 95.0       | mg/L     |       |       | 1.0 | SM 2340 B    | 02/11/04 | 0611 |       |
| Ammonia Nitrogen               | 0.2        | mg/L     |       |       | 0.1 | EPA 350.1    | 02/12/04 | 1604 | JF    |
| Nitrite as N                   | <0.1       | mg/L     |       |       | 0.1 | EPA 353.2    | 02/10/04 | 1543 | JF    |
| Radium 226                     | 51.7±5.1   | pCi/L    |       |       | 0.2 | SM 7500 Ra-B | 02/18/04 | 1242 | TP    |
| Silica as SiO2                 | 2.9        | mg/L     |       |       | 0.1 | EPA 200.7    | 02/11/04 | 0833 | MH    |
| Sodium Adsorption Ratio        | 8.1        |          |       |       | N/A | Calculations | 02/11/04 | 0611 |       |
| <b>Anions</b>                  |            |          |       |       |     |              |          |      |       |
| Bicarbonate as HCO3            | 258        | mg/L     | 4.23  | meq/L | 1.0 | SM 2320 B    | 02/10/04 | 1711 | RM    |
| Carbonate as CO3               | <1.0       | mg/L     | <0.01 | meq/L | 1.0 | SM 2320 B    | 02/10/04 | 1711 | RM    |
| Hydroxide as OH                | <1.0       | mg/L     | <0.01 | meq/L | 1.0 | SM 2320 B    | 02/10/04 | 1711 | RM    |
| Chloride                       | 7.4        | mg/L     | 0.21  | meq/L | 1.0 | EPA 300.0    | 02/10/04 | 1329 | LK    |
| Fluoride                       | 0.1        | mg/L     | 0.01  | meq/L | 0.1 | SM 4500-F-C  | 02/10/04 | 1711 | RM    |
| Nitrate + Nitrite as N         | <0.1       | mg/L     | <0.01 | meq/L | 0.1 | EPA 353.2    | 02/12/04 | 1025 | JF    |
| Sulfate                        | 260        | mg/L     | 5.41  | meq/L | 1.0 | EPA 300.0    | 02/10/04 | 1329 | LK    |
| <b>Cations</b>                 |            |          |       |       |     |              |          |      |       |
| Calcium                        | 28.7       | mg/L     | 1.43  | meq/L | 1.0 | EPA 200.7    | 02/11/04 | 0611 | MH    |
| Magnesium                      | 5.7        | mg/L     | 0.47  | meq/L | 1.0 | EPA 200.7    | 02/11/04 | 0611 | MH    |
| Potassium                      | 4.3        | mg/L     | 0.11  | meq/L | 1.0 | EPA 200.7    | 02/11/04 | 0611 | MH    |
| Sodium                         | 182        | mg/L     | 7.92  | meq/L | 0.2 | EPA 200.7    | 02/13/04 | 0625 | MH    |
| Cations                        |            |          | 9.93  | meq/L | N/A | SM 1030 F.   | 02/11/04 | 0611 |       |
| Anions                         |            |          | 9.86  | meq/L | N/A | SM 1030 F.   | 02/12/04 | 1025 |       |
| Cation/Anion Balance           |            |          | 0.35  | %     | N/A | SM 1030 F.   | 02/11/04 | 0611 |       |

These results only apply to the samples tested.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.

"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.

U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.

EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By: Karen Barten

Karen Barten, Project Manager

Report ID: 010401500

WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
P.O. Box 730  
Mills, WY 82644

Project: **Christensen**  
Sample ID: AP-02  
Lab ID: 0104W01501  
Matrix: Water  
Condition: Cool/Intact

Date Received: 02/09/04  
Date Reported: 02/23/04  
Date Sampled: 02/09/04

| Parameter               | Analytical Result | Units | Units | PQL    | Method    | Analysis |      |       |
|-------------------------|-------------------|-------|-------|--------|-----------|----------|------|-------|
|                         |                   |       |       |        |           | Date     | Time | Init. |
| <b>Dissolved Metals</b> |                   |       |       |        |           |          |      |       |
| Aluminum                | <0.1              | mg/L  |       | 0.1    | EPA 200.7 | 02/11/04 | 0836 | MH    |
| Arsenic                 | 0.009             | mg/L  |       | 0.005  | EPA 200.8 | 02/11/04 | 1252 | MS    |
| Barium                  | <0.5              | mg/L  |       | 0.5    | EPA 200.8 | 02/11/04 | 1255 | MS    |
| Boron                   | 0.04              | mg/L  |       | 0.01   | EPA 200.7 | 02/11/04 | 0836 | MH    |
| Cadmium                 | <0.002            | mg/L  |       | 0.002  | EPA 200.8 | 02/11/04 | 1255 | MS    |
| Chromium                | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/11/04 | 0836 | MH    |
| Copper                  | <0.01             | mg/L  |       | 0.01   | EPA 200.8 | 02/11/04 | 1255 | MS    |
| Iron                    | <0.05             | mg/L  |       | 0.05   | EPA 200.7 | 02/11/04 | 0836 | MH    |
| Lead                    | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/11/04 | 1255 | MS    |
| Manganese               | 0.03              | mg/L  |       | 0.02   | EPA 200.7 | 02/11/04 | 0836 | MH    |
| Mercury                 | <0.001            | mg/L  |       | 0.001  | EPA 245.1 | 02/13/04 | 0950 | MS    |
| Molybdenum              | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/11/04 | 1255 | MS    |
| Nickel                  | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/11/04 | 0836 | MH    |
| Selenium                | 0.053             | mg/L  |       | 0.005  | EPA 200.8 | 02/11/04 | 1255 | MS    |
| Uranium                 | 1.40              | mg/L  |       | 0.0001 | EPA 200.8 | 02/11/04 | 1255 | MS    |
| Vanadium                | <0.1              | mg/L  |       | 0.1    | EPA 200.8 | 02/11/04 | 1255 | MS    |
| Zinc                    | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/11/04 | 0836 | MH    |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By: Karen Barten  
Karen Barten, Project Manager

Report ID: 010401500

## WATER QUALITY REPORT

Client: COGEMA Mining, Inc.

P.O. Box 730  
Mills, WY 82644

Project: Christensen

Sample ID: 5AL66-1

Lab ID: 0104W01507

Matrix: Water

Condition: Cool/Intact

Date Received: 02/09/04

Date Reported: 02/23/04

Date Sampled: 02/09/04

| Parameter                      | Analytical |          | Units | Units | PQL | Method       | Analysis |      |       |
|--------------------------------|------------|----------|-------|-------|-----|--------------|----------|------|-------|
|                                | Result     | Units    |       |       |     |              | Date     | Time | Init. |
| <b>General Parameters</b>      |            |          |       |       |     |              |          |      |       |
| Lab pH                         | 7.8        | s.u.     |       |       | 0.1 | EPA 150.1    | 02/10/04 | 1840 | RM    |
| Lab Conductivity @ 25°C        | 1,120      | µmhos/cm |       |       | 5   | SM 2510 B    | 02/10/04 | 1840 | RM    |
| Total Dissolved Solids @ 180°C | 730        | mg/L     |       |       | 10  | SM 2540 C    | 02/10/04 | 1500 | SV    |
| Total Dissolved Solids(Calc)   | 690        | mg/L     |       |       | 10  | SM 1030 F.   | 02/12/04 | 1025 |       |
| Total Alkalinity as CaCO3      | 416        | mg/L     |       |       | 1.0 | SM 2320 B    | 02/10/04 | 1840 | RM    |
| Total Hardness as CaCO3        | 192        | mg/L     |       |       | 1.0 | SM 2340 B    | 02/11/04 | 0611 |       |
| Ammonia Nitrogen               | 0.3        | mg/L     |       |       | 0.1 | EPA 350.1    | 02/12/04 | 1604 | JF    |
| Nitrite as N                   | <0.1       | mg/L     |       |       | 0.1 | EPA 353.2    | 02/10/04 | 1543 | JF    |
| Radium 226                     | 218±10.5   | pCi/L    |       |       | 0.2 | SM 7500 Ra-B | 02/18/04 | 1242 | TP    |
| Silica as SiO2                 | 2.7        | mg/L     |       |       | 0.1 | EPA 200.7    | 02/11/04 | 0833 | MH    |
| Sodium Adsorption Ratio        | 5.9        |          |       |       | N/A | Calculations | 02/11/04 | 0611 |       |
| <b>Anions</b>                  |            |          |       |       |     |              |          |      |       |
| Bicarbonate as HCO3            | 507        | mg/L     | 8.31  | meq/L | 1.0 | SM 2320 B    | 02/10/04 | 1840 | RM    |
| Carbonate as CO3               | <1.0       | mg/L     | <0.01 | meq/L | 1.0 | SM 2320 B    | 02/10/04 | 1840 | RM    |
| Hydroxide as OH                | <1.0       | mg/L     | <0.01 | meq/L | 1.0 | SM 2320 B    | 02/10/04 | 1840 | RM    |
| Chloride                       | 18.7       | mg/L     | 0.53  | meq/L | 1.0 | EPA 300.0    | 02/10/04 | 1329 | LK    |
| Fluoride                       | 0.1        | mg/L     | 0.01  | meq/L | 0.1 | SM 4500-F-C  | 02/10/04 | 1840 | RM    |
| Nitrate + Nitrite as N         | <0.1       | mg/L     | <0.01 | meq/L | 0.1 | EPA 353.2    | 02/12/04 | 1025 | JF    |
| Sulfate                        | 159        | mg/L     | 3.30  | meq/L | 1.0 | EPA 300.0    | 02/10/04 | 1329 | LK    |
| <b>Cations</b>                 |            |          |       |       |     |              |          |      |       |
| Calcium                        | 57.7       | mg/L     | 2.88  | meq/L | 1.0 | EPA 200.7    | 02/11/04 | 0611 | MH    |
| Magnesium                      | 11.7       | mg/L     | 0.96  | meq/L | 1.0 | EPA 200.7    | 02/11/04 | 0611 | MH    |
| Potassium                      | 4.6        | mg/L     | 0.12  | meq/L | 1.0 | EPA 200.7    | 02/11/04 | 0611 | MH    |
| Sodium                         | 188        | mg/L     | 8.18  | meq/L | 0.2 | EPA 200.7    | 02/13/04 | 0625 | MH    |
| Cations                        |            |          | 12.14 | meq/L | N/A | SM 1030 F.   | 02/11/04 | 0611 |       |
| Anions                         |            |          | 12.15 | meq/L | N/A | SM 1030 F.   | 02/12/04 | 1025 |       |
| Cation/Anion Balance           |            |          | 0.04  | %     | N/A | SM 1030 F.   | 02/11/04 | 0611 |       |

These results only apply to the samples tested.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.

"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.

U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.

EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By:

  
 Karen Barten, Project Manager



Report ID: 010401500

## WATER QUALITY REPORT

Client: COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644Project: Christensen  
Sample ID: 5AL66-1  
Lab ID: 0104W01507  
Matrix: Water  
Condition: Cool/IntactDate Received: 02/09/04  
Date Reported: 02/23/04  
Date Sampled: 02/09/04

| Parameter               | Analytical Result | Units | Units | PQL    | Method    | Analysis |      |       |
|-------------------------|-------------------|-------|-------|--------|-----------|----------|------|-------|
|                         |                   |       |       |        |           | Date     | Time | Init. |
| <b>Dissolved Metals</b> |                   |       |       |        |           |          |      |       |
| Aluminum                | <0.1              | mg/L  |       | 0.1    | EPA 200.7 | 02/11/04 | 0910 | MH    |
| Arsenic                 | 0.020             | mg/L  |       | 0.005  | EPA 200.8 | 02/11/04 | 1252 | MS    |
| Barium                  | <0.5              | mg/L  |       | 0.5    | EPA 200.8 | 02/11/04 | 1324 | MS    |
| Boron                   | 0.06              | mg/L  |       | 0.01   | EPA 200.7 | 02/11/04 | 0910 | MH    |
| Cadmium                 | <0.002            | mg/L  |       | 0.002  | EPA 200.8 | 02/11/04 | 1324 | MS    |
| Chromium                | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/11/04 | 0910 | MH    |
| Copper                  | <0.01             | mg/L  |       | 0.01   | EPA 200.8 | 02/11/04 | 1324 | MS    |
| Iron                    | <0.05             | mg/L  |       | 0.05   | EPA 200.7 | 02/11/04 | 0910 | MH    |
| Lead                    | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/11/04 | 1324 | MS    |
| Manganese               | 0.14              | mg/L  |       | 0.02   | EPA 200.7 | 02/11/04 | 0910 | MH    |
| Mercury                 | <0.001            | mg/L  |       | 0.001  | EPA 245.1 | 02/13/04 | 0950 | MS    |
| Molybdenum              | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/11/04 | 1324 | MS    |
| Nickel                  | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/11/04 | 0910 | MH    |
| Selenium                | 0.695             | mg/L  |       | 0.005  | EPA 200.8 | 02/11/04 | 1324 | MS    |
| Uranium                 | 2.32              | mg/L  |       | 0.0001 | EPA 200.8 | 02/11/04 | 1324 | MS    |
| Vanadium                | 0.1               | mg/L  |       | 0.1    | EPA 200.8 | 02/11/04 | 1324 | MS    |
| Zinc                    | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/11/04 | 0910 | MH    |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By:


  
Karen Barten, Project Manager

Report ID: 010401500

## WATER QUALITY REPORT


Client: **COGEMA Mining, Inc.**  
P.O. Box 730  
Mills, WY 82644Project: **Christensen**  
Sample ID: 5AG68-1  
Lab ID: 0104W01505  
Matrix: Water  
Condition: Cool/IntactDate Received: 02/09/04  
Date Reported: 02/23/04  
Date Sampled: 02/09/04

| Parameter                             | Analytical Result | Units    | Units | PQL   | Method       | Analysis    |          |         |
|---------------------------------------|-------------------|----------|-------|-------|--------------|-------------|----------|---------|
|                                       |                   |          |       |       |              | Date        | Time     | Init.   |
| <b>General Parameters</b>             |                   |          |       |       |              |             |          |         |
| Lab pH                                | 8.2               | s.u.     |       | 0.1   | EPA 150.1    | 02/10/04    | 1815     | RM      |
| Lab Conductivity @ 25°C               | 402               | µmhos/cm |       | 5     | SM 2510 B    | 02/10/04    | 1815     | RM      |
| Total Dissolved Solids @ 180°C        | 250               | mg/L     |       | 10    | SM 2540 C    | 02/10/04    | 1500     | SV      |
| Total Dissolved Solids (Calc)         | 240               | mg/L     |       | 10    | SM 1030 F.   | 02/12/04    | 1025     |         |
| Total Alkalinity as CaCO <sub>3</sub> | 172               | mg/L     |       | 1.0   | SM 2320 B    | 02/10/04    | 1815     | RM      |
| Total Hardness as CaCO <sub>3</sub>   | 47.5              | mg/L     |       | 1.0   | SM 2340 B    | 02/11/04    | 0611     |         |
| Ammonia Nitrogen                      | 0.4               | mg/L     |       | 0.1   | EPA 350.1    | 02/12/04    | 1604     | JF      |
| Nitrite as N                          | <0.1              | mg/L     |       | 0.1   | EPA 353.2    | 02/10/04    | 1543     | JF      |
| Radium 226                            | 119±7.8           | pCi/L    |       | 0.2   | SM 7500 Ra-B | 02/18/04    | 1242     | TP      |
| Silica as SiO <sub>2</sub>            | 1.6               | mg/L     |       | 0.1   | EPA 200.7    | 02/11/04    | 0833     | MH      |
| Sodium Adsorption Ratio               | 4.8               |          |       | N/A   | Calculations | 02/11/04    | 0611     |         |
| <b>Anions</b>                         |                   |          |       |       |              |             |          |         |
| Bicarbonate as HCO <sub>3</sub>       | 209               | mg/L     | 3.43  | meq/L | 1.0          | SM 2320 B   | 02/10/04 | 1815 RM |
| Carbonate as CO <sub>3</sub>          | <1.0              | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 02/10/04 | 1815 RM |
| Hydroxide as OH                       | <1.0              | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 02/10/04 | 1815 RM |
| Chloride                              | 3.6               | mg/L     | 0.10  | meq/L | 1.0          | EPA 300.0   | 02/10/04 | 1329 LK |
| Fluoride                              | 0.1               | mg/L     | 0.01  | meq/L | 0.1          | SM 4500-F-C | 02/10/04 | 1815 RM |
| Nitrate + Nitrite as N                | <0.1              | mg/L     | <0.01 | meq/L | 0.1          | EPA 353.2   | 02/12/04 | 1025 JF |
| Sulfate                               | 38.8              | mg/L     | 0.81  | meq/L | 1.0          | EPA 300.0   | 02/10/04 | 1329 LK |
| <b>Cations</b>                        |                   |          |       |       |              |             |          |         |
| Calcium                               | 14.4              | mg/L     | 0.72  | meq/L | 1.0          | EPA 200.7   | 02/13/04 | 0625 MH |
| Magnesium                             | 2.8               | mg/L     | 0.23  | meq/L | 1.0          | EPA 200.7   | 02/11/04 | 0611 MH |
| Potassium                             | 2.5               | mg/L     | 0.06  | meq/L | 1.0          | EPA 200.7   | 02/11/04 | 0611 MH |
| Sodium                                | 75.9              | mg/L     | 3.30  | meq/L | 0.2          | EPA 200.7   | 02/11/04 | 0611 MH |
| Cations                               |                   |          | 4.31  | meq/L | N/A          | SM 1030 F.  | 02/11/04 | 0611    |
| Anions                                |                   |          | 4.35  | meq/L | N/A          | SM 1030 F.  | 02/12/04 | 1025    |
| Cation/Anion Balance                  |                   |          | 0.46  | %     | N/A          | SM 1030 F.  | 02/11/04 | 0611    |

These results only apply to the samples tested.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.  
"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.  
U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.  
EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By:

  
 Karen Barten, Project Manager

Report ID: 010401500

## WATER QUALITY REPORT

Client: COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644

Project: Christensen

Sample ID: 5AG68-1

Lab ID: 0104W01505

Matrix: Water

Condition: Cool/Intact

Date Received: 02/09/04

Date Reported: 02/23/04


Date Sampled: 02/09/04

| Parameter               | Analytical Result | Units | PQL    | Method    | Analysis |      |      |
|-------------------------|-------------------|-------|--------|-----------|----------|------|------|
|                         |                   |       |        |           | Units    | Date | Time |
| <b>Dissolved Metals</b> |                   |       |        |           |          |      |      |
| Aluminum                | <0.1              | mg/L  | 0.1    | EPA 200.7 | 02/11/04 | 0854 | MH   |
| Arsenic                 | 0.023             | mg/L  | 0.005  | EPA 200.8 | 02/11/04 | 1252 | MS   |
| Barium                  | <0.5              | mg/L  | 0.5    | EPA 200.8 | 02/11/04 | 1311 | MS   |
| Boron                   | 0.04              | mg/L  | 0.01   | EPA 200.7 | 02/11/04 | 0854 | MH   |
| Cadmium                 | <0.002            | mg/L  | 0.002  | EPA 200.8 | 02/11/04 | 1311 | MS   |
| Chromium                | <0.01             | mg/L  | 0.01   | EPA 200.7 | 02/11/04 | 0854 | MH   |
| Copper                  | <0.01             | mg/L  | 0.01   | EPA 200.8 | 02/11/04 | 1311 | MS   |
| Iron                    | <0.05             | mg/L  | 0.05   | EPA 200.7 | 02/11/04 | 0854 | MH   |
| Lead                    | <0.02             | mg/L  | 0.02   | EPA 200.8 | 02/11/04 | 1311 | MS   |
| Manganese               | 0.03              | mg/L  | 0.02   | EPA 200.7 | 02/11/04 | 0854 | MH   |
| Mercury                 | <0.001            | mg/L  | 0.001  | EPA 245.1 | 02/13/04 | 0950 | MS   |
| Molybdenum              | <0.02             | mg/L  | 0.02   | EPA 200.8 | 02/11/04 | 1311 | MS   |
| Nickel                  | <0.01             | mg/L  | 0.01   | EPA 200.7 | 02/11/04 | 0854 | MH   |
| Selenium                | 0.752             | mg/L  | 0.005  | EPA 200.8 | 02/11/04 | 1311 | MS   |
| Uranium                 | 1.56              | mg/L  | 0.0001 | EPA 200.8 | 02/11/04 | 1311 | MS   |
| Vanadium                | 0.5               | mg/L  | 0.1    | EPA 200.8 | 02/11/04 | 1311 | MS   |
| Zinc                    | <0.01             | mg/L  | 0.01   | EPA 200.7 | 02/11/04 | 0854 | MH   |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By:

  
 Karen Barten, Project Manager

Report ID: 010401500

## WATER QUALITY REPORT

Client: COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644Project: Christensen  
Sample ID: 5AE80-1  
Lab ID: 0104W01506  
Matrix: Water  
Condition: Cool/IntactDate Received: 02/09/04  
Date Reported: 02/23/04  
Date Sampled: 02/09/04

| Parameter                      | Analytical Result | Units    | Analysis |       |              |             |          |       |    |
|--------------------------------|-------------------|----------|----------|-------|--------------|-------------|----------|-------|----|
|                                |                   |          | Units    | PQL   | Method       | Date        | Time     | Init. |    |
| <b>General Parameters</b>      |                   |          |          |       |              |             |          |       |    |
| Lab pH                         | 7.8               | s.u.     |          | 0.1   | EPA 150.1    | 02/10/04    | 1828     | RM    |    |
| Lab Conductivity @ 25°C        | 1,330             | µmhos/cm |          | 5     | SM 2510 B    | 02/10/04    | 1828     | RM    |    |
| Total Dissolved Solids @ 180°C | 900               | mg/L     |          | 10    | SM 2540 C    | 02/10/04    | 1500     | SV    |    |
| Total Dissolved Solids(Calc)   | 850               | mg/L     |          | 10    | SM 1030 F.   | 02/12/04    | 1025     |       |    |
| Total Alkalinity as CaCO3      | 450               | mg/L     |          | 1.0   | SM 2320 B    | 02/10/04    | 1828     | RM    |    |
| Total Hardness as CaCO3        | 181               | mg/L     |          | 1.0   | SM 2340 B    | 02/11/04    | 0611     |       |    |
| Ammonia Nitrogen               | 0.3               | mg/L     |          | 0.1   | EPA 350.1    | 02/12/04    | 1604     | JF    |    |
| Nitrite as N                   | <0.1              | mg/L     |          | 0.1   | EPA 353.2    | 02/10/04    | 1543     | JF    |    |
| Radium 226                     | 198±9.8           | pCi/L    |          | 0.2   | SM 7500 Ra-B | 02/18/04    | 1242     | TP    |    |
| Silica as SiO2                 | 3.9               | mg/L     |          | 0.1   | EPA 200.7    | 02/11/04    | 0833     | MH    |    |
| Sodium Adsorption Ratio        | 8.0               |          |          | N/A   | Calculations | 02/11/04    | 0611     |       |    |
| <b>Anions</b>                  |                   |          |          |       |              |             |          |       |    |
| Bicarbonate as HCO3            | 548               | mg/L     | 8.99     | meq/L | 1.0          | SM 2320 B   | 02/10/04 | 1828  | RM |
| Carbonate as CO3               | <1.0              | mg/L     | <0.01    | meq/L | 1.0          | SM 2320 B   | 02/10/04 | 1828  | RM |
| Hydroxide as OH                | <1.0              | mg/L     | <0.01    | meq/L | 1.0          | SM 2320 B   | 02/10/04 | 1828  | RM |
| Chloride                       | 24.3              | mg/L     | 0.68     | meq/L | 1.0          | EPA 300.0   | 02/10/04 | 1329  | LK |
| Fluoride                       | <0.1              | mg/L     | <0.01    | meq/L | 0.1          | SM 4500-F-C | 02/10/04 | 1828  | RM |
| Nitrate + Nitrite as N         | <0.1              | mg/L     | <0.01    | meq/L | 0.1          | EPA 353.2   | 02/12/04 | 1025  | JF |
| Sulfate                        | 236               | mg/L     | 4.92     | meq/L | 1.0          | EPA 300.0   | 02/10/04 | 1329  | LK |
| <b>Cations</b>                 |                   |          |          |       |              |             |          |       |    |
| Calcium                        | 53.4              | mg/L     | 2.66     | meq/L | 1.0          | EPA 200.7   | 02/13/04 | 0625  | MH |
| Magnesium                      | 11.5              | mg/L     | 0.95     | meq/L | 1.0          | EPA 200.7   | 02/11/04 | 0611  | MH |
| Potassium                      | 5.4               | mg/L     | 0.14     | meq/L | 1.0          | EPA 200.7   | 02/11/04 | 0611  | MH |
| Sodium                         | 248               | mg/L     | 10.79    | meq/L | 0.2          | EPA 200.7   | 02/11/04 | 0611  | MH |
| Cations                        |                   |          | 14.54    | meq/L | N/A          | SM 1030 F.  | 02/11/04 | 0611  |    |
| Anions                         |                   |          | 14.59    | meq/L | N/A          | SM 1030 F.  | 02/12/04 | 1025  |    |
| Cation/Anion Balance           |                   |          | 0.17     | %     | N/A          | SM 1030 F.  | 02/11/04 | 0611  |    |

These results only apply to the samples tested.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.  
"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.  
U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.  
EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.Reviewed By: Karen Barten  
Karen Barten, Project Manager

Report ID: 010401500

## WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
P.O. Box 730  
Mills, WY 82644Project: **Christensen**  
Sample ID: 5AE80-1  
Lab ID: 0104W01506  
Matrix: Water  
Condition: Cool/IntactDate Received: 02/09/04  
Date Reported: 02/23/04  
Date Sampled: 02/09/04

| Parameter               | Analytical Result | Units | Units | PQL    | Method    | Analysis |      |       |
|-------------------------|-------------------|-------|-------|--------|-----------|----------|------|-------|
|                         |                   |       |       |        |           | Date     | Time | Init. |
| <b>Dissolved Metals</b> |                   |       |       |        |           |          |      |       |
| Aluminum                | <0.1              | mg/L  |       | 0.1    | EPA 200.7 | 02/11/04 | 0906 | MH    |
| Arsenic                 | 0.027             | mg/L  |       | 0.005  | EPA 200.8 | 02/11/04 | 1252 | MS    |
| Barium                  | <0.5              | mg/L  |       | 0.5    | EPA 200.8 | 02/11/04 | 1313 | MS    |
| Boron                   | 0.06              | mg/L  |       | 0.01   | EPA 200.7 | 02/11/04 | 0906 | MH    |
| Cadmium                 | <0.002            | mg/L  |       | 0.002  | EPA 200.8 | 02/11/04 | 1313 | MS    |
| Chromium                | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/11/04 | 0906 | MH    |
| Copper                  | <0.01             | mg/L  |       | 0.01   | EPA 200.8 | 02/11/04 | 1313 | MS    |
| Iron                    | 0.33              | mg/L  |       | 0.05   | EPA 200.7 | 02/11/04 | 0906 | MH    |
| Lead                    | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/11/04 | 1313 | MS    |
| Manganese               | 0.20              | mg/L  |       | 0.02   | EPA 200.7 | 02/11/04 | 0906 | MH    |
| Mercury                 | <0.001            | mg/L  |       | 0.001  | EPA 245.1 | 02/13/04 | 0950 | MS    |
| Molybdenum              | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/11/04 | 1313 | MS    |
| Nickel                  | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/11/04 | 0906 | MH    |
| Selenium                | 0.159             | mg/L  |       | 0.005  | EPA 200.8 | 02/11/04 | 1313 | MS    |
| Uranium                 | 1.81              | mg/L  |       | 0.0001 | EPA 200.8 | 02/11/04 | 1313 | MS    |
| Vanadium                | 0.3               | mg/L  |       | 0.1    | EPA 200.8 | 02/11/04 | 1313 | MS    |
| Zinc                    | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/11/04 | 0906 | MH    |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By:

  
 Karen Barten, Project Manager

Report ID: 010401500

## WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
P.O. Box 730  
Mills, WY 82644Project: **Christensen**

Sample ID: 5AM78-2

Lab ID: 0104W01504

Matrix: Water

Condition: Cool/Intact

Date Received: 02/09/04

Date Reported: 02/23/04

Date Sampled: 02/09/04

| Parameter                      | Analytical Result | Units    | Units | PQL   | Method       | Analysis    |          |         |
|--------------------------------|-------------------|----------|-------|-------|--------------|-------------|----------|---------|
|                                |                   |          |       |       |              | Date        | Time     | Init.   |
| <b>General Parameters</b>      |                   |          |       |       |              |             |          |         |
| Lab pH                         | 7.8               | s.u.     |       | 0.1   | EPA 150.1    | 02/10/04    | 1802     | RM      |
| Lab Conductivity @ 25°C        | 482               | µmhos/cm |       | 5     | SM 2510 B    | 02/10/04    | 1802     | RM      |
| Total Dissolved Solids @ 180°C | 300               | mg/L     |       | 10    | SM 2540 C    | 02/10/04    | 1500     | SV      |
| Total Dissolved Solids(Calc)   | 290               | mg/L     |       | 10    | SM 1030 F.   | 02/12/04    | 1025     |         |
| Total Alkalinity as CaCO3      | 155               | mg/L     |       | 1.0   | SM 2320 B    | 02/10/04    | 1802     | RM      |
| Total Hardness as CaCO3        | 60.0              | mg/L     |       | 1.0   | SM 2340 B    | 02/11/04    | 0611     |         |
| Ammonia Nitrogen               | 0.2               | mg/L     |       | 0.1   | EPA 350.1    | 02/12/04    | 1604     | JF      |
| Nitrite as N                   | <0.1              | mg/L     |       | 0.1   | EPA 353.2    | 02/10/04    | 1543     | JF      |
| Radium 226                     | 377±14.7          | pCi/L    |       | 0.2   | SM 7500 Ra-B | 02/18/04    | 1242     | TP      |
| Silica as SiO2                 | 3.0               | mg/L     |       | 0.1   | EPA 200.7    | 02/11/04    | 0833     | MH      |
| Sodium Adsorption Ratio        | 4.9               |          |       | N/A   | Calculations | 02/11/04    | 0611     |         |
| <b>Anions</b>                  |                   |          |       |       |              |             |          |         |
| Bicarbonate as HCO3            | 189               | mg/L     | 3.09  | meq/L | 1.0          | SM 2320 B   | 02/10/04 | 1802 RM |
| Carbonate as CO3               | <1.0              | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 02/10/04 | 1802 RM |
| Hydroxide as OH                | <1.0              | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 02/10/04 | 1802 RM |
| Chloride                       | 7.3               | mg/L     | 0.21  | meq/L | 1.0          | EPA 300.0   | 02/10/04 | 1329 LK |
| Fluoride                       | 0.1               | mg/L     | 0.01  | meq/L | 0.1          | SM 4500-F-C | 02/10/04 | 1802 RM |
| Nitrate + Nitrite as N         | <0.1              | mg/L     | <0.01 | meq/L | 0.1          | EPA 353.2   | 02/12/04 | 1025 JF |
| Sulfate                        | 80.6              | mg/L     | 1.68  | meq/L | 1.0          | EPA 300.0   | 02/10/04 | 1329 LK |
| <b>Cations</b>                 |                   |          |       |       |              |             |          |         |
| Calcium                        | 18.0              | mg/L     | 0.90  | meq/L | 1.0          | EPA 200.7   | 02/11/04 | 0611 MH |
| Magnesium                      | 3.7               | mg/L     | 0.30  | meq/L | 1.0          | EPA 200.7   | 02/11/04 | 0611 MH |
| Potassium                      | 1.8               | mg/L     | 0.05  | meq/L | 1.0          | EPA 200.7   | 02/11/04 | 0611 MH |
| Sodium                         | 87.5              | mg/L     | 3.80  | meq/L | 0.2          | EPA 200.7   | 02/11/04 | 0611 MH |
| Cations                        |                   |          | 5.05  | meq/L | N/A          | SM 1030 F.  | 02/11/04 | 0611    |
| Anions                         |                   |          | 4.99  | meq/L | N/A          | SM 1030 F.  | 02/12/04 | 1025    |
| Cation/Anion Balance           |                   |          | 0.60  | %     | N/A          | SM 1030 F.  | 02/11/04 | 0611    |

These results only apply to the samples tested.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.

"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.

U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.

EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By: Karen Barten

Karen Barten, Project Manager

Report ID: 010401500

## WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
P.O. Box 730  
Mills, WY 82644Project: **Christensen**

Sample ID: 5AM78-2

Lab ID: 0104W01504

Matrix: Water

Condition: Cool/Intact

Date Received: 02/09/04

Date Reported: 02/23/04

Date Sampled: 02/09/04

| Parameter               | Analytical Result | Units | Units | PQL    | Method    | Analysis |      |       |
|-------------------------|-------------------|-------|-------|--------|-----------|----------|------|-------|
|                         |                   |       |       |        |           | Date     | Time | Init. |
| <b>Dissolved Metals</b> |                   |       |       |        |           |          |      |       |
| Aluminum                | <0.1              | mg/L  |       | 0.1    | EPA 200.7 | 02/11/04 | 0851 | MH    |
| Arsenic                 | 0.008             | mg/L  |       | 0.005  | EPA 200.8 | 02/11/04 | 1252 | MS    |
| Barium                  | <0.5              | mg/L  |       | 0.5    | EPA 200.8 | 02/11/04 | 1308 | MS    |
| Boron                   | 0.05              | mg/L  |       | 0.01   | EPA 200.7 | 02/11/04 | 0851 | MH    |
| Cadmium                 | <0.002            | mg/L  |       | 0.002  | EPA 200.8 | 02/11/04 | 1308 | MS    |
| Chromium                | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/11/04 | 0851 | MH    |
| Copper                  | <0.01             | mg/L  |       | 0.01   | EPA 200.8 | 02/11/04 | 1308 | MS    |
| Iron                    | 0.09              | mg/L  |       | 0.05   | EPA 200.7 | 02/11/04 | 0851 | MH    |
| Lead                    | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/11/04 | 1308 | MS    |
| Manganese               | 0.05              | mg/L  |       | 0.02   | EPA 200.7 | 02/11/04 | 0851 | MH    |
| Mercury                 | <0.001            | mg/L  |       | 0.001  | EPA 245.1 | 02/13/04 | 0950 | MS    |
| Molybdenum              | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 02/11/04 | 1308 | MS    |
| Nickel                  | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/11/04 | 0851 | MH    |
| Selenium                | 0.384             | mg/L  |       | 0.005  | EPA 200.8 | 02/11/04 | 1308 | MS    |
| Uranium                 | 0.916             | mg/L  |       | 0.0001 | EPA 200.8 | 02/11/04 | 1308 | MS    |
| Vanadium                | 0.2               | mg/L  |       | 0.1    | EPA 200.8 | 02/11/04 | 1308 | MS    |
| Zinc                    | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 02/11/04 | 0851 | MH    |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By:


  
Karen Barten, Project Manager





Report ID: 010407376

## WATER QUALITY REPORT

Client: COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644

Project: Christensen

Sample ID: MW-03

Lab ID: 0104W07376

Matrix: Water

Condition: Cool/Intact

Date Received: 05/11/04

Date Reported: 05/25/04

Date Sampled: 05/10/04

| Parameter                             | Analytical |          | Analysis |       |              |             |          |       |    |
|---------------------------------------|------------|----------|----------|-------|--------------|-------------|----------|-------|----|
|                                       | Result     | Units    | Units    | PQL   | Method       | Date        | Time     | Init. |    |
| <b>General Parameters</b>             |            |          |          |       |              |             |          |       |    |
| Lab pH                                | 8.1        | s.u.     |          | 0.1   | EPA 150.1    | 05/12/04    | 1354     | JG    |    |
| Lab Conductivity @ 25°C               | 425        | µmhos/cm |          | 5     | SM 2510 B    | 05/12/04    | 1354     | JG    |    |
| Total Dissolved Solids @ 180°C        | 300        | mg/L     |          | 10    | SM 2540 C    | 05/12/04    | 1000     | SH    |    |
| Total Dissolved Solids(Calc)          | 270        | mg/L     |          | 10    | SM 1030 F.   | 05/18/04    | 1444     |       |    |
| Total Alkalinity as CaCO <sub>3</sub> | 160        | mg/L     |          | 1.0   | SM 2320 B    | 05/12/04    | 1354     | JG    |    |
| Total Hardness as CaCO <sub>3</sub>   | 30.5       | mg/L     |          | 1.0   | SM 2340 B    | 05/12/04    | 0847     |       |    |
| Ammonia Nitrogen                      | <0.1       | mg/L     |          | 0.1   | EPA 350.1    | 05/17/04    | 1444     | RM    |    |
| Nitrite as N                          | <0.1       | mg/L     |          | 0.1   | EPA 353.2    | 05/11/04    | 2138     | RM    |    |
| Radium 226                            | 80.8±8.0   | pCi/L    |          | 0.2   | SM 7500 Ra-B | 05/23/04    | 1426     | TP    |    |
| Silica as SiO <sub>2</sub>            | 2.1        | mg/L     |          | 0.1   | EPA 200.7    | 05/12/04    | 0847     | MH    |    |
| Sodium Adsorption Ratio               | 7.4        |          |          | N/A   | Calculations | 05/12/04    | 0847     |       |    |
| <b>Anions</b>                         |            |          |          |       |              |             |          |       |    |
| Bicarbonate as HCO <sub>3</sub>       | 195        | mg/L     | 3.20     | meq/L | 1.0          | SM 2320 B   | 05/12/04 | 1354  | JG |
| Carbonate as CO <sub>3</sub>          | <1.0       | mg/L     | <0.01    | meq/L | 1.0          | SM 2320 B   | 05/12/04 | 1354  | JG |
| Hydroxide as OH                       | <1.0       | mg/L     | <0.01    | meq/L | 1.0          | SM 2320 B   | 05/12/04 | 1354  | JG |
| Chloride                              | 3.0        | mg/L     | 0.08     | meq/L | 1.0          | EPA 300.0   | 05/12/04 | 0833  | LK |
| Fluoride                              | 0.1        | mg/L     | 0.01     | meq/L | 0.1          | SM 4500-F-C | 05/12/04 | 1354  | JG |
| Nitrate + Nitrite as N                | <0.1       | mg/L     | <0.01    | meq/L | 0.1          | EPA 353.2   | 05/12/04 | 1612  | RM |
| Sulfate                               | 65.1       | mg/L     | 1.36     | meq/L | 1.0          | EPA 300.0   | 05/14/04 | 0833  | LK |
| <b>Cations</b>                        |            |          |          |       |              |             |          |       |    |
| Calcium                               | 9.5        | mg/L     | 0.48     | meq/L | 1.0          | EPA 200.7   | 05/12/04 | 0847  | MH |
| Magnesium                             | 1.5        | mg/L     | 0.13     | meq/L | 1.0          | EPA 200.7   | 05/12/04 | 0847  | MH |
| Potassium                             | 1.8        | mg/L     | 0.05     | meq/L | 1.0          | EPA 200.7   | 05/12/04 | 0847  | MH |
| Sodium                                | 94.1       | mg/L     | 4.09     | meq/L | 0.2          | EPA 200.7   | 05/12/04 | 0847  | MH |
| Cations                               |            |          | 4.75     | meq/L | N/A          | SM 1030 F.  | 05/12/04 | 0847  |    |
| Anions                                |            |          | 4.65     | meq/L | N/A          | SM 1030 F.  | 05/18/04 | 1444  |    |
| Cation/Anion Balance                  |            |          | 1.06     | %     | N/A          | SM 1030 F.  | 05/12/04 | 0847  |    |

These results only apply to the samples tested.


Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.

"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.

U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.

EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By:

  
 Karen Barten, Project Manager

Report ID: 010407376

## WATER QUALITY REPORT

Client: COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644

Project: Christensen

Sample ID: MW-03

Lab ID: 0104W07376

Matrix: Water

Condition: Cool/Intact

Date Received: 05/11/04

Date Reported: 05/25/04

Date Sampled: 05/10/04

| Parameter               | Analytical |       | PQL    | Method    | Analysis |      |      |
|-------------------------|------------|-------|--------|-----------|----------|------|------|
|                         | Result     | Units |        |           | Units    | Date | Time |
| <b>Dissolved Metals</b> |            |       |        |           |          |      |      |
| Aluminum                | <0.1       | mg/L  | 0.1    | EPA 200.7 | 05/12/04 | 0847 | MH   |
| Arsenic                 | 0.005      | mg/L  | 0.005  | EPA 200.8 | 05/14/04 | 1548 | MS   |
| Barium                  | <0.5       | mg/L  | 0.5    | EPA 200.8 | 05/14/04 | 1548 | MS   |
| Boron                   | 0.06       | mg/L  | 0.01   | EPA 200.7 | 05/12/04 | 0847 | MH   |
| Cadmium                 | <0.002     | mg/L  | 0.002  | EPA 200.8 | 05/14/04 | 1548 | MS   |
| Chromium                | <0.01      | mg/L  | 0.01   | EPA 200.7 | 05/12/04 | 0847 | MH   |
| Copper                  | <0.01      | mg/L  | 0.01   | EPA 200.8 | 05/14/04 | 1548 | MS   |
| Iron                    | <0.05      | mg/L  | 0.05   | EPA 200.7 | 05/12/04 | 0847 | MH   |
| Lead                    | <0.02      | mg/L  | 0.02   | EPA 200.8 | 05/14/04 | 1548 | MS   |
| Manganese               | <0.02      | mg/L  | 0.02   | EPA 200.7 | 05/12/04 | 0847 | MH   |
| Mercury                 | <0.001     | mg/L  | 0.001  | EPA 245.1 | 05/14/04 | 1024 | MS   |
| Molybdenum              | <0.02      | mg/L  | 0.02   | EPA 200.8 | 05/14/04 | 1548 | MS   |
| Nickel                  | <0.01      | mg/L  | 0.01   | EPA 200.7 | 05/12/04 | 0847 | MH   |
| Selenium                | 1.68       | mg/L  | 0.005  | EPA 200.8 | 05/14/04 | 1548 | MS   |
| Uranium                 | 1.28       | mg/L  | 0.0001 | EPA 200.8 | 05/14/04 | 1548 | MS   |
| Vanadium                | 0.2        | mg/L  | 0.1    | EPA 200.8 | 05/14/04 | 1548 | MS   |
| Zinc                    | <0.01      | mg/L  | 0.01   | EPA 200.7 | 05/12/04 | 0847 | MH   |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By:


  
Karen Barten, Project Manager

Report ID: 010407376

## WATER QUALITY REPORT

**Client:** COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644

**Project:** Christensen  
**Sample ID:** 5AO74-1  
**Lab ID:** 0104W07377  
**Matrix:** Water  
**Condition:** Cool/Intact

**Date Received:** 05/11/04  
**Date Reported:** 05/25/04  
**Date Sampled:** 05/10/04

| Parameter                             | Analytical |          | Analysis |       |              |             |          |       |    |
|---------------------------------------|------------|----------|----------|-------|--------------|-------------|----------|-------|----|
|                                       | Result     | Units    | Units    | PQL   | Method       | Date        | Time     | Init. |    |
| <b>General Parameters</b>             |            |          |          |       |              |             |          |       |    |
| Lab pH                                | 8.0        | s.u.     |          | 0.1   | EPA 150.1    | 05/12/04    | 1406     | JG    |    |
| Lab Conductivity @ 25°C               | 314        | µmhos/cm |          | 5     | SM 2510 B    | 05/12/04    | 1406     | JG    |    |
| Total Dissolved Solids @ 180°C        | 220        | mg/L     |          | 10    | SM 2540 C    | 05/12/04    | 1000     | SH    |    |
| Total Dissolved Solids(Calc)          | 190        | mg/L     |          | 10    | SM 1030 F.   | 05/18/04    | 1445     |       |    |
| Total Alkalinity as CaCO <sub>3</sub> | 119        | mg/L     |          | 1.0   | SM 2320 B    | 05/12/04    | 1406     | JG    |    |
| Total Hardness as CaCO <sub>3</sub>   | 25.0       | mg/L     |          | 1.0   | SM 2340 B    | 05/12/04    | 0850     |       |    |
| Ammonia Nitrogen                      | <0.1       | mg/L     |          | 0.1   | EPA 350.1    | 05/17/04    | 1444     | RM    |    |
| Nitrite as N                          | <0.1       | mg/L     |          | 0.1   | EPA 353.2    | 05/11/04    | 2138     | RM    |    |
| Radium 226                            | 22.8±4.8   | pCi/L    |          | 0.2   | SM 7500 Ra-B | 05/23/04    | 1426     | TP    |    |
| Silica as SiO <sub>2</sub>            | 3.0        | mg/L     |          | 0.1   | EPA 200.7    | 05/12/04    | 0850     | MH    |    |
| Sodium Adsorption Ratio               | 5.8        |          |          | N/A   | Calculations | 05/12/04    | 0850     |       |    |
| <b>Anions</b>                         |            |          |          |       |              |             |          |       |    |
| Bicarbonate as HCO <sub>3</sub>       | 145        | mg/L     | 2.37     | meq/L | 1.0          | SM 2320 B   | 05/12/04 | 1406  | JG |
| Carbonate as CO <sub>3</sub>          | <1.0       | mg/L     | <0.01    | meq/L | 1.0          | SM 2320 B   | 05/12/04 | 1406  | JG |
| Hydroxide as OH                       | <1.0       | mg/L     | <0.01    | meq/L | 1.0          | SM 2320 B   | 05/12/04 | 1406  | JG |
| Chloride                              | 2.4        | mg/L     | 0.07     | meq/L | 1.0          | EPA 300.0   | 05/12/04 | 0833  | LK |
| Fluoride                              | 0.1        | mg/L     | 0.01     | meq/L | 0.1          | SM 4500-F-C | 05/12/04 | 1406  | JG |
| Nitrate + Nitrite as N                | <0.1       | mg/L     | <0.01    | meq/L | 0.1          | EPA 353.2   | 05/12/04 | 1620  | RM |
| Sulfate                               | 42.6       | mg/L     | 0.89     | meq/L | 1.0          | EPA 300.0   | 05/12/04 | 0833  | LK |
| <b>Cations</b>                        |            |          |          |       |              |             |          |       |    |
| Calcium                               | 7.7        | mg/L     | 0.39     | meq/L | 1.0          | EPA 200.7   | 05/12/04 | 0850  | MH |
| Magnesium                             | 1.4        | mg/L     | 0.11     | meq/L | 1.0          | EPA 200.7   | 05/12/04 | 0850  | MH |
| Potassium                             | 1.3        | mg/L     | 0.03     | meq/L | 1.0          | EPA 200.7   | 05/12/04 | 0850  | MH |
| Sodium                                | 67.2       | mg/L     | 2.92     | meq/L | 0.2          | EPA 200.7   | 05/12/04 | 0850  | MH |
| Cations                               |            |          | 3.45     | meq/L | N/A          | SM 1030 F.  | 05/12/04 | 0850  |    |
| Anions                                |            |          | 3.34     | meq/L | N/A          | SM 1030 F.  | 05/18/04 | 1445  |    |
| Cation/Anion Balance                  |            |          | 1.62     | %     | N/A          | SM 1030 F.  | 05/12/04 | 0850  |    |

These results only apply to the samples tested.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.  
"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.  
U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.  
EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By: Karen Barten

Karen Barten, Project Manager

Report ID: 010407376

## WATER QUALITY REPORT

Client: COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644

Project: Christensen

Sample ID: 5AO74-1

Lab ID: 0104W07377

Matrix: Water

Condition: Cool/Intact

Date Received: 05/11/04

Date Reported: 05/25/04

Date Sampled: 05/10/04

| Parameter               | Analytical |       | Units | PQL    | Method    | Analysis |      |       |
|-------------------------|------------|-------|-------|--------|-----------|----------|------|-------|
|                         | Result     | Units |       |        |           | Date     | Time | Init. |
| <b>Dissolved Metals</b> |            |       |       |        |           |          |      |       |
| Aluminum                | <0.1       | mg/L  |       | 0.1    | EPA 200.7 | 05/12/04 | 0850 | MH    |
| Arsenic                 | 0.005      | mg/L  |       | 0.005  | EPA 200.8 | 05/14/04 | 1550 | MS    |
| Barium                  | <0.5       | mg/L  |       | 0.5    | EPA 200.8 | 05/14/04 | 1550 | MS    |
| Boron                   | 0.06       | mg/L  |       | 0.01   | EPA 200.7 | 05/12/04 | 0850 | MH    |
| Cadmium                 | <0.002     | mg/L  |       | 0.002  | EPA 200.8 | 05/14/04 | 1550 | MS    |
| Chromium                | <0.01      | mg/L  |       | 0.01   | EPA 200.7 | 05/12/04 | 0850 | MH    |
| Copper                  | <0.01      | mg/L  |       | 0.01   | EPA 200.8 | 05/14/04 | 1550 | MS    |
| Iron                    | <0.05      | mg/L  |       | 0.05   | EPA 200.7 | 05/12/04 | 0850 | MH    |
| Lead                    | <0.02      | mg/L  |       | 0.02   | EPA 200.8 | 05/14/04 | 1550 | MS    |
| Manganese               | <0.02      | mg/L  |       | 0.02   | EPA 200.7 | 05/12/04 | 0850 | MH    |
| Mercury                 | <0.001     | mg/L  |       | 0.001  | EPA 245.1 | 05/14/04 | 1024 | MS    |
| Molybdenum              | <0.02      | mg/L  |       | 0.02   | EPA 200.8 | 05/14/04 | 1550 | MS    |
| Nickel                  | <0.01      | mg/L  |       | 0.01   | EPA 200.7 | 05/12/04 | 0850 | MH    |
| Selenium                | 0.019      | mg/L  |       | 0.005  | EPA 200.8 | 05/14/04 | 1550 | MS    |
| Uranium                 | 0.304      | mg/L  |       | 0.0001 | EPA 200.8 | 05/14/04 | 1550 | MS    |
| Vanadium                | <0.1       | mg/L  |       | 0.1    | EPA 200.8 | 05/14/04 | 1550 | MS    |
| Zinc                    | <0.01      | mg/L  |       | 0.01   | EPA 200.7 | 05/12/04 | 0850 | MH    |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By:


  
 Karen Barten, Project Manager

Report ID: 010407376

WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
P.O. Box 730  
Mills, WY 82644

Project: **Christensen**

Sample ID: 5AE80-1

Lab ID: 0104W07378

Matrix: Water

Condition: Cool/Intact

Date Received: 05/11/04

Date Reported: 05/25/04

Date Sampled: 05/10/04

| Parameter                      | Analytical |          | Analysis |       |              |             |          |       |    |
|--------------------------------|------------|----------|----------|-------|--------------|-------------|----------|-------|----|
|                                | Result     | Units    | Units    | PQL   | Method       | Date        | Time     | Init. |    |
| <b>General Parameters</b>      |            |          |          |       |              |             |          |       |    |
| Lab pH                         | 7.9        | s.u.     |          | 0.1   | EPA 150.1    | 05/12/04    | 1419     | JG    |    |
| Lab Conductivity @ 25°C        | 1,520      | µmhos/cm |          | 5     | SM 2510 B    | 05/12/04    | 1419     | JG    |    |
| Total Dissolved Solids @ 180°C | 1,070      | mg/L     |          | 10    | SM 2540 C    | 05/12/04    | 1000     | SH    |    |
| Total Dissolved Solids(Calc)   | 1,010      | mg/L     |          | 10    | SM 1030 F.   | 05/18/04    | 1446     |       |    |
| Total Alkalinity as CaCO3      | 511        | mg/L     |          | 1.0   | SM 2320 B    | 05/12/04    | 1419     | JG    |    |
| Total Hardness as CaCO3        | 271        | mg/L     |          | 1.0   | SM 2340 B    | 05/12/04    | 0853     |       |    |
| Ammonia Nitrogen               | 0.2        | mg/L     |          | 0.1   | EPA 350.1    | 05/17/04    | 1444     | RM    |    |
| Nitrite as N                   | <0.1       | mg/L     |          | 0.1   | EPA 353.2    | 05/11/04    | 2138     | RM    |    |
| Radium 226                     | 171±11     | pCi/L    |          | 0.2   | SM 7500 Ra-B | 05/23/04    | 1426     | TP    |    |
| Silica as SiO2                 | 3.9        | mg/L     |          | 0.1   | EPA 200.7    | 05/12/04    | 0853     | MH    |    |
| Sodium Adsorption Ratio        | 7.3        |          |          | N/A   | Calculations | 05/12/04    | 0853     |       |    |
| <b>Anions</b>                  |            |          |          |       |              |             |          |       |    |
| Bicarbonate as HCO3            | 623        | mg/L     | 10.22    | meq/L | 1.0          | SM 2320 B   | 05/12/04 | 1419  | JG |
| Carbonate as CO3               | <1.0       | mg/L     | <0.01    | meq/L | 1.0          | SM 2320 B   | 05/12/04 | 1419  | JG |
| Hydroxide as OH                | <1.0       | mg/L     | <0.01    | meq/L | 1.0          | SM 2320 B   | 05/12/04 | 1419  | JG |
| Chloride                       | 30.1       | mg/L     | 0.85     | meq/L | 1.0          | EPA 300.0   | 05/12/04 | 0833  | LK |
| Fluoride                       | <0.1       | mg/L     | <0.01    | meq/L | 0.1          | SM 4500-F-C | 05/12/04 | 1419  | JG |
| Nitrate + Nitrite as N         | <0.1       | mg/L     | <0.01    | meq/L | 0.1          | EPA 353.2   | 05/12/04 | 1621  | RM |
| Sulfate                        | 286        | mg/L     | 5.96     | meq/L | 1.0          | EPA 300.0   | 05/12/04 | 0833  | LK |
| <b>Cations</b>                 |            |          |          |       |              |             |          |       |    |
| Calcium                        | 85.6       | mg/L     | 4.27     | meq/L | 1.0          | EPA 200.7   | 05/12/04 | 0853  | MH |
| Magnesium                      | 13.9       | mg/L     | 1.14     | meq/L | 1.0          | EPA 200.7   | 05/12/04 | 0853  | MH |
| Potassium                      | 5.6        | mg/L     | 0.14     | meq/L | 1.0          | EPA 200.7   | 05/12/04 | 0853  | MH |
| Sodium                         | 278        | mg/L     | 12.08    | meq/L | 0.2          | EPA 200.7   | 05/12/04 | 0853  | MH |
| Cations                        |            |          | 17.63    | meq/L | N/A          | SM 1030 F.  | 05/12/04 | 0853  |    |
| Anions                         |            |          | 17.04    | meq/L | N/A          | SM 1030 F.  | 05/18/04 | 1446  |    |
| Cation/Anion Balance           |            |          | 1.70     | %     | N/A          | SM 1030 F.  | 05/12/04 | 0853  |    |

These results only apply to the samples tested.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.  
"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.  
U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.  
EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By: *Karen Barten*  
Karen Barten, Project Manager

Report ID: 010407376

WATER QUALITY REPORT

Client: COGEMA Mining, Inc.  
 P.O. Box 730  
 Mills, WY 82644


Project: Christensen  
 Sample ID: 5AE80-1  
 Lab ID: 0104W07378  
 Matrix: Water  
 Condition: Cool/Intact

Date Received: 05/11/04  
 Date Reported: 05/25/04  
 Date Sampled: 05/10/04

| Parameter               | Analytical |       | Analysis |        |           |          |      |       |
|-------------------------|------------|-------|----------|--------|-----------|----------|------|-------|
|                         | Result     | Units | Units    | PQL    | Method    | Date     | Time | Init. |
| <b>Dissolved Metals</b> |            |       |          |        |           |          |      |       |
| Aluminum                | <0.1       | mg/L  |          | 0.1    | EPA 200.7 | 05/12/04 | 0853 | MH    |
| Arsenic                 | 0.009      | mg/L  |          | 0.005  | EPA 200.8 | 05/14/04 | 1553 | MS    |
| Barium                  | <0.5       | mg/L  |          | 0.5    | EPA 200.8 | 05/14/04 | 1553 | MS    |
| Boron                   | 0.07       | mg/L  |          | 0.01   | EPA 200.7 | 05/12/04 | 0853 | MH    |
| Cadmium                 | <0.002     | mg/L  |          | 0.002  | EPA 200.8 | 05/14/04 | 1553 | MS    |
| Chromium                | <0.01      | mg/L  |          | 0.01   | EPA 200.7 | 05/12/04 | 0853 | MH    |
| Copper                  | <0.01      | mg/L  |          | 0.01   | EPA 200.8 | 05/14/04 | 1553 | MS    |
| Iron                    | 0.25       | mg/L  |          | 0.05   | EPA 200.7 | 05/12/04 | 0853 | MH    |
| Lead                    | <0.02      | mg/L  |          | 0.02   | EPA 200.8 | 05/14/04 | 1553 | MS    |
| Manganese               | 0.25       | mg/L  |          | 0.02   | EPA 200.7 | 05/12/04 | 0853 | MH    |
| Mercury                 | <0.001     | mg/L  |          | 0.001  | EPA 245.1 | 05/14/04 | 1024 | MS    |
| Molybdenum              | <0.02      | mg/L  |          | 0.02   | EPA 200.8 | 05/14/04 | 1553 | MS    |
| Nickel                  | <0.01      | mg/L  |          | 0.01   | EPA 200.7 | 05/12/04 | 0853 | MH    |
| Selenium                | 0.077      | mg/L  |          | 0.005  | EPA 200.8 | 05/14/04 | 1553 | MS    |
| Uranium                 | 1.47       | mg/L  |          | 0.0001 | EPA 200.8 | 05/14/04 | 1553 | MS    |
| Vanadium                | 0.2        | mg/L  |          | 0.1    | EPA 200.8 | 05/14/04 | 1553 | MS    |
| Zinc                    | <0.01      | mg/L  |          | 0.01   | EPA 200.7 | 05/12/04 | 0853 | MH    |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By:   
 Karen Barten, Project Manager

Report ID: 010407376

WATER QUALITY REPORT

**Client:** COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644

**Project:** Christensen  
**Sample ID:** 5AG68-1  
**Lab ID:** 0104W07379  
**Matrix:** Water  
**Condition:** Cool/Intact

**Date Received:** 05/11/04  
**Date Reported:** 05/25/04  
**Date Sampled:** 05/10/04

| Parameter                      | Analytical |          | Analysis |       |              |             |          |       |    |
|--------------------------------|------------|----------|----------|-------|--------------|-------------|----------|-------|----|
|                                | Result     | Units    | Units    | PQL   | Method       | Date        | Time     | Init. |    |
| <b>General Parameters</b>      |            |          |          |       |              |             |          |       |    |
| Lab pH                         | 8.2        | s.u.     |          | 0.1   | EPA 150.1    | 05/12/04    | 1430     | JG    |    |
| Lab Conductivity @ 25°C        | 304        | µmhos/cm |          | 5     | SM 2510 B    | 05/12/04    | 1430     | JG    |    |
| Total Dissolved Solids @ 180°C | 200        | mg/L     |          | 10    | SM 2540 C    | 05/12/04    | 1000     | SH    |    |
| Total Dissolved Solids(Calc)   | 180        | mg/L     |          | 10    | SM 1030 F.   | 05/18/04    | 1447     |       |    |
| Total Alkalinity as CaCO3      | 128        | mg/L     |          | 1.0   | SM 2320 B    | 05/12/04    | 1430     | JG    |    |
| Total Hardness as CaCO3        | 37.5       | mg/L     |          | 1.0   | SM 2340 B    | 05/12/04    | 0857     |       |    |
| Ammonia Nitrogen               | 0.1        | mg/L     |          | 0.1   | EPA 350.1    | 05/17/04    | 1444     | RM    |    |
| Nitrite as N                   | <0.1       | mg/L     |          | 0.1   | EPA 353.2    | 05/11/04    | 2138     | RM    |    |
| Radium 226                     | 71.5±7.5   | pCi/L    |          | 0.2   | SM 7500 Ra-B | 05/23/04    | 1426     | TP    |    |
| Silica as SiO2                 | 1.5        | mg/L     |          | 0.1   | EPA 200.7    | 05/12/04    | 0857     | MH    |    |
| Sodium Adsorption Ratio        | 4.1        |          |          | N/A   | Calculations | 05/12/04    | 0857     |       |    |
| <b>Anions</b>                  |            |          |          |       |              |             |          |       |    |
| Bicarbonate as HCO3            | 156        | mg/L     | 2.56     | meq/L | 1.0          | SM 2320 B   | 05/12/04 | 1430  | JG |
| Carbonate as CO3               | <1.0       | mg/L     | <0.01    | meq/L | 1.0          | SM 2320 B   | 05/12/04 | 1430  | JG |
| Hydroxide as OH                | <1.0       | mg/L     | <0.01    | meq/L | 1.0          | SM 2320 B   | 05/12/04 | 1430  | JG |
| Chloride                       | 2.6        | mg/L     | 0.07     | meq/L | 1.0          | EPA 300.0   | 05/12/04 | 0833  | LK |
| Fluoride                       | 0.1        | mg/L     | 0.01     | meq/L | 0.1          | SM 4500-F-C | 05/12/04 | 1430  | JG |
| Nitrate + Nitrite as N         | <0.1       | mg/L     | <0.01    | meq/L | 0.1          | EPA 353.2   | 05/12/04 | 1622  | RM |
| Sulfate                        | 30.6       | mg/L     | 0.64     | meq/L | 1.0          | EPA 300.0   | 05/12/04 | 0833  | LK |
| <b>Cations</b>                 |            |          |          |       |              |             |          |       |    |
| Calcium                        | 11.6       | mg/L     | 0.58     | meq/L | 1.0          | EPA 200.7   | 05/12/04 | 0857  | MH |
| Magnesium                      | 2.0        | mg/L     | 0.17     | meq/L | 1.0          | EPA 200.7   | 05/12/04 | 0857  | MH |
| Potassium                      | 2.1        | mg/L     | 0.05     | meq/L | 1.0          | EPA 200.7   | 05/12/04 | 0857  | MH |
| Sodium                         | 57.1       | mg/L     | 2.49     | meq/L | 0.2          | EPA 200.7   | 05/12/04 | 0857  | MH |
| Cations                        |            |          | 3.29     | meq/L | N/A          | SM 1030 F.  | 05/12/04 | 0857  |    |
| Anions                         |            |          | 3.29     | meq/L | N/A          | SM 1030 F.  | 05/18/04 | 1447  |    |
| Cation/Anion Balance           |            |          | 0.00     | %     | N/A          | SM 1030 F.  | 05/12/04 | 0857  |    |

These results only apply to the samples tested.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.  
"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.  
U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.  
EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By: Karen Barten  
Karen Barten, Project Manager

Report ID: 010407376

WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
 P.O. Box 730  
 Mills, WY 82644

Project: **Christensen**  
 Sample ID: 5AG68-1  
 Lab ID: 0104W07379  
 Matrix: Water  
 Condition: Cool/Intact

Date Received: 05/11/04  
 Date Reported: 05/25/04  
 Date Sampled: 05/10/04

| Parameter               | Analytical |       | Units  | PQL       | Method   | Analysis |      |       |
|-------------------------|------------|-------|--------|-----------|----------|----------|------|-------|
|                         | Result     | Units |        |           |          | Date     | Time | Init. |
| <b>Dissolved Metals</b> |            |       |        |           |          |          |      |       |
| Aluminum                | <0.1       | mg/L  | 0.1    | EPA 200.7 | 05/12/04 | 0857     | MH   |       |
| Arsenic                 | 0.017      | mg/L  | 0.005  | EPA 200.8 | 05/14/04 | 1556     | MS   |       |
| Barium                  | <0.5       | mg/L  | 0.5    | EPA 200.8 | 05/14/04 | 1556     | MS   |       |
| Boron                   | 0.05       | mg/L  | 0.01   | EPA 200.7 | 05/12/04 | 0857     | MH   |       |
| Cadmium                 | <0.002     | mg/L  | 0.002  | EPA 200.8 | 05/14/04 | 1556     | MS   |       |
| Chromium                | <0.01      | mg/L  | 0.01   | EPA 200.7 | 05/12/04 | 0857     | MH   |       |
| Copper                  | <0.01      | mg/L  | 0.01   | EPA 200.8 | 05/14/04 | 1556     | MS   |       |
| Iron                    | <0.05      | mg/L  | 0.05   | EPA 200.7 | 05/12/04 | 0857     | MH   |       |
| Lead                    | <0.02      | mg/L  | 0.02   | EPA 200.8 | 05/14/04 | 1556     | MS   |       |
| Manganese               | 0.02       | mg/L  | 0.02   | EPA 200.7 | 05/12/04 | 0857     | MH   |       |
| Mercury                 | <0.001     | mg/L  | 0.001  | EPA 245.1 | 05/14/04 | 1024     | MS   |       |
| Molybdenum              | <0.02      | mg/L  | 0.02   | EPA 200.8 | 05/14/04 | 1556     | MS   |       |
| Nickel                  | <0.01      | mg/L  | 0.01   | EPA 200.7 | 05/12/04 | 0857     | MH   |       |
| Selenium                | 0.402      | mg/L  | 0.005  | EPA 200.8 | 05/14/04 | 1556     | MS   |       |
| Uranium                 | 0.692      | mg/L  | 0.0001 | EPA 200.8 | 05/14/04 | 1556     | MS   |       |
| Vanadium                | 0.3        | mg/L  | 0.1    | EPA 200.8 | 05/14/04 | 1556     | MS   |       |
| Zinc                    | <0.01      | mg/L  | 0.01   | EPA 200.7 | 05/12/04 | 0857     | MH   |       |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By: *Karen Barten*  
 Karen Barten, Project Manager



Report ID: 010407376

WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
 P.O. Box 730  
 Mills, WY 82644

Project: **Christensen**  
 Sample ID: 5AL66-1  
 Lab ID: 0104W07380  
 Matrix: Water  
 Condition: Cool/Intact

Date Received: 05/11/04  
 Date Reported: 05/25/04  
 Date Sampled: 05/10/04

| Parameter                      | Analytical |          | Analysis |       |              |             |          |       |    |
|--------------------------------|------------|----------|----------|-------|--------------|-------------|----------|-------|----|
|                                | Result     | Units    | Units    | PQL   | Method       | Date        | Time     | Init. |    |
| <b>General Parameters</b>      |            |          |          |       |              |             |          |       |    |
| Lab pH                         | 7.9        | s.u.     |          | 0.1   | EPA 150.1    | 05/12/04    | 1443     | JG    |    |
| Lab Conductivity @ 25°C        | 1,140      | µmhos/cm |          | 5     | SM 2510 B    | 05/12/04    | 1443     | JG    |    |
| Total Dissolved Solids @ 180°C | 780        | mg/L     |          | 10    | SM 2540 C    | 05/12/04    | 1000     | SH    |    |
| Total Dissolved Solids(Calc)   | 740        | mg/L     |          | 10    | SM 1030 F.   | 05/18/04    | 1448     |       |    |
| Total Alkalinity as CaCO3      | 439        | mg/L     |          | 1.0   | SM 2320 B    | 05/12/04    | 1443     | JG    |    |
| Total Hardness as CaCO3        | 196        | mg/L     |          | 1.0   | SM 2340 B    | 05/12/04    | 1033     |       |    |
| Ammonia Nitrogen               | <0.1       | mg/L     |          | 0.1   | EPA 350.1    | 05/17/04    | 1444     | RM    |    |
| Nitrite as N                   | <0.1       | mg/L     |          | 0.1   | EPA 353.2    | 05/11/04    | 2138     | RM    |    |
| Radium 226                     | 224±13     | pCi/L    |          | 0.2   | SM 7500 Ra-B | 05/23/04    | 1426     | TP    |    |
| Silica as SiO2                 | 2.5        | mg/L     |          | 0.1   | EPA 200.7    | 05/12/04    | 1033     | MH    |    |
| Sodium Adsorption Ratio        | 6.7        |          |          | N/A   | Calculations | 05/12/04    | 1033     |       |    |
| <b>Anions</b>                  |            |          |          |       |              |             |          |       |    |
| Bicarbonate as HCO3            | 535        | mg/L     | 8.77     | meq/L | 1.0          | SM 2320 B   | 05/12/04 | 1443  | JG |
| Carbonate as CO3               | <1.0       | mg/L     | <0.01    | meq/L | 1.0          | SM 2320 B   | 05/12/04 | 1443  | JG |
| Hydroxide as OH                | <1.0       | mg/L     | <0.01    | meq/L | 1.0          | SM 2320 B   | 05/12/04 | 1443  | JG |
| Chloride                       | 19.7       | mg/L     | 0.55     | meq/L | 1.0          | EPA 300.0   | 05/12/04 | 0833  | LK |
| Fluoride                       | <0.1       | mg/L     | <0.01    | meq/L | 0.1          | SM 4500-F-C | 05/12/04 | 1443  | JG |
| Nitrate + Nitrite as N         | <0.1       | mg/L     | <0.01    | meq/L | 0.1          | EPA 353.2   | 05/12/04 | 1623  | RM |
| Sulfate                        | 169        | mg/L     | 3.51     | meq/L | 1.0          | EPA 300.0   | 05/12/04 | 0833  | LK |
| <b>Cations</b>                 |            |          |          |       |              |             |          |       |    |
| Calcium                        | 59.2       | mg/L     | 2.96     | meq/L | 1.0          | EPA 200.7   | 05/12/04 | 1033  | MH |
| Magnesium                      | 11.6       | mg/L     | 0.95     | meq/L | 1.0          | EPA 200.7   | 05/12/04 | 1033  | MH |
| Potassium                      | 4.2        | mg/L     | 0.11     | meq/L | 1.0          | EPA 200.7   | 05/12/04 | 1033  | MH |
| Sodium                         | 214        | mg/L     | 9.31     | meq/L | 0.2          | EPA 200.7   | 05/12/04 | 1033  | MH |
| Cations                        |            |          | 13.33    | meq/L | N/A          | SM 1030 F.  | 05/12/04 | 1033  |    |
| Anions                         |            |          | 12.83    | meq/L | N/A          | SM 1030 F.  | 05/18/04 | 1448  |    |
| Cation/Anion Balance           |            |          | 1.91     | %     | N/A          | SM 1030 F.  | 05/12/04 | 1033  |    |

These results only apply to the samples tested.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.  
 "Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.  
 U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.  
 EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By: Karen Barten  
 Karen Barten, Project Manager

Report ID: 010407376

WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
 P.O. Box 730  
 Mills, WY 82644

Project: **Christensen**  
 Sample ID: 5AL66-1  
 Lab ID: 0104W07380  
 Matrix: Water  
 Condition: Cool/Intact

Date Received: 05/11/04  
 Date Reported: 05/25/04  
 Date Sampled: 05/10/04

| Parameter               | Analytical |       | Units  | PQL       | Method   | Analysis |      |       |
|-------------------------|------------|-------|--------|-----------|----------|----------|------|-------|
|                         | Result     | Units |        |           |          | Date     | Time | Init. |
| <b>Dissolved Metals</b> |            |       |        |           |          |          |      |       |
| Aluminum                | <0.1       | mg/L  | 0.1    | EPA 200.7 | 05/12/04 | 1033     | MH   |       |
| Arsenic                 | 0.016      | mg/L  | 0.005  | EPA 200.8 | 05/14/04 | 1558     | MS   |       |
| Barium                  | <0.5       | mg/L  | 0.5    | EPA 200.8 | 05/14/04 | 1558     | MS   |       |
| Boron                   | 0.08       | mg/L  | 0.01   | EPA 200.7 | 05/12/04 | 1033     | MH   |       |
| Cadmium                 | <0.002     | mg/L  | 0.002  | EPA 200.8 | 05/14/04 | 1558     | MS   |       |
| Chromium                | <0.01      | mg/L  | 0.01   | EPA 200.7 | 05/12/04 | 1033     | MH   |       |
| Copper                  | <0.01      | mg/L  | 0.01   | EPA 200.8 | 05/14/04 | 1558     | MS   |       |
| Iron                    | <0.05      | mg/L  | 0.05   | EPA 200.7 | 05/12/04 | 1033     | MH   |       |
| Lead                    | <0.02      | mg/L  | 0.02   | EPA 200.8 | 05/14/04 | 1558     | MS   |       |
| Manganese               | 0.16       | mg/L  | 0.02   | EPA 200.7 | 05/12/04 | 1033     | MH   |       |
| Mercury                 | <0.001     | mg/L  | 0.001  | EPA 245.1 | 05/14/04 | 1024     | MS   |       |
| Molybdenum              | <0.02      | mg/L  | 0.02   | EPA 200.8 | 05/14/04 | 1558     | MS   |       |
| Nickel                  | 0.02       | mg/L  | 0.01   | EPA 200.7 | 05/12/04 | 1033     | MH   |       |
| Selenium                | 0.433      | mg/L  | 0.005  | EPA 200.8 | 05/14/04 | 1558     | MS   |       |
| Uranium                 | 1.46       | mg/L  | 0.0001 | EPA 200.8 | 05/14/04 | 1558     | MS   |       |
| Vanadium                | <0.1       | mg/L  | 0.1    | EPA 200.8 | 05/14/04 | 1558     | MS   |       |
| Zinc                    | <0.01      | mg/L  | 0.01   | EPA 200.7 | 05/12/04 | 1033     | MH   |       |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By:   
 Karen Barten, Project Manager

Report ID: 010407376

WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
P.O. Box 730  
Mills, WY 82644

Project: **Christensen**  
Sample ID: 5AP54-1  
Lab ID: 0104W07381  
Matrix: Water  
Condition: Cool/Intact

Date Received: 05/11/04  
Date Reported: 05/25/04  
Date Sampled: 05/10/04

| Parameter                      | Analytical |          | Analysis |       |              |             |          |         |
|--------------------------------|------------|----------|----------|-------|--------------|-------------|----------|---------|
|                                | Result     | Units    | Units    | PQL   | Method       | Date        | Time     | Init.   |
| <b>General Parameters</b>      |            |          |          |       |              |             |          |         |
| Lab pH                         | 8.1        | s.u.     |          | 0.1   | EPA 150.1    | 05/12/04    | 1456     | JG      |
| Lab Conductivity @ 25°C        | 1,270      | µmhos/cm |          | 5     | SM 2510 B    | 05/12/04    | 1456     | JG      |
| Total Dissolved Solids @ 180°C | 880        | mg/L     |          | 10    | SM 2540 C    | 05/12/04    | 1000     | SH      |
| Total Dissolved Solids(Calc)   | 830        | mg/L     |          | 10    | SM 1030 F.   | 05/18/04    | 1449     |         |
| Total Alkalinity as CaCO3      | 453        | mg/L     |          | 1.0   | SM 2320 B    | 05/12/04    | 1456     | JG      |
| Total Hardness as CaCO3        | 238        | mg/L     |          | 1.0   | SM 2340 B    | 05/12/04    | 1037     |         |
| Ammonia Nitrogen               | 0.2        | mg/L     |          | 0.1   | EPA 350.1    | 05/17/04    | 1444     | RM      |
| Nitrite as N                   | <0.1       | mg/L     |          | 0.1   | EPA 353.2    | 05/11/04    | 2138     | RM      |
| Radium 226                     | 323±16     | pCi/L    |          | 0.2   | SM 7500 Ra-B | 05/23/04    | 1426     | TP      |
| Silica as SiO2                 | 3.2        | mg/L     |          | 0.1   | EPA 200.7    | 05/12/04    | 1037     | MH      |
| Sodium Adsorption Ratio        | 6.4        |          |          | N/A   | Calculations | 05/12/04    | 1037     |         |
| <b>Anions</b>                  |            |          |          |       |              |             |          |         |
| Bicarbonate as HCO3            | 552        | mg/L     | 9.05     | meq/L | 1.0          | SM 2320 B   | 05/12/04 | 1456 JG |
| Carbonate as CO3               | <1.0       | mg/L     | <0.01    | meq/L | 1.0          | SM 2320 B   | 05/12/04 | 1456 JG |
| Hydroxide as OH                | <1.0       | mg/L     | <0.01    | meq/L | 1.0          | SM 2320 B   | 05/12/04 | 1456 JG |
| Chloride                       | 31.3       | mg/L     | 0.88     | meq/L | 1.0          | EPA 300.0   | 05/12/04 | 0833 LK |
| Fluoride                       | <0.1       | mg/L     | <0.01    | meq/L | 0.1          | SM 4500-F-C | 05/12/04 | 1456 JG |
| Nitrate + Nitrite as N         | <0.1       | mg/L     | <0.01    | meq/L | 0.1          | EPA 353.2   | 05/12/04 | 1624 RM |
| Sulfate                        | 207        | mg/L     | 4.31     | meq/L | 1.0          | EPA 300.0   | 05/12/04 | 0833 LK |
| <b>Cations</b>                 |            |          |          |       |              |             |          |         |
| Calcium                        | 74.2       | mg/L     | 3.70     | meq/L | 1.0          | EPA 200.7   | 05/12/04 | 1037 MH |
| Magnesium                      | 12.9       | mg/L     | 1.06     | meq/L | 1.0          | EPA 200.7   | 05/12/04 | 1037 MH |
| Potassium                      | 5.2        | mg/L     | 0.13     | meq/L | 1.0          | EPA 200.7   | 05/12/04 | 1037 MH |
| Sodium                         | 227        | mg/L     | 9.86     | meq/L | 0.2          | EPA 200.7   | 05/12/04 | 1037 MH |
| Cations                        |            |          | 14.75    | meq/L | N/A          | SM 1030 F.  | 05/12/04 | 1037    |
| Anions                         |            |          | 14.25    | meq/L | N/A          | SM 1030 F.  | 05/18/04 | 1449    |
| Cation/Anion Balance           |            |          | 1.72     | %     | N/A          | SM 1030 F.  | 05/12/04 | 1037    |

These results only apply to the samples tested.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.  
"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.  
U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.  
EPA 600/R93/180, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By: Karen Barten  
Karen Barten, Project Manager

Report ID: 010407376

## WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
P.O. Box 730  
Mills, WY 82644Project: **Christensen**

Sample ID: 5AP54-1

Lab ID: 0104W07381

Matrix: Water

Condition: Cool/Intact

Date Received: 05/11/04

Date Reported: 05/25/04

Date Sampled: 05/10/04

| Parameter               | Analytical |       | Units  | PQL       | Method   | Analysis |      |       |
|-------------------------|------------|-------|--------|-----------|----------|----------|------|-------|
|                         | Result     | Units |        |           |          | Date     | Time | Init. |
| <b>Dissolved Metals</b> |            |       |        |           |          |          |      |       |
| Aluminum                | <0.1       | mg/L  | 0.1    | EPA 200.7 | 05/12/04 | 1037     | MH   |       |
| Arsenic                 | <0.005     | mg/L  | 0.005  | EPA 200.8 | 05/14/04 | 1601     | MS   |       |
| Barium                  | <0.5       | mg/L  | 0.5    | EPA 200.8 | 05/14/04 | 1601     | MS   |       |
| Boron                   | 0.07       | mg/L  | 0.01   | EPA 200.7 | 05/12/04 | 1037     | MH   |       |
| Cadmium                 | <0.002     | mg/L  | 0.002  | EPA 200.8 | 05/14/04 | 1601     | MS   |       |
| Chromium                | <0.01      | mg/L  | 0.01   | EPA 200.7 | 05/12/04 | 1037     | MH   |       |
| Copper                  | <0.01      | mg/L  | 0.01   | EPA 200.8 | 05/14/04 | 1601     | MS   |       |
| Iron                    | <0.05      | mg/L  | 0.05   | EPA 200.7 | 05/12/04 | 1037     | MH   |       |
| Lead                    | <0.02      | mg/L  | 0.02   | EPA 200.8 | 05/14/04 | 1601     | MS   |       |
| Manganese               | 0.11       | mg/L  | 0.02   | EPA 200.7 | 05/12/04 | 1037     | MH   |       |
| Mercury                 | <0.001     | mg/L  | 0.001  | EPA 245.1 | 05/14/04 | 1024     | MS   |       |
| Molybdenum              | <0.02      | mg/L  | 0.02   | EPA 200.8 | 05/14/04 | 1601     | MS   |       |
| Nickel                  | <0.01      | mg/L  | 0.01   | EPA 200.7 | 05/12/04 | 1037     | MH   |       |
| Selenium                | 0.325      | mg/L  | 0.005  | EPA 200.8 | 05/14/04 | 1601     | MS   |       |
| Uranium                 | 4.81       | mg/L  | 0.0001 | EPA 200.8 | 05/14/04 | 1601     | MS   |       |
| Vanadium                | 0.2        | mg/L  | 0.1    | EPA 200.8 | 05/14/04 | 1601     | MS   |       |
| Zinc                    | <0.01      | mg/L  | 0.01   | EPA 200.7 | 05/12/04 | 1037     | MH   |       |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By:


  
Karen Barten, Project Manager

Report ID: 010407376

## WATER QUALITY REPORT

**Client:** COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644

**Project:** Christensen  
**Sample ID:** 5AM78-2  
**Lab ID:** 0104W07382  
**Matrix:** Water  
**Condition:** Cool/Intact

**Date Received:** 05/11/04  
**Date Reported:** 05/25/04  
**Date Sampled:** 05/10/04

| Parameter                      | Analytical |          | Analysis |       |              |             |          |       |    |
|--------------------------------|------------|----------|----------|-------|--------------|-------------|----------|-------|----|
|                                | Result     | Units    | Units    | PQL   | Method       | Date        | Time     | Init. |    |
| <b>General Parameters</b>      |            |          |          |       |              |             |          |       |    |
| Lab pH                         | 8.0        | s.u.     |          | 0.1   | EPA 150.1    | 05/12/04    | 1509     | JG    |    |
| Lab Conductivity @ 25°C        | 556        | µmhos/cm |          | 5     | SM 2510 B    | 05/12/04    | 1509     | JG    |    |
| Total Dissolved Solids @ 180°C | 380        | mg/L     |          | 10    | SM 2540 C    | 05/12/04    | 1000     | SH    |    |
| Total Dissolved Solids(Calc)   | 360        | mg/L     |          | 10    | SM 1030 F.   | 05/18/04    | 1450     |       |    |
| Total Alkalinity as CaCO3      | 175        | mg/L     |          | 1.0   | SM 2320 B    | 05/12/04    | 1509     | JG    |    |
| Total Hardness as CaCO3        | 70.0       | mg/L     |          | 1.0   | SM 2340 B    | 05/12/04    | 1044     |       |    |
| Ammonia Nitrogen               | <0.1       | mg/L     |          | 0.1   | EPA 350.1    | 05/17/04    | 1444     | RM    |    |
| Nitrite as N                   | <0.1       | mg/L     |          | 0.1   | EPA 353.2    | 05/11/04    | 2138     | RM    |    |
| Radium 226                     | 265±15     | pCi/L    |          | 0.2   | SM 7500 Ra-B | 05/23/04    | 1426     | TP    |    |
| Silica as SiO2                 | 3.1        | mg/L     |          | 0.1   | EPA 200.7    | 05/12/04    | 1044     | MH    |    |
| Sodium Adsorption Ratio        | 5.6        |          |          | N/A   | Calculations | 05/12/04    | 1044     |       |    |
| <b>Anions</b>                  |            |          |          |       |              |             |          |       |    |
| Bicarbonate as HCO3            | 214        | mg/L     | 3.50     | meq/L | 1.0          | SM 2320 B   | 05/12/04 | 1509  | JG |
| Carbonate as CO3               | <1.0       | mg/L     | <0.01    | meq/L | 1.0          | SM 2320 B   | 05/12/04 | 1509  | JG |
| Hydroxide as OH                | <1.0       | mg/L     | <0.01    | meq/L | 1.0          | SM 2320 B   | 05/12/04 | 1509  | JG |
| Chloride                       | 8.4        | mg/L     | 0.24     | meq/L | 1.0          | EPA 300.0   | 05/12/04 | 0833  | LK |
| Fluoride                       | <0.1       | mg/L     | <0.01    | meq/L | 0.1          | SM 4500-F-C | 05/12/04 | 1509  | JG |
| Nitrate + Nitrite as N         | <0.1       | mg/L     | <0.01    | meq/L | 0.1          | EPA 353.2   | 05/12/04 | 1625  | RM |
| Sulfate                        | 108        | mg/L     | 2.24     | meq/L | 1.0          | EPA 300.0   | 05/14/04 | 0833  | LK |
| <b>Cations</b>                 |            |          |          |       |              |             |          |       |    |
| Calcium                        | 21.2       | mg/L     | 1.06     | meq/L | 1.0          | EPA 200.7   | 05/12/04 | 1044  | MH |
| Magnesium                      | 4.2        | mg/L     | 0.34     | meq/L | 1.0          | EPA 200.7   | 05/12/04 | 1044  | MH |
| Potassium                      | 2.1        | mg/L     | 0.05     | meq/L | 1.0          | EPA 200.7   | 05/12/04 | 1044  | MH |
| Sodium                         | 108        | mg/L     | 4.68     | meq/L | 0.2          | EPA 200.7   | 05/12/04 | 1044  | MH |
| Cations                        |            |          | 6.13     | meq/L | N/A          | SM 1030 F.  | 05/12/04 | 1044  |    |
| Anions                         |            |          | 5.98     | meq/L | N/A          | SM 1030 F.  | 05/18/04 | 1450  |    |
| Cation/Anion Balance           |            |          | 1.24     | %     | N/A          | SM 1030 F.  | 05/12/04 | 1044  |    |

These results only apply to the samples tested.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.  
"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.  
U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.  
EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By: Karen Barten

Karen Barten, Project Manager

Report ID: 010407376

## WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
P.O. Box 730  
Mills, WY 82644Project: **Christensen**

Sample ID: 5AM78-2

Lab ID: 0104W07382

Matrix: Water

Condition: Cool/Intact

Date Received: 05/11/04

Date Reported: 05/25/04

Date Sampled: 05/10/04

| Parameter               | Analytical |       | Units | PQL    | Method    | Analysis |      |       |
|-------------------------|------------|-------|-------|--------|-----------|----------|------|-------|
|                         | Result     | Units |       |        |           | Date     | Time | Init. |
| <b>Dissolved Metals</b> |            |       |       |        |           |          |      |       |
| Aluminum                | <0.1       | mg/L  |       | 0.1    | EPA 200.7 | 05/12/04 | 1044 | MH    |
| Arsenic                 | 0.010      | mg/L  |       | 0.005  | EPA 200.8 | 05/14/04 | 1606 | MS    |
| Barium                  | <0.5       | mg/L  |       | 0.5    | EPA 200.8 | 05/14/04 | 1606 | MS    |
| Boron                   | 0.07       | mg/L  |       | 0.01   | EPA 200.7 | 05/12/04 | 1044 | MH    |
| Cadmium                 | <0.002     | mg/L  |       | 0.002  | EPA 200.8 | 05/14/04 | 1606 | MS    |
| Chromium                | <0.01      | mg/L  |       | 0.01   | EPA 200.7 | 05/12/04 | 1044 | MH    |
| Copper                  | <0.01      | mg/L  |       | 0.01   | EPA 200.8 | 05/14/04 | 1606 | MS    |
| Iron                    | <0.05      | mg/L  |       | 0.05   | EPA 200.7 | 05/12/04 | 1044 | MH    |
| Lead                    | <0.02      | mg/L  |       | 0.02   | EPA 200.8 | 05/14/04 | 1606 | MS    |
| Manganese               | 0.06       | mg/L  |       | 0.02   | EPA 200.7 | 05/12/04 | 1044 | MH    |
| Mercury                 | <0.001     | mg/L  |       | 0.001  | EPA 245.1 | 05/14/04 | 1024 | MS    |
| Molybdenum              | <0.02      | mg/L  |       | 0.02   | EPA 200.8 | 05/14/04 | 1606 | MS    |
| Nickel                  | <0.01      | mg/L  |       | 0.01   | EPA 200.7 | 05/12/04 | 1044 | MH    |
| Selenium                | 0.179      | mg/L  |       | 0.005  | EPA 200.8 | 05/14/04 | 1606 | MS    |
| Uranium                 | 0.715      | mg/L  |       | 0.0001 | EPA 200.8 | 05/14/04 | 1606 | MS    |
| Vanadium                | <0.1       | mg/L  |       | 0.1    | EPA 200.8 | 05/14/04 | 1606 | MS    |
| Zinc                    | <0.01      | mg/L  |       | 0.01   | EPA 200.7 | 05/12/04 | 1044 | MH    |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By:


  
Karen Barten, Project Manager

Report ID: 010407376

WATER QUALITY REPORT

Client: COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644

Project: Christensen  
Sample ID: AP-02  
Lab ID: 0104W07383  
Matrix: Water  
Condition: Cool/Intact

Date Received: 05/11/04  
Date Reported: 05/25/04  
Date Sampled: 05/10/04

| Parameter                      | Analytical |          | Analysis |       |              |             |          |       |    |
|--------------------------------|------------|----------|----------|-------|--------------|-------------|----------|-------|----|
|                                | Result     | Units    | Units    | PQL   | Method       | Date        | Time     | Init. |    |
| <b>General Parameters</b>      |            |          |          |       |              |             |          |       |    |
| Lab pH                         | 8.1        | s.u.     |          | 0.1   | EPA 150.1    | 05/12/04    | 1521     | JG    |    |
| Lab Conductivity @ 25°C        | 995        | µmhos/cm |          | 5     | SM 2510 B    | 05/12/04    | 1521     | JG    |    |
| Total Dissolved Solids @ 180°C | 690        | mg/L     |          | 10    | SM 2540 C    | 05/12/04    | 1000     | SH    |    |
| Total Dissolved Solids(Calc)   | 660        | mg/L     |          | 10    | SM 1030 F.   | 05/18/04    | 1451     |       |    |
| Total Alkalinity as CaCO3      | 212        | mg/L     |          | 1.0   | SM 2320 B    | 05/12/04    | 1521     | JG    |    |
| Total Hardness as CaCO3        | 99.5       | mg/L     |          | 1.0   | SM 2340 B    | 05/18/04    | 1047     |       |    |
| Ammonia Nitrogen               | 0.2        | mg/L     |          | 0.1   | EPA 350.1    | 05/17/04    | 1444     | RM    |    |
| Nitrite as N                   | <0.1       | mg/L     |          | 0.1   | EPA 353.2    | 05/11/04    | 2138     | RM    |    |
| Radium 226                     | 55.3±6.5   | pCi/L    |          | 0.2   | SM 7500 Ra-B | 05/23/04    | 1426     | TP    |    |
| Silica as SiO2                 | 2.8        | mg/L     |          | 0.1   | EPA 200.7    | 05/12/04    | 1047     | MH    |    |
| Sodium Adsorption Ratio        | 8.8        |          |          | N/A   | Calculations | 05/18/04    | 1047     |       |    |
| <b>Anions</b>                  |            |          |          |       |              |             |          |       |    |
| Bicarbonate as HCO3            | 259        | mg/L     | 4.24     | meq/L | 1.0          | SM 2320 B   | 05/12/04 | 1521  | JG |
| Carbonate as CO3               | <1.0       | mg/L     | <0.01    | meq/L | 1.0          | SM 2320 B   | 05/12/04 | 1521  | JG |
| Hydroxide as OH                | <1.0       | mg/L     | <0.01    | meq/L | 1.0          | SM 2320 B   | 05/12/04 | 1521  | JG |
| Chloride                       | 7.6        | mg/L     | 0.21     | meq/L | 1.0          | EPA 300.0   | 05/12/04 | 0833  | LK |
| Fluoride                       | 0.1        | mg/L     | 0.01     | meq/L | 0.1          | SM 4500-F-C | 05/12/04 | 1521  | JG |
| Nitrate + Nitrite as N         | <0.1       | mg/L     | <0.01    | meq/L | 0.1          | EPA 353.2   | 05/12/04 | 1626  | RM |
| Sulfate                        | 288        | mg/L     | 5.99     | meq/L | 1.0          | EPA 300.0   | 05/14/04 | 0833  | LK |
| <b>Cations</b>                 |            |          |          |       |              |             |          |       |    |
| Calcium                        | 29.9       | mg/L     | 1.49     | meq/L | 1.0          | EPA 200.7   | 05/18/04 | 1045  | MH |
| Magnesium                      | 6.0        | mg/L     | 0.50     | meq/L | 1.0          | EPA 200.7   | 05/13/04 | 1047  | MH |
| Potassium                      | 3.4        | mg/L     | 0.09     | meq/L | 1.0          | EPA 200.7   | 05/18/04 | 1045  | MH |
| Sodium                         | 201        | mg/L     | 8.73     | meq/L | 0.2          | EPA 200.7   | 05/18/04 | 1045  | MH |
| Cations                        |            |          | 10.81    | meq/L | N/A          | SM 1030 F.  | 05/18/04 | 1047  |    |
| Anions                         |            |          | 10.46    | meq/L | N/A          | SM 1030 F.  | 05/18/04 | 1451  |    |
| Cation/Anion Balance           |            |          | 1.65     | %     | N/A          | SM 1030 F.  | 05/18/04 | 1047  |    |

These results only apply to the samples tested.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.  
"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.  
U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.  
EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By: Karen Barten

Karen Barten, Project Manager

Report ID: 010407376

WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
 P.O. Box 730  
 Mills, WY 82644

Project: **Christensen**  
 Sample ID: AP-02  
 Lab ID: 0104W07383  
 Matrix: Water  
 Condition: Cool/Intact

Date Received: 05/11/04  
 Date Reported: 05/25/04  
 Date Sampled: 05/10/04

| Parameter               | Analytical |       | Units  | PQL       | Method   | Analysis |      |       |
|-------------------------|------------|-------|--------|-----------|----------|----------|------|-------|
|                         | Result     | Units |        |           |          | Date     | Time | Init. |
| <b>Dissolved Metals</b> |            |       |        |           |          |          |      |       |
| Aluminum                | <0.1       | mg/L  | 0.1    | EPA 200.7 | 05/12/04 | 1047     | MH   |       |
| Arsenic                 | <0.005     | mg/L  | 0.005  | EPA 200.8 | 05/14/04 | 1609     | MS   |       |
| Barium                  | <0.5       | mg/L  | 0.5    | EPA 200.8 | 05/14/04 | 1609     | MS   |       |
| Boron                   | 0.06       | mg/L  | 0.01   | EPA 200.7 | 05/12/04 | 1047     | MH   |       |
| Cadmium                 | <0.002     | mg/L  | 0.002  | EPA 200.8 | 05/14/04 | 1609     | MS   |       |
| Chromium                | <0.01      | mg/L  | 0.01   | EPA 200.7 | 05/12/04 | 1047     | MH   |       |
| Copper                  | <0.01      | mg/L  | 0.01   | EPA 200.8 | 05/14/04 | 1609     | MS   |       |
| Iron                    | <0.05      | mg/L  | 0.05   | EPA 200.7 | 05/12/04 | 1047     | MH   |       |
| Lead                    | <0.02      | mg/L  | 0.02   | EPA 200.8 | 05/14/04 | 1609     | MS   |       |
| Manganese               | 0.03       | mg/L  | 0.02   | EPA 200.7 | 05/12/04 | 1047     | MH   |       |
| Mercury                 | <0.001     | mg/L  | 0.001  | EPA 245.1 | 05/14/04 | 1024     | MS   |       |
| Molybdenum              | <0.02      | mg/L  | 0.02   | EPA 200.8 | 05/14/04 | 1609     | MS   |       |
| Nickel                  | <0.01      | mg/L  | 0.01   | EPA 200.7 | 05/12/04 | 1047     | MH   |       |
| Selenium                | 0.011      | mg/L  | 0.005  | EPA 200.8 | 05/14/04 | 1609     | MS   |       |
| Uranium                 | 0.535      | mg/L  | 0.0001 | EPA 200.8 | 05/14/04 | 1609     | MS   |       |
| Vanadium                | <0.1       | mg/L  | 0.1    | EPA 200.8 | 05/14/04 | 1609     | MS   |       |
| Zinc                    | <0.01      | mg/L  | 0.01   | EPA 200.7 | 05/12/04 | 1047     | MH   |       |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By: Karen Barten  
 Karen Barten, Project Manager



Quality Control Report  
Duplicate Analysis

Client: COGEMA Mining, Inc.  
 Project: Christensen  
 Sample ID: AP-02  
 Lab ID: 0104W07383  
 Matrix: Water  
 Condition: Cool/Intact

Report Date: 05/25/04  
 Receipt Date: 05/11/04  
 Sample Date: 05/10/04

| Parameter                             | Original Conc. | Duplicate Conc. | Relative % Diff. | PQL | Units    |
|---------------------------------------|----------------|-----------------|------------------|-----|----------|
| <b>General Parameters</b>             |                |                 |                  |     |          |
| Lab pH                                | 8.1            | 8.1             | 0                | 0.1 | s.u.     |
| Lab Conductivity @ 25°C               | 995            | 983             | 1                | 5   | µmhos/cm |
| Total Dissolved Solids @ 180°C        | 690            | 700             | 1                | 10  | mg/L     |
| Total Dissolved Solids(Calc)          | 660            | 660             | 0                | 10  | mg/L     |
| Total Alkalinity as CaCO <sub>3</sub> | 212            | 213             | 0                | 1.0 | mg/L     |
| Total Hardness as CaCO <sub>3</sub>   | 99.5           | 98.0            | 2                | 1.0 | mg/L     |
| Ammonia Nitrogen                      | 0.2            | <0.1            | NC*              | 0.1 | mg/L     |
| Nitrite as N                          | <0.1           | <0.1            | NC*              | 0.1 | mg/L     |
| Silica as SiO <sub>2</sub>            | 2.8            | 2.8             | 0                | 0.1 | mg/L     |
| Sodium Adsorption Ratio               | 8.8            | 9.0             | 2                |     |          |
| <b>Anions</b>                         |                |                 |                  |     |          |
| Bicarbonate as HCO <sub>3</sub>       | 259            | 259             | 0                | 1.0 | mg/L     |
| Carbonate as CO <sub>3</sub>          | <1.0           | <1.0            | NC*              | 1.0 | mg/L     |
| Hydroxide as OH                       | <1.0           | <1.0            | NC*              | 1.0 | mg/L     |
| Chloride                              | 7.6            | 7.6             | 0                | 1.0 | mg/L     |
| Fluoride                              | 0.1            | 0.1             | 0.0**            | 0.1 | mg/L     |
| Nitrate + Nitrite as N                | <0.1           | <0.1            | NC*              | 0.1 | mg/L     |
| Sulfate                               | 288            | 282             | 2                | 1.0 | mg/L     |
| <b>Cations</b>                        |                |                 |                  |     |          |
| Calcium                               | 29.9           | 29.4            | 2                | 1.0 | mg/L     |
| Magnesium                             | 6.0            | 6.0             | 0                | 1.0 | mg/L     |
| Potassium                             | 3.4            | 3.4             | 0.0**            | 1.0 | mg/L     |
| Sodium                                | 201            | 204             | 1                | 0.2 | mg/L     |
| Cations                               | 10.81          | 10.91           | 1                |     | meq/L    |
| Anions                                | 10.46          | 10.36           | 1                |     | meq/L    |
| Cation/Anion Balance                  | 1.65           | 2.59            |                  |     | %        |

\*NC - Non-Calculable RPD due to value(s) less than DL \*\* - Difference used for results < 5 X Detection Limit

These results only apply to the samples tested.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.  
 "Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.  
 U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.

Reviewed By: Karen A. Barten  
 Karen Barten, Project Manager

Quality Control Report  
Duplicate Analysis

Client: COGEMA Mining, Inc.  
 Project: Christensen  
 Sample ID: AP-02  
 Lab ID: 0104W07383  
 Matrix: Water  
 Condition: Cool/Intact

Report Date: 05/25/04  
 Receipt Date: 05/11/04  
 Sample Date: 05/10/04

| Parameter               | Original Conc. | Duplicate Conc. | Relative % Diff. | PQL    | Units |
|-------------------------|----------------|-----------------|------------------|--------|-------|
| <b>Dissolved Metals</b> |                |                 |                  |        |       |
| Aluminum                | <0.1           | <0.1            | NC*              | 0.1    | mg/L  |
| Arsenic                 | <0.005         | <0.005          | NC*              | 0.005  | mg/L  |
| Barium                  | <0.5           | <0.5            | NC*              | 0.5    | mg/L  |
| Boron                   | 0.06           | 0.06            | 0                | 0.01   | mg/L  |
| Cadmium                 | <0.002         | <0.002          | NC*              | 0.002  | mg/L  |
| Chromium                | <0.01          | <0.01           | NC*              | 0.01   | mg/L  |
| Copper                  | <0.01          | <0.01           | NC*              | 0.01   | mg/L  |
| Iron                    | <0.05          | <0.05           | NC*              | 0.05   | mg/L  |
| Lead                    | <0.02          | <0.02           | NC*              | 0.02   | mg/L  |
| Manganese               | 0.03           | 0.03            | 0.00**           | 0.02   | mg/L  |
| Mercury                 | <0.001         | <0.001          | NC*              | 0.001  | mg/L  |
| Molybdenum              | <0.02          | <0.02           | NC*              | 0.02   | mg/L  |
| Nickel                  | <0.01          | <0.01           | NC*              | 0.01   | mg/L  |
| Selenium                | 0.011          | 0.013           | 0.002**          | 0.005  | mg/L  |
| Uranium                 | 0.535          | 0.573           | 7                | 0.0001 | mg/L  |
| Vanadium                | <0.1           | <0.1            | NC*              | 0.1    | mg/L  |
| Zinc                    | <0.01          | <0.01           | NC*              | 0.01   | mg/L  |

\*NC - Non-Calculable RPD due to value(s) less than DL \*\* - Difference used for results < 5 X Detection Limit  
 These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By: Karen Barten  
 Karen Barten, Project Manager

Report ID: 010407376

**WATER QUALITY REPORT**

**Client:** COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644

**Project:** Christensen  
**Sample ID:** 5BD50-1  
**Lab ID:** 0104W07384  
**Matrix:** Water  
**Condition:** Cool/Intact

**Date Received:** 05/11/04  
**Date Reported:** 05/25/04  
**Date Sampled:** 05/10/04

| Parameter                      | Analytical |          | Analysis |       |              |             |          |       |    |
|--------------------------------|------------|----------|----------|-------|--------------|-------------|----------|-------|----|
|                                | Result     | Units    | Units    | PQL   | Method       | Date        | Time     | Init. |    |
| <b>General Parameters</b>      |            |          |          |       |              |             |          |       |    |
| Lab pH                         | 8.3        | s.u.     |          | 0.1   | EPA 150.1    | 05/12/04    | 1544     | JG    |    |
| Lab Conductivity @ 25°C        | 477        | µmhos/cm |          | 5     | SM 2510 B    | 05/12/04    | 1544     | JG    |    |
| Total Dissolved Solids @ 180°C | 320        | mg/L     |          | 10    | SM 2540 C    | 05/12/04    | 1000     | SH    |    |
| Total Dissolved Solids(Calc)   | 300        | mg/L     |          | 10    | SM 1030 F.   | 05/18/04    | 1453     |       |    |
| Total Alkalinity as CaCO3      | 182        | mg/L     |          | 1.0   | SM 2320 B    | 05/12/04    | 1544     | JG    |    |
| Total Hardness as CaCO3        | 38.5       | mg/L     |          | 1.0   | SM 2340 B    | 05/12/04    | 0928     |       |    |
| Ammonia Nitrogen               | <0.1       | mg/L     |          | 0.1   | EPA 350.1    | 05/17/04    | 1444     | RM    |    |
| Nitrite as N                   | <0.1       | mg/L     |          | 0.1   | EPA 353.2    | 05/11/04    | 2138     | RM    |    |
| Radium 226                     | 75.3±8.2   | pCi/L    |          | 0.2   | SM 7500 Ra-B | 05/23/04    | 1426     | TP    |    |
| Silica as SiO2                 | 2.3        | mg/L     |          | 0.1   | EPA 200.7    | 05/12/04    | 0928     | MH    |    |
| Sodium Adsorption Ratio        | 7.2        |          |          | N/A   | Calculations | 05/12/04    | 0928     |       |    |
| <b>Anions</b>                  |            |          |          |       |              |             |          |       |    |
| Bicarbonate as HCO3            | 222        | mg/L     | 3.64     | meq/L | 1.0          | SM 2320 B   | 05/12/04 | 1544  | JG |
| Carbonate as CO3               | <1.0       | mg/L     | <0.01    | meq/L | 1.0          | SM 2320 B   | 05/12/04 | 1544  | JG |
| Hydroxide as OH                | <1.0       | mg/L     | <0.01    | meq/L | 1.0          | SM 2320 B   | 05/12/04 | 1544  | JG |
| Chloride                       | 4.7        | mg/L     | 0.13     | meq/L | 1.0          | EPA 300.0   | 05/12/04 | 0833  | LK |
| Fluoride                       | 0.2        | mg/L     | 0.01     | meq/L | 0.1          | SM 4500-F-C | 05/12/04 | 1544  | JG |
| Nitrate + Nitrite as N         | <0.1       | mg/L     | <0.01    | meq/L | 0.1          | EPA 353.2   | 05/12/04 | 1628  | RM |
| Sulfate                        | 63.3       | mg/L     | 1.32     | meq/L | 1.0          | EPA 300.0   | 05/12/04 | 0833  | LK |
| <b>Cations</b>                 |            |          |          |       |              |             |          |       |    |
| Calcium                        | 11.8       | mg/L     | 0.59     | meq/L | 1.0          | EPA 200.7   | 05/12/04 | 0928  | MH |
| Magnesium                      | 2.2        | mg/L     | 0.18     | meq/L | 1.0          | EPA 200.7   | 05/12/04 | 0928  | MH |
| Potassium                      | 2.1        | mg/L     | 0.05     | meq/L | 1.0          | EPA 200.7   | 05/12/04 | 0928  | MH |
| Sodium                         | 102        | mg/L     | 4.44     | meq/L | 0.2          | EPA 200.7   | 05/12/04 | 0928  | MH |
| Cations                        |            |          | 5.26     | meq/L | N/A          | SM 1030 F.  | 05/12/04 | 0928  |    |
| Anions                         |            |          | 5.10     | meq/L | N/A          | SM 1030 F.  | 05/18/04 | 1453  |    |
| Cation/Anion Balance           |            |          | 1.54     | %     | N/A          | SM 1030 F.  | 05/12/04 | 0928  |    |

These results only apply to the samples tested.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.  
"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.  
U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.  
EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By: Karen Barten  
Karen Barten, Project Manager

Report ID: 010407376

WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
 P.O. Box 730  
 Mills, WY 82644


Project: **Christensen**  
 Sample ID: 5BD50-1  
 Lab ID: 0104W07384  
 Matrix: Water  
 Condition: Cool/Intact

Date Received: 05/11/04  
 Date Reported: 05/25/04  
 Date Sampled: 05/10/04

| Parameter               | Analytical |       | Units | PQL    | Method    | Analysis |      |       |
|-------------------------|------------|-------|-------|--------|-----------|----------|------|-------|
|                         | Result     | Units |       |        |           | Date     | Time | Init. |
| <b>Dissolved Metals</b> |            |       |       |        |           |          |      |       |
| Aluminum                | <0.1       | mg/L  |       | 0.1    | EPA 200.7 | 05/12/04 | 0928 | MH    |
| Arsenic                 | 0.011      | mg/L  |       | 0.005  | EPA 200.8 | 05/14/04 | 1622 | MS    |
| Barium                  | <0.5       | mg/L  |       | 0.5    | EPA 200.8 | 05/14/04 | 1622 | MS    |
| Boron                   | 0.05       | mg/L  |       | 0.01   | EPA 200.7 | 05/12/04 | 0928 | MH    |
| Cadmium                 | <0.002     | mg/L  |       | 0.002  | EPA 200.8 | 05/14/04 | 1622 | MS    |
| Chromium                | <0.01      | mg/L  |       | 0.01   | EPA 200.7 | 05/12/04 | 0928 | MH    |
| Copper                  | <0.01      | mg/L  |       | 0.01   | EPA 200.8 | 05/14/04 | 1622 | MS    |
| Iron                    | <0.05      | mg/L  |       | 0.05   | EPA 200.7 | 05/12/04 | 0928 | MH    |
| Lead                    | <0.02      | mg/L  |       | 0.02   | EPA 200.8 | 05/14/04 | 1622 | MS    |
| Manganese               | 0.02       | mg/L  |       | 0.02   | EPA 200.7 | 05/12/04 | 0928 | MH    |
| Mercury                 | <0.001     | mg/L  |       | 0.001  | EPA 245.1 | 05/14/04 | 1024 | MS    |
| Molybdenum              | <0.02      | mg/L  |       | 0.02   | EPA 200.8 | 05/14/04 | 1622 | MS    |
| Nickel                  | <0.01      | mg/L  |       | 0.01   | EPA 200.7 | 05/12/04 | 0928 | MH    |
| Selenium                | 0.563      | mg/L  |       | 0.005  | EPA 200.8 | 05/14/04 | 1622 | MS    |
| Uranium                 | 1.98       | mg/L  |       | 0.0001 | EPA 200.8 | 05/14/04 | 1622 | MS    |
| Vanadium                | 0.2        | mg/L  |       | 0.1    | EPA 200.8 | 05/14/04 | 1622 | MS    |
| Zinc                    | <0.01      | mg/L  |       | 0.01   | EPA 200.7 | 05/12/04 | 0928 | MH    |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By:   
 Karen Barten, Project Manager

Report ID: 010407376

**WATER QUALITY REPORT**

**Client:** COGEMA Mining, Inc.  
 P.O. Box 730  
 Mills, WY 82644

**Project:** Christensen  
**Sample ID:** 5BK58-1  
**Lab ID:** 0104W07385  
**Matrix:** Water  
**Condition:** Cool/Intact

**Date Received:** 05/11/04  
**Date Reported:** 05/25/04  
**Date Sampled:** 05/10/04

| Parameter                      | Analytical |          | Analysis |       |              |             |          |       |    |
|--------------------------------|------------|----------|----------|-------|--------------|-------------|----------|-------|----|
|                                | Result     | Units    | Units    | PQL   | Method       | Date        | Time     | Init. |    |
| <b>General Parameters</b>      |            |          |          |       |              |             |          |       |    |
| Lab pH                         | 7.9        | s.u.     |          | 0.1   | EPA 150.1    | 05/12/04    | 1557     | JG    |    |
| Lab Conductivity @ 25°C        | 1,250      | µmhos/cm |          | 5     | SM 2510 B    | 05/12/04    | 1557     | JG    |    |
| Total Dissolved Solids @ 180°C | 900        | mg/L     |          | 10    | SM 2540 C    | 05/12/04    | 1000     | SH    |    |
| Total Dissolved Solids(Calc)   | 840        | mg/L     |          | 10    | SM 1030 F.   | 05/18/04    | 1459     |       |    |
| Total Alkalinity as CaCO3      | 376        | mg/L     |          | 1.0   | SM 2320 B    | 05/12/04    | 1557     | JG    |    |
| Total Hardness as CaCO3        | 153        | mg/L     |          | 1.0   | SM 2340 B    | 05/12/04    | 0931     |       |    |
| Ammonia Nitrogen               | <0.1       | mg/L     |          | 0.1   | EPA 350.1    | 05/17/04    | 1444     | RM    |    |
| Nitrite as N                   | <0.1       | mg/L     |          | 0.1   | EPA 353.2    | 05/11/04    | 2138     | RM    |    |
| Radium 226                     | 1280±31    | pCi/L    |          | 0.2   | SM 7500 Ra-B | 05/23/04    | 1426     | TP    |    |
| Silica as SiO2                 | 3.6        | mg/L     |          | 0.1   | EPA 200.7    | 05/12/04    | 0931     | MH    |    |
| Sodium Adsorption Ratio        | 9.1        |          |          | N/A   | Calculations | 05/12/04    | 0931     |       |    |
| <b>Anions</b>                  |            |          |          |       |              |             |          |       |    |
| Bicarbonate as HCO3            | 459        | mg/L     | 7.52     | meq/L | 1.0          | SM 2320 B   | 05/12/04 | 1557  | JG |
| Carbonate as CO3               | <1.0       | mg/L     | <0.01    | meq/L | 1.0          | SM 2320 B   | 05/12/04 | 1557  | JG |
| Hydroxide as OH                | <1.0       | mg/L     | <0.01    | meq/L | 1.0          | SM 2320 B   | 05/12/04 | 1557  | JG |
| Chloride                       | 19.9       | mg/L     | 0.56     | meq/L | 1.0          | EPA 300.0   | 05/12/04 | 0833  | LK |
| Fluoride                       | <0.1       | mg/L     | <0.01    | meq/L | 0.1          | SM 4500-F-C | 05/12/04 | 1557  | JG |
| Nitrate + Nitrite as N         | <0.1       | mg/L     | <0.01    | meq/L | 0.1          | EPA 353.2   | 05/12/04 | 1630  | RM |
| Sulfate                        | 276        | mg/L     | 5.74     | meq/L | 1.0          | EPA 300.0   | 05/12/04 | 0833  | LK |
| <b>Cations</b>                 |            |          |          |       |              |             |          |       |    |
| Calcium                        | 45.5       | mg/L     | 2.27     | meq/L | 1.0          | EPA 200.7   | 05/18/04 | 1052  | MH |
| Magnesium                      | 9.5        | mg/L     | 0.78     | meq/L | 1.0          | EPA 200.7   | 05/12/04 | 0931  | MH |
| Potassium                      | 3.6        | mg/L     | 0.09     | meq/L | 1.0          | EPA 200.7   | 05/18/04 | 1052  | MH |
| Sodium                         | 259        | mg/L     | 11.26    | meq/L | 0.2          | EPA 200.7   | 05/18/04 | 1052  | MH |
| Cations                        |            |          | 14.40    | meq/L | N/A          | SM 1030 F.  | 05/12/04 | 0931  |    |
| Anions                         |            |          | 13.82    | meq/L | N/A          | SM 1030 F.  | 05/18/04 | 1459  |    |
| Cation/Anion Balance           |            |          | 2.06     | %     | N/A          | SM 1030 F.  | 05/12/04 | 0931  |    |

These results only apply to the samples tested.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.  
 "Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.  
 U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.  
 EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By: Karen Barlen  
 Karen Barlen, Project Manager

Report ID: 010407376

WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
 P.O. Box 730  
 Mills, WY 82644

Project: **Christensen**

Sample ID: 5BK58-1

Lab ID: 0104W07385

Matrix: Water

Condition: Cool/Intact

Date Received: 05/11/04

Date Reported: 05/25/04

Date Sampled: 05/10/04

| Parameter               | Analytical |       | Units | PQL    | Method    | Analysis |      |       |
|-------------------------|------------|-------|-------|--------|-----------|----------|------|-------|
|                         | Result     | Units |       |        |           | Date     | Time | Init. |
| <b>Dissolved Metals</b> |            |       |       |        |           |          |      |       |
| Aluminum                | <0.1       | mg/L  |       | 0.1    | EPA 200.7 | 05/12/04 | 0931 | MH    |
| Arsenic                 | 0.006      | mg/L  |       | 0.005  | EPA 200.8 | 05/14/04 | 1624 | MS    |
| Barium                  | <0.5       | mg/L  |       | 0.5    | EPA 200.8 | 05/14/04 | 1624 | MS    |
| Boron                   | 0.07       | mg/L  |       | 0.01   | EPA 200.7 | 05/12/04 | 0931 | MH    |
| Cadmium                 | <0.002     | mg/L  |       | 0.002  | EPA 200.8 | 05/14/04 | 1624 | MS    |
| Chromium                | <0.01      | mg/L  |       | 0.01   | EPA 200.7 | 05/12/04 | 0931 | MH    |
| Copper                  | <0.01      | mg/L  |       | 0.01   | EPA 200.8 | 05/14/04 | 1624 | MS    |
| Iron                    | 0.24       | mg/L  |       | 0.05   | EPA 200.7 | 05/12/04 | 0931 | MH    |
| Lead                    | <0.02      | mg/L  |       | 0.02   | EPA 200.8 | 05/14/04 | 1624 | MS    |
| Manganese               | 0.12       | mg/L  |       | 0.02   | EPA 200.7 | 05/12/04 | 0931 | MH    |
| Mercury                 | <0.001     | mg/L  |       | 0.001  | EPA 245.1 | 05/14/04 | 1024 | MS    |
| Molybdenum              | <0.02      | mg/L  |       | 0.02   | EPA 200.8 | 05/14/04 | 1624 | MS    |
| Nickel                  | <0.01      | mg/L  |       | 0.01   | EPA 200.7 | 05/12/04 | 0931 | MH    |
| Selenium                | 0.134      | mg/L  |       | 0.005  | EPA 200.8 | 05/14/04 | 1624 | MS    |
| Uranium                 | 2.97       | mg/L  |       | 0.0001 | EPA 200.8 | 05/14/04 | 1624 | MS    |
| Vanadium                | <0.1       | mg/L  |       | 0.1    | EPA 200.8 | 05/14/04 | 1624 | MS    |
| Zinc                    | <0.01      | mg/L  |       | 0.01   | EPA 200.7 | 05/12/04 | 0931 | MH    |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By: *Karen Barten*  
 Karen Barten, Project Manager

Report ID: 010407376

## WATER QUALITY REPORT


Client: COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644Project: Christensen  
Sample ID: TW0001  
Lab ID: 0104W07386  
Matrix: Water  
Condition: Cool/IntactDate Received: 05/11/04  
Date Reported: 05/25/04  
Date Sampled: 05/10/04

| Parameter                      | Analytical |          | Analysis |       |              |             |          |       |    |
|--------------------------------|------------|----------|----------|-------|--------------|-------------|----------|-------|----|
|                                | Result     | Units    | Units    | PQL   | Method       | Date        | Time     | Init. |    |
| <b>General Parameters</b>      |            |          |          |       |              |             |          |       |    |
| Lab pH                         | 8.0        | s.u.     |          | 0.1   | EPA 150.1    | 05/12/04    | 1608     | JG    |    |
| Lab Conductivity @ 25°C        | 305        | µmhos/cm |          | 5     | SM 2510 B    | 05/12/04    | 1608     | JG    |    |
| Total Dissolved Solids @ 180°C | 210        | mg/L     |          | 10    | SM 2540 C    | 05/12/04    | 1000     | SH    |    |
| Total Dissolved Solids(Calc)   | 190        | mg/L     |          | 10    | SM 1030 F.   | 05/18/04    | 1500     |       |    |
| Total Alkalinity as CaCO3      | 110        | mg/L     |          | 1.0   | SM 2320 B    | 05/12/04    | 1608     | JG    |    |
| Total Hardness as CaCO3        | 21.0       | mg/L     |          | 1.0   | SM 2340 B    | 05/12/04    | 0934     |       |    |
| Ammonia Nitrogen               | <0.1       | mg/L     |          | 0.1   | EPA 350.1    | 05/17/04    | 1444     | RM    |    |
| Nitrite as N                   | <0.1       | mg/L     |          | 0.1   | EPA 353.2    | 05/11/04    | 2138     | RM    |    |
| Radium 226                     | 51.7±7.0   | pCi/L    |          | 0.2   | SM 7500 Ra-B | 05/23/04    | 1426     | TP    |    |
| Silica as SiO2                 | 3.7        | mg/L     |          | 0.1   | EPA 200.7    | 05/12/04    | 0934     | MH    |    |
| Sodium Adsorption Ratio        | 6.2        |          |          | N/A   | Calculations | 05/12/04    | 0934     |       |    |
| <b>Anions</b>                  |            |          |          |       |              |             |          |       |    |
| Bicarbonate as HCO3            | 134        | mg/L     | 2.19     | meq/L | 1.0          | SM 2320 B   | 05/12/04 | 1608  | JG |
| Carbonate as CO3               | <1.0       | mg/L     | <0.01    | meq/L | 1.0          | SM 2320 B   | 05/12/04 | 1608  | JG |
| Hydroxide as OH                | <1.0       | mg/L     | <0.01    | meq/L | 1.0          | SM 2320 B   | 05/12/04 | 1608  | JG |
| Chloride                       | 2.9        | mg/L     | 0.08     | meq/L | 1.0          | EPA 300.0   | 05/12/04 | 0833  | LK |
| Fluoride                       | 0.2        | mg/L     | 0.01     | meq/L | 0.1          | SM 4500-F-C | 05/12/04 | 1608  | JG |
| Nitrate + Nitrite as N         | <0.1       | mg/L     | <0.01    | meq/L | 0.1          | EPA 353.2   | 05/12/04 | 1631  | RM |
| Sulfate                        | 46.3       | mg/L     | 0.96     | meq/L | 1.0          | EPA 300.0   | 05/12/04 | 0833  | LK |
| <b>Cations</b>                 |            |          |          |       |              |             |          |       |    |
| Calcium                        | 6.4        | mg/L     | 0.32     | meq/L | 1.0          | EPA 200.7   | 05/12/04 | 0934  | MH |
| Magnesium                      | 1.3        | mg/L     | 0.10     | meq/L | 1.0          | EPA 200.7   | 05/12/04 | 0934  | MH |
| Potassium                      | 1.4        | mg/L     | 0.04     | meq/L | 1.0          | EPA 200.7   | 05/12/04 | 0934  | MH |
| Sodium                         | 65.4       | mg/L     | 2.84     | meq/L | 0.2          | EPA 200.7   | 05/12/04 | 0934  | MH |
| Cations                        |            |          | 3.30     | meq/L | N/A          | SM 1030 F.  | 05/12/04 | 0934  |    |
| Anions                         |            |          | 3.24     | meq/L | N/A          | SM 1030 F.  | 05/18/04 | 1500  |    |
| Cation/Anion Balance           |            |          | 0.92     | %     | N/A          | SM 1030 F.  | 05/12/04 | 0934  |    |

These results only apply to the samples tested.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.  
"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.  
U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.  
EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By:

  
 Karen Bärten, Project Manager

Report ID: 010407376

WATER QUALITY REPORT

Client: COGEMA Mining, Inc.  
 P.O. Box 730  
 Mills, WY 82644

Project: Christensen  
 Sample ID: TW0001  
 Lab ID: 0104W07386  
 Matrix: Water  
 Condition: Cool/Intact

Date Received: 05/11/04  
 Date Reported: 05/25/04  
 Date Sampled: 05/10/04

| Parameter               | Analytical |       | Units | PQL    | Method    | Analysis |      |       |
|-------------------------|------------|-------|-------|--------|-----------|----------|------|-------|
|                         | Result     | Units |       |        |           | Date     | Time | Init. |
| <b>Dissolved Metals</b> |            |       |       |        |           |          |      |       |
| Aluminum                | <0.1       | mg/L  |       | 0.1    | EPA 200.7 | 05/12/04 | 0934 | MH    |
| Arsenic                 | 0.020      | mg/L  |       | 0.005  | EPA 200.8 | 05/14/04 | 1627 | MS    |
| Barium                  | <0.5       | mg/L  |       | 0.5    | EPA 200.8 | 05/14/04 | 1627 | MS    |
| Boron                   | 0.06       | mg/L  |       | 0.01   | EPA 200.7 | 05/12/04 | 0934 | MH    |
| Cadmium                 | <0.002     | mg/L  |       | 0.002  | EPA 200.8 | 05/14/04 | 1627 | MS    |
| Chromium                | <0.01      | mg/L  |       | 0.01   | EPA 200.7 | 05/12/04 | 0934 | MH    |
| Copper                  | <0.01      | mg/L  |       | 0.01   | EPA 200.8 | 05/14/04 | 1627 | MS    |
| Iron                    | <0.05      | mg/L  |       | 0.05   | EPA 200.7 | 05/12/04 | 0934 | MH    |
| Lead                    | <0.02      | mg/L  |       | 0.02   | EPA 200.8 | 05/14/04 | 1627 | MS    |
| Manganese               | <0.02      | mg/L  |       | 0.02   | EPA 200.7 | 05/12/04 | 0934 | MH    |
| Mercury                 | <0.001     | mg/L  |       | 0.001  | EPA 245.1 | 05/14/04 | 1024 | MS    |
| Molybdenum              | <0.02      | mg/L  |       | 0.02   | EPA 200.8 | 05/14/04 | 1627 | MS    |
| Nickel                  | <0.01      | mg/L  |       | 0.01   | EPA 200.7 | 05/12/04 | 0934 | MH    |
| Selenium                | 0.338      | mg/L  |       | 0.005  | EPA 200.8 | 05/14/04 | 1627 | MS    |
| Uranium                 | 0.125      | mg/L  |       | 0.0001 | EPA 200.8 | 05/14/04 | 1627 | MS    |
| Vanadium                | 0.1        | mg/L  |       | 0.1    | EPA 200.8 | 05/14/04 | 1627 | MS    |
| Zinc                    | <0.01      | mg/L  |       | 0.01   | EPA 200.7 | 05/12/04 | 0934 | MH    |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By: Karen Barten  
 Karen Barten, Project Manager



Report ID: 010407376

## WATER QUALITY REPORT

**Client:** COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644

**Project:** Christensen

**Sample ID:** MW07

**Lab ID:** 0104W07387

**Matrix:** Water

**Condition:** Cool/Intact

**Date Received:** 05/11/04

**Date Reported:** 05/25/04

**Date Sampled:** 05/10/04

| Parameter                      | Analytical |          | Analysis |       |              |             |          |       |    |
|--------------------------------|------------|----------|----------|-------|--------------|-------------|----------|-------|----|
|                                | Result     | Units    | Units    | PQL   | Method       | Date        | Time     | Init. |    |
| <b>General Parameters</b>      |            |          |          |       |              |             |          |       |    |
| Lab pH                         | 7.9        | s.u.     |          | 0.1   | EPA 150.1    | 05/12/04    | 1621     | JG    |    |
| Lab Conductivity @ 25°C        | 1,470      | µmhos/cm |          | 5     | SM 2510 B    | 05/12/04    | 1621     | JG    |    |
| Total Dissolved Solids @ 180°C | 1,050      | mg/L     |          | 10    | SM 2540 C    | 05/12/04    | 1000     | SH    |    |
| Total Dissolved Solids(Calc)   | 990        | mg/L     |          | 10    | SM 1030 F.   | 05/18/04    | 1501     |       |    |
| Total Alkalinity as CaCO3      | 535        | mg/L     |          | 1.0   | SM 2320 B    | 05/12/04    | 1621     | JG    |    |
| Total Hardness as CaCO3        | 248        | mg/L     |          | 1.0   | SM 2340 B    | 05/12/04    | 0938     |       |    |
| Ammonia Nitrogen               | 0.3        | mg/L     |          | 0.1   | EPA 350.1    | 05/17/04    | 1444     | RM    |    |
| Nitrite as N                   | <0.1       | mg/L     |          | 0.1   | EPA 353.2    | 05/11/04    | 2138     | RM    |    |
| Radium 226                     | 549±21     | pCi/L    |          | 0.2   | SM 7500 Ra-B | 05/23/04    | 1426     | TP    |    |
| Silica as SiO2                 | 3.8        | mg/L     |          | 0.1   | EPA 200.7    | 05/12/04    | 0938     | MH    |    |
| Sodium Adsorption Ratio        | 7.9        |          |          | N/A   | Calculations | 05/12/04    | 0938     |       |    |
| <b>Anions</b>                  |            |          |          |       |              |             |          |       |    |
| Bicarbonate as HCO3            | 652        | mg/L     | 10.69    | meq/L | 1.0          | SM 2320 B   | 05/12/04 | 1621  | JG |
| Carbonate as CO3               | <1.0       | mg/L     | <0.01    | meq/L | 1.0          | SM 2320 B   | 05/12/04 | 1621  | JG |
| Hydroxide as OH                | <1.0       | mg/L     | <0.01    | meq/L | 1.0          | SM 2320 B   | 05/12/04 | 1621  | JG |
| Chloride                       | 24.2       | mg/L     | 0.68     | meq/L | 1.0          | EPA 300.0   | 05/12/04 | 0833  | LK |
| Fluoride                       | <0.1       | mg/L     | <0.01    | meq/L | 0.1          | SM 4500-F-C | 05/12/04 | 1621  | JG |
| Nitrate + Nitrite as N         | <0.1       | mg/L     | <0.01    | meq/L | 0.1          | EPA 353.2   | 05/12/04 | 1637  | RM |
| Sulfate                        | 265        | mg/L     | 5.51     | meq/L | 1.0          | EPA 300.0   | 05/12/04 | 0833  | LK |
| <b>Cations</b>                 |            |          |          |       |              |             |          |       |    |
| Calcium                        | 74.4       | mg/L     | 3.71     | meq/L | 1.0          | EPA 200.7   | 05/12/04 | 0938  | MH |
| Magnesium                      | 15.2       | mg/L     | 1.25     | meq/L | 1.0          | EPA 200.7   | 05/12/04 | 0938  | MH |
| Potassium                      | 5.6        | mg/L     | 0.14     | meq/L | 1.0          | EPA 200.7   | 05/12/04 | 0938  | MH |
| Sodium                         | 285        | mg/L     | 12.40    | meq/L | 0.2          | EPA 200.7   | 05/12/04 | 0938  | MH |
| Cations                        |            |          | 17.50    | meq/L | N/A          | SM 1030 F.  | 05/12/04 | 0938  |    |
| Anions                         |            |          | 16.90    | meq/L | N/A          | SM 1030 F.  | 05/18/04 | 1501  |    |
| Cation/Anion Balance           |            |          | 1.74     | %     | N/A          | SM 1030 F.  | 05/12/04 | 0938  |    |

These results only apply to the samples tested.


Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.

"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.

U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.

EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By:

  
Karen Barten, Project Manager

Report ID: 010407376

## WATER QUALITY REPORT

Client: COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644Project: Christensen  
Sample ID: MW07  
Lab ID: 0104W07387  
Matrix: Water  
Condition: Cool/Intact

Date Received: 05/11/04

Date Reported: 05/25/04


Date Sampled: 05/10/04

| Parameter               | Analytical |       | Units  | PQL       | Method   | Analysis |      |       |
|-------------------------|------------|-------|--------|-----------|----------|----------|------|-------|
|                         | Result     | Units |        |           |          | Date     | Time | Init. |
| <b>Dissolved Metals</b> |            |       |        |           |          |          |      |       |
| Aluminum                | <0.1       | mg/L  | 0.1    | EPA 200.7 | 05/12/04 | 0938     | MH   |       |
| Arsenic                 | 0.020      | mg/L  | 0.005  | EPA 200.8 | 05/14/04 | 1630     | MS   |       |
| Barium                  | <0.5       | mg/L  | 0.5    | EPA 200.8 | 05/14/04 | 1630     | MS   |       |
| Boron                   | 0.06       | mg/L  | 0.01   | EPA 200.7 | 05/12/04 | 0938     | MH   |       |
| Cadmium                 | <0.002     | mg/L  | 0.002  | EPA 200.8 | 05/14/04 | 1630     | MS   |       |
| Chromium                | <0.01      | mg/L  | 0.01   | EPA 200.7 | 05/12/04 | 0938     | MH   |       |
| Copper                  | <0.01      | mg/L  | 0.01   | EPA 200.8 | 05/14/04 | 1630     | MS   |       |
| Iron                    | 0.26       | mg/L  | 0.05   | EPA 200.7 | 05/12/04 | 0938     | MH   |       |
| Lead                    | <0.02      | mg/L  | 0.02   | EPA 200.8 | 05/14/04 | 1630     | MS   |       |
| Manganese               | 0.38       | mg/L  | 0.02   | EPA 200.7 | 05/12/04 | 0938     | MH   |       |
| Mercury                 | <0.001     | mg/L  | 0.001  | EPA 245.1 | 05/14/04 | 1024     | MS   |       |
| Molybdenum              | <0.02      | mg/L  | 0.02   | EPA 200.8 | 05/14/04 | 1630     | MS   |       |
| Nickel                  | <0.01      | mg/L  | 0.01   | EPA 200.7 | 05/12/04 | 0938     | MH   |       |
| Selenium                | 1.69       | mg/L  | 0.005  | EPA 200.8 | 05/14/04 | 1630     | MS   |       |
| Uranium                 | 3.90       | mg/L  | 0.0001 | EPA 200.8 | 05/14/04 | 1630     | MS   |       |
| Vanadium                | <0.1       | mg/L  | 0.1    | EPA 200.8 | 05/14/04 | 1630     | MS   |       |
| Zinc                    | <0.01      | mg/L  | 0.01   | EPA 200.7 | 05/12/04 | 0938     | MH   |       |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By:

  
 Karen Barten, Project Manager

Report ID: 010407376

WATER QUALITY REPORT

Client: COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644

Project: Christensen  
Sample ID: 5BA48-1  
Lab ID: 0104W07388  
Matrix: Water  
Condition: Cool/Intact

Date Received: 05/11/04  
Date Reported: 05/25/04  
Date Sampled: 05/10/04

| Parameter                      | Analytical |  | Units    | Units | PQL   | Method       | Analysis    |          |       |    |
|--------------------------------|------------|--|----------|-------|-------|--------------|-------------|----------|-------|----|
|                                | Result     |  |          |       |       |              | Date        | Time     | Init. |    |
| <b>General Parameters</b>      |            |  |          |       |       |              |             |          |       |    |
| Lab pH                         | 8.3        |  | s.u.     |       | 0.1   | EPA 150.1    | 05/12/04    | 1632     | JG    |    |
| Lab Conductivity @ 25°C        | 253        |  | µmhos/cm |       | 5     | SM 2510 B    | 05/12/04    | 1632     | JG    |    |
| Total Dissolved Solids @ 180°C | 180        |  | mg/L     |       | 10    | SM 2540 C    | 05/12/04    | 1000     | SH    |    |
| Total Dissolved Solids(Calc)   | 160        |  | mg/L     |       | 10    | SM 1030 F.   | 05/18/04    | 1502     |       |    |
| Total Alkalinity as CaCO3      | 116        |  | mg/L     |       | 1.0   | SM 2320 B    | 05/12/04    | 1632     | JG    |    |
| Total Hardness as CaCO3        | 19.5       |  | mg/L     |       | 1.0   | SM 2340 B    | 05/12/04    | 0951     |       |    |
| Ammonia Nitrogen               | 0.1        |  | mg/L     |       | 0.1   | EPA 350.1    | 05/17/04    | 1444     | RM    |    |
| Nitrite as N                   | <0.1       |  | mg/L     |       | 0.1   | EPA 353.2    | 05/11/04    | 2138     | RM    |    |
| Radium 226                     | 67.5±7.4   |  | pCi/L    |       | 0.2   | SM 7500 Ra-B | 05/23/04    | 1426     | TP    |    |
| Silica as SiO2                 | 1.6        |  | mg/L     |       | 0.1   | EPA 200.7    | 05/12/04    | 0951     | MH    |    |
| Sodium Adsorption Ratio        | 5.4        |  |          |       | N/A   | Calculations | 05/12/04    | 0951     |       |    |
| <b>Anions</b>                  |            |  |          |       |       |              |             |          |       |    |
| Bicarbonate as HCO3            | 142        |  | mg/L     | 2.32  | meq/L | 1.0          | SM 2320 B   | 05/12/04 | 1632  | JG |
| Carbonate as CO3               | <1.0       |  | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 05/12/04 | 1632  | JG |
| Hydroxide as OH                | <1.0       |  | mg/L     | <0.01 | meq/L | 1.0          | SM 2320 B   | 05/12/04 | 1632  | JG |
| Chloride                       | 2.0        |  | mg/L     | 0.06  | meq/L | 1.0          | EPA 300.0   | 05/12/04 | 0833  | LK |
| Fluoride                       | 0.1        |  | mg/L     | 0.01  | meq/L | 0.1          | SM 4500-F-C | 05/12/04 | 1632  | JG |
| Nitrate + Nitrite as N         | <0.1       |  | mg/L     | <0.01 | meq/L | 0.1          | EPA 353.2   | 05/12/04 | 1638  | RM |
| Sulfate                        | 22.0       |  | mg/L     | 0.46  | meq/L | 1.0          | EPA 300.0   | 05/12/04 | 0833  | LK |
| <b>Cations</b>                 |            |  |          |       |       |              |             |          |       |    |
| Calcium                        | 6.0        |  | mg/L     | 0.30  | meq/L | 1.0          | EPA 200.7   | 05/12/04 | 0951  | MH |
| Magnesium                      | 1.1        |  | mg/L     | 0.09  | meq/L | 1.0          | EPA 200.7   | 05/12/04 | 0951  | MH |
| Potassium                      | 1.4        |  | mg/L     | 0.03  | meq/L | 1.0          | EPA 200.7   | 05/12/04 | 0951  | MH |
| Sodium                         | 55.2       |  | mg/L     | 2.40  | meq/L | 0.2          | EPA 200.7   | 05/12/04 | 0951  | MH |
| Cations                        |            |  |          | 2.82  | meq/L | N/A          | SM 1030 F.  | 05/12/04 | 0951  |    |
| Anions                         |            |  |          | 2.86  | meq/L | N/A          | SM 1030 F.  | 05/18/04 | 1502  |    |
| Cation/Anion Balance           |            |  |          | 0.70  | %     | N/A          | SM 1030 F.  | 05/12/04 | 0951  |    |

These results only apply to the samples tested.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.  
"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.  
U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.  
EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By: Karen Barten  
Karen Barten, Project Manager

Report ID: 010407376

WATER QUALITY REPORT

Client: COGEMA Mining, Inc.  
 P.O. Box 730  
 Mills, WY 82644

Project: Christensen  
 Sample ID: 5BA48-1  
 Lab ID: 0104W07388  
 Matrix: Water  
 Condition: Cool/Intact

Date Received: 05/11/04  
 Date Reported: 05/25/04  
 Date Sampled: 05/10/04

| Parameter               | Analytical |       | Units | PQL    | Method    | Analysis |      |       |
|-------------------------|------------|-------|-------|--------|-----------|----------|------|-------|
|                         | Result     | Units |       |        |           | Date     | Time | Init. |
| <b>Dissolved Metals</b> |            |       |       |        |           |          |      |       |
| Aluminum                | <0.1       | mg/L  |       | 0.1    | EPA 200.7 | 05/12/04 | 0951 | MH    |
| Arsenic                 | 0.006      | mg/L  |       | 0.005  | EPA 200.8 | 05/14/04 | 1632 | MS    |
| Barium                  | <0.5       | mg/L  |       | 0.5    | EPA 200.8 | 05/14/04 | 1632 | MS    |
| Boron                   | 0.05       | mg/L  |       | 0.01   | EPA 200.7 | 05/12/04 | 0951 | MH    |
| Cadmium                 | <0.002     | mg/L  |       | 0.002  | EPA 200.8 | 05/14/04 | 1632 | MS    |
| Chromium                | <0.01      | mg/L  |       | 0.01   | EPA 200.7 | 05/12/04 | 0951 | MH    |
| Copper                  | <0.01      | mg/L  |       | 0.01   | EPA 200.8 | 05/14/04 | 1632 | MS    |
| Iron                    | <0.05      | mg/L  |       | 0.05   | EPA 200.7 | 05/12/04 | 0951 | MH    |
| Lead                    | <0.02      | mg/L  |       | 0.02   | EPA 200.8 | 05/14/04 | 1632 | MS    |
| Manganese               | <0.02      | mg/L  |       | 0.02   | EPA 200.7 | 05/12/04 | 0951 | MH    |
| Mercury                 | <0.001     | mg/L  |       | 0.001  | EPA 245.1 | 05/14/04 | 1024 | MS    |
| Molybdenum              | <0.02      | mg/L  |       | 0.02   | EPA 200.8 | 05/14/04 | 1632 | MS    |
| Nickel                  | <0.01      | mg/L  |       | 0.01   | EPA 200.7 | 05/12/04 | 0951 | MH    |
| Selenium                | 0.069      | mg/L  |       | 0.005  | EPA 200.8 | 05/14/04 | 1632 | MS    |
| Uranium                 | 0.525      | mg/L  |       | 0.0001 | EPA 200.8 | 05/14/04 | 1632 | MS    |
| Vanadium                | <0.1       | mg/L  |       | 0.1    | EPA 200.8 | 05/14/04 | 1632 | MS    |
| Zinc                    | <0.01      | mg/L  |       | 0.01   | EPA 200.7 | 05/12/04 | 0951 | MH    |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By: Karen Barten  
 Karen Barten, Project Manager

SAMPLE SUBMITTAL AND CHAIN OF CUSTODY FORM

COGEMA Mining Inc.; PO Box 730 Mills, WY 82644  
 Phone 464-1429 (Christensen Mine) or 234-5019 (Mills Office)

Samples shipped to Inter-mountain lab sheridan,wy

Submitted by [Signature] Date 5-11-04

Received by [Signature] Date 5-11 17:00

Restoration Sample Description

Location: \_\_\_ Irigaray  Christensen Mine or Production Unit \_\_\_\_\_ Module # (if applicale) \_\_\_\_\_

Restoration Phase: \_\_\_ Groundwater Sweep (explain \_\_\_\_\_)  
 \_\_\_ Reverse Osmosis Filtration (explain \_\_\_\_\_)  
 \_\_\_ Recirculation (explain \_\_\_\_\_)  
 Stabilization (explain MU5 3rd Round)

\*Analysis Requested: DEQ Guideline # 8 (Ca, Mg, Na, K, CO3, HCO3, SO4, Cl, NH4, NO2, NO3, TDS, Cond., Tot. Alk., pH, SiO2, Al, As, Ba, B, Cd, Cr, Cu, F, Fe, Pb, Mn, Hg, Mo, Ni, Se, Zn, U, V, Ra226)

Send Analysis Results to : Tom nicholson

| #  | Identification Name | Sample Date | Sample Volume | Water Sample Preservation (X) |           |      |       | Lab id.                      | Comments |
|----|---------------------|-------------|---------------|-------------------------------|-----------|------|-------|------------------------------|----------|
|    |                     |             |               | Filtered                      | Not Filt. | HNO3 | H2SO4 |                              |          |
| 1  | 5BB46-1             | 5-11-04     | Half Gal.     | X                             |           | X    |       | 7422                         |          |
|    |                     |             | Quart         | X                             |           |      |       | "                            |          |
|    |                     |             | 8 ozs.        |                               | X         |      |       | "                            |          |
|    |                     |             | 8 ozs.        | X                             |           |      | X     | "                            |          |
| 2  | 5BJ54-1             |             | **            | **                            | **        | **   | **    | 7423d                        |          |
| 3  | 5BJ62-1             |             | **            | **                            | **        | **   | **    | 7424                         |          |
| 4  | 5BN162-2            |             | **            | **                            | **        | **   | **    | 7425                         |          |
| 5  | 5BH58-2             |             | **            | **                            | **        | **   | **    | 7426                         |          |
| 6  | 5BN194-1            |             | **            | **                            | **        | **   | **    | 7427                         |          |
| 7  | 5BS120-1            |             | **            | **                            | **        | **   | **    | 7428                         |          |
| 8  | 5BL66-1             |             | **            | **                            | **        | **   | **    | <del>7429</del> 7429         |          |
| 9  | 5BQ158-1            |             | **            | **                            | **        | **   | **    | 7430                         |          |
| 10 | 5BK82-1             |             | **            | **                            | **        | **   | **    | 7431                         |          |
| 11 | 5BL76-1             |             | **            | **                            | **        | **   | **    | 7432                         |          |
| 12 | 5RT138-1            |             | **            | **                            | **        | **   | **    | 7433d                        |          |
| 13 | 5BD50-1             |             | **            | **                            | **        | **   | **    | <del>7434</del> - ML deleted |          |
| 14 |                     |             | **            | **                            | **        | **   | **    |                              |          |
| 15 |                     |             | **            | **                            | **        | **   | **    |                              |          |

\*All analysis will be performed in accordance with EPA approved procedures and/or the latest edition of Standard Methods.  
 \*\* Same as sample #1

L:\LARRY\pvdsb.xls\pvdsb

\* sample in set #7376 5B50-1 = #7384 in that set

Report ID: 010407422

**WATER QUALITY REPORT**

**Client:** COGEMA Mining, Inc.  
 P.O. Box 730  
 Mills, WY 82644

**Project:** Christensen  
**Sample ID:** 5BG46-1  
**Lab ID:** 0104W07422  
**Matrix:** Water  
**Condition:** Cool/Intact

**Date Received:** 05/11/04  
**Date Reported:** 06/09/04  
**Date Sampled:** 05/11/04

| Parameter                      | Analytical |          | Analysis |       |              |             |          |       |    |
|--------------------------------|------------|----------|----------|-------|--------------|-------------|----------|-------|----|
|                                | Result     | Units    | Units    | PQL   | Method       | Date        | Time     | Init. |    |
| <b>General Parameters</b>      |            |          |          |       |              |             |          |       |    |
| Lab pH                         | 8.1        | s.u.     |          | 0.1   | EPA 150.1    | 05/13/04    | 0435     | JG    |    |
| Lab Conductivity @ 25°C        | 373        | µmhos/cm |          | 1     | SM 2510 B    | 05/13/04    | 0435     | JG    |    |
| Total Dissolved Solids @ 180°C | 240        | mg/L     |          | 10    | SM 2540 C    | 05/13/04    | 0830     | SH    |    |
| Total Dissolved Solids(Calc)   | 230        | mg/L     |          | 10    | SM 1030 F.   | 05/18/04    | 1044     |       |    |
| Total Alkalinity as CaCO3      | 153        | mg/L     |          | 1.0   | SM 2320 B    | 05/13/04    | 0435     | JG    |    |
| Total Hardness as CaCO3        | 36.5       | mg/L     |          | 1.0   | SM 2340 B    | 05/14/04    | 1044     |       |    |
| Ammonia Nitrogen               | 0.2        | mg/L     |          | 0.1   | EPA 350.1    | 05/17/04    | 1506     | RM    |    |
| Nitrite as N                   | <0.1       | mg/L     |          | 0.1   | EPA 353.2    | 05/13/04    | 1039     | RM    |    |
| Radium 226                     | 165±12     | pCi/L    |          | 0.2   | SM 7500 Ra-B | 05/27/04    | 1827     | TP    |    |
| Silica as SiO2                 | 2.4        | mg/L     |          | 0.1   | EPA 200.7    | 05/14/04    | 1044     | MH    |    |
| Sodium Adsorption Ratio        | 5.5        |          |          | N/A   | Calculations | 05/18/04    | 1044     |       |    |
| <b>Anions</b>                  |            |          |          |       |              |             |          |       |    |
| Bicarbonate as HCO3            | 187        | mg/L     | 3.06     | meq/L | 1.0          | SM 2320 B   | 05/13/04 | 0435  | JG |
| Carbonate as CO3               | <1.0       | mg/L     | <0.01    | meq/L | 1.0          | SM 2320 B   | 05/13/04 | 0435  | JG |
| Hydroxide as OH                | <1.0       | mg/L     | <0.01    | meq/L | 1.0          | SM 2320 B   | 05/13/04 | 0435  | JG |
| Chloride                       | 3.1        | mg/L     | 0.09     | meq/L | 1.0          | EPA 300.0   | 05/13/04 | 0646  | LK |
| Fluoride                       | 0.1        | mg/L     | 0.01     | meq/L | 0.1          | SM 4500-F-C | 05/13/04 | 0435  | JG |
| Nitrate + Nitrite as N         | <0.1       | mg/L     | <0.01    | meq/L | 0.1          | EPA 353.2   | 05/15/04 | 0001  | RM |
| Sulfate                        | 44.4       | mg/L     | 0.92     | meq/L | 1.0          | EPA 300.0   | 05/13/04 | 0646  | LK |
| <b>Cations</b>                 |            |          |          |       |              |             |          |       |    |
| Calcium                        | 10.9       | mg/L     | 0.54     | meq/L | 1.0          | EPA 200.7   | 05/14/04 | 1044  | MH |
| Magnesium                      | 2.3        | mg/L     | 0.19     | meq/L | 1.0          | EPA 200.7   | 05/14/04 | 1044  | MH |
| Potassium                      | 1.7        | mg/L     | 0.04     | meq/L | 1.0          | EPA 200.7   | 05/14/04 | 1044  | MH |
| Sodium                         | 77.0       | mg/L     | 3.35     | meq/L | 0.2          | EPA 200.7   | 05/18/04 | 1055  | MH |
| Cations                        |            |          | 4.12     | meq/L | N/A          | SM 1030 F.  | 05/18/04 | 1044  |    |
| Anions                         |            |          | 4.08     | meq/L | N/A          | SM 1030 F.  | 05/15/04 | 0001  |    |
| Cation/Anion Balance           |            |          | 0.49     | %     | N/A          | SM 1030 F.  | 05/18/04 | 1044  |    |

These results only apply to the samples tested.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.  
 "Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.  
 U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.  
 EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By: Karen Barten  
 Karen Barten, Project Manager

Report ID: 010407422

## WATER QUALITY REPORT

**Client:** COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644

**Project:** Christensen

**Sample ID:** 5BG46-1

**Lab ID:** 0104W07422

**Matrix:** Water

**Condition:** Cool/Intact

**Date Received:** 05/11/04

**Date Reported:** 06/09/04

**Date Sampled:** 05/11/04

| Parameter               | Analytical |       | Units  | PQL       | Method   | Analysis |      |       |
|-------------------------|------------|-------|--------|-----------|----------|----------|------|-------|
|                         | Result     | Units |        |           |          | Date     | Time | Init. |
| <b>Dissolved Metals</b> |            |       |        |           |          |          |      |       |
| Aluminum                | <0.1       | mg/L  | 0.1    | EPA 200.7 | 05/14/04 | 1044     | MH   |       |
| Arsenic                 | <0.005     | mg/L  | 0.005  | EPA 200.8 | 05/17/04 | 1307     | MS   |       |
| Barium                  | <0.5       | mg/L  | 0.5    | EPA 200.8 | 05/17/04 | 1307     | MS   |       |
| Boron                   | 0.07       | mg/L  | 0.01   | EPA 200.7 | 05/14/04 | 1044     | MH   |       |
| Cadmium                 | <0.002     | mg/L  | 0.002  | EPA 200.8 | 05/17/04 | 1307     | MS   |       |
| Chromium                | <0.01      | mg/L  | 0.01   | EPA 200.7 | 05/14/04 | 1044     | MH   |       |
| Copper                  | <0.01      | mg/L  | 0.01   | EPA 200.8 | 05/17/04 | 1307     | MS   |       |
| Iron                    | <0.05      | mg/L  | 0.05   | EPA 200.7 | 05/14/04 | 1044     | MH   |       |
| Lead                    | <0.02      | mg/L  | 0.02   | EPA 200.8 | 05/17/04 | 1307     | MS   |       |
| Manganese               | 0.03       | mg/L  | 0.02   | EPA 200.7 | 05/14/04 | 1044     | MH   |       |
| Mercury                 | <0.001     | mg/L  | 0.001  | EPA 245.1 | 05/14/04 | 1024     | MS   |       |
| Molybdenum              | <0.02      | mg/L  | 0.02   | EPA 200.8 | 05/17/04 | 1307     | MS   |       |
| Nickel                  | <0.01      | mg/L  | 0.01   | EPA 200.7 | 05/14/04 | 1044     | MH   |       |
| Selenium                | 0.108      | mg/L  | 0.005  | EPA 200.8 | 05/17/04 | 1307     | MS   |       |
| Uranium                 | 0.923      | mg/L  | 0.0001 | EPA 200.8 | 05/17/04 | 1307     | MS   |       |
| Vanadium                | <0.1       | mg/L  | 0.1    | EPA 200.8 | 05/17/04 | 1307     | MS   |       |
| Zinc                    | <0.01      | mg/L  | 0.01   | EPA 200.7 | 05/14/04 | 1044     | MH   |       |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By:

*Karen Barten*

Karen Barten, Project Manager

Report ID: 010407422

## WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
P.O. Box 730  
Mills, WY 82644Project: **Christensen**

Sample ID: 5BJ54-1

Lab ID: 0104W07423

Matrix: Water

Condition: Cool/Intact

Date Received: 05/11/04

Date Reported: 06/09/04

Date Sampled: 05/11/04

| Parameter                      | Analytical |          | Analysis |       |              |             |          |       |    |
|--------------------------------|------------|----------|----------|-------|--------------|-------------|----------|-------|----|
|                                | Result     | Units    | Units    | PQL   | Method       | Date        | Time     | Init. |    |
| <b>General Parameters</b>      |            |          |          |       |              |             |          |       |    |
| Lab pH                         | 7.8        | s.u.     |          | 0.1   | EPA 150.1    | 05/13/04    | 0435     | JG    |    |
| Lab Conductivity @ 25°C        | 1,060      | µmhos/cm |          | 5     | SM 2510 B    | 05/13/04    | 0435     | JG    |    |
| Total Dissolved Solids @ 180°C | 720        | mg/L     |          | 10    | SM 2540 C    | 05/13/04    | 0830     | SH    |    |
| Total Dissolved Solids(Calc)   | 680        | mg/L     |          | 10    | SM 1030 F.   | 05/15/04    | 0003     |       |    |
| Total Alkalinity as CaCO3      | 298        | mg/L     |          | 1.0   | SM 2320 B    | 05/13/04    | 0448     | JG    |    |
| Total Hardness as CaCO3        | 158        | mg/L     |          | 1.0   | SM 2340 B    | 05/14/04    | 1047     |       |    |
| Ammonia Nitrogen               | 0.1        | mg/L     |          | 0.1   | EPA 350.1    | 05/17/04    | 1507     | RM    |    |
| Nitrite as N                   | <0.1       | mg/L     |          | 0.1   | EPA 353.2    | 05/13/04    | 1039     | RM    |    |
| Radium 226                     | 510±22     | pCi/L    |          | 0.2   | SM 7500 Ra-B | 05/27/04    | 1827     | TP    |    |
| Silica as SiO2                 | 3.9        | mg/L     |          | 0.1   | EPA 200.7    | 05/14/04    | 1047     | MH    |    |
| Sodium Adsorption Ratio        | 6.7        |          |          | N/A   | Calculations | 05/14/04    | 1047     |       |    |
| <b>Anions</b>                  |            |          |          |       |              |             |          |       |    |
| Bicarbonate as HCO3            | 363        | mg/L     | 5.95     | meq/L | 1.0          | SM 2320 B   | 05/13/04 | 0448  | JG |
| Carbonate as CO3               | <1.0       | mg/L     | <0.01    | meq/L | 1.0          | SM 2320 B   | 05/13/04 | 0448  | JG |
| Hydroxide as OH                | <1.0       | mg/L     | <0.01    | meq/L | 1.0          | SM 2320 B   | 05/13/04 | 0448  | JG |
| Chloride                       | 13.9       | mg/L     | 0.39     | meq/L | 1.0          | EPA 300.0   | 05/13/04 | 0646  | LK |
| Fluoride                       | <0.1       | mg/L     | <0.01    | meq/L | 0.1          | SM 4500-F-C | 05/13/04 | 0448  | JG |
| Nitrate + Nitrite as N         | <0.1       | mg/L     | <0.01    | meq/L | 0.1          | EPA 353.2   | 05/15/04 | 0003  | RM |
| Sulfate                        | 231        | mg/L     | 4.81     | meq/L | 1.0          | EPA 300.0   | 05/13/04 | 0646  | LK |
| <b>Cations</b>                 |            |          |          |       |              |             |          |       |    |
| Calcium                        | 46.6       | mg/L     | 2.33     | meq/L | 1.0          | EPA 200.7   | 05/14/04 | 1047  | MH |
| Magnesium                      | 10.1       | mg/L     | 0.83     | meq/L | 1.0          | EPA 200.7   | 05/14/04 | 1047  | MH |
| Potassium                      | 4.1        | mg/L     | 0.11     | meq/L | 1.0          | EPA 200.7   | 05/14/04 | 1047  | MH |
| Sodium                         | 193        | mg/L     | 8.41     | meq/L | 0.2          | EPA 200.7   | 05/18/04 | 1058  | MH |
| Cations                        |            |          | 11.68    | meq/L | N/A          | SM 1030 F.  | 05/14/04 | 1047  |    |
| Anions                         |            |          | 11.15    | meq/L | N/A          | SM 1030 F.  | 05/15/04 | 0003  |    |
| Cation/Anion Balance           |            |          | 2.32     | %     | N/A          | SM 1030 F.  | 05/18/04 | 1044  |    |

These results only apply to the samples tested.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.

"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.

U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.

EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By:

Karen Barten

Karen Barten, Project Manager



Report ID: 010407422

## WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
P.O. Box 730  
Mills, WY 82644Project: **Christensen**

Sample ID: 5BJ54-1

Lab ID: 0104W07423

Matrix: Water

Condition: Cool/Intact

Date Received: 05/11/04

Date Reported: 06/09/04

Date Sampled: 05/11/04

| Parameter               | Analytical |       | Units  | PQL       | Method   | Analysis |      |       |
|-------------------------|------------|-------|--------|-----------|----------|----------|------|-------|
|                         | Result     | Units |        |           |          | Date     | Time | Init. |
| <b>Dissolved Metals</b> |            |       |        |           |          |          |      |       |
| Aluminum                | <0.1       | mg/L  | 0.1    | EPA 200.7 | 05/14/04 | 1047     | MH   |       |
| Arsenic                 | <0.005     | mg/L  | 0.005  | EPA 200.8 | 05/17/04 | 1310     | MS   |       |
| Barium                  | <0.5       | mg/L  | 0.5    | EPA 200.8 | 05/17/04 | 1310     | MS   |       |
| Boron                   | 0.07       | mg/L  | 0.01   | EPA 200.7 | 05/14/04 | 1047     | MH   |       |
| Cadmium                 | <0.002     | mg/L  | 0.002  | EPA 200.8 | 05/17/04 | 1310     | MS   |       |
| Chromium                | <0.01      | mg/L  | 0.01   | EPA 200.7 | 05/14/04 | 1047     | MH   |       |
| Copper                  | <0.01      | mg/L  | 0.01   | EPA 200.8 | 05/17/04 | 1310     | MS   |       |
| Iron                    | 0.16       | mg/L  | 0.05   | EPA 200.7 | 05/14/04 | 1047     | MH   |       |
| Lead                    | <0.02      | mg/L  | 0.02   | EPA 200.8 | 05/17/04 | 1310     | MS   |       |
| Manganese               | 0.13       | mg/L  | 0.02   | EPA 200.7 | 05/14/04 | 1047     | MH   |       |
| Mercury                 | <0.001     | mg/L  | 0.001  | EPA 245.1 | 05/14/04 | 1024     | MS   |       |
| Molybdenum              | <0.02      | mg/L  | 0.02   | EPA 200.8 | 05/17/04 | 1310     | MS   |       |
| Nickel                  | <0.01      | mg/L  | 0.01   | EPA 200.7 | 05/14/04 | 1047     | MH   |       |
| Selenium                | 0.132      | mg/L  | 0.005  | EPA 200.8 | 05/17/04 | 1310     | MS   |       |
| Uranium                 | 1.62       | mg/L  | 0.0001 | EPA 200.8 | 05/17/04 | 1310     | MS   |       |
| Vanadium                | <0.1       | mg/L  | 0.1    | EPA 200.8 | 05/17/04 | 1310     | MS   |       |
| Zinc                    | <0.01      | mg/L  | 0.01   | EPA 200.7 | 05/14/04 | 1047     | MH   |       |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By:



Karen Barten, Project Manager

Report ID: 010407422

WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
 P.O. Box 730  
 Mills, WY 82644

Project: **Christensen**  
 Sample ID: 5BJ62-1  
 Lab ID: 0104W07424  
 Matrix: Water  
 Condition: Cool/Intact

Date Received: 05/11/04  
 Date Reported: 06/09/04  
 Date Sampled: 05/11/04

| Parameter                      | Analytical |          | Analysis |       |              |             |          |       |    |
|--------------------------------|------------|----------|----------|-------|--------------|-------------|----------|-------|----|
|                                | Result     | Units    | Units    | PQL   | Method       | Date        | Time     | Init. |    |
| <b>General Parameters</b>      |            |          |          |       |              |             |          |       |    |
| Lab pH                         | 8.0        | s.u.     |          | 0.1   | EPA 150.1    | 05/13/04    | 0435     | JG    |    |
| Lab Conductivity @ 25°C        | 549        | µmhos/cm |          | 5     | SM 2510 B    | 05/13/04    | 0435     | JG    |    |
| Total Dissolved Solids @ 180°C | 350        | mg/L     |          | 10    | SM 2540 C    | 05/13/04    | 0830     | SH    |    |
| Total Dissolved Solids(Calc)   | 330        | mg/L     |          | 10    | SM 1030 F.   | 05/18/04    | 1054     |       |    |
| Total Alkalinity as CaCO3      | 219        | mg/L     |          | 1.0   | SM 2320 B    | 05/13/04    | 0514     | JG    |    |
| Total Hardness as CaCO3        | 75.0       | mg/L     |          | 1.0   | SM 2340 B    | 05/14/04    | 1054     |       |    |
| Ammonia Nitrogen               | 0.5        | mg/L     |          | 0.1   | EPA 350.1    | 05/17/04    | 1514     | RM    |    |
| Nitrite as N                   | <0.1       | mg/L     |          | 0.1   | EPA 353.2    | 05/13/04    | 1039     | RM    |    |
| Radium 226                     | 47.6±6.6   | pCi/L    |          | 0.2   | SM 7500 Ra-B | 05/27/04    | 1827     | TP    |    |
| Silica as SiO2                 | 2.4        | mg/L     |          | 0.1   | EPA 200.7    | 05/14/04    | 1054     | MH    |    |
| Sodium Adsorption Ratio        | 5.1        |          |          | N/A   | Calculations | 05/18/04    | 1054     |       |    |
| <b>Anions</b>                  |            |          |          |       |              |             |          |       |    |
| Bicarbonate as HCO3            | 267        | mg/L     | 4.37     | meq/L | 1.0          | SM 2320 B   | 05/13/04 | 0514  | JG |
| Carbonate as CO3               | <1.0       | mg/L     | <0.01    | meq/L | 1.0          | SM 2320 B   | 05/13/04 | 0514  | JG |
| Hydroxide as OH                | <1.0       | mg/L     | <0.01    | meq/L | 1.0          | SM 2320 B   | 05/13/04 | 0514  | JG |
| Chloride                       | 4.6        | mg/L     | 0.13     | meq/L | 1.0          | EPA 300.0   | 05/13/04 | 0646  | LK |
| Fluoride                       | <0.1       | mg/L     | <0.01    | meq/L | 0.1          | SM 4500-F-C | 05/13/04 | 0514  | JG |
| Nitrate + Nitrite as N         | <0.1       | mg/L     | <0.01    | meq/L | 0.1          | EPA 353.2   | 05/15/04 | 0005  | RM |
| Sulfate                        | 66.2       | mg/L     | 1.38     | meq/L | 1.0          | EPA 300.0   | 05/13/04 | 0646  | LK |
| <b>Cations</b>                 |            |          |          |       |              |             |          |       |    |
| Calcium                        | 23.1       | mg/L     | 1.15     | meq/L | 1.0          | EPA 200.7   | 05/14/04 | 1054  | MH |
| Magnesium                      | 4.3        | mg/L     | 0.35     | meq/L | 1.0          | EPA 200.7   | 05/14/04 | 1054  | MH |
| Potassium                      | 2.2        | mg/L     | 0.05     | meq/L | 1.0          | EPA 200.7   | 05/14/04 | 1054  | MH |
| Sodium                         | 101        | mg/L     | 4.37     | meq/L | 0.2          | EPA 200.7   | 05/18/04 | 1114  | MH |
| Cations                        |            |          | 5.92     | meq/L | N/A          | SM 1030 F.  | 05/18/04 | 1054  |    |
| Anions                         |            |          | 5.88     | meq/L | N/A          | SM 1030 F.  | 05/15/04 | 0005  |    |
| Cation/Anion Balance           |            |          | 0.34     | %     | N/A          | SM 1030 F.  | 05/18/04 | 1044  |    |

These results only apply to the samples tested.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.  
 "Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.  
 U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.  
 EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By: Karen Barten  
 Karen Barten, Project Manager

Report ID: 010407422

## WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
P.O. Box 730  
Mills, WY 82644Project: **Christensen**

Sample ID: 5BJ62-1

Lab ID: 0104W07424

Matrix: Water

Condition: Cool/Intact

Date Received: 05/11/04

Date Reported: 06/09/04

Date Sampled: 05/11/04

| Parameter               | Analytical Result | Units | Units | PQL    | Method    | Analysis |      |       |
|-------------------------|-------------------|-------|-------|--------|-----------|----------|------|-------|
|                         |                   |       |       |        |           | Date     | Time | Init. |
| <b>Dissolved Metals</b> |                   |       |       |        |           |          |      |       |
| Aluminum                | <0.1              | mg/L  |       | 0.1    | EPA 200.7 | 05/14/04 | 1054 | MH    |
| Arsenic                 | <0.005            | mg/L  |       | 0.005  | EPA 200.8 | 05/17/04 | 1315 | MS    |
| Barium                  | <0.5              | mg/L  |       | 0.5    | EPA 200.8 | 05/17/04 | 1315 | MS    |
| Boron                   | 0.06              | mg/L  |       | 0.01   | EPA 200.7 | 05/14/04 | 1054 | MH    |
| Cadmium                 | <0.002            | mg/L  |       | 0.002  | EPA 200.8 | 05/17/04 | 1315 | MS    |
| Chromium                | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 05/14/04 | 1054 | MH    |
| Copper                  | <0.01             | mg/L  |       | 0.01   | EPA 200.8 | 05/17/04 | 1315 | MS    |
| Iron                    | <0.05             | mg/L  |       | 0.05   | EPA 200.7 | 05/14/04 | 1054 | MH    |
| Lead                    | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 05/17/04 | 1315 | MS    |
| Manganese               | 0.05              | mg/L  |       | 0.02   | EPA 200.7 | 05/14/04 | 1054 | MH    |
| Mercury                 | <0.001            | mg/L  |       | 0.001  | EPA 245.1 | 05/14/04 | 1024 | MS    |
| Molybdenum              | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 05/17/04 | 1315 | MS    |
| Nickel                  | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 05/14/04 | 1054 | MH    |
| Selenium                | 0.028             | mg/L  |       | 0.005  | EPA 200.8 | 05/17/04 | 1315 | MS    |
| Uranium                 | 1.43              | mg/L  |       | 0.0001 | EPA 200.8 | 05/17/04 | 1315 | MS    |
| Vanadium                | <0.1              | mg/L  |       | 0.1    | EPA 200.8 | 05/17/04 | 1315 | MS    |
| Zinc                    | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 05/14/04 | 1054 | MH    |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By:


  
 Karen Barten, Project Manager

Report ID: 010407422

WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
P.O. Box 730  
Mills, WY 82644

Project: **Christensen**  
Sample ID: 5BN162-2  
Lab ID: 0104W07425  
Matrix: Water  
Condition: Cool/Intact

Date Received: 05/11/04  
Date Reported: 06/09/04  
Date Sampled: 05/11/04

| Parameter                      | Analytical |          | Units | Units | PQL | Method       | Analysis |      |       |
|--------------------------------|------------|----------|-------|-------|-----|--------------|----------|------|-------|
|                                | Result     | Units    |       |       |     |              | Date     | Time | Init. |
| <b>General Parameters</b>      |            |          |       |       |     |              |          |      |       |
| Lab pH                         | 8.2        | s.u.     |       |       | 0.1 | EPA 150.1    | 05/13/04 | 0435 | JG    |
| Lab Conductivity @ 25°C        | 483        | µmhos/cm |       |       | 5   | SM 2510 B    | 05/13/04 | 0435 | JG    |
| Total Dissolved Solids @ 180°C | 300        | mg/L     |       |       | 10  | SM 2540 C    | 05/13/04 | 0830 | SH    |
| Total Dissolved Solids(Calc)   | 290        | mg/L     |       |       | 10  | SM 1030 F.   | 05/15/04 | 0006 |       |
| Total Alkalinity as CaCO3      | 174        | mg/L     |       |       | 1.0 | SM 2320 B    | 05/13/04 | 0527 | JG    |
| Total Hardness as CaCO3        | 74.0       | mg/L     |       |       | 1.0 | SM 2340 B    | 05/14/04 | 1107 |       |
| Ammonia Nitrogen               | 0.1        | mg/L     |       |       | 0.1 | EPA 350.1    | 05/17/04 | 1515 | RM    |
| Nitrite as N                   | <0.1       | mg/L     |       |       | 0.1 | EPA 353.2    | 05/13/04 | 1039 | RM    |
| Radium 226                     | 167±12     | pCi/L    |       |       | 0.2 | SM 7500 Ra-B | 05/27/04 | 1827 | TP    |
| Silica as SiO2                 | 1.9        | mg/L     |       |       | 0.1 | EPA 200.7    | 05/14/04 | 1107 | MH    |
| Sodium Adsorption Ratio        | 4.2        |          |       |       | N/A | Calculations | 05/14/04 | 1107 |       |
| <b>Anions</b>                  |            |          |       |       |     |              |          |      |       |
| Bicarbonate as HCO3            | 212        | mg/L     | 3.48  | meq/L | 1.0 | SM 2320 B    | 05/13/04 | 0527 | JG    |
| Carbonate as CO3               | <1.0       | mg/L     | <0.01 | meq/L | 1.0 | SM 2320 B    | 05/13/04 | 0527 | JG    |
| Hydroxide as OH                | <1.0       | mg/L     | <0.01 | meq/L | 1.0 | SM 2320 B    | 05/13/04 | 0527 | JG    |
| Chloride                       | 5.5        | mg/L     | 0.15  | meq/L | 1.0 | EPA 300.0    | 05/13/04 | 0646 | LK    |
| Fluoride                       | <0.1       | mg/L     | <0.01 | meq/L | 0.1 | SM 4500-F-C  | 05/13/04 | 0527 | JG    |
| Nitrate + Nitrite as N         | <0.1       | mg/L     | <0.01 | meq/L | 0.1 | EPA 353.2    | 05/15/04 | 0006 | RM    |
| Sulfate                        | 66.5       | mg/L     | 1.39  | meq/L | 1.0 | EPA 300.0    | 05/13/04 | 0646 | LK    |
| <b>Cations</b>                 |            |          |       |       |     |              |          |      |       |
| Calcium                        | 22.5       | mg/L     | 1.12  | meq/L | 1.0 | EPA 200.7    | 05/14/04 | 1107 | MH    |
| Magnesium                      | 4.3        | mg/L     | 0.36  | meq/L | 1.0 | EPA 200.7    | 05/14/04 | 1107 | MH    |
| Potassium                      | 2.6        | mg/L     | 0.07  | meq/L | 1.0 | EPA 200.7    | 05/14/04 | 1107 | MH    |
| Sodium                         | 83.3       | mg/L     | 3.62  | meq/L | 0.2 | EPA 200.7    | 05/18/04 | 1117 | MH    |
| Cations                        |            |          | 5.17  | meq/L | N/A | SM 1030 F.   | 05/14/04 | 1107 |       |
| Anions                         |            |          | 5.02  | meq/L | N/A | SM 1030 F.   | 05/15/04 | 0006 |       |
| Cation/Anion Balance           |            |          | 1.47  | %     | N/A | SM 1030 F.   | 05/18/04 | 1044 |       |

These results only apply to the samples tested.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.  
"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.  
U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.  
EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By: Karen Barten  
Karen Barten, Project Manager

Report ID: 010407422

WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
 P.O. Box 730  
 Mills, WY 82644

Project: **Christensen**  
 Sample ID: 5BN162-2  
 Lab ID: 0104W07425  
 Matrix: Water  
 Condition: Cool/Intact

Date Received: 05/11/04  
 Date Reported: 06/09/04  
 Date Sampled: 05/11/04

| Parameter               | Analytical Result | Units | Units | PQL    | Method    | Analysis |      |       |
|-------------------------|-------------------|-------|-------|--------|-----------|----------|------|-------|
|                         |                   |       |       |        |           | Date     | Time | Init. |
| <b>Dissolved Metals</b> |                   |       |       |        |           |          |      |       |
| Aluminum                | <0.1              | mg/L  |       | 0.1    | EPA 200.7 | 05/14/04 | 1107 | MH    |
| Arsenic                 | <0.005            | mg/L  |       | 0.005  | EPA 200.8 | 05/17/04 | 1318 | MS    |
| Barium                  | <0.5              | mg/L  |       | 0.5    | EPA 200.8 | 05/17/04 | 1318 | MS    |
| Boron                   | 0.07              | mg/L  |       | 0.01   | EPA 200.7 | 05/14/04 | 1107 | MH    |
| Cadmium                 | <0.002            | mg/L  |       | 0.002  | EPA 200.8 | 05/17/04 | 1318 | MS    |
| Chromium                | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 05/14/04 | 1107 | MH    |
| Copper                  | <0.01             | mg/L  |       | 0.01   | EPA 200.8 | 05/17/04 | 1318 | MS    |
| Iron                    | <0.05             | mg/L  |       | 0.05   | EPA 200.7 | 05/14/04 | 1107 | MH    |
| Lead                    | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 05/17/04 | 1318 | MS    |
| Manganese               | 0.03              | mg/L  |       | 0.02   | EPA 200.7 | 05/14/04 | 1107 | MH    |
| Mercury                 | <0.001            | mg/L  |       | 0.001  | EPA 245.1 | 05/14/04 | 1024 | MS    |
| Molybdenum              | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 05/17/04 | 1318 | MS    |
| Nickel                  | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 05/14/04 | 1107 | MH    |
| Selenium                | 0.102             | mg/L  |       | 0.005  | EPA 200.8 | 05/17/04 | 1318 | MS    |
| Uranium                 | 1.01              | mg/L  |       | 0.0001 | EPA 200.8 | 05/17/04 | 1318 | MS    |
| Vanadium                | 0.2               | mg/L  |       | 0.1    | EPA 200.8 | 05/17/04 | 1318 | MS    |
| Zinc                    | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 05/14/04 | 1107 | MH    |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By: *Karen Barten*  
 Karen Barten, Project Manager

Report ID: 010407422

**WATER QUALITY REPORT**

**Client:** COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644

**Project:** Christensen  
**Sample ID:** 5BH58-2  
**Lab ID:** 0104W07426  
**Matrix:** Water  
**Condition:** Cool/Intact

**Date Received:** 05/11/04  
**Date Reported:** 06/09/04  
**Date Sampled:** 05/11/04

| Parameter                      | Analytical |          | Analysis |       |              |             |          |       |    |
|--------------------------------|------------|----------|----------|-------|--------------|-------------|----------|-------|----|
|                                | Result     | Units    | Units    | PQL   | Method       | Date        | Time     | Init. |    |
| <b>General Parameters</b>      |            |          |          |       |              |             |          |       |    |
| Lab pH                         | 8.2        | s.u.     |          | 0.1   | EPA 150.1    | 05/13/04    | 0435     | JG    |    |
| Lab Conductivity @ 25°C        | 548        | µmhos/cm |          | 5     | SM 2510 B    | 05/13/04    | 0435     | JG    |    |
| Total Dissolved Solids @ 180°C | 350        | mg/L     |          | 10    | SM 2540 C    | 05/13/04    | 0830     | SH    |    |
| Total Dissolved Solids(Calc)   | 340        | mg/L     |          | 10    | SM 1030 F.   | 05/15/04    | 0007     |       |    |
| Total Alkalinity as CaCO3      | 255        | mg/L     |          | 1.0   | SM 2320 B    | 05/13/04    | 0539     | JG    |    |
| Total Hardness as CaCO3        | 47.0       | mg/L     |          | 1.0   | SM 2340 B    | 05/14/04    | 1110     |       |    |
| Ammonia Nitrogen               | 0.1        | mg/L     |          | 0.1   | EPA 350.1    | 05/17/04    | 1516     | RM    |    |
| Nitrite as N                   | <0.1       | mg/L     |          | 0.1   | EPA 353.2    | 05/13/04    | 1039     | RM    |    |
| Radium 226                     | 352±18     | pCi/L    |          | 0.2   | SM 7500 Ra-B | 05/27/04    | 1827     | TP    |    |
| Silica as SiO2                 | 2.2        | mg/L     |          | 0.1   | EPA 200.7    | 05/14/04    | 1110     | MH    |    |
| Sodium Adsorption Ratio        | 7.5        |          |          | N/A   | Calculations | 05/14/04    | 1110     |       |    |
| <b>Anions</b>                  |            |          |          |       |              |             |          |       |    |
| Bicarbonate as HCO3            | 298        | mg/L     | 4.88     | meq/L | 1.0          | SM 2320 B   | 05/13/04 | 0539  | JG |
| Carbonate as CO3               | 6.6        | mg/L     | 0.22     | meq/L | 1.0          | SM 2320 B   | 05/13/04 | 0539  | JG |
| Hydroxide as OH                | <1.0       | mg/L     | <0.01    | meq/L | 1.0          | SM 2320 B   | 05/13/04 | 0539  | JG |
| Chloride                       | 2.6        | mg/L     | 0.07     | meq/L | 1.0          | EPA 300.0   | 05/13/04 | 0646  | LK |
| Fluoride                       | 0.2        | mg/L     | 0.01     | meq/L | 0.1          | SM 4500-F-C | 05/13/04 | 0539  | JG |
| Nitrate + Nitrite as N         | <0.1       | mg/L     | <0.01    | meq/L | 0.1          | EPA 353.2   | 05/15/04 | 0007  | RM |
| Sulfate                        | 44.3       | mg/L     | 0.92     | meq/L | 1.0          | EPA 300.0   | 05/13/04 | 0646  | LK |
| <b>Cations</b>                 |            |          |          |       |              |             |          |       |    |
| Calcium                        | 14.1       | mg/L     | 0.70     | meq/L | 1.0          | EPA 200.7   | 05/14/04 | 1110  | MH |
| Magnesium                      | 2.9        | mg/L     | 0.24     | meq/L | 1.0          | EPA 200.7   | 05/14/04 | 1110  | MH |
| Potassium                      | 2.5        | mg/L     | 0.06     | meq/L | 1.0          | EPA 200.7   | 05/14/04 | 1110  | MH |
| Sodium                         | 117        | mg/L     | 5.11     | meq/L | 0.2          | EPA 200.7   | 05/18/04 | 1120  | MH |
| Cations                        |            |          | 6.11     | meq/L | N/A          | SM 1030 F.  | 05/14/04 | 1110  |    |
| Anions                         |            |          | 6.10     | meq/L | N/A          | SM 1030 F.  | 05/15/04 | 0007  |    |
| Cation/Anion Balance           |            |          | 0.08     | %     | N/A          | SM 1030 F.  | 05/18/04 | 1044  |    |

These results only apply to the samples tested.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.  
"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.  
U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.  
EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By: Karen Barten  
Karen Barten, Project Manager

Report ID: 010407422

WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
 P.O. Box 730  
 Mills, WY 82644

Project: **Christensen**  
 Sample ID: 5BH58-2  
 Lab ID: 0104W07426  
 Matrix: Water  
 Condition: Cool/Intact

Date Received: 05/11/04  
 Date Reported: 06/09/04  
 Date Sampled: 05/11/04

| Parameter               | Analytical |       | Units | PQL    | Method    | Analysis |      |       |
|-------------------------|------------|-------|-------|--------|-----------|----------|------|-------|
|                         | Result     | Units |       |        |           | Date     | Time | Init. |
| <b>Dissolved Metals</b> |            |       |       |        |           |          |      |       |
| Aluminum                | <0.1       | mg/L  |       | 0.1    | EPA 200.7 | 05/14/04 | 1110 | MH    |
| Arsenic                 | 0.011      | mg/L  |       | 0.005  | EPA 200.8 | 05/17/04 | 1321 | MS    |
| Barium                  | <0.5       | mg/L  |       | 0.5    | EPA 200.8 | 05/17/04 | 1321 | MS    |
| Boron                   | 0.06       | mg/L  |       | 0.01   | EPA 200.7 | 05/14/04 | 1110 | MH    |
| Cadmium                 | <0.002     | mg/L  |       | 0.002  | EPA 200.8 | 05/17/04 | 1321 | MS    |
| Chromium                | <0.01      | mg/L  |       | 0.01   | EPA 200.7 | 05/14/04 | 1110 | MH    |
| Copper                  | <0.01      | mg/L  |       | 0.01   | EPA 200.8 | 05/17/04 | 1321 | MS    |
| Iron                    | <0.05      | mg/L  |       | 0.05   | EPA 200.7 | 05/14/04 | 1110 | MH    |
| Lead                    | <0.02      | mg/L  |       | 0.02   | EPA 200.8 | 05/17/04 | 1321 | MS    |
| Manganese               | 0.03       | mg/L  |       | 0.02   | EPA 200.7 | 05/14/04 | 1110 | MH    |
| Mercury                 | <0.001     | mg/L  |       | 0.001  | EPA 245.1 | 05/14/04 | 1024 | MS    |
| Molybdenum              | <0.02      | mg/L  |       | 0.02   | EPA 200.8 | 05/17/04 | 1321 | MS    |
| Nickel                  | <0.01      | mg/L  |       | 0.01   | EPA 200.7 | 05/14/04 | 1110 | MH    |
| Selenium                | 0.296      | mg/L  |       | 0.005  | EPA 200.8 | 05/17/04 | 1321 | MS    |
| Uranium                 | 1.67       | mg/L  |       | 0.0001 | EPA 200.8 | 05/17/04 | 1321 | MS    |
| Vanadium                | 0.2        | mg/L  |       | 0.1    | EPA 200.8 | 05/17/04 | 1321 | MS    |
| Zinc                    | <0.01      | mg/L  |       | 0.01   | EPA 200.7 | 05/14/04 | 1110 | MH    |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By: *Karen Barten*  
 Karen Barten, Project Manager

Report ID: 010407422

**WATER QUALITY REPORT**

**Client:** COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644

**Project:** Christensen

**Sample ID:** 5BN94-1

**Lab ID:** 0104W07427

**Matrix:** Water

**Condition:** Cool/Intact

**Date Received:** 05/11/04  
**Date Reported:** 06/09/04  
**Date Sampled:** 05/11/04

| Parameter                      | Analytical |          | Analysis |       |              |               |               |    |
|--------------------------------|------------|----------|----------|-------|--------------|---------------|---------------|----|
|                                | Result     | Units    | Units    | PQL   | Method       | Date Time     | Init.         |    |
| <b>General Parameters</b>      |            |          |          |       |              |               |               |    |
| Lab pH                         | 8.6        | s.u.     |          | 0.1   | EPA 150.1    | 05/13/04 0435 | JG            |    |
| Lab Conductivity @ 25°C        | 597        | µmhos/cm |          | 5     | SM 2510 B    | 05/13/04 0435 | JG            |    |
| Total Dissolved Solids @ 180°C | 390        | mg/L     |          | 10    | SM 2540 C    | 05/13/04 0830 | SH            |    |
| Total Dissolved Solids(Calc)   | 360        | mg/L     |          | 10    | SM 1030 F.   | 05/15/04 0008 |               |    |
| Total Alkalinity as CaCO3      | 113        | mg/L     |          | 1.0   | SM 2320 B    | 05/13/04 0548 | JG            |    |
| Total Hardness as CaCO3        | 39.0       | mg/L     |          | 1.0   | SM 2340 B    | 05/14/04 1113 |               |    |
| Ammonia Nitrogen               | <0.1       | mg/L     |          | 0.1   | EPA 350.1    | 05/17/04 1517 | RM            |    |
| Nitrite as N                   | <0.1       | mg/L     |          | 0.1   | EPA 353.2    | 05/13/04 1039 | RM            |    |
| Radium 226                     | 7.4±2.3    | pCi/L    |          | 0.2   | SM 7500 Ra-B | 05/27/04 1827 | TP            |    |
| Silica as SiO2                 | 2.3        | mg/L     |          | 0.1   | EPA 200.7    | 05/14/04 1113 | MH            |    |
| Sodium Adsorption Ratio        | 8.1        |          |          | N/A   | Calculations | 05/14/04 1113 |               |    |
| <b>Anions</b>                  |            |          |          |       |              |               |               |    |
| Bicarbonate as HCO3            | 124        | mg/L     | 2.03     | meq/L | 1.0          | SM 2320 B     | 05/13/04 0548 | JG |
| Carbonate as CO3               | 6.6        | mg/L     | 0.22     | meq/L | 1.0          | SM 2320 B     | 05/13/04 0548 | JG |
| Hydroxide as OH                | <1.0       | mg/L     | <0.01    | meq/L | 1.0          | SM 2320 B     | 05/13/04 0548 | JG |
| Chloride                       | 6.3        | mg/L     | 0.18     | meq/L | 1.0          | EPA 300.0     | 05/13/04 0646 | LK |
| Fluoride                       | 0.2        | mg/L     | 0.01     | meq/L | 0.1          | SM 4500-F-C   | 05/13/04 0548 | JG |
| Nitrate + Nitrite as N         | <0.1       | mg/L     | <0.01    | meq/L | 0.1          | EPA 353.2     | 05/15/04 0008 | RM |
| Sulfate                        | 155        | mg/L     | 3.22     | meq/L | 1.0          | EPA 300.0     | 05/13/04 0646 | LK |
| <b>Cations</b>                 |            |          |          |       |              |               |               |    |
| Calcium                        | 12.7       | mg/L     | 0.63     | meq/L | 1.0          | EPA 200.7     | 05/18/04 1123 | MH |
| Magnesium                      | 1.9        | mg/L     | 0.15     | meq/L | 1.0          | EPA 200.7     | 05/18/04 1123 | MH |
| Potassium                      | 2.3        | mg/L     | 0.06     | meq/L | 1.0          | EPA 200.7     | 05/14/04 1113 | MH |
| Sodium                         | 116        | mg/L     | 5.04     | meq/L | 0.2          | EPA 200.7     | 05/18/04 1123 | MH |
| Cations                        |            |          | 5.88     | meq/L | N/A          | SM 1030 F.    | 05/14/04 1113 |    |
| Anions                         |            |          | 5.66     | meq/L | N/A          | SM 1030 F.    | 05/15/04 0008 |    |
| Cation/Anion Balance           |            |          | 1.91     | %     | N/A          | SM 1030 F.    | 05/18/04 1044 |    |

These results only apply to the samples tested.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.  
"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.  
U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.  
EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By:   
Karen Barten, Project Manager



Report ID: 010407422

WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
 P.O. Box 730  
 Mills, WY 82644

Project: **Christensen**  
 Sample ID: 5BN94-1  
 Lab ID: 0104W07427  
 Matrix: Water  
 Condition: Cool/Intact

Date Received: 05/11/04  
 Date Reported: 06/09/04  
 Date Sampled: 05/11/04

| Parameter               | Analytical Result | Units | Units | PQL    | Method    | Analysis |      |       |
|-------------------------|-------------------|-------|-------|--------|-----------|----------|------|-------|
|                         |                   |       |       |        |           | Date     | Time | Init. |
| <b>Dissolved Metals</b> |                   |       |       |        |           |          |      |       |
| Aluminum                | <0.1              | mg/L  |       | 0.1    | EPA 200.7 | 05/14/04 | 1113 | MH    |
| Arsenic                 | 0.021             | mg/L  |       | 0.005  | EPA 200.8 | 05/17/04 | 1323 | MS    |
| Barium                  | <0.5              | mg/L  |       | 0.5    | EPA 200.8 | 05/17/04 | 1323 | MS    |
| Boron                   | 0.05              | mg/L  |       | 0.01   | EPA 200.7 | 05/14/04 | 1113 | MH    |
| Cadmium                 | <0.002            | mg/L  |       | 0.002  | EPA 200.8 | 05/17/04 | 1323 | MS    |
| Chromium                | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 05/14/04 | 1113 | MH    |
| Copper                  | <0.01             | mg/L  |       | 0.01   | EPA 200.8 | 05/17/04 | 1323 | MS    |
| Iron                    | <0.05             | mg/L  |       | 0.05   | EPA 200.7 | 05/14/04 | 1113 | MH    |
| Lead                    | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 05/17/04 | 1323 | MS    |
| Manganese               | <0.02             | mg/L  |       | 0.02   | EPA 200.7 | 05/14/04 | 1113 | MH    |
| Mercury                 | <0.001            | mg/L  |       | 0.001  | EPA 245.1 | 05/14/04 | 1024 | MS    |
| Molybdenum              | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 05/17/04 | 1323 | MS    |
| Nickel                  | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 05/14/04 | 1113 | MH    |
| Selenium                | 0.679             | mg/L  |       | 0.005  | EPA 200.8 | 05/17/04 | 1323 | MS    |
| Uranium                 | 0.385             | mg/L  |       | 0.0001 | EPA 200.8 | 05/17/04 | 1323 | MS    |
| Vanadium                | 0.1               | mg/L  |       | 0.1    | EPA 200.8 | 05/17/04 | 1323 | MS    |
| Zinc                    | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 05/14/04 | 1113 | MH    |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By:   
 Karen Barfen, Project Manager

Report ID: 010407422

## WATER QUALITY REPORT

Client: COGEMA Mining, Inc.

P.O. Box 730  
Mills, WY 82644

Project: Christensen

Sample ID: 5BS120-1

Lab ID: 0104W07428

Matrix: Water

Condition: Cool/Intact

Date Received: 05/11/04

Date Reported: 06/09/04


Date Sampled: 05/11/04

| Parameter                      | Analytical |          | Analysis |       |              |             |          |       |    |
|--------------------------------|------------|----------|----------|-------|--------------|-------------|----------|-------|----|
|                                | Result     | Units    | Units    | PQL   | Method       | Date        | Time     | Init. |    |
| <b>General Parameters</b>      |            |          |          |       |              |             |          |       |    |
| Lab pH                         | 8.2        | s.u.     |          | 0.1   | EPA 150.1    | 05/13/04    | 0435     | JG    |    |
| Lab Conductivity @ 25°C        | 712        | µmhos/cm |          | 5     | SM 2510 B    | 05/13/04    | 0435     | JG    |    |
| Total Dissolved Solids @ 180°C | 470        | mg/L     |          | 10    | SM 2540 C    | 05/13/04    | 0830     | SH    |    |
| Total Dissolved Solids(Calc)   | 440        | mg/L     |          | 10    | SM 1030 F.   | 05/15/04    | 0009     |       |    |
| Total Alkalinity as CaCO3      | 290        | mg/L     |          | 1.0   | SM 2320 B    | 05/13/04    | 0600     | JG    |    |
| Total Hardness as CaCO3        | 69.0       | mg/L     |          | 1.0   | SM 2340 B    | 05/14/04    | 1117     |       |    |
| Ammonia Nitrogen               | 0.2        | mg/L     |          | 0.1   | EPA 350.1    | 05/17/04    | 1518     | RM    |    |
| Nitrite as N                   | <0.1       | mg/L     |          | 0.1   | EPA 353.2    | 05/13/04    | 1039     | RM    |    |
| Radium 226                     | 58.6±6.2   | pCi/L    |          | 0.2   | SM 7500 Ra-B | 05/27/04    | 1827     | TP    |    |
| Silica as SiO2                 | 3.7        | mg/L     |          | 0.1   | EPA 200.7    | 05/14/04    | 1117     | MH    |    |
| Sodium Adsorption Ratio        | 7.8        |          |          | N/A   | Calculations | 05/14/04    | 1117     |       |    |
| <b>Anions</b>                  |            |          |          |       |              |             |          |       |    |
| Bicarbonate as HCO3            | 345        | mg/L     | 5.65     | meq/L | 1.0          | SM 2320 B   | 05/13/04 | 0600  | JG |
| Carbonate as CO3               | 4.2        | mg/L     | 0.14     | meq/L | 1.0          | SM 2320 B   | 05/13/04 | 0600  | JG |
| Hydroxide as OH                | <1.0       | mg/L     | <0.01    | meq/L | 1.0          | SM 2320 B   | 05/13/04 | 0600  | JG |
| Chloride                       | 6.6        | mg/L     | 0.19     | meq/L | 1.0          | EPA 300.0   | 05/13/04 | 0646  | LK |
| Fluoride                       | 0.2        | mg/L     | 0.01     | meq/L | 0.1          | SM 4500-F-C | 05/13/04 | 0600  | JG |
| Nitrate + Nitrite as N         | <0.1       | mg/L     | <0.01    | meq/L | 0.1          | EPA 353.2   | 05/15/04 | 0009  | RM |
| Sulfate                        | 84.4       | mg/L     | 1.76     | meq/L | 1.0          | EPA 300.0   | 05/13/04 | 0646  | LK |
| <b>Cations</b>                 |            |          |          |       |              |             |          |       |    |
| Calcium                        | 20.2       | mg/L     | 1.01     | meq/L | 1.0          | EPA 200.7   | 05/14/04 | 1117  | MH |
| Magnesium                      | 4.4        | mg/L     | 0.37     | meq/L | 1.0          | EPA 200.7   | 05/14/04 | 1117  | MH |
| Potassium                      | 3.2        | mg/L     | 0.08     | meq/L | 1.0          | EPA 200.7   | 05/14/04 | 1117  | MH |
| Sodium                         | 149        | mg/L     | 6.49     | meq/L | 0.2          | EPA 200.7   | 05/18/04 | 1127  | MH |
| Cations                        |            |          | 7.95     | meq/L | N/A          | SM 1030 F.  | 05/14/04 | 1117  |    |
| Anions                         |            |          | 7.75     | meq/L | N/A          | SM 1030 F.  | 05/15/04 | 0009  |    |
| Cation/Anion Balance           |            |          | 1.27     | %     | N/A          | SM 1030 F.  | 05/18/04 | 1044  |    |

These results only apply to the samples tested.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.  
 "Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.  
 U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.  
 EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By:

  
 Karen Barten, Project Manager

Report ID: 010407422

## WATER QUALITY REPORT

**Client:** COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644

**Project:** Christensen  
**Sample ID:** 5BS120-1  
**Lab ID:** 0104W07428  
**Matrix:** Water  
**Condition:** Cool/Intact

**Date Received:** 05/11/04  
**Date Reported:** 06/09/04  
**Date Sampled:** 05/11/04

| Parameter               | Analytical |       | Units  | PQL       | Method   | Analysis |      |       |
|-------------------------|------------|-------|--------|-----------|----------|----------|------|-------|
|                         | Result     | Units |        |           |          | Date     | Time | Init. |
| <b>Dissolved Metals</b> |            |       |        |           |          |          |      |       |
| Aluminum                | <0.1       | mg/L  | 0.1    | EPA 200.7 | 05/14/04 | 1117     | MH   |       |
| Arsenic                 | <0.005     | mg/L  | 0.005  | EPA 200.8 | 05/17/04 | 1326     | MS   |       |
| Barium                  | <0.5       | mg/L  | 0.5    | EPA 200.8 | 05/17/04 | 1326     | MS   |       |
| Boron                   | 0.06       | mg/L  | 0.01   | EPA 200.7 | 05/14/04 | 1117     | MH   |       |
| Cadmium                 | <0.002     | mg/L  | 0.002  | EPA 200.8 | 05/17/04 | 1326     | MS   |       |
| Chromium                | <0.01      | mg/L  | 0.01   | EPA 200.7 | 05/14/04 | 1117     | MH   |       |
| Copper                  | <0.01      | mg/L  | 0.01   | EPA 200.8 | 05/17/04 | 1326     | MS   |       |
| Iron                    | <0.05      | mg/L  | 0.05   | EPA 200.7 | 05/14/04 | 1117     | MH   |       |
| Lead                    | <0.02      | mg/L  | 0.02   | EPA 200.8 | 05/17/04 | 1326     | MS   |       |
| Manganese               | <0.02      | mg/L  | 0.02   | EPA 200.7 | 05/14/04 | 1117     | MH   |       |
| Mercury                 | <0.001     | mg/L  | 0.001  | EPA 245.1 | 05/14/04 | 1024     | MS   |       |
| Molybdenum              | <0.02      | mg/L  | 0.02   | EPA 200.8 | 05/17/04 | 1326     | MS   |       |
| Nickel                  | <0.01      | mg/L  | 0.01   | EPA 200.7 | 05/14/04 | 1117     | MH   |       |
| Selenium                | 0.148      | mg/L  | 0.005  | EPA 200.8 | 05/17/04 | 1326     | MS   |       |
| Uranium                 | 1.60       | mg/L  | 0.0001 | EPA 200.8 | 05/17/04 | 1326     | MS   |       |
| Vanadium                | 0.3        | mg/L  | 0.1    | EPA 200.8 | 05/17/04 | 1326     | MS   |       |
| Zinc                    | <0.01      | mg/L  | 0.01   | EPA 200.7 | 05/14/04 | 1117     | MH   |       |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By:

  
Karen Barten, Project Manager

Report ID: 010407422

## WATER QUALITY REPORT

**Client:** COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644

**Project:** Christensen  
**Sample ID:** 5BL66-1  
**Lab ID:** 0104W07429  
**Matrix:** Water  
**Condition:** Cool/Intact

**Date Received:** 05/11/04  
**Date Reported:** 06/09/04  
**Date Sampled:** 05/11/04

| Parameter                      | Analytical |          | Analysis |       |              |             |          |       |    |
|--------------------------------|------------|----------|----------|-------|--------------|-------------|----------|-------|----|
|                                | Result     | Units    | Units    | PQL   | Method       | Date        | Time     | Init. |    |
| <b>General Parameters</b>      |            |          |          |       |              |             |          |       |    |
| Lab pH                         | 7.9        | s.u.     |          | 0.1   | EPA 150.1    | 05/13/04    | 0435     | JG    |    |
| Lab Conductivity @ 25°C        | 1,800      | µmhos/cm |          | 5     | SM 2510 B    | 05/13/04    | 0435     | JG    |    |
| Total Dissolved Solids @ 180°C | 1,250      | mg/L     |          | 10    | SM 2540 C    | 05/13/04    | 0830     | SH    |    |
| Total Dissolved Solids(Calc)   | 1,190      | mg/L     |          | 10    | SM 1030 F.   | 05/15/04    | 0010     |       |    |
| Total Alkalinity as CaCO3      | 703        | mg/L     |          | 1.0   | SM 2320 B    | 05/13/04    | 0614     | JG    |    |
| Total Hardness as CaCO3        | 306        | mg/L     |          | 1.0   | SM 2340 B    | 05/14/04    | 1120     |       |    |
| Ammonia Nitrogen               | 0.2        | mg/L     |          | 0.1   | EPA 350.1    | 05/17/04    | 1519     | RM    |    |
| Nitrite as N                   | <0.1       | mg/L     |          | 0.1   | EPA 353.2    | 05/13/04    | 1039     | RM    |    |
| Radium 226                     | 308±14     | pCi/L    |          | 0.2   | SM 7500 Ra-B | 05/27/04    | 1827     | TP    |    |
| Silica as SiO2                 | 4.1        | mg/L     |          | 0.1   | EPA 200.7    | 05/14/04    | 1120     | MH    |    |
| Sodium Adsorption Ratio        | 8.2        |          |          | N/A   | Calculations | 05/14/04    | 1120     |       |    |
| <b>Anions</b>                  |            |          |          |       |              |             |          |       |    |
| Bicarbonate as HCO3            | 858        | mg/L     | 14.06    | meq/L | 1.0          | SM 2320 B   | 05/13/04 | 0614  | JG |
| Carbonate as CO3               | <1.0       | mg/L     | <0.01    | meq/L | 1.0          | SM 2320 B   | 05/13/04 | 0614  | JG |
| Hydroxide as OH                | <1.0       | mg/L     | <0.01    | meq/L | 1.0          | SM 2320 B   | 05/13/04 | 0614  | JG |
| Chloride                       | 25.4       | mg/L     | 0.72     | meq/L | 1.0          | EPA 300.0   | 05/13/04 | 0646  | LK |
| Fluoride                       | <0.1       | mg/L     | <0.01    | meq/L | 0.1          | SM 4500-F-C | 05/13/04 | 0614  | JG |
| Nitrate + Nitrite as N         | <0.1       | mg/L     | <0.01    | meq/L | 0.1          | EPA 353.2   | 05/15/04 | 0010  | RM |
| Sulfate                        | 292        | mg/L     | 6.08     | meq/L | 1.0          | EPA 300.0   | 05/13/04 | 0646  | LK |
| <b>Cations</b>                 |            |          |          |       |              |             |          |       |    |
| Calcium                        | 89.5       | mg/L     | 4.47     | meq/L | 1.0          | EPA 200.7   | 05/14/04 | 1120  | MH |
| Magnesium                      | 20.1       | mg/L     | 1.65     | meq/L | 1.0          | EPA 200.7   | 05/14/04 | 1120  | MH |
| Potassium                      | 6.2        | mg/L     | 0.16     | meq/L | 1.0          | EPA 200.7   | 05/14/04 | 1120  | MH |
| Sodium                         | 332        | mg/L     | 14.42    | meq/L | 0.2          | EPA 200.7   | 05/18/04 | 1130  | MH |
| Cations                        |            |          | 20.70    | meq/L | N/A          | SM 1030 F.  | 05/14/04 | 1120  |    |
| Anions                         |            |          | 20.86    | meq/L | N/A          | SM 1030 F.  | 05/15/04 | 0010  |    |
| Cation/Anion Balance           |            |          | 0.38     | %     | N/A          | SM 1030 F.  | 05/18/04 | 1044  |    |

These results only apply to the samples tested.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.

"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.

U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.

EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By:

  
Karen Barten, Project Manager

Report ID: 010407422

WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
P.O. Box 730  
Mills, WY 82644

Project: **Christensen**  
Sample ID: 5BL66-1  
Lab ID: 0104W07429  
Matrix: Water  
Condition: Cool/Intact

Date Received: 05/11/04  
Date Reported: 06/09/04  
Date Sampled: 05/11/04

| Parameter               | Analytical |       | Units  | PQL       | Method   | Analysis |      |       |
|-------------------------|------------|-------|--------|-----------|----------|----------|------|-------|
|                         | Result     | Units |        |           |          | Date     | Time | Init. |
| <b>Dissolved Metals</b> |            |       |        |           |          |          |      |       |
| Aluminum                | <0.1       | mg/L  | 0.1    | EPA 200.7 | 05/14/04 | 1120     | MH   |       |
| Arsenic                 | 0.011      | mg/L  | 0.005  | EPA 200.8 | 05/17/04 | 1328     | MS   |       |
| Barium                  | <0.5       | mg/L  | 0.5    | EPA 200.8 | 05/17/04 | 1328     | MS   |       |
| Boron                   | 0.08       | mg/L  | 0.01   | EPA 200.7 | 05/14/04 | 1120     | MH   |       |
| Cadmium                 | <0.002     | mg/L  | 0.002  | EPA 200.8 | 05/17/04 | 1328     | MS   |       |
| Chromium                | <0.01      | mg/L  | 0.01   | EPA 200.7 | 05/14/04 | 1120     | MH   |       |
| Copper                  | <0.01      | mg/L  | 0.01   | EPA 200.8 | 05/17/04 | 1328     | MS   |       |
| Iron                    | 0.24       | mg/L  | 0.05   | EPA 200.7 | 05/14/04 | 1120     | MH   |       |
| Lead                    | <0.02      | mg/L  | 0.02   | EPA 200.8 | 05/17/04 | 1328     | MS   |       |
| Manganese               | 0.22       | mg/L  | 0.02   | EPA 200.7 | 05/14/04 | 1120     | MH   |       |
| Mercury                 | <0.001     | mg/L  | 0.001  | EPA 245.1 | 05/14/04 | 1024     | MS   |       |
| Molybdenum              | <0.02      | mg/L  | 0.02   | EPA 200.8 | 05/17/04 | 1328     | MS   |       |
| Nickel                  | <0.01      | mg/L  | 0.01   | EPA 200.7 | 05/14/04 | 1120     | MH   |       |
| Selenium                | 0.270      | mg/L  | 0.005  | EPA 200.8 | 05/17/04 | 1328     | MS   |       |
| Uranium                 | 7.26       | mg/L  | 0.0001 | EPA 200.8 | 05/17/04 | 1328     | MS   |       |
| Vanadium                | <0.1       | mg/L  | 0.1    | EPA 200.8 | 05/17/04 | 1328     | MS   |       |
| Zinc                    | <0.01      | mg/L  | 0.01   | EPA 200.7 | 05/14/04 | 1120     | MH   |       |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By:   
Karen Barten, Project Manager

Report ID: 010407422

## WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
P.O. Box 730  
Mills, WY 82644

Project: **Christensen**  
Sample ID: 5BQ158-1  
Lab ID: 0104W07430  
Matrix: Water  
Condition: Cool/Intact

Date Received: 05/11/04  
Date Reported: 06/09/04  
Date Sampled: 05/11/04

| Parameter                             | Analytical |          | Analysis |       |              |             |          |       |    |
|---------------------------------------|------------|----------|----------|-------|--------------|-------------|----------|-------|----|
|                                       | Result     | Units    | Units    | PQL   | Method       | Date        | Time     | Init. |    |
| <b>General Parameters</b>             |            |          |          |       |              |             |          |       |    |
| Lab pH                                | 8.4        | s.u.     |          | 0.1   | EPA 150.1    | 05/13/04    | 1615     | JG    |    |
| Lab Conductivity @ 25°C               | 804        | µmhos/cm |          | 5     | SM 2510 B    | 05/13/04    | 1615     | JG    |    |
| Total Dissolved Solids @ 180°C        | 590        | mg/L     |          | 10    | SM 2540 C    | 05/13/04    | 0830     | SH    |    |
| Total Dissolved Solids(Calc)          | 530        | mg/L     |          | 10    | SM 1030 F.   | 05/19/04    | 0646     |       |    |
| Total Alkalinity as CaCO <sub>3</sub> | 96.5       | mg/L     |          | 1.0   | SM 2320 B    | 05/19/04    | 1023     | JG    |    |
| Total Hardness as CaCO <sub>3</sub>   | 44.0       | mg/L     |          | 1.0   | SM 2340 B    | 05/18/04    | 1123     |       |    |
| Ammonia Nitrogen                      | <0.1       | mg/L     |          | 0.1   | EPA 350.1    | 05/17/04    | 1520     | RM    |    |
| Nitrite as N                          | <0.1       | mg/L     |          | 0.1   | EPA 353.2    | 05/13/04    | 1039     | RM    |    |
| Radium 226                            | 54.4±5.8   | pCi/L    |          | 0.2   | SM 7500 Ra-B | 05/27/04    | 1827     | TP    |    |
| Silica as SiO <sub>2</sub>            | 3.9        | mg/L     |          | 0.1   | EPA 200.7    | 05/14/04    | 1123     | MH    |    |
| Sodium Adsorption Ratio               | 11.3       |          |          | N/A   | Calculations | 05/18/04    | 1123     |       |    |
| <b>Anions</b>                         |            |          |          |       |              |             |          |       |    |
| Bicarbonate as HCO <sub>3</sub>       | 118        | mg/L     | 1.93     | meq/L | 1.0          | SM 2320 B   | 05/19/04 | 1023  | JG |
| Carbonate as CO <sub>3</sub>          | <1.0       | mg/L     | <0.01    | meq/L | 1.0          | SM 2320 B   | 05/19/04 | 1023  | JG |
| Hydroxide as OH                       | <1.0       | mg/L     | <0.01    | meq/L | 1.0          | SM 2320 B   | 05/19/04 | 1023  | JG |
| Chloride                              | 5.6        | mg/L     | 0.16     | meq/L | 1.0          | EPA 300.0   | 05/13/04 | 0646  | LK |
| Fluoride                              | 0.2        | mg/L     | 0.01     | meq/L | 0.1          | SM 4500-F-C | 05/13/04 | 1615  | JG |
| Nitrate + Nitrite as N                | <0.1       | mg/L     | <0.01    | meq/L | 0.1          | EPA 353.2   | 05/15/04 | 0017  | RM |
| Sulfate                               | 271        | mg/L     | 5.65     | meq/L | 1.0          | EPA 300.0   | 05/19/04 | 0646  | LK |
| <b>Cations</b>                        |            |          |          |       |              |             |          |       |    |
| Calcium                               | 13.0       | mg/L     | 0.65     | meq/L | 1.0          | EPA 200.7   | 05/18/04 | 1133  | MH |
| Magnesium                             | 2.8        | mg/L     | 0.23     | meq/L | 1.0          | EPA 200.7   | 05/18/04 | 1133  | MH |
| Potassium                             | 2.6        | mg/L     | 0.07     | meq/L | 1.0          | EPA 200.7   | 05/18/04 | 1133  | MH |
| Sodium                                | 173        | mg/L     | 7.51     | meq/L | 0.2          | EPA 200.7   | 05/18/04 | 1133  | MH |
| Cations                               |            |          | 8.46     | meq/L | N/A          | SM 1030 F.  | 05/18/04 | 1123  |    |
| Anions                                |            |          | 7.75     | meq/L | N/A          | SM 1030 F.  | 05/19/04 | 0646  |    |
| Cation/Anion Balance                  |            |          | 4.38 AN  | %     | N/A          | SM 1030 F.  | 05/18/04 | 1044  |    |

These results only apply to the samples tested. AN - Analysis repeated with no significant changes.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.  
"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.  
U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.  
EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By:

*Karen Barten*  
Karen Barten, Project Manager

Report ID: 010407422

WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
 P.O. Box 730  
 Mills, WY 82644

Project: **Christensen**

Sample ID: 5BQ158-1

Lab ID: 0104W07430

Matrix: Water

Condition: Cool/Intact

Date Received: 05/11/04

Date Reported: 06/09/04

Date Sampled: 05/11/04

| Parameter               | Analytical |       | Units  | PQL       | Method   | Analysis |      |       |
|-------------------------|------------|-------|--------|-----------|----------|----------|------|-------|
|                         | Result     | Units |        |           |          | Date     | Time | Init. |
| <b>Dissolved Metals</b> |            |       |        |           |          |          |      |       |
| Aluminum                | <0.1       | mg/L  | 0.1    | EPA 200.7 | 05/14/04 | 1123     | MH   |       |
| Arsenic                 | <0.005     | mg/L  | 0.005  | EPA 200.8 | 05/17/04 | 1331     | MS   |       |
| Barium                  | <0.5       | mg/L  | 0.5    | EPA 200.8 | 05/17/04 | 1331     | MS   |       |
| Boron                   | 0.06       | mg/L  | 0.01   | EPA 200.7 | 05/14/04 | 1123     | MH   |       |
| Cadmium                 | <0.002     | mg/L  | 0.002  | EPA 200.8 | 05/17/04 | 1331     | MS   |       |
| Chromium                | <0.01      | mg/L  | 0.01   | EPA 200.7 | 05/14/04 | 1123     | MH   |       |
| Copper                  | <0.01      | mg/L  | 0.01   | EPA 200.8 | 05/17/04 | 1331     | MS   |       |
| Iron                    | <0.05      | mg/L  | 0.05   | EPA 200.7 | 05/14/04 | 1123     | MH   |       |
| Lead                    | <0.02      | mg/L  | 0.02   | EPA 200.8 | 05/17/04 | 1331     | MS   |       |
| Manganese               | <0.02      | mg/L  | 0.02   | EPA 200.7 | 05/14/04 | 1123     | MH   |       |
| Mercury                 | <0.001     | mg/L  | 0.001  | EPA 245.1 | 05/14/04 | 1024     | MS   |       |
| Molybdenum              | <0.02      | mg/L  | 0.02   | EPA 200.8 | 05/17/04 | 1331     | MS   |       |
| Nickel                  | <0.01      | mg/L  | 0.01   | EPA 200.7 | 05/14/04 | 1123     | MH   |       |
| Selenium                | 0.006      | mg/L  | 0.005  | EPA 200.8 | 05/17/04 | 1331     | MS   |       |
| Uranium                 | 0.0069     | mg/L  | 0.0001 | EPA 200.8 | 05/17/04 | 1331     | MS   |       |
| Vanadium                | <0.1       | mg/L  | 0.1    | EPA 200.8 | 05/17/04 | 1331     | MS   |       |
| Zinc                    | <0.01      | mg/L  | 0.01   | EPA 200.7 | 05/14/04 | 1123     | MH   |       |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By: *Karen Barten*  
 Karen Barten, Project Manager

Report ID: 010407422

## WATER QUALITY REPORT

**Client:** COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644

**Project:** Christensen

**Sample ID:** 5BK82-1

**Lab ID:** 0104W07431

**Matrix:** Water

**Condition:** Cool/Intact

**Date Received:** 05/11/04

**Date Reported:** 06/09/04

**Date Sampled:** 05/11/04

| Parameter                      | Analytical |          | Analysis |       |              |             |          |       |    |
|--------------------------------|------------|----------|----------|-------|--------------|-------------|----------|-------|----|
|                                | Result     | Units    | Units    | PQL   | Method       | Date        | Time     | Init. |    |
| <b>General Parameters</b>      |            |          |          |       |              |             |          |       |    |
| Lab pH                         | 8.0        | s.u.     |          | 0.1   | EPA 150.1    | 05/13/04    | 1627     | JG    |    |
| Lab Conductivity @ 25°C        | 642        | µmhos/cm |          | 5     | SM 2510 B    | 05/13/04    | 1627     | JG    |    |
| Total Dissolved Solids @ 180°C | 440        | mg/L     |          | 10    | SM 2540 C    | 05/13/04    | 0830     | SH    |    |
| Total Dissolved Solids(Calc)   | 420        | mg/L     |          | 10    | SM 1030 F.   | 05/15/04    | 0018     |       |    |
| Total Alkalinity as CaCO3      | 292        | mg/L     |          | 1.0   | SM 2320 B    | 05/13/04    | 1627     | JG    |    |
| Total Hardness as CaCO3        | 72.5       | mg/L     |          | 1.0   | SM 2340 B    | 05/14/04    | 1126     |       |    |
| Ammonia Nitrogen               | 0.2        | mg/L     |          | 0.1   | EPA 350.1    | 05/17/04    | 1521     | RM    |    |
| Nitrite as N                   | <0.1       | mg/L     |          | 0.1   | EPA 353.2    | 05/13/04    | 1039     | RM    |    |
| Radium 226                     | 47.6±5.8   | pCi/L    |          | 0.2   | SM 7500 Ra-B | 05/27/04    | 1827     | TP    |    |
| Silica as SiO2                 | 3.1        | mg/L     |          | 0.1   | EPA 200.7    | 05/14/04    | 1126     | MH    |    |
| Sodium Adsorption Ratio        | 7.3        |          |          | N/A   | Calculations | 05/14/04    | 1126     |       |    |
| <b>Anions</b>                  |            |          |          |       |              |             |          |       |    |
| Bicarbonate as HCO3            | 356        | mg/L     | 5.84     | meq/L | 1.0          | SM 2320 B   | 05/13/04 | 1627  | JG |
| Carbonate as CO3               | <1.0       | mg/L     | <0.01    | meq/L | 1.0          | SM 2320 B   | 05/13/04 | 1627  | JG |
| Hydroxide as OH                | <1.0       | mg/L     | <0.01    | meq/L | 1.0          | SM 2320 B   | 05/13/04 | 1627  | JG |
| Chloride                       | 5.8        | mg/L     | 0.16     | meq/L | 1.0          | EPA 300.0   | 05/13/04 | 0646  | LK |
| Fluoride                       | 0.2        | mg/L     | 0.01     | meq/L | 0.1          | SM 4500-F-C | 05/13/04 | 1627  | JG |
| Nitrate + Nitrite as N         | 0.2        | mg/L     | 0.01     | meq/L | 0.1          | EPA 353.2   | 05/15/04 | 0018  | RM |
| Sulfate                        | 69.6       | mg/L     | 1.45     | meq/L | 1.0          | EPA 300.0   | 05/13/04 | 0646  | LK |
| <b>Cations</b>                 |            |          |          |       |              |             |          |       |    |
| Calcium                        | 21.1       | mg/L     | 1.05     | meq/L | 1.0          | EPA 200.7   | 05/14/04 | 1126  | MH |
| Magnesium                      | 4.9        | mg/L     | 0.40     | meq/L | 1.0          | EPA 200.7   | 05/14/04 | 1126  | MH |
| Potassium                      | 2.4        | mg/L     | 0.06     | meq/L | 1.0          | EPA 200.7   | 05/14/04 | 1126  | MH |
| Sodium                         | 142        | mg/L     | 6.19     | meq/L | 0.2          | EPA 200.7   | 05/18/04 | 1137  | MH |
| Cations                        |            |          | 7.70     | meq/L | N/A          | SM 1030 F.  | 05/14/04 | 1126  |    |
| Anions                         |            |          | 7.47     | meq/L | N/A          | SM 1030 F.  | 05/15/04 | 0018  |    |
| Cation/Anion Balance           |            |          | 1.52     | %     | N/A          | SM 1030 F.  | 05/18/04 | 1044  |    |

These results only apply to the samples tested.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.

"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.

U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.

EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By:

  
Karen Barten, Project Manager



Report ID: 010407422

## WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
P.O. Box 730  
Mills, WY 82644Project: **Christensen**

Sample ID: 5BK82-1

Lab ID: 0104W07431

Matrix: Water

Condition: Cool/Intact

Date Received: 05/11/04

Date Reported: 06/09/04


Date Sampled: 05/11/04

| Parameter               | Analytical |       | Units  | PQL       | Method   | Analysis |      |       |
|-------------------------|------------|-------|--------|-----------|----------|----------|------|-------|
|                         | Result     | Units |        |           |          | Date     | Time | Init. |
| <b>Dissolved Metals</b> |            |       |        |           |          |          |      |       |
| Aluminum                | <0.1       | mg/L  | 0.1    | EPA 200.7 | 05/14/04 | 1126     | MH   |       |
| Arsenic                 | 0.028      | mg/L  | 0.005  | EPA 200.8 | 05/17/04 | 1342     | MS   |       |
| Barium                  | <0.5       | mg/L  | 0.5    | EPA 200.8 | 05/17/04 | 1342     | MS   |       |
| Boron                   | 0.06       | mg/L  | 0.01   | EPA 200.7 | 05/14/04 | 1126     | MH   |       |
| Cadmium                 | <0.002     | mg/L  | 0.002  | EPA 200.8 | 05/17/04 | 1342     | MS   |       |
| Chromium                | <0.01      | mg/L  | 0.01   | EPA 200.7 | 05/14/04 | 1126     | MH   |       |
| Copper                  | <0.01      | mg/L  | 0.01   | EPA 200.8 | 05/17/04 | 1342     | MS   |       |
| Iron                    | <0.05      | mg/L  | 0.05   | EPA 200.7 | 05/14/04 | 1126     | MH   |       |
| Lead                    | <0.02      | mg/L  | 0.02   | EPA 200.8 | 05/17/04 | 1342     | MS   |       |
| Manganese               | 0.03       | mg/L  | 0.02   | EPA 200.7 | 05/14/04 | 1126     | MH   |       |
| Mercury                 | <0.001     | mg/L  | 0.001  | EPA 245.1 | 05/14/04 | 1024     | MS   |       |
| Molybdenum              | <0.02      | mg/L  | 0.02   | EPA 200.8 | 05/17/04 | 1342     | MS   |       |
| Nickel                  | <0.01      | mg/L  | 0.01   | EPA 200.7 | 05/14/04 | 1126     | MH   |       |
| Selenium                | 0.382      | mg/L  | 0.005  | EPA 200.8 | 05/17/04 | 1342     | MS   |       |
| Uranium                 | 1.38       | mg/L  | 0.0001 | EPA 200.8 | 05/17/04 | 1342     | MS   |       |
| Vanadium                | 0.4        | mg/L  | 0.1    | EPA 200.8 | 05/17/04 | 1342     | MS   |       |
| Zinc                    | <0.01      | mg/L  | 0.01   | EPA 200.7 | 05/14/04 | 1126     | MH   |       |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By:



Karen Barten, Project Manager

Report ID: 010407422

WATER QUALITY REPORT

**Client:** COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644

**Project:** Christensen  
**Sample ID:** 5BL76-1  
**Lab ID:** 0104W07432  
**Matrix:** Water  
**Condition:** Cool/Intact

**Date Received:** 05/11/04  
**Date Reported:** 06/09/04  
**Date Sampled:** 05/11/04

| Parameter                      | Analytical |          | Analysis |       |              |             |          |       |    |
|--------------------------------|------------|----------|----------|-------|--------------|-------------|----------|-------|----|
|                                | Result     | Units    | Units    | PQL   | Method       | Date        | Time     | Init. |    |
| <b>General Parameters</b>      |            |          |          |       |              |             |          |       |    |
| Lab pH                         | 8.0        | s.u.     |          | 0.1   | EPA 150.1    | 05/13/04    | 1641     | JG    |    |
| Lab Conductivity @ 25°C        | 1,840      | µmhos/cm |          | 5     | SM 2510 B    | 05/13/04    | 1641     | JG    |    |
| Total Dissolved Solids @ 180°C | 1,340      | mg/L     |          | 10    | SM 2540 C    | 05/13/04    | 0830     | SH    |    |
| Total Dissolved Solids(Calc)   | 1,260      | mg/L     |          | 10    | SM 1030 F.   | 05/15/04    | 0019     |       |    |
| Total Alkalinity as CaCO3      | 679        | mg/L     |          | 1.0   | SM 2320 B    | 05/13/04    | 1641     | JG    |    |
| Total Hardness as CaCO3        | 310        | mg/L     |          | 1.0   | SM 2340 B    | 05/14/04    | 1133     |       |    |
| Ammonia Nitrogen               | <0.1       | mg/L     |          | 0.1   | EPA 350.1    | 05/17/04    | 1622     | RM    |    |
| Nitrite as N                   | <0.1       | mg/L     |          | 0.1   | EPA 353.2    | 05/13/04    | 1039     | RM    |    |
| Radium 226                     | 238±12     | pCi/L    |          | 0.2   | SM 7500 Ra-B | 05/27/04    | 1827     | TP    |    |
| Silica as SiO2                 | 4.5        | mg/L     |          | 0.1   | EPA 200.7    | 05/14/04    | 1133     | MH    |    |
| Sodium Adsorption Ratio        | 9.1        |          |          | N/A   | Calculatlons | 05/14/04    | 1133     |       |    |
| <b>Anions</b>                  |            |          |          |       |              |             |          |       |    |
| Bicarbonate as HCO3            | 828        | mg/L     | 13.57    | meq/L | 1.0          | SM 2320 B   | 05/13/04 | 1641  | JG |
| Carbonate as CO3               | <1.0       | mg/L     | <0.01    | meq/L | 1.0          | SM 2320 B   | 05/13/04 | 1641  | JG |
| Hydroxide as OH                | <1.0       | mg/L     | <0.01    | meq/L | 1.0          | SM 2320 B   | 05/13/04 | 1641  | JG |
| Chloride                       | 31.3       | mg/L     | 0.88     | meq/L | 1.0          | EPA 300.0   | 05/13/04 | 0646  | LK |
| Fluoride                       | <0.1       | mg/L     | <0.01    | meq/L | 0.1          | SM 4500-F-C | 05/13/04 | 1641  | JG |
| Nitrate + Nitrite as N         | <0.1       | mg/L     | <0.01    | meq/L | 0.1          | EPA 353.2   | 05/15/04 | 0019  | RM |
| Sulfate                        | 334        | mg/L     | 6.96     | meq/L | 1.0          | EPA 300.0   | 05/13/04 | 0646  | LK |
| <b>Cations</b>                 |            |          |          |       |              |             |          |       |    |
| Calcium                        | 94.8       | mg/L     | 4.73     | meq/L | 1.0          | EPA 200.7   | 05/18/04 | 1154  | MH |
| Magnesium                      | 17.8       | mg/L     | 1.46     | meq/L | 1.0          | EPA 200.7   | 05/14/04 | 1133  | MH |
| Potassium                      | 6.5        | mg/L     | 0.17     | meq/L | 1.0          | EPA 200.7   | 05/14/04 | 1133  | MH |
| Sodium                         | 366        | mg/L     | 15.92    | meq/L | 0.2          | EPA 200.7   | 05/18/04 | 1154  | MH |
| Cations                        |            |          | 22.28    | meq/L | N/A          | SM 1030 F.  | 05/14/04 | 1133  |    |
| Anions                         |            |          | 21.41    | meq/L | N/A          | SM 1030 F.  | 05/15/04 | 0019  |    |
| Cation/Anion Balance           |            |          | 1.99     | %     | N/A          | SM 1030 F.  | 05/18/04 | 1044  |    |

These results only apply to the samples tested.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.  
"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.  
U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.  
EPA 600/R93/106, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By: Karen Barten  
Karen Barten, Project Manager

Report ID: 010407422

## WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
P.O. Box 730  
Mills, WY 82644Project: **Christensen**  
Sample ID: 5BL76-1  
Lab ID: 0104W07432  
Matrix: Water  
Condition: Cool/IntactDate Received: 05/11/04  
Date Reported: 06/09/04  
Date Sampled: 05/11/04

| Parameter               | Analytical Result | Units | Units | PQL    | Method    | Analysis |      |       |
|-------------------------|-------------------|-------|-------|--------|-----------|----------|------|-------|
|                         |                   |       |       |        |           | Date     | Time | Init. |
| <b>Dissolved Metals</b> |                   |       |       |        |           |          |      |       |
| Aluminum                | 0.2               | mg/L  |       | 0.1    | EPA 200.7 | 05/14/04 | 1133 | MH    |
| Arsenic                 | <0.005            | mg/L  |       | 0.005  | EPA 200.8 | 05/17/04 | 1347 | MS    |
| Barium                  | <0.5              | mg/L  |       | 0.5    | EPA 200.8 | 05/17/04 | 1347 | MS    |
| Boron                   | 0.09              | mg/L  |       | 0.01   | EPA 200.7 | 05/14/04 | 1133 | MH    |
| Cadmium                 | <0.002            | mg/L  |       | 0.002  | EPA 200.8 | 05/17/04 | 1347 | MS    |
| Chromium                | 0.01              | mg/L  |       | 0.01   | EPA 200.7 | 05/14/04 | 1133 | MH    |
| Copper                  | <0.01             | mg/L  |       | 0.01   | EPA 200.8 | 05/17/04 | 1347 | MS    |
| Iron                    | <0.05             | mg/L  |       | 0.05   | EPA 200.7 | 05/14/04 | 1133 | MH    |
| Lead                    | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 05/17/04 | 1347 | MS    |
| Manganese               | 0.03              | mg/L  |       | 0.02   | EPA 200.7 | 05/14/04 | 1133 | MH    |
| Mercury                 | <0.001            | mg/L  |       | 0.001  | EPA 245.1 | 05/14/04 | 1024 | MS    |
| Molybdenum              | <0.02             | mg/L  |       | 0.02   | EPA 200.8 | 05/17/04 | 1347 | MS    |
| Nickel                  | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 05/14/04 | 1133 | MH    |
| Selenium                | 0.719             | mg/L  |       | 0.005  | EPA 200.8 | 05/17/04 | 1347 | MS    |
| Uranium                 | 21.7              | mg/L  |       | 0.0001 | EPA 200.8 | 05/17/04 | 1347 | MS    |
| Vanadium                | <0.1              | mg/L  |       | 0.1    | EPA 200.8 | 05/17/04 | 1347 | MS    |
| Zinc                    | <0.01             | mg/L  |       | 0.01   | EPA 200.7 | 05/14/04 | 1133 | MH    |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By:



Karen Barten, Project Manager

Report ID: 010407422

WATER QUALITY REPORT

Client: **COGEMA Mining, Inc.**  
P.O. Box 730  
Mills, WY 82644

Project: **Christensen**

Sample ID: 5BT138-1

Lab ID: 0104W07433

Matrix: Water

Condition: Cool/Intact

Date Received: 05/11/04

Date Reported: 06/09/04

Date Sampled: 05/11/04

| Parameter                      | Analytical |          | Analysis |       |              |               |               |    |
|--------------------------------|------------|----------|----------|-------|--------------|---------------|---------------|----|
|                                | Result     | Units    | Units    | PQL   | Method       | Date Time     | Init.         |    |
| <b>General Parameters</b>      |            |          |          |       |              |               |               |    |
| Lab pH                         | 8.7        | s.u.     |          | 0.1   | EPA 150.1    | 05/13/04 1651 | JG            |    |
| Lab Conductivity @ 25°C        | 855        | µmhos/cm |          | 5     | SM 2510 B    | 05/13/04 1651 | JG            |    |
| Total Dissolved Solids @ 180°C | 570        | mg/L     |          | 10    | SM 2540 C    | 05/13/04 0830 | SH            |    |
| Total Dissolved Solids(Calc)   | 520        | mg/L     |          | 10    | SM 1030 F.   | 05/18/04 1136 |               |    |
| Total Alkalinity as CaCO3      | 98.5       | mg/L     |          | 1.0   | SM 2320 B    | 05/13/04 1651 | JG            |    |
| Total Hardness as CaCO3        | 33.0       | mg/L     |          | 1.0   | SM 2340 B    | 05/18/04 1136 |               |    |
| Ammonia Nitrogen               | 0.2        | mg/L     |          | 0.1   | EPA 350.1    | 05/26/04 1856 | RM            |    |
| Nitrite as N                   | <0.1       | mg/L     |          | 0.1   | EPA 353.2    | 05/13/04 1039 | RM            |    |
| Radium 226                     | 72.6±6.7   | pCi/L    |          | 0.2   | SM 7500 Ra-B | 05/27/04 1827 | TP            |    |
| Silica as SiO2                 | 3.7        | mg/L     |          | 0.1   | EPA 200.7    | 05/14/04 1136 | MH            |    |
| Sodium Adsorption Ratio        | 13.1       |          |          | N/A   | Calculations | 05/18/04 1136 |               |    |
| <b>Anions</b>                  |            |          |          |       |              |               |               |    |
| Bicarbonate as HCO3            | 104        | mg/L     | 1.71     | meq/L | 1.0          | SM 2320 B     | 05/13/04 1651 | JG |
| Carbonate as CO3               | 7.8        | mg/L     | 0.26     | meq/L | 1.0          | SM 2320 B     | 05/13/04 1651 | JG |
| Hydroxide as OH                | <1.0       | mg/L     | <0.01    | meq/L | 1.0          | SM 2320 B     | 05/13/04 1651 | JG |
| Chloride                       | 5.8        | mg/L     | 0.16     | meq/L | 1.0          | EPA 300.0     | 05/13/04 0646 | LK |
| Fluoride                       | 0.2        | mg/L     | 0.01     | meq/L | 0.1          | SM 4500-F-C   | 05/13/04 1651 | JG |
| Nitrate + Nitrite as N         | <0.1       | mg/L     | <0.01    | meq/L | 0.1          | EPA 353.2     | 05/15/04 0020 | RM |
| Sulfate                        | 262        | mg/L     | 5.45     | meq/L | 1.0          | EPA 300.0     | 05/13/04 0646 | LK |
| <b>Cations</b>                 |            |          |          |       |              |               |               |    |
| Calcium                        | 10.2       | mg/L     | 0.51     | meq/L | 1.0          | EPA 200.7     | 05/18/04 1157 | MH |
| Magnesium                      | 1.9        | mg/L     | 0.15     | meq/L | 1.0          | EPA 200.7     | 05/18/04 1157 | MH |
| Potassium                      | 8.8        | mg/L     | 0.23     | meq/L | 1.0          | EPA 200.7     | 05/18/04 1157 | MH |
| Sodium                         | 173        | mg/L     | 7.53     | meq/L | 0.2          | EPA 200.7     | 05/18/04 1157 | MH |
| Cations                        |            |          | 8.42     | meq/L | N/A          | SM 1030 F.    | 05/18/04 1136 |    |
| Anions                         |            |          | 7.59     | meq/L | N/A          | SM 1030 F.    | 05/15/04 0020 |    |
| Cation/Anion Balance           |            |          | 5.18 AN  | %     | N/A          | SM 1030 F.    | 05/18/04 1044 |    |

These results only apply to the samples tested. AN - Analysis repeated with no significant changes.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.  
"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.  
U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.  
EPA 600/R93/100, "Methods for the Determination of Inorganic Substances in Environmental Samples", Aug. 1993.

Reviewed By: Karen Barten  
Karen Barten, Project Manager

Report ID: 010407422

## WATER QUALITY REPORT

Client: COGEMA Mining, Inc.  
P.O. Box 730  
Mills, WY 82644Project: Christensen  
Sample ID: 5BT138-1  
Lab ID: 0104W07433  
Matrix: Water  
Condition: Cool/IntactDate Received: 05/11/04  
Date Reported: 06/09/04  
Date Sampled: 05/11/04

| Parameter               | Analytical |       | Units  | PQL       | Method   | Analysis |      |       |
|-------------------------|------------|-------|--------|-----------|----------|----------|------|-------|
|                         | Result     | Units |        |           |          | Date     | Time | Init. |
| <b>Dissolved Metals</b> |            |       |        |           |          |          |      |       |
| Aluminum                | <0.1       | mg/L  | 0.1    | EPA 200.7 | 05/14/04 | 1136     | MH   |       |
| Arsenic                 | <0.005     | mg/L  | 0.005  | EPA 200.8 | 05/17/04 | 1349     | MS   |       |
| Barium                  | <0.5       | mg/L  | 0.5    | EPA 200.8 | 05/17/04 | 1349     | MS   |       |
| Boron                   | 0.05       | mg/L  | 0.01   | EPA 200.7 | 05/14/04 | 1136     | MH   |       |
| Cadmium                 | <0.002     | mg/L  | 0.002  | EPA 200.8 | 05/17/04 | 1349     | MS   |       |
| Chromium                | <0.01      | mg/L  | 0.01   | EPA 200.7 | 05/14/04 | 1136     | MH   |       |
| Copper                  | <0.01      | mg/L  | 0.01   | EPA 200.8 | 05/17/04 | 1349     | MS   |       |
| Iron                    | <0.05      | mg/L  | 0.05   | EPA 200.7 | 05/14/04 | 1136     | MH   |       |
| Lead                    | <0.02      | mg/L  | 0.02   | EPA 200.8 | 05/17/04 | 1349     | MS   |       |
| Manganese               | <0.02      | mg/L  | 0.02   | EPA 200.7 | 05/14/04 | 1136     | MH   |       |
| Mercury                 | <0.001     | mg/L  | 0.001  | EPA 245.1 | 05/14/04 | 1024     | MS   |       |
| Molybdenum              | <0.02      | mg/L  | 0.02   | EPA 200.8 | 05/17/04 | 1349     | MS   |       |
| Nickel                  | <0.01      | mg/L  | 0.01   | EPA 200.7 | 05/14/04 | 1136     | MH   |       |
| Selenium                | <0.005     | mg/L  | 0.005  | EPA 200.8 | 05/17/04 | 1349     | MS   |       |
| Uranium                 | 0.0155     | mg/L  | 0.0001 | EPA 200.8 | 05/17/04 | 1349     | MS   |       |
| Vanadium                | <0.1       | mg/L  | 0.1    | EPA 200.8 | 05/17/04 | 1349     | MS   |       |
| Zinc                    | <0.01      | mg/L  | 0.01   | EPA 200.7 | 05/14/04 | 1136     | MH   |       |

These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By:


  
Karen Barten, Project Manager

Quality Control Report  
Duplicate Analysis

Client: COGEMA Mining, Inc.  
Project: Christensen  
Sample ID: 5BJ54-1  
Lab ID: 0104W07423  
Matrix: Water  
Condition: Cool/Intact

Report Date: 06/09/04  
Receipt Date: 05/11/04  
Sample Date: 05/11/04

| Parameter                      | Original Conc. | Duplicate Conc. | Relative % Diff. | PQL | Units    |
|--------------------------------|----------------|-----------------|------------------|-----|----------|
| <b>General Parameters</b>      |                |                 |                  |     |          |
| Lab pH                         | 7.8            | 7.8             | 0                | 0.1 | s.u.     |
| Lab Conductivity @ 25°C        | 1,060          | 1,060           | 0                | 5   | µmhos/cm |
| Total Dissolved Solids @ 180°C | 720            | 730             | 1                | 10  | mg/L     |
| Total Dissolved Solids(Calc)   | 680            | 680             | 0                | 10  | mg/L     |
| Total Alkalinity as CaCO3      | 298            | 299             | 0                | 1.0 | mg/L     |
| Total Hardness as CaCO3        | 158            | 159             | 1                | 1.0 | mg/L     |
| Ammonia Nitrogen               | 0.1            | 0.1             | 0.0**            | 0.1 | mg/L     |
| Nitrite as N                   | <0.1           | <0.1            | NC*              | 0.1 | mg/L     |
| Silica as SiO2                 | 3.9            | 3.9             | 0                | 0.1 | mg/L     |
| Sodium Adsorption Ratio        | 6.7            | 6.7             | 0                |     |          |
| <b>Anions</b>                  |                |                 |                  |     |          |
| Bicarbonate as HCO3            | 363            | 365             | 1                | 1.0 | mg/L     |
| Carbonate as CO3               | <1.0           | <1.0            | NC*              | 1.0 | mg/L     |
| Hydroxide as OH                | <1.0           | <1.0            | NC*              | 1.0 | mg/L     |
| Chloride                       | 13.9           | 13.9            | 0                | 1.0 | mg/L     |
| Fluoride                       | <0.1           | <0.1            | NC*              | 0.1 | mg/L     |
| Nitrate + Nitrite as N         | <0.1           | <0.1            | NC*              | 0.1 | mg/L     |
| Sulfate                        | 231            | 231             | 0                | 1.0 | mg/L     |
| <b>Cations</b>                 |                |                 |                  |     |          |
| Calcium                        | 46.6           | 46.6            | 0                | 1.0 | mg/L     |
| Magnesium                      | 10.1           | 10.2            | 1                | 1.0 | mg/L     |
| Potassium                      | 4.1            | 4.1             | 0.0**            | 1.0 | mg/L     |
| Sodium                         | 193            | 194             | 1                | 0.2 | mg/L     |
| Cations                        | 11.68          | 11.74           | 1                |     | meq/L    |
| Anions                         | 11.15          | 11.17           | 0                |     | meq/L    |
| Cation/Anion Balance           | 2.32           | 2.49            |                  |     | %        |

\*NC - Non-Calculable RPD due to value(s) less than DL \*\* - Difference used for results < 5 X Detection Limit  
These results only apply to the samples tested.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.  
"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.  
U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.

Reviewed By: Karen Barten  
Karen Barten, Project Manager

Quality Control Report  
Duplicate Analysis

Client: COGEMA Mining, Inc.  
 Project: Christensen  
 Sample ID: 5BJ54-1  
 Lab ID: 0104W07423  
 Matrix: Water  
 Condition: Cool/Intact

Report Date: 06/09/04  
 Receipt Date: 05/11/04  
 Sample Date: 05/11/04

| Parameter               | Original Conc. | Duplicate Conc. | Relative % Diff. | PQL    | Units |
|-------------------------|----------------|-----------------|------------------|--------|-------|
| <b>Dissolved Metals</b> |                |                 |                  |        |       |
| Aluminum                | <0.1           | <0.1            | NC*              | 0.1    | mg/L  |
| Arsenic                 | <0.005         | <0.005          | NC*              | 0.005  | mg/L  |
| Barium                  | <0.5           | <0.5            | NC*              | 0.5    | mg/L  |
| Boron                   | 0.07           | 0.07            | 0                | 0.01   | mg/L  |
| Cadmium                 | <0.002         | <0.002          | NC*              | 0.002  | mg/L  |
| Chromium                | <0.01          | <0.01           | NC*              | 0.01   | mg/L  |
| Copper                  | <0.01          | <0.01           | NC*              | 0.01   | mg/L  |
| Iron                    | 0.16           | 0.16            | 0.00**           | 0.05   | mg/L  |
| Lead                    | <0.02          | <0.02           | NC*              | 0.02   | mg/L  |
| Manganese               | 0.13           | 0.13            | 0                | 0.02   | mg/L  |
| Mercury                 | <0.001         | <0.001          | NC*              | 0.001  | mg/L  |
| Molybdenum              | <0.02          | <0.02           | NC*              | 0.02   | mg/L  |
| Nickel                  | <0.01          | <0.01           | NC*              | 0.01   | mg/L  |
| Selenium                | 0.132          | 0.126           | 5                | 0.005  | mg/L  |
| Uranium                 | 1.62           | 1.51            | 7                | 0.0001 | mg/L  |
| Vanadium                | <0.1           | <0.1            | NC*              | 0.1    | mg/L  |
| Zinc                    | <0.01          | <0.01           | NC*              | 0.01   | mg/L  |

\*NC - Non-Calculable RPD due to value(s) less than DL \*\* - Difference used for results < 5 X Detection Limit  
 These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By:

  
 Karen Barten, Project Manager

Quality Control Report  
Duplicate Analysis

Client: COGEMA Mining, Inc.  
Project: Christensen  
Sample ID: 5BT138-1  
Lab ID: 0104W07433  
Matrix: Water  
Condition: Cool/Intact

Report Date: 06/09/04  
Receipt Date: 05/11/04  
Sample Date: 05/11/04

| Parameter                      | Original Conc. | Duplicate Conc. | Relative % Diff. | PQL | Units    |
|--------------------------------|----------------|-----------------|------------------|-----|----------|
| <b>General Parameters</b>      |                |                 |                  |     |          |
| Lab pH                         | 8.7            | 8.7             | 0                | 0.1 | s.u.     |
| Lab Conductivity @ 25°C        | 855            | 846             | 1                | 5   | µmhos/cm |
| Total Dissolved Solids @ 180°C | 570            | 570             | 0                | 10  | mg/L     |
| Total Dissolved Solids(Calc)   | 520            | 520             | 0                | 10  | mg/L     |
| Total Alkalinity as CaCO3      | 98.5           | 98.5            | 0                | 1.0 | mg/L     |
| Total Hardness as CaCO3        | 33.0           | 32.5            | 2                | 1.0 | mg/L     |
| Ammonia Nitrogen               | 0.2            | 0.2             | 0.0**            | 0.1 | mg/L     |
| Nitrite as N                   | <0.1           | <0.1            | NC*              | 0.1 | mg/L     |
| Silica as SiO2                 | 3.7            | 3.7             | 0                | 0.1 | mg/L     |
| Sodium Adsorption Ratio        | 13.1           | 13.2            | 1                |     |          |
| <b>Anions</b>                  |                |                 |                  |     |          |
| Bicarbonate as HCO3            | 104            | 104             | 0                | 1.0 | mg/L     |
| Carbonate as CO3               | 7.8            | 7.8             | 0                | 1.0 | mg/L     |
| Hydroxide as OH                | <1.0           | <1.0            | NC*              | 1.0 | mg/L     |
| Chloride                       | 5.8            | 5.8             | 0                | 1.0 | mg/L     |
| Fluoride                       | 0.2            | 0.2             | 0.0**            | 0.1 | mg/L     |
| Nitrate + Nitrite as N         | <0.1           | <0.1            | NC*              | 0.1 | mg/L     |
| Sulfate                        | 262            | 261             | 0                | 1.0 | mg/L     |
| <b>Cations</b>                 |                |                 |                  |     |          |
| Calcium                        | 10.2           | 10.2            | 0                | 1.0 | mg/L     |
| Magnesium                      | 1.9            | 1.7             | 0.2**            | 1.0 | mg/L     |
| Potassium                      | 8.8            | 8.8             | 0                | 1.0 | mg/L     |
| Sodium                         | 173            | 173             | 0                | 0.2 | mg/L     |
| Cations                        | 8.42           | 8.42            | 0                |     | meq/L    |
| Anions                         | 7.59           | 7.58            | 0                |     | meq/L    |
| Cation/Anion Balance           | 5.18           | 5.25 AN         |                  |     | %        |

\*NC - Non-Calculable RPD due to value(s) less than DL \*\* - Difference used for results < 5 X Detection Limit  
These results only apply to the samples tested. AN - Analysis repeated with no significant changes.

Reference: U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1983.  
"Standard Methods For The Examination of Water and Wastewater", 19th ed., 1995.  
U.S.E.P.A 600/4-79-020, "Methods for Chemical Analysis of Water and Wastes", 1993.

Reviewed By: Karen Barten  
Karen Barten, Project Manager



**Quality Control Report**  
**Duplicate Analysis**

Client: COGEMA Mining, Inc.  
 Project: Christensen  
 Sample ID: 5BT138-1  
 Lab ID: 0104W07433  
 Matrix: Water  
 Condition: Cool/Intact

Report Date: 06/09/04  
 Receipt Date: 05/11/04  
 Sample Date: 05/11/04

| Parameter               | Original Conc. | Duplicate Conc. | Relative % Diff. | PQL    | Units |
|-------------------------|----------------|-----------------|------------------|--------|-------|
| <b>Dissolved Metals</b> |                |                 |                  |        |       |
| Aluminum                | <0.1           | <0.1            | NC*              | 0.1    | mg/L  |
| Arsenic                 | <0.005         | <0.005          | NC*              | 0.005  | mg/L  |
| Barium                  | <0.5           | <0.5            | NC*              | 0.5    | mg/L  |
| Boron                   | 0.05           | 0.06            | 18               | 0.01   | mg/L  |
| Cadmium                 | <0.002         | <0.002          | NC*              | 0.002  | mg/L  |
| Chromium                | <0.01          | <0.01           | NC*              | 0.01   | mg/L  |
| Copper                  | <0.01          | <0.01           | NC*              | 0.01   | mg/L  |
| Iron                    | <0.05          | <0.05           | NC*              | 0.05   | mg/L  |
| Lead                    | <0.02          | <0.02           | NC*              | 0.02   | mg/L  |
| Manganese               | <0.02          | <0.02           | NC*              | 0.02   | mg/L  |
| Mercury                 | <0.001         | <0.001          | NC*              | 0.001  | mg/L  |
| Molybdenum              | <0.02          | <0.02           | NC*              | 0.02   | mg/L  |
| Nickel                  | <0.01          | <0.01           | NC*              | 0.01   | mg/L  |
| Selenium                | <0.005         | <0.005          | NC*              | 0.005  | mg/L  |
| Uranium                 | 0.0155         | 0.0181          | 15               | 0.0001 | mg/L  |
| Vanadium                | <0.1           | <0.1            | NC*              | 0.1    | mg/L  |
| Zinc                    | <0.01          | <0.01           | NC*              | 0.01   | mg/L  |

\*NC - Non-Calculable RPD due to value(s) less than DL  
 These results only apply to the samples tested.

Reference: EPA 600/R94/111, "Methods for the Determination of Metals in Environmental Samples-Supplement I", May 1994

Reviewed By: Karen Barten  
 Karen Barten, Project Manager

**SAMPLE SUBMITTAL AND CHAIN OF CUSTODY FORM**

COGEMA Mining Inc.; PO Box 730 Mills, WY 82644  
Phone 464-1429 (Christensen Mine) or 234-5019 (Mills Office)

Samples shipped to Inter-mountain lab sheridan,wy

Submitted by \_\_\_\_\_ Date \_\_\_\_\_

Received by J. [Signature] Date 8-12-17  
17:00

**Restoration Sample Description**

Location: \_\_\_ Irigaray \_\_\_ Christensen Mine or Production Unit \_\_\_\_\_ Module # (if applicale) \_\_\_\_\_

Restoration Phase: \_\_\_ Groundwater Sweep (explain \_\_\_\_\_)  
 \_\_\_ Reverse Osmosis Filtration (explain \_\_\_\_\_)  
 \_\_\_ Recirculation (explain \_\_\_\_\_)  
 \_\_\_ Stabilization (explain M.U. 5 ~~9~~ Row 4)

\*Analysis Requested: DEQ Guideline # 8 (Ca, Mg, Na, K, CO3, HCO3, SO4, Cl, NH4, NO2, NO3, TDS, Cond., Tot. Alk., pH, SiO2, Al, As, Ba, B, Cd, Cr, Cu, F, Fe, Pb, Mn, Hg, Mo, Ni, Se, Zn, U, V, Ra226)

Send Analysis Results to : Tom nicholson

| #  | Identification Name | Sample Date | Sample Volume | Water Sample Preservation (X) |           |      |       | Comments |
|----|---------------------|-------------|---------------|-------------------------------|-----------|------|-------|----------|
|    |                     |             |               | Filtered                      | Not Filt. | HNO3 | H2SO4 |          |
| 1  | 5BR83-1             | 8-12-04     | Half Gal.     | X                             |           | X    |       |          |
|    |                     |             | Quart         | X                             |           |      |       |          |
|    |                     |             | 8 ozs.        |                               | X         |      |       |          |
|    |                     |             | 8 ozs.        | X                             |           |      | X     |          |
| 2  | 5BN93-1             |             | **            | **                            | **        | **   | **    |          |
| 3  | 5BT130-1            |             | **            | **                            | **        | **   | **    |          |
| 4  | MU-03               |             | **            | **                            | **        | **   | **    |          |
| 5  | 5BN162-2            |             | **            | **                            | **        | **   | **    |          |
| 6  | 5BN76-1             |             | **            | **                            | **        | **   | **    |          |
| 7  | 5BS120-1            |             | **            | **                            | **        | **   | **    |          |
| 8  | 5BR158-1            |             | **            | **                            | **        | **   | **    |          |
| 9  | 5BL60-1             |             | **            | **                            | **        | **   | **    |          |
| 10 | AP02                |             | **            | **                            | **        | **   | **    |          |
| 11 | 5AB68-1             |             | **            | **                            | **        | **   | **    |          |
| 12 |                     |             | **            | **                            | **        | **   | **    |          |
| 13 |                     |             | **            | **                            | **        | **   | **    |          |
| 14 |                     |             | **            | **                            | **        | **   | **    |          |
| 15 |                     |             | **            | **                            | **        | **   | **    |          |

\*All analysis will be performed in accordance with EPA approved procedures and/or the latest edition of Standard Methods.  
 \*\* Same as sample #1  
 L:\LARRY[pvdsb.xls]pvdsb

**SAMPLE SUBMITTAL AND CHAIN OF CUSTODY FORM**

COGEMA Mining Inc.; PO Box 730 Mills, WY 82644  
Phone 464-1429 (Christensen Mine) or 234-5019 (Mills Office)

Samples shipped to Inter-mountain lab sheridan,wy

Submitted by \_\_\_\_\_ Date \_\_\_\_\_

Received by [Signature] Date 8-12-04  
17:00

**Restoration Sample Description**

Location: \_\_\_ Irigaray \_\_\_ Christensen Mine or Production Unit \_\_\_\_\_ Module # (if applicale) \_\_\_\_\_ Temp 19°

Restoration Phase: \_\_\_ Groundwater Sweep (explain \_\_\_\_\_)  
 \_\_\_ Reverse Osmosis Filtration (explain \_\_\_\_\_)  
 \_\_\_ Recirculation (explain \_\_\_\_\_)  
 \_\_\_ Stabilization (explain \_\_\_\_\_)

\*Analysis Requested: DEQ Guideline # 8 (Ca, Mg, Na, K, CO3, HCO3, SO4, Cl, NH4, NO2, NO3, TDS, Cond., Tot. Alk., pH, SiO2, Al, As, Ba, B, Cd, Cr, Cu, F, Fe, Pb, Mn, Hg, Mo, Ni, Se, Zn, U, V, Ra226)

Send Analysis Results to : Tom nicholson

| #  | Identification Name | Sample Date | Sample Volume | Water Sample Preservation (X) |            |      |       | Comments  |
|----|---------------------|-------------|---------------|-------------------------------|------------|------|-------|-----------|
|    |                     |             |               | Filtered                      | Not Filtr. | HNO3 | H2SO4 |           |
| 1  | 5BK821              | 8-12-04     | Half Gal.     | X                             |            | X    |       | 00147-001 |
|    |                     |             | Quart         | X                             |            |      |       | "         |
|    |                     |             | 8 ozs.        |                               | X          |      |       | "         |
|    |                     |             | 8 ozs.        | X                             |            |      | X     | "         |
| 2  | 5BN92-1             |             | **            | **                            | **         | **   | **    | 002       |
| 3  | 5BT139-1            |             | **            | **                            | **         | **   | **    | 003       |
| 4  | MW-03               |             | **            | **                            | **         | **   | **    | 004       |
| 5  | 5BN162-2            |             | **            | **                            | **         | **   | **    | 005       |
| 6  | 5BN76-1             |             | **            | **                            | **         | **   | **    | 006       |
| 7  | 5BS120-1            |             | **            | **                            | **         | **   | **    | 007       |
| 8  | 5BR158-1            |             | **            | **                            | **         | **   | **    | 008       |
| 9  | 5BL66-1             |             | **            | **                            | **         | **   | **    | 009       |
| 10 | AP02                |             | **            | **                            | **         | **   | **    | 010       |
| 11 | 5AB68-1             |             | **            | **                            | **         | **   | **    | 011       |
| 12 |                     |             | **            | **                            | **         | **   | **    |           |
| 13 |                     |             | **            | **                            | **         | **   | **    |           |
| 14 |                     |             | **            | **                            | **         | **   | **    |           |
| 15 |                     |             | **            | **                            | **         | **   | **    |           |

\*All analysis will be performed in accordance with EPA approved procedures and/or the latest edition of Standard Methods.

\*\* Same as sample #1

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 9/2/2004  
Report ID: S0408147001

Project: Cogema Christensen Mine  
Lab ID: S0408147-001  
Client Sample ID 5BK82-1  
Matrix: Water

Work Order: S0408147  
Collection Date: 8/12/2004  
Date Received: 8/12/2004 5:00:00 PM

| Analyses                               | Result   | PQL  | Qual | Units    | Date Analyzed/Init | Method      |
|--|----------|------|------|----------|--------------------|-------------|
| <b>General Parameters</b>              |          |      |      |          |                    |             |
| pH                                     | 8.0      | 0.1  |      | s.u.     | 08/13/2004 1634 JG | EPA 150.1   |
| Electrical Conductivity                | 821      | 5    |      | µmhos/cm | 08/13/2004 1634 JG | SM 2510B    |
| Total Dissolved Solids (180)           | 490      | 10   |      | mg/L     | 08/13/2004 1110 KA | SM 2540     |
| Solids, Total Dissolved (Calc)         | 470      | 10   |      | mg/L     | 09/01/2004 1240 JG | SM 1030F    |
| Acidity, Total (As CaCO3)              | ND       | 5    |      | mg/L     | 08/16/2004 000 JG  | SM 2310B    |
| Alkalinity, Total (As CaCO3)           | 322      | 5    |      | mg/L     | 08/13/2004 1634 JG | SM 2320B    |
| Hardness, Calcium/Magnesium (As CaCO3) | 88       | 1    |      | mg/L     | 09/01/2004 1240 JG | SM 2340B    |
| Nitrogen, Ammonia (As N)               | ND       | 0.1  |      | mg/L     | 08/20/2004 2229 RM | EPA 350.1   |
| Nitrogen, Nitrite (as N)               | ND       | 0.05 |      | mg/L     | 08/13/2004 1528 RM | EPA 353.2   |
| Silica as SiO2                         | 7.6      | 0.1  |      | mg/L     | 08/16/2004 910 MH  | EPA 200.7   |
| Radium 226                             | 89.2±6.6 | 0.2  |      | pCi/L    | 08/20/2004 1847 JN | SM 7500     |
| Sodium Adsorption Ratio                | 6.8      | 0.1  |      |          | 09/01/2004 1240 JG | Calculation |
| <b>Anions</b>                          |          |      |      |          |                    |             |
| Alkalinity, Bicarbonate as HCO3        | 393      | 5    |      | mg/L     | 08/13/2004 1634 JG | SM 2320B    |
| Alkalinity, Carbonate as CO3           | ND       | 5    |      | mg/L     | 08/13/2004 1634 JG | SM 2320B    |
| Alkalinity, Hydroxide as OH            | ND       | 5    |      | mg/L     | 08/13/2004 1634 JG | SM 2320B    |
| Chloride                               | 7        | 1    |      | mg/L     | 08/13/2004 1548 LK | EPA 300.0   |
| Fluoride                               | ND       | 0.1  |      | mg/L     | 08/13/2004 1634 JG | SM 4500FC   |
| Nitrogen, Nitrate-Nitrite (as N)       | 0.30     | 0.05 |      | mg/L     | 08/17/2004 1204 RM | EPA 353.2   |
| Sulfate                                | 85       | 1    |      | mg/L     | 08/13/2004 1548 LK | EPA 300.0   |
| <b>Cations</b>                         |          |      |      |          |                    |             |
| Calcium                                | 26       | 1    |      | mg/L     | 08/16/2004 910 MH  | EPA 200.7   |
| Magnesium                              | 6        | 1    |      | mg/L     | 08/16/2004 910 MH  | EPA 200.7   |
| Potassium                              | 3        | 1    |      | mg/L     | 08/16/2004 910 MH  | EPA 200.7   |
| Sodium                                 | 147      | 1    |      | mg/L     | 08/16/2004 910 MH  | EPA 200.7   |

These results apply only to the samples tested.

- |             |   |  |
|-------------|---|--|
| Qualifiers: | * Value exceeds Maximum Contaminant Level         | B Analyte detected in the associated Method Blank    |
|             | E Value above quantitation range                  | H Holding times for preparation or analysis exceeded |
|             | J Analyte detected below quantitation limits      | ND Not Detected at the Reporting Limit               |
|             | S Spike Recovery outside accepted recovery limits |  |

Reviewed by: Karen A. Banta for  
Wade Nieuwsma, Water Lab Supervisor

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 9/2/2004  
Report ID: S0408147001

Project: Cogema Christensen Mine  
Lab ID: S0408147-001  
Client Sample ID 5BK82-1  
Matrix: Water

Work Order: S0408147  
Collection Date: 8/12/2004  
Date Received: 8/12/2004 5:00:00 PM

| Analyses                             | Result | PQL    | Qual | Units | Date Analyzed/Init | Method    |
|--------------------------------------|--------|--------|------|-------|--------------------|-----------|
| <b>Cation/Anion-Milliequivalents</b> |        |        |      |       |                    |           |
| Bicarbonate as HCO3                  | 6.43   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Carbonate as CO3                     | ND     | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Hydroxide as OH                      | ND     | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Chloride                             | 0.18   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Fluoride                             | ND     | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Nitrate + Nitrite as N               | 0.02   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Sulfate                              | 1.76   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Calcium                              | 1.28   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Magnesium                            | 0.46   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Potassium                            | 0.07   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Sodium                               | 6.39   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| <b>Cation / Anion Balance</b>        |        |        |      |       |                    |           |
| Cation Sum                           | 8.22   | 0      |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Anion Sum                            | 8.41   | 0      |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Cation-Anion Balance                 | 1.14   | 0      |      | %     | 09/01/2004 1240 JG | SM 1030F  |
| <b>Dissolved Metals</b>              |        |        |      |       |                    |           |
| Aluminum                             | ND     | 0.1    |      | mg/L  | 08/16/2004 910 MH  | EPA 200.7 |
| Arsenic                              | 0.029  | 0.005  |      | mg/L  | 08/13/2004 1445 MS | EPA 200.8 |
| Barium                               | ND     | 0.5    |      | mg/L  | 08/13/2004 1445 MS | EPA 200.8 |
| Boron                                | 0.08   | 0.01   |      | mg/L  | 08/16/2004 910 MH  | EPA 200.7 |
| Cadmium                              | ND     | 0.002  |      | mg/L  | 08/13/2004 1445 MS | EPA 200.8 |
| Chromium                             | ND     | 0.01   |      | mg/L  | 08/16/2004 910 MH  | EPA 200.7 |
| Copper                               | ND     | 0.01   |      | mg/L  | 08/13/2004 1445 MS | EPA 200.8 |
| Iron                                 | ND     | 0.05   |      | mg/L  | 08/16/2004 910 MH  | EPA 200.7 |
| Lead                                 | ND     | 0.02   |      | mg/L  | 08/13/2004 1445 MS | EPA 200.8 |
| Manganese                            | 0.05   | 0.02   |      | mg/L  | 08/16/2004 910 MH  | EPA 200.7 |
| Mercury                              | ND     | 0.001  |      | mg/L  | 08/20/2004 000 MS  | EPA 245.1 |
| Molybdenum                           | ND     | 0.02   |      | mg/L  | 08/13/2004 1445 MS | EPA 200.8 |
| Nickel                               | ND     | 0.01   |      | mg/L  | 08/16/2004 910 MH  | EPA 200.7 |
| Selenium                             | 0.393  | 0.005  |      | mg/L  | 08/13/2004 1445 MS | EPA 200.8 |
| Uranium                              | 1.60   | 0.0001 |      | mg/L  | 08/13/2004 1445 MS | EPA 200.8 |
| Vanadium                             | 0.37   | 0.02   |      | mg/L  | 08/13/2004 1445 MS | EPA 200.8 |
| Zinc                                 | ND     | 0.01   |      | mg/L  | 08/16/2004 910 MH  | EPA 200.7 |

These results apply only to the samples tested.

- Qualifiers:
- \* Value exceeds Maximum Contaminant Level
  - E Value above quantitation range
  - J Analyte detected below quantitation limits
  - S Spike Recovery outside accepted recovery limits
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Reporting Limit

Reviewed by: Karen A. Bank for  
Wade Nieuwsma, Water Lab Supervisor

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 9/2/2004  
Report ID: S0408147001

Project: Cogema Christensen Mine  
Lab ID: S0408147-002  
Client Sample ID 5BN92-1  
Matrix: Water

Work Order: S0408147  
Collection Date: 8/12/2004  
Date Received: 8/12/2004 5:00:00 PM

| Analyses                               | Result   | PQL  | Qual | Units    | Date Analyzed/Init | Method      |
|--|----------|------|------|----------|--------------------|-------------|
| <b>General Parameters</b>              |          |      |      |          |                    |             |
| pH                                     | 8.4      | 0.1  |      | s.u.     | 08/13/2004 1643 JG | EPA 150.1   |
| Electrical Conductivity                | 687      | 5    |      | µmhos/cm | 08/13/2004 1643 JG | SM 2510B    |
| Total Dissolved Solids (180)           | 420      | 10   |      | mg/L     | 08/13/2004 1115 KA | SM 2540     |
| Solids, Total Dissolved (Calc)         | 370      | 10   |      | mg/L     | 09/01/2004 1240 JG | SM 1030F    |
| Acidity, Total (As CaCO3)              | ND       | 5    |      | mg/L     | 08/16/2004 000 JG  | SM 2310B    |
| Alkalinity, Total (As CaCO3)           | 114      | 5    |      | mg/L     | 08/13/2004 1643 JG | SM 2320B    |
| Hardness, Calcium/Magnesium (As CaCO3) | 44       | 1    |      | mg/L     | 09/01/2004 1240 JG | SM 2340B    |
| Nitrogen, Ammonia (As N)               | ND       | 0.1  |      | mg/L     | 08/20/2004 2230 RM | EPA 350.1   |
| Nitrogen, Nitrite (as N)               | ND       | 0.05 |      | mg/L     | 08/13/2004 1529 RM | EPA 353.2   |
| Silica as SiO2                         | 5.4      | 0.1  |      | mg/L     | 08/16/2004 918 MH  | EPA 200.7   |
| Radium 226                             | 16.6±2.9 | 0.2  |      | pCi/L    | 08/20/2004 1847 JN | SM 7500     |
| Sodium Adsorption Ratio                | 7.4      | 0.1  |      |          | 09/01/2004 1240 JG | Calculation |
| <b>Anions</b>                          |          |      |      |          |                    |             |
| Alkalinity, Bicarbonate as HCO3        | 135      | 5    |      | mg/L     | 08/13/2004 1643 JG | SM 2320B    |
| Alkalinity, Carbonate as CO3           | ND       | 5    |      | mg/L     | 08/13/2004 1643 JG | SM 2320B    |
| Alkalinity, Hydroxide as OH            | ND       | 5    |      | mg/L     | 08/13/2004 1643 JG | SM 2320B    |
| Chloride                               | 7        | 1    |      | mg/L     | 08/13/2004 1602 LK | EPA 300.0   |
| Fluoride                               | 0.1      | 0.1  |      | mg/L     | 08/13/2004 1643 JG | SM 4500FC   |
| Nitrogen, Nitrate-Nitrite (as N)       | ND       | 0.05 |      | mg/L     | 08/17/2004 1205 RM | EPA 353.2   |
| Sulfate                                | 166      | 1    |      | mg/L     | 08/13/2004 1602 LK | EPA 300.0   |
| <b>Cations</b>                         |          |      |      |          |                    |             |
| Calcium                                | 14       | 1    |      | mg/L     | 08/16/2004 918 MH  | EPA 200.7   |
| Magnesium                              | 2        | 1    |      | mg/L     | 08/16/2004 918 MH  | EPA 200.7   |
| Potassium                              | 3        | 1    |      | mg/L     | 08/16/2004 918 MH  | EPA 200.7   |
| Sodium                                 | 112      | 1    |      | mg/L     | 08/16/2004 918 MH  | EPA 200.7   |

These results apply only to the samples tested.

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
ND Not Detected at the Reporting Limit

Reviewed by: Wade Nieuwsma  
Wade Nieuwsma, Water Lab Supervisor

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 9/2/2004  
Report ID: S0408147001

Project: Cogema Christensen Mine  
Lab ID: S0408147-002  
Client Sample ID 5BN92-1  
Matrix: Water

Work Order: S0408147  
Collection Date: 8/12/2004  
Date Received: 8/12/2004 5:00:00 PM

| Analyses                             | Result | PQL    | Qual | Units | Date Analyzed/Init | Method    |
|--------------------------------------|--------|--------|------|-------|--------------------|-----------|
| <b>Cation/Anion-Milliequivalents</b> |        |        |      |       |                    |           |
| Bicarbonate as HCO3                  | 2.22   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Carbonate as CO3                     | 0.06   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Hydroxide as OH                      | ND     | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Chloride                             | 0.18   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Fluoride                             | ND     | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Nitrate + Nitrite as N               | ND     | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Sulfate                              | 3.45   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Calcium                              | 0.68   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Magnesium                            | 0.19   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Potassium                            | 0.06   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Sodium                               | 4.87   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| <b>Cation / Anion Balance</b>        |        |        |      |       |                    |           |
| Cation Sum                           | 5.82   | 0      |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Anion Sum                            | 5.93   | 0      |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Cation-Anion Balance                 | 0.97   | 0      |      | %     | 09/01/2004 1240 JG | SM 1030F  |
| <b>Dissolved Metals</b>              |        |        |      |       |                    |           |
| Aluminum                             | ND     | 0.1    |      | mg/L  | 08/16/2004 918 MH  | EPA 200.7 |
| Arsenic                              | ND     | 0.005  |      | mg/L  | 08/13/2004 1453 MS | EPA 200.8 |
| Barium                               | ND     | 0.5    |      | mg/L  | 08/13/2004 1453 MS | EPA 200.8 |
| Boron                                | 0.05   | 0.01   |      | mg/L  | 08/16/2004 918 MH  | EPA 200.7 |
| Cadmium                              | ND     | 0.002  |      | mg/L  | 08/13/2004 1453 MS | EPA 200.8 |
| Chromium                             | ND     | 0.01   |      | mg/L  | 08/16/2004 918 MH  | EPA 200.7 |
| Copper                               | ND     | 0.01   |      | mg/L  | 08/13/2004 1453 MS | EPA 200.8 |
| Iron                                 | ND     | 0.05   |      | mg/L  | 08/16/2004 918 MH  | EPA 200.7 |
| Lead                                 | ND     | 0.02   |      | mg/L  | 08/13/2004 1453 MS | EPA 200.8 |
| Manganese                            | ND     | 0.02   |      | mg/L  | 08/16/2004 918 MH  | EPA 200.7 |
| Mercury                              | ND     | 0.001  |      | mg/L  | 08/20/2004 000 MS  | EPA 245.1 |
| Molybdenum                           | ND     | 0.02   |      | mg/L  | 08/13/2004 1453 MS | EPA 200.8 |
| Nickel                               | ND     | 0.01   |      | mg/L  | 08/16/2004 918 MH  | EPA 200.7 |
| Selenium                             | 0.584  | 0.005  |      | mg/L  | 08/13/2004 1453 MS | EPA 200.8 |
| Uranium                              | 0.345  | 0.0001 |      | mg/L  | 08/13/2004 1453 MS | EPA 200.8 |
| Vanadium                             | 0.11   | 0.02   |      | mg/L  | 08/13/2004 1453 MS | EPA 200.8 |
| Zinc                                 | ND     | 0.01   |      | mg/L  | 08/16/2004 918 MH  | EPA 200.7 |

These results apply only to the samples tested.

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
ND Not Detected at the Reporting Limit

Reviewed by: Wade Nieuwsma  
Wade Nieuwsma, Water Lab Supervisor

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 9/2/2004  
Report ID: S0408147001

Project: Cogema Christensen Mine  
Lab ID: S0408147-003  
Client Sample ID 5BT138-1  
Matrix: Water

Work Order: S0408147  
Collection Date: 8/12/2004  
Date Received: 8/12/2004 5:00:00 PM

| Analyses                               | Result   | PQL  | Qual | Units    | Date Analyzed/Init | Method      |
|--|----------|------|------|----------|--------------------|-------------|
| <b>General Parameters</b>              |          |      |      |          |                    |             |
| pH                                     | 8.4      | 0.1  |      | s.u.     | 08/13/2004 1653 JG | EPA 150.1   |
| Electrical Conductivity                | 929      | 5    |      | µmhos/cm | 08/13/2004 1653 JG | SM 2510B    |
| Total Dissolved Solids (180)           | 570      | 10   |      | mg/L     | 08/13/2004 1120 KA | SM 2540     |
| Solids, Total Dissolved (Calc)         | 530      | 10   |      | mg/L     | 09/01/2004 1240 JG | SM 1030F    |
| Acidity, Total (As CaCO3)              | ND       | 5    |      | mg/L     | 08/16/2004 000 JG  | SM 2310B    |
| Alkalinity, Total (As CaCO3)           | 99       | 5    |      | mg/L     | 08/13/2004 1653 JG | SM 2320B    |
| Hardness, Calcium/Magnesium (As CaCO3) | 37       | 1    |      | mg/L     | 09/01/2004 1240 JG | SM 2340B    |
| Nitrogen, Ammonia (As N)               | ND       | 0.1  |      | mg/L     | 08/20/2004 2231 RM | EPA 350.1   |
| Nitrogen, Nitrite (as N)               | ND       | 0.05 |      | mg/L     | 08/13/2004 1530 RM | EPA 353.2   |
| Silica as SiO2                         | 8.4      | 0.1  |      | mg/L     | 08/16/2004 922 MH  | EPA 200.7   |
| Radium 226                             | 48.4±5.0 | 0.2  |      | pCi/L    | 08/20/2004 1847 JN | SM 7500     |
| Sodium Adsorption Ratio                | 11.5     | 0.1  |      |          | 09/01/2004 1240 JG | Calculation |
| <b>Anions</b>                          |          |      |      |          |                    |             |
| Alkalinity, Bicarbonate as HCO3        | 114      | 5    |      | mg/L     | 08/13/2004 1653 JG | SM 2320B    |
| Alkalinity, Carbonate as CO3           | ND       | 5    |      | mg/L     | 08/13/2004 1653 JG | SM 2320B    |
| Alkalinity, Hydroxide as OH            | ND       | 5    |      | mg/L     | 08/13/2004 1653 JG | SM 2320B    |
| Chloride                               | 6        | 1    |      | mg/L     | 08/13/2004 1615 LK | EPA 300.0   |
| Fluoride                               | 0.1      | 0.1  |      | mg/L     | 08/13/2004 1653 JG | SM 4500FC   |
| Nitrogen, Nitrate-Nitrite (as N)       | ND       | 0.05 |      | mg/L     | 08/17/2004 1206 RM | EPA 353.2   |
| Sulfate                                | 283      | 1    |      | mg/L     | 08/13/2004 1615 LK | EPA 300.0   |
| <b>Cations</b>                         |          |      |      |          |                    |             |
| Calcium                                | 11       | 1    |      | mg/L     | 08/24/2004 855 MH  | EPA 200.7   |
| Magnesium                              | 2        | 1    |      | mg/L     | 08/24/2004 855 MH  | EPA 200.7   |
| Potassium                              | 10       | 1    |      | mg/L     | 08/16/2004 922 MH  | EPA 200.7   |
| Sodium                                 | 162      | 1    |      | mg/L     | 08/24/2004 855 MH  | EPA 200.7   |

These results apply only to the samples tested.

- Qualifiers:
- \* Value exceeds Maximum Contaminant Level
  - E Value above quantitation range
  - J Analyte detected below quantitation limits
  - S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

Reviewed by: Wade Nieuwsma  
Wade Nieuwsma, Water Lab Supervisor



Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 9/2/2004  
Report ID: S0408147001

Project: Cogema Christensen Mine  
Lab ID: S0408147-003  
Client Sample ID 5BT138-1  
Matrix: Water

Work Order: S0408147  
Collection Date: 8/12/2004  
Date Received: 8/12/2004 5:00:00 PM

| Analyses                             | Result | PQL    | Qual | Units | Date Analyzed/Init | Method    |
|--------------------------------------|--------|--------|------|-------|--------------------|-----------|
| <b>Cation/Anion-Milliequivalents</b> |        |        |      |       |                    |           |
| Bicarbonate as HCO3                  | 1.87   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Carbonate as CO3                     | 0.10   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Hydroxide as OH                      | ND     | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Chloride                             | 0.16   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Fluoride                             | ND     | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Nitrate + Nitrite as N               | ND     | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Sulfate                              | 5.88   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Calcium                              | 0.57   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Magnesium                            | 0.17   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Potassium                            | 0.25   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Sodium                               | 7.03   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| <b>Cation / Anion Balance</b>        |        |        |      |       |                    |           |
| Cation Sum                           | 8.03   | 0      |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Anion Sum                            | 8.03   | 0      |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Cation-Anion Balance                 | 0.01   | 0      |      | %     | 09/01/2004 1240 JG | SM 1030F  |
| <b>Dissolved Metals</b>              |        |        |      |       |                    |           |
| Aluminum                             | ND     | 0.1    |      | mg/L  | 08/16/2004 922 MH  | EPA 200.7 |
| Arsenic                              | ND     | 0.005  |      | mg/L  | 08/13/2004 1456 MS | EPA 200.8 |
| Barium                               | ND     | 0.5    |      | mg/L  | 08/13/2004 1456 MS | EPA 200.8 |
| Boron                                | 0.06   | 0.01   |      | mg/L  | 08/16/2004 922 MH  | EPA 200.7 |
| Cadmium                              | ND     | 0.002  |      | mg/L  | 08/13/2004 1456 MS | EPA 200.8 |
| Chromium                             | ND     | 0.01   |      | mg/L  | 08/16/2004 922 MH  | EPA 200.7 |
| Copper                               | ND     | 0.01   |      | mg/L  | 08/13/2004 1456 MS | EPA 200.8 |
| Iron                                 | ND     | 0.05   |      | mg/L  | 08/16/2004 922 MH  | EPA 200.7 |
| Lead                                 | ND     | 0.02   |      | mg/L  | 08/13/2004 1456 MS | EPA 200.8 |
| Manganese                            | ND     | 0.02   |      | mg/L  | 08/16/2004 922 MH  | EPA 200.7 |
| Mercury                              | ND     | 0.001  |      | mg/L  | 08/20/2004 000 MS  | EPA 245.1 |
| Molybdenum                           | ND     | 0.02   |      | mg/L  | 08/13/2004 1456 MS | EPA 200.8 |
| Nickel                               | ND     | 0.01   |      | mg/L  | 08/16/2004 922 MH  | EPA 200.7 |
| Selenium                             | ND     | 0.005  |      | mg/L  | 08/13/2004 1456 MS | EPA 200.8 |
| Uranium                              | 0.0088 | 0.0001 |      | mg/L  | 08/13/2004 1456 MS | EPA 200.8 |
| Vanadium                             | ND     | 0.02   |      | mg/L  | 08/13/2004 1456 MS | EPA 200.8 |
| Zinc                                 | ND     | 0.01   |      | mg/L  | 08/16/2004 922 MH  | EPA 200.7 |

These results apply only to the samples tested.

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
ND Not Detected at the Reporting Limit

Reviewed by: Wade Nieuwsma  
Wade Nieuwsma, Water Lab Supervisor

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 9/2/2004  
Report ID: S0408147001

Project: Cogema Christensen Mine  
Lab ID: S0408147-004  
Client Sample ID MW-03  
Matrix: Water

Work Order: S0408147  
Collection Date: 8/12/2004  
Date Received: 8/12/2004 5:00:00 PM

| Analyses                               | Result   | PQL  | Qual | Units    | Date Analyzed/Init | Method      |
|--|----------|------|------|----------|--------------------|-------------|
| <b>General Parameters</b>              |          |      |      |          |                    |             |
| pH                                     | 8.1      | 0.1  |      | s.u.     | 08/13/2004 1704 JG | EPA 150.1   |
| Electrical Conductivity                | 509      | 5    |      | µmhos/cm | 08/13/2004 1704 JG | SM 2510B    |
| Total Dissolved Solids (180)           | 310      | 10   |      | mg/L     | 08/13/2004 1125 KA | SM 2540     |
| Solids, Total Dissolved (Calc)         | 280      | 10   |      | mg/L     | 09/01/2004 1240 JG | SM 1030F    |
| Acidity, Total (As CaCO3)              | ND       | 5    |      | mg/L     | 08/16/2004 000 JG  | SM 2310B    |
| Alkalinity, Total (As CaCO3)           | 172      | 5    |      | mg/L     | 08/13/2004 1704 JG | SM 2320B    |
| Hardness, Calcium/Magnesium (As CaCO3) | 36       | 1    |      | mg/L     | 09/01/2004 1240 JG | SM 2340B    |
| Nitrogen, Ammonia (As N)               | ND       | 0.1  |      | mg/L     | 08/20/2004 2232 RM | EPA 350.1   |
| Nitrogen, Nitrite (as N)               | ND       | 0.05 |      | mg/L     | 08/13/2004 1531 RM | EPA 353.2   |
| Silica as SiO2                         | 5.0      | 0.1  |      | mg/L     | 08/16/2004 925 MH  | EPA 200.7   |
| Radium 226                             | 31.6±4.2 | 0.2  |      | pCi/L    | 08/20/2004 1847 JN | SM 7500     |
| Sodium Adsorption Ratio                | 7.0      | 0.1  |      |          | 09/01/2004 1240 JG | Calculation |
| <b>Anions</b>                          |          |      |      |          |                    |             |
| Alkalinity, Bicarbonate as HCO3        | 210      | 5    |      | mg/L     | 08/13/2004 1704 JG | SM 2320B    |
| Alkalinity, Carbonate as CO3           | ND       | 5    |      | mg/L     | 08/13/2004 1704 JG | SM 2320B    |
| Alkalinity, Hydroxide as OH            | ND       | 5    |      | mg/L     | 08/13/2004 1704 JG | SM 2320B    |
| Chloride                               | 3        | 1    |      | mg/L     | 08/13/2004 1628 LK | EPA 300.0   |
| Fluoride                               | ND       | 0.1  |      | mg/L     | 08/13/2004 1704 JG | SM 4500FC   |
| Nitrogen, Nitrate-Nitrite (as N)       | ND       | 0.05 |      | mg/L     | 08/17/2004 1207 RM | EPA 353.2   |
| Sulfate                                | 62       | 1    |      | mg/L     | 08/13/2004 1628 LK | EPA 300.0   |
| <b>Cations</b>                         |          |      |      |          |                    |             |
| Calcium                                | 11       | 1    |      | mg/L     | 08/24/2004 859 MH  | EPA 200.7   |
| Magnesium                              | 2        | 1    |      | mg/L     | 08/24/2004 859 MH  | EPA 200.7   |
| Potassium                              | 2        | 1    |      | mg/L     | 08/24/2004 859 MH  | EPA 200.7   |
| Sodium                                 | 96       | 1    |      | mg/L     | 08/24/2004 859 MH  | EPA 200.7   |

These results apply only to the samples tested.

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
ND Not Detected at the Reporting Limit

Reviewed by: Wade Nieuwsma  
Wade Nieuwsma, Water Lab Supervisor

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 9/2/2004  
Report ID: S0408147001

Project: Cogema Christensen Mine  
Lab ID: S0408147-004  
Client Sample ID MW-03  
Matrix: Water

Work Order: S0408147  
Collection Date: 8/12/2004  
Date Received: 8/12/2004 5:00:00 PM

| Analyses                             | Result | PQL    | Qual | Units | Date Analyzed/Init | Method    |
|--------------------------------------|--------|--------|------|-------|--------------------|-----------|
| <b>Cation/Anion-Milliequivalents</b> |        |        |      |       |                    |           |
| Bicarbonate as HCO3                  | 3.44   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Carbonate as CO3                     | ND     | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Hydroxide as OH                      | ND     | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Chloride                             | 0.09   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Fluoride                             | ND     | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Nitrate + Nitrite as N               | ND     | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Sulfate                              | 1.29   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Calcium                              | 0.55   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Magnesium                            | 0.15   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Potassium                            | 0.04   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Sodium                               | 4.16   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| <b>Cation / Anion Balance</b>        |        |        |      |       |                    |           |
| Cation Sum                           | 4.92   | 0      |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Anion Sum                            | 4.84   | 0      |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Cation-Anion Balance                 | 0.88   | 0      |      | %     | 09/01/2004 1240 JG | SM 1030F  |
| <b>Dissolved Metals</b>              |        |        |      |       |                    |           |
| Aluminum                             | ND     | 0.1    |      | mg/L  | 08/16/2004 925 MH  | EPA 200.7 |
| Arsenic                              | ND     | 0.005  |      | mg/L  | 08/13/2004 1459 MS | EPA 200.8 |
| Barium                               | ND     | 0.5    |      | mg/L  | 08/13/2004 1459 MS | EPA 200.8 |
| Boron                                | 0.06   | 0.01   |      | mg/L  | 08/16/2004 925 MH  | EPA 200.7 |
| Cadmium                              | ND     | 0.002  |      | mg/L  | 08/13/2004 1459 MS | EPA 200.8 |
| Chromium                             | ND     | 0.01   |      | mg/L  | 08/16/2004 925 MH  | EPA 200.7 |
| Copper                               | ND     | 0.01   |      | mg/L  | 08/13/2004 1459 MS | EPA 200.8 |
| Iron                                 | ND     | 0.05   |      | mg/L  | 08/16/2004 925 MH  | EPA 200.7 |
| Lead                                 | ND     | 0.02   |      | mg/L  | 08/13/2004 1459 MS | EPA 200.8 |
| Manganese                            | ND     | 0.02   |      | mg/L  | 08/16/2004 925 MH  | EPA 200.7 |
| Mercury                              | ND     | 0.001  |      | mg/L  | 08/20/2004 000 MS  | EPA 245.1 |
| Molybdenum                           | ND     | 0.02   |      | mg/L  | 08/13/2004 1459 MS | EPA 200.8 |
| Nickel                               | ND     | 0.01   |      | mg/L  | 08/16/2004 925 MH  | EPA 200.7 |
| Selenium                             | 1.58   | 0.005  |      | mg/L  | 08/13/2004 1459 MS | EPA 200.8 |
| Uranium                              | 1.19   | 0.0001 |      | mg/L  | 08/13/2004 1459 MS | EPA 200.8 |
| Vanadium                             | 0.16   | 0.02   |      | mg/L  | 08/13/2004 1459 MS | EPA 200.8 |
| Zinc                                 | ND     | 0.01   |      | mg/L  | 08/16/2004 925 MH  | EPA 200.7 |

These results apply only to the samples tested.

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
ND Not Detected at the Reporting Limit

Reviewed by: Wade Nieuwsma  
Wade Nieuwsma, Water Lab Supervisor

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 9/2/2004  
Report ID: S0408147001

Project: Cogema Christensen Mine  
Lab ID: S0408147-005  
Client Sample ID 5BN162-2  
Matrix: Water

Work Order: S0408147  
Collection Date: 8/12/2004  
Date Received: 8/12/2004 5:00:00 PM

| Analyses                               | Result | PQL  | Qual | Units    | Date Analyzed/Init | Method      |
|--|--------|------|------|----------|--------------------|-------------|
| <b>General Parameters</b>              |        |      |      |          |                    |             |
| pH                                     | 8.2    | 0.1  |      | s.u.     | 08/13/2004 1718 JG | EPA 150.1   |
| Electrical Conductivity                | 795    | 5    |      | µmhos/cm | 08/13/2004 1718 JG | SM 2510B    |
| Total Dissolved Solids (180)           | 480    | 10   |      | mg/L     | 08/13/2004 1130 KA | SM 2540     |
| Solids, Total Dissolved (Calc)         | 440    | 10   |      | mg/L     | 09/01/2004 1240 JG | SM 1030F    |
| Acidity, Total (As CaCO3)              | ND     | 5    |      | mg/L     | 08/16/2004 000 JG  | SM 2310B    |
| Alkalinity, Total (As CaCO3)           | 243    | 5    |      | mg/L     | 08/13/2004 1718 JG | SM 2320B    |
| Hardness, Calcium/Magnesium (As CaCO3) | 139    | 1    |      | mg/L     | 09/01/2004 1240 JG | SM 2340B    |
| Nitrogen, Ammonia (As N)               | ND     | 0.1  |      | mg/L     | 08/20/2004 2233 RM | EPA 350.1   |
| Nitrogen, Nitrite (as N)               | ND     | 0.05 |      | mg/L     | 08/13/2004 1532 RM | EPA 353.2   |
| Silica as SiO2                         | 4.7    | 0.1  |      | mg/L     | 08/16/2004 944 MH  | EPA 200.7   |
| Radium 226                             | 299±12 | 0.2  |      | pCi/L    | 08/20/2004 1847 JN | SM 7500     |
| Sodium Adsorption Ratio                | 3.9    | 0.1  |      |          | 09/01/2004 1240 JG | Calculation |
| <b>Anions</b>                          |        |      |      |          |                    |             |
| Alkalinity, Bicarbonate as HCO3        | 297    | 5    |      | mg/L     | 08/13/2004 1718 JG | SM 2320B    |
| Alkalinity, Carbonate as CO3           | ND     | 5    |      | mg/L     | 08/13/2004 1718 JG | SM 2320B    |
| Alkalinity, Hydroxide as OH            | ND     | 5    |      | mg/L     | 08/13/2004 1718 JG | SM 2320B    |
| Chloride                               | 8      | 1    |      | mg/L     | 08/13/2004 1642 LK | EPA 300.0   |
| Fluoride                               | ND     | 0.1  |      | mg/L     | 08/13/2004 1718 JG | SM 4500FC   |
| Nitrogen, Nitrate-Nitrite (as N)       | ND     | 0.05 |      | mg/L     | 08/17/2004 1208 RM | EPA 353.2   |
| Sulfate                                | 123    | 1    |      | mg/L     | 08/13/2004 1642 LK | EPA 300.0   |
| <b>Cations</b>                         |        |      |      |          |                    |             |
| Calcium                                | 43     | 1    |      | mg/L     | 08/16/2004 944 MH  | EPA 200.7   |
| Magnesium                              | 8      | 1    |      | mg/L     | 08/16/2004 944 MH  | EPA 200.7   |
| Potassium                              | 4      | 1    |      | mg/L     | 08/16/2004 944 MH  | EPA 200.7   |
| Sodium                                 | 105    | 1    |      | mg/L     | 08/16/2004 944 MH  | EPA 200.7   |

These results apply only to the samples tested.

- Qualifiers:**
- \* Value exceeds Maximum Contaminant Level
  - E Value above quantitation range
  - J Analyte detected below quantitation limits
  - S Spike Recovery outside accepted recovery limits
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Reporting Limit

Reviewed by: Wade Nieuwsma  
Wade Nieuwsma, Water Lab Supervisor

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 9/2/2004  
Report ID: S0408147001

Project: Cogema Christensen Mine  
Lab ID: S0408147-005  
Client Sample ID 5BN162-2  
Matrix: Water

Work Order: S0408147  
Collection Date: 8/12/2004  
Date Received: 8/12/2004 5:00:00 PM

| Analyses                             | Result | PQL    | Qual | Units | Date Analyzed/Init | Method    |
|--------------------------------------|--------|--------|------|-------|--------------------|-----------|
| <b>Cation/Anion-Milliequivalents</b> |        |        |      |       |                    |           |
| Bicarbonate as HCO3                  | 4.86   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Carbonate as CO3                     | ND     | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Hydroxide as OH                      | ND     | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Chloride                             | 0.23   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Fluoride                             | ND     | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Nitrate + Nitrite as N               | ND     | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Sulfate                              | 2.55   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Calcium                              | 2.12   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Magnesium                            | 0.64   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Potassium                            | 0.09   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Sodium                               | 4.58   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| <b>Cation / Anion Balance</b>        |        |        |      |       |                    |           |
| Cation Sum                           | 7.45   | 0      |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Anion Sum                            | 7.65   | 0      |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Cation-Anion Balance                 | 1.31   | 0      |      | %     | 09/01/2004 1240 JG | SM 1030F  |
| <b>Dissolved Metals</b>              |        |        |      |       |                    |           |
| Aluminum                             | ND     | 0.1    |      | mg/L  | 08/16/2004 944 MH  | EPA 200.7 |
| Arsenic                              | ND     | 0.005  |      | mg/L  | 08/13/2004 1501 MS | EPA 200.8 |
| Barium                               | ND     | 0.5    |      | mg/L  | 08/13/2004 1501 MS | EPA 200.8 |
| Boron                                | 0.07   | 0.01   |      | mg/L  | 08/16/2004 944 MH  | EPA 200.7 |
| Cadmium                              | ND     | 0.002  |      | mg/L  | 08/13/2004 1501 MS | EPA 200.8 |
| Chromium                             | ND     | 0.01   |      | mg/L  | 08/16/2004 944 MH  | EPA 200.7 |
| Copper                               | ND     | 0.01   |      | mg/L  | 08/13/2004 1501 MS | EPA 200.8 |
| Iron                                 | ND     | 0.05   |      | mg/L  | 08/16/2004 944 MH  | EPA 200.7 |
| Lead                                 | ND     | 0.02   |      | mg/L  | 08/13/2004 1501 MS | EPA 200.8 |
| Manganese                            | 0.07   | 0.02   |      | mg/L  | 08/16/2004 944 MH  | EPA 200.7 |
| Mercury                              | ND     | 0.001  |      | mg/L  | 08/20/2004 000 MS  | EPA 245.1 |
| Molybdenum                           | ND     | 0.02   |      | mg/L  | 08/13/2004 1501 MS | EPA 200.8 |
| Nickel                               | ND     | 0.01   |      | mg/L  | 08/16/2004 944 MH  | EPA 200.7 |
| Selenium                             | 0.084  | 0.005  |      | mg/L  | 08/13/2004 1501 MS | EPA 200.8 |
| Uranium                              | 2.08   | 0.0001 |      | mg/L  | 08/13/2004 1501 MS | EPA 200.8 |
| Vanadium                             | 0.15   | 0.02   |      | mg/L  | 08/13/2004 1501 MS | EPA 200.8 |
| Zinc                                 | ND     | 0.01   |      | mg/L  | 08/16/2004 944 MH  | EPA 200.7 |

These results apply only to the samples tested.

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
ND Not Detected at the Reporting Limit

Reviewed by: Wade Nieuwsma  
Wade Nieuwsma, Water Lab Supervisor

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 9/2/2004  
Report ID: S0408147001


Project: Cogema Christensen Mine  
Lab ID: S0408147-006  
Client Sample ID 5BL76-1  
Matrix: Water

Work Order: S0408147  
Collection Date: 8/12/2004  
Date Received: 8/12/2004 5:00:00 PM

| Analyses                               | Result | PQL  | Qual | Units    | Date Analyzed/Init | Method      |
|--|--------|------|------|----------|--------------------|-------------|
| <b>General Parameters</b>              |        |      |      |          |                    |             |
| pH                                     | 8.0    | 0.1  |      | s.u.     | 08/13/2004 1733 JG | EPA 150.1   |
| Electrical Conductivity                | 2180   | 5    |      | µmhos/cm | 08/13/2004 1733 JG | SM 2510B    |
| Total Dissolved Solids (180)           | 1460   | 10   |      | mg/L     | 08/13/2004 1140 KA | SM 2540     |
| Solids, Total Dissolved (Calc)         | 1380   | 10   |      | mg/L     | 09/01/2004 1240 JG | SM 1030F    |
| Acidity, Total (As CaCO3)              | ND     | 5    |      | mg/L     | 08/16/2004 000 JG  | SM 2310B    |
| Alkalinity, Total (As CaCO3)           | 770    | 5    |      | mg/L     | 08/13/2004 1733 JG | SM 2320B    |
| Hardness, Calcium/Magnesium (As CaCO3) | 356    | 1    |      | mg/L     | 09/01/2004 1240 JG | SM 2340B    |
| Nitrogen, Ammonia (As N)               | ND     | 0.1  |      | mg/L     | 08/20/2004 2234 RM | EPA 350.1   |
| Nitrogen, Nitrite (as N)               | ND     | 0.05 |      | mg/L     | 08/13/2004 1533 RM | EPA 353.2   |
| Silica as SiO2                         | 11     | 0.1  |      | mg/L     | 08/16/2004 948 MH  | EPA 200.7   |
| Radium 226                             | 205±10 | 0.2  |      | pCi/L    | 08/20/2004 1847 JN | SM 7500     |
| Sodium Adsorption Ratio                | 8.5    | 0.1  |      |          | 09/01/2004 1240 JG | Calculation |
| <b>Anions</b>                          |        |      |      |          |                    |             |
| Alkalinity, Bicarbonate as HCO3        | 939    | 5    |      | mg/L     | 08/13/2004 1733 JG | SM 2320B    |
| Alkalinity, Carbonate as CO3           | ND     | 5    |      | mg/L     | 08/13/2004 1733 JG | SM 2320B    |
| Alkalinity, Hydroxide as OH            | ND     | 5    |      | mg/L     | 08/13/2004 1733 JG | SM 2320B    |
| Chloride                               | 34     | 1    |      | mg/L     | 08/16/2004 951 LK  | EPA 300.0   |
| Fluoride                               | ND     | 0.1  |      | mg/L     | 08/13/2004 1733 JG | SM 4500FC   |
| Nitrogen, Nitrate-Nitrite (as N)       | 0.50   | 0.05 |      | mg/L     | 08/17/2004 1209 RM | EPA 353.2   |
| Sulfate                                | 376    | 1    |      | mg/L     | 08/16/2004 951 LK  | EPA 300.0   |
| <b>Cations</b>                         |        |      |      |          |                    |             |
| Calcium                                | 109    | 1    |      | mg/L     | 08/16/2004 948 MH  | EPA 200.7   |
| Magnesium                              | 20     | 1    |      | mg/L     | 08/16/2004 948 MH  | EPA 200.7   |
| Potassium                              | 9      | 1    |      | mg/L     | 08/16/2004 948 MH  | EPA 200.7   |
| Sodium                                 | 368    | 1    |      | mg/L     | 08/16/2004 948 MH  | EPA 200.7   |

These results apply only to the samples tested.

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
S Spike Recovery outside accepted recovery limits  
B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
ND Not Detected at the Reporting Limit

Reviewed by:   
Wade Neuwisma, Water Lab Supervisor

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 9/2/2004  
Report ID: S0408147001

Project: Cogema Christensen Mine  
Lab ID: S0408147-006  
Client Sample ID 5BL76-1  
Matrix: Water

Work Order: S0408147  
Collection Date: 8/12/2004  
Date Received: 8/12/2004 5:00:00 PM

| Analyses                             | Result | PQL    | Qual | Units | Date Analyzed/Init | Method    |
|--------------------------------------|--------|--------|------|-------|--------------------|-----------|
| <b>Cation/Anion-Milliequivalents</b> |        |        |      |       |                    |           |
| Bicarbonate as HCO3                  | 15.40  | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Carbonate as CO3                     | ND     | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Hydroxide as OH                      | ND     | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Chloride                             | 0.96   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Fluoride                             | ND     | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Nitrate + Nitrite as N               | 0.03   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Sulfate                              | 7.82   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Calcium                              | 5.46   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Magnesium                            | 1.66   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Potassium                            | 0.21   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Sodium                               | 16.02  | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| <b>Cation / Anion Balance</b>        |        |        |      |       |                    |           |
| Cation Sum                           | 23.36  | 0      |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Anion Sum                            | 24.21  | 0      |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Cation-Anion Balance                 | 1.78   | 0      |      | %     | 09/01/2004 1240 JG | SM 1030F  |
| <b>Dissolved Metals</b>              |        |        |      |       |                    |           |
| Aluminum                             | 0.3    | 0.1    |      | mg/L  | 08/16/2004 948 MH  | EPA 200.7 |
| Arsenic                              | 0.020  | 0.005  |      | mg/L  | 08/13/2004 1504 MS | EPA 200.8 |
| Barium                               | ND     | 0.5    |      | mg/L  | 08/13/2004 1504 MS | EPA 200.8 |
| Boron                                | 0.10   | 0.01   |      | mg/L  | 08/16/2004 948 MH  | EPA 200.7 |
| Cadmium                              | ND     | 0.002  |      | mg/L  | 08/13/2004 1504 MS | EPA 200.8 |
| Chromium                             | 0.02   | 0.01   |      | mg/L  | 08/16/2004 948 MH  | EPA 200.7 |
| Copper                               | ND     | 0.01   |      | mg/L  | 08/13/2004 1504 MS | EPA 200.8 |
| Iron                                 | ND     | 0.05   |      | mg/L  | 08/16/2004 948 MH  | EPA 200.7 |
| Lead                                 | ND     | 0.02   |      | mg/L  | 08/13/2004 1504 MS | EPA 200.8 |
| Manganese                            | 0.04   | 0.02   |      | mg/L  | 08/16/2004 948 MH  | EPA 200.7 |
| Mercury                              | ND     | 0.001  |      | mg/L  | 08/20/2004 000 MS  | EPA 245.1 |
| Molybdenum                           | ND     | 0.02   |      | mg/L  | 08/13/2004 1504 MS | EPA 200.8 |
| Nickel                               | ND     | 0.01   |      | mg/L  | 08/16/2004 948 MH  | EPA 200.7 |
| Selenium                             | 2.97   | 0.005  |      | mg/L  | 08/13/2004 1504 MS | EPA 200.8 |
| Uranium                              | 14.8   | 0.0001 |      | mg/L  | 08/13/2004 1504 MS | EPA 200.8 |
| Vanadium                             | 0.09   | 0.02   |      | mg/L  | 08/13/2004 1504 MS | EPA 200.8 |
| Zinc                                 | ND     | 0.01   |      | mg/L  | 08/16/2004 948 MH  | EPA 200.7 |

These results apply only to the samples tested.

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
ND Not Detected at the Reporting Limit

Reviewed by: Wade Nieuwsma  
Wade Nieuwsma, Water Lab Supervisor

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 9/2/2004  
Report ID: S0408147001

Project: Cogema Christensen Mine  
Lab ID: S0408147-007  
Client Sample ID 5BS120-1  
Matrix: Water

Work Order: S0408147  
Collection Date: 8/12/2004  
Date Received: 8/12/2004 5:00:00 PM

| Analyses                               | Result    | PQL  | Qual | Units    | Date Analyzed/Init | Method      |
|--|-----------|------|------|----------|--------------------|-------------|
| <b>General Parameters</b>              |           |      |      |          |                    |             |
| pH                                     | 8.2       | 0.1  |      | s.u.     | 08/13/2004 1744 JG | EPA 150.1   |
| Electrical Conductivity                | 938       | 5    |      | µmhos/cm | 08/13/2004 1744 JG | SM 2510B    |
| Total Dissolved Solids (180)           | 560       | 10   |      | mg/L     | 08/13/2004 1145 KA | SM 2540     |
| Solids, Total Dissolved (Calc)         | 540       | 10   |      | mg/L     | 09/01/2004 1240 JG | SM 1030F    |
| Acidity, Total (As CaCO3)              | ND        | 5    |      | mg/L     | 08/16/2004 000 JG  | SM 2310B    |
| Alkalinity, Total (As CaCO3)           | 334       | 5    |      | mg/L     | 08/13/2004 1744 JG | SM 2320B    |
| Hardness, Calcium/Magnesium (As CaCO3) | 107       | 1    |      | mg/L     | 09/01/2004 1240 JG | SM 2340B    |
| Nitrogen, Ammonia (As N)               | ND        | 0.1  |      | mg/L     | 08/20/2004 2235 RM | EPA 350.1   |
| Nitrogen, Nitrite (as N)               | ND        | 0.05 |      | mg/L     | 08/13/2004 1534 RM | EPA 353.2   |
| Silica as SiO2                         | 8.9       | 0.1  |      | mg/L     | 08/16/2004 951 MH  | EPA 200.7   |
| Radium 226                             | 110.1±8.0 | 0.2  |      | pCi/L    | 08/21/2004 817 JN  | SM 7500     |
| Sodium Adsorption Ratio                | 6.8       | 0.1  |      |          | 09/01/2004 1240 JG | Calculation |
| <b>Anions</b>                          |           |      |      |          |                    |             |
| Alkalinity, Bicarbonate as HCO3        | 408       | 5    |      | mg/L     | 08/13/2004 1744 JG | SM 2320B    |
| Alkalinity, Carbonate as CO3           | ND        | 5    |      | mg/L     | 08/13/2004 1744 JG | SM 2320B    |
| Alkalinity, Hydroxide as OH            | ND        | 5    |      | mg/L     | 08/13/2004 1744 JG | SM 2320B    |
| Chloride                               | 9         | 1    |      | mg/L     | 08/16/2004 1005 LK | EPA 300.0   |
| Fluoride                               | 0.1       | 0.1  |      | mg/L     | 08/13/2004 1744 JG | SM 4500FC   |
| Nitrogen, Nitrate-Nitrite (as N)       | ND        | 0.05 |      | mg/L     | 08/17/2004 1210 RM | EPA 353.2   |
| Sulfate                                | 124       | 1    |      | mg/L     | 08/16/2004 1005 LK | EPA 300.0   |
| <b>Cations</b>                         |           |      |      |          |                    |             |
| Calcium                                | 32        | 1    |      | mg/L     | 08/24/2004 902 MH  | EPA 200.7   |
| Magnesium                              | 7         | 1    |      | mg/L     | 08/24/2004 902 MH  | EPA 200.7   |
| Potassium                              | 4         | 1    |      | mg/L     | 08/16/2004 951 MH  | EPA 200.7   |
| Sodium                                 | 161       | 1    |      | mg/L     | 08/24/2004 902 MH  | EPA 200.7   |

These results apply only to the samples tested.

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
ND Not Detected at the Reporting Limit

Reviewed by: Wade Nieuwsma  
Wade Nieuwsma, Water Lab Supervisor



Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 9/2/2004  
Report ID: S0408147001

Project: Cogema Christensen Mine  
Lab ID: S0408147-007  
Client Sample ID 5BS120-1  
Matrix: Water

Work Order: S0408147  
Collection Date: 8/12/2004  
Date Received: 8/12/2004 5:00:00 PM

| Analyses                             | Result | PQL    | Qual | Units | Date Analyzed/Init | Method    |
|--------------------------------------|--------|--------|------|-------|--------------------|-----------|
| <b>Cation/Anion-Milliequivalents</b> |        |        |      |       |                    |           |
| Bicarbonate as HCO3                  | 6.69   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Carbonate as CO3                     | ND     | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Hydroxide as OH                      | ND     | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Chloride                             | 0.26   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Fluoride                             | ND     | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Nitrate + Nitrite as N               | ND     | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Sulfate                              | 2.57   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Calcium                              | 1.57   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Magnesium                            | 0.55   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Potassium                            | 0.10   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Sodium                               | 7.01   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| <b>Cation / Anion Balance</b>        |        |        |      |       |                    |           |
| Cation Sum                           | 9.24   | 0      |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Anion Sum                            | 9.53   | 0      |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Cation-Anion Balance                 | 1.53   | 0      |      | %     | 09/01/2004 1240 JG | SM 1030F  |
| <b>Dissolved Metals</b>              |        |        |      |       |                    |           |
| Aluminum                             | ND     | 0.1    |      | mg/L  | 08/16/2004 951 MH  | EPA 200.7 |
| Arsenic                              | ND     | 0.005  |      | mg/L  | 08/13/2004 1507 MS | EPA 200.8 |
| Barium                               | ND     | 0.5    |      | mg/L  | 08/13/2004 1507 MS | EPA 200.8 |
| Boron                                | 0.07   | 0.01   |      | mg/L  | 08/16/2004 951 MH  | EPA 200.7 |
| Cadmium                              | ND     | 0.002  |      | mg/L  | 08/13/2004 1507 MS | EPA 200.8 |
| Chromium                             | ND     | 0.01   |      | mg/L  | 08/16/2004 951 MH  | EPA 200.7 |
| Copper                               | ND     | 0.01   |      | mg/L  | 08/13/2004 1507 MS | EPA 200.8 |
| Iron                                 | ND     | 0.05   |      | mg/L  | 08/16/2004 951 MH  | EPA 200.7 |
| Lead                                 | ND     | 0.02   |      | mg/L  | 08/13/2004 1507 MS | EPA 200.8 |
| Manganese                            | ND     | 0.02   |      | mg/L  | 08/16/2004 951 MH  | EPA 200.7 |
| Mercury                              | ND     | 0.001  |      | mg/L  | 08/20/2004 000 MS  | EPA 245.1 |
| Molybdenum                           | ND     | 0.02   |      | mg/L  | 08/13/2004 1507 MS | EPA 200.8 |
| Nickel                               | ND     | 0.01   |      | mg/L  | 08/16/2004 951 MH  | EPA 200.7 |
| Selenium                             | 0.098  | 0.005  |      | mg/L  | 08/13/2004 1507 MS | EPA 200.8 |
| Uranium                              | 1.77   | 0.0001 |      | mg/L  | 08/13/2004 1507 MS | EPA 200.8 |
| Vanadium                             | 0.24   | 0.02   |      | mg/L  | 08/13/2004 1507 MS | EPA 200.8 |
| Zinc                                 | ND     | 0.01   |      | mg/L  | 08/16/2004 951 MH  | EPA 200.7 |

These results apply only to the samples tested.

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
ND Not Detected at the Reporting Limit

Reviewed by: Wade Nieuwsma  
Wade Nieuwsma, Water Lab Supervisor

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 9/2/2004  
Report ID: S0408147001

Project: Cogema Christensen Mine  
Lab ID: S0408147-008  
Client Sample ID 5BQ158-1  
Matrix: Water

Work Order: S0408147  
Collection Date: 8/12/2004  
Date Received: 8/12/2004 5:00:00 PM

| Analyses                               | Result   | PQL  | Qual | Units    | Date Analyzed/Init | Method      |
|--|----------|------|------|----------|--------------------|-------------|
| <b>General Parameters</b>              |          |      |      |          |                    |             |
| pH                                     | 8.4      | 0.1  |      | s.u.     | 08/13/2004 1753 JG | EPA 150.1   |
| Electrical Conductivity                | 934      | 5    |      | µmhos/cm | 08/13/2004 1753 JG | SM 2510B    |
| Total Dissolved Solids (180)           | 570      | 10   |      | mg/L     | 08/13/2004 1150 KA | SM 2540     |
| Solids, Total Dissolved (Calc)         | 540      | 10   |      | mg/L     | 09/01/2004 1240 JG | SM 1030F    |
| Acidity, Total (As CaCO3)              | ND       | 5    |      | mg/L     | 08/16/2004 000 JG  | SM 2310B    |
| Alkalinity, Total (As CaCO3)           | 96       | 5    |      | mg/L     | 08/13/2004 1753 JG | SM 2320B    |
| Hardness, Calcium/Magnesium (As CaCO3) | 48       | 1    |      | mg/L     | 09/01/2004 1240 JG | SM 2340B    |
| Nitrogen, Ammonia (As N)               | ND       | 0.1  |      | mg/L     | 08/20/2004 2242 RM | EPA 350.1   |
| Nitrogen, Nitrite (as N)               | ND       | 0.05 |      | mg/L     | 08/13/2004 1535 RM | EPA 353.2   |
| Nitrogen, Nitrite (as N)               | ND       | 0.05 |      | mg/L     | 08/13/2004 1536 RM | EPA 353.2   |
| Silica as SiO2                         | 8.7      | 0.1  |      | mg/L     | 08/16/2004 955 MH  | EPA 200.7   |
| Radium 226                             | 72.2±6.4 | 0.2  |      | pCi/L    | 08/21/2004 817 JN  | SM 7500     |
| Sodium Adsorption Ratio                | 10.3     | 0.1  |      |          | 09/01/2004 1240 JG | Calculation |
| <b>Anions</b>                          |          |      |      |          |                    |             |
| Alkalinity, Bicarbonate as HCO3        | 114      | 5    |      | mg/L     | 08/13/2004 1753 JG | SM 2320B    |
| Alkalinity, Carbonate as CO3           | ND       | 5    |      | mg/L     | 08/13/2004 1753 JG | SM 2320B    |
| Alkalinity, Hydroxide as OH            | ND       | 5    |      | mg/L     | 08/13/2004 1753 JG | SM 2320B    |
| Chloride                               | 6        | 1    |      | mg/L     | 08/16/2004 1018 LK | EPA 300.0   |
| Fluoride                               | 0.1      | 0.1  |      | mg/L     | 08/13/2004 1753 JG | SM 4500FC   |
| Nitrogen, Nitrate-Nitrite (as N)       | ND       | 0.05 |      | mg/L     | 08/17/2004 1212 RM | EPA 353.2   |
| Sulfate                                | 292      | 1    |      | mg/L     | 08/16/2004 1018 LK | EPA 300.0   |
| <b>Cations</b>                         |          |      |      |          |                    |             |
| Calcium                                | 14       | 1    |      | mg/L     | 08/24/2004 906 MH  | EPA 200.7   |
| Magnesium                              | 3        | 1    |      | mg/L     | 08/24/2004 906 MH  | EPA 200.7   |
| Potassium                              | 3        | 1    |      | mg/L     | 08/24/2004 906 MH  | EPA 200.7   |
| Sodium                                 | 163      | 1    |      | mg/L     | 08/24/2004 906 MH  | EPA 200.7   |

These results apply only to the samples tested.

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
ND Not Detected at the Reporting Limit

Reviewed by: Wade Nieuwsma  
Wade Nieuwsma, Water Lab Supervisor

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 9/2/2004  
Report ID: S0408147001

Project: Cogema Christensen Mine  
Lab ID: S0408147-008  
Client Sample ID 5BQ158-1  
Matrix: Water

Work Order: S0408147  
Collection Date: 8/12/2004  
Date Received: 8/12/2004 5:00:00 PM

| Analyses                             | Result | PQL    | Qual | Units | Date Analyzed/Init | Method    |
|--------------------------------------|--------|--------|------|-------|--------------------|-----------|
| <b>Cation/Anion-Milliequivalents</b> |        |        |      |       |                    |           |
| Bicarbonate as HCO3                  | 1.87   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Carbonate as CO3                     | 0.05   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Hydroxide as OH                      | ND     | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Chloride                             | 0.16   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Fluoride                             | ND     | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Nitrate + Nitrite as N               | ND     | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Sulfate                              | 6.08   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Calcium                              | 0.70   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Magnesium                            | 0.25   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Potassium                            | 0.07   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Sodium                               | 7.09   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| <b>Cation / Anion Balance</b>        |        |        |      |       |                    |           |
| Cation Sum                           | 8.12   | 0      |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Anion Sum                            | 8.18   | 0      |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Cation-Anion Balance                 | 0.34   | 0      |      | %     | 09/01/2004 1240 JG | SM 1030F  |
| <b>Dissolved Metals</b>              |        |        |      |       |                    |           |
| Aluminum                             | ND     | 0.1    |      | mg/L  | 08/16/2004 955 MH  | EPA 200.7 |
| Arsenic                              | ND     | 0.005  |      | mg/L  | 08/13/2004 1509 MS | EPA 200.8 |
| Barium                               | ND     | 0.5    |      | mg/L  | 08/13/2004 1509 MS | EPA 200.8 |
| Boron                                | 0.05   | 0.01   |      | mg/L  | 08/16/2004 955 MH  | EPA 200.7 |
| Cadmium                              | ND     | 0.002  |      | mg/L  | 08/13/2004 1509 MS | EPA 200.8 |
| Chromium                             | ND     | 0.01   |      | mg/L  | 08/16/2004 955 MH  | EPA 200.7 |
| Copper                               | ND     | 0.01   |      | mg/L  | 08/13/2004 1509 MS | EPA 200.8 |
| Iron                                 | ND     | 0.05   |      | mg/L  | 08/16/2004 955 MH  | EPA 200.7 |
| Lead                                 | ND     | 0.02   |      | mg/L  | 08/13/2004 1509 MS | EPA 200.8 |
| Manganese                            | ND     | 0.02   |      | mg/L  | 08/16/2004 955 MH  | EPA 200.7 |
| Mercury                              | ND     | 0.001  |      | mg/L  | 08/20/2004 000 MS  | EPA 245.1 |
| Molybdenum                           | ND     | 0.02   |      | mg/L  | 08/13/2004 1509 MS | EPA 200.8 |
| Nickel                               | ND     | 0.01   |      | mg/L  | 08/16/2004 955 MH  | EPA 200.7 |
| Selenium                             | ND     | 0.005  |      | mg/L  | 08/13/2004 1509 MS | EPA 200.8 |
| Uranium                              | 0.0073 | 0.0001 |      | mg/L  | 08/13/2004 1509 MS | EPA 200.8 |
| Vanadium                             | ND     | 0.02   |      | mg/L  | 08/13/2004 1509 MS | EPA 200.8 |
| Zinc                                 | ND     | 0.01   |      | mg/L  | 08/16/2004 955 MH  | EPA 200.7 |

These results apply only to the samples tested.

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
ND Not Detected at the Reporting Limit

Reviewed by: Wade Nieuwsma  
Wade Nieuwsma, Water Lab Supervisor

## Sample Analysis Report

CLIENT: Cogema Mining Inc.

P. O. Box 730  
Mills, WY 82644

Date Reported: 9/2/2004

Report ID: S0408147001

Project: Cogema Christensen Mine

Lab ID: S0408147-009

Client Sample ID 5BL66-1

Matrix: Water

Work Order: S0408147

Collection Date: 8/12/2004

Date Received: 8/12/2004 5:00:00 PM

| Analyses  | Result | PQL  | Qual | Units    | Date Analyzed/Init | Method      |
|---|--------|------|------|----------|--------------------|-------------|
| <b>General Parameters</b>                           |        |      |      |          |                    |             |
| pH  | 7.8    | 0.1  |      | s.u.     | 08/13/2004 1808 JG | EPA 150.1   |
| Electrical Conductivity                             | 1950   | 5    |      | µmhos/cm | 08/13/2004 1808 JG | SM 2510B    |
| Total Dissolved Solids (180)                        | 1240   | 10   |      | mg/L     | 08/13/2004 1155 KA | SM 2540     |
| Solids, Total Dissolved (Calc)                      | 1190   | 10   |      | mg/L     | 09/01/2004 1240 JG | SM 1030F    |
| Acidity, Total (As CaCO <sub>3</sub> )              | ND     | 5    |      | mg/L     | 08/16/2004 000 JG  | SM 2310B    |
| Alkalinity, Total (As CaCO <sub>3</sub> )           | 690    | 5    |      | mg/L     | 08/13/2004 1808 JG | SM 2320B    |
| Hardness, Calcium/Magnesium (As CaCO <sub>3</sub> ) | 299    | 1    |      | mg/L     | 09/01/2004 1240 JG | SM 2340B    |
| Nitrogen, Ammonia (As N)                            | ND     | 0.1  |      | mg/L     | 08/20/2004 2243 RM | EPA 350.1   |
| Nitrogen, Nitrite (as N)                            | ND     | 0.05 |      | mg/L     | 08/13/2004 1542 RM | EPA 353.2   |
| Silica as SiO <sub>2</sub>                          | 9.4    | 0.1  |      | mg/L     | 08/16/2004 959 MH  | EPA 200.7   |
| Radium 226  | 331±14 | 0.2  |      | pCi/L    | 08/21/2004 817 JN  | SM 7500     |
| Sodium Adsorption Ratio                             | 8.1    | 0.1  |      |          | 09/01/2004 1240 JG | Calculation |
| <b>Anions</b>                                       |        |      |      |          |                    |             |
| Alkalinity, Bicarbonate as HCO <sub>3</sub>         | 842    | 5    |      | mg/L     | 08/13/2004 1808 JG | SM 2320B    |
| Alkalinity, Carbonate as CO <sub>3</sub>            | ND     | 5    |      | mg/L     | 08/13/2004 1808 JG | SM 2320B    |
| Alkalinity, Hydroxide as OH                         | ND     | 5    |      | mg/L     | 08/13/2004 1808 JG | SM 2320B    |
| Chloride  | 26     | 1    |      | mg/L     | 08/16/2004 1031 LK | EPA 300.0   |
| Fluoride  | ND     | 0.1  |      | mg/L     | 08/13/2004 1808 JG | SM 4500FC   |
| Nitrogen, Nitrate-Nitrite (as N)                    | ND     | 0.05 |      | mg/L     | 08/17/2004 1213 RM | EPA 353.2   |
| Sulfate   | 310    | 1    |      | mg/L     | 08/16/2004 1031 LK | EPA 300.0   |
| <b>Cations</b>                                      |        |      |      |          |                    |             |
| Calcium   | 88     | 1    |      | mg/L     | 08/16/2004 959 MH  | EPA 200.7   |
| Magnesium   | 20     | 1    |      | mg/L     | 08/16/2004 959 MH  | EPA 200.7   |
| Potassium   | 7      | 1    |      | mg/L     | 08/16/2004 959 MH  | EPA 200.7   |
| Sodium  | 321    | 1    |      | mg/L     | 08/16/2004 959 MH  | EPA 200.7   |

These results apply only to the samples tested.

**Qualifiers:**

- \* Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

Page 17 of 22

Reviewed by:

*Wade Nieuwsma*  
Wade Nieuwsma, Water Lab Supervisor

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 9/2/2004  
Report ID: S0408147001

Project: Cogema Christensen Mine  
Lab ID: S0408147-009  
Client Sample ID 5BL66-1  
Matrix: Water

Work Order: S0408147  
Collection Date: 8/12/2004  
Date Received: 8/12/2004 5:00:00 PM

| Analyses                             | Result | PQL    | Qual | Units | Date Analyzed/Init | Method    |
|--------------------------------------|--------|--------|------|-------|--------------------|-----------|
| <b>Cation/Anion-Milliequivalents</b> |        |        |      |       |                    |           |
| Bicarbonate as HCO3                  | 13.80  | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Carbonate as CO3                     | ND     | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Hydroxide as OH                      | ND     | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Chloride                             | 0.74   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Fluoride                             | ND     | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Nitrate + Nitrite as N               | ND     | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Sulfate                              | 6.45   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Calcium                              | 4.37   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Magnesium                            | 1.60   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Potassium                            | 0.18   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Sodium                               | 13.96  | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| <b>Cation / Anion Balance</b>        |        |        |      |       |                    |           |
| Cation Sum                           | 20.13  | 0      |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Anion Sum                            | 20.99  | 0      |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Cation-Anion Balance                 | 2.09   | 0      |      | %     | 09/01/2004 1240 JG | SM 1030F  |
| <b>Dissolved Metals</b>              |        |        |      |       |                    |           |
| Aluminum                             | 0.1    | 0.1    |      | mg/L  | 08/16/2004 959 MH  | EPA 200.7 |
| Arsenic                              | ND     | 0.005  |      | mg/L  | 08/13/2004 1520 MS | EPA 200.8 |
| Barium                               | ND     | 0.5    |      | mg/L  | 08/13/2004 1520 MS | EPA 200.8 |
| Boron                                | 0.08   | 0.01   |      | mg/L  | 08/16/2004 959 MH  | EPA 200.7 |
| Cadmium                              | ND     | 0.002  |      | mg/L  | 08/13/2004 1520 MS | EPA 200.8 |
| Chromium                             | ND     | 0.01   |      | mg/L  | 08/16/2004 959 MH  | EPA 200.7 |
| Copper                               | ND     | 0.01   |      | mg/L  | 08/13/2004 1520 MS | EPA 200.8 |
| Iron                                 | 0.08   | 0.05   |      | mg/L  | 08/16/2004 959 MH  | EPA 200.7 |
| Lead                                 | ND     | 0.02   |      | mg/L  | 08/13/2004 1520 MS | EPA 200.8 |
| Manganese                            | 0.22   | 0.02   |      | mg/L  | 08/16/2004 959 MH  | EPA 200.7 |
| Mercury                              | ND     | 0.001  |      | mg/L  | 08/20/2004 000 MS  | EPA 245.1 |
| Molybdenum                           | ND     | 0.02   |      | mg/L  | 08/13/2004 1520 MS | EPA 200.8 |
| Nickel                               | 0.01   | 0.01   |      | mg/L  | 08/16/2004 959 MH  | EPA 200.7 |
| Selenium                             | 0.238  | 0.005  |      | mg/L  | 08/13/2004 1520 MS | EPA 200.8 |
| Uranium                              | 5.44   | 0.0001 |      | mg/L  | 08/13/2004 1520 MS | EPA 200.8 |
| Vanadium                             | 0.08   | 0.02   |      | mg/L  | 08/13/2004 1520 MS | EPA 200.8 |
| Zinc                                 | ND     | 0.01   |      | mg/L  | 08/16/2004 959 MH  | EPA 200.7 |

These results apply only to the samples tested.

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
ND Not Detected at the Reporting Limit

Reviewed by: Wade Nieuwsma  
Wade Nieuwsma, Water Lab Supervisor

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 9/2/2004  
Report ID: S0408147001

Project: Cogema Christensen Mine  
Lab ID: S0408147-010  
Client Sample ID AP02  
Matrix: Water

Work Order: S0408147  
Collection Date: 8/12/2004  
Date Received: 8/12/2004 5:00:00 PM

| Analyses                               | Result   | PQL  | Qual | Units    | Date Analyzed/Init | Method      |
|--|----------|------|------|----------|--------------------|-------------|
| <b>General Parameters</b>              |          |      |      |          |                    |             |
| pH                                     | 8.0      | 0.1  |      | s.u.     | 08/13/2004 1820 JG | EPA 150.1   |
| Electrical Conductivity                | 1020     | 5    |      | µmhos/cm | 08/13/2004 1820 JG | SM 2510B    |
| Total Dissolved Solids (180)           | 620      | 10   |      | mg/L     | 08/13/2004 1200 KA | SM 2540     |
| Solids, Total Dissolved (Calc)         | 580      | 10   |      | mg/L     | 09/01/2004 1240 JG | SM 1030F    |
| Acidity, Total (As CaCO3)              | ND       | 5    |      | mg/L     | 08/16/2004 000 JG  | SM 2310B    |
| Alkalinity, Total (As CaCO3)           | 226      | 5    |      | mg/L     | 08/13/2004 1820 JG | SM 2320B    |
| Hardness, Calcium/Magnesium (As CaCO3) | 92       | 1    |      | mg/L     | 09/01/2004 1240 JG | SM 2340B    |
| Nitrogen, Ammonia (As N)               | ND       | 0.1  |      | mg/L     | 08/20/2004 2244 RM | EPA 350.1   |
| Nitrogen, Nitrite (as N)               | ND       | 0.05 |      | mg/L     | 08/13/2004 1543 RM | EPA 353.2   |
| Silica as SiO2                         | 6.4      | 0.1  |      | mg/L     | 08/16/2004 1003 MH | EPA 200.7   |
| Radium 226                             | 45.7±5.2 | 0.2  |      | pCi/L    | 08/21/2004 817 JN  | SM 7500     |
| Sodium Adsorption Ratio                | 7.9      | 0.1  |      |          | 09/01/2004 1240 JG | Calculation |
| <b>Anions</b>                          |          |      |      |          |                    |             |
| Alkalinity, Bicarbonate as HCO3        | 276      | 5    |      | mg/L     | 08/13/2004 1820 JG | SM 2320B    |
| Alkalinity, Carbonate as CO3           | ND       | 5    |      | mg/L     | 08/13/2004 1820 JG | SM 2320B    |
| Alkalinity, Hydroxide as OH            | ND       | 5    |      | mg/L     | 08/13/2004 1820 JG | SM 2320B    |
| Chloride                               | 8        | 1    |      | mg/L     | 08/16/2004 1044 LK | EPA 300.0   |
| Fluoride                               | ND       | 0.1  |      | mg/L     | 08/13/2004 1820 JG | SM 4500FC   |
| Nitrogen, Nitrate-Nitrite (as N)       | ND       | 0.05 |      | mg/L     | 08/17/2004 1214 RM | EPA 353.2   |
| Sulfate                                | 227      | 1    |      | mg/L     | 08/31/2004 916 LK  | EPA 300.0   |
| <b>Cations</b>                         |          |      |      |          |                    |             |
| Calcium                                | 27       | 1    |      | mg/L     | 08/24/2004 910 MH  | EPA 200.7   |
| Magnesium                              | 6        | 1    |      | mg/L     | 08/24/2004 910 MH  | EPA 200.7   |
| Potassium                              | 4        | 1    |      | mg/L     | 08/24/2004 910 MH  | EPA 200.7   |
| Sodium                                 | 174      | 1    |      | mg/L     | 08/24/2004 910 MH  | EPA 200.7   |

These results apply only to the samples tested.

- Qualifiers:
- \* Value exceeds Maximum Contaminant Level
  - E Value above quantitation range
  - J Analyte detected below quantitation limits
  - S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

Reviewed by: Wade Nieuwsma  
Wade Nieuwsma, Water Lab Supervisor

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 9/2/2004  
Report ID: S0408147001

Project: Cogema Christensen Mine  
Lab ID: S0408147-010  
Client Sample ID AP02  
Matrix: Water

Work Order: S0408147  
Collection Date: 8/12/2004  
Date Received: 8/12/2004 5:00:00 PM

| Analyses                             | Result | PQL    | Qual | Units | Date Analyzed/Init | Method    |
|--------------------------------------|--------|--------|------|-------|--------------------|-----------|
| <b>Cation/Anion-Milliequivalents</b> |        |        |      |       |                    |           |
| Bicarbonate as HCO <sub>3</sub>      | 4.37   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Carbonate as CO <sub>3</sub>         | 0.15   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Hydroxide as OH                      | ND     | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Chloride                             | 0.21   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Fluoride                             | ND     | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Nitrate + Nitrite as N               | ND     | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Sulfate                              | 4.72   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Calcium                              | 1.36   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Magnesium                            | 0.47   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Potassium                            | 0.09   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Sodium                               | 7.55   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| <b>Cation / Anion Balance</b>        |        |        |      |       |                    |           |
| Cation Sum                           | 9.48   | 0      |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Anion Sum                            | 9.47   | 0      |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Cation-Anion Balance                 | 0.04   | 0      |      | %     | 09/01/2004 1240 JG | SM 1030F  |
| <b>Dissolved Metals</b>              |        |        |      |       |                    |           |
| Aluminum                             | ND     | 0.1    |      | mg/L  | 08/16/2004 1003 MH | EPA 200.7 |
| Arsenic                              | ND     | 0.005  |      | mg/L  | 08/13/2004 1522 MS | EPA 200.8 |
| Barium                               | ND     | 0.5    |      | mg/L  | 08/13/2004 1522 MS | EPA 200.8 |
| Boron                                | 0.05   | 0.01   |      | mg/L  | 08/16/2004 1003 MH | EPA 200.7 |
| Cadmium                              | ND     | 0.002  |      | mg/L  | 08/13/2004 1522 MS | EPA 200.8 |
| Chromium                             | ND     | 0.01   |      | mg/L  | 08/16/2004 1003 MH | EPA 200.7 |
| Copper                               | ND     | 0.01   |      | mg/L  | 08/13/2004 1522 MS | EPA 200.8 |
| Iron                                 | ND     | 0.05   |      | mg/L  | 08/16/2004 1003 MH | EPA 200.7 |
| Lead                                 | ND     | 0.02   |      | mg/L  | 08/13/2004 1522 MS | EPA 200.8 |
| Manganese                            | 0.02   | 0.02   |      | mg/L  | 08/16/2004 1003 MH | EPA 200.7 |
| Mercury                              | ND     | 0.001  |      | mg/L  | 08/20/2004 000 MS  | EPA 245.1 |
| Molybdenum                           | ND     | 0.02   |      | mg/L  | 08/13/2004 1522 MS | EPA 200.8 |
| Nickel                               | ND     | 0.01   |      | mg/L  | 08/16/2004 1003 MH | EPA 200.7 |
| Selenium                             | 0.020  | 0.005  |      | mg/L  | 08/13/2004 1522 MS | EPA 200.8 |
| Uranium                              | 0.491  | 0.0001 |      | mg/L  | 08/13/2004 1522 MS | EPA 200.8 |
| Vanadium                             | ND     | 0.02   |      | mg/L  | 08/13/2004 1522 MS | EPA 200.8 |
| Zinc                                 | ND     | 0.01   |      | mg/L  | 08/16/2004 1003 MH | EPA 200.7 |

These results apply only to the samples tested.

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
ND Not Detected at the Reporting Limit

Reviewed by: Wade Nieuwsma for  
Wade Nieuwsma, Water Lab Supervisor

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 9/2/2004  
Report ID: S0408147001

Project: Cogema Christensen Mine  
Lab ID: S0408147-011  
Client Sample ID 5AG68-1  
Matrix: Water

Work Order: S0408147  
Collection Date: 8/12/2004  
Date Received: 8/12/2004 5:00:00 PM

| Analyses                               | Result   | PQL  | Qual | Units    | Date Analyzed/Init | Method      |
|--|----------|------|------|----------|--------------------|-------------|
| <b>General Parameters</b>              |          |      |      |          |                    |             |
| pH                                     | 8.1      | 0.1  |      | s.u.     | 08/13/2004 1833 JG | EPA 150.1   |
| Electrical Conductivity                | 331      | 5    |      | µmhos/cm | 08/13/2004 1833 JG | SM 2510B    |
| Total Dissolved Solids (180)           | 190      | 10   |      | mg/L     | 08/13/2004 1205 KA | SM 2540     |
| Solids, Total Dissolved (Calc)         | 180      | 10   |      | mg/L     | 09/01/2004 1240 JG | SM 1030F    |
| Acidity, Total (As CaCO3)              | ND       | 5    |      | mg/L     | 08/16/2004 000 JG  | SM 2310B    |
| Alkalinity, Total (As CaCO3)           | 123      | 5    |      | mg/L     | 08/13/2004 1833 JG | SM 2320B    |
| Hardness, Calcium/Magnesium (As CaCO3) | 39       | 1    |      | mg/L     | 09/01/2004 1240 JG | SM 2340B    |
| Nitrogen, Ammonia (As N)               | ND       | 0.1  |      | mg/L     | 08/20/2004 2245 RM | EPA 350.1   |
| Nitrogen, Nitrite (as N)               | ND       | 0.05 |      | mg/L     | 08/13/2004 1544 RM | EPA 353.2   |
| Silica as SiO2                         | 3.4      | 0.1  |      | mg/L     | 08/16/2004 1006 MH | EPA 200.7   |
| Radium 226                             | 77.9±6.9 | 0.2  |      | pCi/L    | 08/21/2004 817 JN  | SM 7500     |
| Sodium Adsorption Ratio                | 3.7      | 0.1  |      |          | 09/01/2004 1240 JG | Calculation |
| <b>Anions</b>                          |          |      |      |          |                    |             |
| Alkalinity, Bicarbonate as HCO3        | 150      | 5    |      | mg/L     | 08/13/2004 1833 JG | SM 2320B    |
| Alkalinity, Carbonate as CO3           | ND       | 5    |      | mg/L     | 08/13/2004 1833 JG | SM 2320B    |
| Alkalinity, Hydroxide as OH            | ND       | 5    |      | mg/L     | 08/13/2004 1833 JG | SM 2320B    |
| Chloride                               | 3        | 1    |      | mg/L     | 08/16/2004 1058 LK | EPA 300.0   |
| Fluoride                               | ND       | 0.1  |      | mg/L     | 08/13/2004 1833 JG | SM 4500FC   |
| Nitrogen, Nitrate-Nitrite (as N)       | ND       | 0.05 |      | mg/L     | 08/17/2004 1221 RM | EPA 353.2   |
| Sulfate                                | 36       | 1    |      | mg/L     | 08/16/2004 1058 LK | EPA 300.0   |
| <b>Cations</b>                         |          |      |      |          |                    |             |
| Calcium                                | 12       | 1    |      | mg/L     | 08/24/2004 913 MH  | EPA 200.7   |
| Magnesium                              | 2        | 1    |      | mg/L     | 08/24/2004 913 MH  | EPA 200.7   |
| Potassium                              | 2        | 1    |      | mg/L     | 08/24/2004 913 MH  | EPA 200.7   |
| Sodium                                 | 54       | 1    |      | mg/L     | 08/24/2004 913 MH  | EPA 200.7   |

These results apply only to the samples tested.

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
ND Not Detected at the Reporting Limit

Reviewed by: Wade Nieuwsma  
Wade Nieuwsma, Water Lab Supervisor



Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 9/2/2004  
Report ID: S0408147001

Project: Cogema Christensen Mine  
Lab ID: S0408147-011  
Client Sample ID 5AG68-1  
Matrix: Water

Work Order: S0408147  
Collection Date: 8/12/2004  
Date Received: 8/12/2004 5:00:00 PM

| Analyses                             | Result | PQL    | Qual | Units | Date Analyzed/Init | Method    |
|--------------------------------------|--------|--------|------|-------|--------------------|-----------|
| <b>Cation/Anion-Milliequivalents</b> |        |        |      |       |                    |           |
| Bicarbonate as HCO3                  | 2.46   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Carbonate as CO3                     | ND     | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Hydroxide as OH                      | ND     | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Chloride                             | 0.08   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Fluoride                             | ND     | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Nitrate + Nitrite as N               | ND     | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Sulfate                              | 0.73   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Calcium                              | 0.59   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Magnesium                            | 0.18   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Potassium                            | 0.05   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Sodium                               | 2.32   | 0.01   |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| <b>Cation / Anion Balance</b>        |        |        |      |       |                    |           |
| Cation Sum                           | 3.16   | 0      |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Anion Sum                            | 3.28   | 0      |      | meq/L | 09/01/2004 1240 JG | SM 1030F  |
| Cation-Anion Balance                 | 1.95   | 0      |      | %     | 09/01/2004 1240 JG | SM 1030F  |
| <b>Dissolved Metals</b>              |        |        |      |       |                    |           |
| Aluminum                             | ND     | 0.1    |      | mg/L  | 08/16/2004 1006 MH | EPA 200.7 |
| Arsenic                              | 0.005  | 0.005  |      | mg/L  | 08/13/2004 1525 MS | EPA 200.8 |
| Barium                               | ND     | 0.5    |      | mg/L  | 08/13/2004 1525 MS | EPA 200.8 |
| Boron                                | 0.04   | 0.01   |      | mg/L  | 08/16/2004 1006 MH | EPA 200.7 |
| Cadmium                              | ND     | 0.002  |      | mg/L  | 08/13/2004 1525 MS | EPA 200.8 |
| Chromium                             | ND     | 0.01   |      | mg/L  | 08/16/2004 1006 MH | EPA 200.7 |
| Copper                               | ND     | 0.01   |      | mg/L  | 08/13/2004 1525 MS | EPA 200.8 |
| Iron                                 | ND     | 0.05   |      | mg/L  | 08/16/2004 1006 MH | EPA 200.7 |
| Lead                                 | ND     | 0.02   |      | mg/L  | 08/13/2004 1525 MS | EPA 200.8 |
| Manganese                            | 0.02   | 0.02   |      | mg/L  | 08/16/2004 1006 MH | EPA 200.7 |
| Mercury                              | ND     | 0.001  |      | mg/L  | 08/20/2004 000 MS  | EPA 245.1 |
| Molybdenum                           | ND     | 0.02   |      | mg/L  | 08/13/2004 1525 MS | EPA 200.8 |
| Nickel                               | ND     | 0.01   |      | mg/L  | 08/16/2004 1006 MH | EPA 200.7 |
| Selenium                             | 0.296  | 0.005  |      | mg/L  | 08/13/2004 1525 MS | EPA 200.8 |
| Uranium                              | 0.537  | 0.0001 |      | mg/L  | 08/13/2004 1525 MS | EPA 200.8 |
| Vanadium                             | 0.23   | 0.02   |      | mg/L  | 08/13/2004 1525 MS | EPA 200.8 |
| Zinc                                 | ND     | 0.01   |      | mg/L  | 08/16/2004 1006 MH | EPA 200.7 |

These results apply only to the samples tested.

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
ND Not Detected at the Reporting Limit

Reviewed by: Wade Nieuwsma  
Wade Nieuwsma, Water Lab Supervisor

**SAMPLE SUBMITTAL AND CHAIN OF CUSTODY FORM**

COGEMA Mining Inc.; PO Box 730 Mills, WY 82644  
Phone 464-1429 (Christensen Mine) or 234-5019 (Mills Office)

Samples shipped to Inter-mountain lab sheridan,wy

Submitted by [Signature] Date 8-11-04

Received by [Signature] Date 8-11-04  
17:15

**Restoration Sample Description**

Location:     Irigaray  Christensen Mine or Production Unit 5 Module # (if applicale)    

Restoration Phase:     Groundwater Sweep (explain    )  
    Reverse Osmosis Filtration (explain    )  
    Recirculation (explain    )  
 Stabilization (explain MU5 / Rainwater)

\*Analysis Requested: DEQ Guideline # 8 (Ca, Mg, Na, K, CO3, HCO3, SO4, Cl, NH4, NO2, NO3, TDS, Cond., Tot. Alk., pH, SiO2, Al, As, Ba, B, Cd, Cr, Cu, F, Fe, Pb, Mn, Hg, Mo, Ni, Se, Zn, U, V, Ra226)

Send Analysis Results to : Tom nicholson

| #  | Identification Name | Sample Date | Sample Volume | Water Sample Preservation (X) |           |      |       | Comments |
|----|---------------------|-------------|---------------|-------------------------------|-----------|------|-------|----------|
|    |                     |             |               | Filtered                      | Not Filt. | HNO3 | H2SO4 |          |
| 1  | 5AL66-1             | 8-11-04     | Half Gal.     | X                             |           | X    |       |          |
|    |                     |             | Quart         | X                             |           |      |       |          |
|    |                     |             | 8 ozs.        |                               | X         |      |       |          |
|    |                     |             | 8 ozs.        | X                             |           |      | X     |          |
| 2  | 5AM78-2             |             | **            | **                            | **        | **   | **    |          |
| 3  | 5AE80-1             |             | **            | **                            | **        | **   | **    |          |
| 4  | 5AP54-1             |             | **            | **                            | **        | **   | **    |          |
| 5  | 5AQ14-1             |             | **            | **                            | **        | **   | **    |          |
| 6  | 5RB46-1             |             | **            | **                            | **        | **   | **    |          |
| 7  | 5BJ62-1             |             | **            | **                            | **        | **   | **    |          |
| 8  | TW0001              |             | **            | **                            | **        | **   | **    |          |
| 9  | MW07                |             | **            | **                            | **        | **   | **    |          |
| 10 | 5BR58-1             |             | **            | **                            | **        | **   | **    |          |
| 11 | 5RAN8-1             |             | **            | **                            | **        | **   | **    |          |
| 12 | 5RD50-1             |             | **            | **                            | **        | **   | **    |          |
| 13 | 5BH58-2             |             | **            | **                            | **        | **   | **    |          |
| 14 | 5RJ54-1             |             | **            | **                            | **        | **   | **    |          |
| 15 |                     |             | **            | **                            | **        | **   | **    |          |

\*All analysis will be performed in accordance with EPA approved procedures and/or the latest edition of Standard Methods.  
\*\* Same as sample #1  
L:\LARRY\pvds\pvds

**SAMPLE SUBMITTAL AND CHAIN OF CUSTODY FORM**

COGEMA Mining Inc.; PO Box 730 Mills, WY 82644  
Phone 464-1429 (Christensen Mine) or 234-5019 (Mills Office)

Samples shipped to Inter-mountain lab sheridan,wy

17°C

Submitted by [Signature] Date 8-11-04

Received by [Signature] Date 8-11-04

17.15

**Restoration Sample Description**

Location: \_\_\_ Irigaray  Christensen Mine or Production Unit 5 Module # (if applicale) \_\_\_\_\_

Restoration Phase: \_\_\_ Groundwater Sweep (explain \_\_\_\_\_)  
 \_\_\_ Reverse Osmosis Filtration (explain \_\_\_\_\_)  
 \_\_\_ Recirculation (explain \_\_\_\_\_)  
 Stabilization (explain MUS / Roubid. 4)

\*Analysis Requested: DEQ Guideline # 8 (Ca, Mg, Na, K, CO3, HCO3, SO4, Cl, NH4, NO2, NO3, TDS, Cond., Tot. Alk., pH, SiO2, Al, As, Ba, B, Cd, Cr, Cu, F, Fe, Pb, Mn, Hg, Mo, Ni, Se, Zn, U, V, Ra226)

Send Analysis Results to : Tom nicholson

| #  | Identification Name | Sample Date | Sample Volume | Water Sample Preservation (X) |           |      |       | Lab id    | Comments |
|----|---------------------|-------------|---------------|-------------------------------|-----------|------|-------|-----------|----------|
|    |                     |             |               | Filtered                      | Not Filt. | HNO3 | H2SO4 |           |          |
| 1  | 5AW66-1             | 8-11-04     | Half Gal.     | X                             |           | X    |       | 08139-001 |          |
|    |                     |             | Quart         | X                             |           |      |       |           |          |
|    |                     |             | 8 ozs.        |                               | X         |      |       |           |          |
|    |                     |             | 8 ozs.        | X                             |           |      | X     |           |          |
| 2  | 5AM78-2             |             | **            | **                            | **        | **   | **    | -002      |          |
| 3  | 5AE80-1             |             | **            | **                            | **        | **   | **    | -003      |          |
| 4  | 5AP54-1             |             | **            | **                            | **        | **   | **    | -004      |          |
| 5  | 5AP54-1             |             | **            | **                            | **        | **   | **    | -005      |          |
| 6  | 5BB46-1             |             | **            | **                            | **        | **   | **    | 006       |          |
| 7  | 5BJ62-1             |             | **            | **                            | **        | **   | **    | 007       |          |
| 8  | TW0001              |             | **            | **                            | **        | **   | **    | 008       |          |
| 9  | MW07                |             | **            | **                            | **        | **   | **    | 009       |          |
| 10 | 5BK58-1             |             | **            | **                            | **        | **   | **    | 010       |          |
| 11 | 5BANA-1             |             | **            | **                            | **        | **   | **    | 011       |          |
| 12 | 5BD50-1             |             | **            | **                            | **        | **   | **    | 012       |          |
| 13 | 5BH58-2             |             | **            | **                            | **        | **   | **    | 013       |          |
| 14 | 5RJ54-1             |             | **            | **                            | **        | **   | **    | 014       |          |
| 15 |                     |             | **            | **                            | **        | **   | **    | 015<br>ML |          |

\*All analysis will be performed in accordance with EPA approved procedures and/or the latest edition of Standard Methods.  
 \*\* Same as sample #1

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 9/2/2004  
Report ID: S0408139001

Project: Cogema Christensen Mine  
Lab ID: S0408139-001  
Client Sample ID 5AL66-1  
Matrix: Water

Work Order: S0408139  
Collection Date: 8/11/2004  
Date Received: 8/11/2004 5:15:00 PM

| Analyses                               | Result | PQL  | Qual | Units    | Date Analyzed/Init | Method      |
|--|--------|------|------|----------|--------------------|-------------|
| <b>General Parameters</b>              |        |      |      |          |                    |             |
| pH                                     | 7.9    | 0.1  |      | s.u.     | 08/12/2004 1615 JG | EPA 150.1   |
| Electrical Conductivity                | 1320   | 5    |      | µmhos/cm | 08/12/2004 1615 JG | SM 2510B    |
| Total Dissolved Solids (180)           | 830    | 10   |      | mg/L     | 08/13/2004 940 KA  | SM 2540     |
| Solids, Total Dissolved (Calc)         | 770    | 10   |      | mg/L     | 09/01/2004 1642 JG | SM 1030F    |
| Acidity, Total (As CaCO3)              | ND     | 5    |      | mg/L     | 08/16/2004 000 JG  | SM 2310B    |
| Alkalinity, Total (As CaCO3)           | 477    | 5    |      | mg/L     | 08/12/2004 1615 JG | SM 2320B    |
| Hardness, Calcium/Magnesium (As CaCO3) | 204    | 1    |      | mg/L     | 09/01/2004 1642 JG | SM 2340B    |
| Nitrogen, Ammonia (As N)               | ND     | 0.1  |      | mg/L     | 08/13/2004 1208 RM | EPA 350.1   |
| Nitrogen, Nitrite (as N)               | ND     | 0.05 |      | mg/L     | 08/12/2004 1116 RM | EPA 353.2   |
| Silica as SiO2                         | 6.1    | 0.1  |      | mg/L     | 08/16/2004 719 MH  | EPA 200.7   |
| Radium 226                             | 256±12 | 0.2  |      | pCi/L    | 08/18/2004 2204 JN | SM 7500     |
| Sodium Adsorption Ratio                | 6.5    | 0.1  |      |          | 09/01/2004 1642 JG | Calculation |
| <b>Anions</b>                          |        |      |      |          |                    |             |
| Alkalinity, Bicarbonate as HCO3        | 582    | 5    |      | mg/L     | 08/12/2004 1615 JG | SM 2320B    |
| Alkalinity, Carbonate as CO3           | ND     | 5    |      | mg/L     | 08/12/2004 1615 JG | SM 2320B    |
| Alkalinity, Hydroxide as OH            | ND     | 5    |      | mg/L     | 08/12/2004 1615 JG | SM 2320B    |
| Chloride                               | 21     | 1    |      | mg/L     | 08/13/2004 1029 LK | EPA 300.0   |
| Fluoride                               | ND     | 0.1  |      | mg/L     | 08/12/2004 1615 JG | SM 4500FC   |
| Nitrogen, Nitrate-Nitrite (as N)       | 0.07   | 0.05 |      | mg/L     | 08/17/2004 1114 RM | EPA 353.2   |
| Sulfate                                | 175    | 1    |      | mg/L     | 08/13/2004 1029 LK | EPA 300.0   |
| <b>Cations</b>                         |        |      |      |          |                    |             |
| Calcium                                | 61     | 1    |      | mg/L     | 08/16/2004 719 MH  | EPA 200.7   |
| Magnesium                              | 13     | 1    |      | mg/L     | 08/16/2004 719 MH  | EPA 200.7   |
| Potassium                              | 5      | 1    |      | mg/L     | 08/16/2004 719 MH  | EPA 200.7   |
| Sodium                                 | 213    | 1    |      | mg/L     | 08/16/2004 719 MH  | EPA 200.7   |

These results apply only to the samples tested.

- Qualifiers:
- \* Value exceeds Maximum Contaminant Level
  - E Value above quantitation range
  - J Analyte detected below quantitation limits
  - S Spike Recovery outside accepted recovery limits
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Reporting Limit

Reviewed by: Wade Nieuwsma  
Wade Nieuwsma, Water Lab Supervisor

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 9/2/2004  
Report ID: S0408139001

Project: Cogema Christensen Mine  
Lab ID: S0408139-001  
Client Sample ID 5AL66-1  
Matrix: Water

Work Order: S0408139  
Collection Date: 8/11/2004  
Date Received: 8/11/2004 5:15:00 PM

| Analyses                             | Result | PQL    | Qual | Units | Date Analyzed/Init | Method    |
|--------------------------------------|--------|--------|------|-------|--------------------|-----------|
| <b>Cation/Anion-Milliequivalents</b> |        |        |      |       |                    |           |
| Bicarbonate as HCO3                  | 9.53   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Carbonate as CO3                     | ND     | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Hydroxide as OH                      | ND     | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Chloride                             | 0.59   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Fluoride                             | ND     | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Nitrate + Nitrite as N               | ND     | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Sulfate                              | 3.64   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Calcium                              | 3.02   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Magnesium                            | 1.05   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Potassium                            | 0.12   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Sodium                               | 9.28   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| <b>Cation / Anion Balance</b>        |        |        |      |       |                    |           |
| Cation Sum                           | 13.48  | 0      |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Anion Sum                            | 13.78  | 0      |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Cation-Anion Balance                 | 1.08   | 0      |      | %     | 09/01/2004 1642 JG | SM 1030F  |
| <b>Dissolved Metals</b>              |        |        |      |       |                    |           |
| Aluminum                             | ND     | 0.1    |      | mg/L  | 08/16/2004 719 MH  | EPA 200.7 |
| Arsenic                              | ND     | 0.005  |      | mg/L  | 08/12/2004 1547 MS | EPA 200.8 |
| Barium                               | ND     | 0.5    |      | mg/L  | 08/12/2004 1547 MS | EPA 200.8 |
| Boron                                | 0.08   | 0.01   |      | mg/L  | 08/16/2004 719 MH  | EPA 200.7 |
| Cadmium                              | ND     | 0.002  |      | mg/L  | 08/12/2004 1547 MS | EPA 200.8 |
| Chromium                             | ND     | 0.01   |      | mg/L  | 08/16/2004 719 MH  | EPA 200.7 |
| Copper                               | ND     | 0.01   |      | mg/L  | 08/12/2004 1547 MS | EPA 200.8 |
| Iron                                 | ND     | 0.05   |      | mg/L  | 08/16/2004 719 MH  | EPA 200.7 |
| Lead                                 | ND     | 0.02   |      | mg/L  | 08/12/2004 1547 MS | EPA 200.8 |
| Manganese                            | 0.14   | 0.02   |      | mg/L  | 08/16/2004 719 MH  | EPA 200.7 |
| Mercury                              | ND     | 0.001  |      | mg/L  | 08/13/2004 000 MS  | EPA 245.1 |
| Molybdenum                           | ND     | 0.02   |      | mg/L  | 08/12/2004 1547 MS | EPA 200.8 |
| Nickel                               | ND     | 0.01   |      | mg/L  | 08/16/2004 719 MH  | EPA 200.7 |
| Selenium                             | 0.811  | 0.005  |      | mg/L  | 08/12/2004 1547 MS | EPA 200.8 |
| Uranium                              | 2.13   | 0.0001 |      | mg/L  | 08/12/2004 1547 MS | EPA 200.8 |
| Vanadium                             | 0.10   | 0.02   |      | mg/L  | 08/12/2004 1547 MS | EPA 200.8 |
| Zinc                                 | ND     | 0.01   |      | mg/L  | 08/16/2004 719 MH  | EPA 200.7 |

These results apply only to the samples tested.

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
ND Not Detected at the Reporting Limit

Reviewed by: Wade Nieuwsma  
Wade Nieuwsma, Water Lab Supervisor

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 9/2/2004  
Report ID: S0408139001

Project: Cogema Christensen Mine  
Lab ID: S0408139-002  
Client Sample ID 5AM78-2  
Matrix: Water

Work Order: S0408139  
Collection Date: 8/11/2004  
Date Received: 8/11/2004 5:15:00 PM

| Analyses                               | Result | PQL  | Qual | Units    | Date Analyzed/Init | Method      |
|--|--------|------|------|----------|--------------------|-------------|
| <b>General Parameters</b>              |        |      |      |          |                    |             |
| pH                                     | 7.9    | 0.1  |      | s.u.     | 08/12/2004 1628 JG | EPA 150.1   |
| Electrical Conductivity                | 840    | 5    |      | µmhos/cm | 08/12/2004 1628 JG | SM 2510B    |
| Total Dissolved Solids (180)           | 520    | 10   |      | mg/L     | 08/13/2004 945 KA  | SM 2540     |
| Solids, Total Dissolved (Calc)         | 480    | 10   |      | mg/L     | 09/01/2004 1642 JG | SM 1030F    |
| Acidity, Total (As CaCO3)              | ND     | 5    |      | mg/L     | 08/16/2004 000 JG  | SM 2310B    |
| Alkalinity, Total (As CaCO3)           | 249    | 5    |      | mg/L     | 08/12/2004 1628 JG | SM 2320B    |
| Hardness, Calcium/Magnesium (As CaCO3) | 102    | 1    |      | mg/L     | 09/01/2004 1642 JG | SM 2340B    |
| Nitrogen, Ammonia (As N)               | ND     | 0.1  |      | mg/L     | 08/13/2004 1209 RM | EPA 350.1   |
| Nitrogen, Nitrite (as N)               | ND     | 0.05 |      | mg/L     | 08/12/2004 1117 RM | EPA 353.2   |
| Silica as SiO2                         | 7.8    | 0.1  |      | mg/L     | 08/16/2004 726 MH  | EPA 200.7   |
| Radium 226                             | 525±17 | 0.2  |      | pCi/L    | 08/18/2004 2204 JN | SM 7500     |
| Sodium Adsorption Ratio                | 6.0    | 0.1  |      |          | 09/01/2004 1642 JG | Calculation |
| <b>Anions</b>                          |        |      |      |          |                    |             |
| Alkalinity, Bicarbonate as HCO3        | 304    | 5    |      | mg/L     | 08/12/2004 1628 JG | SM 2320B    |
| Alkalinity, Carbonate as CO3           | ND     | 5    |      | mg/L     | 08/12/2004 1628 JG | SM 2320B    |
| Alkalinity, Hydroxide as OH            | ND     | 5    |      | mg/L     | 08/12/2004 1628 JG | SM 2320B    |
| Chloride                               | 12     | 1    |      | mg/L     | 08/13/2004 1122 LK | EPA 300.0   |
| Fluoride                               | ND     | 0.1  |      | mg/L     | 08/12/2004 1628 JG | SM 4500FC   |
| Nitrogen, Nitrate-Nitrite (as N)       | ND     | 0.05 |      | mg/L     | 08/17/2004 1115 RM | EPA 353.2   |
| Sulfate                                | 140    | 1    |      | mg/L     | 08/13/2004 1122 LK | EPA 300.0   |
| <b>Cations</b>                         |        |      |      |          |                    |             |
| Calcium                                | 30     | 1    |      | mg/L     | 08/24/2004 818 MH  | EPA 200.7   |
| Magnesium                              | 7      | 1    |      | mg/L     | 08/24/2004 818 MH  | EPA 200.7   |
| Potassium                              | 3      | 1    |      | mg/L     | 08/24/2004 818 MH  | EPA 200.7   |
| Sodium                                 | 140    | 1    |      | mg/L     | 08/24/2004 818 MH  | EPA 200.7   |

These results apply only to the samples tested.

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
ND Not Detected at the Reporting Limit

Reviewed by: Karen Banks  
Wade Nieuwsma, Water Lab Supervisor

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 9/2/2004  
Report ID: S0408139001

Project: Cogema Christensen Mine  
Lab ID: S0408139-002  
Client Sample ID 5AM78-2  
Matrix: Water

Work Order: S0408139  
Collection Date: 8/11/2004  
Date Received: 8/11/2004 5:15:00 PM

| Analyses                             | Result | PQL    | Qual | Units | Date Analyzed/Init | Method    |
|--------------------------------------|--------|--------|------|-------|--------------------|-----------|
| <b>Cation/Anion-Milliequivalents</b> |        |        |      |       |                    |           |
| Bicarbonate as HCO3                  | 4.98   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Carbonate as CO3                     | ND     | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Hydroxide as OH                      | ND     | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Chloride                             | 0.34   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Fluoride                             | ND     | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Nitrate + Nitrite as N               | ND     | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Sulfate                              | 2.92   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Calcium                              | 1.51   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Magnesium                            | 0.53   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Potassium                            | 0.07   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Sodium                               | 6.09   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| <b>Cation / Anion Balance</b>        |        |        |      |       |                    |           |
| Cation Sum                           | 8.21   | 0      |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Anion Sum                            | 8.25   | 0      |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Cation-Anion Balance                 | 0.27   | 0      |      | %     | 09/01/2004 1642 JG | SM 1030F  |
| <b>Dissolved Metals</b>              |        |        |      |       |                    |           |
| Aluminum                             | ND     | 0.1    |      | mg/L  | 08/16/2004 726 MH  | EPA 200.7 |
| Arsenic                              | ND     | 0.005  |      | mg/L  | 08/12/2004 1503 MS | EPA 200.8 |
| Barium                               | ND     | 0.5    |      | mg/L  | 08/12/2004 1503 MS | EPA 200.8 |
| Boron                                | 0.08   | 0.01   |      | mg/L  | 08/16/2004 726 MH  | EPA 200.7 |
| Cadmium                              | ND     | 0.002  |      | mg/L  | 08/12/2004 1503 MS | EPA 200.8 |
| Chromium                             | ND     | 0.01   |      | mg/L  | 08/16/2004 726 MH  | EPA 200.7 |
| Copper                               | ND     | 0.01   |      | mg/L  | 08/12/2004 1503 MS | EPA 200.8 |
| Iron                                 | 0.09   | 0.05   |      | mg/L  | 08/16/2004 726 MH  | EPA 200.7 |
| Lead                                 | ND     | 0.02   |      | mg/L  | 08/12/2004 1503 MS | EPA 200.8 |
| Manganese                            | 0.09   | 0.02   |      | mg/L  | 08/16/2004 726 MH  | EPA 200.7 |
| Mercury                              | ND     | 0.001  |      | mg/L  | 08/13/2004 000 MS  | EPA 245.1 |
| Molybdenum                           | ND     | 0.02   |      | mg/L  | 08/12/2004 1503 MS | EPA 200.8 |
| Nickel                               | ND     | 0.01   |      | mg/L  | 08/16/2004 726 MH  | EPA 200.7 |
| Selenium                             | 0.166  | 0.005  |      | mg/L  | 08/12/2004 1503 MS | EPA 200.8 |
| Uranium                              | 1.28   | 0.0001 |      | mg/L  | 08/12/2004 1503 MS | EPA 200.8 |
| Vanadium                             | 0.06   | 0.02   |      | mg/L  | 08/12/2004 1503 MS | EPA 200.8 |
| Zinc                                 | ND     | 0.01   |      | mg/L  | 08/16/2004 726 MH  | EPA 200.7 |

These results apply only to the samples tested.

- Qualifiers: \* Value exceeds Maximum Contaminant Level  
 E Value above quantitation range  
 J Analyte detected below quantitation limits  
 S Spike Recovery outside accepted recovery limits  
 B Analyte detected in the associated Method Blank  
 H Holding times for preparation or analysis exceeded  
 ND Not Detected at the Reporting Limit

Reviewed by: Karen A. Nieuwsma  
 Wade Nieuwsma, Water Lab Supervisor

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
 P. O. Box 730  
 Mills, WY 82644

Date Reported: 9/2/2004  
 Report ID: S0408139001

Project: Cogema Christensen Mine  
 Lab ID: S0408139-003  
 Client Sample ID 5AE80-1  
 Matrix: Water

Work Order: S0408139  
 Collection Date: 8/11/2004  
 Date Received: 8/11/2004 5:15:00 PM

| Analyses                               | Result | PQL  | Qual | Units    | Date Analyzed/Init | Method      |
|--|--------|------|------|----------|--------------------|-------------|
| <b>General Parameters</b>              |        |      |      |          |                    |             |
| pH                                     | 7.9    | 0.1  |      | s.u.     | 08/12/2004 1643 JG | EPA 150.1   |
| Electrical Conductivity                | 1820   | 5    |      | µmhos/cm | 08/12/2004 1643 JG | SM 2510B    |
| Total Dissolved Solids (180)           | 1190   | 10   |      | mg/L     | 08/13/2004 950 KA  | SM 2540     |
| Solids, Total Dissolved (Calc)         | 1120   | 10   |      | mg/L     | 09/01/2004 1642 JG | SM 1030F    |
| Acidity, Total (As CaCO3)              | ND     | 5    |      | mg/L     | 08/16/2004 000 JG  | SM 2310B    |
| Alkalinity, Total (As CaCO3)           | 575    | 5    |      | mg/L     | 08/12/2004 1643 JG | SM 2320B    |
| Hardness, Calcium/Magnesium (As CaCO3) | 320    | 1    |      | mg/L     | 09/01/2004 1642 JG | SM 2340B    |
| Nitrogen, Ammonia (As N)               | ND     | 0.1  |      | mg/L     | 08/13/2004 1210 RM | EPA 350.1   |
| Nitrogen, Nitrite (as N)               | ND     | 0.05 |      | mg/L     | 08/12/2004 1118 RM | EPA 353.2   |
| Silica as SiO2                         | 9.8    | 0.1  |      | mg/L     | 08/16/2004 733 MH  | EPA 200.7   |
| Radium 226                             | 327±13 | 0.2  |      | pCi/L    | 08/18/2004 2204 JN | SM 7500     |
| Sodium Adsorption Ratio                | 7.0    | 0.1  |      |          | 09/01/2004 1642 JG | Calculation |
| <b>Anions</b>                          |        |      |      |          |                    |             |
| Alkalinity, Bicarbonate as HCO3        | 702    | 5    |      | mg/L     | 08/12/2004 1643 JG | SM 2320B    |
| Alkalinity, Carbonate as CO3           | ND     | 5    |      | mg/L     | 08/12/2004 1643 JG | SM 2320B    |
| Alkalinity, Hydroxide as OH            | ND     | 5    |      | mg/L     | 08/12/2004 1643 JG | SM 2320B    |
| Chloride                               | 35     | 1    |      | mg/L     | 08/13/2004 1136 LK | EPA 300.0   |
| Fluoride                               | ND     | 0.1  |      | mg/L     | 08/12/2004 1643 JG | SM 4500FC   |
| Nitrogen, Nitrate-Nitrite (as N)       | ND     | 0.05 |      | mg/L     | 08/17/2004 1116 RM | EPA 353.2   |
| Sulfate                                | 323    | 1    |      | mg/L     | 08/13/2004 1136 LK | EPA 300.0   |
| <b>Cations</b>                         |        |      |      |          |                    |             |
| Calcium                                | 99     | 1    |      | mg/L     | 08/16/2004 733 MH  | EPA 200.7   |
| Magnesium                              | 18     | 1    |      | mg/L     | 08/16/2004 733 MH  | EPA 200.7   |
| Potassium                              | 7      | 1    |      | mg/L     | 08/16/2004 733 MH  | EPA 200.7   |
| Sodium                                 | 289    | 1    |      | mg/L     | 08/16/2004 733 MH  | EPA 200.7   |

These results apply only to the samples tested.

- Qualifiers:
- \* Value exceeds Maximum Contaminant Level
  - E Value above quantitation range
  - J Analyte detected below quantitation limits
  - S Spike Recovery outside accepted recovery limits
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Reporting Limit

Reviewed by: Wade Nieuwsma  
 Wade Nieuwsma, Water Lab Supervisor



Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 9/2/2004  
Report ID: S0408139001

Project: Cogema Christensen Mine  
Lab ID: S0408139-003  
Client Sample ID 5AE80-1  
Matrix: Water

Work Order: S0408139  
Collection Date: 8/11/2004  
Date Received: 8/11/2004 5:15:00 PM

| Analyses                             | Result | PQL    | Quai | Units | Date Analyzed/Init | Method    |
|--------------------------------------|--------|--------|------|-------|--------------------|-----------|
| <b>Cation/Anion-Milliequivalents</b> |        |        |      |       |                    |           |
| Bicarbonate as HCO3                  | 11.50  | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Carbonate as CO3                     | ND     | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Hydroxide as OH                      | ND     | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Chloride                             | 0.97   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Fluoride                             | ND     | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Nitrate + Nitrite as N               | ND     | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Sulfate                              | 6.71   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Calcium                              | 4.93   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Magnesium                            | 1.46   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Potassium                            | 0.18   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Sodium                               | 12.56  | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| <b>Cation / Anion Balance</b>        |        |        |      |       |                    |           |
| Cation Sum                           | 19.15  | 0      |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Anion Sum                            | 19.19  | 0      |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Cation-Anion Balance                 | 0.10   | 0      |      | %     | 09/01/2004 1642 JG | SM 1030F  |
| <b>Dissolved Metals</b>              |        |        |      |       |                    |           |
| Aluminum                             | ND     | 0.1    |      | mg/L  | 08/16/2004 733 MH  | EPA 200.7 |
| Arsenic                              | 0.011  | 0.005  |      | mg/L  | 08/12/2004 1505 MS | EPA 200.8 |
| Barium                               | ND     | 0.5    |      | mg/L  | 08/12/2004 1505 MS | EPA 200.8 |
| Boron                                | 0.09   | 0.01   |      | mg/L  | 08/16/2004 733 MH  | EPA 200.7 |
| Cadmium                              | ND     | 0.002  |      | mg/L  | 08/12/2004 1505 MS | EPA 200.8 |
| Chromium                             | ND     | 0.01   |      | mg/L  | 08/16/2004 733 MH  | EPA 200.7 |
| Copper                               | ND     | 0.01   |      | mg/L  | 08/12/2004 1505 MS | EPA 200.8 |
| Iron                                 | 0.66   | 0.05   |      | mg/L  | 08/16/2004 733 MH  | EPA 200.7 |
| Lead                                 | ND     | 0.02   |      | mg/L  | 08/12/2004 1505 MS | EPA 200.8 |
| Manganese                            | 0.31   | 0.02   |      | mg/L  | 08/16/2004 733 MH  | EPA 200.7 |
| Mercury                              | ND     | 0.001  |      | mg/L  | 08/13/2004 000 MS  | EPA 245.1 |
| Molybdenum                           | ND     | 0.02   |      | mg/L  | 08/12/2004 1505 MS | EPA 200.8 |
| Nickel                               | ND     | 0.01   |      | mg/L  | 08/16/2004 733 MH  | EPA 200.7 |
| Selenium                             | 0.084  | 0.005  |      | mg/L  | 08/12/2004 1505 MS | EPA 200.8 |
| Uranium                              | 1.79   | 0.0001 |      | mg/L  | 08/12/2004 1505 MS | EPA 200.8 |
| Vanadium                             | 0.14   | 0.02   |      | mg/L  | 08/12/2004 1505 MS | EPA 200.8 |
| Zinc                                 | ND     | 0.01   |      | mg/L  | 08/16/2004 733 MH  | EPA 200.7 |

These results apply only to the samples tested.

- Qualifiers: \* Value exceeds Maximum Contaminant Level  
 E Value above quantitation range  
 J Analyte detected below quantitation limits  
 S Spike Recovery outside accepted recovery limits  
 B Analyte detected in the associated Method Blank  
 H Holding times for preparation or analysis exceeded  
 ND Not Detected at the Reporting Limit

Reviewed by: Wade Nieuwsma  
 Wade Nieuwsma, Water Lab Supervisor

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 9/2/2004  
Report ID: S0408139001

Project: Cogema Christensen Mine  
Lab ID: S0408139-004  
Client Sample ID 5AP54-1  
Matrix: Water

Work Order: S0408139  
Collection Date: 8/11/2004  
Date Received: 8/11/2004 5:15:00 PM

| Analyses                               | Result | PQL  | Qual | Units    | Date Analyzed/Init | Method      |
|--|--------|------|------|----------|--------------------|-------------|
| <b>General Parameters</b>              |        |      |      |          |                    |             |
| pH                                     | 8.1    | 0.1  |      | s.u.     | 08/12/2004 1656 JG | EPA 150.1   |
| Electrical Conductivity                | 1320   | 5    |      | µmhos/cm | 08/12/2004 1656 JG | SM 2510B    |
| Total Dissolved Solids (180)           | 830    | 10   |      | mg/L     | 08/13/2004 955 KA  | SM 2540     |
| Solids, Total Dissolved (Calc)         | 780    | 10   |      | mg/L     | 09/01/2004 1642 JG | SM 1030F    |
| Acidity, Total (As CaCO3)              | ND     | 5    |      | mg/L     | 08/16/2004 000 JG  | SM 2310B    |
| Alkalinity, Total (As CaCO3)           | 481    | 5    |      | mg/L     | 08/12/2004 1656 JG | SM 2320B    |
| Hardness, Calcium/Magnesium (As CaCO3) | 224    | 1    |      | mg/L     | 09/01/2004 1642 JG | SM 2340B    |
| Nitrogen, Ammonia (As N)               | ND     | 0.1  |      | mg/L     | 08/13/2004 1211 RM | EPA 350.1   |
| Nitrogen, Nitrite (as N)               | ND     | 0.05 |      | mg/L     | 08/12/2004 1119 RM | EPA 353.2   |
| Silica as SiO2                         | 7.8    | 0.1  |      | mg/L     | 08/16/2004 737 MH  | EPA 200.7   |
| Radium 226                             | 361±14 | 0.2  |      | pCi/L    | 08/18/2004 1758 JN | SM 7500     |
| Sodium Adsorption Ratio                | 6.0    | 0.1  |      |          | 09/01/2004 1642 JG | Calculation |
| <b>Anions</b>                          |        |      |      |          |                    |             |
| Alkalinity, Bicarbonate as HCO3        | 587    | 5    |      | mg/L     | 08/12/2004 1656 JG | SM 2320B    |
| Alkalinity, Carbonate as CO3           | ND     | 5    |      | mg/L     | 08/12/2004 1656 JG | SM 2320B    |
| Alkalinity, Hydroxide as OH            | ND     | 5    |      | mg/L     | 08/12/2004 1656 JG | SM 2320B    |
| Chloride                               | 22     | 1    |      | mg/L     | 08/13/2004 1149 LK | EPA 300.0   |
| Fluoride                               | ND     | 0.1  |      | mg/L     | 08/12/2004 1656 JG | SM 4500FC   |
| Nitrogen, Nitrate-Nitrite (as N)       | ND     | 0.05 |      | mg/L     | 08/17/2004 1117 RM | EPA 353.2   |
| Sulfate                                | 177    | 1    |      | mg/L     | 08/13/2004 1149 LK | EPA 300.0   |
| <b>Cations</b>                         |        |      |      |          |                    |             |
| Calcium                                | 68     | 1    |      | mg/L     | 08/16/2004 737 MH  | EPA 200.7   |
| Magnesium                              | 13     | 1    |      | mg/L     | 08/16/2004 737 MH  | EPA 200.7   |
| Potassium                              | 6      | 1    |      | mg/L     | 08/16/2004 737 MH  | EPA 200.7   |
| Sodium                                 | 206    | 1    |      | mg/L     | 08/16/2004 737 MH  | EPA 200.7   |

These results apply only to the samples tested.

- Qualifiers:
- \* Value exceeds Maximum Contaminant Level
  - E Value above quantitation range
  - J Analyte detected below quantitation limits
  - S Spike Recovery outside accepted recovery limits
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Reporting Limit

Reviewed by: Wade Neuwisma  
Wade Neuwisma, Water Lab Supervisor

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 9/2/2004  
Report ID: S0408139001

Project: Cogema Christensen Mine  
Lab ID: S0408139-004  
Client Sample ID 5AP54-1  
Matrix: Water

Work Order: S0408139  
Collection Date: 8/11/2004  
Date Received: 8/11/2004 5:15:00 PM

| Analyses                             | Result | PQL    | Qual | Units | Date Analyzed/Init | Method    |
|--------------------------------------|--------|--------|------|-------|--------------------|-----------|
| <b>Cation/Anion-Milliequivalents</b> |        |        |      |       |                    |           |
| Bicarbonate as HCO <sub>3</sub>      | 9.62   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Carbonate as CO <sub>3</sub>         | ND     | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Hydroxide as OH                      | ND     | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Chloride                             | 0.62   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Fluoride                             | ND     | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Nitrate + Nitrite as N               | ND     | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Sulfate                              | 3.69   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Calcium                              | 3.40   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Magnesium                            | 1.06   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Potassium                            | 0.14   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Sodium                               | 8.95   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| <b>Cation / Anion Balance</b>        |        |        |      |       |                    |           |
| Cation Sum                           | 13.58  | 0      |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Anion Sum                            | 13.93  | 0      |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Cation-Anion Balance                 | 1.28   | 0      |      | %     | 09/01/2004 1642 JG | SM 1030F  |
| <b>Dissolved Metals</b>              |        |        |      |       |                    |           |
| Aluminum                             | ND     | 0.1    |      | mg/L  | 08/16/2004 737 MH  | EPA 200.7 |
| Arsenic                              | ND     | 0.005  |      | mg/L  | 08/12/2004 1508 MS | EPA 200.8 |
| Barium                               | ND     | 0.5    |      | mg/L  | 08/12/2004 1508 MS | EPA 200.8 |
| Boron                                | 0.08   | 0.01   |      | mg/L  | 08/16/2004 737 MH  | EPA 200.7 |
| Cadmium                              | ND     | 0.002  |      | mg/L  | 08/12/2004 1508 MS | EPA 200.8 |
| Chromium                             | ND     | 0.01   |      | mg/L  | 08/16/2004 737 MH  | EPA 200.7 |
| Copper                               | ND     | 0.01   |      | mg/L  | 08/12/2004 1508 MS | EPA 200.8 |
| Iron                                 | ND     | 0.05   |      | mg/L  | 08/16/2004 737 MH  | EPA 200.7 |
| Lead                                 | ND     | 0.02   |      | mg/L  | 08/12/2004 1508 MS | EPA 200.8 |
| Manganese                            | 0.11   | 0.02   |      | mg/L  | 08/16/2004 737 MH  | EPA 200.7 |
| Mercury                              | ND     | 0.001  |      | mg/L  | 08/13/2004 000 MS  | EPA 245.1 |
| Molybdenum                           | ND     | 0.02   |      | mg/L  | 08/12/2004 1508 MS | EPA 200.8 |
| Nickel                               | ND     | 0.01   |      | mg/L  | 08/16/2004 737 MH  | EPA 200.7 |
| Selenium                             | 0.399  | 0.005  |      | mg/L  | 08/12/2004 1508 MS | EPA 200.8 |
| Uranium                              | 4.55   | 0.0001 |      | mg/L  | 08/12/2004 1508 MS | EPA 200.8 |
| Vanadium                             | 0.18   | 0.02   |      | mg/L  | 08/12/2004 1508 MS | EPA 200.8 |
| Zinc                                 | ND     | 0.01   |      | mg/L  | 08/16/2004 737 MH  | EPA 200.7 |

These results apply only to the samples tested.

- Qualifiers:
- \* Value exceeds Maximum Contaminant Level
  - E Value above quantitation range
  - J Analyte detected below quantitation limits
  - S Spike Recovery outside accepted recovery limits
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Reporting Limit

Reviewed by: Karen A. Bank  
Wade Nieuwsma, Water Lab Supervisor

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 9/2/2004  
Report ID: S0408139001

Project: Cogema Christensen Mine  
Lab ID: S0408139-005  
Client Sample ID 5AO74-1  
Matrix: Water

Work Order: S0408139  
Collection Date: 8/11/2004  
Date Received: 8/11/2004 5:15:00 PM

| Analyses                               | Result   | PQL  | Qual | Units    | Date Analyzed/Init | Method      |
|--|----------|------|------|----------|--------------------|-------------|
| <b>General Parameters</b>              |          |      |      |          |                    |             |
| pH                                     | 8.0      | 0.1  |      | s.u.     | 08/12/2004 1707 JG | EPA 150.1   |
| Electrical Conductivity                | 335      | 5    |      | µmhos/cm | 08/12/2004 1707 JG | SM 2510B    |
| Total Dissolved Solids (180)           | 210      | 10   |      | mg/L     | 08/13/2004 1000 KA | SM 2540     |
| Solids, Total Dissolved (Calc)         | 190      | 10   |      | mg/L     | 09/01/2004 1642 JG | SM 1030F    |
| Acidity, Total (As CaCO3)              | ND       | 5    |      | mg/L     | 08/16/2004 000 JG  | SM 2310B    |
| Alkalinity, Total (As CaCO3)           | 118      | 5    |      | mg/L     | 08/12/2004 1707 JG | SM 2320B    |
| Hardness, Calcium/Magnesium (As CaCO3) | 24       | 1    |      | mg/L     | 09/01/2004 1642 JG | SM 2340B    |
| Nitrogen, Ammonia (As N)               | ND       | 0.1  |      | mg/L     | 08/13/2004 1212 RM | EPA 350.1   |
| Nitrogen, Nitrite (as N)               | ND       | 0.05 |      | mg/L     | 08/12/2004 1120 RM | EPA 353.2   |
| Silica as SiO2                         | 7.4      | 0.1  |      | mg/L     | 08/16/2004 741 MH  | EPA 200.7   |
| Radium 226                             | 30.8±4.1 | 0.2  |      | pCi/L    | 08/18/2004 1758 JN | SM 7500     |
| Sodium Adsorption Ratio                | 5.6      | 0.1  |      |          | 09/01/2004 1642 JG | Calculation |
| <b>Anions</b>                          |          |      |      |          |                    |             |
| Alkalinity, Bicarbonate as HCO3        | 144      | 5    |      | mg/L     | 08/12/2004 1707 JG | SM 2320B    |
| Alkalinity, Carbonate as CO3           | ND       | 5    |      | mg/L     | 08/12/2004 1707 JG | SM 2320B    |
| Alkalinity, Hydroxide as OH            | ND       | 5    |      | mg/L     | 08/12/2004 1707 JG | SM 2320B    |
| Chloride                               | 2        | 1    |      | mg/L     | 08/31/2004 823 LK  | EPA 300.0   |
| Fluoride                               | ND       | 0.1  |      | mg/L     | 08/12/2004 1707 JG | SM 4500FC   |
| Nitrogen, Nitrate-Nitrite (as N)       | ND       | 0.05 |      | mg/L     | 08/17/2004 1118 RM | EPA 353.2   |
| Sulfate                                | 45       | 1    |      | mg/L     | 08/13/2004 1202 LK | EPA 300.0   |
| <b>Cations</b>                         |          |      |      |          |                    |             |
| Calcium                                | 7        | 1    |      | mg/L     | 08/16/2004 741 MH  | EPA 200.7   |
| Magnesium                              | 1        | 1    |      | mg/L     | 08/16/2004 741 MH  | EPA 200.7   |
| Potassium                              | 1        | 1    |      | mg/L     | 08/16/2004 741 MH  | EPA 200.7   |
| Sodium                                 | 63       | 1    |      | mg/L     | 08/16/2004 741 MH  | EPA 200.7   |

These results apply only to the samples tested.

- Qualifiers:
- \* Value exceeds Maximum Contaminant Level
  - E Value above quantitation range
  - J Analyte detected below quantitation limits
  - S Spike Recovery outside accepted recovery limits
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Reporting Limit

Reviewed by: Wade Nieuwsma  
Wade Nieuwsma, Water Lab Supervisor

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 9/2/2004  
Report ID: S0408139001

Project: Cogema Christensen Mine  
Lab ID: S0408139-005  
Client Sample ID 5A074-1  
Matrix: Water

Work Order: S0408139  
Collection Date: 8/11/2004  
Date Received: 8/11/2004 5:15:00 PM

| Analyses                             | Result | PQL    | Qual | Units | Date Analyzed/Init | Method    |
|--------------------------------------|--------|--------|------|-------|--------------------|-----------|
| <b>Cation/Anion-Milliequivalents</b> |        |        |      |       |                    |           |
| Bicarbonate as HCO <sub>3</sub>      | 2.36   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Carbonate as CO <sub>3</sub>         | ND     | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Hydroxide as OH                      | ND     | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Chloride                             | 0.06   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Fluoride                             | ND     | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Nitrate + Nitrite as N               | ND     | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Sulfate                              | 0.93   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Calcium                              | 0.36   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Magnesium                            | 0.10   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Potassium                            | 0.03   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Sodium                               | 2.72   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| <b>Cation / Anion Balance</b>        |        |        |      |       |                    |           |
| Cation Sum                           | 3.22   | 0      |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Anion Sum                            | 3.37   | 0      |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Cation-Anion Balance                 | 2.29   | 0      |      | %     | 09/01/2004 1642 JG | SM 1030F  |
| <b>Dissolved Metals</b>              |        |        |      |       |                    |           |
| Aluminum                             | ND     | 0.1    |      | mg/L  | 08/16/2004 741 MH  | EPA 200.7 |
| Arsenic                              | ND     | 0.005  |      | mg/L  | 08/12/2004 1511 MS | EPA 200.8 |
| Barium                               | ND     | 0.5    |      | mg/L  | 08/12/2004 1511 MS | EPA 200.8 |
| Boron                                | 0.06   | 0.01   |      | mg/L  | 08/16/2004 741 MH  | EPA 200.7 |
| Cadmium                              | ND     | 0.002  |      | mg/L  | 08/12/2004 1511 MS | EPA 200.8 |
| Chromium                             | ND     | 0.01   |      | mg/L  | 08/16/2004 741 MH  | EPA 200.7 |
| Copper                               | ND     | 0.01   |      | mg/L  | 08/12/2004 1511 MS | EPA 200.8 |
| Iron                                 | ND     | 0.05   |      | mg/L  | 08/16/2004 741 MH  | EPA 200.7 |
| Lead                                 | ND     | 0.02   |      | mg/L  | 08/12/2004 1511 MS | EPA 200.8 |
| Manganese                            | ND     | 0.02   |      | mg/L  | 08/16/2004 741 MH  | EPA 200.7 |
| Mercury                              | ND     | 0.001  |      | mg/L  | 08/13/2004 000 MS  | EPA 245.1 |
| Molybdenum                           | ND     | 0.02   |      | mg/L  | 08/12/2004 1511 MS | EPA 200.8 |
| Nickel                               | ND     | 0.01   |      | mg/L  | 08/16/2004 741 MH  | EPA 200.7 |
| Selenium                             | 0.013  | 0.005  |      | mg/L  | 08/12/2004 1511 MS | EPA 200.8 |
| Uranium                              | 0.180  | 0.0001 |      | mg/L  | 08/12/2004 1511 MS | EPA 200.8 |
| Vanadium                             | ND     | 0.02   |      | mg/L  | 08/12/2004 1511 MS | EPA 200.8 |
| Zinc                                 | ND     | 0.01   |      | mg/L  | 08/16/2004 741 MH  | EPA 200.7 |

These results apply only to the samples tested.

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
ND Not Detected at the Reporting Limit

Reviewed by: Kare Toase for  
Wade Nieuwsma, Water Lab Supervisor

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 9/2/2004  
Report ID: S0408139001

Project: Cogema Christensen Mine  
Lab ID: S0408139-006  
Client Sample ID 5BG46-1  
Matrix: Water

Work Order: S0408139  
Collection Date: 8/11/2004  
Date Received: 8/11/2004 5:15:00 PM

| Analyses                               | Result  | PQL  | Qual | Units    | Date Analyzed/init | Method      |
|--|---------|------|------|----------|--------------------|-------------|
| <b>General Parameters</b>              |         |      |      |          |                    |             |
| pH                                     | 8.2     | 0.1  |      | s.u.     | 08/12/2004 1718 JG | EPA 150.1   |
| Electrical Conductivity                | 443     | 5    |      | µmhos/cm | 08/12/2004 1718 JG | SM 2510B    |
| Total Dissolved Solids (180)           | 260     | 10   |      | mg/L     | 08/13/2004 1005 KA | SM 2540     |
| Solids, Total Dissolved (Calc)         | 240     | 10   |      | mg/L     | 09/01/2004 1642 JG | SM 1030F    |
| Acidity, Total (As CaCO3)              | ND      | 5    |      | mg/L     | 08/16/2004 000 JG  | SM 2310B    |
| Alkalinity, Total (As CaCO3)           | 163     | 5    |      | mg/L     | 08/12/2004 1718 JG | SM 2320B    |
| Hardness, Calcium/Magnesium (As CaCO3) | 40      | 1    |      | mg/L     | 09/01/2004 1642 JG | SM 2340B    |
| Nitrogen, Ammonia (As N)               | ND      | 0.1  |      | mg/L     | 08/13/2004 1213 RM | EPA 350.1   |
| Nitrogen, Nitrite (as N)               | ND      | 0.05 |      | mg/L     | 08/12/2004 1121 RM | EPA 353.2   |
| Silica as SiO2                         | 5.7     | 0.1  |      | mg/L     | 08/16/2004 745 MH  | EPA 200.7   |
| Radium 226                             | 122±7.6 | 0.2  |      | pCi/L    | 08/18/2004 1758 JN | SM 7500     |
| Sodium Adsorption Ratio                | 5.2     | 0.1  |      |          | 09/01/2004 1642 JG | Calculation |
| <b>Anions</b>                          |         |      |      |          |                    |             |
| Alkalinity, Bicarbonate as HCO3        | 199     | 5    |      | mg/L     | 08/12/2004 1718 JG | SM 2320B    |
| Alkalinity, Carbonate as CO3           | ND      | 5    |      | mg/L     | 08/12/2004 1718 JG | SM 2320B    |
| Alkalinity, Hydroxide as OH            | ND      | 5    |      | mg/L     | 08/12/2004 1718 JG | SM 2320B    |
| Chloride                               | 3       | 1    |      | mg/L     | 08/31/2004 837 LK  | EPA 300.0   |
| Fluoride                               | ND      | 0.1  |      | mg/L     | 08/12/2004 1718 JG | SM 4500FC   |
| Nitrogen, Nitrate-Nitrite (as N)       | ND      | 0.05 |      | mg/L     | 08/17/2004 1120 RM | EPA 353.2   |
| Sulfate                                | 48      | 1    |      | mg/L     | 08/13/2004 1216 LK | EPA 300.0   |
| <b>Cations</b>                         |         |      |      |          |                    |             |
| Calcium                                | 12      | 1    |      | mg/L     | 08/24/2004 825 MH  | EPA 200.7   |
| Magnesium                              | 2       | 1    |      | mg/L     | 08/24/2004 825 MH  | EPA 200.7   |
| Potassium                              | 2       | 1    |      | mg/L     | 08/24/2004 825 MH  | EPA 200.7   |
| Sodium                                 | 75      | 1    |      | mg/L     | 08/24/2004 825 MH  | EPA 200.7   |

These results apply only to the samples tested.

- Qualifiers:
- \* Value exceeds Maximum Contaminant Level
  - E Value above quantitation range
  - J Analyte detected below quantitation limits
  - S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

Reviewed by: Wade Nieuwsma  
Wade Nieuwsma, Water Lab Supervisor

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 9/2/2004  
Report ID: S0408139001

Project: Cogema Christensen Mine  
Lab ID: S0408139-006  
Client Sample ID 5BG46-1  
Matrix: Water

Work Order: S0408139  
Collection Date: 8/11/2004  
Date Received: 8/11/2004 5:15:00 PM

| Analyses                             | Result | PQL    | Qual | Units | Date Analyzed/Init | Method    |
|--------------------------------------|--------|--------|------|-------|--------------------|-----------|
| <b>Cation/Anion-Milliequivalents</b> |        |        |      |       |                    |           |
| Bicarbonate as HCO3                  | 3.26   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Carbonate as CO3                     | ND     | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Hydroxide as OH                      | ND     | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Chloride                             | 0.09   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Fluoride                             | ND     | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Nitrate + Nitrite as N               | ND     | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Sulfate                              | 0.98   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Calcium                              | 0.59   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Magnesium                            | 0.19   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Potassium                            | 0.04   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Sodium                               | 3.27   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| <b>Cation / Anion Balance</b>        |        |        |      |       |                    |           |
| Cation Sum                           | 4.10   | 0      |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Anion Sum                            | 4.35   | 0      |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Cation-Anion Balance                 | 2.86   | 0      |      | %     | 09/01/2004 1642 JG | SM 1030F  |
| <b>Dissolved Metals</b>              |        |        |      |       |                    |           |
| Aluminum                             | ND     | 0.1    |      | mg/L  | 08/16/2004 745 MH  | EPA 200.7 |
| Arsenic                              | ND     | 0.005  |      | mg/L  | 08/12/2004 1513 MS | EPA 200.8 |
| Barium                               | ND     | 0.5    |      | mg/L  | 08/12/2004 1513 MS | EPA 200.8 |
| Boron                                | 0.06   | 0.01   |      | mg/L  | 08/16/2004 745 MH  | EPA 200.7 |
| Cadmium                              | ND     | 0.002  |      | mg/L  | 08/12/2004 1513 MS | EPA 200.8 |
| Chromium                             | ND     | 0.01   |      | mg/L  | 08/16/2004 745 MH  | EPA 200.7 |
| Copper                               | ND     | 0.01   |      | mg/L  | 08/12/2004 1513 MS | EPA 200.8 |
| Iron                                 | ND     | 0.05   |      | mg/L  | 08/16/2004 745 MH  | EPA 200.7 |
| Lead                                 | ND     | 0.02   |      | mg/L  | 08/12/2004 1513 MS | EPA 200.8 |
| Manganese                            | 0.03   | 0.02   |      | mg/L  | 08/16/2004 745 MH  | EPA 200.7 |
| Mercury                              | ND     | 0.001  |      | mg/L  | 08/13/2004 000 MS  | EPA 245.1 |
| Molybdenum                           | ND     | 0.02   |      | mg/L  | 08/12/2004 1513 MS | EPA 200.8 |
| Nickel                               | ND     | 0.01   |      | mg/L  | 08/16/2004 745 MH  | EPA 200.7 |
| Selenium                             | 0.085  | 0.005  |      | mg/L  | 08/12/2004 1513 MS | EPA 200.8 |
| Uranium                              | 0.822  | 0.0001 |      | mg/L  | 08/12/2004 1513 MS | EPA 200.8 |
| Vanadium                             | 0.03   | 0.02   |      | mg/L  | 08/12/2004 1513 MS | EPA 200.8 |
| Zinc                                 | ND     | 0.01   |      | mg/L  | 08/16/2004 745 MH  | EPA 200.7 |

These results apply only to the samples tested.

- Qualifiers:
- \* Value exceeds Maximum Contaminant Level
  - E Value above quantitation range
  - J Analyte detected below quantitation limits
  - S Spike Recovery outside accepted recovery limits
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Reporting Limit

Reviewed by: Karen Bauld  
Wade Nieuwsma, Water Lab Supervisor

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 9/2/2004  
Report ID: S0408139001

Project: Cogema Christensen Mine  
Lab ID: S0408139-007  
Client Sample ID 5BJ62-1  
Matrix: Water

Work Order: S0408139  
Collection Date: 8/11/2004  
Date Received: 8/11/2004 5:15:00 PM

| Analyses                               | Result   | PQL  | Qual | Units    | Date Analyzed/Init | Method      |
|--|----------|------|------|----------|--------------------|-------------|
| <b>General Parameters</b>              |          |      |      |          |                    |             |
| pH                                     | 8.2      | 0.1  |      | s.u.     | 08/12/2004 1729 JG | EPA 150.1   |
| Electrical Conductivity                | 621      | 5    |      | µmhos/cm | 08/12/2004 1729 JG | SM 2510B    |
| Total Dissolved Solids (180)           | 370      | 10   |      | mg/L     | 08/13/2004 1010 KA | SM 2540     |
| Solids, Total Dissolved (Calc)         | 330      | 10   |      | mg/L     | 09/01/2004 1642 JG | SM 1030F    |
| Acidity, Total (As CaCO3)              | ND       | 5    |      | mg/L     | 08/16/2004 000 JG  | SM 2310B    |
| Alkalinity, Total (As CaCO3)           | 218      | 5    |      | mg/L     | 08/12/2004 1729 JG | SM 2320B    |
| Hardness, Calcium/Magnesium (As CaCO3) | 80       | 1    |      | mg/L     | 09/01/2004 1642 JG | SM 2340B    |
| Nitrogen, Ammonia (As N)               | ND       | 0.1  |      | mg/L     | 08/13/2004 1214 RM | EPA 350.1   |
| Nitrogen, Nitrite (as N)               | ND       | 0.05 |      | mg/L     | 08/12/2004 1122 RM | EPA 353.2   |
| Silica as SiO2                         | 5.8      | 0.1  |      | mg/L     | 08/16/2004 748 MH  | EPA 200.7   |
| Radium 226                             | 66.1±5.7 | 0.2  |      | pCi/L    | 08/18/2004 1758 JN | SM 7500     |
| Sodium Adsorption Ratio                | 4.6      | 0.1  |      |          | 09/01/2004 1642 JG | Calculation |
| <b>Anions</b>                          |          |      |      |          |                    |             |
| Alkalinity, Bicarbonate as HCO3        | 266      | 5    |      | mg/L     | 08/12/2004 1729 JG | SM 2320B    |
| Alkalinity, Carbonate as CO3           | ND       | 5    |      | mg/L     | 08/12/2004 1729 JG | SM 2320B    |
| Alkalinity, Hydroxide as OH            | ND       | 5    |      | mg/L     | 08/12/2004 1729 JG | SM 2320B    |
| Chloride                               | 5        | 1    |      | mg/L     | 08/13/2004 1229 LK | EPA 300.0   |
| Fluoride                               | ND       | 0.1  |      | mg/L     | 08/12/2004 1729 JG | SM 4500FC   |
| Nitrogen, Nitrate-Nitrite (as N)       | ND       | 0.05 |      | mg/L     | 08/17/2004 1121 RM | EPA 353.2   |
| Sulfate                                | 71       | 1    |      | mg/L     | 08/13/2004 1229 LK | EPA 300.0   |
| <b>Cations</b>                         |          |      |      |          |                    |             |
| Calcium                                | 25       | 1    |      | mg/L     | 08/16/2004 748 MH  | EPA 200.7   |
| Magnesium                              | 4        | 1    |      | mg/L     | 08/16/2004 748 MH  | EPA 200.7   |
| Potassium                              | 2        | 1    |      | mg/L     | 08/16/2004 748 MH  | EPA 200.7   |
| Sodium                                 | 95       | 1    |      | mg/L     | 08/16/2004 748 MH  | EPA 200.7   |

These results apply only to the samples tested.

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
ND Not Detected at the Reporting Limit

Reviewed by: Wade Nieuwsma  
Wade Nieuwsma, Water Lab Supervisor



Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 9/2/2004  
Report ID: S0408139001

Project: Cogema Christensen Mine  
Lab ID: S0408139-007  
Client Sample ID 5BJ62-1  
Matrix: Water

Work Order: S0408139  
Collection Date: 8/11/2004  
Date Received: 8/11/2004 5:15:00 PM

| Analyses                             | Result | PQL    | Qual | Units | Date Analyzed/Init | Method    |
|--------------------------------------|--------|--------|------|-------|--------------------|-----------|
| <b>Cation/Anion-Milliequivalents</b> |        |        |      |       |                    |           |
| Bicarbonate as HCO3                  | 4.36   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Carbonate as CO3                     | ND     | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Hydroxide as OH                      | ND     | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Chloride                             | 0.13   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Fluoride                             | ND     | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Nitrate + Nitrite as N               | ND     | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Sulfate                              | 1.47   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Calcium                              | 1.23   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Magnesium                            | 0.36   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Potassium                            | 0.05   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Sodium                               | 4.13   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| <b>Cation / Anion Balance</b>        |        |        |      |       |                    |           |
| Cation Sum                           | 5.78   | 0      |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Anion Sum                            | 5.99   | 0      |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Cation-Anion Balance                 | 1.73   | 0      |      | %     | 09/01/2004 1642 JG | SM 1030F  |
| <b>Dissolved Metals</b>              |        |        |      |       |                    |           |
| Aluminum                             | ND     | 0.1    |      | mg/L  | 08/16/2004 748 MH  | EPA 200.7 |
| Arsenic                              | ND     | 0.005  |      | mg/L  | 08/12/2004 1516 MS | EPA 200.8 |
| Barium                               | ND     | 0.5    |      | mg/L  | 08/12/2004 1516 MS | EPA 200.8 |
| Boron                                | 0.06   | 0.01   |      | mg/L  | 08/16/2004 748 MH  | EPA 200.7 |
| Cadmium                              | ND     | 0.002  |      | mg/L  | 08/12/2004 1516 MS | EPA 200.8 |
| Chromium                             | ND     | 0.01   |      | mg/L  | 08/16/2004 748 MH  | EPA 200.7 |
| Copper                               | ND     | 0.01   |      | mg/L  | 08/12/2004 1516 MS | EPA 200.8 |
| Iron                                 | ND     | 0.05   |      | mg/L  | 08/16/2004 748 MH  | EPA 200.7 |
| Lead                                 | ND     | 0.02   |      | mg/L  | 08/12/2004 1516 MS | EPA 200.8 |
| Manganese                            | 0.06   | 0.02   |      | mg/L  | 08/16/2004 748 MH  | EPA 200.7 |
| Mercury                              | ND     | 0.001  |      | mg/L  | 08/13/2004 000 MS  | EPA 245.1 |
| Molybdenum                           | ND     | 0.02   |      | mg/L  | 08/12/2004 1516 MS | EPA 200.8 |
| Nickel                               | ND     | 0.01   |      | mg/L  | 08/16/2004 748 MH  | EPA 200.7 |
| Selenium                             | 0.018  | 0.005  |      | mg/L  | 08/12/2004 1516 MS | EPA 200.8 |
| Uranium                              | 1.47   | 0.0001 |      | mg/L  | 08/12/2004 1516 MS | EPA 200.8 |
| Vanadium                             | ND     | 0.02   |      | mg/L  | 08/12/2004 1516 MS | EPA 200.8 |
| Zinc                                 | ND     | 0.01   |      | mg/L  | 08/16/2004 748 MH  | EPA 200.7 |

These results apply only to the samples tested.

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
ND Not Detected at the Reporting Limit

Reviewed by: Karen Baste for  
Wade Nieuwsma, Water Lab Supervisor

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 9/2/2004  
Report ID: S0408139001

Project: Cogema Christensen Mine  
Lab ID: S0408139-008  
Client Sample ID TW0001  
Matrix: Water

Work Order: S0408139  
Collection Date: 8/11/2004  
Date Received: 8/11/2004 5:15:00 PM

| Analyses                               | Result   | PQL  | Qual | Units    | Date Analyzed/init | Method      |
|--|----------|------|------|----------|--------------------|-------------|
| <b>General Parameters</b>              |          |      |      |          |                    |             |
| pH                                     | 8.0      | 0.1  |      | s.u.     | 08/12/2004 1741 JG | EPA 150.1   |
| Electrical Conductivity                | 271      | 5    |      | µmhos/cm | 08/12/2004 1741 JG | SM 2510B    |
| Total Dissolved Solids (180)           | 170      | 10   |      | mg/L     | 08/13/2004 1020 KA | SM 2540     |
| Solids, Total Dissolved (Calc)         | 150      | 10   |      | mg/L     | 09/01/2004 1642 JG | SM 1030F    |
| Acidity, Total (As CaCO3)              | ND       | 5    |      | mg/L     | 08/16/2004 000 JG  | SM 2310B    |
| Alkalinity, Total (As CaCO3)           | 86       | 5    |      | mg/L     | 08/12/2004 1741 JG | SM 2320B    |
| Hardness, Calcium/Magnesium (As CaCO3) | 14       | 1    |      | mg/L     | 09/01/2004 1642 JG | SM 2340B    |
| Nitrogen, Ammonia (As N)               | ND       | 0.1  |      | mg/L     | 08/13/2004 1221 RM | EPA 350.1   |
| Nitrogen, Nitrite (as N)               | ND       | 0.05 |      | mg/L     | 08/12/2004 1123 RM | EPA 353.2   |
| Silica as SiO2                         | 8.6      | 0.1  |      | mg/L     | 08/16/2004 752 MH  | EPA 200.7   |
| Radium 226                             | 60.1±5.5 | 0.2  |      | pCi/L    | 08/18/2004 1758 JN | SM 7500     |
| Sodium Adsorption Ratio                | 5.9      | 0.1  |      |          | 09/01/2004 1642 JG | Calculation |
| <b>Anions</b>                          |          |      |      |          |                    |             |
| Alkalinity, Bicarbonate as HCO3        | 105      | 5    |      | mg/L     | 08/12/2004 1741 JG | SM 2320B    |
| Alkalinity, Carbonate as CO3           | ND       | 5    |      | mg/L     | 08/12/2004 1741 JG | SM 2320B    |
| Alkalinity, Hydroxide as OH            | ND       | 5    |      | mg/L     | 08/12/2004 1741 JG | SM 2320B    |
| Chloride                               | 2        | 1    |      | mg/L     | 08/13/2004 1242 LK | EPA 300.0   |
| Fluoride                               | 0.1      | 0.1  |      | mg/L     | 08/12/2004 1741 JG | SM 4500FC   |
| Nitrogen, Nitrate-Nitrite (as N)       | ND       | 0.05 |      | mg/L     | 08/17/2004 1122 RM | EPA 353.2   |
| Sulfate                                | 39       | 1    |      | mg/L     | 08/13/2004 1242 LK | EPA 300.0   |
| <b>Cations</b>                         |          |      |      |          |                    |             |
| Calcium                                | 4        | 1    |      | mg/L     | 08/24/2004 829 MH  | EPA 200.7   |
| Magnesium                              | ND       | 1    |      | mg/L     | 08/24/2004 829 MH  | EPA 200.7   |
| Potassium                              | 1        | 1    |      | mg/L     | 08/24/2004 829 MH  | EPA 200.7   |
| Sodium                                 | 51       | 1    |      | mg/L     | 08/24/2004 829 MH  | EPA 200.7   |

These results apply only to the samples tested.

- Qualifiers: \* Value exceeds Maximum Contaminant Level  
 E Value above quantitation range  
 J Analyte detected below quantitation limits  
 S Spike Recovery outside accepted recovery limits  
 B Analyte detected in the associated Method Blank  
 H Holding times for preparation or analysis exceeded  
 ND Not Detected at the Reporting Limit

Reviewed by: Karen Baska for  
 Wade Nieuwsma, Water Lab Supervisor

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 9/2/2004  
Report ID: S0408139001

Project: Cogema Christensen Mine  
Lab ID: S0408139-008  
Client Sample ID TW0001  
Matrix: Water

Work Order: S0408139  
Collection Date: 8/11/2004  
Date Received: 8/11/2004 5:15:00 PM

| Analyses                             | Result | PQL    | Qual | Units | Date Analyzed/Init | Method    |
|--------------------------------------|--------|--------|------|-------|--------------------|-----------|
| <b>Cation/Anion-Milliequivalents</b> |        |        |      |       |                    |           |
| Bicarbonate as HCO3                  | 1.71   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Carbonate as CO3                     | ND     | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Hydroxide as OH                      | ND     | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Chloride                             | 0.06   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Fluoride                             | ND     | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Nitrate + Nitrite as N               | ND     | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Sulfate                              | 0.80   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Calcium                              | 0.20   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Magnesium                            | 0.07   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Potassium                            | 0.03   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Sodium                               | 2.20   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| <b>Cation / Anion Balance</b>        |        |        |      |       |                    |           |
| Cation Sum                           | 2.51   | 0      |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Anion Sum                            | 2.60   | 0      |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Cation-Anion Difference              | 0.08   | 0      |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| <b>Dissolved Metals</b>              |        |        |      |       |                    |           |
| Aluminum                             | ND     | 0.1    |      | mg/L  | 08/16/2004 752 MH  | EPA 200.7 |
| Arsenic                              | 0.010  | 0.005  |      | mg/L  | 08/12/2004 1519 MS | EPA 200.8 |
| Barium                               | ND     | 0.5    |      | mg/L  | 08/12/2004 1519 MS | EPA 200.8 |
| Boron                                | 0.07   | 0.01   |      | mg/L  | 08/16/2004 752 MH  | EPA 200.7 |
| Cadmium                              | ND     | 0.002  |      | mg/L  | 08/12/2004 1519 MS | EPA 200.8 |
| Chromium                             | ND     | 0.01   |      | mg/L  | 08/16/2004 752 MH  | EPA 200.7 |
| Copper                               | ND     | 0.01   |      | mg/L  | 08/12/2004 1519 MS | EPA 200.8 |
| Iron                                 | ND     | 0.05   |      | mg/L  | 08/16/2004 752 MH  | EPA 200.7 |
| Lead                                 | ND     | 0.02   |      | mg/L  | 08/12/2004 1519 MS | EPA 200.8 |
| Manganese                            | ND     | 0.02   |      | mg/L  | 08/16/2004 752 MH  | EPA 200.7 |
| Mercury                              | ND     | 0.001  |      | mg/L  | 08/13/2004 000 MS  | EPA 245.1 |
| Molybdenum                           | ND     | 0.02   |      | mg/L  | 08/12/2004 1519 MS | EPA 200.8 |
| Nickel                               | ND     | 0.01   |      | mg/L  | 08/16/2004 752 MH  | EPA 200.7 |
| Selenium                             | 0.308  | 0.005  |      | mg/L  | 08/12/2004 1519 MS | EPA 200.8 |
| Uranium                              | 0.0582 | 0.0001 |      | mg/L  | 08/12/2004 1519 MS | EPA 200.8 |
| Vanadium                             | 0.11   | 0.02   |      | mg/L  | 08/12/2004 1519 MS | EPA 200.8 |
| Zinc                                 | ND     | 0.01   |      | mg/L  | 08/16/2004 752 MH  | EPA 200.7 |

These results apply only to the samples tested.

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
ND Not Detected at the Reporting Limit

Reviewed by: Karen Banta for  
Wade Nieuwsma, Water Lab Supervisor

## Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 9/2/2004  
Report ID: S0408139001

Project: Cogema Christensen Mine  
Lab ID: S0408139-009  
Client Sample ID MW07  
Matrix: Water

Work Order: S0408139  
Collection Date: 8/11/2004  
Date Received: 8/11/2004 5:15:00 PM

| Analyses  | Result | PQL  | Qual | Units    | Date Analyzed/Init | Method      |
|---|--------|------|------|----------|--------------------|-------------|
| <b>General Parameters</b>                           |        |      |      |          |                    |             |
| pH  | 7.9    | 0.1  |      | s.u.     | 08/12/2004 1752 JG | EPA 150.1   |
| Electrical Conductivity                             | 1640   | 5    |      | µmhos/cm | 08/12/2004 1752 JG | SM 2510B    |
| Total Dissolved Solids (180)                        | 1040   | 10   |      | mg/L     | 08/13/2004 1025 KA | SM 2540     |
| Solids, Total Dissolved (Calc)                      | 980    | 10   |      | mg/L     | 09/01/2004 1642 JG | SM 1030F    |
| Acidity, Total (As CaCO <sub>3</sub> )              | ND     | 5    |      | mg/L     | 08/16/2004 000 JG  | SM 2310B    |
| Alkalinity, Total (As CaCO <sub>3</sub> )           | 547    | 5    |      | mg/L     | 08/12/2004 1752 JG | SM 2320B    |
| Hardness, Calcium/Magnesium (As CaCO <sub>3</sub> ) | 260    | 1    |      | mg/L     | 09/01/2004 1642 JG | SM 2340B    |
| Nitrogen, Ammonia (As N)                            | ND     | 0.1  |      | mg/L     | 08/13/2004 1222 RM | EPA 350.1   |
| Nitrogen, Nitrite (as N)                            | ND     | 0.05 |      | mg/L     | 08/12/2004 1124 RM | EPA 353.2   |
| Silica as SiO <sub>2</sub>                          | 9.1    | 0.1  |      | mg/L     | 08/16/2004 807 MH  | EPA 200.7   |
| Radium 226  | 623±18 | 0.2  |      | pCi/L    | 08/18/2004 1758 JN | SM 7500     |
| Sodium Adsorption Ratio                             | 7.2    | 0.1  |      |          | 09/01/2004 1642 JG | Calculation |
| <b>Anions</b>                                       |        |      |      |          |                    |             |
| Alkalinity, Bicarbonate as HCO <sub>3</sub>         | 667    | 5    |      | mg/L     | 08/12/2004 1752 JG | SM 2320B    |
| Alkalinity, Carbonate as CO <sub>3</sub>            | ND     | 5    |      | mg/L     | 08/12/2004 1752 JG | SM 2320B    |
| Alkalinity, Hydroxide as OH                         | ND     | 5    |      | mg/L     | 08/12/2004 1752 JG | SM 2320B    |
| Chloride  | 24     | 1    |      | mg/L     | 08/13/2004 1309 LK | EPA 300.0   |
| Fluoride  | ND     | 0.1  |      | mg/L     | 08/12/2004 1752 JG | SM 4500FC   |
| Nitrogen, Nitrate-Nitrite (as N)                    | ND     | 0.05 |      | mg/L     | 08/17/2004 1123 RM | EPA 353.2   |
| Sulfate   | 261    | 1    |      | mg/L     | 08/13/2004 1309 LK | EPA 300.0   |
| <b>Cations</b>                                      |        |      |      |          |                    |             |
| Calcium   | 76     | 1    |      | mg/L     | 08/16/2004 807 MH  | EPA 200.7   |
| Magnesium   | 17     | 1    |      | mg/L     | 08/16/2004 807 MH  | EPA 200.7   |
| Potassium   | 6      | 1    |      | mg/L     | 08/16/2004 807 MH  | EPA 200.7   |
| Sodium  | 268    | 1    |      | mg/L     | 08/16/2004 807 MH  | EPA 200.7   |

These results apply only to the samples tested.

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
ND Not Detected at the Reporting Limit

Page 17 of 28

Reviewed by:

*Karen Baska for*  
Wade Nieuwsma, Water Lab Supervisor

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 9/2/2004  
Report ID: S0408139001

Project: Cogema Christensen Mine  
Lab ID: S0408139-009  
Client Sample ID MW07  
Matrix: Water

Work Order: S0408139  
Collection Date: 8/11/2004  
Date Received: 8/11/2004 5:15:00 PM

| Analyses                             | Result | PQL    | Qual | Units | Date Analyzed/Init | Method    |
|--------------------------------------|--------|--------|------|-------|--------------------|-----------|
| <b>Cation/Anion-Milliequivalents</b> |        |        |      |       |                    |           |
| Bicarbonate as HCO3                  | 10.93  | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Carbonate as CO3                     | ND     | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Hydroxide as OH                      | ND     | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Chloride                             | 0.67   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Fluoride                             | ND     | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Nitrate + Nitrite as N               | ND     | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Sulfate                              | 5.43   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Calcium                              | 3.80   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Magnesium                            | 1.39   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Potassium                            | 0.16   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Sodium                               | 11.64  | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| <b>Cation / Anion Balance</b>        |        |        |      |       |                    |           |
| Cation Sum                           | 17.00  | 0      |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Anion Sum                            | 17.03  | 0      |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Cation-Anion Balance                 | 0.08   | 0      |      | %     | 09/01/2004 1642 JG | SM 1030F  |
| <b>Dissolved Metals</b>              |        |        |      |       |                    |           |
| Aluminum                             | ND     | 0.1    |      | mg/L  | 08/16/2004 807 MH  | EPA 200.7 |
| Arsenic                              | 0.014  | 0.005  |      | mg/L  | 08/12/2004 1521 MS | EPA 200.8 |
| Barium                               | ND     | 0.5    |      | mg/L  | 08/12/2004 1521 MS | EPA 200.8 |
| Boron                                | 0.09   | 0.01   |      | mg/L  | 08/16/2004 807 MH  | EPA 200.7 |
| Cadmium                              | ND     | 0.002  |      | mg/L  | 08/12/2004 1521 MS | EPA 200.8 |
| Chromium                             | ND     | 0.01   |      | mg/L  | 08/16/2004 807 MH  | EPA 200.7 |
| Copper                               | ND     | 0.01   |      | mg/L  | 08/12/2004 1521 MS | EPA 200.8 |
| Iron                                 | 0.20   | 0.05   |      | mg/L  | 08/16/2004 807 MH  | EPA 200.7 |
| Lead                                 | ND     | 0.02   |      | mg/L  | 08/12/2004 1521 MS | EPA 200.8 |
| Manganese                            | 0.40   | 0.02   |      | mg/L  | 08/16/2004 807 MH  | EPA 200.7 |
| Mercury                              | ND     | 0.001  |      | mg/L  | 08/13/2004 000 MS  | EPA 245.1 |
| Molybdenum                           | ND     | 0.02   |      | mg/L  | 08/12/2004 1521 MS | EPA 200.8 |
| Nickel                               | ND     | 0.01   |      | mg/L  | 08/16/2004 807 MH  | EPA 200.7 |
| Selenium                             | 1.01   | 0.005  |      | mg/L  | 08/12/2004 1521 MS | EPA 200.8 |
| Uranium                              | 3.83   | 0.0001 |      | mg/L  | 08/12/2004 1521 MS | EPA 200.8 |
| Vanadium                             | 0.05   | 0.02   |      | mg/L  | 08/12/2004 1521 MS | EPA 200.8 |
| Zinc                                 | ND     | 0.01   |      | mg/L  | 08/16/2004 807 MH  | EPA 200.7 |

These results apply only to the samples tested.

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
ND Not Detected at the Reporting Limit

Reviewed by: Wade Nieuwsma  
Wade Nieuwsma, Water Lab Supervisor

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 9/2/2004  
Report ID: S0408139001

Project: Cogema Christensen Mine  
Lab ID: S0408139-010  
Client Sample ID 5BK58-1  
Matrix: Water

Work Order: S0408139  
Collection Date: 8/11/2004  
Date Received: 8/11/2004 5:15:00 PM

| Analyses                               | Result  | PQL  | Qual | Units    | Date Analyzed/Init | Method      |
|--|---------|------|------|----------|--------------------|-------------|
| <b>General Parameters</b>              |         |      |      |          |                    |             |
| pH                                     | 7.9     | 0.1  |      | s.u.     | 08/12/2004 1805 JG | EPA 150.1   |
| Electrical Conductivity                | 1330    | 5    |      | µmhos/cm | 08/12/2004 1805 JG | SM 2510B    |
| Total Dissolved Solids (180)           | 840     | 10   |      | mg/L     | 08/13/2004 1030 KA | SM 2540     |
| Solids, Total Dissolved (Calc)         | 780     | 10   |      | mg/L     | 09/01/2004 1642 JG | SM 1030F    |
| Acidity, Total (As CaCO3)              | ND      | 5    |      | mg/L     | 08/16/2004 000 JG  | SM 2310B    |
| Alkalinity, Total (As CaCO3)           | 366     | 5    |      | mg/L     | 08/12/2004 1805 JG | SM 2320B    |
| Hardness, Calcium/Magnesium (As CaCO3) | 140     | 1    |      | mg/L     | 09/01/2004 1642 JG | SM 2340B    |
| Nitrogen, Ammonia (As N)               | ND      | 0.1  |      | mg/L     | 08/13/2004 1223 RM | EPA 350.1   |
| Nitrogen, Nitrite (as N)               | ND      | 0.05 |      | mg/L     | 08/12/2004 1125 RM | EPA 353.2   |
| Silica as SiO2                         | 8.3     | 0.1  |      | mg/L     | 08/16/2004 811 MH  | EPA 200.7   |
| Radium 226                             | 1230±23 | 0.2  |      | pCi/L    | 08/18/2004 1427 JN | SM 7500     |
| Sodium Adsorption Ratio                | 8.4     | 0.1  |      |          | 09/01/2004 1642 JG | Calculation |
| <b>Anions</b>                          |         |      |      |          |                    |             |
| Alkalinity, Bicarbonate as HCO3        | 447     | 5    |      | mg/L     | 08/12/2004 1805 JG | SM 2320B    |
| Alkalinity, Carbonate as CO3           | ND      | 5    |      | mg/L     | 08/12/2004 1805 JG | SM 2320B    |
| Alkalinity, Hydroxide as OH            | ND      | 5    |      | mg/L     | 08/12/2004 1805 JG | SM 2320B    |
| Chloride                               | 17      | 1    |      | mg/L     | 08/13/2004 1322 LK | EPA 300.0   |
| Fluoride                               | ND      | 0.1  |      | mg/L     | 08/12/2004 1805 JG | SM 4500FC   |
| Nitrogen, Nitrate-Nitrite (as N)       | ND      | 0.05 |      | mg/L     | 08/17/2004 1130 RM | EPA 353.2   |
| Sulfate                                | 256     | 1    |      | mg/L     | 08/13/2004 1322 LK | EPA 300.0   |
| <b>Cations</b>                         |         |      |      |          |                    |             |
| Calcium                                | 41      | 1    |      | mg/L     | 08/16/2004 811 MH  | EPA 200.7   |
| Magnesium                              | 9       | 1    |      | mg/L     | 08/16/2004 811 MH  | EPA 200.7   |
| Potassium                              | 5       | 1    |      | mg/L     | 08/16/2004 811 MH  | EPA 200.7   |
| Sodium                                 | 228     | 1    |      | mg/L     | 08/16/2004 811 MH  | EPA 200.7   |

These results apply only to the samples tested.

- Qualifiers:
- \* Value exceeds Maximum Contaminant Level
  - E Value above quantitation range
  - J Analyte detected below quantitation limits
  - S Spike Recovery outside accepted recovery limits
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Reporting Limit

Reviewed by: Wade Nieuwsma  
Wade Nieuwsma, Water Lab Supervisor

Sample Analysis Report

CLIENT: Cogema Mining Inc.

P. O. Box 730  
Mills, WY 82644

Date Reported: 9/2/2004

Report ID: S0408139001

Project: Cogema Christensen Mine

Lab ID: S0408139-010

Client Sample ID 5BK58-1

Matrix: Water

Work Order: S0408139

Collection Date: 8/11/2004

Date Received: 8/11/2004 5:15:00 PM

| Analyses                             | Result | PQL    | Qual | Units | Date Analyzed/init | Method    |
|--------------------------------------|--------|--------|------|-------|--------------------|-----------|
| <b>Cation/Anion-Milliequivalents</b> |        |        |      |       |                    |           |
| Bicarbonate as HCO3                  | 7.32   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Carbonate as CO3                     | ND     | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Hydroxide as OH                      | ND     | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Chloride                             | 0.48   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Fluoride                             | ND     | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Nitrate + Nitrite as N               | ND     | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Sulfate                              | 5.33   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Calcium                              | 2.04   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Magnesium                            | 0.74   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Potassium                            | 0.12   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Sodium                               | 9.89   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| <b>Cation / Anion Balance</b>        |        |        |      |       |                    |           |
| Cation Sum                           | 12.80  | 0      |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Anion Sum                            | 13.14  | 0      |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Cation-Anion Balance                 | 1.29   | 0      |      | %     | 09/01/2004 1642 JG | SM 1030F  |
| <b>Dissolved Metals</b>              |        |        |      |       |                    |           |
| Aluminum                             | ND     | 0.1    |      | mg/L  | 08/16/2004 811 MH  | EPA 200.7 |
| Arsenic                              | 0.007  | 0.005  |      | mg/L  | 08/12/2004 1524 MS | EPA 200.8 |
| Barium                               | ND     | 0.5    |      | mg/L  | 08/12/2004 1524 MS | EPA 200.8 |
| Boron                                | 0.09   | 0.01   |      | mg/L  | 08/16/2004 811 MH  | EPA 200.7 |
| Cadmium                              | ND     | 0.002  |      | mg/L  | 08/12/2004 1524 MS | EPA 200.8 |
| Chromium                             | ND     | 0.01   |      | mg/L  | 08/16/2004 811 MH  | EPA 200.7 |
| Copper                               | ND     | 0.01   |      | mg/L  | 08/12/2004 1524 MS | EPA 200.8 |
| Iron                                 | 0.30   | 0.05   |      | mg/L  | 08/16/2004 811 MH  | EPA 200.7 |
| Lead                                 | ND     | 0.02   |      | mg/L  | 08/12/2004 1524 MS | EPA 200.8 |
| Manganese                            | 0.12   | 0.02   |      | mg/L  | 08/16/2004 811 MH  | EPA 200.7 |
| Mercury                              | ND     | 0.001  |      | mg/L  | 08/13/2004 000 MS  | EPA 245.1 |
| Molybdenum                           | ND     | 0.02   |      | mg/L  | 08/12/2004 1524 MS | EPA 200.8 |
| Nickel                               | ND     | 0.01   |      | mg/L  | 08/16/2004 811 MH  | EPA 200.7 |
| Selenium                             | 0.131  | 0.005  |      | mg/L  | 08/12/2004 1524 MS | EPA 200.8 |
| Uranium                              | 2.25   | 0.0001 |      | mg/L  | 08/12/2004 1524 MS | EPA 200.8 |
| Vanadium                             | 0.06   | 0.02   |      | mg/L  | 08/12/2004 1524 MS | EPA 200.8 |
| Zinc                                 | ND     | 0.01   |      | mg/L  | 08/16/2004 811 MH  | EPA 200.7 |

These results apply only to the samples tested.

- Qualifiers:
- \* Value exceeds Maximum Contaminant Level
  - E Value above quantitation range
  - J Analyte detected below quantitation limits
  - S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

Reviewed by:

*Wade Nieuwsma*  
Wade Nieuwsma, Water Lab Supervisor

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 9/2/2004  
Report ID: S0408139001

Project: Cogema Christensen Mine  
Lab ID: S0408139-011  
Client Sample ID 5BA48-1  
Matrix: Water

Work Order: S0408139  
Collection Date: 8/11/2004  
Date Received: 8/11/2004 5:15:00 PM

| Analyses                               | Result   | PQL  | Qual | Units    | Date Analyzed/Init | Method      |
|--|----------|------|------|----------|--------------------|-------------|
| <b>General Parameters</b>              |          |      |      |          |                    |             |
| pH                                     | 8.3      | 0.1  |      | s.u.     | 08/12/2004 1816 JG | EPA 150.1   |
| Electrical Conductivity                | 283      | 5    |      | µmhos/cm | 08/12/2004 1816 JG | SM 2510B    |
| Total Dissolved Solids (180)           | 160      | 10   |      | mg/L     | 08/13/2004 1035 KA | SM 2540     |
| Solids, Total Dissolved (Calc)         | 160      | 10   |      | mg/L     | 09/01/2004 1642 JG | SM 1030F    |
| Acidity, Total (As CaCO3)              | ND       | 5    |      | mg/L     | 08/16/2004 000 JG  | SM 2310B    |
| Alkalinity, Total (As CaCO3)           | 111      | 5    |      | mg/L     | 08/12/2004 1816 JG | SM 2320B    |
| Hardness, Calcium/Magnesium (As CaCO3) | 20       | 1    |      | mg/L     | 09/01/2004 1642 JG | SM 2340B    |
| Nitrogen, Ammonia (As N)               | ND       | 0.1  |      | mg/L     | 08/13/2004 1224 RM | EPA 350.1   |
| Nitrogen, Nitrite (as N)               | ND       | 0.05 |      | mg/L     | 08/12/2004 1126 RM | EPA 353.2   |
| Silica as SiO2                         | 3.9      | 0.1  |      | mg/L     | 08/16/2004 815 MH  | EPA 200.7   |
| Radium 226                             | 44.4±4.5 | 0.2  |      | pCi/L    | 08/18/2004 1427 JN | SM 7500     |
| Sodium Adsorption Ratio                | 5.2      | 0.1  |      |          | 09/01/2004 1642 JG | Calculation |
| <b>Anions</b>                          |          |      |      |          |                    |             |
| Alkalinity, Bicarbonate as HCO3        | 135      | 5    |      | mg/L     | 08/12/2004 1816 JG | SM 2320B    |
| Alkalinity, Carbonate as CO3           | ND       | 5    |      | mg/L     | 08/12/2004 1816 JG | SM 2320B    |
| Alkalinity, Hydroxide as OH            | ND       | 5    |      | mg/L     | 08/12/2004 1816 JG | SM 2320B    |
| Chloride                               | 2        | 1    |      | mg/L     | 08/13/2004 1336 LK | EPA 300.0   |
| Fluoride                               | ND       | 0.1  |      | mg/L     | 08/12/2004 1816 JG | SM 4500FC   |
| Nitrogen, Nitrate-Nitrite (as N)       | ND       | 0.05 |      | mg/L     | 08/17/2004 1131 RM | EPA 353.2   |
| Sulfate                                | 27       | 1    |      | mg/L     | 08/13/2004 1336 LK | EPA 300.0   |
| <b>Cations</b>                         |          |      |      |          |                    |             |
| Calcium                                | 6        | 1    |      | mg/L     | 08/24/2004 844 MH  | EPA 200.7   |
| Magnesium                              | 1        | 1    |      | mg/L     | 08/24/2004 844 MH  | EPA 200.7   |
| Potassium                              | 1        | 1    |      | mg/L     | 08/24/2004 844 MH  | EPA 200.7   |
| Sodium                                 | 53       | 1    |      | mg/L     | 08/24/2004 844 MH  | EPA 200.7   |

These results apply only to the samples tested.

- Qualifiers:**
- \* Value exceeds Maximum Contaminant Level
  - E Value above quantitation range
  - J Analyte detected below quantitation limits
  - S Spike Recovery outside accepted recovery limits
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Reporting Limit

Reviewed by: Wade Nieuwsma  
Wade Nieuwsma, Water Lab Supervisor



Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 9/2/2004  
Report ID: S0408139001

Project: Cogema Christensen Mine  
Lab ID: S0408139-011  
Client Sample ID 58A48-1  
Matrix: Water

Work Order: S0408139  
Collection Date: 8/11/2004  
Date Received: 8/11/2004 5:15:00 PM

| Analyses                             | Result | PQL    | Qual | Units | Date Analyzed/Init | Method    |
|--------------------------------------|--------|--------|------|-------|--------------------|-----------|
| <b>Cation/Anion-Milliequivalents</b> |        |        |      |       |                    |           |
| Bicarbonate as HCO3                  | 2.21   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Carbonate as CO3                     | ND     | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Hydroxide as OH                      | ND     | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Chloride                             | 0.05   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Fluoride                             | ND     | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Nitrate + Nitrite as N               | ND     | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Sulfate                              | 0.56   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Calcium                              | 0.29   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Magnesium                            | 0.09   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Potassium                            | 0.03   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Sodium                               | 2.28   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| <b>Cation / Anion Balance</b>        |        |        |      |       |                    |           |
| Cation Sum                           | 2.71   | 0      |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Anion Sum                            | 2.83   | 0      |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Cation-Anion Difference              | 0.12   | 0      |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| <b>Dissolved Metals</b>              |        |        |      |       |                    |           |
| Aluminum                             | ND     | 0.1    |      | mg/L  | 08/16/2004 815 MH  | EPA 200.7 |
| Arsenic                              | ND     | 0.005  |      | mg/L  | 08/12/2004 1526 MS | EPA 200.8 |
| Barium                               | ND     | 0.5    |      | mg/L  | 08/12/2004 1526 MS | EPA 200.8 |
| Boron                                | 0.05   | 0.01   |      | mg/L  | 08/16/2004 815 MH  | EPA 200.7 |
| Cadmium                              | ND     | 0.002  |      | mg/L  | 08/12/2004 1526 MS | EPA 200.8 |
| Chromium                             | ND     | 0.01   |      | mg/L  | 08/16/2004 815 MH  | EPA 200.7 |
| Copper                               | ND     | 0.01   |      | mg/L  | 08/12/2004 1526 MS | EPA 200.8 |
| Iron                                 | ND     | 0.05   |      | mg/L  | 08/16/2004 815 MH  | EPA 200.7 |
| Lead                                 | ND     | 0.02   |      | mg/L  | 08/12/2004 1526 MS | EPA 200.8 |
| Manganese                            | ND     | 0.02   |      | mg/L  | 08/16/2004 815 MH  | EPA 200.7 |
| Mercury                              | ND     | 0.001  |      | mg/L  | 08/13/2004 000 MS  | EPA 245.1 |
| Molybdenum                           | ND     | 0.02   |      | mg/L  | 08/12/2004 1526 MS | EPA 200.8 |
| Nickel                               | ND     | 0.01   |      | mg/L  | 08/16/2004 815 MH  | EPA 200.7 |
| Selenium                             | 0.079  | 0.005  |      | mg/L  | 08/12/2004 1526 MS | EPA 200.8 |
| Uranium                              | 0.405  | 0.0001 |      | mg/L  | 08/12/2004 1526 MS | EPA 200.8 |
| Vanadium                             | 0.07   | 0.02   |      | mg/L  | 08/12/2004 1526 MS | EPA 200.8 |
| Zinc                                 | ND     | 0.01   |      | mg/L  | 08/16/2004 815 MH  | EPA 200.7 |

These results apply only to the samples tested.

- Qualifiers: \* Value exceeds Maximum Contaminant Level  
 E Value above quantitation range  
 J Analyte detected below quantitation limits  
 S Spike Recovery outside accepted recovery limits  
 B Analyte detected in the associated Method Blank  
 H Holding times for preparation or analysis exceeded  
 ND Not Detected at the Reporting Limit

Reviewed by: Wade Nieuwsma  
 Wade Nieuwsma, Water Lab Supervisor

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 9/2/2004  
Report ID: S0408139001

Project: Cogema Christensen Mine  
Lab ID: S0408139-012  
Client Sample ID 58D50-1  
Matrix: Water

Work Order: S0408139  
Collection Date: 8/11/2004  
Date Received: 8/11/2004 5:15:00 PM

| Analyses                               | Result   | PQL  | Qual | Units    | Date Analyzed/Init | Method      |
|--|----------|------|------|----------|--------------------|-------------|
| <b>General Parameters</b>              |          |      |      |          |                    |             |
| pH                                     | 8.3      | 0.1  |      | s.u.     | 08/12/2004 1829 JG | EPA 150.1   |
| Electrical Conductivity                | 528      | 5    |      | µmhos/cm | 08/12/2004 1829 JG | SM 2510B    |
| Total Dissolved Solids (180)           | 320      | 10   |      | mg/L     | 08/13/2004 1040 KA | SM 2540     |
| Solids, Total Dissolved (Calc)         | 290      | 10   |      | mg/L     | 09/01/2004 1642 JG | SM 1030F    |
| Acidity, Total (As CaCO3)              | ND       | 5    |      | mg/L     | 08/16/2004 000 JG  | SM 2310B    |
| Alkalinity, Total (As CaCO3)           | 188      | 5    |      | mg/L     | 08/12/2004 1829 JG | SM 2320B    |
| Hardness, Calcium/Magnesium (As CaCO3) | 38       | 1    |      | mg/L     | 09/01/2004 1642 JG | SM 2340B    |
| Nitrogen, Ammonia (As N)               | ND       | 0.1  |      | mg/L     | 08/13/2004 1225 RM | EPA 350.1   |
| Nitrogen, Nitrite (as N)               | ND       | 0.05 |      | mg/L     | 08/12/2004 1133 RM | EPA 353.2   |
| Silica as SiO2                         | 5.5      | 0.1  |      | mg/L     | 08/16/2004 822 MH  | EPA 200.7   |
| Radium 226                             | 97.0±6.6 | 0.2  |      | pCi/L    | 08/18/2004 1427 JN | SM 7500     |
| Sodium Adsorption Ratio                | 6.5      | 0.1  |      |          | 09/01/2004 1642 JG | Calculation |
| <b>Anions</b>                          |          |      |      |          |                    |             |
| Alkalinity, Bicarbonate as HCO3        | 226      | 5    |      | mg/L     | 08/12/2004 1829 JG | SM 2320B    |
| Alkalinity, Carbonate as CO3           | ND       | 5    |      | mg/L     | 08/12/2004 1829 JG | SM 2320B    |
| Alkalinity, Hydroxide as OH            | ND       | 5    |      | mg/L     | 08/12/2004 1829 JG | SM 2320B    |
| Chloride                               | 5        | 1    |      | mg/L     | 08/13/2004 1442 LK | EPA 300.0   |
| Fluoride                               | 0.1      | 0.1  |      | mg/L     | 08/12/2004 1829 JG | SM 4500FC   |
| Nitrogen, Nitrate-Nitrite (as N)       | ND       | 0.05 |      | mg/L     | 08/17/2004 1133 RM | EPA 353.2   |
| Sulfate                                | 58       | 1    |      | mg/L     | 08/13/2004 1442 LK | EPA 300.0   |
| <b>Cations</b>                         |          |      |      |          |                    |             |
| Calcium                                | 12       | 1    |      | mg/L     | 08/24/2004 847 MH  | EPA 200.7   |
| Magnesium                              | 2        | 1    |      | mg/L     | 08/24/2004 847 MH  | EPA 200.7   |
| Potassium                              | 2        | 1    |      | mg/L     | 08/24/2004 847 MH  | EPA 200.7   |
| Sodium                                 | 93       | 1    |      | mg/L     | 08/16/2004 822 MH  | EPA 200.7   |

These results apply only to the samples tested.

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
ND Not Detected at the Reporting Limit

Reviewed by:

*Wade Nieuwsma*  
Wade Nieuwsma, Water Lab Supervisor

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 9/2/2004  
Report ID: S0408139001

Project: Cogema Christensen Mine  
Lab ID: S0408139-012  
Client Sample ID 5BD50-1  
Matrix: Water

Work Order: S0408139  
Collection Date: 8/11/2004  
Date Received: 8/11/2004 5:15:00 PM

| Analyses                             | Result | PQL    | Qual | Units | Date Analyzed/Init | Method    |
|--------------------------------------|--------|--------|------|-------|--------------------|-----------|
| <b>Cation/Anion-Milliequivalents</b> |        |        |      |       |                    |           |
| Bicarbonate as HCO3                  | 3.71   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Carbonate as CO3                     | 0.04   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Hydroxide as OH                      | ND     | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Chloride                             | 0.13   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Fluoride                             | ND     | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Nitrate + Nitrite as N               | ND     | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Sulfate                              | 1.21   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Calcium                              | 0.57   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Magnesium                            | 0.19   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Potassium                            | 0.05   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Sodium                               | 4.06   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| <b>Cation / Anion Balance</b>        |        |        |      |       |                    |           |
| Cation Sum                           | 4.88   | 0      |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Anion Sum                            | 5.11   | 0      |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Cation-Anion Balance                 | 2.27   | 0      |      | %     | 09/01/2004 1642 JG | SM 1030F  |
| <b>Dissolved Metals</b>              |        |        |      |       |                    |           |
| Aluminum                             | ND     | 0.1    |      | mg/L  | 08/16/2004 822 MH  | EPA 200.7 |
| Arsenic                              | 0.018  | 0.005  |      | mg/L  | 08/12/2004 1540 MS | EPA 200.8 |
| Barium                               | ND     | 0.5    |      | mg/L  | 08/12/2004 1540 MS | EPA 200.8 |
| Boron                                | 0.06   | 0.01   |      | mg/L  | 08/16/2004 822 MH  | EPA 200.7 |
| Cadmium                              | ND     | 0.002  |      | mg/L  | 08/12/2004 1540 MS | EPA 200.8 |
| Chromium                             | ND     | 0.01   |      | mg/L  | 08/16/2004 822 MH  | EPA 200.7 |
| Copper                               | ND     | 0.01   |      | mg/L  | 08/12/2004 1540 MS | EPA 200.8 |
| Iron                                 | ND     | 0.05   |      | mg/L  | 08/16/2004 822 MH  | EPA 200.7 |
| Lead                                 | ND     | 0.02   |      | mg/L  | 08/12/2004 1540 MS | EPA 200.8 |
| Manganese                            | 0.03   | 0.02   |      | mg/L  | 08/16/2004 822 MH  | EPA 200.7 |
| Mercury                              | ND     | 0.001  |      | mg/L  | 08/13/2004 000 MS  | EPA 245.1 |
| Molybdenum                           | ND     | 0.02   |      | mg/L  | 08/12/2004 1540 MS | EPA 200.8 |
| Nickel                               | ND     | 0.01   |      | mg/L  | 08/16/2004 822 MH  | EPA 200.7 |
| Selenium                             | 0.495  | 0.005  |      | mg/L  | 08/12/2004 1540 MS | EPA 200.8 |
| Uranium                              | 1.64   | 0.0001 |      | mg/L  | 08/12/2004 1540 MS | EPA 200.8 |
| Vanadium                             | 0.15   | 0.02   |      | mg/L  | 08/12/2004 1540 MS | EPA 200.8 |
| Zinc                                 | ND     | 0.01   |      | mg/L  | 08/16/2004 822 MH  | EPA 200.7 |

These results apply only to the samples tested.

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
ND Not Detected at the Reporting Limit

Reviewed by: Karen Banta  
Wade Nieuwsma, Water Lab Supervisor

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 9/2/2004  
Report ID: S0408139001

Project: Cogema Christensen Mine  
Lab ID: S0408139-013  
Client Sample ID 5BH58-2  
Matrix: Water

Work Order: S0408139  
Collection Date: 8/11/2004  
Date Received: 8/11/2004 5:15:00 PM

| Analyses                               | Result | PQL  | Qual | Units    | Date Analyzed/Init | Method      |
|--|--------|------|------|----------|--------------------|-------------|
| <b>General Parameters</b>              |        |      |      |          |                    |             |
| pH                                     | 8.4    | 0.1  |      | s.u.     | 08/12/2004 1841 JG | EPA 150.1   |
| Electrical Conductivity                | 609    | 5    |      | µmhos/cm | 08/12/2004 1841 JG | SM 2510B    |
| Total Dissolved Solids (180)           | 360    | 10   |      | mg/L     | 08/13/2004 1050 KA | SM 2540     |
| Solids, Total Dissolved (Calc)         | 340    | 10   |      | mg/L     | 09/01/2004 1642 JG | SM 1030F    |
| Acidity, Total (As CaCO3)              | ND     | 5    |      | mg/L     | 08/16/2004 000 JG  | SM 2310B    |
| Alkalinity, Total (As CaCO3)           | 262    | 5    |      | mg/L     | 08/12/2004 1841 JG | SM 2320B    |
| Hardness, Calcium/Magnesium (As CaCO3) | 50     | 1    |      | mg/L     | 09/01/2004 1642 JG | SM 2340B    |
| Nitrogen, Ammonia (As N)               | ND     | 0.1  |      | mg/L     | 08/13/2004 1226 RM | EPA 350.1   |
| Nitrogen, Nitrite (as N)               | ND     | 0.05 |      | mg/L     | 08/12/2004 1134 RM | EPA 353.2   |
| Silica as SiO2                         | 5.2    | 0.1  |      | mg/L     | 08/16/2004 826 MH  | EPA 200.7   |
| Radium 226                             | 254±11 | 0.2  |      | pCi/L    | 08/18/2004 1427 JN | SM 7500     |
| Sodium Adsorption Ratio                | 6.8    | 0.1  |      |          | 09/01/2004 1642 JG | Calculation |
| <b>Anions</b>                          |        |      |      |          |                    |             |
| Alkalinity, Bicarbonate as HCO3        | 308    | 5    |      | mg/L     | 08/12/2004 1841 JG | SM 2320B    |
| Alkalinity, Carbonate as CO3           | 6      | 5    |      | mg/L     | 08/12/2004 1841 JG | SM 2320B    |
| Alkalinity, Hydroxide as OH            | ND     | 5    |      | mg/L     | 08/12/2004 1841 JG | SM 2320B    |
| Chloride                               | 3      | 1    |      | mg/L     | 08/13/2004 1455 LK | EPA 300.0   |
| Fluoride                               | 0.1    | 0.1  |      | mg/L     | 08/12/2004 1841 JG | SM 4500FC   |
| Nitrogen, Nitrate-Nitrite (as N)       | ND     | 0.05 |      | mg/L     | 08/17/2004 1134 RM | EPA 353.2   |
| Sulfate                                | 45     | 1    |      | mg/L     | 08/13/2004 1455 LK | EPA 300.0   |
| <b>Cations</b>                         |        |      |      |          |                    |             |
| Calcium                                | 15     | 1    |      | mg/L     | 08/24/2004 851 MH  | EPA 200.7   |
| Magnesium                              | 3      | 1    |      | mg/L     | 08/16/2004 826 MH  | EPA 200.7   |
| Potassium                              | 3      | 1    |      | mg/L     | 08/16/2004 826 MH  | EPA 200.7   |
| Sodium                                 | 111    | 1    |      | mg/L     | 08/16/2004 826 MH  | EPA 200.7   |

These results apply only to the samples tested.

- Qualifiers:**
- \* Value exceeds Maximum Contaminant Level
  - E Value above quantitation range
  - J Analyte detected below quantitation limits
  - S Spike Recovery outside accepted recovery limits
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - ND Not Detected at the Reporting Limit

Reviewed by: Wade Nieuwsma  
Wade Nieuwsma, Water Lab Supervisor

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 9/2/2004  
Report ID: S0408139001

Project: Cogema Christensen Mine  
Lab ID: S0408139-013  
Client Sample ID 5BH58-2  
Matrix: Water

Work Order: S0408139  
Collection Date: 8/11/2004  
Date Received: 8/11/2004 5:15:00 PM

| Analyses                             | Result | PQL    | Qual | Units | Date Analyzed/Init | Method    |
|--------------------------------------|--------|--------|------|-------|--------------------|-----------|
| <b>Cation/Anion-Milliequivalents</b> |        |        |      |       |                    |           |
| Bicarbonate as HCO3                  | 5.04   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Carbonate as CO3                     | 0.18   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Hydroxide as OH                      | ND     | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Chloride                             | 0.07   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Fluoride                             | ND     | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Nitrate + Nitrite as N               | ND     | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Sulfate                              | 0.94   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Calcium                              | 0.76   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Magnesium                            | 0.24   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Potassium                            | 0.06   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Sodium                               | 4.83   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| <b>Cation / Anion Balance</b>        |        |        |      |       |                    |           |
| Cation Sum                           | 5.90   | 0      |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Anion Sum                            | 6.25   | 0      |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Cation-Anion Balance                 | 2.85   | 0      |      | %     | 09/01/2004 1642 JG | SM 1030F  |
| <b>Dissolved Metals</b>              |        |        |      |       |                    |           |
| Aluminum                             | ND     | 0.1    |      | mg/L  | 08/16/2004 826 MH  | EPA 200.7 |
| Arsenic                              | 0.018  | 0.005  |      | mg/L  | 08/12/2004 1542 MS | EPA 200.8 |
| Barium                               | ND     | 0.5    |      | mg/L  | 08/12/2004 1542 MS | EPA 200.8 |
| Boron                                | 0.06   | 0.01   |      | mg/L  | 08/16/2004 826 MH  | EPA 200.7 |
| Cadmium                              | ND     | 0.002  |      | mg/L  | 08/12/2004 1542 MS | EPA 200.8 |
| Chromium                             | ND     | 0.01   |      | mg/L  | 08/16/2004 826 MH  | EPA 200.7 |
| Copper                               | ND     | 0.01   |      | mg/L  | 08/12/2004 1542 MS | EPA 200.8 |
| Iron                                 | ND     | 0.05   |      | mg/L  | 08/16/2004 826 MH  | EPA 200.7 |
| Lead                                 | ND     | 0.02   |      | mg/L  | 08/12/2004 1542 MS | EPA 200.8 |
| Manganese                            | 0.03   | 0.02   |      | mg/L  | 08/16/2004 826 MH  | EPA 200.7 |
| Mercury                              | ND     | 0.001  |      | mg/L  | 08/13/2004 000 MS  | EPA 245.1 |
| Molybdenum                           | ND     | 0.02   |      | mg/L  | 08/12/2004 1542 MS | EPA 200.8 |
| Nickel                               | ND     | 0.01   |      | mg/L  | 08/16/2004 826 MH  | EPA 200.7 |
| Selenium                             | 0.241  | 0.005  |      | mg/L  | 08/12/2004 1542 MS | EPA 200.8 |
| Uranium                              | 1.44   | 0.0001 |      | mg/L  | 08/12/2004 1542 MS | EPA 200.8 |
| Vanadium                             | 0.13   | 0.02   |      | mg/L  | 08/12/2004 1542 MS | EPA 200.8 |
| Zinc                                 | ND     | 0.01   |      | mg/L  | 08/16/2004 826 MH  | EPA 200.7 |

These results apply only to the samples tested.

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
ND Not Detected at the Reporting Limit

Reviewed by: Wade Nieuwsma for  
Wade Nieuwsma, Water Lab Supervisor

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 9/2/2004  
Report ID: S0408139001

Project: Cogema Christensen Mine  
Lab ID: S0408139-014  
Client Sample ID 5BJ54-1  
Matrix: Water

Work Order: S0408139  
Collection Date: 8/11/2004  
Date Received: 8/11/2004 5:15:00 PM

| Analyses                               | Result | PQL  | Qual | Units    | Date Analyzed/Init | Method      |
|--|--------|------|------|----------|--------------------|-------------|
| <b>General Parameters</b>              |        |      |      |          |                    |             |
| pH                                     | 8.0    | 0.1  |      | s.u.     | 08/12/2004 1852 JG | EPA 150.1   |
| Electrical Conductivity                | 1160   | 5    |      | µmhos/cm | 08/12/2004 1852 JG | SM 2510B    |
| Total Dissolved Solids (180)           | 720    | 10   |      | mg/L     | 08/13/2004 1055 KA | SM 2540     |
| Solids, Total Dissolved (Calc)         | 660    | 10   |      | mg/L     | 09/01/2004 1642 JG | SM 1030F    |
| Acidity, Total (As CaCO3)              | ND     | 5    |      | mg/L     | 08/16/2004 000 JG  | SM 2310B    |
| Alkalinity, Total (As CaCO3)           | 298    | 5    |      | mg/L     | 08/12/2004 1852 JG | SM 2320B    |
| Hardness, Calcium/Magnesium (As CaCO3) | 155    | 1    |      | mg/L     | 09/01/2004 1642 JG | SM 2340B    |
| Nitrogen, Ammonia (As N)               | ND     | 0.1  |      | mg/L     | 08/13/2004 1227 RM | EPA 350.1   |
| Nitrogen, Nitrite (as N)               | ND     | 0.05 |      | mg/L     | 08/12/2004 1135 RM | EPA 353.2   |
| Silica as SiO2                         | 8.7    | 0.1  |      | mg/L     | 08/16/2004 829 MH  | EPA 200.7   |
| Radium 226                             | 626±18 | 0.2  |      | pCi/L    | 08/18/2004 1427 JN | SM 7500     |
| Sodium Adsorption Ratio                | 6.2    | 0.1  |      |          | 09/01/2004 1642 JG | Calculation |
| <b>Anions</b>                          |        |      |      |          |                    |             |
| Alkalinity, Bicarbonate as HCO3        | 364    | 5    |      | mg/L     | 08/12/2004 1852 JG | SM 2320B    |
| Alkalinity, Carbonate as CO3           | ND     | 5    |      | mg/L     | 08/12/2004 1852 JG | SM 2320B    |
| Alkalinity, Hydroxide as OH            | ND     | 5    |      | mg/L     | 08/12/2004 1852 JG | SM 2320B    |
| Chloride                               | 14     | 1    |      | mg/L     | 08/13/2004 1509 LK | EPA 300.0   |
| Fluoride                               | ND     | 0.1  |      | mg/L     | 08/12/2004 1852 JG | SM 4500FC   |
| Nitrogen, Nitrate-Nitrite (as N)       | ND     | 0.05 |      | mg/L     | 08/17/2004 1135 RM | EPA 353.2   |
| Sulfate                                | 225    | 1    |      | mg/L     | 08/13/2004 1509 LK | EPA 300.0   |
| <b>Cations</b>                         |        |      |      |          |                    |             |
| Calcium                                | 46     | 1    |      | mg/L     | 08/16/2004 829 MH  | EPA 200.7   |
| Magnesium                              | 10     | 1    |      | mg/L     | 08/16/2004 829 MH  | EPA 200.7   |
| Potassium                              | 4      | 1    |      | mg/L     | 08/16/2004 829 MH  | EPA 200.7   |
| Sodium                                 | 177    | 1    |      | mg/L     | 08/16/2004 829 MH  | EPA 200.7   |

These results apply only to the samples tested.

Qualifiers: \* Value exceeds Maximum Contaminant Level      B Analyte detected in the associated Method Blank  
 E Value above quantitation range      H Holding times for preparation or analysis exceeded  
 J Analyte detected below quantitation limits      ND Not Detected at the Reporting Limit  
 S Spike Recovery outside accepted recovery limits

Reviewed by: Wade Neuwisma  
Wade Neuwisma, Water Lab Supervisor

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 9/2/2004  
Report ID: S0408139001

Project: Cogema Christensen Mine  
Lab ID: S0408139-014  
Client Sample ID 5BJ54-1  
Matrix: Water

Work Order: S0408139  
Collection Date: 8/11/2004  
Date Received: 8/11/2004 5:15:00 PM

| Analyses                             | Result | PQL    | Qual | Units | Date Analyzed/Init | Method    |
|--------------------------------------|--------|--------|------|-------|--------------------|-----------|
| <b>Cation/Anion-Milliequivalents</b> |        |        |      |       |                    |           |
| Bicarbonate as HCO <sub>3</sub>      | 5.97   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Carbonate as CO <sub>3</sub>         | ND     | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Hydroxide as OH                      | ND     | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Chloride                             | 0.38   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Fluoride                             | ND     | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Nitrate + Nitrite as N               | ND     | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Sulfate                              | 4.68   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Calcium                              | 2.29   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Magnesium                            | 0.81   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Potassium                            | 0.11   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Sodium                               | 7.70   | 0.01   |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| <b>Cation / Anion Balance</b>        |        |        |      |       |                    |           |
| Cation Sum                           | 10.93  | 0      |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Anion Sum                            | 11.04  | 0      |      | meq/L | 09/01/2004 1642 JG | SM 1030F  |
| Cation-Anion Balance                 | 0.51   | 0      |      | %     | 09/01/2004 1642 JG | SM 1030F  |
| <b>Dissolved Metals</b>              |        |        |      |       |                    |           |
| Aluminum                             | ND     | 0.1    |      | mg/L  | 08/16/2004 829 MH  | EPA 200.7 |
| Arsenic                              | ND     | 0.005  |      | mg/L  | 08/12/2004 1545 MS | EPA 200.8 |
| Barium                               | ND     | 0.5    |      | mg/L  | 08/12/2004 1545 MS | EPA 200.8 |
| Boron                                | 0.08   | 0.01   |      | mg/L  | 08/16/2004 829 MH  | EPA 200.7 |
| Cadmium                              | ND     | 0.002  |      | mg/L  | 08/12/2004 1545 MS | EPA 200.8 |
| Chromium                             | ND     | 0.01   |      | mg/L  | 08/16/2004 829 MH  | EPA 200.7 |
| Copper                               | ND     | 0.01   |      | mg/L  | 08/12/2004 1545 MS | EPA 200.8 |
| Iron                                 | 0.15   | 0.05   |      | mg/L  | 08/16/2004 829 MH  | EPA 200.7 |
| Lead                                 | ND     | 0.02   |      | mg/L  | 08/12/2004 1545 MS | EPA 200.8 |
| Manganese                            | 0.13   | 0.02   |      | mg/L  | 08/16/2004 829 MH  | EPA 200.7 |
| Mercury                              | ND     | 0.001  |      | mg/L  | 08/13/2004 000 MS  | EPA 245.1 |
| Molybdenum                           | ND     | 0.02   |      | mg/L  | 08/12/2004 1545 MS | EPA 200.8 |
| Nickel                               | ND     | 0.01   |      | mg/L  | 08/16/2004 829 MH  | EPA 200.7 |
| Selenium                             | 0.114  | 0.005  |      | mg/L  | 08/12/2004 1545 MS | EPA 200.8 |
| Uranium                              | 1.23   | 0.0001 |      | mg/L  | 08/12/2004 1545 MS | EPA 200.8 |
| Vanadium                             | 0.03   | 0.02   |      | mg/L  | 08/12/2004 1545 MS | EPA 200.8 |
| Zinc                                 | ND     | 0.01   |      | mg/L  | 08/16/2004 829 MH  | EPA 200.7 |

These results apply only to the samples tested.

- Qualifiers: \* Value exceeds Maximum Contaminant Level  
 E Value above quantitation range  
 J Analyte detected below quantitation limits  
 S Spike Recovery outside accepted recovery limits  
 B Analyte detected in the associated Method Blank  
 H Holding times for preparation or analysis exceeded  
 ND Not Detected at the Reporting Limit

Reviewed by: Wade Nieuwsma  
 Wade Nieuwsma, Water Lab Supervisor

**Inter-Mountain Laboratories**

Date: 30-Dec-05

**CLIENT:** Cogema Mining Inc.  
**Project:** Cogema Christensen Mine  
**Lab Order:** S0512127

**CASE NARRATIVE**

**Report ID:** S0512127001

---

Samples 5BK82-1, 5BL66-1, 5BL76-1, 5BN162-2, 5BN94-1, 5BQ158-1, 5BS120-1, 5BT138-1, AP-02, and MW-03 were received on December 13, 2005.

All samples were received and analyzed within the EPA recommended holding times, except those noted in this case narrative. Samples were analyzed using the methods outlined in the following references:

U.S.E.P.A. 600 "Methods for Chemical Analysis of Water and Wastes", 1993  
"Standard Methods For The Examination of Water and Wastewater", 20th ed., 1995  
Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, SW846, 3rd Edition

All Quality Control parameters met the acceptance criteria defined by EPA and Inter-Mountain Laboratories except as indicated in this case narrative.



**SAMPLE SUBMITTAL AND CHAIN OF CUSTODY FORM**

COGEMA Mining Inc.; PO Box 730 Mills, WY 82644  
Phone 464-1429 (Christensen Mine) or 234-5019 (Mills Office)

Samples shipped to Inter-mountain lab sheridan,wy

Submitted by [Signature] Date 12-13-05

Received by [Signature] Date 12-13-05

**Restoration Sample Description**

Location: \_\_\_ Irigaray  Christensen Mine or Production Unit 5 Module # (if applicale) \_\_\_

Restoration Phase: \_\_\_ Groundwater Sweep (explain \_\_\_\_\_)  
 \_\_\_ Reverse Osmosis Filtration (explain \_\_\_\_\_)  
 \_\_\_ Recirculation (explain \_\_\_\_\_)  
 \_\_\_ Stabilization (explain \_\_\_\_\_)

\*Analysis Requested: DEQ Guideline # 8 (Ca, Mg, Na, K, CO3, HCO3, SO4, Cl, NH4, NO2, NO3, TDS, Cond., Tot. Alk., pH, SiO2, Al, As, Ba, B, Cd, Cr, Cu, F, Fe, Pb, Mn, Hg, Mo, Ni, Se, Zn, U, V, Ra226)

Send Analysis Results to: ~~Tom Johnson~~  
LARRY ARBOGAST

| #  | Identification Name | Sample Date | Sample Volume | Water Sample Preservation (X) |            |      |       | Comments      |
|----|---------------------|-------------|---------------|-------------------------------|------------|------|-------|---------------|
|    |                     |             |               | Filtered                      | Not Filtr. | HNO3 | H2SO4 |               |
| 1  | 5BL76-1             | 12-13-05    | Half Gal.     | X                             |            | X    |       | 50512127-001  |
|    |                     |             | Quart         | X                             |            |      |       | "             |
|    |                     |             | 8 ozs.        |                               | X          |      |       | "             |
|    |                     |             | 8 ozs.        | X                             |            |      | X     | "             |
| 2  | 5BT138-1            |             | **            | **                            | **         | **   | **    | 002           |
| 3  | 5BN94-1             |             | **            | **                            | **         | **   | **    | 003           |
| 4  | 5BN162-2            |             | **            | **                            | **         | **   | **    | 004           |
| 5  | 5B8120-1            | 12-13-05    | **            | **                            | **         | **   | **    | 005           |
| 6  | 5B266-1             |             | **            | **                            | **         | **   | **    | 006           |
| 7  | 5BQ158-1            |             | **            | **                            | **         | **   | **    | 007           |
| 8  | 5BK82-1             |             | **            | **                            | **         | **   | **    | 008           |
| 9  | MW-03               |             | **            | **                            | **         | **   | **    | 009           |
| 10 | AP-02               |             | **            | **                            | **         | **   | **    | 010           |
| 11 | 5BS130-1            |             | **            | **                            | **         | **   | **    | } dup entries |
| 12 | 5BL66-1             |             | **            | **                            | **         | **   | **    |               |
| 13 |                     |             | **            | **                            | **         | **   | **    |               |
| 14 |                     |             | **            | **                            | **         | **   | **    |               |
| 15 |                     |             | **            | **                            | **         | **   | **    |               |

\*All analysis will be performed in accordance with EPA approved procedures and/or the latest edition of Standard Methods.  
 \*\* Same as sample #1

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 12/30/2005  
Report ID: S0512127001

Project: Cogema Christensen Mine  
Lab ID: S0512127-001  
Client Sample ID: 5BL76-1  
Matrix: Water

Work Order: S0512127  
Collection Date: 12/12/2005  
Date Received: 12/13/2005 5:00:00 PM  
Sampler:


| Analyses                               | Result   | PQL  | Qual | Units    | Date Analyzed/Init | Method       |
|--|----------|------|------|----------|--------------------|--------------|
| <b>General Parameters</b>              |          |      |      |          |                    |              |
| pH                                     | 7.9      | 0.1  |      | s.u.     | 12/14/2005 1634 MD | EPA 150.1    |
| Electrical Conductivity                | 2770     | 5    |      | µmhos/cm | 12/14/2005 1634 MD | SM 2510B     |
| Total Dissolved Solids (180)           | 1960     | 10   |      | mg/L     | 12/15/2005 741 EB  | SM 2540      |
| Solids, Total Dissolved (Calc)         | 1980     | 10   |      | mg/L     | 12/23/2005 958 MD  | SM 1030F     |
| Acidity, Total (As CaCO3)              | ND       | 5    |      | mg/L     | 12/16/2005 000 MD  | SM 2310B     |
| Alkalinity, Total (As CaCO3)           | 983      | 5    |      | mg/L     | 12/14/2005 1634 MD | SM 2320B     |
| Hardness, Calcium/Magnesium (As CaCO3) | 604      | 1    |      | mg/L     | 12/23/2005 958 MD  | SM 2340B     |
| Nitrogen, Ammonia (As N)               | ND       | 0.1  |      | mg/L     | 12/16/2005 1216 RM | EPA 350.1    |
| Nitrogen, Nitrite (as N)               | 0.07     | 0.05 |      | mg/L     | 12/14/2005 1056 RM | EPA 353.2    |
| Radium 226                             | 259 ± 10 | 0.2  |      | pCi/L    | 12/28/2005 1255 SH | SM 7500 RA B |
| Silica as SiO2                         | 12.7     | 0.1  |      | mg/L     | 12/22/2005 1219 TC | EPA 200.7    |
| Sodium Adsorption Ratio                | 9.4      | 0.1  |      |          | 12/23/2005 958 MD  | Calculation  |
| <b>Anions</b>                          |          |      |      |          |                    |              |
| Alkalinity, Bicarbonate as HCO3        | 1200     | 5    |      | mg/L     | 12/14/2005 1634 MD | SM 2320B     |
| Alkalinity, Carbonate as CO3           | ND       | 5    |      | mg/L     | 12/14/2005 1634 MD | SM 2320B     |
| Alkalinity, Hydroxide as OH            | ND       | 5    |      | mg/L     | 12/14/2005 1634 MD | SM 2320B     |
| Chloride                               | 51       | 1    |      | mg/L     | 12/22/2005 1414 LK | EPA 300.0    |
| Fluoride                               | ND       | 0.1  |      | mg/L     | 12/14/2005 1634 MD | SM 4500FC    |
| Nitrogen, Nitrate-Nitrite (as N)       | 0.73     | 0.05 |      | mg/L     | 12/14/2005 1425 RM | EPA 353.2    |
| Sulfate                                | 579      | 1    |      | mg/L     | 12/22/2005 1414 LK | EPA 300.0    |
| <b>Cations</b>                         |          |      |      |          |                    |              |
| Calcium                                | 184      | 1    |      | mg/L     | 12/20/2005 1109 TC | EPA 200.7    |
| Magnesium                              | 35       | 1    |      | mg/L     | 12/20/2005 1109 TC | EPA 200.7    |
| Potassium                              | 9        | 1    |      | mg/L     | 12/20/2005 1109 TC | EPA 200.7    |
| Sodium                                 | 533      | 1    |      | mg/L     | 12/20/2005 1109 TC | EPA 200.7    |

These results apply only to the samples tested.

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
ND Not Detected at the Reporting Limit

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
L Analyzed by a contract laboratory  
S Spike Recovery outside accepted recovery limits

Reviewed by:

  
Wade Nieuwsma, Project Manager

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 12/30/2005  
Report ID: S0512127001

Project: Cogema Christensen Mine  
Lab ID: S0512127-001  
Client Sample ID: 5BL76-1  
Matrix: Water

Work Order: S0512127  
Collection Date: 12/12/2005  
Date Received: 12/13/2005 5:00:00 PM  
Sampler:

| Analyses                             | Result | PQL    | Qual | Units | Date Analyzed/Init | Method    |
|--------------------------------------|--------|--------|------|-------|--------------------|-----------|
| <b>Cation/Anion-Milliequivalents</b> |        |        |      |       |                    |           |
| Bicarbonate as HCO3                  | 19.65  | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Carbonate as CO3                     | ND     | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Hydroxide as OH                      | ND     | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Chloride                             | 1.44   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Fluoride                             | ND     | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Nitrate + Nitrite as N               | 0.05   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Sulfate                              | 12.04  | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Calcium                              | 9.18   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Magnesium                            | 2.90   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Potassium                            | 0.23   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Sodium                               | 23.19  | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| <b>Cation / Anion Balance</b>        |        |        |      |       |                    |           |
| Cation Sum                           | 35.51  | 0      |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Anion Sum                            | 33.19  | 0      |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Cation-Anion Balance                 | 3.37   | 0      |      | %     | 12/23/2005 958 MD  | SM 1030F  |
| <b>Dissolved Metals</b>              |        |        |      |       |                    |           |
| Aluminum                             | 0.2    | 0.1    |      | mg/L  | 12/16/2005 1245 TC | EPA 200.7 |
| Arsenic                              | 0.025  | 0.005  |      | mg/L  | 12/14/2005 1136 MS | EPA 200.8 |
| Barium                               | ND     | 0.5    |      | mg/L  | 12/14/2005 1136 MS | EPA 200.8 |
| Boron                                | 0.17   | 0.03   |      | mg/L  | 12/16/2005 1245 TC | EPA 200.7 |
| Cadmium                              | ND     | 0.002  |      | mg/L  | 12/14/2005 1136 MS | EPA 200.8 |
| Chromium                             | 0.01   | 0.01   |      | mg/L  | 12/16/2005 1245 TC | EPA 200.7 |
| Copper                               | ND     | 0.01   |      | mg/L  | 12/14/2005 1136 MS | EPA 200.8 |
| Iron                                 | ND     | 0.05   |      | mg/L  | 12/16/2005 1245 TC | EPA 200.7 |
| Lead                                 | ND     | 0.02   |      | mg/L  | 12/14/2005 1136 MS | EPA 200.8 |
| Manganese                            | ND     | 0.02   |      | mg/L  | 12/16/2005 1245 TC | EPA 200.7 |
| Mercury                              | ND     | 0.001  |      | mg/L  | 12/16/2005 1246 PQ | EPA 245.1 |
| Molybdenum                           | ND     | 0.02   |      | mg/L  | 12/14/2005 1136 MS | EPA 200.8 |
| Nickel                               | 0.01   | 0.01   |      | mg/L  | 12/16/2005 1245 TC | EPA 200.7 |
| Selenium                             | 2.49   | 0.005  |      | mg/L  | 12/14/2005 1136 MS | EPA 200.8 |
| Uranium                              | 18.6   | 0.0001 |      | mg/L  | 12/14/2005 1136 MS | EPA 200.8 |
| Vanadium                             | 0.12   | 0.02   |      | mg/L  | 12/14/2005 1136 MS | EPA 200.8 |
| Zinc                                 | ND     | 0.01   |      | mg/L  | 12/16/2005 1245 TC | EPA 200.7 |

These results apply only to the samples tested.

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
ND Not Detected at the Reporting Limit

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
L Analyzed by a contract laboratory  
S Spike Recovery outside accepted recovery limits

Reviewed by:   
Wade Nieuwsma, Project Manager

## Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 12/30/2005  
Report ID: S0512127001

Project: Cogema Christensen Mine  
Lab ID: S0512127-002  
Client Sample ID: 5BT138-1  
Matrix: Water

Work Order: S0512127  
Collection Date: 12/12/2005  
Date Received: 12/13/2005 5:00:00 PM  
Sampler:

| Analyses  | Result     | PQL  | Qual | Units    | Date Analyzed/Init | Method       |
|---|------------|------|------|----------|--------------------|--------------|
| <b>General Parameters</b>                           |            |      |      |          |                    |              |
| pH  | 8.4        | 0.1  |      | s.u.     | 12/14/2005 1644 MD | EPA 150.1    |
| Electrical Conductivity                             | 869        | 5    |      | µmhos/cm | 12/14/2005 1644 MD | SM 2510B     |
| Total Dissolved Solids (180)                        | 550        | 10   |      | mg/L     | 12/15/2005 746 EB  | SM 2540      |
| Solids, Total Dissolved (Calc)                      | 570        | 10   |      | mg/L     | 12/23/2005 958 MD  | SM 1030F     |
| Acidity, Total (As CaCO <sub>3</sub> )              | ND         | 5    |      | mg/L     | 12/16/2005 000 MD  | SM 2310B     |
| Alkalinity, Total (As CaCO <sub>3</sub> )           | 99         | 5    |      | mg/L     | 12/14/2005 1644 MD | SM 2320B     |
| Hardness, Calcium/Magnesium (As CaCO <sub>3</sub> ) | 40         | 1    |      | mg/L     | 12/23/2005 958 MD  | SM 2340B     |
| Nitrogen, Ammonia (As N)                            | 0.2        | 0.1  |      | mg/L     | 12/16/2005 1223 RM | EPA 350.1    |
| Nitrogen, Nitrite (as N)                            | ND         | 0.05 |      | mg/L     | 12/14/2005 1057 RM | EPA 353.2    |
| Radium 226  | 77.0 ± 6.3 | 0.2  |      | pCi/L    | 12/28/2005 1255 SH | SM 7500 RA B |
| Silica as SiO <sub>2</sub>                          | 9.0        | 0.1  |      | mg/L     | 12/22/2005 1223 TC | EPA 200.7    |
| Sodium Adsorption Ratio                             | 12.2       | 0.1  |      |          | 12/23/2005 958 MD  | Calculation  |
| <b>Anions</b>                                       |            |      |      |          |                    |              |
| Alkalinity, Bicarbonate as HCO <sub>3</sub>         | 117        | 5    |      | mg/L     | 12/14/2005 1644 MD | SM 2320B     |
| Alkalinity, Carbonate as CO <sub>3</sub>            | ND         | 5    |      | mg/L     | 12/14/2005 1644 MD | SM 2320B     |
| Alkalinity, Hydroxide as OH                         | ND         | 5    |      | mg/L     | 12/14/2005 1644 MD | SM 2320B     |
| Chloride  | 5          | 1    |      | mg/L     | 12/22/2005 1424 LK | EPA 300.0    |
| Fluoride  | 0.2        | 0.1  |      | mg/L     | 12/14/2005 1644 MD | SM 4500FC    |
| Nitrogen, Nitrate-Nitrite (as N)                    | ND         | 0.05 |      | mg/L     | 12/14/2005 1426 RM | EPA 353.2    |
| Sulfate   | 303        | 1    |      | mg/L     | 12/22/2005 1424 LK | EPA 300.0    |
| <b>Cations</b>                                      |            |      |      |          |                    |              |
| Calcium   | 13         | 1    |      | mg/L     | 12/20/2005 1113 TC | EPA 200.7    |
| Magnesium   | 2          | 1    |      | mg/L     | 12/20/2005 1113 TC | EPA 200.7    |
| Potassium   | 9          | 1    |      | mg/L     | 12/20/2005 1113 TC | EPA 200.7    |
| Sodium  | 178        | 1    |      | mg/L     | 12/20/2005 1113 TC | EPA 200.7    |

These results apply only to the samples tested.

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
ND Not Detected at the Reporting Limit

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
L Analyzed by a contract laboratory  
S Spike Recovery outside accepted recovery limits

Reviewed by:

  
Wade Nieuwsma, Project Manager

## Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 12/30/2005  
Report ID: S0512127001

Project: Cogema Christensen Mine  
Lab ID: S0512127-002  
Client Sample ID: 5BT138-1  
Matrix: Water

Work Order: S0512127  
Collection Date: 12/12/2005  
Date Received: 12/13/2005 5:00:00 PM  
Sampler:


| Analyses                             | Result | PQL    | Qual | Units | Date Analyzed/Init | Method    |
|--------------------------------------|--------|--------|------|-------|--------------------|-----------|
| <b>Cation/Anion-Milliequivalents</b> |        |        |      |       |                    |           |
| Bicarbonate as HCO <sub>3</sub>      | 1.91   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Carbonate as CO <sub>3</sub>         | 0.06   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Hydroxide as OH                      | ND     | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Chloride                             | 0.14   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Fluoride                             | 0.01   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Nitrate + Nitrite as N               | ND     | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Sulfate                              | 6.30   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Calcium                              | 0.62   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Magnesium                            | 0.18   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Potassium                            | 0.22   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Sodium                               | 7.75   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| <b>Cation / Anion Balance</b>        |        |        |      |       |                    |           |
| Cation Sum                           | 8.78   | 0      |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Anion Sum                            | 8.44   | 0      |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Cation-Anion Balance                 | 2.01   | 0      |      | %     | 12/23/2005 958 MD  | SM 1030F  |
| <b>Dissolved Metals</b>              |        |        |      |       |                    |           |
| Aluminum                             | ND     | 0.1    |      | mg/L  | 12/16/2005 1253 TC | EPA 200.7 |
| Arsenic                              | ND     | 0.005  |      | mg/L  | 12/14/2005 1139 MS | EPA 200.8 |
| Barium                               | ND     | 0.5    |      | mg/L  | 12/14/2005 1139 MS | EPA 200.8 |
| Boron                                | 0.06   | 0.03   |      | mg/L  | 12/16/2005 1253 TC | EPA 200.7 |
| Cadmium                              | ND     | 0.002  |      | mg/L  | 12/14/2005 1139 MS | EPA 200.8 |
| Chromium                             | ND     | 0.01   |      | mg/L  | 12/16/2005 1253 TC | EPA 200.7 |
| Copper                               | ND     | 0.01   |      | mg/L  | 12/14/2005 1139 MS | EPA 200.8 |
| Iron                                 | ND     | 0.05   |      | mg/L  | 12/16/2005 1253 TC | EPA 200.7 |
| Lead                                 | ND     | 0.02   |      | mg/L  | 12/14/2005 1139 MS | EPA 200.8 |
| Manganese                            | ND     | 0.02   |      | mg/L  | 12/16/2005 1253 TC | EPA 200.7 |
| Mercury                              | ND     | 0.001  |      | mg/L  | 12/16/2005 1249 PQ | EPA 245.1 |
| Molybdenum                           | ND     | 0.02   |      | mg/L  | 12/14/2005 1139 MS | EPA 200.8 |
| Nickel                               | ND     | 0.01   |      | mg/L  | 12/16/2005 1253 TC | EPA 200.7 |
| Selenium                             | 0.006  | 0.005  |      | mg/L  | 12/14/2005 1139 MS | EPA 200.8 |
| Uranium                              | 0.0473 | 0.0001 |      | mg/L  | 12/14/2005 1139 MS | EPA 200.8 |
| Vanadium                             | ND     | 0.02   |      | mg/L  | 12/14/2005 1139 MS | EPA 200.8 |
| Zinc                                 | ND     | 0.01   |      | mg/L  | 12/16/2005 1253 TC | EPA 200.7 |

These results apply only to the samples tested.

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
ND Not Detected at the Reporting Limit

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
L Analyzed by a contract laboratory  
S Spike Recovery outside accepted recovery limits

Reviewed by:



Wade Nieuwsma, Project Manager

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 12/30/2005  
Report ID: S0512127001

Project: Cogema Christensen Mine  
Lab ID: S0512127-003  
Client Sample ID: 5BN94-1  
Matrix: Water

Work Order: S0512127  
Collection Date: 12/12/2005  
Date Received: 12/13/2005 5:00:00 PM  
Sampler:

| Analyses                               | Result     | PQL  | Qual | Units    | Date Analyzed/Init | Method       |
|--|------------|------|------|----------|--------------------|--------------|
| <b>General Parameters</b>              |            |      |      |          |                    |              |
| pH                                     | 8.6        | 0.1  |      | s.u.     | 12/14/2005 1712 MD | EPA 150.1    |
| Electrical Conductivity                | 670        | 5    |      | µmhos/cm | 12/14/2005 1712 MD | SM 2510B     |
| Total Dissolved Solids (180)           | 420        | 10   |      | mg/L     | 12/15/2005 751 EB  | SM 2540      |
| Solids, Total Dissolved (Calc)         | 430        | 10   |      | mg/L     | 12/23/2005 958 MD  | SM 1030F     |
| Acidity, Total (As CaCO3)              | ND         | 5    |      | mg/L     | 12/16/2005 000 MD  | SM 2310B     |
| Alkalinity, Total (As CaCO3)           | 118        | 5    |      | mg/L     | 12/14/2005 1712 MD | SM 2320B     |
| Hardness, Calcium/Magnesium (As CaCO3) | 45         | 1    |      | mg/L     | 12/23/2005 958 MD  | SM 2340B     |
| Nitrogen, Ammonia (As N)               | ND         | 0.1  |      | mg/L     | 12/16/2005 1224 RM | EPA 350.1    |
| Nitrogen, Nitrite (as N)               | ND         | 0.05 |      | mg/L     | 12/14/2005 1058 RM | EPA 353.2    |
| Radium 226                             | 19.0 ± 2.8 | 0.2  |      | pCi/L    | 12/28/2005 1255 SH | SM 7500 RA B |
| Silica as SiO2                         | 6.2        | 0.1  |      | mg/L     | 12/22/2005 1227 TC | EPA 200.7    |
| Sodium Adsorption Ratio                | 8.8        | 0.1  |      |          | 12/23/2005 958 MD  | Calculation  |
| <b>Anions</b>                          |            |      |      |          |                    |              |
| Alkalinity, Bicarbonate as HCO3        | 134        | 5    |      | mg/L     | 12/14/2005 1712 MD | SM 2320B     |
| Alkalinity, Carbonate as CO3           | 5          | 5    |      | mg/L     | 12/14/2005 1712 MD | SM 2320B     |
| Alkalinity, Hydroxide as OH            | ND         | 5    |      | mg/L     | 12/14/2005 1712 MD | SM 2320B     |
| Chloride                               | 6          | 1    |      | mg/L     | 12/22/2005 1433 LK | EPA 300.0    |
| Fluoride                               | 0.2        | 0.1  |      | mg/L     | 12/14/2005 1712 MD | SM 4500FC    |
| Nitrogen, Nitrate-Nitrite (as N)       | ND         | 0.05 |      | mg/L     | 12/14/2005 1427 RM | EPA 353.2    |
| Sulfate                                | 196        | 1    |      | mg/L     | 12/22/2005 1433 LK | EPA 300.0    |
| <b>Cations</b>                         |            |      |      |          |                    |              |
| Calcium                                | 14         | 1    |      | mg/L     | 12/20/2005 1117 TC | EPA 200.7    |
| Magnesium                              | 2          | 1    |      | mg/L     | 12/20/2005 1117 TC | EPA 200.7    |
| Potassium                              | 3          | 1    |      | mg/L     | 12/20/2005 1117 TC | EPA 200.7    |
| Sodium                                 | 135        | 1    |      | mg/L     | 12/20/2005 1117 TC | EPA 200.7    |

These results apply only to the samples tested.

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
ND Not Detected at the Reporting Limit

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
L Analyzed by a contract laboratory  
S Spike Recovery outside accepted recovery limits

Reviewed by:   
Wade Nieuwsma, Project Manager

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 12/30/2005  
Report ID: S0512127001

Project: Cogema Christensen Mine  
Lab ID: S0512127-003  
Client Sample ID: 5BN94-1  
Matrix: Water

Work Order: S0512127  
Collection Date: 12/12/2005  
Date Received: 12/13/2005 5:00:00 PM  
Sampler:

| Analyses                             | Result | PQL    | Qual | Units | Date Analyzed/Init | Method    |
|--------------------------------------|--------|--------|------|-------|--------------------|-----------|
| <b>Cation/Anion-Milliequivalents</b> |        |        |      |       |                    |           |
| Bicarbonate as HCO3                  | 2.19   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Carbonate as CO3                     | 0.17   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Hydroxide as OH                      | ND     | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Chloride                             | 0.17   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Fluoride                             | ND     | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Nitrate + Nitrite as N               | ND     | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Sulfate                              | 4.07   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Calcium                              | 0.70   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Magnesium                            | 0.18   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Potassium                            | 0.06   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Sodium                               | 5.88   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| <b>Cation / Anion Balance</b>        |        |        |      |       |                    |           |
| Cation Sum                           | 6.84   | 0      |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Anion Sum                            | 6.63   | 0      |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Cation-Anion Balance                 | 1.60   | 0      |      | %     | 12/23/2005 958 MD  | SM 1030F  |
| <b>Dissolved Metals</b>              |        |        |      |       |                    |           |
| Aluminum                             | ND     | 0.1    |      | mg/L  | 12/16/2005 1320 TC | EPA 200.7 |
| Arsenic                              | ND     | 0.005  |      | mg/L  | 12/14/2005 1142 MS | EPA 200.8 |
| Barium                               | ND     | 0.5    |      | mg/L  | 12/14/2005 1142 MS | EPA 200.8 |
| Boron                                | 0.08   | 0.03   |      | mg/L  | 12/16/2005 1320 TC | EPA 200.7 |
| Cadmium                              | ND     | 0.002  |      | mg/L  | 12/14/2005 1142 MS | EPA 200.8 |
| Chromium                             | ND     | 0.01   |      | mg/L  | 12/16/2005 1320 TC | EPA 200.7 |
| Copper                               | ND     | 0.01   |      | mg/L  | 12/14/2005 1142 MS | EPA 200.8 |
| Iron                                 | ND     | 0.05   |      | mg/L  | 12/16/2005 1320 TC | EPA 200.7 |
| Lead                                 | ND     | 0.02   |      | mg/L  | 12/14/2005 1142 MS | EPA 200.8 |
| Manganese                            | ND     | 0.02   |      | mg/L  | 12/16/2005 1320 TC | EPA 200.7 |
| Mercury                              | ND     | 0.001  |      | mg/L  | 12/16/2005 1251 PQ | EPA 245.1 |
| Molybdenum                           | ND     | 0.02   |      | mg/L  | 12/14/2005 1142 MS | EPA 200.8 |
| Nickel                               | ND     | 0.01   |      | mg/L  | 12/16/2005 1320 TC | EPA 200.7 |
| Selenium                             | 0.354  | 0.005  |      | mg/L  | 12/14/2005 1142 MS | EPA 200.8 |
| Uranium                              | 0.312  | 0.0001 |      | mg/L  | 12/14/2005 1142 MS | EPA 200.8 |
| Vanadium                             | 0.09   | 0.02   |      | mg/L  | 12/14/2005 1142 MS | EPA 200.8 |
| Zinc                                 | ND     | 0.01   |      | mg/L  | 12/16/2005 1320 TC | EPA 200.7 |

These results apply only to the samples tested.

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
ND Not Detected at the Reporting Limit

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
L Analyzed by a contract laboratory  
S Spike Recovery outside accepted recovery limits

Reviewed by:   
Wade Nieuwsma, Project Manager

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 12/30/2005  
Report ID: S0512127001

Project: Cogema Christensen Mine  
Lab ID: S0512127-004  
Client Sample ID: 5BN162-2  
Matrix: Water

Work Order: S0512127  
Collection Date: 12/12/2005  
Date Received: 12/13/2005 5:00:00 PM  
Sampler:

| Analyses                               | Result      | PQL  | Qual | Units    | Date Analyzed/Init | Method       |
|--|-------------|------|------|----------|--------------------|--------------|
| <b>General Parameters</b>              |             |      |      |          |                    |              |
| pH                                     | 8.3         | 0.1  |      | s.u.     | 12/14/2005 1724 MD | EPA 150.1    |
| Electrical Conductivity                | 702         | 5    |      | µmhos/cm | 12/14/2005 1724 MD | SM 2510B     |
| Total Dissolved Solids (180)           | 430         | 10   |      | mg/L     | 12/15/2005 756 EB  | SM 2540      |
| Solids, Total Dissolved (Calc)         | 450         | 10   |      | mg/L     | 12/23/2005 958 MD  | SM 1030F     |
| Acidity, Total (As CaCO3)              | ND          | 5    |      | mg/L     | 12/16/2005 000 MD  | SM 2310B     |
| Alkalinity, Total (As CaCO3)           | 270         | 5    |      | mg/L     | 12/14/2005 1724 MD | SM 2320B     |
| Hardness, Calcium/Magnesium (As CaCO3) | 115         | 1    |      | mg/L     | 12/23/2005 958 MD  | SM 2340B     |
| Nitrogen, Ammonia (As N)               | 0.2         | 0.1  |      | mg/L     | 12/16/2005 1225 RM | EPA 350.1    |
| Nitrogen, Nitrite (as N)               | ND          | 0.05 |      | mg/L     | 12/14/2005 1059 RM | EPA 353.2    |
| Radium 226                             | 178.8 ± 8.8 | 0.2  |      | pCi/L    | 12/28/2005 1255 SH | SM 7500 RA B |
| Silica as SiO2                         | 5.4         | 0.1  |      | mg/L     | 12/22/2005 1230 TC | EPA 200.7    |
| Sodium Adsorption Ratio                | 5.1         | 0.1  |      |          | 12/23/2005 958 MD  | Calculation  |
| <b>Anions</b>                          |             |      |      |          |                    |              |
| Alkalinity, Bicarbonate as HCO3        | 329         | 5    |      | mg/L     | 12/14/2005 1724 MD | SM 2320B     |
| Alkalinity, Carbonate as CO3           | ND          | 5    |      | mg/L     | 12/14/2005 1724 MD | SM 2320B     |
| Alkalinity, Hydroxide as OH            | ND          | 5    |      | mg/L     | 12/14/2005 1724 MD | SM 2320B     |
| Chloride                               | 6           | 1    |      | mg/L     | 12/22/2005 1443 LK | EPA 300.0    |
| Fluoride                               | ND          | 0.1  |      | mg/L     | 12/14/2005 1724 MD | SM 4500FC    |
| Nitrogen, Nitrate-Nitrite (as N)       | ND          | 0.05 |      | mg/L     | 12/14/2005 1435 RM | EPA 353.2    |
| Sulfate                                | 109         | 1    |      | mg/L     | 12/22/2005 1443 LK | EPA 300.0    |
| <b>Cations</b>                         |             |      |      |          |                    |              |
| Calcium                                | 35          | 1    |      | mg/L     | 12/20/2005 1121 TC | EPA 200.7    |
| Magnesium                              | 6           | 1    |      | mg/L     | 12/20/2005 1121 TC | EPA 200.7    |
| Potassium                              | 3           | 1    |      | mg/L     | 12/20/2005 1121 TC | EPA 200.7    |
| Sodium                                 | 126         | 1    |      | mg/L     | 12/20/2005 1121 TC | EPA 200.7    |

These results apply only to the samples tested.

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
ND Not Detected at the Reporting Limit

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
L Analyzed by a contract laboratory  
S Spike Recovery outside accepted recovery limits

Reviewed by:

  
Wade Nieuwsma, Project Manager



Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 12/30/2005  
Report ID: S0512127001

Project: Cogema Christensen Mine  
Lab ID: S0512127-004  
Client Sample ID: 5BN162-2  
Matrix: Water

Work Order: S0512127  
Collection Date: 12/12/2005  
Date Received: 12/13/2005 5:00:00 PM  
Sampler:

| Analyses                             | Result | PQL    | Qual | Units | Date Analyzed/Init | Method    |
|--------------------------------------|--------|--------|------|-------|--------------------|-----------|
| <b>Cation/Anion-Milliequivalents</b> |        |        |      |       |                    |           |
| Bicarbonate as HCO3                  | 5.39   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Carbonate as CO3                     | ND     | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Hydroxide as OH                      | ND     | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Chloride                             | 0.16   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Fluoride                             | ND     | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Nitrate + Nitrite as N               | ND     | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Sulfate                              | 2.25   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Calcium                              | 1.76   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Magnesium                            | 0.53   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Potassium                            | 0.08   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Sodium                               | 5.46   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| <b>Cation / Anion Balance</b>        |        |        |      |       |                    |           |
| Cation Sum                           | 7.85   | 0      |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Anion Sum                            | 7.83   | 0      |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Cation-Anion Balance                 | 0.09   | 0      |      | %     | 12/23/2005 958 MD  | SM 1030F  |
| <b>Dissolved Metals</b>              |        |        |      |       |                    |           |
| Aluminum                             | ND     | 0.1    |      | mg/L  | 12/16/2005 1324 TC | EPA 200.7 |
| Arsenic                              | ND     | 0.005  |      | mg/L  | 12/14/2005 1145 MS | EPA 200.8 |
| Barium                               | ND     | 0.5    |      | mg/L  | 12/14/2005 1145 MS | EPA 200.8 |
| Boron                                | 0.09   | 0.03   |      | mg/L  | 12/16/2005 1324 TC | EPA 200.7 |
| Cadmium                              | ND     | 0.002  |      | mg/L  | 12/14/2005 1145 MS | EPA 200.8 |
| Chromium                             | ND     | 0.01   |      | mg/L  | 12/16/2005 1324 TC | EPA 200.7 |
| Copper                               | ND     | 0.01   |      | mg/L  | 12/14/2005 1145 MS | EPA 200.8 |
| Iron                                 | ND     | 0.05   |      | mg/L  | 12/16/2005 1324 TC | EPA 200.7 |
| Lead                                 | ND     | 0.02   |      | mg/L  | 12/14/2005 1145 MS | EPA 200.8 |
| Manganese                            | 0.06   | 0.02   |      | mg/L  | 12/16/2005 1324 TC | EPA 200.7 |
| Mercury                              | ND     | 0.001  |      | mg/L  | 12/16/2005 1253 PQ | EPA 245.1 |
| Molybdenum                           | ND     | 0.02   |      | mg/L  | 12/14/2005 1145 MS | EPA 200.8 |
| Nickel                               | ND     | 0.01   |      | mg/L  | 12/16/2005 1324 TC | EPA 200.7 |
| Selenium                             | 0.087  | 0.005  |      | mg/L  | 12/14/2005 1145 MS | EPA 200.8 |
| Uranium                              | 1.86   | 0.0001 |      | mg/L  | 12/14/2005 1145 MS | EPA 200.8 |
| Vanadium                             | 0.15   | 0.02   |      | mg/L  | 12/14/2005 1145 MS | EPA 200.8 |
| Zinc                                 | ND     | 0.01   |      | mg/L  | 12/16/2005 1324 TC | EPA 200.7 |

These results apply only to the samples tested.

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
ND Not Detected at the Reporting Limit

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
L Analyzed by a contract laboratory  
S Spike Recovery outside accepted recovery limits

Reviewed by:   
Wade Nieuwsma, Project Manager

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 12/30/2005  
Report ID: S0512127001

Project: Cogema Christensen Mine  
Lab ID: S0512127-005  
Client Sample ID: 5BS120-1  
Matrix: Water

Work Order: S0512127  
Collection Date: 12/13/2005  
Date Received: 12/13/2005 5:00:00 PM  
Sampler:

| Analyses                               | Result     | PQL  | Qual | Units    | Date Analyzed/Init | Method       |
|--|------------|------|------|----------|--------------------|--------------|
| <b>General Parameters</b>              |            |      |      |          |                    |              |
| pH                                     | 8.4        | 0.1  |      | s.u.     | 12/14/2005 1735 MD | EPA 150.1    |
| Electrical Conductivity                | 638        | 5    |      | µmhos/cm | 12/14/2005 1735 MD | SM 2510B     |
| Total Dissolved Solids (180)           | 390        | 10   |      | mg/L     | 12/15/2005 801 EB  | SM 2540      |
| Solids, Total Dissolved (Calc)         | 400        | 10   |      | mg/L     | 12/23/2005 958 MD  | SM 1030F     |
| Acidity, Total (As CaCO3)              | ND         | 5    |      | mg/L     | 12/16/2005 000 MD  | SM 2310B     |
| Alkalinity, Total (As CaCO3)           | 263        | 5    |      | mg/L     | 12/14/2005 1735 MD | SM 2320B     |
| Hardness, Calcium/Magnesium (As CaCO3) | 55         | 1    |      | mg/L     | 12/23/2005 958 MD  | SM 2340B     |
| Nitrogen, Ammonia (As N)               | 0.3        | 0.1  |      | mg/L     | 12/16/2005 1226 RM | EPA 350.1    |
| Nitrogen, Nitrite (as N)               | ND         | 0.05 |      | mg/L     | 12/14/2005 1100 RM | EPA 353.2    |
| Radium 226                             | 88.0 ± 6.2 | 0.2  |      | pCi/L    | 12/28/2005 1627 SH | SM 7500 RA B |
| Silica as SiO2                         | 8.6        | 0.1  |      | mg/L     | 12/22/2005 1238 TC | EPA 200.7    |
| Sodium Adsorption Ratio                | 8.2        | 0.1  |      |          | 12/23/2005 958 MD  | Calculation  |
| <b>Anions</b>                          |            |      |      |          |                    |              |
| Alkalinity, Bicarbonate as HCO3        | 312        | 5    |      | mg/L     | 12/14/2005 1735 MD | SM 2320B     |
| Alkalinity, Carbonate as CO3           | ND         | 5    |      | mg/L     | 12/14/2005 1735 MD | SM 2320B     |
| Alkalinity, Hydroxide as OH            | ND         | 5    |      | mg/L     | 12/14/2005 1735 MD | SM 2320B     |
| Chloride                               | 4          | 1    |      | mg/L     | 12/22/2005 1453 LK | EPA 300.0    |
| Fluoride                               | 0.2        | 0.1  |      | mg/L     | 12/14/2005 1735 MD | SM 4500FC    |
| Nitrogen, Nitrate-Nitrite (as N)       | ND         | 0.05 |      | mg/L     | 12/14/2005 1436 RM | EPA 353.2    |
| Sulfate                                | 78         | 1    |      | mg/L     | 12/22/2005 1453 LK | EPA 300.0    |
| <b>Cations</b>                         |            |      |      |          |                    |              |
| Calcium                                | 16         | 1    |      | mg/L     | 12/16/2005 1327 TC | EPA 200.7    |
| Magnesium                              | 3          | 1    |      | mg/L     | 12/16/2005 1327 TC | EPA 200.7    |
| Potassium                              | 3          | 1    |      | mg/L     | 12/16/2005 1327 TC | EPA 200.7    |
| Sodium                                 | 140        | 1    |      | mg/L     | 12/20/2005 1125 TC | EPA 200.7    |

These results apply only to the samples tested.

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
ND Not Detected at the Reporting Limit

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
L Analyzed by a contract laboratory  
S Spike Recovery outside accepted recovery limits

Reviewed by:

  
Wade Nieuwsma, Project Manager

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 12/30/2005  
Report ID: S0512127001

Project: Cogema Christensen Mine  
Lab ID: S0512127-005  
Client Sample ID: 5BS120-1  
Matrix: Water


Work Order: S0512127  
Collection Date: 12/13/2005  
Date Received: 12/13/2005 5:00:00 PM  
Sampler:

| Analyses                             | Result | PQL    | Qual | Units | Date Analyzed/Init | Method    |
|--------------------------------------|--------|--------|------|-------|--------------------|-----------|
| <b>Cation/Anion-Milliequivalents</b> |        |        |      |       |                    |           |
| Bicarbonate as HCO3                  | 5.11   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Carbonate as CO3                     | 0.13   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Hydroxide as OH                      | ND     | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Chloride                             | 0.11   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Fluoride                             | 0.01   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Nitrate + Nitrite as N               | ND     | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Sulfate                              | 1.61   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Calcium                              | 0.83   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Magnesium                            | 0.29   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Potassium                            | 0.07   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Sodium                               | 6.09   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| <b>Cation / Anion Balance</b>        |        |        |      |       |                    |           |
| Cation Sum                           | 7.27   | 0      |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Anion Sum                            | 6.98   | 0      |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Cation-Anion Balance                 | 2.02   | 0      |      | %     | 12/23/2005 958 MD  | SM 1030F  |
| <b>Dissolved Metals</b>              |        |        |      |       |                    |           |
| Aluminum                             | ND     | 0.1    |      | mg/L  | 12/16/2005 1327 TC | EPA 200.7 |
| Arsenic                              | ND     | 0.005  |      | mg/L  | 12/14/2005 1148 MS | EPA 200.8 |
| Barium                               | ND     | 0.5    |      | mg/L  | 12/14/2005 1148 MS | EPA 200.8 |
| Boron                                | 0.07   | 0.03   |      | mg/L  | 12/16/2005 1327 TC | EPA 200.7 |
| Cadmium                              | ND     | 0.002  |      | mg/L  | 12/14/2005 1148 MS | EPA 200.8 |
| Chromium                             | ND     | 0.01   |      | mg/L  | 12/16/2005 1327 TC | EPA 200.7 |
| Copper                               | ND     | 0.01   |      | mg/L  | 12/14/2005 1148 MS | EPA 200.8 |
| Iron                                 | ND     | 0.05   |      | mg/L  | 12/16/2005 1327 TC | EPA 200.7 |
| Lead                                 | ND     | 0.02   |      | mg/L  | 12/14/2005 1148 MS | EPA 200.8 |
| Manganese                            | ND     | 0.02   |      | mg/L  | 12/16/2005 1327 TC | EPA 200.7 |
| Mercury                              | ND     | 0.001  |      | mg/L  | 12/16/2005 1303 PQ | EPA 245.1 |
| Molybdenum                           | ND     | 0.02   |      | mg/L  | 12/14/2005 1148 MS | EPA 200.8 |
| Nickel                               | ND     | 0.01   |      | mg/L  | 12/16/2005 1327 TC | EPA 200.7 |
| Selenium                             | 0.090  | 0.005  |      | mg/L  | 12/14/2005 1148 MS | EPA 200.8 |
| Uranium                              | 1.44   | 0.0001 |      | mg/L  | 12/14/2005 1148 MS | EPA 200.8 |
| Vanadium                             | 0.14   | 0.02   |      | mg/L  | 12/14/2005 1148 MS | EPA 200.8 |
| Zinc                                 | ND     | 0.01   |      | mg/L  | 12/16/2005 1327 TC | EPA 200.7 |

These results apply only to the samples tested.

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
ND Not Detected at the Reporting Limit

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
L Analyzed by a contract laboratory  
S Spike Recovery outside accepted recovery limits

Reviewed by:   
Wade Nieuwsma, Project Manager

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 12/30/2005  
Report ID: S0512127001

Project: Cogema Christensen Mine  
Lab ID: S0512127-006  
Client Sample ID: 5BL66-1  
Matrix: Water

Work Order: S0512127  
Collection Date: 12/13/2005  
Date Received: 12/13/2005 5:00:00 PM  
Sampler:


| Analyses                               | Result      | PQL  | Qual | Units    | Date Analyzed/Init | Method       |
|--|-------------|------|------|----------|--------------------|--------------|
| <b>General Parameters</b>              |             |      |      |          |                    |              |
| pH                                     | 8.0         | 0.1  |      | s.u.     | 12/14/2005 1747 MD | EPA 150.1    |
| Electrical Conductivity                | 1340        | 5    |      | µmhos/cm | 12/14/2005 1747 MD | SM 2510B     |
| Total Dissolved Solids (180)           | 890         | 10   |      | mg/L     | 12/15/2005 806 EB  | SM 2540      |
| Solids, Total Dissolved (Calc)         | 830         | 10   |      | mg/L     | 12/23/2005 958 MD  | SM 1030F     |
| Acidity, Total (As CaCO3)              | ND          | 5    |      | mg/L     | 12/16/2005 000 MD  | SM 2310B     |
| Alkalinity, Total (As CaCO3)           | 507         | 5    |      | mg/L     | 12/14/2005 1747 MD | SM 2320B     |
| Hardness, Calcium/Magnesium (As CaCO3) | 175         | 1    |      | mg/L     | 12/23/2005 958 MD  | SM 2340B     |
| Nitrogen, Ammonia (As N)               | ND          | 0.1  |      | mg/L     | 12/16/2005 1227 RM | EPA 350.1    |
| Nitrogen, Nitrite (as N)               | ND          | 0.05 |      | mg/L     | 12/14/2005 1101 RM | EPA 353.2    |
| Radium 226                             | 126.5 ± 7.6 | 0.2  |      | pCi/L    | 12/28/2005 1627 SH | SM 7500 RA B |
| Silica as SiO2                         | 8.7         | 0.1  |      | mg/L     | 12/22/2005 1313 TC | EPA 200.7    |
| Sodium Adsorption Ratio                | 8.7         | 0.1  |      |          | 12/23/2005 958 MD  | Calculation  |
| <b>Anions</b>                          |             |      |      |          |                    |              |
| Alkalinity, Bicarbonate as HCO3        | 619         | 5    |      | mg/L     | 12/14/2005 1747 MD | SM 2320B     |
| Alkalinity, Carbonate as CO3           | ND          | 5    |      | mg/L     | 12/14/2005 1747 MD | SM 2320B     |
| Alkalinity, Hydroxide as OH            | ND          | 5    |      | mg/L     | 12/14/2005 1747 MD | SM 2320B     |
| Chloride                               | 13          | 1    |      | mg/L     | 12/14/2005 1302 LK | EPA 300.0    |
| Fluoride                               | ND          | 0.1  |      | mg/L     | 12/14/2005 1747 MD | SM 4500FC    |
| Nitrogen, Nitrate-Nitrite (as N)       | 0.10        | 0.05 |      | mg/L     | 12/14/2005 1437 RM | EPA 353.2    |
| Sulfate                                | 181         | 1    |      | mg/L     | 12/14/2005 1302 LK | EPA 300.0    |
| <b>Cations</b>                         |             |      |      |          |                    |              |
| Calcium                                | 51          | 1    |      | mg/L     | 12/20/2005 1708 TC | EPA 200.7    |
| Magnesium                              | 12          | 1    |      | mg/L     | 12/20/2005 1708 TC | EPA 200.7    |
| Potassium                              | 5           | 1    |      | mg/L     | 12/20/2005 1708 TC | EPA 200.7    |
| Sodium                                 | 265         | 1    |      | mg/L     | 12/20/2005 1708 TC | EPA 200.7    |

These results apply only to the samples tested.

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
ND Not Detected at the Reporting Limit

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
L Analyzed by a contract laboratory  
S Spike Recovery outside accepted recovery limits

Reviewed by:



Wade Nieuwsma, Project Manager

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 12/30/2005  
Report ID: S0512127001

Project: Cogema Christensen Mine  
Lab ID: S0512127-006  
Client Sample ID: 5BL66-1  
Matrix: Water

Work Order: S0512127  
Collection Date: 12/13/2005  
Date Received: 12/13/2005 5:00:00 PM  
Sampler:

| Analyses                             | Result | PQL    | Qual | Units | Date Analyzed/Init | Method    |
|--------------------------------------|--------|--------|------|-------|--------------------|-----------|
| <b>Cation/Anion-Milliequivalents</b> |        |        |      |       |                    |           |
| Bicarbonate as HCO3                  | 10.14  | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Carbonate as CO3                     | ND     | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Hydroxide as OH                      | ND     | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Chloride                             | 0.35   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Fluoride                             | ND     | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Nitrate + Nitrite as N               | ND     | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Sulfate                              | 3.76   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Calcium                              | 2.54   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Magnesium                            | 0.94   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Potassium                            | 0.11   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Sodium                               | 11.54  | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| <b>Cation / Anion Balance</b>        |        |        |      |       |                    |           |
| Cation Sum                           | 15.15  | 0      |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Anion Sum                            | 14.27  | 0      |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Cation-Anion Balance                 | 3.01   | 0      |      | %     | 12/23/2005 958 MD  | SM 1030F  |
| <b>Dissolved Metals</b>              |        |        |      |       |                    |           |
| Aluminum                             | ND     | 0.1    |      | mg/L  | 12/16/2005 1331 TC | EPA 200.7 |
| Arsenic                              | ND     | 0.005  |      | mg/L  | 12/14/2005 1151 MS | EPA 200.8 |
| Barium                               | ND     | 0.5    |      | mg/L  | 12/14/2005 1151 MS | EPA 200.8 |
| Boron                                | 0.09   | 0.03   |      | mg/L  | 12/16/2005 1331 TC | EPA 200.7 |
| Cadmium                              | ND     | 0.002  |      | mg/L  | 12/14/2005 1151 MS | EPA 200.8 |
| Chromium                             | ND     | 0.01   |      | mg/L  | 12/16/2005 1331 TC | EPA 200.7 |
| Copper                               | ND     | 0.01   |      | mg/L  | 12/14/2005 1151 MS | EPA 200.8 |
| Iron                                 | 0.05   | 0.05   |      | mg/L  | 12/16/2005 1331 TC | EPA 200.7 |
| Lead                                 | ND     | 0.02   |      | mg/L  | 12/14/2005 1151 MS | EPA 200.8 |
| Manganese                            | 0.11   | 0.02   |      | mg/L  | 12/16/2005 1331 TC | EPA 200.7 |
| Mercury                              | ND     | 0.001  |      | mg/L  | 12/16/2005 1309 PQ | EPA 245.1 |
| Molybdenum                           | ND     | 0.02   |      | mg/L  | 12/14/2005 1151 MS | EPA 200.8 |
| Nickel                               | 0.02   | 0.01   |      | mg/L  | 12/16/2005 1331 TC | EPA 200.7 |
| Selenium                             | 0.214  | 0.005  |      | mg/L  | 12/14/2005 1151 MS | EPA 200.8 |
| Uranium                              | 6.81   | 0.0001 |      | mg/L  | 12/14/2005 1151 MS | EPA 200.8 |
| Vanadium                             | 0.08   | 0.02   |      | mg/L  | 12/14/2005 1151 MS | EPA 200.8 |
| Zinc                                 | ND     | 0.01   |      | mg/L  | 12/16/2005 1331 TC | EPA 200.7 |

These results apply only to the samples tested.

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
ND Not Detected at the Reporting Limit

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
L Analyzed by a contract laboratory  
S Spike Recovery outside accepted recovery limits

Reviewed by:

  
Wade Nieuwsma, Project Manager

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 12/30/2005  
Report ID: S0512127001

Project: Cogema Christensen Mine  
Lab ID: S0512127-007  
Client Sample ID: 5BQ158-1  
Matrix: Water

Work Order: S0512127  
Collection Date: 12/13/2005  
Date Received: 12/13/2005 5:00:00 PM  
Sampler:

| Analyses                               | Result     | PQL  | Qual | Units    | Date Analyzed/Init | Method       |
|--|------------|------|------|----------|--------------------|--------------|
| <b>General Parameters</b>              |            |      |      |          |                    |              |
| pH                                     | 8.2        | 0.1  |      | s.u.     | 12/14/2005 1756 MD | EPA 150.1    |
| Electrical Conductivity                | 888        | 5    |      | µmhos/cm | 12/14/2005 1756 MD | SM 2510B     |
| Total Dissolved Solids (180)           | 570        | 10   |      | mg/L     | 12/15/2005 811 EB  | SM 2540      |
| Solids, Total Dissolved (Calc)         | 570        | 10   |      | mg/L     | 12/23/2005 958 MD  | SM 1030F     |
| Acidity, Total (As CaCO3)              | ND         | 5    |      | mg/L     | 12/16/2005 000 MD  | SM 2310B     |
| Alkalinity, Total (As CaCO3)           | 92         | 5    |      | mg/L     | 12/14/2005 1756 MD | SM 2320B     |
| Hardness, Calcium/Magnesium (As CaCO3) | 47         | 1    |      | mg/L     | 12/23/2005 958 MD  | SM 2340B     |
| Nitrogen, Ammonia (As N)               | ND         | 0.1  |      | mg/L     | 12/16/2005 1228 RM | EPA 350.1    |
| Nitrogen, Nitrite (as N)               | ND         | 0.05 |      | mg/L     | 12/14/2005 1102 RM | EPA 353.2    |
| Radium 226                             | 60.0 ± 4.8 | 0.2  |      | pCi/L    | 12/28/2005 1627 SH | SM 7500 RA B |
| Silica as SiO2                         | 9.4        | 0.1  |      | mg/L     | 12/22/2005 1317 TC | EPA 200.7    |
| Sodium Adsorption Ratio                | 11.0       | 0.1  |      |          | 12/23/2005 958 MD  | Calculation  |
| <b>Anions</b>                          |            |      |      |          |                    |              |
| Alkalinity, Bicarbonate as HCO3        | 113        | 5    |      | mg/L     | 12/14/2005 1756 MD | SM 2320B     |
| Alkalinity, Carbonate as CO3           | ND         | 5    |      | mg/L     | 12/14/2005 1756 MD | SM 2320B     |
| Alkalinity, Hydroxide as OH            | ND         | 5    |      | mg/L     | 12/14/2005 1756 MD | SM 2320B     |
| Chloride                               | 6          | 1    |      | mg/L     | 12/22/2005 1502 LK | EPA 300.0    |
| Fluoride                               | 0.2        | 0.1  |      | mg/L     | 12/14/2005 1756 MD | SM 4500FC    |
| Nitrogen, Nitrate-Nitrite (as N)       | 0.07       | 0.05 |      | mg/L     | 12/14/2005 1438 RM | EPA 353.2    |
| Sulfate                                | 318        | 1    |      | mg/L     | 12/22/2005 1502 LK | EPA 300.0    |
| <b>Cations</b>                         |            |      |      |          |                    |              |
| Calcium                                | 14         | 1    |      | mg/L     | 12/20/2005 1712 TC | EPA 200.7    |
| Magnesium                              | 3          | 1    |      | mg/L     | 12/20/2005 1712 TC | EPA 200.7    |
| Potassium                              | 3          | 1    |      | mg/L     | 12/20/2005 1712 TC | EPA 200.7    |
| Sodium                                 | 175        | 1    |      | mg/L     | 12/20/2005 1712 TC | EPA 200.7    |

These results apply only to the samples tested.

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
ND Not Detected at the Reporting Limit

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
L Analyzed by a contract laboratory  
S Spike Recovery outside accepted recovery limits

Reviewed by:

  
Wade Nieuwsma, Project Manager

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 12/30/2005  
Report ID: S0512127001

Project: Cogema Christensen Mine  
Lab ID: S0512127-007  
Client Sample ID: 5BQ158-1  
Matrix: Water

Work Order: S0512127  
Collection Date: 12/13/2005  
Date Received: 12/13/2005 5:00:00 PM  
Sampler:

| Analyses                             | Result | PQL    | Qual | Units | Date Analyzed/Init | Method    |
|--------------------------------------|--------|--------|------|-------|--------------------|-----------|
| <b>Cation/Anion-Milliequivalents</b> |        |        |      |       |                    |           |
| Bicarbonate as HCO3                  | 1.84   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Carbonate as CO3                     | ND     | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Hydroxide as OH                      | ND     | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Chloride                             | 0.16   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Fluoride                             | 0.01   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Nitrate + Nitrite as N               | ND     | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Sulfate                              | 6.61   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Calcium                              | 0.70   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Magnesium                            | 0.24   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Potassium                            | 0.07   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Sodium                               | 7.61   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| <b>Cation / Anion Balance</b>        |        |        |      |       |                    |           |
| Cation Sum                           | 8.64   | 0      |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Anion Sum                            | 8.64   | 0      |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Cation-Anion Balance                 | 0.02   | 0      |      | %     | 12/23/2005 958 MD  | SM 1030F  |
| <b>Dissolved Metals</b>              |        |        |      |       |                    |           |
| Aluminum                             | ND     | 0.1    |      | mg/L  | 12/16/2005 1335 TC | EPA 200.7 |
| Arsenic                              | ND     | 0.005  |      | mg/L  | 12/14/2005 1154 MS | EPA 200.8 |
| Barium                               | ND     | 0.5    |      | mg/L  | 12/14/2005 1154 MS | EPA 200.8 |
| Boron                                | 0.06   | 0.03   |      | mg/L  | 12/16/2005 1335 TC | EPA 200.7 |
| Cadmium                              | ND     | 0.002  |      | mg/L  | 12/14/2005 1154 MS | EPA 200.8 |
| Chromium                             | ND     | 0.01   |      | mg/L  | 12/16/2005 1335 TC | EPA 200.7 |
| Copper                               | ND     | 0.01   |      | mg/L  | 12/14/2005 1154 MS | EPA 200.8 |
| Iron                                 | ND     | 0.05   |      | mg/L  | 12/16/2005 1335 TC | EPA 200.7 |
| Lead                                 | ND     | 0.02   |      | mg/L  | 12/14/2005 1154 MS | EPA 200.8 |
| Manganese                            | ND     | 0.02   |      | mg/L  | 12/16/2005 1335 TC | EPA 200.7 |
| Mercury                              | ND     | 0.001  |      | mg/L  | 12/16/2005 1311 PQ | EPA 245.1 |
| Molybdenum                           | ND     | 0.02   |      | mg/L  | 12/14/2005 1154 MS | EPA 200.8 |
| Nickel                               | ND     | 0.01   |      | mg/L  | 12/16/2005 1335 TC | EPA 200.7 |
| Selenium                             | ND     | 0.005  |      | mg/L  | 12/14/2005 1154 MS | EPA 200.8 |
| Uranium                              | 0.0094 | 0.0001 |      | mg/L  | 12/14/2005 1154 MS | EPA 200.8 |
| Vanadium                             | ND     | 0.02   |      | mg/L  | 12/14/2005 1154 MS | EPA 200.8 |
| Zinc                                 | ND     | 0.01   |      | mg/L  | 12/16/2005 1335 TC | EPA 200.7 |

These results apply only to the samples tested.

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
ND Not Detected at the Reporting Limit

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
L Analyzed by a contract laboratory  
S Spike Recovery outside accepted recovery limits

Reviewed by:   
Wade Nieuwsma, Project Manager

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 12/30/2005  
Report ID: S0512127001

Project: Cogema Christensen Mine  
Lab ID: S0512127-008  
Client Sample ID: 5BK82-1  
Matrix: Water

Work Order: S0512127  
Collection Date: 12/13/2005  
Date Received: 12/13/2005 5:00:00 PM  
Sampler:

| Analyses                               | Result      | PQL  | Qual | Units    | Date Analyzed/Init | Method       |
|--|-------------|------|------|----------|--------------------|--------------|
| <b>General Parameters</b>              |             |      |      |          |                    |              |
| pH                                     | 8.1         | 0.1  |      | s.u.     | 12/14/2005 1807 MD | EPA 150.1    |
| Electrical Conductivity                | 1090        | 5    |      | µmhos/cm | 12/14/2005 1807 MD | SM 2510B     |
| Total Dissolved Solids (180)           | 690         | 10   |      | mg/L     | 12/15/2005 816 EB  | SM 2540      |
| Solids, Total Dissolved (Calc)         | 670         | 10   |      | mg/L     | 12/23/2005 958 MD  | SM 1030F     |
| Acidity, Total (As CaCO3)              | ND          | 5    |      | mg/L     | 12/16/2005 000 MD  | SM 2310B     |
| Alkalinity, Total (As CaCO3)           | 452         | 5    |      | mg/L     | 12/14/2005 1807 MD | SM 2320B     |
| Hardness, Calcium/Magnesium (As CaCO3) | 135         | 1    |      | mg/L     | 12/23/2005 958 MD  | SM 2340B     |
| Nitrogen, Ammonia (As N)               | 0.2         | 0.1  |      | mg/L     | 12/16/2005 1229 RM | EPA 350.1    |
| Nitrogen, Nitrite (as N)               | ND          | 0.05 |      | mg/L     | 12/14/2005 1103 RM | EPA 353.2    |
| Radium 226                             | 138.9 ± 7.4 | 0.2  |      | pCi/L    | 12/28/2005 1627 SH | SM 7500 RA B |
| Silica as SiO2                         | 7.9         | 0.1  |      | mg/L     | 12/22/2005 1321 TC | EPA 200.7    |
| Sodium Adsorption Ratio                | 8.4         | 0.1  |      |          | 12/23/2005 958 MD  | Calculation  |
| <b>Anions</b>                          |             |      |      |          |                    |              |
| Alkalinity, Bicarbonate as HCO3        | 552         | 5    |      | mg/L     | 12/14/2005 1807 MD | SM 2320B     |
| Alkalinity, Carbonate as CO3           | ND          | 5    |      | mg/L     | 12/14/2005 1807 MD | SM 2320B     |
| Alkalinity, Hydroxide as OH            | ND          | 5    |      | mg/L     | 12/14/2005 1807 MD | SM 2320B     |
| Chloride                               | 8           | 1    |      | mg/L     | 12/14/2005 1400 LK | EPA 300.0    |
| Fluoride                               | 0.1         | 0.1  |      | mg/L     | 12/14/2005 1807 MD | SM 4500FC    |
| Nitrogen, Nitrate-Nitrite (as N)       | 0.16        | 0.05 |      | mg/L     | 12/14/2005 1439 RM | EPA 353.2    |
| Sulfate                                | 113         | 1    |      | mg/L     | 12/14/2005 1400 LK | EPA 300.0    |
| <b>Cations</b>                         |             |      |      |          |                    |              |
| Calcium                                | 40          | 1    |      | mg/L     | 12/16/2005 1339 TC | EPA 200.7    |
| Magnesium                              | 8           | 1    |      | mg/L     | 12/16/2005 1339 TC | EPA 200.7    |
| Potassium                              | 4           | 1    |      | mg/L     | 12/20/2005 1208 TC | EPA 200.7    |
| Sodium                                 | 224         | 1    |      | mg/L     | 12/20/2005 1208 TC | EPA 200.7    |

These results apply only to the samples tested.

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
ND Not Detected at the Reporting Limit

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
L Analyzed by a contract laboratory  
S Spike Recovery outside accepted recovery limits

Reviewed by:   
Wade Nieuwsma, Project Manager



Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 12/30/2005  
Report ID: S0512127001

Project: Cogema Christensen Mine  
Lab ID: S0512127-008  
Client Sample ID: 5BK82-1  
Matrix: Water


Work Order: S0512127  
Collection Date: 12/13/2005  
Date Received: 12/13/2005 5:00:00 PM  
Sampler:

| Analyses                             | Result | PQL    | Qual | Units | Date Analyzed/Init | Method    |
|--------------------------------------|--------|--------|------|-------|--------------------|-----------|
| <b>Cation/Anion-Milliequivalents</b> |        |        |      |       |                    |           |
| Bicarbonate as HCO3                  | 9.04   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Carbonate as CO3                     | ND     | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Hydroxide as OH                      | ND     | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Chloride                             | 0.21   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Fluoride                             | ND     | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Nitrate + Nitrite as N               | 0.01   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Sulfate                              | 2.35   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Calcium                              | 2.00   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Magnesium                            | 0.69   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Potassium                            | 0.09   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Sodium                               | 9.74   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| <b>Cation / Anion Balance</b>        |        |        |      |       |                    |           |
| Cation Sum                           | 12.54  | 0      |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Anion Sum                            | 11.62  | 0      |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Cation-Anion Balance                 | 3.77   | 0      |      | %     | 12/23/2005 958 MD  | SM 1030F  |
| <b>Dissolved Metals</b>              |        |        |      |       |                    |           |
| Aluminum                             | ND     | 0.1    |      | mg/L  | 12/16/2005 1339 TC | EPA 200.7 |
| Arsenic                              | 0.012  | 0.005  |      | mg/L  | 12/14/2005 1157 MS | EPA 200.8 |
| Barium                               | ND     | 0.5    |      | mg/L  | 12/14/2005 1157 MS | EPA 200.8 |
| Boron                                | 0.08   | 0.03   |      | mg/L  | 12/16/2005 1339 TC | EPA 200.7 |
| Cadmium                              | ND     | 0.002  |      | mg/L  | 12/14/2005 1157 MS | EPA 200.8 |
| Chromium                             | ND     | 0.01   |      | mg/L  | 12/16/2005 1339 TC | EPA 200.7 |
| Copper                               | ND     | 0.01   |      | mg/L  | 12/14/2005 1157 MS | EPA 200.8 |
| Iron                                 | ND     | 0.05   |      | mg/L  | 12/16/2005 1339 TC | EPA 200.7 |
| Lead                                 | ND     | 0.02   |      | mg/L  | 12/14/2005 1157 MS | EPA 200.8 |
| Manganese                            | 0.08   | 0.02   |      | mg/L  | 12/16/2005 1339 TC | EPA 200.7 |
| Mercury                              | ND     | 0.001  |      | mg/L  | 12/16/2005 1313 PQ | EPA 245.1 |
| Molybdenum                           | ND     | 0.02   |      | mg/L  | 12/14/2005 1157 MS | EPA 200.8 |
| Nickel                               | ND     | 0.01   |      | mg/L  | 12/16/2005 1339 TC | EPA 200.7 |
| Selenium                             | 0.280  | 0.005  |      | mg/L  | 12/14/2005 1157 MS | EPA 200.8 |
| Uranium                              | 4.13   | 0.0001 |      | mg/L  | 12/14/2005 1157 MS | EPA 200.8 |
| Vanadium                             | 0.21   | 0.02   |      | mg/L  | 12/14/2005 1157 MS | EPA 200.8 |
| Zinc                                 | ND     | 0.01   |      | mg/L  | 12/16/2005 1339 TC | EPA 200.7 |

These results apply only to the samples tested.

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
ND Not Detected at the Reporting Limit

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
L Analyzed by a contract laboratory  
S Spike Recovery outside accepted recovery limits

Reviewed by:   
Wade Nieuwsma, Project Manager

## Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 12/30/2005  
Report ID: S0512127001

Project: Cogema Christensen Mine  
Lab ID: S0512127-009  
Client Sample ID: MW-03  
Matrix: Water

Work Order: S0512127  
Collection Date: 12/13/2005  
Date Received: 12/13/2005 5:00:00 PM  
Sampler:

| Analyses  | Result     | PQL  | Qual | Units    | Date Analyzed/Init | Method       |
|---|------------|------|------|----------|--------------------|--------------|
| <b>General Parameters</b>                           |            |      |      |          |                    |              |
| pH  | 8.2        | 0.1  |      | s.u.     | 12/14/2005 1818 MD | EPA 150.1    |
| Electrical Conductivity                             | 493        | 5    |      | µmhos/cm | 12/14/2005 1818 MD | SM 2510B     |
| Total Dissolved Solids (180)                        | 310        | 10   |      | mg/L     | 12/15/2005 821 EB  | SM 2540      |
| Solids, Total Dissolved (Calc)                      | 310        | 10   |      | mg/L     | 12/23/2005 958 MD  | SM 1030F     |
| Acidity, Total (As CaCO <sub>3</sub> )              | ND         | 5    |      | mg/L     | 12/16/2005 000 MD  | SM 2310B     |
| Alkalinity, Total (As CaCO <sub>3</sub> )           | 176        | 5    |      | mg/L     | 12/14/2005 1818 MD | SM 2320B     |
| Hardness, Calcium/Magnesium (As CaCO <sub>3</sub> ) | 37         | 1    |      | mg/L     | 12/23/2005 958 MD  | SM 2340B     |
| Nitrogen, Ammonia (As N)                            | ND         | 0.1  |      | mg/L     | 12/16/2005 1230 RM | EPA 350.1    |
| Nitrogen, Nitrite (as N)                            | ND         | 0.05 |      | mg/L     | 12/14/2005 1104 RM | EPA 353.2    |
| Radium 226  | 74.1 ± 5.5 | 0.2  |      | pCi/L    | 12/28/2005 1627 SH | SM 7500 RA B |
| Silica as SiO <sub>2</sub>                          | 5.6        | 0.1  |      | mg/L     | 12/22/2005 1329 TC | EPA 200.7    |
| Sodium Adsorption Ratio                             | 7.5        | 0.1  |      |          | 12/23/2005 958 MD  | Calculation  |
| <b>Anions</b>                                       |            |      |      |          |                    |              |
| Alkalinity, Bicarbonate as HCO <sub>3</sub>         | 215        | 5    |      | mg/L     | 12/14/2005 1818 MD | SM 2320B     |
| Alkalinity, Carbonate as CO <sub>3</sub>            | ND         | 5    |      | mg/L     | 12/14/2005 1818 MD | SM 2320B     |
| Alkalinity, Hydroxide as OH                         | ND         | 5    |      | mg/L     | 12/14/2005 1818 MD | SM 2320B     |
| Chloride  | 3          | 1    |      | mg/L     | 12/22/2005 1512 LK | EPA 300.0    |
| Fluoride  | 0.2        | 0.1  |      | mg/L     | 12/14/2005 1818 MD | SM 4500FC    |
| Nitrogen, Nitrate-Nitrite (as N)                    | 0.10       | 0.05 |      | mg/L     | 12/14/2005 1440 RM | EPA 353.2    |
| Sulfate   | 77         | 1    |      | mg/L     | 12/22/2005 1512 LK | EPA 300.0    |
| <b>Cations</b>                                      |            |      |      |          |                    |              |
| Calcium   | 12         | 1    |      | mg/L     | 12/20/2005 1212 TC | EPA 200.7    |
| Magnesium   | 2          | 1    |      | mg/L     | 12/20/2005 1212 TC | EPA 200.7    |
| Potassium   | 2          | 1    |      | mg/L     | 12/20/2005 1212 TC | EPA 200.7    |
| Sodium  | 104        | 1    |      | mg/L     | 12/20/2005 1212 TC | EPA 200.7    |

These results apply only to the samples tested.

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
ND Not Detected at the Reporting Limit

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
L Analyzed by a contract laboratory  
S Spike Recovery outside accepted recovery limits

Reviewed by:

  
Wade Nieuwsma, Project Manager

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 12/30/2005  
Report ID: S0512127001

Project: Cogema Christensen Mine  
Lab ID: S0512127-009  
Client Sample ID: MW-03  
Matrix: Water

Work Order: S0512127  
Collection Date: 12/13/2005  
Date Received: 12/13/2005 5:00:00 PM  
Sampler:

| Analyses                             | Result | PQL    | Qual | Units | Date Analyzed/Init | Method    |
|--------------------------------------|--------|--------|------|-------|--------------------|-----------|
| <b>Cation/Anion-Milliequivalents</b> |        |        |      |       |                    |           |
| Bicarbonate as HCO3                  | 3.52   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Carbonate as CO3                     | ND     | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Hydroxide as OH                      | ND     | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Chloride                             | 0.07   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Fluoride                             | ND     | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Nitrate + Nitrite as N               | ND     | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Sulfate                              | 1.59   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Calcium                              | 0.57   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Magnesium                            | 0.15   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Potassium                            | 0.05   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Sodium                               | 4.53   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| <b>Cation / Anion Balance</b>        |        |        |      |       |                    |           |
| Cation Sum                           | 5.31   | 0      |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Anion Sum                            | 5.20   | 0      |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Cation-Anion Balance                 | 1.09   | 0      |      | %     | 12/23/2005 958 MD  | SM 1030F  |
| <b>Dissolved Metals</b>              |        |        |      |       |                    |           |
| Aluminum                             | ND     | 0.1    |      | mg/L  | 12/16/2005 1343 TC | EPA 200.7 |
| Arsenic                              | 0.023  | 0.005  |      | mg/L  | 12/14/2005 1159 MS | EPA 200.8 |
| Barium                               | ND     | 0.5    |      | mg/L  | 12/14/2005 1159 MS | EPA 200.8 |
| Boron                                | 0.07   | 0.03   |      | mg/L  | 12/16/2005 1343 TC | EPA 200.7 |
| Cadmium                              | ND     | 0.002  |      | mg/L  | 12/14/2005 1159 MS | EPA 200.8 |
| Chromium                             | ND     | 0.01   |      | mg/L  | 12/16/2005 1343 TC | EPA 200.7 |
| Copper                               | ND     | 0.01   |      | mg/L  | 12/14/2005 1159 MS | EPA 200.8 |
| Iron                                 | ND     | 0.05   |      | mg/L  | 12/16/2005 1343 TC | EPA 200.7 |
| Lead                                 | ND     | 0.02   |      | mg/L  | 12/14/2005 1159 MS | EPA 200.8 |
| Manganese                            | ND     | 0.02   |      | mg/L  | 12/16/2005 1343 TC | EPA 200.7 |
| Mercury                              | ND     | 0.001  |      | mg/L  | 12/16/2005 1315 PQ | EPA 245.1 |
| Molybdenum                           | ND     | 0.02   |      | mg/L  | 12/14/2005 1159 MS | EPA 200.8 |
| Nickel                               | ND     | 0.01   |      | mg/L  | 12/16/2005 1343 TC | EPA 200.7 |
| Selenium                             | 1.84   | 0.005  |      | mg/L  | 12/14/2005 1159 MS | EPA 200.8 |
| Uranium                              | 1.03   | 0.0001 |      | mg/L  | 12/14/2005 1159 MS | EPA 200.8 |
| Vanadium                             | 0.15   | 0.02   |      | mg/L  | 12/14/2005 1159 MS | EPA 200.8 |
| Zinc                                 | ND     | 0.01   |      | mg/L  | 12/16/2005 1343 TC | EPA 200.7 |

These results apply only to the samples tested.

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
ND Not Detected at the Reporting Limit

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
L Analyzed by a contract laboratory  
S Spike Recovery outside accepted recovery limits

Reviewed by:

  
Wade Nieuwsma, Project Manager

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 12/30/2005  
Report ID: S0512127001

Project: Cogema Christensen Mine  
Lab ID: S0512127-010  
Client Sample ID: AP-02  
Matrix: Water

Work Order: S0512127  
Collection Date: 12/13/2005  
Date Received: 12/13/2005 5:00:00 PM  
Sampler:

| Analyses                               | Result     | PQL  | Qual | Units    | Date Analyzed/Init | Method       |
|--|------------|------|------|----------|--------------------|--------------|
| <b>General Parameters</b>              |            |      |      |          |                    |              |
| pH                                     | 8.1        | 0.1  |      | s.u.     | 12/14/2005 1829 MD | EPA 150.1    |
| Electrical Conductivity                | 1070       | 5    |      | µmhos/cm | 12/14/2005 1829 MD | SM 2510B     |
| Total Dissolved Solids (180)           | 700        | 10   |      | mg/L     | 12/15/2005 826 EB  | SM 2540      |
| Solids, Total Dissolved (Calc)         | 710        | 10   |      | mg/L     | 12/23/2005 958 MD  | SM 1030F     |
| Acidity, Total (As CaCO3)              | ND         | 5    |      | mg/L     | 12/16/2005 000 MD  | SM 2310B     |
| Alkalinity, Total (As CaCO3)           | 224        | 5    |      | mg/L     | 12/14/2005 1829 MD | SM 2320B     |
| Hardness, Calcium/Magnesium (As CaCO3) | 109        | 1    |      | mg/L     | 12/23/2005 958 MD  | SM 2340B     |
| Nitrogen, Ammonia (As N)               | ND         | 0.1  |      | mg/L     | 12/16/2005 1231 RM | EPA 350.1    |
| Nitrogen, Nitrite (as N)               | ND         | 0.05 |      | mg/L     | 12/14/2005 1105 RM | EPA 353.2    |
| Radium 226                             | 35.9 ± 3.9 | 0.2  |      | pCi/L    | 12/28/2005 1627 SH | SM 7500 RA B |
| Silica as SiO2                         | 7.0        | 0.1  |      | mg/L     | 12/22/2005 1333 TC | EPA 200.7    |
| Sodium Adsorption Ratio                | 8.7        | 0.1  |      |          | 12/23/2005 958 MD  | Calculation  |
| <b>Anions</b>                          |            |      |      |          |                    |              |
| Alkalinity, Bicarbonate as HCO3        | 274        | 5    |      | mg/L     | 12/14/2005 1829 MD | SM 2320B     |
| Alkalinity, Carbonate as CO3           | ND         | 5    |      | mg/L     | 12/14/2005 1829 MD | SM 2320B     |
| Alkalinity, Hydroxide as OH            | ND         | 5    |      | mg/L     | 12/14/2005 1829 MD | SM 2320B     |
| Chloride                               | 10         | 1    |      | mg/L     | 12/22/2005 1522 LK | EPA 300.0    |
| Fluoride                               | 0.1        | 0.1  |      | mg/L     | 12/14/2005 1829 MD | SM 4500FC    |
| Nitrogen, Nitrate-Nitrite (as N)       | 0.05       | 0.05 |      | mg/L     | 12/14/2005 1442 RM | EPA 353.2    |
| Sulfate                                | 310        | 1    |      | mg/L     | 12/22/2005 1522 LK | EPA 300.0    |
| <b>Cations</b>                         |            |      |      |          |                    |              |
| Calcium                                | 33         | 1    |      | mg/L     | 12/20/2005 1215 TC | EPA 200.7    |
| Magnesium                              | 7          | 1    |      | mg/L     | 12/20/2005 1215 TC | EPA 200.7    |
| Potassium                              | 4          | 1    |      | mg/L     | 12/20/2005 1215 TC | EPA 200.7    |
| Sodium                                 | 210        | 1    |      | mg/L     | 12/20/2005 1215 TC | EPA 200.7    |

These results apply only to the samples tested.

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
ND Not Detected at the Reporting Limit

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
L Analyzed by a contract laboratory  
S Spike Recovery outside accepted recovery limits

Reviewed by:

  
Wade Nieuwsma, Project Manager

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 12/30/2005  
Report ID: S0512127001

Project: Cogema Christensen Mine  
Lab ID: S0512127-010  
Client Sample ID: AP-02  
Matrix: Water

Work Order: S0512127  
Collection Date: 12/13/2005  
Date Received: 12/13/2005 5:00:00 PM  
Sampler:

| Analyses                             | Result | PQL    | Qual | Units | Date Analyzed/Init | Method    |
|--------------------------------------|--------|--------|------|-------|--------------------|-----------|
| <b>Cation/Anion-Milliequivalents</b> |        |        |      |       |                    |           |
| Bicarbonate as HCO3                  | 4.48   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Carbonate as CO3                     | ND     | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Hydroxide as OH                      | ND     | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Chloride                             | 0.29   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Fluoride                             | ND     | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Nitrate + Nitrite as N               | ND     | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Sulfate                              | 6.45   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Calcium                              | 1.63   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Magnesium                            | 0.55   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Potassium                            | 0.10   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Sodium                               | 9.11   | 0.01   |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| <b>Cation / Anion Balance</b>        |        |        |      |       |                    |           |
| Cation Sum                           | 11.40  | 0      |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Anion Sum                            | 11.24  | 0      |      | meq/L | 12/23/2005 958 MD  | SM 1030F  |
| Cation-Anion Balance                 | 0.69   | 0      |      | %     | 12/23/2005 958 MD  | SM 1030F  |
| <b>Dissolved Metals</b>              |        |        |      |       |                    |           |
| Aluminum                             | ND     | 0.1    |      | mg/L  | 12/16/2005 1347 TC | EPA 200.7 |
| Arsenic                              | ND     | 0.005  |      | mg/L  | 12/14/2005 1211 MS | EPA 200.8 |
| Barium                               | ND     | 0.5    |      | mg/L  | 12/14/2005 1211 MS | EPA 200.8 |
| Boron                                | 0.06   | 0.03   |      | mg/L  | 12/16/2005 1347 TC | EPA 200.7 |
| Cadmium                              | ND     | 0.002  |      | mg/L  | 12/14/2005 1211 MS | EPA 200.8 |
| Chromium                             | ND     | 0.01   |      | mg/L  | 12/16/2005 1347 TC | EPA 200.7 |
| Copper                               | ND     | 0.01   |      | mg/L  | 12/14/2005 1211 MS | EPA 200.8 |
| Iron                                 | ND     | 0.05   |      | mg/L  | 12/16/2005 1347 TC | EPA 200.7 |
| Lead                                 | ND     | 0.02   |      | mg/L  | 12/14/2005 1211 MS | EPA 200.8 |
| Manganese                            | 0.03   | 0.02   |      | mg/L  | 12/16/2005 1347 TC | EPA 200.7 |
| Mercury                              | ND     | 0.001  |      | mg/L  | 12/16/2005 1317 PQ | EPA 245.1 |
| Molybdenum                           | ND     | 0.02   |      | mg/L  | 12/14/2005 1211 MS | EPA 200.8 |
| Nickel                               | ND     | 0.01   |      | mg/L  | 12/16/2005 1347 TC | EPA 200.7 |
| Selenium                             | 0.010  | 0.005  |      | mg/L  | 12/14/2005 1211 MS | EPA 200.8 |
| Uranium                              | 0.526  | 0.0001 |      | mg/L  | 12/14/2005 1211 MS | EPA 200.8 |
| Vanadium                             | ND     | 0.02   |      | mg/L  | 12/14/2005 1211 MS | EPA 200.8 |
| Zinc                                 | ND     | 0.01   |      | mg/L  | 12/16/2005 1347 TC | EPA 200.7 |

These results apply only to the samples tested.

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
ND Not Detected at the Reporting Limit

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
L Analyzed by a contract laboratory  
S Spike Recovery outside accepted recovery limits

Reviewed by:

  
Wade Nieuwsma, Project Manager

---

**CLIENT:** Cogema Mining Inc.  
**Project:** Cogema Christensen Mine  
**Lab Order:** S0512076

**CASE NARRATIVE**  
**Report ID:** S0512076001

---

Samples 5AG68-1, 5AL66-1, 5AM78-2, 5AO74-1, 5AP54-1, MW07, and TW0001 were received on December 8, 2005.

All samples were received and analyzed within the EPA recommended holding times, except those noted in this case narrative. Samples were analyzed using the methods outlined in the following references:

- U.S.E.P.A. 600 "Methods for Chemical Analysis of Water and Wastes", 1993
- "Standard Methods For The Examination of Water and Wastewater", 20th ed., 1995
- Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, SW846, 3rd Edition

All Quality Control parameters met the acceptance criteria defined by EPA and Inter-Mountain Laboratories except as indicated in this case narrative.

**SAMPLE SUBMITTAL AND CHAIN OF CUSTODY FORM**

COGEMA Mining Inc.; PO Box 730 Mills, WY 82644  
Phone 464-1429 (Christensen Mine) or 234-5019 (Mills Office)

Samples shipped to Inter-mountain lab sheridan,wy

Submitted by [Signature] Date 12-8-05

Received by [Signature] Date 12/8/05 1700

**Restoration Sample Description**

Location: \_\_\_ Irigaray  Christensen Mine or Production Unit 5 Module # (if applicale) \_\_\_

Restoration Phase: \_\_\_ Groundwater Sweep (explain \_\_\_\_\_)  
 \_\_\_ Reverse Osmosis Filtration (explain \_\_\_\_\_)  
 \_\_\_ Recirculation (explain \_\_\_\_\_)  
 \_\_\_ Stabilization (explain \_\_\_\_\_)

\*Analysis Requested: DEQ Guideline # 8 (Ca, Mg, Na, K, CO3, HCO3, SO4, Cl, NH4, NO2, NO3, TDS, Cond., Tot. Alk., pH, SiO2, Al, As, Ba, B, Cd, Cr, Cu, F, Fe, Pb, Mn, Hg, Mo, Ni, Se, Zn, U, V, Ra226)

Send Analysis Results to: ~~Tom Johnson~~  
Larry Arbogast

| #  | Identification Name | Sample Date | Sample Volume | Water Sample Preservation (X) |           |      |       | Lab id       | Comments |
|----|---------------------|-------------|---------------|-------------------------------|-----------|------|-------|--------------|----------|
|    |                     |             |               | Filtered                      | Not Filt. | HNO3 | H2SO4 |              |          |
| 1  | 5A574-1             | 12/8/05     | Half Gal.     | X                             |           | X    |       | 50512076-001 |          |
|    |                     |             | Quart         | X                             |           |      |       |              | "        |
|    |                     |             | 8 ozs.        |                               | X         |      |       |              | "        |
|    |                     |             | 8 ozs.        | X                             |           |      | X     |              | "        |
| 2  | 5AP54-1             |             | **            | **                            | **        | **   | **    |              | 002      |
| 3  | MW07                |             | **            | **                            | **        | **   | **    |              | 003      |
| 4  | 5AM78-2             |             | **            | **                            | **        | **   | **    |              | 004      |
| 5  | 5A666-1             |             | **            | **                            | **        | **   | **    |              | 005      |
| 6  | 5AB68-1             |             | **            | **                            | **        | **   | **    |              | 006      |
| 7  | TW0001              |             | **            | **                            | **        | **   | **    |              | 007      |
| 8  |                     |             | **            | **                            | **        | **   | **    |              |          |
| 9  |                     |             | **            | **                            | **        | **   | **    |              |          |
| 10 |                     |             | **            | **                            | **        | **   | **    |              |          |
| 11 |                     |             | **            | **                            | **        | **   | **    |              |          |
| 12 |                     |             | **            | **                            | **        | **   | **    |              |          |
| 13 |                     |             | **            | **                            | **        | **   | **    |              |          |
| 14 |                     |             | **            | **                            | **        | **   | **    |              |          |
| 15 |                     |             | **            | **                            | **        | **   | **    |              |          |

\*All analysis will be performed in accordance with EPA approved pcedures and/or the latest edition of Standard Methods.  
 \*\* Same as sample #1  
 L:\LARRY\pvdsup.xls]pvdsup

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 12/30/2005  
Report ID: S0512076001

Project: Cogema Christensen Mine  
Lab ID: S0512076-001  
Client Sample ID: 5A074-1  
Matrix: Water

Work Order: S0512076  
Collection Date: 12/8/2005  
Date Received: 12/8/2005 5:00:00 PM  
Sampler:


| Analyses                               | Result     | PQL  | Qual | Units    | Date Analyzed/Init | Method       |
|--|------------|------|------|----------|--------------------|--------------|
| <b>General Parameters</b>              |            |      |      |          |                    |              |
| pH                                     | 8.1        | 0.1  |      | s.u.     | 12/09/2005 1704 MD | EPA 150.1    |
| Electrical Conductivity                | 457        | 5    |      | µmhos/cm | 12/09/2005 1704 MD | SM 2510B     |
| Total Dissolved Solids (180)           | 280        | 10   |      | mg/L     | 12/12/2005 805 EB  | SM 2540      |
| Solids, Total Dissolved (Calc)         | 290        | 10   |      | mg/L     | 12/19/2005 1111 MD | SM 1030F     |
| Acidity, Total (As CaCO3)              | ND         | 5    |      | mg/L     | 12/12/2005 000 MD  | SM 2310B     |
| Alkalinity, Total (As CaCO3)           | 168        | 5    |      | mg/L     | 12/09/2005 1704 MD | SM 2320B     |
| Hardness, Calcium/Magnesium (As CaCO3) | 39         | 1    |      | mg/L     | 12/19/2005 1111 MD | SM 2340B     |
| Nitrogen, Ammonia (As N)               | ND         | 0.1  |      | mg/L     | 12/12/2005 1149 RM | EPA 350.1    |
| Nitrogen, Nitrite (as N)               | ND         | 0.05 |      | mg/L     | 12/09/2005 1216 RM | EPA 353.2    |
| Radium 226                             | 31.9 ± 3.0 | 0.2  |      | pCi/L    | 12/19/2005 1250 SH | SM 7500 RA B |
| Silica as SiO2                         | 7.6        | 0.1  |      | mg/L     | 12/13/2005 1025 TC | EPA 200.7    |
| Sodium Adsorption Ratio                | 6.7        | 0.1  |      |          | 12/19/2005 1111 MD | Calculation  |
| <b>Anions</b>                          |            |      |      |          |                    |              |
| Alkalinity, Bicarbonate as HCO3        | 205        | 5    |      | mg/L     | 12/09/2005 1704 MD | SM 2320B     |
| Alkalinity, Carbonate as CO3           | ND         | 5    |      | mg/L     | 12/09/2005 1704 MD | SM 2320B     |
| Alkalinity, Hydroxide as OH            | ND         | 5    |      | mg/L     | 12/09/2005 1704 MD | SM 2320B     |
| Chloride                               | 4          | 1    |      | mg/L     | 12/14/2005 1047 LK | EPA 300.0    |
| Fluoride                               | ND         | 0.1  |      | mg/L     | 12/09/2005 1704 MD | SM 4500FC    |
| Nitrogen, Nitrate-Nitrite (as N)       | ND         | 0.05 |      | mg/L     | 12/13/2005 1256 RM | EPA 353.2    |
| Sulfate                                | 69         | 1    |      | mg/L     | 12/14/2005 1047 LK | EPA 300.0    |
| <b>Cations</b>                         |            |      |      |          |                    |              |
| Calcium                                | 12         | 1    |      | mg/L     | 12/13/2005 1025 TC | EPA 200.7    |
| Magnesium                              | 2          | 1    |      | mg/L     | 12/13/2005 1025 TC | EPA 200.7    |
| Potassium                              | 2          | 1    |      | mg/L     | 12/13/2005 1025 TC | EPA 200.7    |
| Sodium                                 | 96         | 1    |      | mg/L     | 12/09/2005 1448 TC | EPA 200.7    |

These results apply only to the samples tested.

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
ND Not Detected at the Reporting Limit

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
L Analyzed by a contract laboratory  
S Spike Recovery outside accepted recovery limits

Reviewed by:



Wade Nieuwsma, Project Manager



Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 12/30/2005  
Report ID: S0512076001

Project: Cogema Christensen Mine  
Lab ID: S0512076-001  
Client Sample ID: 5A074-1  
Matrix: Water


Work Order: S0512076  
Collection Date: 12/8/2005  
Date Received: 12/8/2005 5:00:00 PM  
Sampler:

| Analyses                             | Result | PQL    | Qual | Units | Date Analyzed/Init  | Method    |
|--------------------------------------|--------|--------|------|-------|---------------------|-----------|
| <b>Cation/Anion-Milliequivalents</b> |        |        |      |       |                     |           |
| Bicarbonate as HCO3                  | 3.35   | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Carbonate as CO3                     | ND     | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Hydroxide as OH                      | ND     | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Chloride                             | 0.10   | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Fluoride                             | ND     | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Nitrate + Nitrite as N               | ND     | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Sulfate                              | 1.42   | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Calcium                              | 0.59   | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Magnesium                            | 0.18   | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Potassium                            | 0.04   | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Sodium                               | 4.31   | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| <b>Cation / Anion Balance</b>        |        |        |      |       |                     |           |
| Cation Sum                           | 4.99   | 0      |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Anion Sum                            | 4.88   | 0      |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Cation-Anion Balance                 | 1.10   | 0      |      | %     | 12/19/2005 1111 MD  | SM 1030F  |
| <b>Dissolved Metals</b>              |        |        |      |       |                     |           |
| Aluminum                             | ND     | 0.1    |      | mg/L  | 12/09/2005 1448 TC  | EPA 200.7 |
| Arsenic                              | ND     | 0.005  |      | mg/L  | 12/09/2005 1312 MS  | EPA 200.8 |
| Barium                               | ND     | 0.5    |      | mg/L  | 12/09/2005 1312 MS  | EPA 200.8 |
| Boron                                | 0.10   | 0.03   |      | mg/L  | 12/09/2005 1448 TC  | EPA 200.7 |
| Cadmium                              | ND     | 0.002  |      | mg/L  | 12/09/2005 1312 MS  | EPA 200.8 |
| Chromium                             | ND     | 0.01   |      | mg/L  | 12/09/2005 1448 TC  | EPA 200.7 |
| Copper                               | ND     | 0.01   |      | mg/L  | 12/09/2005 1312 MS  | EPA 200.8 |
| Iron                                 | 0.11   | 0.05   |      | mg/L  | 12/09/2005 1448 TC  | EPA 200.7 |
| Lead                                 | ND     | 0.02   |      | mg/L  | 12/09/2005 1312 MS  | EPA 200.8 |
| Manganese                            | ND     | 0.02   |      | mg/L  | 12/09/2005 1448 TC  | EPA 200.7 |
| Mercury                              | ND     | 0.001  |      | mg/L  | 12/13/2005 1140 ADM | EPA 245.1 |
| Molybdenum                           | ND     | 0.02   |      | mg/L  | 12/09/2005 1312 MS  | EPA 200.8 |
| Nickel                               | ND     | 0.01   |      | mg/L  | 12/09/2005 1448 TC  | EPA 200.7 |
| Selenium                             | 0.012  | 0.005  |      | mg/L  | 12/09/2005 1312 MS  | EPA 200.8 |
| Uranium                              | 0.366  | 0.0001 |      | mg/L  | 12/09/2005 1312 MS  | EPA 200.8 |
| Vanadium                             | ND     | 0.02   |      | mg/L  | 12/09/2005 1312 MS  | EPA 200.8 |
| Zinc                                 | ND     | 0.01   |      | mg/L  | 12/09/2005 1448 TC  | EPA 200.7 |

These results apply only to the samples tested.

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
ND Not Detected at the Reporting Limit

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
L Analyzed by a contract laboratory  
S Spike Recovery outside accepted recovery limits

Reviewed by:   
Wade Nieuwsma, Project Manager

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 12/30/2005  
Report ID: S0512076001

Project: Cogema Christensen Mine  
Lab ID: S0512076-002  
Client Sample ID: 5AP54-1  
Matrix: Water

Work Order: S0512076  
Collection Date: 12/8/2005  
Date Received: 12/8/2005 5:00:00 PM  
Sampler:

| Analyses                               | Result   | PQL  | Qual | Units    | Date Analyzed/Init | Method       |
|--|----------|------|------|----------|--------------------|--------------|
| <b>General Parameters</b>              |          |      |      |          |                    |              |
| pH                                     | 8.0      | 0.1  |      | s.u.     | 12/09/2005 1717 MD | EPA 150.1    |
| Electrical Conductivity                | 1420     | 5    |      | µmhos/cm | 12/09/2005 1717 MD | SM 2510B     |
| Total Dissolved Solids (180)           | 980      | 10   |      | mg/L     | 12/12/2005 810 EB  | SM 2540      |
| Solids, Total Dissolved (Calc)         | 930      | 10   |      | mg/L     | 12/19/2005 1111 MD | SM 1030F     |
| Acidity, Total (As CaCO3)              | ND       | 5    |      | mg/L     | 12/12/2005 000 MD  | SM 2310B     |
| Alkalinity, Total (As CaCO3)           | 545      | 5    |      | mg/L     | 12/09/2005 1717 MD | SM 2320B     |
| Hardness, Calcium/Magnesium (As CaCO3) | 299      | 1    |      | mg/L     | 12/19/2005 1111 MD | SM 2340B     |
| Nitrogen, Ammonia (As N)               | ND       | 0.1  |      | mg/L     | 12/12/2005 1150 RM | EPA 350.1    |
| Nitrogen, Nitrite (as N)               | ND       | 0.05 |      | mg/L     | 12/09/2005 1217 RM | EPA 353.2    |
| Radium 226                             | 767 ± 15 | 0.2  |      | pCi/L    | 12/19/2005 1250 SH | SM 7500 RA B |
| Silica as SiO2                         | 8.0      | 0.1  |      | mg/L     | 12/13/2005 1029 TC | EPA 200.7    |
| Sodium Adsorption Ratio                | 6.4      | 0.1  |      |          | 12/19/2005 1111 MD | Calculation  |
| <b>Anions</b>                          |          |      |      |          |                    |              |
| Alkalinity, Bicarbonate as HCO3        | 666      | 5    |      | mg/L     | 12/09/2005 1717 MD | SM 2320B     |
| Alkalinity, Carbonate as CO3           | ND       | 5    |      | mg/L     | 12/09/2005 1717 MD | SM 2320B     |
| Alkalinity, Hydroxide as OH            | ND       | 5    |      | mg/L     | 12/09/2005 1717 MD | SM 2320B     |
| Chloride                               | 20       | 1    |      | mg/L     | 12/09/2005 1530 LK | EPA 300.0    |
| Fluoride                               | ND       | 0.1  |      | mg/L     | 12/09/2005 1717 MD | SM 4500FC    |
| Nitrogen, Nitrate-Nitrite (as N)       | ND       | 0.05 |      | mg/L     | 12/13/2005 1257 RM | EPA 353.2    |
| Sulfate                                | 207      | 1    |      | mg/L     | 12/09/2005 1530 LK | EPA 300.0    |
| <b>Cations</b>                         |          |      |      |          |                    |              |
| Calcium                                | 92       | 1    |      | mg/L     | 12/09/2005 1452 TC | EPA 200.7    |
| Magnesium                              | 17       | 1    |      | mg/L     | 12/09/2005 1452 TC | EPA 200.7    |
| Potassium                              | 6        | 1    |      | mg/L     | 12/09/2005 1452 TC | EPA 200.7    |
| Sodium                                 | 257      | 1    |      | mg/L     | 12/09/2005 1452 TC | EPA 200.7    |

These results apply only to the samples tested.

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
ND Not Detected at the Reporting Limit

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
L Analyzed by a contract laboratory  
S Spike Recovery outside accepted recovery limits

Reviewed by:   
Wade Nieuwsma, Project Manager

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 12/30/2005  
Report ID: S0512076001

Project: Cogema Christensen Mine  
Lab ID: S0512076-002  
Client Sample ID: 5AP54-1  
Matrix: Water


Work Order: S0512076  
Collection Date: 12/8/2005  
Date Received: 12/8/2005 5:00:00 PM  
Sampler:

| Analyses                             | Result | PQL    | Qual | Units | Date Analyzed/Init  | Method    |
|--------------------------------------|--------|--------|------|-------|---------------------|-----------|
| <b>Cation/Anion-Milliequivalents</b> |        |        |      |       |                     |           |
| Bicarbonate as HCO3                  | 10.91  | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Carbonate as CO3                     | ND     | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Hydroxide as OH                      | ND     | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Chloride                             | 0.57   | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Fluoride                             | ND     | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Nitrate + Nitrite as N               | ND     | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Sulfate                              | 4.30   | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Calcium                              | 4.57   | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Magnesium                            | 1.41   | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Potassium                            | 0.15   | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Sodium                               | 11.16  | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| <b>Cation / Anion Balance</b>        |        |        |      |       |                     |           |
| Cation Sum                           | 17.30  | 0      |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Anion Sum                            | 15.78  | 0      |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Cation-Anion Balance                 | 4.57   | 0      |      | %     | 12/19/2005 1111 MD  | SM 1030F  |
| <b>Dissolved Metals</b>              |        |        |      |       |                     |           |
| Aluminum                             | ND     | 0.1    |      | mg/L  | 12/09/2005 1452 TC  | EPA 200.7 |
| Arsenic                              | ND     | 0.005  |      | mg/L  | 12/09/2005 1321 MS  | EPA 200.8 |
| Barium                               | ND     | 0.5    |      | mg/L  | 12/09/2005 1321 MS  | EPA 200.8 |
| Boron                                | 0.11   | 0.03   |      | mg/L  | 12/09/2005 1452 TC  | EPA 200.7 |
| Cadmium                              | ND     | 0.002  |      | mg/L  | 12/09/2005 1321 MS  | EPA 200.8 |
| Chromium                             | ND     | 0.01   |      | mg/L  | 12/09/2005 1452 TC  | EPA 200.7 |
| Copper                               | ND     | 0.01   |      | mg/L  | 12/09/2005 1321 MS  | EPA 200.8 |
| Iron                                 | 0.06   | 0.05   |      | mg/L  | 12/09/2005 1452 TC  | EPA 200.7 |
| Lead                                 | ND     | 0.02   |      | mg/L  | 12/09/2005 1321 MS  | EPA 200.8 |
| Manganese                            | 0.15   | 0.02   |      | mg/L  | 12/09/2005 1452 TC  | EPA 200.7 |
| Mercury                              | ND     | 0.001  |      | mg/L  | 12/13/2005 1142 ADM | EPA 245.1 |
| Molybdenum                           | ND     | 0.02   |      | mg/L  | 12/09/2005 1321 MS  | EPA 200.8 |
| Nickel                               | ND     | 0.01   |      | mg/L  | 12/09/2005 1452 TC  | EPA 200.7 |
| Selenium                             | 0.239  | 0.005  |      | mg/L  | 12/09/2005 1321 MS  | EPA 200.8 |
| Uranium                              | 7.72   | 0.0001 |      | mg/L  | 12/09/2005 1321 MS  | EPA 200.8 |
| Vanadium                             | 0.16   | 0.02   |      | mg/L  | 12/09/2005 1321 MS  | EPA 200.8 |
| Zinc                                 | ND     | 0.01   |      | mg/L  | 12/09/2005 1452 TC  | EPA 200.7 |

These results apply only to the samples tested.

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
ND Not Detected at the Reporting Limit

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
L Analyzed by a contract laboratory  
S Spike Recovery outside accepted recovery limits

Reviewed by:   
Wade Nieuwsma, Project Manager

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 12/30/2005  
Report ID: S0512076001

Project: Cogema Christensen Mine  
Lab ID: S0512076-003  
Client Sample ID: MW07  
Matrix: Water

Work Order: S0512076  
Collection Date: 12/8/2005  
Date Received: 12/8/2005 5:00:00 PM  
Sampler:

| Analyses                               | Result   | PQL  | Qual | Units    | Date Analyzed/Init | Method       |
|--|----------|------|------|----------|--------------------|--------------|
| <b>General Parameters</b>              |          |      |      |          |                    |              |
| pH                                     | 7.9      | 0.1  |      | s.u.     | 12/09/2005 1729 MD | EPA 150.1    |
| Electrical Conductivity                | 1470     | 5    |      | µmhos/cm | 12/09/2005 1729 MD | SM 2510B     |
| Total Dissolved Solids (180)           | 1020     | 10   |      | mg/L     | 12/12/2005 815 EB  | SM 2540      |
| Solids, Total Dissolved (Calc)         | 960      | 10   |      | mg/L     | 12/19/2005 1111 MD | SM 1030F     |
| Acidity, Total (As CaCO3)              | ND       | 5    |      | mg/L     | 12/12/2005 000 MD  | SM 2310B     |
| Alkalinity, Total (As CaCO3)           | 533      | 5    |      | mg/L     | 12/09/2005 1729 MD | SM 2320B     |
| Hardness, Calcium/Magnesium (As CaCO3) | 251      | 1    |      | mg/L     | 12/19/2005 1111 MD | SM 2340B     |
| Nitrogen, Ammonia (As N)               | ND       | 0.1  |      | mg/L     | 12/12/2005 1151 RM | EPA 350.1    |
| Nitrogen, Nitrite (as N)               | ND       | 0.05 |      | mg/L     | 12/09/2005 1218 RM | EPA 353.2    |
| Radium 226                             | 362 ± 10 | 0.2  |      | pCi/L    | 12/19/2005 1250 SH | SM 7500 RA B |
| Silica as SiO2                         | 8.8      | 0.1  |      | mg/L     | 12/13/2005 1033 TC | EPA 200.7    |
| Sodium Adsorption Ratio                | 7.8      | 0.1  |      |          | 12/19/2005 1111 MD | Calculation  |
| <b>Anions</b>                          |          |      |      |          |                    |              |
| Alkalinity, Bicarbonate as HCO3        | 650      | 5    |      | mg/L     | 12/09/2005 1729 MD | SM 2320B     |
| Alkalinity, Carbonate as CO3           | ND       | 5    |      | mg/L     | 12/09/2005 1729 MD | SM 2320B     |
| Alkalinity, Hydroxide as OH            | ND       | 5    |      | mg/L     | 12/09/2005 1729 MD | SM 2320B     |
| Chloride                               | 19       | 1    |      | mg/L     | 12/09/2005 1540 LK | EPA 300.0    |
| Fluoride                               | ND       | 0.1  |      | mg/L     | 12/09/2005 1729 MD | SM 4500FC    |
| Nitrogen, Nitrate-Nitrite (as N)       | 0.18     | 0.05 |      | mg/L     | 12/13/2005 1258 RM | EPA 353.2    |
| Sulfate                                | 235      | 1    |      | mg/L     | 12/09/2005 1540 LK | EPA 300.0    |
| <b>Cations</b>                         |          |      |      |          |                    |              |
| Calcium                                | 74       | 1    |      | mg/L     | 12/13/2005 1033 TC | EPA 200.7    |
| Magnesium                              | 16       | 1    |      | mg/L     | 12/13/2005 1033 TC | EPA 200.7    |
| Potassium                              | 5        | 1    |      | mg/L     | 12/13/2005 1033 TC | EPA 200.7    |
| Sodium                                 | 286      | 1    |      | mg/L     | 12/13/2005 1033 TC | EPA 200.7    |

These results apply only to the samples tested.

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
ND Not Detected at the Reporting Limit

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
L Analyzed by a contract laboratory  
S Spike Recovery outside accepted recovery limits

Reviewed by:

  
Wade Nieuwsma, Project Manager

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 12/30/2005  
Report ID: S0512076001

Project: Cogema Christensen Mine  
Lab ID: S0512076-003  
Client Sample ID: MW07  
Matrix: Water

Work Order: S0512076  
Collection Date: 12/8/2005  
Date Received: 12/8/2005 5:00:00 PM  
Sampler:

| Analyses                             | Result | PQL    | Qual | Units | Date Analyzed/Init  | Method    |
|--------------------------------------|--------|--------|------|-------|---------------------|-----------|
| <b>Cation/Anion-Milliequivalents</b> |        |        |      |       |                     |           |
| Bicarbonate as HCO <sub>3</sub>      | 10.66  | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Carbonate as CO <sub>3</sub>         | ND     | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Hydroxide as OH                      | ND     | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Chloride                             | 0.54   | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Fluoride                             | ND     | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Nitrate + Nitrite as N               | 0.01   | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Sulfate                              | 4.88   | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Calcium                              | 3.66   | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Magnesium                            | 1.35   | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Potassium                            | 0.13   | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Sodium                               | 12.42  | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| <b>Cation / Anion Balance</b>        |        |        |      |       |                     |           |
| Cation Sum                           | 17.57  | 0      |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Anion Sum                            | 16.10  | 0      |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Cation-Anion Balance                 | 4.36   | 0      |      | %     | 12/19/2005 1111 MD  | SM 1030F  |
| <b>Dissolved Metals</b>              |        |        |      |       |                     |           |
| Aluminum                             | ND     | 0.1    |      | mg/L  | 12/09/2005 1518 TC  | EPA 200.7 |
| Arsenic                              | 0.006  | 0.005  |      | mg/L  | 12/09/2005 1324 MS  | EPA 200.8 |
| Barium                               | ND     | 0.5    |      | mg/L  | 12/09/2005 1324 MS  | EPA 200.8 |
| Boron                                | 0.19   | 0.03   |      | mg/L  | 12/09/2005 1518 TC  | EPA 200.7 |
| Cadmium                              | ND     | 0.002  |      | mg/L  | 12/09/2005 1324 MS  | EPA 200.8 |
| Chromium                             | ND     | 0.01   |      | mg/L  | 12/09/2005 1518 TC  | EPA 200.7 |
| Copper                               | ND     | 0.01   |      | mg/L  | 12/09/2005 1324 MS  | EPA 200.8 |
| Iron                                 | 0.32   | 0.05   |      | mg/L  | 12/09/2005 1518 TC  | EPA 200.7 |
| Lead                                 | ND     | 0.02   |      | mg/L  | 12/09/2005 1324 MS  | EPA 200.8 |
| Manganese                            | 0.31   | 0.02   |      | mg/L  | 12/09/2005 1518 TC  | EPA 200.7 |
| Mercury                              | ND     | 0.001  |      | mg/L  | 12/13/2005 1155 ADM | EPA 245.1 |
| Molybdenum                           | ND     | 0.02   |      | mg/L  | 12/09/2005 1324 MS  | EPA 200.8 |
| Nickel                               | 0.01   | 0.01   |      | mg/L  | 12/09/2005 1518 TC  | EPA 200.7 |
| Selenium                             | 0.576  | 0.005  |      | mg/L  | 12/09/2005 1324 MS  | EPA 200.8 |
| Uranium                              | 4.64   | 0.0001 |      | mg/L  | 12/09/2005 1324 MS  | EPA 200.8 |
| Vanadium                             | 0.05   | 0.02   |      | mg/L  | 12/09/2005 1324 MS  | EPA 200.8 |
| Zinc                                 | ND     | 0.01   |      | mg/L  | 12/09/2005 1518 TC  | EPA 200.7 |

These results apply only to the samples tested.

- Qualifiers:
- \* Value exceeds Maximum Contaminant Level
  - E Value above quantitation range
  - J Analyte detected below quantitation limits
  - ND Not Detected at the Reporting Limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - L Analyzed by a contract laboratory
  - S Spike Recovery outside accepted recovery limits

Reviewed by:   
Wade Nieuwsma, Project Manager

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 12/30/2005  
Report ID: S0512076001

Project: Cogema Christensen Mine  
Lab ID: S0512076-004  
Client Sample ID: 5AM78-2  
Matrix: Water

Work Order: S0512076  
Collection Date: 12/8/2005  
Date Received: 12/8/2005 5:00:00 PM  
Sampler:

| Analyses                               | Result   | PQL  | Qual | Units    | Date Analyzed/Init | Method       |
|--|----------|------|------|----------|--------------------|--------------|
| <b>General Parameters</b>              |          |      |      |          |                    |              |
| pH                                     | 7.9      | 0.1  |      | s.u.     | 12/09/2005 1741 MD | EPA 150.1    |
| Electrical Conductivity                | 1120     | 5    |      | µmhos/cm | 12/09/2005 1741 MD | SM 2510B     |
| Total Dissolved Solids (180)           | 760      | 10   |      | mg/L     | 12/12/2005 820 EB  | SM 2540      |
| Solids, Total Dissolved (Calc)         | 760      | 10   |      | mg/L     | 12/19/2005 1111 MD | SM 1030F     |
| Acidity, Total (As CaCO3)              | ND       | 5    |      | mg/L     | 12/12/2005 000 MD  | SM 2310B     |
| Alkalinity, Total (As CaCO3)           | 364      | 5    |      | mg/L     | 12/09/2005 1741 MD | SM 2320B     |
| Hardness, Calcium/Magnesium (As CaCO3) | 160      | 1    |      | mg/L     | 12/19/2005 1111 MD | SM 2340B     |
| Nitrogen, Ammonia (As N)               | ND       | 0.1  |      | mg/L     | 12/12/2005 1152 RM | EPA 350.1    |
| Nitrogen, Nitrite (as N)               | ND       | 0.05 |      | mg/L     | 12/09/2005 1219 RM | EPA 353.2    |
| Radium 226                             | 458 ± 12 | 0.2  |      | pCi/L    | 12/19/2005 1250 SH | SM 7500 RA B |
| Silica as SiO2                         | 8.7      | 0.1  |      | mg/L     | 12/13/2005 1037 TC | EPA 200.7    |
| Sodium Adsorption Ratio                | 7.5      | 0.1  |      |          | 12/19/2005 1111 MD | Calculation  |
| <b>Anions</b>                          |          |      |      |          |                    |              |
| Alkalinity, Bicarbonate as HCO3        | 445      | 5    |      | mg/L     | 12/09/2005 1741 MD | SM 2320B     |
| Alkalinity, Carbonate as CO3           | ND       | 5    |      | mg/L     | 12/09/2005 1741 MD | SM 2320B     |
| Alkalinity, Hydroxide as OH            | ND       | 5    |      | mg/L     | 12/09/2005 1741 MD | SM 2320B     |
| Chloride                               | 17       | 1    |      | mg/L     | 12/14/2005 1056 LK | EPA 300.0    |
| Fluoride                               | ND       | 0.1  |      | mg/L     | 12/09/2005 1741 MD | SM 4500FC    |
| Nitrogen, Nitrate-Nitrite (as N)       | ND       | 0.05 |      | mg/L     | 12/13/2005 1307 RM | EPA 353.2    |
| Sulfate                                | 246      | 1    |      | mg/L     | 12/14/2005 1056 LK | EPA 300.0    |
| <b>Cations</b>                         |          |      |      |          |                    |              |
| Calcium                                | 47       | 1    |      | mg/L     | 12/13/2005 1037 TC | EPA 200.7    |
| Magnesium                              | 10       | 1    |      | mg/L     | 12/13/2005 1037 TC | EPA 200.7    |
| Potassium                              | 4        | 1    |      | mg/L     | 12/13/2005 1037 TC | EPA 200.7    |
| Sodium                                 | 218      | 1    |      | mg/L     | 12/13/2005 1037 TC | EPA 200.7    |

These results apply only to the samples tested.

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
ND Not Detected at the Reporting Limit

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
L Analyzed by a contract laboratory  
S Spike Recovery outside accepted recovery limits

Reviewed by:

  
Wade Nieuwsma, Project Manager

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 12/30/2005  
Report ID: S0512076001

Project: Cogema Christensen Mine  
Lab ID: S0512076-004  
Client Sample ID: 5AM78-2  
Matrix: Water

Work Order: S0512076  
Collection Date: 12/8/2005  
Date Received: 12/8/2005 5:00:00 PM  
Sampler:

| Analyses                             | Result | PQL    | Qual | Units | Date Analyzed/Init  | Method    |
|--------------------------------------|--------|--------|------|-------|---------------------|-----------|
| <b>Cation/Anion-Milliequivalents</b> |        |        |      |       |                     |           |
| Bicarbonate as HCO3                  | 7.28   | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Carbonate as CO3                     | ND     | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Hydroxide as OH                      | ND     | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Chloride                             | 0.48   | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Fluoride                             | ND     | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Nitrate + Nitrite as N               | ND     | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Sulfate                              | 5.13   | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Calcium                              | 2.36   | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Magnesium                            | 0.84   | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Potassium                            | 0.10   | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Sodium                               | 9.48   | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| <b>Cation / Anion Balance</b>        |        |        |      |       |                     |           |
| Cation Sum                           | 12.78  | 0      |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Anion Sum                            | 12.91  | 0      |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Cation-Anion Balance                 | 0.47   | 0      |      | %     | 12/19/2005 1111 MD  | SM 1030F  |
| <b>Dissolved Metals</b>              |        |        |      |       |                     |           |
| Aluminum                             | ND     | 0.1    |      | mg/L  | 12/09/2005 1522 TC  | EPA 200.7 |
| Arsenic                              | ND     | 0.005  |      | mg/L  | 12/09/2005 1326 MS  | EPA 200.8 |
| Barium                               | ND     | 0.5    |      | mg/L  | 12/09/2005 1326 MS  | EPA 200.8 |
| Boron                                | 0.14   | 0.03   |      | mg/L  | 12/09/2005 1522 TC  | EPA 200.7 |
| Cadmium                              | ND     | 0.002  |      | mg/L  | 12/09/2005 1326 MS  | EPA 200.8 |
| Chromium                             | ND     | 0.01   |      | mg/L  | 12/09/2005 1522 TC  | EPA 200.7 |
| Copper                               | ND     | 0.01   |      | mg/L  | 12/09/2005 1326 MS  | EPA 200.8 |
| Iron                                 | 1.08   | 0.05   |      | mg/L  | 12/09/2005 1522 TC  | EPA 200.7 |
| Lead                                 | ND     | 0.02   |      | mg/L  | 12/09/2005 1326 MS  | EPA 200.8 |
| Manganese                            | 0.17   | 0.02   |      | mg/L  | 12/09/2005 1522 TC  | EPA 200.7 |
| Mercury                              | ND     | 0.001  |      | mg/L  | 12/13/2005 1200 ADM | EPA 245.1 |
| Molybdenum                           | ND     | 0.02   |      | mg/L  | 12/09/2005 1326 MS  | EPA 200.8 |
| Nickel                               | ND     | 0.01   |      | mg/L  | 12/09/2005 1522 TC  | EPA 200.7 |
| Selenium                             | 0.042  | 0.005  |      | mg/L  | 12/09/2005 1326 MS  | EPA 200.8 |
| Uranium                              | 2.58   | 0.0001 |      | mg/L  | 12/09/2005 1326 MS  | EPA 200.8 |
| Vanadium                             | 0.03   | 0.02   |      | mg/L  | 12/09/2005 1326 MS  | EPA 200.8 |
| Zinc                                 | ND     | 0.01   |      | mg/L  | 12/09/2005 1522 TC  | EPA 200.7 |

These results apply only to the samples tested.

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
ND Not Detected at the Reporting Limit

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
L Analyzed by a contract laboratory  
S Spike Recovery outside accepted recovery limits

Reviewed by:   
Wade Nieuwsma, Project Manager

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 12/30/2005  
Report ID: S0512076001

Project: Cogema Christensen Mine  
Lab ID: S0512076-005  
Client Sample ID: 5AL66-1  
Matrix: Water

Work Order: S0512076  
Collection Date: 12/8/2005  
Date Received: 12/8/2005 5:00:00 PM  
Sampler:

| Analyses                               | Result      | PQL  | Qual | Units    | Date Analyzed/Init | Method       |
|--|-------------|------|------|----------|--------------------|--------------|
| <b>General Parameters</b>              |             |      |      |          |                    |              |
| pH                                     | 8.0         | 0.1  |      | s.u.     | 12/09/2005 1753 MD | EPA 150.1    |
| Electrical Conductivity                | 1680        | 5    |      | µmhos/cm | 12/09/2005 1753 MD | SM 2510B     |
| Total Dissolved Solids (180)           | 1170        | 10   |      | mg/L     | 12/12/2005 825 EB  | SM 2540      |
| Solids, Total Dissolved (Calc)         | 1090        | 10   |      | mg/L     | 12/19/2005 1111 MD | SM 1030F     |
| Acidity, Total (As CaCO3)              | ND          | 5    |      | mg/L     | 12/12/2005 000 MD  | SM 2310B     |
| Alkalinity, Total (As CaCO3)           | 682         | 5    |      | mg/L     | 12/09/2005 1753 MD | SM 2320B     |
| Hardness, Calcium/Magnesium (As CaCO3) | 309         | 1    |      | mg/L     | 12/19/2005 1111 MD | SM 2340B     |
| Nitrogen, Ammonia (As N)               | ND          | 0.1  |      | mg/L     | 12/12/2005 1159 RM | EPA 350.1    |
| Nitrogen, Nitrite (as N)               | ND          | 0.05 |      | mg/L     | 12/09/2005 1226 RM | EPA 353.2    |
| Radium 226                             | 329.9 ± 9.5 | 0.2  |      | pCi/L    | 12/19/2005 1614 SH | SM 7500 RA B |
| Silica as SiO2                         | 8.0         | 0.1  |      | mg/L     | 12/13/2005 1041 TC | EPA 200.7    |
| Sodium Adsorption Ratio                | 8.0         | 0.1  |      |          | 12/19/2005 1111 MD | Calculation  |
| <b>Anions</b>                          |             |      |      |          |                    |              |
| Alkalinity, Bicarbonate as HCO3        | 832         | 5    |      | mg/L     | 12/09/2005 1753 MD | SM 2320B     |
| Alkalinity, Carbonate as CO3           | ND          | 5    |      | mg/L     | 12/09/2005 1753 MD | SM 2320B     |
| Alkalinity, Hydroxide as OH            | ND          | 5    |      | mg/L     | 12/09/2005 1753 MD | SM 2320B     |
| Chloride                               | 24          | 1    |      | mg/L     | 12/09/2005 1609 LK | EPA 300.0    |
| Fluoride                               | ND          | 0.1  |      | mg/L     | 12/09/2005 1753 MD | SM 4500FC    |
| Nitrogen, Nitrate-Nitrite (as N)       | ND          | 0.05 |      | mg/L     | 12/13/2005 1308 RM | EPA 353.2    |
| Sulfate                                | 222         | 1    |      | mg/L     | 12/09/2005 1609 LK | EPA 300.0    |
| <b>Cations</b>                         |             |      |      |          |                    |              |
| Calcium                                | 93          | 1    |      | mg/L     | 12/13/2005 1041 TC | EPA 200.7    |
| Magnesium                              | 19          | 1    |      | mg/L     | 12/13/2005 1041 TC | EPA 200.7    |
| Potassium                              | 6           | 1    |      | mg/L     | 12/13/2005 1041 TC | EPA 200.7    |
| Sodium                                 | 322         | 1    |      | mg/L     | 12/13/2005 1041 TC | EPA 200.7    |

These results apply only to the samples tested.

- |                    |  |  |
|--------------------|--|--|
| <b>Qualifiers:</b> | * Value exceeds Maximum Contaminant Level    | B Analyte detected in the associated Method Blank    |
|                    | E Value above quantitation range             | H Holding times for preparation or analysis exceeded |
|                    | J Analyte detected below quantitation limits | L Analyzed by a contract laboratory                  |
|                    | ND Not Detected at the Reporting Limit       | S Spike Recovery outside accepted recovery limits    |

Reviewed by:   
Wade Nieuwsma, Project Manager



Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 12/30/2005  
Report ID: S0512076001

Project: Cogema Christensen Mine  
Lab ID: S0512076-005  
Client Sample ID: 5AL66-1  
Matrix: Water

Work Order: S0512076  
Collection Date: 12/8/2005  
Date Received: 12/8/2005 5:00:00 PM  
Sampler:

| Analyses                             | Result | PQL    | Qual | Units | Date Analyzed/Init  | Method    |
|--------------------------------------|--------|--------|------|-------|---------------------|-----------|
| <b>Cation/Anion-Milliequivalents</b> |        |        |      |       |                     |           |
| Bicarbonate as HCO3                  | 13.64  | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Carbonate as CO3                     | ND     | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Hydroxide as OH                      | ND     | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Chloride                             | 0.67   | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Fluoride                             | ND     | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Nitrate + Nitrite as N               | ND     | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Sulfate                              | 4.61   | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Calcium                              | 4.62   | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Magnesium                            | 1.56   | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Potassium                            | 0.16   | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Sodium                               | 14.01  | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| <b>Cation / Anion Balance</b>        |        |        |      |       |                     |           |
| Cation Sum                           | 20.35  | 0      |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Anion Sum                            | 18.93  | 0      |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Cation-Anion Balance                 | 3.62   | 0      |      | %     | 12/19/2005 1111 MD  | SM 1030F  |
| <b>Dissolved Metals</b>              |        |        |      |       |                     |           |
| Aluminum                             | ND     | 0.1    |      | mg/L  | 12/09/2005 1526 TC  | EPA 200.7 |
| Arsenic                              | ND     | 0.005  |      | mg/L  | 12/09/2005 1329 MS  | EPA 200.8 |
| Barium                               | ND     | 0.5    |      | mg/L  | 12/09/2005 1329 MS  | EPA 200.8 |
| Boron                                | 0.13   | 0.03   |      | mg/L  | 12/09/2005 1526 TC  | EPA 200.7 |
| Cadmium                              | ND     | 0.002  |      | mg/L  | 12/09/2005 1329 MS  | EPA 200.8 |
| Chromium                             | ND     | 0.01   |      | mg/L  | 12/09/2005 1526 TC  | EPA 200.7 |
| Copper                               | ND     | 0.01   |      | mg/L  | 12/09/2005 1329 MS  | EPA 200.8 |
| Iron                                 | ND     | 0.05   |      | mg/L  | 12/09/2005 1526 TC  | EPA 200.7 |
| Lead                                 | ND     | 0.02   |      | mg/L  | 12/09/2005 1329 MS  | EPA 200.8 |
| Manganese                            | 0.24   | 0.02   |      | mg/L  | 12/09/2005 1526 TC  | EPA 200.7 |
| Mercury                              | ND     | 0.001  |      | mg/L  | 12/13/2005 1202 ADM | EPA 245.1 |
| Molybdenum                           | ND     | 0.02   |      | mg/L  | 12/09/2005 1329 MS  | EPA 200.8 |
| Nickel                               | ND     | 0.01   |      | mg/L  | 12/09/2005 1526 TC  | EPA 200.7 |
| Selenium                             | 0.352  | 0.005  |      | mg/L  | 12/09/2005 1329 MS  | EPA 200.8 |
| Uranium                              | 4.07   | 0.0001 |      | mg/L  | 12/09/2005 1329 MS  | EPA 200.8 |
| Vanadium                             | 0.05   | 0.02   |      | mg/L  | 12/09/2005 1329 MS  | EPA 200.8 |
| Zinc                                 | ND     | 0.01   |      | mg/L  | 12/09/2005 1526 TC  | EPA 200.7 |

These results apply only to the samples tested.

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
ND Not Detected at the Reporting Limit

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
L Analyzed by a contract laboratory  
S Spike Recovery outside accepted recovery limits

Reviewed by:

  
Wade Nieuwsma, Project Manager

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 12/30/2005  
Report ID: S0512076001

Project: Cogema Christensen Mine  
Lab ID: S0512076-006  
Client Sample ID: 5AG68-1  
Matrix: Water

Work Order: S0512076  
Collection Date: 12/8/2005  
Date Received: 12/8/2005 5:00:00 PM  
Sampler:

| Analyses                               | Result      | PQL  | Qual | Units    | Date Analyzed/Init | Method       |
|--|-------------|------|------|----------|--------------------|--------------|
| <b>General Parameters</b>              |             |      |      |          |                    |              |
| pH                                     | 8.2         | 0.1  |      | s.u.     | 12/09/2005 1804 MD | EPA 150.1    |
| Electrical Conductivity                | 436         | 5    |      | µmhos/cm | 12/09/2005 1804 MD | SM 2510B     |
| Total Dissolved Solids (180)           | 280         | 10   |      | mg/L     | 12/12/2005 830 EB  | SM 2540      |
| Solids, Total Dissolved (Calc)         | 270         | 10   |      | mg/L     | 12/19/2005 1111 MD | SM 1030F     |
| Acidity, Total (As CaCO3)              | ND          | 5    |      | mg/L     | 12/12/2005 000 MD  | SM 2310B     |
| Alkalinity, Total (As CaCO3)           | 149         | 5    |      | mg/L     | 12/09/2005 1804 MD | SM 2320B     |
| Hardness, Calcium/Magnesium (As CaCO3) | 69          | 1    |      | mg/L     | 12/19/2005 1111 MD | SM 2340B     |
| Nitrogen, Ammonia (As N)               | ND          | 0.1  |      | mg/L     | 12/12/2005 1200 RM | EPA 350.1    |
| Nitrogen, Nitrite (as N)               | ND          | 0.05 |      | mg/L     | 12/09/2005 1227 RM | EPA 353.2    |
| Radium 226                             | 161.3 ± 6.7 | 0.2  |      | pCi/L    | 12/19/2005 1614 SH | SM 7500 RA B |
| Silica as SiO2                         | 4.0         | 0.1  |      | mg/L     | 12/13/2005 1116 TC | EPA 200.7    |
| Sodium Adsorption Ratio                | 3.9         | 0.1  |      |          | 12/19/2005 1111 MD | Calculation  |
| <b>Anions</b>                          |             |      |      |          |                    |              |
| Alkalinity, Bicarbonate as HCO3        | 182         | 5    |      | mg/L     | 12/09/2005 1804 MD | SM 2320B     |
| Alkalinity, Carbonate as CO3           | ND          | 5    |      | mg/L     | 12/09/2005 1804 MD | SM 2320B     |
| Alkalinity, Hydroxide as OH            | ND          | 5    |      | mg/L     | 12/09/2005 1804 MD | SM 2320B     |
| Chloride                               | 5           | 1    |      | mg/L     | 12/14/2005 1135 LK | EPA 300.0    |
| Fluoride                               | ND          | 0.1  |      | mg/L     | 12/09/2005 1804 MD | SM 4500FC    |
| Nitrogen, Nitrate-Nitrite (as N)       | 0.10        | 0.05 |      | mg/L     | 12/13/2005 1309 RM | EPA 353.2    |
| Sulfate                                | 74          | 1    |      | mg/L     | 12/14/2005 1135 LK | EPA 300.0    |
| <b>Cations</b>                         |             |      |      |          |                    |              |
| Calcium                                | 21          | 1    |      | mg/L     | 12/13/2005 1116 TC | EPA 200.7    |
| Magnesium                              | 4           | 1    |      | mg/L     | 12/13/2005 1116 TC | EPA 200.7    |
| Potassium                              | 3           | 1    |      | mg/L     | 12/13/2005 1116 TC | EPA 200.7    |
| Sodium                                 | 75          | 1    |      | mg/L     | 12/13/2005 1116 TC | EPA 200.7    |

These results apply only to the samples tested.

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
ND Not Detected at the Reporting Limit

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
L Analyzed by a contract laboratory  
S Spike Recovery outside accepted recovery limits

Reviewed by:

  
Wade Nieuwsma, Project Manager

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
 P. O. Box 730  
 Mills, WY 82644

Date Reported: 12/30/2005  
 Report ID: S0512076001

Project: Cogema Christensen Mine  
 Lab ID: S0512076-006  
 Client Sample ID: 5AG68-1  
 Matrix: Water


Work Order: S0512076  
 Collection Date: 12/8/2005  
 Date Received: 12/8/2005 5:00:00 PM  
 Sampler:

| Analyses                             | Result | PQL    | Qual | Units | Date Analyzed/Init  | Method    |
|--------------------------------------|--------|--------|------|-------|---------------------|-----------|
| <b>Cation/Anion-Milliequivalents</b> |        |        |      |       |                     |           |
| Bicarbonate as HCO3                  | 2.99   | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Carbonate as CO3                     | ND     | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Hydroxide as OH                      | ND     | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Chloride                             | 0.14   | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Fluoride                             | ND     | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Nitrate + Nitrite as N               | ND     | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Sulfate                              | 1.54   | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Calcium                              | 1.05   | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Magnesium                            | 0.32   | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Potassium                            | 0.07   | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Sodium                               | 3.27   | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| <b>Cation / Anion Balance</b>        |        |        |      |       |                     |           |
| Cation Sum                           | 4.73   | 0      |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Anion Sum                            | 4.68   | 0      |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Cation-Anion Balance                 | 0.45   | 0      |      | %     | 12/19/2005 1111 MD  | SM 1030F  |
| <b>Dissolved Metals</b>              |        |        |      |       |                     |           |
| Aluminum                             | ND     | 0.1    |      | mg/L  | 12/09/2005 1530 TC  | EPA 200.7 |
| Arsenic                              | ND     | 0.005  |      | mg/L  | 12/09/2005 1332 MS  | EPA 200.8 |
| Barium                               | ND     | 0.5    |      | mg/L  | 12/09/2005 1332 MS  | EPA 200.8 |
| Boron                                | 0.07   | 0.03   |      | mg/L  | 12/09/2005 1530 TC  | EPA 200.7 |
| Cadmium                              | ND     | 0.002  |      | mg/L  | 12/09/2005 1332 MS  | EPA 200.8 |
| Chromium                             | ND     | 0.01   |      | mg/L  | 12/09/2005 1530 TC  | EPA 200.7 |
| Copper                               | ND     | 0.01   |      | mg/L  | 12/09/2005 1332 MS  | EPA 200.8 |
| Iron                                 | ND     | 0.05   |      | mg/L  | 12/09/2005 1530 TC  | EPA 200.7 |
| Lead                                 | ND     | 0.02   |      | mg/L  | 12/09/2005 1332 MS  | EPA 200.8 |
| Manganese                            | 0.04   | 0.02   |      | mg/L  | 12/09/2005 1530 TC  | EPA 200.7 |
| Mercury                              | ND     | 0.001  |      | mg/L  | 12/13/2005 1204 ADM | EPA 245.1 |
| Molybdenum                           | ND     | 0.02   |      | mg/L  | 12/09/2005 1332 MS  | EPA 200.8 |
| Nickel                               | ND     | 0.01   |      | mg/L  | 12/09/2005 1530 TC  | EPA 200.7 |
| Selenium                             | 0.147  | 0.005  |      | mg/L  | 12/09/2005 1332 MS  | EPA 200.8 |
| Uranium                              | 0.965  | 0.0001 |      | mg/L  | 12/09/2005 1332 MS  | EPA 200.8 |
| Vanadium                             | 0.12   | 0.02   |      | mg/L  | 12/09/2005 1332 MS  | EPA 200.8 |
| Zinc                                 | ND     | 0.01   |      | mg/L  | 12/09/2005 1530 TC  | EPA 200.7 |

These results apply only to the samples tested.

Qualifiers: \* Value exceeds Maximum Contaminant Level  
 E Value above quantitation range  
 J Analyte detected below quantitation limits  
 ND Not Detected at the Reporting Limit

B Analyte detected in the associated Method Blank  
 H Holding times for preparation or analysis exceeded  
 L Analyzed by a contract laboratory  
 S Spike Recovery outside accepted recovery limits

Reviewed by:   
 Wade Nieuwsma, Project Manager

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 12/30/2005  
Report ID: S0512076001


Project: Cogema Christensen Mine  
Lab ID: S0512076-007  
Client Sample ID: TW0001  
Matrix: Water

Work Order: S0512076  
Collection Date: 12/8/2005  
Date Received: 12/8/2005 5:00:00 PM  
Sampler:

| Analyses                               | Result     | PQL  | Qual | Units    | Date Analyzed/Init | Method       |
|--|------------|------|------|----------|--------------------|--------------|
| <b>General Parameters</b>              |            |      |      |          |                    |              |
| pH                                     | 8.1        | 0.1  |      | s.u.     | 12/09/2005 1814 MD | EPA 150.1    |
| Electrical Conductivity                | 233        | 5    |      | µmhos/cm | 12/09/2005 1814 MD | SM 2510B     |
| Total Dissolved Solids (180)           | 140        | 10   |      | mg/L     | 12/12/2005 835 EB  | SM 2540      |
| Solids, Total Dissolved (Calc)         | 140        | 10   |      | mg/L     | 12/19/2005 1111 MD | SM 1030F     |
| Acidity, Total (As CaCO3)              | ND         | 5    |      | mg/L     | 12/12/2005 000 MD  | SM 2310B     |
| Alkalinity, Total (As CaCO3)           | 75         | 5    |      | mg/L     | 12/09/2005 1814 MD | SM 2320B     |
| Hardness, Calcium/Magnesium (As CaCO3) | 12         | 1    |      | mg/L     | 12/19/2005 1111 MD | SM 2340B     |
| Nitrogen, Ammonia (As N)               | ND         | 0.1  |      | mg/L     | 12/12/2005 1201 RM | EPA 350.1    |
| Nitrogen, Nitrite (as N)               | ND         | 0.05 |      | mg/L     | 12/09/2005 1228 RM | EPA 353.2    |
| Radium 226                             | 41.2 ± 3.4 | 0.2  |      | pCi/L    | 12/19/2005 1614 SH | SM 7500 RA B |
| Silica as SiO2                         | 8.8        | 0.1  |      | mg/L     | 12/13/2005 1119 TC | EPA 200.7    |
| Sodium Adsorption Ratio                | 6.0        | 0.1  |      |          | 12/19/2005 1111 MD | Calculation  |
| <b>Anions</b>                          |            |      |      |          |                    |              |
| Alkalinity, Bicarbonate as HCO3        | 92         | 5    |      | mg/L     | 12/09/2005 1814 MD | SM 2320B     |
| Alkalinity, Carbonate as CO3           | ND         | 5    |      | mg/L     | 12/09/2005 1814 MD | SM 2320B     |
| Alkalinity, Hydroxide as OH            | ND         | 5    |      | mg/L     | 12/09/2005 1814 MD | SM 2320B     |
| Chloride                               | 2          | 1    |      | mg/L     | 12/14/2005 1145 LK | EPA 300.0    |
| Fluoride                               | 0.2        | 0.1  |      | mg/L     | 12/09/2005 1814 MD | SM 4500FC    |
| Nitrogen, Nitrate-Nitrite (as N)       | 0.05       | 0.05 |      | mg/L     | 12/13/2005 1310 RM | EPA 353.2    |
| Sulfate                                | 38         | 1    |      | mg/L     | 12/14/2005 1145 LK | EPA 300.0    |
| <b>Cations</b>                         |            |      |      |          |                    |              |
| Calcium                                | 4          | 1    |      | mg/L     | 12/14/2005 1512 TC | EPA 200.7    |
| Magnesium                              | ND         | 1    |      | mg/L     | 12/14/2005 1512 TC | EPA 200.7    |
| Potassium                              | 1          | 1    |      | mg/L     | 12/14/2005 1512 TC | EPA 200.7    |
| Sodium                                 | 48         | 1    |      | mg/L     | 12/14/2005 1512 TC | EPA 200.7    |

These results apply only to the samples tested.

- |                    |  |  |
|--------------------|--|--|
| <b>Qualifiers:</b> | * Value exceeds Maximum Contaminant Level    | B Analyte detected in the associated Method Blank    |
|                    | E Value above quantitation range             | H Holding times for preparation or analysis exceeded |
|                    | J Analyte detected below quantitation limits | L Analyzed by a contract laboratory                  |
|                    | ND Not Detected at the Reporting Limit       | S Spike Recovery outside accepted recovery limits    |

Reviewed by:   
Wade Nieuwsma, Project Manager

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 12/30/2005  
Report ID: S0512076001

Project: Cogema Christensen Mine  
Lab ID: S0512076-007  
Client Sample ID: TW0001  
Matrix: Water

Work Order: S0512076  
Collection Date: 12/8/2005  
Date Received: 12/8/2005 5:00:00 PM  
Sampler:

| Analyses                             | Result | PQL    | Qual | Units | Date Analyzed/Init  | Method    |
|--------------------------------------|--------|--------|------|-------|---------------------|-----------|
| <b>Cation/Anion-Milliequivalents</b> |        |        |      |       |                     |           |
| Bicarbonate as HCO <sub>3</sub>      | 1.50   | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Carbonate as CO <sub>3</sub>         | ND     | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Hydroxide as OH                      | ND     | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Chloride                             | 0.05   | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Fluoride                             | 0.01   | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Nitrate + Nitrite as N               | ND     | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Sulfate                              | 0.78   | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Calcium                              | 0.18   | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Magnesium                            | 0.05   | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Potassium                            | 0.03   | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Sodium                               | 2.09   | 0.01   |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| <b>Cation / Anion Balance</b>        |        |        |      |       |                     |           |
| Cation Sum                           | 2.37   | 0      |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Anion Sum                            | 2.35   | 0      |      | meq/L | 12/19/2005 1111 MD  | SM 1030F  |
| Cation-Anion Balance                 | 0.34   | 0      |      | %     | 12/19/2005 1111 MD  | SM 1030F  |
| <b>Dissolved Metals</b>              |        |        |      |       |                     |           |
| Aluminum                             | ND     | 0.1    |      | mg/L  | 12/09/2005 1534 TC  | EPA 200.7 |
| Arsenic                              | 0.010  | 0.005  |      | mg/L  | 12/09/2005 1335 MS  | EPA 200.8 |
| Barium                               | ND     | 0.5    |      | mg/L  | 12/09/2005 1335 MS  | EPA 200.8 |
| Boron                                | 0.08   | 0.03   |      | mg/L  | 12/09/2005 1534 TC  | EPA 200.7 |
| Cadmium                              | ND     | 0.002  |      | mg/L  | 12/09/2005 1335 MS  | EPA 200.8 |
| Chromium                             | ND     | 0.01   |      | mg/L  | 12/09/2005 1534 TC  | EPA 200.7 |
| Copper                               | ND     | 0.01   |      | mg/L  | 12/09/2005 1335 MS  | EPA 200.8 |
| Iron                                 | ND     | 0.05   |      | mg/L  | 12/09/2005 1534 TC  | EPA 200.7 |
| Lead                                 | ND     | 0.02   |      | mg/L  | 12/09/2005 1335 MS  | EPA 200.8 |
| Manganese                            | ND     | 0.02   |      | mg/L  | 12/09/2005 1534 TC  | EPA 200.7 |
| Mercury                              | ND     | 0.001  |      | mg/L  | 12/13/2005 1206 ADM | EPA 245.1 |
| Molybdenum                           | ND     | 0.02   |      | mg/L  | 12/09/2005 1335 MS  | EPA 200.8 |
| Nickel                               | ND     | 0.01   |      | mg/L  | 12/09/2005 1534 TC  | EPA 200.7 |
| Selenium                             | 0.283  | 0.005  |      | mg/L  | 12/09/2005 1335 MS  | EPA 200.8 |
| Uranium                              | 0.0354 | 0.0001 |      | mg/L  | 12/09/2005 1335 MS  | EPA 200.8 |
| Vanadium                             | 0.08   | 0.02   |      | mg/L  | 12/09/2005 1335 MS  | EPA 200.8 |
| Zinc                                 | ND     | 0.01   |      | mg/L  | 12/09/2005 1534 TC  | EPA 200.7 |

These results apply only to the samples tested.

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
ND Not Detected at the Reporting Limit

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
L Analyzed by a contract laboratory  
S Spike Recovery outside accepted recovery limits

Reviewed by:

  
Wade Nieuwsma, Project Manager

**CLIENT:** Cogema Mining Inc.  
**Project:** Cogema Christensen Mine  
**Lab Order:** S0512100

**CASE NARRATIVE**  
**Report ID:** S0512100001

---

Samples 5AE80-1, 5BA48-1, 5BD50-1, 5BG46-1, 5BH58-2, 5BJ54-1, 5BJ62-1, and 5BK58-1 were received on December 12, 2005.

All samples were received and analyzed within the EPA recommended holding times, except those noted in this case narrative. Samples were analyzed using the methods outlined in the following references:

- U.S.E.P.A. 600 "Methods for Chemical Analysis of Water and Wastes", 1993
- "Standard Methods For The Examination of Water and Wastewater", 20th ed., 1995
- Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, SW846, 3rd Edition

All Quality Control parameters met the acceptance criteria defined by EPA and Inter-Mountain Laboratories except as indicated in this case narrative.

**SAMPLE SUBMITTAL AND CHAIN OF CUSTODY FORM**

COGEMA Mining Inc.; PO Box 730 Mills, WY 82644  
 Phone 464-1429 (Christensen Mine) or 234-5019 (Mills Office)

Samples shipped to Inter-mountain lab sheridan,wy

Submitted by [Signature] Date 12-19-05

Received by [Signature] Date 12/12/05 1700

**Restoration Sample Description**

Location: \_\_\_ Irigaray  Christensen Mine or Production Unit 5 Module # (if applicale) \_\_\_

Restoration Phase: \_\_\_ Groundwater Sweep (explain \_\_\_\_\_)  
 \_\_\_ Reverse Osmosis Filtration (explain \_\_\_\_\_)  
 \_\_\_ Recirculation (explain \_\_\_\_\_)  
 \_\_\_ Stabilization (explain \_\_\_\_\_)

\*Analysis Requested: DEQ Guideline # 8 (Ca, Mg, Na, K, CO3, HCO3, SO4, Cl, NH4, NO2, NO3, TDS, Cond., Tot. Alk., pH, SiO2, Al, As, Ba, B, Cd, Cr, Cu, F, Fe, Pb, Mn, Hg, Mo, Ni, Se, Zn, U, V, Ra226)

Send Analysis Results to : ~~Fred nicholsen~~  
LARRY ANBERG

| #  | Identification Name | Sample Date | Sample Volume | Water Sample Preservation (X) |            |      |       | Lab id       | Comments |
|----|---------------------|-------------|---------------|-------------------------------|------------|------|-------|--------------|----------|
|    |                     |             |               | Filtered                      | Not Filtr. | HNO3 | H2SO4 |              |          |
| 1  | 5BJ34-1             | 12-19-05    | Half Gal.     | X                             |            | X    |       | 50512100-001 |          |
|    |                     |             | Quart         | X                             |            |      |       |              | "        |
|    |                     |             | 8 ozs.        |                               | X          |      |       |              | "        |
|    |                     |             | 8 ozs.        | X                             |            |      | X     |              | "        |
| 2  | 5BA418-1            |             | **            | **                            | **         | **   | **    | 002          |          |
| 3  | 5BJ62-1             |             | **            | **                            | **         | **   | **    |              | 003      |
| 4  | 5B346-1             |             | **            | **                            | **         | **   | **    |              | 004      |
| 5  | 5BK58-1             |             | **            | **                            | **         | **   | **    |              | 005      |
| 6  | 5BD50-1             |             | **            | **                            | **         | **   | **    |              | 006      |
| 7  | 5BH58-2             |             | **            | **                            | **         | **   | **    |              | 007      |
| 8  | 5AE80-1             |             | **            | **                            | **         | **   | **    |              | 008      |
| 9  |                     |             | **            | **                            | **         | **   | **    |              |          |
| 10 |                     |             | **            | **                            | **         | **   | **    |              |          |
| 11 |                     |             | **            | **                            | **         | **   | **    |              |          |
| 12 |                     |             | **            | **                            | **         | **   | **    |              |          |
| 13 |                     |             | **            | **                            | **         | **   | **    |              |          |
| 14 |                     |             | **            | **                            | **         | **   | **    |              |          |
| 15 |                     |             | **            | **                            | **         | **   | **    |              |          |

\*All analysis will be performed in accordance with EPA approved procedures and/or the latest edition of Standard Methods.  
 \*\* Same as sample #1

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 1/3/2006  
Report ID: S0512100001

Project: Cogema Christensen Mine  
Lab ID: S0512100-001  
Client Sample ID: 5BJ54-1  
Matrix: Water

Work Order: S0512100  
Collection Date: 12/12/2005  
Date Received: 12/12/2005 5:00:00 PM  
Sampler:

| Analyses                               | Result   | PQL  | Qual | Units    | Date Analyzed/Init | Method       |
|--|----------|------|------|----------|--------------------|--------------|
| <b>General Parameters</b>              |          |      |      |          |                    |              |
| pH                                     | 7.8      | 0.1  |      | s.u.     | 12/13/2005 1329 MD | EPA 150.1    |
| Electrical Conductivity                | 1090     | 5    |      | µmhos/cm | 12/14/2005 1242 MD | SM 2510B     |
| Total Dissolved Solids (180)           | 710      | 10   |      | mg/L     | 12/14/2005 721 EB  | SM 2540      |
| Solids, Total Dissolved (Calc)         | 670      | 10   |      | mg/L     | 12/20/2005 909 MD  | SM 1030F     |
| Acidity, Total (As CaCO3)              | ND       | 5    |      | mg/L     | 12/19/2005 000 MD  | SM 2310B     |
| Alkalinity, Total (As CaCO3)           | 305      | 5    |      | mg/L     | 12/13/2005 1329 MD | SM 2320B     |
| Hardness, Calcium/Magnesium (As CaCO3) | 153      | 1    |      | mg/L     | 12/20/2005 909 MD  | SM 2340B     |
| Nitrogen, Ammonia (As N)               | ND       | 0.1  |      | mg/L     | 12/16/2005 1208 RM | EPA 350.1    |
| Nitrogen, Nitrite (as N)               | ND       | 0.05 |      | mg/L     | 12/14/2005 1042 RM | EPA 353.2    |
| Radium 226                             | 589 ± 13 | 0.2  |      | pCi/L    | 12/19/2005 1614 SH | SM 7500 RA B |
| Silica as SiO2                         | 8.4      | 0.1  |      | mg/L     | 12/13/2005 1218 TC | EPA 200.7    |
| Sodium Adsorption Ratio                | 7.1      | 0.1  |      |          | 12/20/2005 909 MD  | Calculation  |
| <b>Anions</b>                          |          |      |      |          |                    |              |
| Alkalinity, Bicarbonate as HCO3        | 372      | 5    |      | mg/L     | 12/13/2005 1329 MD | SM 2320B     |
| Alkalinity, Carbonate as CO3           | ND       | 5    |      | mg/L     | 12/13/2005 1329 MD | SM 2320B     |
| Alkalinity, Hydroxide as OH            | ND       | 5    |      | mg/L     | 12/13/2005 1329 MD | SM 2320B     |
| Chloride                               | 12       | 1    |      | mg/L     | 12/13/2005 1219 LK | EPA 300.0    |
| Fluoride                               | ND       | 0.1  |      | mg/L     | 12/13/2005 1329 MD | SM 4500FC    |
| Nitrogen, Nitrate-Nitrite (as N)       | ND       | 0.05 |      | mg/L     | 12/14/2005 1410 RM | EPA 353.2    |
| Sulfate                                | 214      | 1    |      | mg/L     | 12/13/2005 1219 LK | EPA 300.0    |
| <b>Cations</b>                         |          |      |      |          |                    |              |
| Calcium                                | 45       | 1    |      | mg/L     | 12/13/2005 1218 TC | EPA 200.7    |
| Magnesium                              | 10       | 1    |      | mg/L     | 12/13/2005 1218 TC | EPA 200.7    |
| Potassium                              | 4        | 1    |      | mg/L     | 12/13/2005 1218 TC | EPA 200.7    |
| Sodium                                 | 201      | 1    |      | mg/L     | 12/13/2005 1218 TC | EPA 200.7    |

These results apply only to the samples tested.

- |             |  |  |
|-------------|--|--|
| Qualifiers: | * Value exceeds Maximum Contaminant Level    | B Analyte detected in the associated Method Blank    |
|             | E Value above quantitation range             | H Holding times for preparation or analysis exceeded |
|             | J Analyte detected below quantitation limits | L Analyzed by a contract laboratory                  |
|             | ND Not Detected at the Reporting Limit       | S Spike Recovery outside accepted recovery limits    |

Reviewed by:   
Wade Nieuwsma, Project Manager



Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 1/3/2006  
Report ID: S0512100001

Project: Cogema Christensen Mine  
Lab ID: S0512100-001  
Client Sample ID: 5BJ54-1  
Matrix: Water

Work Order: S0512100  
Collection Date: 12/12/2005  
Date Received: 12/12/2005 5:00:00 PM  
Sampler:

| Analyses                             | Result | PQL    | Qual | Units | Date Analyzed/Init | Method    |
|--------------------------------------|--------|--------|------|-------|--------------------|-----------|
| <b>Cation/Anion-Milliequivalents</b> |        |        |      |       |                    |           |
| Bicarbonate as HCO3                  | 6.09   | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Carbonate as CO3                     | ND     | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Hydroxide as OH                      | ND     | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Chloride                             | 0.33   | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Fluoride                             | ND     | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Nitrate + Nitrite as N               | ND     | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Sulfate                              | 4.45   | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Calcium                              | 2.25   | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Magnesium                            | 0.80   | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Potassium                            | 0.10   | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Sodium                               | 8.74   | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| <b>Cation / Anion Balance</b>        |        |        |      |       |                    |           |
| Cation Sum                           | 11.91  | 0      |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Anion Sum                            | 10.89  | 0      |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Cation-Anion Balance                 | 4.50   | 0      |      | %     | 12/20/2005 909 MD  | SM 1030F  |
| <b>Dissolved Metals</b>              |        |        |      |       |                    |           |
| Aluminum                             | ND     | 0.1    |      | mg/L  | 12/13/2005 1218 TC | EPA 200.7 |
| Arsenic                              | ND     | 0.005  |      | mg/L  | 12/13/2005 1045 MS | EPA 200.8 |
| Barium                               | ND     | 0.5    |      | mg/L  | 12/13/2005 1045 MS | EPA 200.8 |
| Boron                                | 0.08   | 0.03   |      | mg/L  | 12/13/2005 1218 TC | EPA 200.7 |
| Cadmium                              | ND     | 0.002  |      | mg/L  | 12/13/2005 1045 MS | EPA 200.8 |
| Chromium                             | ND     | 0.01   |      | mg/L  | 12/13/2005 1218 TC | EPA 200.7 |
| Copper                               | ND     | 0.01   |      | mg/L  | 12/13/2005 1045 MS | EPA 200.8 |
| Iron                                 | 0.21   | 0.05   |      | mg/L  | 12/13/2005 1218 TC | EPA 200.7 |
| Lead                                 | ND     | 0.02   |      | mg/L  | 12/13/2005 1045 MS | EPA 200.8 |
| Manganese                            | 0.12   | 0.02   |      | mg/L  | 12/13/2005 1218 TC | EPA 200.7 |
| Mercury                              | ND     | 0.001  |      | mg/L  | 12/16/2005 1211 PQ | EPA 245.1 |
| Molybdenum                           | ND     | 0.02   |      | mg/L  | 12/13/2005 1045 MS | EPA 200.8 |
| Nickel                               | ND     | 0.01   |      | mg/L  | 12/13/2005 1218 TC | EPA 200.7 |
| Selenium                             | 0.106  | 0.005  |      | mg/L  | 12/13/2005 1045 MS | EPA 200.8 |
| Uranium                              | 1.58   | 0.0001 |      | mg/L  | 12/13/2005 1045 MS | EPA 200.8 |
| Vanadium                             | 0.04   | 0.02   |      | mg/L  | 12/13/2005 1045 MS | EPA 200.8 |
| Zinc                                 | ND     | 0.01   |      | mg/L  | 12/13/2005 1218 TC | EPA 200.7 |

These results apply only to the samples tested.

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
ND Not Detected at the Reporting Limit

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
L Analyzed by a contract laboratory  
S Spike Recovery outside accepted recovery limits

Reviewed by:

  
Wade Nieuwsma, Project Manager

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 1/3/2006  
Report ID: S0512100001

Project: Cogema Christensen Mine  
Lab ID: S0512100-002  
Client Sample ID: 5BA48-1  
Matrix: Water

Work Order: S0512100  
Collection Date: 12/12/2005  
Date Received: 12/12/2005 5:00:00 PM  
Sampler:

| Analyses                               | Result     | PQL  | Qual | Units    | Date Analyzed/Init | Method       |
|--|------------|------|------|----------|--------------------|--------------|
| <b>General Parameters</b>              |            |      |      |          |                    |              |
| pH                                     | 8.2        | 0.1  |      | s.u.     | 12/13/2005 1339 MD | EPA 150.1    |
| Electrical Conductivity                | 267        | 5    |      | µmhos/cm | 12/14/2005 1244 MD | SM 2510B     |
| Total Dissolved Solids (180)           | 150        | 10   |      | mg/L     | 12/14/2005 726 EB  | SM 2540      |
| Solids, Total Dissolved (Calc)         | 150        | 10   |      | mg/L     | 12/20/2005 909 MD  | SM 1030F     |
| Acidity, Total (As CaCO3)              | ND         | 5    |      | mg/L     | 12/19/2005 000 MD  | SM 2310B     |
| Alkalinity, Total (As CaCO3)           | 91         | 5    |      | mg/L     | 12/13/2005 1339 MD | SM 2320B     |
| Hardness, Calcium/Magnesium (As CaCO3) | 19         | 1    |      | mg/L     | 12/20/2005 909 MD  | SM 2340B     |
| Nitrogen, Ammonia (As N)               | 0.2        | 0.1  |      | mg/L     | 12/16/2005 1209 RM | EPA 350.1    |
| Nitrogen, Nitrite (as N)               | ND         | 0.05 |      | mg/L     | 12/14/2005 1043 RM | EPA 353.2    |
| Radium 226                             | 37.9 ± 3.6 | 0.2  |      | pCi/L    | 12/19/2005 2028 SH | SM 7500 RA B |
| Silica as SiO2                         | 3.9        | 0.1  |      | mg/L     | 12/13/2005 1222 TC | EPA 200.7    |
| Sodium Adsorption Ratio                | 5.0        | 0.1  |      |          | 12/20/2005 909 MD  | Calculation  |
| <b>Anions</b>                          |            |      |      |          |                    |              |
| Alkalinity, Bicarbonate as HCO3        | 111        | 5    |      | mg/L     | 12/13/2005 1339 MD | SM 2320B     |
| Alkalinity, Carbonate as CO3           | ND         | 5    |      | mg/L     | 12/13/2005 1339 MD | SM 2320B     |
| Alkalinity, Hydroxide as OH            | ND         | 5    |      | mg/L     | 12/13/2005 1339 MD | SM 2320B     |
| Chloride                               | 2          | 1    |      | mg/L     | 12/13/2005 1229 LK | EPA 300.0    |
| Fluoride                               | 0.1        | 0.1  |      | mg/L     | 12/13/2005 1339 MD | SM 4500FC    |
| Nitrogen, Nitrate-Nitrite (as N)       | ND         | 0.05 |      | mg/L     | 12/14/2005 1418 RM | EPA 353.2    |
| Sulfate                                | 36         | 1    |      | mg/L     | 12/13/2005 1229 LK | EPA 300.0    |
| <b>Cations</b>                         |            |      |      |          |                    |              |
| Calcium                                | 6          | 1    |      | mg/L     | 12/15/2005 1011 TC | EPA 200.7    |
| Magnesium                              | 1          | 1    |      | mg/L     | 12/15/2005 1011 TC | EPA 200.7    |
| Potassium                              | 1          | 1    |      | mg/L     | 12/15/2005 1011 TC | EPA 200.7    |
| Sodium                                 | 50         | 1    |      | mg/L     | 12/15/2005 1011 TC | EPA 200.7    |

These results apply only to the samples tested.

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
ND Not Detected at the Reporting Limit

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
L Analyzed by a contract laboratory  
S Spike Recovery outside accepted recovery limits

Reviewed by:



Wade Nieuwsma, Project Manager

## Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 1/3/2006  
Report ID: S0512100001

Project: Cogema Christensen Mine  
Lab ID: S0512100-002  
Client Sample ID: 5BA48-1  
Matrix: Water

Work Order: S0512100  
Collection Date: 12/12/2005  
Date Received: 12/12/2005 5:00:00 PM  
Sampler:

| Analyses                             | Result | PQL    | Qual | Units | Date Analyzed/Init | Method    |
|--------------------------------------|--------|--------|------|-------|--------------------|-----------|
| <b>Cation/Anion-Milliequivalents</b> |        |        |      |       |                    |           |
| Bicarbonate as HCO <sub>3</sub>      | 1.81   | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Carbonate as CO <sub>3</sub>         | ND     | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Hydroxide as OH                      | ND     | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Chloride                             | 0.04   | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Fluoride                             | ND     | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Nitrate + Nitrite as N               | ND     | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Sulfate                              | 0.74   | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Calcium                              | 0.28   | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Magnesium                            | 0.09   | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Potassium                            | 0.03   | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Sodium                               | 2.18   | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| <b>Cation / Anion Balance</b>        |        |        |      |       |                    |           |
| Cation Sum                           | 2.60   | 0      |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Anion Sum                            | 2.60   | 0      |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Cation-Anion Balance                 | 0.01   | 0      |      | %     | 12/20/2005 909 MD  | SM 1030F  |
| <b>Dissolved Metals</b>              |        |        |      |       |                    |           |
| Aluminum                             | ND     | 0.1    |      | mg/L  | 12/13/2005 1222 TC | EPA 200.7 |
| Arsenic                              | ND     | 0.005  |      | mg/L  | 12/13/2005 1048 MS | EPA 200.8 |
| Barium                               | ND     | 0.5    |      | mg/L  | 12/13/2005 1048 MS | EPA 200.8 |
| Boron                                | 0.05   | 0.03   |      | mg/L  | 12/13/2005 1222 TC | EPA 200.7 |
| Cadmium                              | ND     | 0.002  |      | mg/L  | 12/13/2005 1048 MS | EPA 200.8 |
| Chromium                             | ND     | 0.01   |      | mg/L  | 12/13/2005 1222 TC | EPA 200.7 |
| Copper                               | ND     | 0.01   |      | mg/L  | 12/13/2005 1048 MS | EPA 200.8 |
| Iron                                 | ND     | 0.05   |      | mg/L  | 12/13/2005 1222 TC | EPA 200.7 |
| Lead                                 | ND     | 0.02   |      | mg/L  | 12/13/2005 1048 MS | EPA 200.8 |
| Manganese                            | ND     | 0.02   |      | mg/L  | 12/13/2005 1222 TC | EPA 200.7 |
| Mercury                              | ND     | 0.001  |      | mg/L  | 12/16/2005 1213 PQ | EPA 245.1 |
| Molybdenum                           | ND     | 0.02   |      | mg/L  | 12/13/2005 1048 MS | EPA 200.8 |
| Nickel                               | ND     | 0.01   |      | mg/L  | 12/13/2005 1222 TC | EPA 200.7 |
| Selenium                             | 0.069  | 0.005  |      | mg/L  | 12/13/2005 1048 MS | EPA 200.8 |
| Uranium                              | 0.396  | 0.0001 |      | mg/L  | 12/13/2005 1048 MS | EPA 200.8 |
| Vanadium                             | 0.09   | 0.02   |      | mg/L  | 12/13/2005 1048 MS | EPA 200.8 |
| Zinc                                 | ND     | 0.01   |      | mg/L  | 12/13/2005 1222 TC | EPA 200.7 |

These results apply only to the samples tested.

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
ND Not Detected at the Reporting Limit

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
L Analyzed by a contract laboratory  
S Spike Recovery outside accepted recovery limits

Reviewed by:

  
Wade Nieuwsma, Project Manager

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 1/3/2006  
Report ID: S0512100001

Project: Cogema Christensen Mine  
Lab ID: S0512100-003  
Client Sample ID: 5BJ62-1  
Matrix: Water

Work Order: S0512100  
Collection Date: 12/12/2005  
Date Received: 12/12/2005 5:00:00 PM  
Sampler:


| Analyses                               | Result     | PQL  | Qual | Units    | Date Analyzed/Init | Method       |
|--|------------|------|------|----------|--------------------|--------------|
| <b>General Parameters</b>              |            |      |      |          |                    |              |
| pH                                     | 8.2        | 0.1  |      | s.u.     | 12/13/2005 1350 MD | EPA 150.1    |
| Electrical Conductivity                | 691        | 5    |      | µmhos/cm | 12/14/2005 1246 MD | SM 2510B     |
| Total Dissolved Solids (180)           | 430        | 10   |      | mg/L     | 12/14/2005 731 EB  | SM 2540      |
| Solids, Total Dissolved (Calc)         | 430        | 10   |      | mg/L     | 12/20/2005 909 MD  | SM 1030F     |
| Acidity, Total (As CaCO3)              | ND         | 5    |      | mg/L     | 12/19/2005 000 MD  | SM 2310B     |
| Alkalinity, Total (As CaCO3)           | 250        | 5    |      | mg/L     | 12/13/2005 1350 MD | SM 2320B     |
| Hardness, Calcium/Magnesium (As CaCO3) | 99         | 1    |      | mg/L     | 12/20/2005 909 MD  | SM 2340B     |
| Nitrogen, Ammonia (As N)               | 0.1        | 0.1  |      | mg/L     | 12/16/2005 1210 RM | EPA 350.1    |
| Nitrogen, Nitrite (as N)               | ND         | 0.05 |      | mg/L     | 12/14/2005 1044 RM | EPA 353.2    |
| Radium 226                             | 93.9 ± 5.5 | 0.2  |      | pCi/L    | 12/19/2005 2028 SH | SM 7500 RA B |
| Silica as SiO2                         | 5.5        | 0.1  |      | mg/L     | 12/13/2005 1226 TC | EPA 200.7    |
| Sodium Adsorption Ratio                | 5.4        | 0.1  |      |          | 12/20/2005 909 MD  | Calculation  |
| <b>Anions</b>                          |            |      |      |          |                    |              |
| Alkalinity, Bicarbonate as HCO3        | 305        | 5    |      | mg/L     | 12/13/2005 1350 MD | SM 2320B     |
| Alkalinity, Carbonate as CO3           | ND         | 5    |      | mg/L     | 12/13/2005 1350 MD | SM 2320B     |
| Alkalinity, Hydroxide as OH            | ND         | 5    |      | mg/L     | 12/13/2005 1350 MD | SM 2320B     |
| Chloride                               | 6          | 1    |      | mg/L     | 12/19/2005 1039 LK | EPA 300.0    |
| Fluoride                               | ND         | 0.1  |      | mg/L     | 12/13/2005 1350 MD | SM 4500FC    |
| Nitrogen, Nitrate-Nitrite (as N)       | ND         | 0.05 |      | mg/L     | 12/14/2005 1419 RM | EPA 353.2    |
| Sulfate                                | 115        | 1    |      | mg/L     | 12/19/2005 1039 LK | EPA 300.0    |
| <b>Cations</b>                         |            |      |      |          |                    |              |
| Calcium                                | 31         | 1    |      | mg/L     | 12/13/2005 1226 TC | EPA 200.7    |
| Magnesium                              | 6          | 1    |      | mg/L     | 12/13/2005 1226 TC | EPA 200.7    |
| Potassium                              | 3          | 1    |      | mg/L     | 12/15/2005 1015 TC | EPA 200.7    |
| Sodium                                 | 124        | 1    |      | mg/L     | 12/13/2005 1226 TC | EPA 200.7    |

These results apply only to the samples tested.

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
ND Not Detected at the Reporting Limit

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
L Analyzed by a contract laboratory  
S Spike Recovery outside accepted recovery limits

Reviewed by:



Wade Nieuwsma, Project Manager

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 1/3/2006  
Report ID: S0512100001

Project: Cogema Christensen Mine  
Lab ID: S0512100-003  
Client Sample ID: 5BJ62-1  
Matrix: Water

Work Order: S0512100  
Collection Date: 12/12/2005  
Date Received: 12/12/2005 5:00:00 PM  
Sampler:

| Analyses                             | Result | PQL    | Qual | Units | Date Analyzed/Init | Method    |
|--------------------------------------|--------|--------|------|-------|--------------------|-----------|
| <b>Cation/Anion-Milliequivalents</b> |        |        |      |       |                    |           |
| Bicarbonate as HCO3                  | 4.99   | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Carbonate as CO3                     | ND     | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Hydroxide as OH                      | ND     | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Chloride                             | 0.16   | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Fluoride                             | ND     | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Nitrate + Nitrite as N               | ND     | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Sulfate                              | 2.38   | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Calcium                              | 1.52   | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Magnesium                            | 0.46   | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Potassium                            | 0.07   | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Sodium                               | 5.38   | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| <b>Cation / Anion Balance</b>        |        |        |      |       |                    |           |
| Cation Sum                           | 7.44   | 0      |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Anion Sum                            | 7.54   | 0      |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Cation-Anion Balance                 | 0.67   | 0      |      | %     | 12/20/2005 909 MD  | SM 1030F  |
| <b>Dissolved Metals</b>              |        |        |      |       |                    |           |
| Aluminum                             | ND     | 0.1    |      | mg/L  | 12/13/2005 1226 TC | EPA 200.7 |
| Arsenic                              | ND     | 0.005  |      | mg/L  | 12/13/2005 1056 MS | EPA 200.8 |
| Barium                               | ND     | 0.5    |      | mg/L  | 12/13/2005 1056 MS | EPA 200.8 |
| Boron                                | 0.06   | 0.03   |      | mg/L  | 12/13/2005 1226 TC | EPA 200.7 |
| Cadmium                              | ND     | 0.002  |      | mg/L  | 12/13/2005 1056 MS | EPA 200.8 |
| Chromium                             | ND     | 0.01   |      | mg/L  | 12/13/2005 1226 TC | EPA 200.7 |
| Copper                               | ND     | 0.01   |      | mg/L  | 12/13/2005 1056 MS | EPA 200.8 |
| Iron                                 | ND     | 0.05   |      | mg/L  | 12/13/2005 1226 TC | EPA 200.7 |
| Lead                                 | ND     | 0.02   |      | mg/L  | 12/13/2005 1056 MS | EPA 200.8 |
| Manganese                            | 0.06   | 0.02   |      | mg/L  | 12/13/2005 1226 TC | EPA 200.7 |
| Mercury                              | ND     | 0.001  |      | mg/L  | 12/16/2005 1215 PQ | EPA 245.1 |
| Molybdenum                           | ND     | 0.02   |      | mg/L  | 12/13/2005 1056 MS | EPA 200.8 |
| Nickel                               | ND     | 0.01   |      | mg/L  | 12/13/2005 1226 TC | EPA 200.7 |
| Selenium                             | 0.020  | 0.005  |      | mg/L  | 12/13/2005 1056 MS | EPA 200.8 |
| Uranium                              | 2.08   | 0.0001 |      | mg/L  | 12/13/2005 1056 MS | EPA 200.8 |
| Vanadium                             | ND     | 0.02   |      | mg/L  | 12/13/2005 1056 MS | EPA 200.8 |
| Zinc                                 | ND     | 0.01   |      | mg/L  | 12/13/2005 1226 TC | EPA 200.7 |

These results apply only to the samples tested.

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
ND Not Detected at the Reporting Limit

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
L Analyzed by a contract laboratory  
S Spike Recovery outside accepted recovery limits

Reviewed by:

  
Wade Nieuwsma, Project Manager

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 1/3/2006  
Report ID: S0512100001

Project: Cogema Christensen Mine  
Lab ID: S0512100-004  
Client Sample ID: 5BG46-1  
Matrix: Water

Work Order: S0512100  
Collection Date: 12/12/2005  
Date Received: 12/12/2005 5:00:00 PM  
Sampler:

| Analyses                               | Result      | PQL  | Qual | Units    | Date Analyzed/Init | Method       |
|--|-------------|------|------|----------|--------------------|--------------|
| <b>General Parameters</b>              |             |      |      |          |                    |              |
| pH                                     | 8.2         | 0.1  |      | s.u.     | 12/13/2005 1401 MD | EPA 150.1    |
| Electrical Conductivity                | 530         | 5    |      | µmhos/cm | 12/14/2005 1248 MD | SM 2510B     |
| Total Dissolved Solids (180)           | 320         | 10   |      | mg/L     | 12/14/2005 736 EB  | SM 2540      |
| Solids, Total Dissolved (Calc)         | 320         | 10   |      | mg/L     | 12/20/2005 909 MD  | SM 1030F     |
| Acidity, Total (As CaCO3)              | ND          | 5    |      | mg/L     | 12/19/2005 000 MD  | SM 2310B     |
| Alkalinity, Total (As CaCO3)           | 206         | 5    |      | mg/L     | 12/13/2005 1401 MD | SM 2320B     |
| Hardness, Calcium/Magnesium (As CaCO3) | 51          | 1    |      | mg/L     | 12/20/2005 909 MD  | SM 2340B     |
| Nitrogen, Ammonia (As N)               | 0.2         | 0.1  |      | mg/L     | 12/16/2005 1211 RM | EPA 350.1    |
| Nitrogen, Nitrite (as N)               | ND          | 0.05 |      | mg/L     | 12/14/2005 1045 RM | EPA 353.2    |
| Radium 226                             | 242.0 ± 8.2 | 0.2  |      | pCi/L    | 12/19/2005 2028 SH | SM 7500 RA B |
| Silica as SiO2                         | 5.9         | 0.1  |      | mg/L     | 12/13/2005 1229 TC | EPA 200.7    |
| Sodium Adsorption Ratio                | 6.5         | 0.1  |      |          | 12/20/2005 909 MD  | Calculation  |
| <b>Anions</b>                          |             |      |      |          |                    |              |
| Alkalinity, Bicarbonate as HCO3        | 251         | 5    |      | mg/L     | 12/13/2005 1401 MD | SM 2320B     |
| Alkalinity, Carbonate as CO3           | ND          | 5    |      | mg/L     | 12/13/2005 1401 MD | SM 2320B     |
| Alkalinity, Hydroxide as OH            | ND          | 5    |      | mg/L     | 12/13/2005 1401 MD | SM 2320B     |
| Chloride                               | 4           | 1    |      | mg/L     | 12/19/2005 1049 LK | EPA 300.0    |
| Fluoride                               | 0.1         | 0.1  |      | mg/L     | 12/13/2005 1401 MD | SM 4500FC    |
| Nitrogen, Nitrate-Nitrite (as N)       | ND          | 0.05 |      | mg/L     | 12/14/2005 1420 RM | EPA 353.2    |
| Sulfate                                | 67          | 1    |      | mg/L     | 12/19/2005 1049 LK | EPA 300.0    |
| <b>Cations</b>                         |             |      |      |          |                    |              |
| Calcium                                | 15          | 1    |      | mg/L     | 12/15/2005 1019 TC | EPA 200.7    |
| Magnesium                              | 3           | 1    |      | mg/L     | 12/13/2005 1229 TC | EPA 200.7    |
| Potassium                              | 2           | 1    |      | mg/L     | 12/15/2005 1019 TC | EPA 200.7    |
| Sodium                                 | 107         | 1    |      | mg/L     | 12/15/2005 1019 TC | EPA 200.7    |

These results apply only to the samples tested.

- |                    |  |  |
|--------------------|--|--|
| <b>Qualifiers:</b> | * Value exceeds Maximum Contaminant Level    | B Analyte detected in the associated Method Blank    |
|                    | E Value above quantitation range             | H Holding times for preparation or analysis exceeded |
|                    | J Analyte detected below quantitation limits | L Analyzed by a contract laboratory                  |
|                    | ND Not Detected at the Reporting Limit       | S Spike Recovery outside accepted recovery limits    |

Reviewed by:

  
Wade Nieuwsma, Project Manager

## Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 1/3/2006  
Report ID: S0512100001

Project: Cogema Christensen Mine  
Lab ID: S0512100-004  
Client Sample ID: 5BG46-1  
Matrix: Water

Work Order: S0512100  
Collection Date: 12/12/2005  
Date Received: 12/12/2005 5:00:00 PM  
Sampler:


| Analyses                             | Result | PQL    | Qual | Units | Date Analyzed/Init | Method    |
|--------------------------------------|--------|--------|------|-------|--------------------|-----------|
| <b>Cation/Anion-Milliequivalents</b> |        |        |      |       |                    |           |
| Bicarbonate as HCO <sub>3</sub>      | 4.11   | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Carbonate as CO <sub>3</sub>         | ND     | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Hydroxide as OH                      | ND     | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Chloride                             | 0.10   | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Fluoride                             | ND     | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Nitrate + Nitrite as N               | ND     | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Sulfate                              | 1.40   | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Calcium                              | 0.74   | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Magnesium                            | 0.26   | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Potassium                            | 0.05   | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Sodium                               | 4.65   | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| <b>Cation / Anion Balance</b>        |        |        |      |       |                    |           |
| Cation Sum                           | 5.72   | 0      |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Anion Sum                            | 5.61   | 0      |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Cation-Anion Balance                 | 0.90   | 0      |      | %     | 12/20/2005 909 MD  | SM 1030F  |
| <b>Dissolved Metals</b>              |        |        |      |       |                    |           |
| Aluminum                             | ND     | 0.1    |      | mg/L  | 12/13/2005 1229 TC | EPA 200.7 |
| Arsenic                              | ND     | 0.005  |      | mg/L  | 12/13/2005 1059 MS | EPA 200.8 |
| Barium                               | ND     | 0.5    |      | mg/L  | 12/13/2005 1059 MS | EPA 200.8 |
| Boron                                | 0.07   | 0.03   |      | mg/L  | 12/13/2005 1229 TC | EPA 200.7 |
| Cadmium                              | ND     | 0.002  |      | mg/L  | 12/13/2005 1059 MS | EPA 200.8 |
| Chromium                             | ND     | 0.01   |      | mg/L  | 12/13/2005 1229 TC | EPA 200.7 |
| Copper                               | ND     | 0.01   |      | mg/L  | 12/13/2005 1059 MS | EPA 200.8 |
| Iron                                 | 0.19   | 0.05   |      | mg/L  | 12/13/2005 1229 TC | EPA 200.7 |
| Lead                                 | ND     | 0.02   |      | mg/L  | 12/13/2005 1059 MS | EPA 200.8 |
| Manganese                            | 0.04   | 0.02   |      | mg/L  | 12/13/2005 1229 TC | EPA 200.7 |
| Mercury                              | ND     | 0.001  |      | mg/L  | 12/16/2005 1217 PQ | EPA 245.1 |
| Molybdenum                           | ND     | 0.02   |      | mg/L  | 12/13/2005 1059 MS | EPA 200.8 |
| Nickel                               | ND     | 0.01   |      | mg/L  | 12/13/2005 1229 TC | EPA 200.7 |
| Selenium                             | 0.082  | 0.005  |      | mg/L  | 12/13/2005 1059 MS | EPA 200.8 |
| Uranium                              | 1.15   | 0.0001 |      | mg/L  | 12/13/2005 1059 MS | EPA 200.8 |
| Vanadium                             | 0.03   | 0.02   |      | mg/L  | 12/13/2005 1059 MS | EPA 200.8 |
| Zinc                                 | ND     | 0.01   |      | mg/L  | 12/13/2005 1229 TC | EPA 200.7 |

These results apply only to the samples tested.

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
ND Not Detected at the Reporting Limit

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
L Analyzed by a contract laboratory  
S Spike Recovery outside accepted recovery limits

Reviewed by:

  
Wade Nieuwsma, Project Manager

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 1/3/2006  
Report ID: S0512100001


Project: Cogema Christensen Mine  
Lab ID: S0512100-005  
Client Sample ID: 5BK58-1  
Matrix: Water

Work Order: S0512100  
Collection Date: 12/12/2005  
Date Received: 12/12/2005 5:00:00 PM  
Sampler:

| Analyses                               | Result    | PQL  | Qual | Units    | Date Analyzed/Init | Method       |
|--|-----------|------|------|----------|--------------------|--------------|
| <b>General Parameters</b>              |           |      |      |          |                    |              |
| pH                                     | 7.9       | 0.1  |      | s.u.     | 12/13/2005 1412 MD | EPA 150.1    |
| Electrical Conductivity                | 1150      | 5    |      | µmhos/cm | 12/14/2005 1250 MD | SM 2510B     |
| Total Dissolved Solids (180)           | 740       | 10   |      | mg/L     | 12/14/2005 741 EB  | SM 2540      |
| Solids, Total Dissolved (Calc)         | 700       | 10   |      | mg/L     | 12/20/2005 909 MD  | SM 1030F     |
| Acidity, Total (As CaCO3)              | ND        | 5    |      | mg/L     | 12/19/2005 000 MD  | SM 2310B     |
| Alkalinity, Total (As CaCO3)           | 313       | 5    |      | mg/L     | 12/13/2005 1412 MD | SM 2320B     |
| Hardness, Calcium/Magnesium (As CaCO3) | 120       | 1    |      | mg/L     | 12/20/2005 909 MD  | SM 2340B     |
| Nitrogen, Ammonia (As N)               | 0.2       | 0.1  |      | mg/L     | 12/16/2005 1212 RM | EPA 350.1    |
| Nitrogen, Nitrite (as N)               | ND        | 0.05 |      | mg/L     | 12/14/2005 1046 RM | EPA 353.2    |
| Radium 226                             | 1095 ± 18 | 0.2  |      | pCi/L    | 12/19/2005 2028 SH | SM 7500 RA B |
| Silica as SiO2                         | 7.8       | 0.1  |      | mg/L     | 12/13/2005 1233 TC | EPA 200.7    |
| Sodium Adsorption Ratio                | 8.8       | 0.1  |      |          | 12/20/2005 909 MD  | Calculation  |
| <b>Anions</b>                          |           |      |      |          |                    |              |
| Alkalinity, Bicarbonate as HCO3        | 382       | 5    |      | mg/L     | 12/13/2005 1412 MD | SM 2320B     |
| Alkalinity, Carbonate as CO3           | ND        | 5    |      | mg/L     | 12/13/2005 1412 MD | SM 2320B     |
| Alkalinity, Hydroxide as OH            | ND        | 5    |      | mg/L     | 12/13/2005 1412 MD | SM 2320B     |
| Chloride                               | 11        | 1    |      | mg/L     | 12/13/2005 1308 LK | EPA 300.0    |
| Fluoride                               | ND        | 0.1  |      | mg/L     | 12/13/2005 1412 MD | SM 4500FC    |
| Nitrogen, Nitrate-Nitrite (as N)       | ND        | 0.05 |      | mg/L     | 12/14/2005 1421 RM | EPA 353.2    |
| Sulfate                                | 230       | 1    |      | mg/L     | 12/13/2005 1308 LK | EPA 300.0    |
| <b>Cations</b>                         |           |      |      |          |                    |              |
| Calcium                                | 35        | 1    |      | mg/L     | 12/13/2005 1233 TC | EPA 200.7    |
| Magnesium                              | 8         | 1    |      | mg/L     | 12/13/2005 1233 TC | EPA 200.7    |
| Potassium                              | 4         | 1    |      | mg/L     | 12/13/2005 1233 TC | EPA 200.7    |
| Sodium                                 | 222       | 1    |      | mg/L     | 12/13/2005 1233 TC | EPA 200.7    |

These results apply only to the samples tested.

- |             |  |  |
|-------------|--|--|
| Qualifiers: | * Value exceeds Maximum Contaminant Level    | B Analyte detected in the associated Method Blank    |
|             | E Value above quantitation range             | H Holding times for preparation or analysis exceeded |
|             | J Analyte detected below quantitation limits | L Analyzed by a contract laboratory                  |
|             | ND Not Detected at the Reporting Limit       | S Spike Recovery outside accepted recovery limits    |

Reviewed by:   
Wade Nieuwsma, Project Manager



Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 1/3/2006  
Report ID: S0512100001

Project: Cogema Christensen Mine  
Lab ID: S0512100-005  
Client Sample ID: 5BK58-1  
Matrix: Water

Work Order: S0512100  
Collection Date: 12/12/2005  
Date Received: 12/12/2005 5:00:00 PM  
Sampler:

| Analyses                             | Result | PQL    | Qual | Units | Date Analyzed/Init | Method    |
|--------------------------------------|--------|--------|------|-------|--------------------|-----------|
| <b>Cation/Anion-Milliequivalents</b> |        |        |      |       |                    |           |
| Bicarbonate as HCO3                  | 6.26   | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Carbonate as CO3                     | ND     | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Hydroxide as OH                      | ND     | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Chloride                             | 0.30   | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Fluoride                             | ND     | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Nitrate + Nitrite as N               | ND     | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Sulfate                              | 4.77   | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Calcium                              | 1.75   | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Magnesium                            | 0.63   | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Potassium                            | 0.09   | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Sodium                               | 9.66   | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| <b>Cation / Anion Balance</b>        |        |        |      |       |                    |           |
| Cation Sum                           | 12.15  | 0      |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Anion Sum                            | 11.35  | 0      |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Cation-Anion Balance                 | 3.39   | 0      |      | %     | 12/20/2005 909 MD  | SM 1030F  |
| <b>Dissolved Metals</b>              |        |        |      |       |                    |           |
| Aluminum                             | ND     | 0.1    |      | mg/L  | 12/13/2005 1233 TC | EPA 200.7 |
| Arsenic                              | ND     | 0.005  |      | mg/L  | 12/13/2005 1102 MS | EPA 200.8 |
| Barium                               | ND     | 0.5    |      | mg/L  | 12/13/2005 1102 MS | EPA 200.8 |
| Boron                                | 0.08   | 0.03   |      | mg/L  | 12/13/2005 1233 TC | EPA 200.7 |
| Cadmium                              | ND     | 0.002  |      | mg/L  | 12/13/2005 1102 MS | EPA 200.8 |
| Chromium                             | ND     | 0.01   |      | mg/L  | 12/13/2005 1233 TC | EPA 200.7 |
| Copper                               | ND     | 0.01   |      | mg/L  | 12/13/2005 1102 MS | EPA 200.8 |
| Iron                                 | 0.23   | 0.05   |      | mg/L  | 12/13/2005 1233 TC | EPA 200.7 |
| Lead                                 | ND     | 0.02   |      | mg/L  | 12/13/2005 1102 MS | EPA 200.8 |
| Manganese                            | 0.09   | 0.02   |      | mg/L  | 12/13/2005 1233 TC | EPA 200.7 |
| Mercury                              | ND     | 0.001  |      | mg/L  | 12/16/2005 1219 PQ | EPA 245.1 |
| Molybdenum                           | ND     | 0.02   |      | mg/L  | 12/13/2005 1102 MS | EPA 200.8 |
| Nickel                               | ND     | 0.01   |      | mg/L  | 12/13/2005 1233 TC | EPA 200.7 |
| Selenium                             | 0.125  | 0.005  |      | mg/L  | 12/13/2005 1102 MS | EPA 200.8 |
| Uranium                              | 1.79   | 0.0001 |      | mg/L  | 12/13/2005 1102 MS | EPA 200.8 |
| Vanadium                             | 0.05   | 0.02   |      | mg/L  | 12/13/2005 1102 MS | EPA 200.8 |
| Zinc                                 | ND     | 0.01   |      | mg/L  | 12/13/2005 1233 TC | EPA 200.7 |

These results apply only to the samples tested.

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
ND Not Detected at the Reporting Limit

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
L Analyzed by a contract laboratory  
S Spike Recovery outside accepted recovery limits

Reviewed by:

  
Wade Nieuwsma, Project Manager

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 1/3/2006  
Report ID: S0512100001

Project: Cogema Christensen Mine  
Lab ID: S0512100-006  
Client Sample ID: 5BD50-1  
Matrix: Water

Work Order: S0512100  
Collection Date: 12/12/2005  
Date Received: 12/12/2005 5:00:00 PM  
Sampler:

| Analyses                               | Result      | PQL  | Qual | Units    | Date Analyzed/Init | Method       |
|--|-------------|------|------|----------|--------------------|--------------|
| <b>General Parameters</b>              |             |      |      |          |                    |              |
| pH                                     | 8.2         | 0.1  |      | s.u.     | 12/13/2005 1423 MD | EPA 150.1    |
| Electrical Conductivity                | 546         | 5    |      | µmhos/cm | 12/14/2005 1252 MD | SM 2510B     |
| Total Dissolved Solids (180)           | 330         | 10   |      | mg/L     | 12/14/2005 746 EB  | SM 2540      |
| Solids, Total Dissolved (Calc)         | 330         | 10   |      | mg/L     | 12/20/2005 909 MD  | SM 1030F     |
| Acidity, Total (As CaCO3)              | ND          | 5    |      | mg/L     | 12/19/2005 000 MD  | SM 2310B     |
| Alkalinity, Total (As CaCO3)           | 198         | 5    |      | mg/L     | 12/13/2005 1423 MD | SM 2320B     |
| Hardness, Calcium/Magnesium (As CaCO3) | 43          | 1    |      | mg/L     | 12/20/2005 909 MD  | SM 2340B     |
| Nitrogen, Ammonia (As N)               | ND          | 0.1  |      | mg/L     | 12/16/2005 1213 RM | EPA 350.1    |
| Nitrogen, Nitrite (as N)               | ND          | 0.05 |      | mg/L     | 12/14/2005 1047 RM | EPA 353.2    |
| Radium 226                             | 124.0 ± 5.9 | 0.2  |      | pCi/L    | 12/19/2005 2028 SH | SM 7500 RA B |
| Silica as SiO2                         | 5.6         | 0.1  |      | mg/L     | 12/13/2005 1237 TC | EPA 200.7    |
| Sodium Adsorption Ratio                | 7.4         | 0.1  |      |          | 12/20/2005 909 MD  | Calculation  |
| <b>Anions</b>                          |             |      |      |          |                    |              |
| Alkalinity, Bicarbonate as HCO3        | 241         | 5    |      | mg/L     | 12/13/2005 1423 MD | SM 2320B     |
| Alkalinity, Carbonate as CO3           | ND          | 5    |      | mg/L     | 12/13/2005 1423 MD | SM 2320B     |
| Alkalinity, Hydroxide as OH            | ND          | 5    |      | mg/L     | 12/13/2005 1423 MD | SM 2320B     |
| Chloride                               | 5           | 1    |      | mg/L     | 12/19/2005 1058 LK | EPA 300.0    |
| Fluoride                               | 0.1         | 0.1  |      | mg/L     | 12/13/2005 1423 MD | SM 4500FC    |
| Nitrogen, Nitrate-Nitrite (as N)       | ND          | 0.05 |      | mg/L     | 12/14/2005 1422 RM | EPA 353.2    |
| Sulfate                                | 79          | 1    |      | mg/L     | 12/19/2005 1058 LK | EPA 300.0    |
| <b>Cations</b>                         |             |      |      |          |                    |              |
| Calcium                                | 13          | 1    |      | mg/L     | 12/15/2005 1023 TC | EPA 200.7    |
| Magnesium                              | 3           | 1    |      | mg/L     | 12/15/2005 1023 TC | EPA 200.7    |
| Potassium                              | 2           | 1    |      | mg/L     | 12/15/2005 1023 TC | EPA 200.7    |
| Sodium                                 | 112         | 1    |      | mg/L     | 12/15/2005 1023 TC | EPA 200.7    |

These results apply only to the samples tested.

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
ND Not Detected at the Reporting Limit

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
L Analyzed by a contract laboratory  
S Spike Recovery outside accepted recovery limits

Reviewed by:

  
Wade Nieuwsma, Project Manager

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 1/3/2006  
Report ID: S0512100001

Project: Cogema Christensen Mine  
Lab ID: S0512100-006  
Client Sample ID: 5BD50-1  
Matrix: Water

Work Order: S0512100  
Collection Date: 12/12/2005  
Date Received: 12/12/2005 5:00:00 PM  
Sampler:

| Analyses                             | Result | PQL    | Qual | Units | Date Analyzed/Init | Method    |
|--------------------------------------|--------|--------|------|-------|--------------------|-----------|
| <b>Cation/Anion-Milliequivalents</b> |        |        |      |       |                    |           |
| Bicarbonate as HCO3                  | 3.95   | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Carbonate as CO3                     | ND     | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Hydroxide as OH                      | ND     | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Chloride                             | 0.14   | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Fluoride                             | ND     | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Nitrate + Nitrite as N               | ND     | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Sulfate                              | 1.64   | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Calcium                              | 0.63   | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Magnesium                            | 0.22   | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Potassium                            | 0.06   | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Sodium                               | 4.88   | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| <b>Cation / Anion Balance</b>        |        |        |      |       |                    |           |
| Cation Sum                           | 5.80   | 0      |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Anion Sum                            | 5.75   | 0      |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Cation-Anion Balance                 | 0.43   | 0      |      | %     | 12/20/2005 909 MD  | SM 1030F  |
| <b>Dissolved Metals</b>              |        |        |      |       |                    |           |
| Aluminum                             | ND     | 0.1    |      | mg/L  | 12/13/2005 1237 TC | EPA 200.7 |
| Arsenic                              | 0.014  | 0.005  |      | mg/L  | 12/13/2005 1105 MS | EPA 200.8 |
| Barium                               | ND     | 0.5    |      | mg/L  | 12/13/2005 1105 MS | EPA 200.8 |
| Boron                                | 0.05   | 0.03   |      | mg/L  | 12/13/2005 1237 TC | EPA 200.7 |
| Cadmium                              | ND     | 0.002  |      | mg/L  | 12/13/2005 1105 MS | EPA 200.8 |
| Chromium                             | ND     | 0.01   |      | mg/L  | 12/13/2005 1237 TC | EPA 200.7 |
| Copper                               | ND     | 0.01   |      | mg/L  | 12/13/2005 1105 MS | EPA 200.8 |
| Iron                                 | ND     | 0.05   |      | mg/L  | 12/13/2005 1237 TC | EPA 200.7 |
| Lead                                 | ND     | 0.02   |      | mg/L  | 12/13/2005 1105 MS | EPA 200.8 |
| Manganese                            | 0.03   | 0.02   |      | mg/L  | 12/13/2005 1237 TC | EPA 200.7 |
| Mercury                              | ND     | 0.001  |      | mg/L  | 12/16/2005 1221 PQ | EPA 245.1 |
| Molybdenum                           | ND     | 0.02   |      | mg/L  | 12/13/2005 1105 MS | EPA 200.8 |
| Nickel                               | ND     | 0.01   |      | mg/L  | 12/13/2005 1237 TC | EPA 200.7 |
| Selenium                             | 0.517  | 0.005  |      | mg/L  | 12/13/2005 1105 MS | EPA 200.8 |
| Uranium                              | 1.96   | 0.0001 |      | mg/L  | 12/13/2005 1105 MS | EPA 200.8 |
| Vanadium                             | 0.19   | 0.02   |      | mg/L  | 12/13/2005 1105 MS | EPA 200.8 |
| Zinc                                 | ND     | 0.01   |      | mg/L  | 12/13/2005 1237 TC | EPA 200.7 |

These results apply only to the samples tested.

- |             |  |  |
|-------------|--|--|
| Qualifiers: | * Value exceeds Maximum Contaminant Level    | B Analyte detected in the associated Method Blank    |
|             | E Value above quantitation range             | H Holding times for preparation or analysis exceeded |
|             | J Analyte detected below quantitation limits | L Analyzed by a contract laboratory                  |
|             | ND Not Detected at the Reporting Limit       | S Spike Recovery outside accepted recovery limits    |

Reviewed by:   
Wade Nieuwsma, Project Manager

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 1/3/2006  
Report ID: S0512100001

Project: Cogema Christensen Mine  
Lab ID: S0512100-007  
Client Sample ID: 5BH58-2  
Matrix: Water

Work Order: S0512100  
Collection Date: 12/12/2005  
Date Received: 12/12/2005 5:00:00 PM  
Sampler:

| Analyses                               | Result   | PQL  | Qual | Units    | Date Analyzed/Init | Method       |
|--|----------|------|------|----------|--------------------|--------------|
| <b>General Parameters</b>              |          |      |      |          |                    |              |
| pH                                     | 8.3      | 0.1  |      | s.u.     | 12/13/2005 1433 MD | EPA 150.1    |
| Electrical Conductivity                | 636      | 5    |      | µmhos/cm | 12/14/2005 1256 MD | SM 2510B     |
| Total Dissolved Solids (180)           | 390      | 10   |      | mg/L     | 12/14/2005 751 EB  | SM 2540      |
| Solids, Total Dissolved (Calc)         | 390      | 10   |      | mg/L     | 12/20/2005 909 MD  | SM 1030F     |
| Acidity, Total (As CaCO3)              | ND       | 5    |      | mg/L     | 12/19/2005 000 MD  | SM 2310B     |
| Alkalinity, Total (As CaCO3)           | 284      | 5    |      | mg/L     | 12/13/2005 1433 MD | SM 2320B     |
| Hardness, Calcium/Magnesium (As CaCO3) | 59       | 1    |      | mg/L     | 12/20/2005 909 MD  | SM 2340B     |
| Nitrogen, Ammonia (As N)               | 0.2      | 0.1  |      | mg/L     | 12/16/2005 1214 RM | EPA 350.1    |
| Nitrogen, Nitrite (as N)               | ND       | 0.05 |      | mg/L     | 12/14/2005 1048 RM | EPA 353.2    |
| Radium 226                             | 521 ± 12 | 0.2  |      | pCi/L    | 12/19/2005 2028 SH | SM 7500 RA B |
| Silica as SiO2                         | 5.4      | 0.1  |      | mg/L     | 12/13/2005 1241 TC | EPA 200.7    |
| Sodium Adsorption Ratio                | 7.7      | 0.1  |      |          | 12/20/2005 909 MD  | Calculation  |
| <b>Anions</b>                          |          |      |      |          |                    |              |
| Alkalinity, Bicarbonate as HCO3        | 339      | 5    |      | mg/L     | 12/13/2005 1433 MD | SM 2320B     |
| Alkalinity, Carbonate as CO3           | ND       | 5    |      | mg/L     | 12/13/2005 1433 MD | SM 2320B     |
| Alkalinity, Hydroxide as OH            | ND       | 5    |      | mg/L     | 12/13/2005 1433 MD | SM 2320B     |
| Chloride                               | 2        | 1    |      | mg/L     | 12/19/2005 1156 LK | EPA 300.0    |
| Fluoride                               | 0.2      | 0.1  |      | mg/L     | 12/13/2005 1433 MD | SM 4500FC    |
| Nitrogen, Nitrate-Nitrite (as N)       | ND       | 0.05 |      | mg/L     | 12/14/2005 1423 RM | EPA 353.2    |
| Sulfate                                | 58       | 1    |      | mg/L     | 12/19/2005 1156 LK | EPA 300.0    |
| <b>Cations</b>                         |          |      |      |          |                    |              |
| Calcium                                | 18       | 1    |      | mg/L     | 12/15/2005 1027 TC | EPA 200.7    |
| Magnesium                              | 4        | 1    |      | mg/L     | 12/15/2005 1027 TC | EPA 200.7    |
| Potassium                              | 3        | 1    |      | mg/L     | 12/15/2005 1027 TC | EPA 200.7    |
| Sodium                                 | 136      | 1    |      | mg/L     | 12/15/2005 1027 TC | EPA 200.7    |

These results apply only to the samples tested.

- Qualifiers:
- \* Value exceeds Maximum Contaminant Level
  - E Value above quantitation range
  - J Analyte detected below quantitation limits
  - ND Not Detected at the Reporting Limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - L Analyzed by a contract laboratory
  - S Spike Recovery outside accepted recovery limits

Reviewed by:

  
Wade Nieuwsma, Project Manager

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 1/3/2006  
Report ID: S0512100001

Project: Cogema Christensen Mine  
Lab ID: S0512100-007  
Client Sample ID: 5BH58-2  
Matrix: Water

Work Order: S0512100  
Collection Date: 12/12/2005  
Date Received: 12/12/2005 5:00:00 PM  
Sampler:

| Analyses                             | Result | PQL    | Qual | Units | Date Analyzed/Init | Method    |
|--------------------------------------|--------|--------|------|-------|--------------------|-----------|
| <b>Cation/Anion-Milliequivalents</b> |        |        |      |       |                    |           |
| Bicarbonate as HCO <sub>3</sub>      | 5.55   | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Carbonate as CO <sub>3</sub>         | 0.13   | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Hydroxide as OH                      | ND     | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Chloride                             | 0.06   | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Fluoride                             | ND     | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Nitrate + Nitrite as N               | ND     | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Sulfate                              | 1.21   | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Calcium                              | 0.88   | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Magnesium                            | 0.29   | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Potassium                            | 0.07   | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Sodium                               | 5.89   | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| <b>Cation / Anion Balance</b>        |        |        |      |       |                    |           |
| Cation Sum                           | 7.14   | 0      |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Anion Sum                            | 6.97   | 0      |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Cation-Anion Balance                 | 1.24   | 0      |      | %     | 12/20/2005 909 MD  | SM 1030F  |
| <b>Dissolved Metals</b>              |        |        |      |       |                    |           |
| Aluminum                             | ND     | 0.1    |      | mg/L  | 12/13/2005 1241 TC | EPA 200.7 |
| Arsenic                              | 0.014  | 0.005  |      | mg/L  | 12/13/2005 1108 MS | EPA 200.8 |
| Barium                               | ND     | 0.5    |      | mg/L  | 12/13/2005 1108 MS | EPA 200.8 |
| Boron                                | 0.06   | 0.03   |      | mg/L  | 12/13/2005 1241 TC | EPA 200.7 |
| Cadmium                              | ND     | 0.002  |      | mg/L  | 12/13/2005 1108 MS | EPA 200.8 |
| Chromium                             | ND     | 0.01   |      | mg/L  | 12/13/2005 1241 TC | EPA 200.7 |
| Copper                               | ND     | 0.01   |      | mg/L  | 12/13/2005 1108 MS | EPA 200.8 |
| Iron                                 | ND     | 0.05   |      | mg/L  | 12/13/2005 1241 TC | EPA 200.7 |
| Lead                                 | ND     | 0.02   |      | mg/L  | 12/13/2005 1108 MS | EPA 200.8 |
| Manganese                            | 0.04   | 0.02   |      | mg/L  | 12/13/2005 1241 TC | EPA 200.7 |
| Mercury                              | ND     | 0.001  |      | mg/L  | 12/16/2005 1223 PQ | EPA 245.1 |
| Molybdenum                           | ND     | 0.02   |      | mg/L  | 12/13/2005 1108 MS | EPA 200.8 |
| Nickel                               | ND     | 0.01   |      | mg/L  | 12/13/2005 1241 TC | EPA 200.7 |
| Selenium                             | 0.173  | 0.005  |      | mg/L  | 12/13/2005 1108 MS | EPA 200.8 |
| Uranium                              | 1.79   | 0.0001 |      | mg/L  | 12/13/2005 1108 MS | EPA 200.8 |
| Vanadium                             | 0.12   | 0.02   |      | mg/L  | 12/13/2005 1108 MS | EPA 200.8 |
| Zinc                                 | ND     | 0.01   |      | mg/L  | 12/13/2005 1241 TC | EPA 200.7 |

These results apply only to the samples tested.

Qualifiers: \* Value exceeds Maximum Contaminant Level  
E Value above quantitation range  
J Analyte detected below quantitation limits  
ND Not Detected at the Reporting Limit

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
L Analyzed by a contract laboratory  
S Spike Recovery outside accepted recovery limits

Reviewed by:   
Wade Nieuwsma, Project Manager

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 1/3/2006  
Report ID: S0512100001

Project: Cogema Christensen Mine  
Lab ID: S0512100-008  
Client Sample ID: 5AE80-1  
Matrix: Water

Work Order: S0512100  
Collection Date: 12/12/2005  
Date Received: 12/12/2005 5:00:00 PM  
Sampler:

| Analyses                               | Result      | PQL  | Qual | Units    | Date Analyzed/Init | Method       |
|--|-------------|------|------|----------|--------------------|--------------|
| <b>General Parameters</b>              |             |      |      |          |                    |              |
| pH                                     | 8.0         | 0.1  |      | s.u.     | 12/13/2005 1458 MD | EPA 150.1    |
| Electrical Conductivity                | 1930        | 5    |      | µmhos/cm | 12/14/2005 1258 MD | SM 2510B     |
| Total Dissolved Solids (180)           | 1300        | 10   |      | mg/L     | 12/14/2005 756 EB  | SM 2540      |
| Solids, Total Dissolved (Calc)         | 1330        | 10   |      | mg/L     | 12/20/2005 909 MD  | SM 1030F     |
| Acidity, Total (As CaCO3)              | ND          | 5    |      | mg/L     | 12/19/2005 000 MD  | SM 2310B     |
| Alkalinity, Total (As CaCO3)           | 631         | 5    |      | mg/L     | 12/13/2005 1458 MD | SM 2320B     |
| Hardness, Calcium/Magnesium (As CaCO3) | 366         | 1    |      | mg/L     | 12/20/2005 909 MD  | SM 2340B     |
| Nitrogen, Ammonia (As N)               | ND          | 0.1  |      | mg/L     | 12/16/2005 1215 RM | EPA 350.1    |
| Nitrogen, Nitrite (as N)               | ND          | 0.05 |      | mg/L     | 12/14/2005 1055 RM | EPA 353.2    |
| Radium 226                             | 257.6 ± 8.7 | 0.2  |      | pCi/L    | 12/19/2005 2028 SH | SM 7500 RA B |
| Silica as SiO2                         | 11.8        | 0.1  |      | mg/L     | 12/13/2005 1257 TC | EPA 200.7    |
| Sodium Adsorption Ratio                | 8.1         | 0.1  |      |          | 12/20/2005 909 MD  | Calculation  |
| <b>Anions</b>                          |             |      |      |          |                    |              |
| Alkalinity, Bicarbonate as HCO3        | 770         | 5    |      | mg/L     | 12/13/2005 1458 MD | SM 2320B     |
| Alkalinity, Carbonate as CO3           | ND          | 5    |      | mg/L     | 12/13/2005 1458 MD | SM 2320B     |
| Alkalinity, Hydroxide as OH            | ND          | 5    |      | mg/L     | 12/13/2005 1458 MD | SM 2320B     |
| Chloride                               | 39          | 1    |      | mg/L     | 12/19/2005 1216 LK | EPA 300.0    |
| Fluoride                               | ND          | 0.1  |      | mg/L     | 12/13/2005 1458 MD | SM 4500FC    |
| Nitrogen, Nitrate-Nitrite (as N)       | ND          | 0.05 |      | mg/L     | 12/14/2005 1424 RM | EPA 353.2    |
| Sulfate                                | 414         | 1    |      | mg/L     | 12/19/2005 1216 LK | EPA 300.0    |
| <b>Cations</b>                         |             |      |      |          |                    |              |
| Calcium                                | 112         | 1    |      | mg/L     | 12/15/2005 1146 TC | EPA 200.7    |
| Magnesium                              | 21          | 1    |      | mg/L     | 12/15/2005 1146 TC | EPA 200.7    |
| Potassium                              | 7           | 1    |      | mg/L     | 12/15/2005 1146 TC | EPA 200.7    |
| Sodium                                 | 357         | 1    |      | mg/L     | 12/15/2005 1146 TC | EPA 200.7    |

These results apply only to the samples tested.

- Qualifiers:
- \* Value exceeds Maximum Contaminant Level
  - E Value above quantitation range
  - J Analyte detected below quantitation limits
  - ND Not Detected at the Reporting Limit
  - B Analyte detected in the associated Method Blank
  - H Holding times for preparation or analysis exceeded
  - L Analyzed by a contract laboratory
  - S Spike Recovery outside accepted recovery limits

Reviewed by:

  
Wade Nieuwsma, Project Manager

Sample Analysis Report

CLIENT: Cogema Mining Inc.  
P. O. Box 730  
Mills, WY 82644

Date Reported: 1/3/2006  
Report ID: S0512100001

Project: Cogema Christensen Mine  
Lab ID: S0512100-008  
Client Sample ID: 5AE80-1  
Matrix: Water

Work Order: S0512100  
Collection Date: 12/12/2005  
Date Received: 12/12/2005 5:00:00 PM  
Sampler:

| Analyses                             | Result | PQL    | Qual | Units | Date Analyzed/Init | Method    |
|--------------------------------------|--------|--------|------|-------|--------------------|-----------|
| <b>Cation/Anion-Milliequivalents</b> |        |        |      |       |                    |           |
| Bicarbonate as HCO <sub>3</sub>      | 12.62  | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Carbonate as CO <sub>3</sub>         | ND     | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Hydroxide as OH                      | ND     | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Chloride                             | 1.09   | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Fluoride                             | ND     | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Nitrate + Nitrite as N               | ND     | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Sulfate                              | 8.61   | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Calcium                              | 5.56   | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Magnesium                            | 1.75   | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Potassium                            | 0.17   | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Sodium                               | 15.54  | 0.01   |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| <b>Cation / Anion Balance</b>        |        |        |      |       |                    |           |
| Cation Sum                           | 23.04  | 0      |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Anion Sum                            | 22.32  | 0      |      | meq/L | 12/20/2005 909 MD  | SM 1030F  |
| Cation-Anion Balance                 | 1.59   | 0      |      | %     | 12/20/2005 909 MD  | SM 1030F  |
| <b>Dissolved Metals</b>              |        |        |      |       |                    |           |
| Aluminum                             | ND     | 0.1    |      | mg/L  | 12/13/2005 1257 TC | EPA 200.7 |
| Arsenic                              | 0.007  | 0.005  |      | mg/L  | 12/13/2005 1111 MS | EPA 200.8 |
| Barium                               | ND     | 0.5    |      | mg/L  | 12/13/2005 1111 MS | EPA 200.8 |
| Boron                                | 0.12   | 0.03   |      | mg/L  | 12/13/2005 1257 TC | EPA 200.7 |
| Cadmium                              | ND     | 0.002  |      | mg/L  | 12/13/2005 1111 MS | EPA 200.8 |
| Chromium                             | ND     | 0.01   |      | mg/L  | 12/13/2005 1257 TC | EPA 200.7 |
| Copper                               | ND     | 0.01   |      | mg/L  | 12/13/2005 1111 MS | EPA 200.8 |
| Iron                                 | 0.77   | 0.05   |      | mg/L  | 12/13/2005 1257 TC | EPA 200.7 |
| Lead                                 | ND     | 0.02   |      | mg/L  | 12/13/2005 1111 MS | EPA 200.8 |
| Manganese                            | 0.40   | 0.02   |      | mg/L  | 12/13/2005 1257 TC | EPA 200.7 |
| Mercury                              | ND     | 0.001  |      | mg/L  | 12/16/2005 1224 PQ | EPA 245.1 |
| Molybdenum                           | ND     | 0.02   |      | mg/L  | 12/13/2005 1111 MS | EPA 200.8 |
| Nickel                               | 0.02   | 0.01   |      | mg/L  | 12/13/2005 1257 TC | EPA 200.7 |
| Selenium                             | 0.054  | 0.005  |      | mg/L  | 12/13/2005 1111 MS | EPA 200.8 |
| Uranium                              | 2.67   | 0.0001 |      | mg/L  | 12/13/2005 1111 MS | EPA 200.8 |
| Vanadium                             | 0.11   | 0.02   |      | mg/L  | 12/13/2005 1111 MS | EPA 200.8 |
| Zinc                                 | ND     | 0.01   |      | mg/L  | 12/13/2005 1257 TC | EPA 200.7 |

These results apply only to the samples tested.

- |             |  |  |
|-------------|--|--|
| Qualifiers: | * Value exceeds Maximum Contaminant Level    | B Analyte detected in the associated Method Blank    |
|             | E Value above quantitation range             | H Holding times for preparation or analysis exceeded |
|             | J Analyte detected below quantitation limits | L Analyzed by a contract laboratory                  |
|             | ND Not Detected at the Reporting Limit       | S Spike Recovery outside accepted recovery limits    |

Reviewed by:

  
Wade Nieuwsma, Project Manager