NRC FORM 374 **U.S. NUCLEAR REGULATORY COMMISSION MATERIALS LICENSE** Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below. Licensee 1. Babcock & Wilcox 3. License Number SNM-42, Amendment 12 Nuclear Operations Group, Inc. 2. P.O. Box 785 Expiration Date: March 29, 2027 4. 5. Docket No. 70-27 Lynchburg, Virginia 24505-0785 Reference No. 6. Byproduct Source, and/or 7. Chemical and/or Physical 8. Maximum Amount That Licensee Form ++-Special Nuclear Material may Possess at Any One Time Under This License Α. Uranium enriched A. Any enrichment Α. in U-235 or form, except UF₆ Β. Uranium enriched B. Any enrichment in Β. in U-235 UF₆ C. U-233 C. Any C. D. Plutonium D. Unencapsulated D and unirradiated E. E. Encapsulated Ε. Plutonium foils in nuclear accident dosimeters

Enclosure 1

NRC F	ORM 374A U.S. NUCLEAR	REGULATORY COMMISSION	2
			License Number SNM-42
	MATERIALS LICENSE SUPPLEMENTARY SHEET		Docket or Reference Number 70-27
			Amendment 12
F.	Fission products and transuranium elements	F. Irradiated fuel	F.
G.	Fission products and transuranium elements	G. Irradiated fuel	G.
Н.	Fission products and transuranium elements	H. Irradiated fuel	A XH.
I.	Pu-239 in greater than Class C waste from Parks Township	I. Sealed Sources	CO
J.	Transuranium elements in greater than Class C waste from Parks Township	J. Any	J.1 J.2 J.3
9.	Authorized place of use: Th east of Lynchburg, Virginia,	e licensee's existing facilitie as described in the reference	es along the James River, approximately 8 miles ced application.
10.	This license shall be deemed to contain two sections: Safety Conditions and Safeguards Conditions. Each section is a part of the license and the licensee is subject to compliance with all listed conditions in each section.		
	FOR THE U.S. NUCLEAR REGULATORY COMMISSION		
Date:	<u>February 9, 2012</u>	and Safegua	turing Branch el Cycle Safety rds ear Material Safety

NRC FORM 374	4A U.S. NUCLEAR REGULATORY COMMISSION	3
		License Number SNM-42
	MATERIALS LICENSE SUPPLEMENTARY SHEET	Docket or Reference Number 70-27
		Amendment 12
	SAFETY CONDITION	ONS
S-1	Authorized use: For use in accordance with the Chapters 1 through 11 of the application submitt pursuant to 10 CFR 70.32 or 10 CFR 70.72: Se 2006; February 5, February 20, April 6, May 2, M November 6, November 14, and December 10, 2 and December 13, 2007 (2 e-mails); January 7 (February 15, February 29, March 13, March 31, September 5, and December 17, 2008; March 25 December 4, 2009; April 1, May 4, May 14, May September 14, and October 28, 2010; and May 2	ted on the following dates, or as revised, eptember 27, October 24, and November 28, May 4, May 14, June 21, June 22, July 31, 2007; e-mails dated December 12, (3 e-mails) (2 letters), January 9, January 11, January 14, May 23, May 28, June 27, August 19, 23, March 29, April 23, November 30, and 27, July 12, July 28, August 1, August 5,
S-2	The licensee shall maintain and execute the resp Revision 23, dated June 1, 2011, or as further re	
S-3	The volume of in the Bay 14A Vault shall be no shall be specifically shown to be critically	
S-4	In no more than may be in transit within e	each cubicle at any one time.
S-5	The former 10 CFR 20.304, "Old Recovery" disp accordance with letter dated January 31, 1997, /	
S-6	The "Cold" Surface Impoundment Pond was surdated April 29 and May 24, 1999, from A.F. Olse Safety and Safeguards U.S. Nuclear Regulatory Amendment 42 dated June 24, 1999.	en to the Director, Office of Nuclear Material
	The "Hot" Surface Impoundment Pond was reme April 28, 2000, from A.F. Olsen to the Director, C Safeguards, U.S. NRC and documented in Ame	Office of Nuclear Material Safety and
	The results from the above actions may be rease order to include any possible dose from these ar BWX Technologies shall control licensed materia and shall keep records of all work done in these	reas in the dose assessment for the entire site. al which could migrate and re-impact the area
S-7	The Final Status Survey Report (FSSR) for the I application dated August 10, 2005, has been de requirements of 10 CFR 70.38 in that the landfill	etermined by the NRC staff to meet the

NRC FORM 374	4A U.S. NUCLEAR REGULATORY COMMISSION	4
		License Number SNM-42
	MATERIALS LICENSE SUPPLEMENTARY SHEET	Docket or Reference Number 70-27
		Amendment 12
	decommissioning plan approved on November 2 however, the results of the FSSR may be re-ass landfill in the site dose assessment. BWX Tech which could migrate and impact the area, and ke	essed in order to include any dose from this nologies shall also control licensed material
S-8	The Final Status Survey Report (FSSR) for Indu application dated December 22, 2000, has been meet the requirements of 10 CFR 70.38 in that t accordance with a decommissioning plan approv However, at the time of license termination, the order to include any possible dose from these la site. BWX Technologies shall also control license the area, and keep records of all work done in the	n reviewed by the NRC staff and determined to he landfills have been remediated in ved by NRC letter dated February 25, 1998. results from the FSSR may be reassessed in indfills in the dose assessment for the entire sed material, which could migrate and re-impact
S-9	The licensee is granted an exemption to 10 CFF Limit on Intake (ALI) and Derived Air Concentrat adopted by the International Commission on Ray ICRP Publication No. 68 for determining occupa individual members of the public, pursuant to 10	tion (DAC) values based on dose coefficients diological Protection (ICRP), and published in tional dose, and for determining dose to
S-10	BWX Technologies, is exempt from fissile mater package standards of 10 CFR 71.55 and 10 CFR materials. The materials are listed in Table 1 of application dated May 23, 2003, as modified by to the additional limits and controls listed in note materials is subject to all other requirements of 7	R 71.59 for the transport of certain bulk the attachment to BWX Technologies' letter dated October 30, 2003, and are subject is 1 through 11 in Table 1. Shipment of the
S-11	"Systems involving A1B or VFF clusters" shall be containing clusters clusters. This shall apply to	e deemed to include only workstations
S-12	Not withstanding the requirements of 10 CFR 70 and outdoor spent fuel storage tubes at the Lynd during periods when the material is in the stored inaccessible. When the shield plugs are access implementation of NRC Order EA-07-011), the r met. The licensee shall have permanent fixed c operational in the spent nuclear fuel storage are	chburg Technology Center (LTC) is not required I configuration with shield plugs in place and hible (i.e., without the modifications due to equirements of 10 CFR 70.24 (a)(1) shall be riticality monitoring systems in-place and

NRC FORM 374A U.S. NUCLEAR REGULATORY COMMISSION	5		
	License Number SNM-42		
MATERIALS LICENSE SUPPLEMENTARY SHEET	Docket or Reference Number 70-27		
	Amendment 12		
present. In addition, when access to the spent f the permanent fixed criticality monitoring system described in its May 2, 2007, application to the N	ns with hand-held radiation monitoring as		
S-13 B&W NOG may make changes to the License Applicati License Application, without prior NRC approval, if the o			
 The change does not decrease the level of effectivenes License Application. The change does not result in a departure from the met 	ŝ(),		
 Application used in establishing the design basis. The change does not result in a degradation of safety. The change does not affect compliance with applicable regulatory requirements. The change does not conflict with an existing license condition. 			
 Within 6 months after each change is made, the license License Application to the Director, NMSS, using an ap copy to the appropriate NRC Regional Office. 			
SAFEGUARDS CONDITIONS			
Section 1.0 - ABRUPT LOSS DETECTION	25		
There are no license conditions in this section. The necessary information and commitments are contained in the Plan identified in Safeguards Condition SG-5.1.			
Section 2.0 - ITEM MONITORING			
There are no license conditions in this section. The necessary information and commitments are contained in the Plan identified in Safeguards Condition SG-5.1.			
Section 3.0 - ALARM RESOLUTION			
There are no license conditions in this section. The necessary information and commitments are contained in the Plan identified in Safeguards Condition SG-5.1.			
Section 4.0 - QUALITY ASSURANCE			
SG-4.1 Notwithstanding the requirements of 10 CFR 74 measurements sufficient to substantiate the ural fissile isotope content of all SSNM received, inve	nium and plutonium element and the uranium		

NRC FORM 374	A U.S. NUCLEAR REGULATORY COMMISSION	6	
		License Number SNM-42	
	MATERIALS LICENSE SUPPLEMENTARY SHEET	Docket or Reference Number 70-27	
		Amendment 12	
	(a) shall follow Section 4.7.1.3 of the Plan identified in Safeguards Condition SG-5.1 with respect to mechanical treatment of receipts of certified reactor fuel for the purpose of storage consolidation, without measurement for physical inventory purposes. That is, following mechanical treatment, the original receipt value shall be retained for accounting purposes until the material undergoes chemical processing;		
	(b) need not measure the total element content of those materials measured by nondestructive assay for if the calculated element content is based on the measured isotope content divided by a previously established and traceable isotopic abundance (as a weight fraction) measurement at the area of generation;		
	 (c) shall, without measurement, process and/or are received with intact provided (i) the the remains intact prior to processing by the manufacturer are assigned to these it 	y were manufactured by a DOE contractor, (ii) g, and (iii) the previous values determined	
		ified in Safeguards Condition SG-5.1 for the nent-required retainer samples received, nt shipper-receiver difference does not exist on	
	(e) shall follow Section 4.3.1.7 of the Plan identi measurement of content of element	ified in Safeguards Condition SG-5.1 for the nt sections in the form of	
SG-4.2	To satisfy the requirements of 10 CFR 74.59(h)(shipment, for finished the licensed in Safeguards Condition SG-5.1.	(1)(ii) that limits of error be calculated for each e shall follow Section 4.7.2 of the Plan identified	
SG-4.3	Notwithstanding the requirements of 10 CFR 74 performance of measurement processes, to measystems, to perform replicate sampling and repliperform replicate isotopic analysis, to generate and to generate separate random errors for sam licensee shall follow Section 4.4 of the Plan identified of the	asure standards and replicates for bulk volume icate analysis for environmental releases, to bulk and random errors for process materials, apling and analysis on all sampling systems, the	
SG-4.4	Notwithstanding the requirements of 10 CFR 74 licensee shall follow Section 4.4.2.4 of the Plan		
SG-4.5	The use of disposable pipettes is limited to those Plan identified in Safeguards Condition SG-5.1.	e applications listed in Section 4.4.2.2.3 of the	

7

NRC FORM 374A U.S. NUCLEAR REGULATORY COMMISSION 7			
		License Number SNM-42	
	MATERIALS LICENSE SUPPLEMENTARY SHEET	Docket or Reference Number 70-27	
		Amendment 12	
SG-4.6	Any in-process measurements performed for the accountability shall not be required to meet 10 C	e sole purpose of process monitoring and not for CFR 74.59(e) requirements.	
SG-4.7	Notwithstanding the requirements of 10 CFR 74.59(e)(5) to statistically evaluate all program data and information, the licensee shall exclude secondary weights from the standard error of inventory difference (SEID) calculation and bias corrections.		
SG-4.8	Notwithstanding the requirements of 10 CFR 74 control system designed to monitor the quality o licensee shall:		
	(a) follow Section 4.4.2.3 of the Plan identified in Safeguards Condition SG-5.1 in lieu of maintaining control charts for control standard measurements associated with scales and balances and nondestructive assay measurement systems; and		
	(b) follow Section 4.4.2.11 of the Plan identified controlling within-lot sampling errors of	in Safeguards Condition SG-5.1 in lieu of at the 0.05 and 0.001 levels of significance.	
SG-4.9	Notwithstanding the requirements of 10 CFR 74.59(e)(3) and (8) to determine and control random and systematic errors, the licensee shall exclude the measured discard path for airborne environmental releases from the measurement control program and the standard error of inventory difference (SEID) calculation.		
SG-4.10	Notwithstanding the requirement of 10 CFR 74.59(e)(3)(i) to measure control standards for all measurement systems for the purpose of determining bias, and notwithstanding the requirement of 10 CFR 74.59(e)(8) to maintain a statistical control system to monitor such control standard measurements, the licensee need not measure nor monitor control standards for point calibrated, bias-free systems. To be regarded as bias-free, a measurement system shall be calibrated by one or more measurements of a representative standard each time process unknowns are measured, and the measurement value assigned to a given unknown shall be based on that calibration.		
SG-4.11	Notwithstanding the commitment, in Section 4.7 Condition SG-5.1, to perform receipt verification 741 within 30 days of receiving shipments of stra shall have 30 additional days from the date of th commitment relative to the shipment of high-enr September 6, 2002, request letter. This condition the last shipment of the subject uranium metal.	n measurements and distribute DOE/NRC Form rategic special nuclear material, the licensee the material receipt to fulfill the above stated riched uranium metal identified in the	

NRC FORM 374	A U.S. NUCLEAR REGULATORY COMMISSION	8
		License Number SNM-42
	MATERIALS LICENSE SUPPLEMENTARY SHEET	Docket or Reference Number 70-27
		Amendment 12
SG-4.12	Notwithstanding the commitment in Section 4.7. Condition SG-5.1 to follow NUREG/BR-0006, "In Transaction Reports," for performing and reporti (a) within 10 days acknowledge receipt of the sh using the shipper's values, and (b) within 75 day receiver's values, if necessary, in accordance w applies to the impure oxide identified in the licen November 10, 2004, and shall automatically exp oxide. Upon completion of the final shipment, B amend SNM-42 to delete this Safeguards Condi	nstructions for Completing Nuclear Material ng receipt measurements, the licensee shall: nipment in accordance with NUREG/BR-0006 vs after receipt of each shipment report ith NUREG/BR-0006. The condition only usee's letters dated September 28 and bire on the final shipment of the subject impure WXT shall notify NRC with a written request to
Section 5.0 -	FNMC PLANS AND SPECIAL REGULATORY IS	SUES
SG-5.1	To achieve the performance objectives of 10 CF of 10 CFR 74.51(b) with respect to all activities shall follow the General Discussion and Chapter 2010) of its "Fundamental Nuclear Materials Co 42." Any revisions to this Plan shall be made in 10 CFR 70.32(c) or 70.34.	rs 1.0 through 4.0 (all pages dated March 4, ntrol Plan - Special Nuclear Materials License
SG-5.2	In lieu of the requirements of 10 CFR 74.59(h)(1 differences on a basis for receipts of follow Sections 4.7.1.12, 4.7.2.10, 4.7.2.11, and Condition SG-5.1. For this material, the recover campaign shall be evaluated in accordance with relative to all shipments in a campaign and a cur	off-site generated scrap, the licensee shall 4.7.2.12 of the Plan identified in Safeguards ed quantities and associated uncertainties for a the requirements of 10 CFR 74.59(h)(1)(ii)
SG-5.3	Notwithstanding the requirement of 10 CFR 74.5 a standard deviation greater than five percent w period in which it was generated, the licensee sh oil, organic, or other mixed scrap with a standard processes can be developed to eliminate the ge for the conversion of this scrap to a better meas	ithin six months from the end of the inventory nall retain no more than in d deviation greater than five percent until neration of this scrap or an approved process
SG-5.4	Operations involving special nuclear material wh Safeguards Condition SG-5.1 shall not be initiate been approved by the Nuclear Regulatory Comr	ed until an appropriate safeguards plan has

NRC FORM 374A U.S. NUCLEAR REGULATORY COMMISSION 9			
		License Number SNM-42	
	MATERIALS LICENSE SUPPLEMENTARY SHEET	Docket or Reference Number 70-27	
		Amendment 12	
SG-5.5	The restriction of 10 CFR 74.51(d)(2) is hereby lifted, and based on performance acceptable to the NRC, the licensee is authorized to conduct physical inventories in accordance with the requirements of 10 CFR 74.59(f)(1). The licensee need not calculate the standard error of inventory difference (SEID) for a given plant if the inventory difference for that plant is less than 300 grams U-235 contained in HEU or less than 9,000 grams U-235 contained in LEU.		
SG-5.6	Notwithstanding the SNM possession limits allowed by Conditions 6, 7 and 8 of this license, and notwithstanding the material control and accounting (MC&A) requirements that would normally apply to the authorized possession and use of such SNM quantities, is exempted from the MC&A requirements of 10 CFR Parts 70 and 74 except for those identified below. This exemption is conditional upon compliance with the licensee's commitments, as given in the General Discussion Section of the Plan identified in Safeguards Condition SG-5.1, to: (1) maintain the total possessed unirradiated and unencapsulated SNM quantity at the LTC below 1 effective kilogram, and (2) maintain the LTC as a separate plant located outside of the security protected area fence that encloses the BWXT Nuclear Products Division facility. Those MC&A regulatory requirements of 10 CFR 74.6; 10 CFR 74.11; 10 CFR 74.13(a);		
	10 CFR 74.15; 10 CFR 74.17(c); 10 CFR 74.19; 10 CFR 74.59(d)(2); 10 CFR 74.59(e)(3), (4) and 10 CFR 74.59(h)(1)(i), and 10 CFR 74.59(h)(3);	; 10 CFR 74.59(b)(1) and (2); 10 CFR 74.59(c); d (8); 10 CFR 74.59(f); and	
Section 6.0 - PHYSICAL PROTECTION FOR STRATEGIC SPECIAL NUCLEAR MATERIAL			
SG-6.1	The licensee shall follow the measures describe Group Physical Protection Plan (Plan)," dated A security procedures that are used to comply with with the provisions of 10 CFR 70.32(e).	ugust 5, 2010, submitted as Revision 12.1, and	
SG-6.2	The licensee shall follow the measures described in the, "BWX Technologies Nuclear Products Division Security Training, Qualification, and Equipment Plan, dated April 29, 2004, submitted as Revision 11 on October 13, 2004, and as revised in accordance with the provisions of 10 CFR 70.32(e).		
SG-6.3	The licensee shall follow the plan titled, "BWX To Safeguards Contingency Plan," dated March 3, 2 in accordance with the provisions of 10 CFR 70.	2006, submitted as Revision 3, and as revised	

NRC FORM 374A U.S. NUCLEAR REGULATORY COMMISSION 10			
		License Number SNM-42	
	MATERIALS LICENSE SUPPLEMENTARY SHEET	Docket or Reference Number 70-27	
		Amendment 12	
SG-6.4	The licensee shall implement and maintain a procedure for areas where a security plan submittal to the NRC is not required (e.g. Lynchburg Technology Center) in accordance with 10 CFR 73.67, and shall limit the possession of special nuclear material for those areas below that of a Moderate Strategic Significance, and below 10 kg of total special nuclear material. In addition, quantities of un-irradiated and un-encapsulated special nuclear material shall be limited to the amount specified in Safeguards Condition SG-5.6. In the event the licensee plans to exceed these quantities, an appropriate security plan shall be submitted to the NRC in accordance with 10 CFR 73.67(c).		
SG-6.5	Notwithstanding the requirements of 10 CFR 73.40 and 10 CFR 73.50, for the protection of formula quantities of special nuclear material, with radiation dose rates greater than specified in 10 CFR 73.6(b), the licensee shall implement an NRC-approved security plan for the protection of prior to receipt of those The special nuclear material protected by this security plan shall be limited to the equivalent of The special nuclear material protected by this security plan shall protected by this security plan shall be limited to the equivalent of The special nuclear material protected by this security plan shall have at least		
SG-6.6	The licensee shall follow the measures described in the Physical Security Plan titled, "Physical Protection Plan for Special Nuclear Material of Moderate and Low Strategic Significance," dated December 16, 2004, for the BWXT Building FF, Revision 2, and security procedures used to comply with the plan as revised in accordance with the provisions of 10 CFR 70.32(e).		
SG-6.7	Notwithstanding the requirements of 10 CFR 73.46(b)(10)(iii) and (iv); 10 CFR 73.46(b)(11)(iii) and (v); 10 CFR 73.46(b)(12)(ii); and Part 73, Appendix B, paragraphs I.B.1.b, I.B.2.b, and I.C, the licensee shall use physicians or nurse practitioners, licensed under the Commonwealth of Virginia regulations 18 VAC 90-30-10, et seq., to conduct the required medical examinations.		
SG-6.8	The licensee shall follow the additional security response to NRC's request for additional informa spent nuclear fuel is accessible in the spent nuc	ation regarding the NRC Order EA-07-011 when	
Section 7.0 - INTERNATIONAL SAFEGUARDS			
SG-7.1	The Licensee shall comply with the current versi Subsidiary Arrangements to the US-IAEA Safeg applies to the areas of the identif Information Questionnaire for the facility.	•	