

Dennis P. O'Dowd
Health Physicist
MATERIALS LICENSING BRANCH



TELECON & FAX TRANSMITTAL

TO: _____
COMPANY: _____
FAX No.: _____
E-Mail: _____

NUCLEAR REGULATORY COMMISSION
REGION III
2443 WARRENVILLE ROAD
LISLE, ILLINOIS 60532-4351
OFFICE: (630) 829-9573
FAX: (630) 515-1078
EMAIL: dennis.o'dowd@nrc.gov

PAGE: 1 of 2

CONVERSATION RECORD

	TIME	DATE
	10:42 am	January 6, 2012
NAME OF PERSON(S) CONTACTED	TELEPHONE NO.	ORGANIZATION
James M. Botti Consultant Physicist for Hills & Dales General Hospital	(734) 662-3197	Hills & Dales General Hospital
SUBJECT		
License No.: 21-26080-02		Control No.: 576354

SUMMARY

Left a detailed voice mail message informing Mr. Botti of the following with regard to letter dated November 3, 2011, requesting that License No. 21-26080-02 be amendment to (1) add Kevin Kearney, M.D. as an AU and (2) name Vikram Rao, M.D. as RSO for the license.

1. The letter states that a copy of the ABR certificate for Dr. Kearney is included; however, it was not included.
2. The letter states that a copy of the ABR certificate for Dr. Rao is included; however, it was not included.
3. The Form 313A (RSO) submitted in support of Dr. Rao being designated as RSO is not properly completed, in that Item 1 "Board Certification" is indicated (check box), when in fact, the appropriate indication is that Dr. Rao is currently an authorized user for all uses authorized by the license. Therefore, Item 4 "Authorized User," of this section of the Form should have been checked off instead.

RESPONSE/ACTION REQUIRED

In a subsequent conversation with the licensee's consulting physicist, Mr. James Botti, he contended that the correction to the form was not necessary, as Dr. Rao had acceptable ABR certification, and that he would ensure that the copies of the certifications were faxed to our office. However, upon completion of review of these documents, while it was ascertained that Dr. Kearney's certificate met the current requirement for recognition, Dr. Rao's did not (i.e., he received his ABR certification in 1995 and is not designated as "AU-eligible"). Therefore, it is necessary that the Form 313A (RSO) indicate the appropriate basis for acceptance (Item 4, Current AU on the license) in order for action to be taken on this request. Mr. Botti was notified of this in several voice mail messages, on which he confirmed receipt.

The licensee was contacted directly on January 27, 2012. The reviewer spoke with Peggy Davidson in the Radiology Department. Ms. Davidson confirmed that she was aware of the deficiencies in the amendment application, and that Mr. Botti's office had obtained the necessary signature and revised Form 313A (RSO) from the preceptor (Dr. Veenhuis) and that the document(s) had been mailed on January 23, 2012. As soon as Hills and Dales General Hospital receives the documents, they will be forwarded to our office. I provided the fax number and the control numbers to reference in the forwarding of the information.

Hills and Dales General Hospital
License No. 21-26080-02
Control No. 576354

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter will be available electronically for public inspection in the NRC Public Document Room or from the NRC's Agencywide Documents Access and Management System (ADAMS), accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>.

NAME OF PERSON DOCUMENTING CONVERSATION

Dennis P. O'Dowd

Dennis P. O'Dowd

SIGNATURE

DATE 01/27/2012

DO