NorthAnnaRAIsPEm Resource

From: Barry Bryant [barry.bryant@dom.com]
Sent: Tuesday, February 21, 2012 3:42 PM

To: Patel, Chandu Cc: Regina Borsh

Subject: RAI Letter No. 17, Question 02.01.02-1, dated July 15, 2008

Attachments: RAI Question 02.01.02-1.doc

Chandu,

The attached document summarizes the subject RAI question and Dominion's response. Please let me know if you have any questions.

Thank you.

Barry

Barry C. Bryant, P.E.

Dominion Resources Services, Inc. North Anna 3 Project Office: 804.273.3279 Cell: 804.516.9986 barry.bryant@dom.com

CONFIDENTIALITY NOTICE: This electronic message contains information which may be legally confidential and/or privileged and does not in any case represent a firm ENERGY COMMODITY bid or offer relating thereto which binds the sender without an additional express written confirmation to that effect. The information is intended solely for the individual or entity named above and access by anyone else is unauthorized. If you are not the intended recipient, any disclosure, copying, distribution, or use of the contents of this information is prohibited and may be unlawful. If you have received this electronic transmission in error, please reply immediately to the sender that you have received the message in error, and delete it. Thank you.

Hearing Identifier: NorthAnna3_eRAI

Email Number: 28

Mail Envelope Properties (B52570EA21DB3E43BB1BB7891B06067D27A3B6A84F)

Subject: RAI Letter No. 17, Question 02.01.02-1, dated July 15, 2008

Sent Date: 2/21/2012 3:41:58 PM **Received Date:** 2/21/2012 3:41:29 PM

From: Barry Bryant

Created By: barry.bryant@dom.com

Recipients:

"Regina Borsh" < regina.borsh@dom.com>

Tracking Status: None

"Patel, Chandu" < Chandu. Patel @nrc.gov>

Tracking Status: None

Post Office: DOM-MBX01.mbu.ad.dominionnet.com

Files Size Date & Time

MESSAGE 1100 2/21/2012 3:41:29 PM

RAI Question 02.01.02-1.doc 24384

Options

Priority: Standard
Return Notification: No
Reply Requested: No
Sensitivity: Normal

Expiration Date: Recipients Received:

RAI Letter No. 17, Question 02.01.02-1 (dated July 15, 2008) noted that FSAR Section 2.1.2 did not address arrangements for control of the waste heat treatment facility (WHTF). Dominion's response to the RAI (Letter Serial No. NA3-08-086R, dated August 28, 2008) stated that arrangements with responsible state agencies regarding control of the WHTF area are discussed in FSAR Subsection 2.1.2.2. The RAI response also stated that Lake Anna consists of the WHTF and the Lake Anna Reservoir. (Note that the RAI response did not propose any change to the COLA.)

FSAR Section 2.1.2, Exclusion Area Authority and Control, incorporates by reference North Anna ESP SSAR Section 2.1.2, which includes all subsections in SSAR 2.1.2.

The third paragraph of SSAR Subsection 2.1.2.2 states:

"Should an event that necessitates implementing boating and water use restrictions on Lake Anna occur, the restrictions would be under the direction and authority of the Virginia Department of Game and Inland Fisheries (VDGIF), and the Sheriffs' Departments of Louisa, Spotsylvania, and Orange Counties. Such arrangements would be documented in the new units' emergency plan. In parallel, the appropriate portions of the emergency plan would be implemented in support of those state and local actions."

This paragraph is supplemented as described in FSAR Subsection 2.1.2.2 with the following:

"Under the Commonwealth of Virginia's Radiological Emergency Response Plan (COVRERP) (Reference 2.1-201), the Virginia Department of Game and Inland Fisheries is responsible for warning people in boats and assisting in traffic control of boats on Lake Anna in the vicinity of NAPS. This arrangement is documented in the COVRERP, Appendix 1."

Therefore, as stated in Dominion's response to RAI 02.01.02-1, FSAR Subsection 2.1.2.2 describes Dominion's arrangements with responsible state agencies regarding control of Lake Anna, which includes the WHTF.