

Appendix B-2. OMW-3 Water Level Data, Moore Ranch Supplemental Pump Testing

Date	Time	Elapsed Minutes	TSN#: 138098 PSI	SN#: 138098 Temp - C	SN#: 138098 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5429.860 GW Elevation	DTW	GW Elev
8/11/09	3:35:00	6440	3.020	10.321	189.172	5240.688	189.172	5240.688
8/11/09	3:40:00	6445	3.019	10.319	189.175	5240.686	189.175	5240.686
8/11/09	3:45:00	6450	3.018	10.317	189.176	5240.684	189.176	5240.684
8/11/09	3:50:00	6455	3.020	10.318	189.172	5240.688	189.172	5240.688
8/11/09	3:55:00	6460	3.021	10.318	189.169	5240.691	189.169	5240.691
8/11/09	4:00:00	6465	3.020	10.316	189.171	5240.689	189.171	5240.689
8/11/09	4:05:00	6470	3.019	10.317	189.175	5240.686	189.175	5240.686
8/11/09	4:10:00	6475	3.020	10.318	189.171	5240.689	189.171	5240.689
8/11/09	4:15:00	6480	3.022	10.319	189.166	5240.694	189.166	5240.694
8/11/09	4:20:00	6485	3.020	10.319	189.170	5240.690	189.170	5240.690
8/11/09	4:25:00	6490	3.022	10.318	189.167	5240.693	189.167	5240.693
8/11/09	4:30:00	6495	3.022	10.317	189.166	5240.694	189.166	5240.694
8/11/09	4:35:00	6500	3.022	10.317	189.166	5240.694	189.166	5240.694
8/11/09	4:40:00	6505	3.021	10.315	189.169	5240.691	189.169	5240.691
8/11/09	4:45:00	6510	3.023	10.318	189.163	5240.697	189.163	5240.697
8/11/09	4:50:00	6515	3.024	10.316	189.163	5240.697	189.163	5240.697
8/11/09	4:55:00	6520	3.023	10.316	189.164	5240.696	189.164	5240.696
8/11/09	5:00:00	6525	3.023	10.317	189.164	5240.696	189.164	5240.696
8/11/09	5:05:00	6530	3.024	10.316	189.162	5240.698	189.162	5240.698
8/11/09	5:10:00	6535	3.024	10.317	189.162	5240.698	189.162	5240.698
8/11/09	5:15:00	6540	3.024	10.317	189.162	5240.698	189.162	5240.698
8/11/09	5:20:00	6545	3.025	10.318	189.161	5240.699	189.161	5240.699
8/11/09	5:25:00	6550	3.024	10.316	189.161	5240.699	189.161	5240.699
8/11/09	5:30:00	6555	3.023	10.316	189.164	5240.696	189.164	5240.696
8/11/09	5:35:00	6560	3.023	10.319	189.164	5240.696	189.164	5240.696
8/11/09	5:40:00	6565	3.024	10.316	189.161	5240.699	189.161	5240.699
8/11/09	5:45:00	6570	3.024	10.317	189.162	5240.698	189.162	5240.698
8/11/09	5:50:00	6575	3.023	10.318	189.164	5240.696	189.164	5240.696
8/11/09	5:55:00	6580	3.025	10.318	189.160	5240.700	189.160	5240.700
8/11/09	6:00:00	6585	3.024	10.319	189.163	5240.697	189.163	5240.697
8/11/09	6:05:00	6590	3.023	10.320	189.163	5240.697	189.163	5240.697
8/11/09	6:10:00	6595	3.024	10.321	189.161	5240.699	189.161	5240.699
8/11/09	6:15:00	6600	3.023	10.318	189.163	5240.697	189.163	5240.697
8/11/09	6:20:00	6605	3.024	10.316	189.163	5240.697	189.163	5240.697
8/11/09	6:25:00	6610	3.024	10.317	189.163	5240.697	189.163	5240.697
8/11/09	6:30:00	6615	3.023	10.316	189.163	5240.697	189.163	5240.697
8/11/09	6:35:00	6620	3.023	10.320	189.163	5240.697	189.163	5240.697
8/11/09	6:40:00	6625	3.023	10.319	189.165	5240.695	189.165	5240.695
8/11/09	6:45:00	6630	3.023	10.318	189.165	5240.695	189.165	5240.695
8/11/09	6:50:00	6635	3.023	10.321	189.163	5240.697	189.163	5240.697
8/11/09	6:55:00	6640	3.023	10.317	189.164	5240.696	189.164	5240.696
8/11/09	7:00:00	6645	3.023	10.317	189.164	5240.696	189.164	5240.696
8/11/09	7:05:00	6650	3.022	10.319	189.166	5240.694	189.166	5240.694
8/11/09	7:10:00	6655	3.022	10.321	189.166	5240.694	189.166	5240.694
8/11/09	7:15:00	6660	3.021	10.321	189.168	5240.692	189.168	5240.692
8/11/09	7:20:00	6665	3.021	10.319	189.169	5240.691	189.169	5240.691
8/11/09	7:25:00	6670	3.021	10.320	189.168	5240.692	189.168	5240.692
8/11/09	7:30:00	6675	3.021	10.319	189.169	5240.691	189.169	5240.691
8/11/09	7:35:00	6680	3.021	10.318	189.169	5240.691	189.169	5240.691
8/11/09	7:40:00	6685	3.020	10.321	189.170	5240.690	189.170	5240.690
8/11/09	7:45:00	6690	3.018	10.317	189.175	5240.685	189.175	5240.685
8/11/09	7:50:00	6695	3.019	10.320	189.174	5240.686	189.174	5240.686
8/11/09	7:55:00	6700	3.018	10.317	189.177	5240.683	189.177	5240.683
8/11/09	8:00:00	6705	3.018	10.319	189.176	5240.684	189.176	5240.684
8/11/09	8:05:00	6710	3.018	10.319	189.175	5240.685	189.175	5240.685
8/11/09	8:10:00	6715	3.017	10.320	189.178	5240.682	189.178	5240.682

Appendix B-2. OMW-3 Water Level Data, Moore Ranch Supplemental Pump Testing

Date	Time	Elapsed Minutes	SN#: 138098 PSI	SN#: 138098 Temp - C	SN#: 138098 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5429.860 GW Elevation	DTW	GW Elev
8/11/09	8:15:00	6720	3.017	10.316	189.179	5240.681	189.179	5240.681
8/11/09	8:20:00	6725	3.016	10.319	189.182	5240.678	189.182	5240.678
8/11/09	8:25:00	6730	3.016	10.319	189.180	5240.680	189.180	5240.680
8/11/09	8:30:00	6735	3.016	10.319	189.181	5240.679	189.181	5240.679
8/11/09	8:35:00	6740	3.016	10.321	189.181	5240.679	189.181	5240.679
8/11/09	8:40:00	6745	3.016	10.320	189.180	5240.680	189.180	5240.680
8/11/09	8:45:00	6750	3.015	10.319	189.184	5240.676	189.184	5240.676
8/11/09	8:50:00	6755	3.014	10.317	189.184	5240.676	189.184	5240.676
8/11/09	8:55:00	6760	3.014	10.316	189.185	5240.675	189.185	5240.675
8/11/09	9:00:00	6765	3.014	10.320	189.184	5240.676	189.184	5240.676
8/11/09	9:05:00	6770	3.013	10.321	189.187	5240.673	189.187	5240.673
8/11/09	9:10:00	6775	3.014	10.322	189.186	5240.674	189.186	5240.674
8/11/09	9:15:00	6780	3.013	10.320	189.188	5240.672	189.188	5240.672
8/11/09	9:20:00	6785	3.013	10.317	189.187	5240.673	189.187	5240.673
8/11/09	9:25:00	6790	3.013	10.318	189.186	5240.674	189.186	5240.674
8/11/09	9:30:00	6795	3.014	10.318	189.186	5240.674	189.186	5240.674
8/11/09	9:35:00	6800	3.014	10.319	189.186	5240.674	189.186	5240.674
8/11/09	9:40:00	6805	3.014	10.319	189.184	5240.676	189.184	5240.676
8/11/09	9:45:00	6810	3.014	10.319	189.186	5240.674	189.186	5240.674
8/11/09	9:50:00	6815	3.014	10.320	189.185	5240.675	189.185	5240.675
8/11/09	9:55:00	6820	3.014	10.319	189.185	5240.675	189.185	5240.675
8/11/09	10:00:00	6825	3.015	10.322	189.183	5240.677	189.183	5240.677
8/11/09	10:05:00	6830	3.010	10.322	189.193	5240.667	189.193	5240.667
8/11/09	10:10:00	6835	3.013	10.320	189.187	5240.673	189.187	5240.673
8/11/09	10:15:00	6840	3.013	10.319	189.187	5240.673	189.187	5240.673
8/11/09	10:20:00	6845	3.014	10.320	189.184	5240.676	189.184	5240.676
8/11/09	10:25:00	6850	3.014	10.317	189.185	5240.675	189.185	5240.675
8/11/09	10:30:00	6855	3.015	10.319	189.182	5240.678	189.182	5240.678
8/11/09	10:35:00	6860	3.013	10.317	189.186	5240.674	189.186	5240.674
8/11/09	10:40:00	6865	3.014	10.317	189.186	5240.674	189.186	5240.674
8/11/09	10:45:00	6870	3.014	10.317	189.185	5240.675	189.185	5240.675
8/11/09	10:50:00	6875	3.016	10.318	189.181	5240.679	189.181	5240.679
8/11/09	10:55:00	6880	3.015	10.321	189.182	5240.678	189.182	5240.678
8/11/09	11:00:00	6885	3.015	10.317	189.183	5240.677	189.183	5240.677
8/11/09	11:05:00	6890	3.015	10.319	189.182	5240.678	189.182	5240.678
8/11/09	11:10:00	6895	3.015	10.319	189.182	5240.678	189.182	5240.678
8/11/09	11:15:00	6900	3.016	10.320	189.182	5240.678	189.182	5240.678
8/11/09	11:20:00	6905	3.017	10.319	189.177	5240.683	189.177	5240.683
8/11/09	11:25:00	6910	3.019	10.321	189.173	5240.687	189.173	5240.687
8/11/09	11:30:00	6915	3.016	10.321	189.180	5240.680	189.180	5240.680
8/11/09	11:35:00	6920	3.018	10.319	189.176	5240.684	189.176	5240.684
8/11/09	11:40:00	6925	3.018	10.320	189.176	5240.684	189.176	5240.684
8/11/09	11:45:00	6930	3.017	10.318	189.177	5240.683	189.177	5240.683
8/11/09	11:50:00	6935	3.017	10.318	189.178	5240.682	189.178	5240.682
8/11/09	11:55:00	6940	3.019	10.319	189.174	5240.686	189.174	5240.686
8/11/09	12:00:00	6945	3.018	10.318	189.175	5240.685	189.175	5240.685
8/11/09	12:05:00	6950	3.018	10.319	189.175	5240.685	189.175	5240.685
8/11/09	12:10:00	6955	3.019	10.322	189.175	5240.686	189.175	5240.686
8/11/09	12:15:00	6960	3.019	10.319	189.173	5240.687	189.173	5240.687
8/11/09	12:20:00	6965	3.020	10.318	189.172	5240.688	189.172	5240.688
8/11/09	12:25:00	6970	3.021	10.321	189.169	5240.691	189.169	5240.691
8/11/09	12:30:00	6975	3.022	10.323	189.167	5240.693	189.167	5240.693
8/11/09	12:35:00	6980	3.022	10.322	189.167	5240.693	189.167	5240.693
8/11/09	12:40:00	6985	3.022	10.323	189.167	5240.693	189.167	5240.693
8/11/09	12:45:00	6990	3.023	10.322	189.164	5240.696	189.164	5240.696
8/11/09	12:50:00	6995	3.024	10.323	189.163	5240.697	189.163	5240.697

Appendix B-2. OMW-3 Water Level Data, Moore Ranch Supplemental Pump Testing

Date	Time	Elapsed Minutes	TSN#: 138098 PSI	SN#: 138098 Temp - C	SN#: 138098 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5429.860 GW Elevation	DTW	GW Elev
8/11/09	12:55:00	7000	3.025	10.321	189.160	5240.700	189.160	5240.700
8/11/09	13:00:00	7005	3.025	10.320	189.159	5240.701	189.159	5240.701
8/11/09	13:05:00	7010	3.025	10.321	189.160	5240.700	189.160	5240.700
8/11/09	13:10:00	7015	3.027	10.316	189.154	5240.706	189.154	5240.706
8/11/09	13:15:00	7020	3.027	10.321	189.154	5240.706	189.154	5240.706
8/11/09	13:20:00	7025	3.028	10.320	189.152	5240.708	189.152	5240.708
8/11/09	13:25:00	7030	3.028	10.321	189.153	5240.707	189.153	5240.707
8/11/09	13:30:00	7035	3.030	10.319	189.149	5240.711	189.149	5240.711
8/11/09	13:35:00	7040	3.028	10.320	189.152	5240.708	189.152	5240.708
8/11/09	13:40:00	7045	3.031	10.320	189.147	5240.713	189.147	5240.713
8/11/09	13:45:00	7050	3.032	10.323	189.143	5240.717	189.143	5240.717
8/11/09	13:50:00	7055	3.029	10.320	189.150	5240.710	189.150	5240.710
8/11/09	13:55:00	7060	3.030	10.319	189.148	5240.712	189.148	5240.712
8/11/09	14:00:00	7065	3.031	10.317	189.145	5240.715	189.145	5240.715
8/11/09	14:05:00	7070	3.032	10.318	189.145	5240.715	189.145	5240.715
8/11/09	14:10:00	7075	3.031	10.319	189.145	5240.715	189.145	5240.715
8/11/09	14:15:00	7080	3.033	10.317	189.142	5240.718	189.142	5240.718
8/11/09	14:20:00	7085	3.031	10.320	189.146	5240.714	189.146	5240.714
8/11/09	14:25:00	7090	3.034	10.321	189.139	5240.721	189.139	5240.721
8/11/09	14:30:00	7095	3.034	10.322	189.139	5240.721	189.139	5240.721
8/11/09	14:35:00	7100	3.033	10.319	189.140	5240.720	189.140	5240.720
8/11/09	14:40:00	7105	3.033	10.320	189.141	5240.719	189.141	5240.719
8/11/09	14:45:00	7110	3.033	10.317	189.141	5240.719	189.141	5240.719
8/11/09	14:50:00	7115	3.035	10.317	189.136	5240.724	189.136	5240.724
8/11/09	14:55:00	7120	3.035	10.319	189.137	5240.723	189.137	5240.723
8/11/09	15:00:00	7125	3.035	10.316	189.136	5240.724	189.136	5240.724
8/11/09	15:05:00	7130	3.037	10.319	189.131	5240.729	189.131	5240.729
8/11/09	15:10:00	7135	3.036	10.314	189.133	5240.727	189.133	5240.727
8/11/09	15:15:00	7140	3.038	10.316	189.130	5240.730	189.130	5240.730
8/11/09	15:20:00	7145	3.037	10.315	189.133	5240.727	189.133	5240.727
8/11/09	15:25:00	7150	3.037	10.315	189.132	5240.728	189.132	5240.728
8/11/09	15:30:00	7155	3.038	10.317	189.130	5240.730	189.130	5240.730
8/11/09	15:35:00	7160	3.038	10.318	189.130	5240.730	189.130	5240.730
8/11/09	15:40:00	7165	3.038	10.316	189.129	5240.731	189.129	5240.731
8/11/09	15:45:00	7170	3.038	10.319	189.129	5240.731	189.129	5240.731
8/11/09	15:50:00	7175	3.039	10.317	189.127	5240.733	189.127	5240.733
8/11/09	15:55:00	7180	3.040	10.318	189.125	5240.735	189.125	5240.735
8/11/09	16:00:00	7185	3.042	10.317	189.121	5240.739	189.121	5240.739
8/11/09	16:05:00	7190	3.042	10.319	189.121	5240.739	189.121	5240.739
8/11/09	16:10:00	7195	3.042	10.318	189.121	5240.739	189.121	5240.739
8/11/09	16:15:00	7200	3.041	10.320	189.123	5240.737	189.123	5240.737
8/11/09	16:20:00	7205	3.042	10.321	189.121	5240.739	189.121	5240.739
8/11/09	16:25:00	7210	3.043	10.321	189.118	5240.742	189.118	5240.742
8/11/09	16:30:00	7215	3.044	10.321	189.117	5240.743	189.117	5240.743
8/11/09	16:35:00	7220	3.044	10.318	189.116	5240.744	189.116	5240.744
8/11/09	16:40:00	7225	3.046	10.323	189.112	5240.748	189.112	5240.748
8/11/09	16:45:00	7230	3.045	10.321	189.112	5240.748	189.112	5240.748
8/11/09	16:50:00	7235	3.044	10.321	189.115	5240.745	189.115	5240.745
8/11/09	16:55:00	7240	3.047	10.322	189.109	5240.751	189.109	5240.751
8/11/09	17:00:00	7245	3.046	10.320	189.111	5240.749	189.111	5240.749
8/11/09	17:05:00	7250	3.048	10.321	189.108	5240.752	189.108	5240.752
8/11/09	17:10:00	7255	3.046	10.322	189.110	5240.750	189.110	5240.750
8/11/09	17:15:00	7260	3.047	10.319	189.109	5240.751	189.109	5240.751
8/11/09	17:20:00	7265	3.048	10.319	189.107	5240.753	189.107	5240.753
8/11/09	17:25:00	7270	3.047	10.318	189.108	5240.752	189.108	5240.752
8/11/09	17:30:00	7275	3.049	10.320	189.105	5240.755	189.105	5240.755

Appendix B-2. OMW-3 Water Level Data, Moore Ranch Supplemental Pump Testing

Date	Time	Elapsed Minutes	TSN#: 138098 PSI	SN#: 138098 Temp - C	SN#: 138098 DTW (ft btoc)	TOC Elev	Corrected DTW	Corrected GW Elev
						5429.860 GW Elevation		
8/11/09	17:35:00	7280	3.048	10.318	189.106	5240.754	189.106	5240.754
8/11/09	17:40:00	7285	3.049	10.320	189.103	5240.757	189.103	5240.757
8/11/09	17:45:00	7290	3.050	10.320	189.101	5240.759	189.101	5240.759
8/11/09	17:50:00	7295	3.050	10.318	189.103	5240.757	189.103	5240.757
8/11/09	17:55:00	7300	3.049	10.318	189.103	5240.757	189.103	5240.757
8/11/09	18:00:00	7305	3.050	10.318	189.102	5240.758	189.102	5240.758
8/11/09	18:05:00	7310	3.051	10.316	189.101	5240.759	189.101	5240.759
8/11/09	18:10:00	7315	3.050	10.317	189.103	5240.757	189.103	5240.757
8/11/09	18:15:00	7320	3.050	10.318	189.102	5240.758	189.102	5240.758
8/11/09	18:20:00	7325	3.051	10.322	189.099	5240.761	189.099	5240.761
8/11/09	18:25:00	7330	3.051	10.321	189.099	5240.761	189.099	5240.761
8/11/09	18:30:00	7335	3.052	10.318	189.097	5240.763	189.097	5240.763
8/11/09	18:35:00	7340	3.052	10.318	189.098	5240.762	189.098	5240.762
8/11/09	18:40:00	7345	3.050	10.317	189.102	5240.758	189.102	5240.758
8/11/09	18:45:00	7350	3.051	10.318	189.099	5240.761	189.099	5240.761
8/11/09	18:50:00	7355	3.051	10.323	189.100	5240.760	189.100	5240.760
8/11/09	18:55:00	7360	3.051	10.319	189.101	5240.759	189.101	5240.759
8/11/09	19:00:00	7365	3.052	10.321	189.098	5240.762	189.098	5240.762
8/11/09	19:05:00	7370	3.052	10.324	189.096	5240.764	189.096	5240.764
8/11/09	19:10:00	7375	3.051	10.319	189.100	5240.760	189.100	5240.760
8/11/09	19:15:00	7380	3.052	10.319	189.097	5240.763	189.097	5240.763
8/11/09	19:20:00	7385	3.050	10.318	189.102	5240.758	189.102	5240.758
8/11/09	19:25:00	7390	3.052	10.319	189.097	5240.763	189.097	5240.763
8/11/09	19:30:00	7395	3.050	10.319	189.102	5240.758	189.102	5240.758
8/11/09	19:35:00	7400	3.052	10.317	189.097	5240.763	189.097	5240.763
8/11/09	19:40:00	7405	3.053	10.318	189.096	5240.764	189.096	5240.764
8/11/09	19:45:00	7410	3.052	10.319	189.097	5240.763	189.097	5240.763
8/11/09	19:50:00	7415	3.050	10.320	189.102	5240.758	189.102	5240.758
8/11/09	19:55:00	7420	3.051	10.322	189.100	5240.760	189.100	5240.760
8/11/09	20:00:00	7425	3.051	10.320	189.099	5240.761	189.099	5240.761
8/11/09	20:05:00	7430	3.052	10.319	189.098	5240.762	189.098	5240.762
8/11/09	20:10:00	7435	3.052	10.317	189.098	5240.762	189.098	5240.762
8/11/09	20:15:00	7440	3.052	10.321	189.097	5240.763	189.097	5240.763
8/11/09	20:20:00	7445	3.050	10.320	189.101	5240.759	189.101	5240.759
8/11/09	20:25:00	7450	3.051	10.321	189.100	5240.760	189.100	5240.760
8/11/09	20:30:00	7455	3.051	10.318	189.099	5240.761	189.099	5240.761
8/11/09	20:35:00	7460	3.050	10.319	189.101	5240.759	189.101	5240.759
8/11/09	20:40:00	7465	3.049	10.320	189.104	5240.756	189.104	5240.756
8/11/09	20:45:00	7470	3.048	10.318	189.107	5240.753	189.107	5240.753
8/11/09	20:50:00	7475	3.048	10.320	189.106	5240.754	189.106	5240.754
8/11/09	20:55:00	7480	3.048	10.319	189.107	5240.753	189.107	5240.753
8/11/09	21:00:00	7485	3.047	10.318	189.109	5240.751	189.109	5240.751
8/11/09	21:05:00	7490	3.047	10.322	189.110	5240.750	189.110	5240.750
8/11/09	21:10:00	7495	3.046	10.321	189.111	5240.749	189.111	5240.749
8/11/09	21:15:00	7500	3.046	10.322	189.111	5240.749	189.111	5240.749
8/11/09	21:20:00	7505	3.045	10.322	189.113	5240.747	189.113	5240.747
8/11/09	21:25:00	7510	3.045	10.321	189.113	5240.747	189.113	5240.747
8/11/09	21:30:00	7515	3.045	10.320	189.112	5240.748	189.112	5240.748
8/11/09	21:35:00	7520	3.044	10.319	189.116	5240.744	189.116	5240.744
8/11/09	21:40:00	7525	3.045	10.318	189.115	5240.745	189.115	5240.745
8/11/09	21:45:00	7530	3.045	10.317	189.114	5240.746	189.114	5240.746
8/11/09	21:50:00	7535	3.045	10.318	189.113	5240.747	189.113	5240.747
8/11/09	21:55:00	7540	3.043	10.319	189.119	5240.741	189.119	5240.741
8/11/09	22:00:00	7545	3.042	10.319	189.119	5240.741	189.119	5240.741
8/11/09	22:05:00	7550	3.043	10.318	189.118	5240.742	189.118	5240.742
8/11/09	22:10:00	7555	3.043	10.316	189.117	5240.743	189.117	5240.743

Appendix B-2. OMW-3 Water Level Data, Moore Ranch Supplemental Pump Testing

Date	Time	Elapsed Minutes	TSN#: 138098 PSI	SN#: 138098 Temp - C	SN#: 138098 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5429.860 GW Elevation	DTW	GW Elev
8/11/09	22:15:00	7560	3.043	10.320	189.117	5240.743	189.117	5240.743
8/11/09	22:20:00	7565	3.043	10.317	189.119	5240.742	189.119	5240.742
8/11/09	22:25:00	7570	3.044	10.317	189.116	5240.744	189.116	5240.744
8/11/09	22:30:00	7575	3.042	10.318	189.120	5240.740	189.120	5240.740
8/11/09	22:35:00	7580	3.043	10.318	189.117	5240.743	189.117	5240.743
8/11/09	22:40:00	7585	3.043	10.321	189.118	5240.742	189.118	5240.742
8/11/09	22:45:00	7590	3.044	10.319	189.116	5240.744	189.116	5240.744
8/11/09	22:50:00	7595	3.043	10.318	189.117	5240.743	189.117	5240.743
8/11/09	22:55:00	7600	3.043	10.317	189.117	5240.743	189.117	5240.743
8/11/09	23:00:00	7605	3.042	10.318	189.120	5240.740	189.120	5240.740
8/11/09	23:05:00	7610	3.043	10.318	189.117	5240.743	189.117	5240.743
8/11/09	23:10:00	7615	3.043	10.317	189.117	5240.743	189.117	5240.743
8/11/09	23:15:00	7620	3.044	10.316	189.115	5240.745	189.115	5240.745
8/11/09	23:20:00	7625	3.043	10.316	189.117	5240.743	189.117	5240.743
8/11/09	23:25:00	7630	3.044	10.319	189.116	5240.744	189.116	5240.744
8/11/09	23:30:00	7635	3.043	10.320	189.119	5240.741	189.119	5240.741
8/11/09	23:35:00	7640	3.044	10.316	189.116	5240.744	189.116	5240.744
8/11/09	23:40:00	7645	3.043	10.317	189.118	5240.742	189.118	5240.742
8/11/09	23:45:00	7650	3.043	10.317	189.118	5240.742	189.118	5240.742
8/11/09	23:50:00	7655	3.043	10.318	189.117	5240.743	189.117	5240.743
8/11/09	23:55:00	7660	3.044	10.315	189.117	5240.743	189.117	5240.743
8/12/09	0:00:00	7665	3.044	10.317	189.117	5240.743	189.117	5240.743
8/12/09	0:05:00	7670	3.045	10.315	189.114	5240.746	189.114	5240.746
8/12/09	0:10:00	7675	3.045	10.319	189.114	5240.746	189.114	5240.746
8/12/09	0:15:00	7680	3.043	10.317	189.117	5240.743	189.117	5240.743
8/12/09	0:20:00	7685	3.045	10.316	189.113	5240.747	189.113	5240.747
8/12/09	0:25:00	7690	3.044	10.318	189.116	5240.744	189.116	5240.744
8/12/09	0:30:00	7695	3.045	10.316	189.114	5240.746	189.114	5240.746
8/12/09	0:35:00	7700	3.045	10.318	189.113	5240.747	189.113	5240.747
8/12/09	0:40:00	7705	3.045	10.317	189.115	5240.745	189.115	5240.745
8/12/09	0:45:00	7710	3.045	10.320	189.114	5240.746	189.114	5240.746
8/12/09	0:50:00	7715	3.046	10.317	189.112	5240.748	189.112	5240.748
8/12/09	0:55:00	7720	3.046	10.318	189.112	5240.748	189.112	5240.748
8/12/09	1:00:00	7725	3.046	10.319	189.111	5240.749	189.111	5240.749
8/12/09	1:05:00	7730	3.046	10.317	189.110	5240.750	189.110	5240.750
8/12/09	1:10:00	7735	3.046	10.315	189.111	5240.749	189.111	5240.749
8/12/09	1:15:00	7740	3.046	10.316	189.110	5240.750	189.110	5240.750
8/12/09	1:20:00	7745	3.047	10.317	189.110	5240.750	189.110	5240.750
8/12/09	1:25:00	7750	3.047	10.317	189.108	5240.752	189.108	5240.752
8/12/09	1:30:00	7755	3.047	10.314	189.108	5240.752	189.108	5240.752
8/12/09	1:35:00	7760	3.049	10.316	189.104	5240.756	189.104	5240.756
8/12/09	1:40:00	7765	3.049	10.315	189.105	5240.755	189.105	5240.755
8/12/09	1:45:00	7770	3.050	10.319	189.103	5240.757	189.103	5240.757
8/12/09	1:50:00	7775	3.050	10.320	189.102	5240.758	189.102	5240.758
8/12/09	1:55:00	7780	3.049	10.318	189.103	5240.757	189.103	5240.757
8/12/09	2:00:00	7785	3.049	10.316	189.104	5240.756	189.104	5240.756
8/12/09	2:05:00	7790	3.051	10.320	189.101	5240.759	189.101	5240.759
8/12/09	2:10:00	7795	3.051	10.319	189.100	5240.760	189.100	5240.760
8/12/09	2:15:00	7800	3.050	10.319	189.101	5240.759	189.101	5240.759
8/12/09	2:20:00	7805	3.052	10.317	189.097	5240.763	189.097	5240.763
8/12/09	2:25:00	7810	3.052	10.319	189.098	5240.762	189.098	5240.762
8/12/09	2:30:00	7815	3.052	10.321	189.098	5240.762	189.098	5240.762
8/12/09	2:35:00	7820	3.051	10.320	189.099	5240.761	189.099	5240.761
8/12/09	2:40:00	7825	3.051	10.317	189.101	5240.759	189.101	5240.759
8/12/09	2:45:00	7830	3.053	10.317	189.095	5240.765	189.095	5240.765
8/12/09	2:50:00	7835	3.051	10.318	189.099	5240.761	189.099	5240.761

Appendix B-2. OMW-3 Water Level Data, Moore Ranch Supplemental Pump Testing

Date	Time	Elapsed Minutes	TSN#: 138098 PSI	SN#: 138098 Temp - C	SN#: 138098 DTW (ft btoc)	TOC Elev	Corrected DTW	Corrected GW Elev
						5429.860 GW Elevation		
8/12/09	2:55:00	7840	3.053	10.321	189.096	5240.764	189.096	5240.764
8/12/09	3:00:00	7845	3.053	10.317	189.095	5240.765	189.095	5240.765
8/12/09	3:05:00	7850	3.052	10.320	189.097	5240.763	189.097	5240.763
8/12/09	3:10:00	7855	3.053	10.316	189.094	5240.766	189.094	5240.766
8/12/09	3:15:00	7860	3.053	10.320	189.095	5240.765	189.095	5240.765
8/12/09	3:20:00	7865	3.053	10.322	189.094	5240.766	189.094	5240.766
8/12/09	3:25:00	7870	3.053	10.320	189.095	5240.765	189.095	5240.765
8/12/09	3:30:00	7875	3.054	10.320	189.094	5240.766	189.094	5240.766
8/12/09	3:35:00	7880	3.054	10.321	189.094	5240.766	189.094	5240.766
8/12/09	3:40:00	7885	3.053	10.322	189.094	5240.766	189.094	5240.766
8/12/09	3:45:00	7890	3.053	10.321	189.094	5240.766	189.094	5240.766
8/12/09	3:50:00	7895	3.053	10.318	189.095	5240.765	189.095	5240.765
8/12/09	3:55:00	7900	3.054	10.318	189.094	5240.766	189.094	5240.766
8/12/09	4:00:00	7905	3.053	10.319	189.094	5240.766	189.094	5240.766
8/12/09	4:05:00	7910	3.053	10.319	189.095	5240.765	189.095	5240.765
8/12/09	4:10:00	7915	3.054	10.319	189.093	5240.767	189.093	5240.767
8/12/09	4:15:00	7920	3.053	10.317	189.094	5240.766	189.094	5240.766
8/12/09	4:20:00	7925	3.054	10.318	189.094	5240.766	189.094	5240.766
8/12/09	4:25:00	7930	3.054	10.321	189.093	5240.767	189.093	5240.767
8/12/09	4:30:00	7935	3.055	10.317	189.089	5240.771	189.089	5240.771
8/12/09	4:35:00	7940	3.055	10.317	189.091	5240.769	189.091	5240.769
8/12/09	4:40:00	7945	3.054	10.318	189.093	5240.767	189.093	5240.767
8/12/09	4:45:00	7950	3.054	10.320	189.092	5240.768	189.092	5240.768
8/12/09	4:50:00	7955	3.055	10.319	189.089	5240.771	189.089	5240.771
8/12/09	4:55:00	7960	3.055	10.321	189.091	5240.769	189.091	5240.769
8/12/09	5:00:00	7965	3.056	10.317	189.089	5240.771	189.089	5240.771
8/12/09	5:05:00	7970	3.056	10.319	189.088	5240.772	189.088	5240.772
8/12/09	5:10:00	7975	3.054	10.317	189.093	5240.767	189.093	5240.767
8/12/09	5:15:00	7980	3.055	10.320	189.089	5240.771	189.089	5240.771
8/12/09	5:20:00	7985	3.054	10.318	189.092	5240.768	189.092	5240.768
8/12/09	5:25:00	7990	3.055	10.319	189.091	5240.769	189.091	5240.769
8/12/09	5:30:00	7995	3.055	10.320	189.090	5240.770	189.090	5240.770
8/12/09	5:35:00	8000	3.056	10.318	189.088	5240.772	189.088	5240.772
8/12/09	5:40:00	8005	3.055	10.319	189.091	5240.769	189.091	5240.769
8/12/09	5:45:00	8010	3.056	10.319	189.088	5240.772	189.088	5240.772
8/12/09	5:50:00	8015	3.055	10.319	189.089	5240.771	189.089	5240.771
8/12/09	5:55:00	8020	3.055	10.320	189.091	5240.769	189.091	5240.769
8/12/09	6:00:00	8025	3.056	10.317	189.089	5240.771	189.089	5240.771
8/12/09	6:05:00	8030	3.054	10.317	189.093	5240.767	189.093	5240.767
8/12/09	6:10:00	8035	3.055	10.318	189.091	5240.769	189.091	5240.769
8/12/09	6:15:00	8040	3.054	10.317	189.094	5240.766	189.094	5240.766
8/12/09	6:20:00	8045	3.052	10.316	189.097	5240.763	189.097	5240.763
8/12/09	6:25:00	8050	3.052	10.319	189.097	5240.763	189.097	5240.763
8/12/09	6:30:00	8055	3.053	10.317	189.095	5240.765	189.095	5240.765
8/12/09	6:35:00	8060	3.051	10.319	189.099	5240.761	189.099	5240.761
8/12/09	6:40:00	8065	3.051	10.316	189.100	5240.760	189.100	5240.760
8/12/09	6:45:00	8070	3.051	10.318	189.100	5240.760	189.100	5240.760
8/12/09	6:50:00	8075	3.050	10.319	189.101	5240.759	189.101	5240.759
8/12/09	6:55:00	8080	3.051	10.320	189.099	5240.761	189.099	5240.761
8/12/09	7:00:00	8085	3.050	10.319	189.103	5240.757	189.103	5240.757
8/12/09	7:05:00	8090	3.050	10.320	189.103	5240.757	189.103	5240.757
8/12/09	7:10:00	8095	3.049	10.319	189.105	5240.755	189.105	5240.755
8/12/09	7:15:00	8100	3.049	10.320	189.105	5240.755	189.105	5240.755
8/12/09	7:20:00	8105	3.049	10.317	189.103	5240.757	189.103	5240.757
8/12/09	7:25:00	8110	3.048	10.318	189.107	5240.753	189.107	5240.753
8/12/09	7:30:00	8115	3.049	10.318	189.104	5240.756	189.104	5240.756

Appendix B-2. OMW-3 Water Level Data, Moore Ranch Supplemental Pump Testing

Date	Time	Elapsed Minutes	TSN#: 138098 PSI	SN#: 138098 Temp - C	SN#: 138098 DTW (ft btoc)	TOC Elev	Corrected DTW	Corrected GW Elev
						5429.860 GW Elevation		
8/12/09	7:35:00	8120	3.048	10.319	189.107	5240.753	189.107	5240.753
8/12/09	7:40:00	8125	3.048	10.318	189.106	5240.754	189.106	5240.754
8/12/09	7:45:00	8130	3.048	10.316	189.107	5240.753	189.107	5240.753
8/12/09	7:50:00	8135	3.048	10.316	189.108	5240.752	189.108	5240.752
8/12/09	7:55:00	8140	3.049	10.318	189.105	5240.755	189.105	5240.755
8/12/09	8:00:00	8145	3.048	10.318	189.107	5240.753	189.107	5240.753
8/12/09	8:05:00	8150	3.049	10.317	189.105	5240.755	189.105	5240.755
8/12/09	8:10:00	8155	3.048	10.317	189.106	5240.754	189.106	5240.754
8/12/09	8:15:00	8160	3.048	10.319	189.106	5240.754	189.106	5240.754
8/12/09	8:20:00	8165	3.048	10.316	189.107	5240.753	189.107	5240.753
8/12/09	8:25:00	8170	3.047	10.316	189.110	5240.750	189.110	5240.750
8/12/09	8:30:00	8175	3.047	10.317	189.108	5240.752	189.108	5240.752
8/12/09	8:35:00	8180	3.048	10.319	189.107	5240.753	189.107	5240.753
8/12/09	8:40:00	8185	3.047	10.317	189.108	5240.752	189.108	5240.752
8/12/09	8:45:00	8190	3.047	10.318	189.108	5240.752	189.108	5240.752
8/12/09	8:50:00	8195	3.047	10.318	189.110	5240.750	189.110	5240.750
8/12/09	8:55:00	8200	3.047	10.319	189.110	5240.750	189.110	5240.750
8/12/09	9:00:00	8205	3.047	10.318	189.108	5240.752	189.108	5240.752
8/12/09	9:05:00	8210	3.046	10.318	189.110	5240.750	189.110	5240.750
8/12/09	9:10:00	8215	3.047	10.317	189.108	5240.752	189.108	5240.752
8/12/09	9:15:00	8220	3.047	10.317	189.109	5240.751	189.109	5240.751
8/12/09	9:20:00	8225	3.046	10.315	189.110	5240.750	189.110	5240.750
8/12/09	9:25:00	8230	3.048	10.318	189.107	5240.753	189.107	5240.753
8/12/09	9:30:00	8235	3.045	10.317	189.113	5240.747	189.113	5240.747
8/12/09	9:35:00	8240	3.047	10.316	189.108	5240.752	189.108	5240.752
8/12/09	9:40:00	8245	3.047	10.316	189.110	5240.750	189.110	5240.750
8/12/09	9:45:00	8250	3.048	10.319	189.107	5240.753	189.107	5240.753
8/12/09	9:50:00	8255	3.048	10.318	189.107	5240.753	189.107	5240.753
8/12/09	9:55:00	8260	3.047	10.315	189.109	5240.751	189.109	5240.751
8/12/09	10:00:00	8265	3.046	10.315	189.112	5240.748	189.112	5240.748
8/12/09	10:05:00	8270	3.047	10.318	189.109	5240.751	189.109	5240.751
8/12/09	10:10:00	8275	3.047	10.318	189.108	5240.752	189.108	5240.752
8/12/09	10:15:00	8280	3.047	10.317	189.109	5240.751	189.109	5240.751
8/12/09	10:20:00	8285	3.045	10.320	189.113	5240.747	189.113	5240.747
8/12/09	10:25:00	8290	3.045	10.319	189.114	5240.746	189.114	5240.746
8/12/09	10:30:00	8295	3.045	10.317	189.115	5240.745	189.115	5240.745
8/12/09	10:35:00	8300	3.045	10.315	189.113	5240.747	189.113	5240.747
8/12/09	10:40:00	8305	3.046	10.316	189.111	5240.749	189.111	5240.749
8/12/09	10:45:00	8310	3.048	10.316	189.106	5240.754	189.106	5240.754
8/12/09	10:50:00	8315	3.047	10.317	189.110	5240.750	189.110	5240.750
8/12/09	10:55:00	8320	3.047	10.317	189.108	5240.752	189.108	5240.752
8/12/09	11:00:00	8325	3.047	10.319	189.110	5240.750	189.110	5240.750
8/12/09	11:05:00	8330	3.047	10.316	189.109	5240.751	189.109	5240.751
8/12/09	11:10:00	8335	3.045	10.316	189.112	5240.748	189.112	5240.748
8/12/09	11:15:00	8340	3.045	10.318	189.113	5240.747	189.113	5240.747
8/12/09	11:20:00	8345	3.046	10.318	189.111	5240.749	189.111	5240.749
8/12/09	11:25:00	8350	3.048	10.317	189.107	5240.753	189.107	5240.753
8/12/09	11:30:00	8355	3.046	10.316	189.111	5240.749	189.111	5240.749
8/12/09	11:35:00	8360	3.047	10.316	189.109	5240.751	189.109	5240.751
8/12/09	11:40:00	8365	3.045	10.319	189.112	5240.748	189.112	5240.748
8/12/09	11:45:00	8370	3.046	10.319	189.111	5240.749	189.111	5240.749
8/12/09	11:50:00	8375	3.048	10.318	189.106	5240.754	189.106	5240.754
8/12/09	11:55:00	8380	3.050	10.319	189.103	5240.757	189.103	5240.757
8/12/09	12:00:00	8385	3.051	10.320	189.099	5240.761	189.099	5240.761
8/12/09	12:05:00	8390	3.049	10.318	189.104	5240.756	189.104	5240.756
8/12/09	12:10:00	8395	3.050	10.324	189.101	5240.759	189.101	5240.759

Appendix B-2. OMW-3 Water Level Data, Moore Ranch Supplemental Pump Testing

Date	Time	Elapsed Minutes	SN#: 138098 PSI	SN#: 138098 Temp - C	SN#: 138098 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5429.860 GW Elevation	DTW	GW Elev
8/12/09	12:15:00	8400	3.049	10.320	189.105	5240.755	189.105	5240.755
8/12/09	12:20:00	8405	3.049	10.320	189.103	5240.757	189.103	5240.757
8/12/09	12:25:00	8410	3.050	10.320	189.101	5240.759	189.101	5240.759
8/12/09	12:30:00	8415	3.051	10.323	189.099	5240.761	189.099	5240.761
8/12/09	12:35:00	8420	3.052	10.319	189.098	5240.762	189.098	5240.762
8/12/09	12:40:00	8425	3.052	10.318	189.098	5240.762	189.098	5240.762
8/12/09	12:45:00	8430	3.053	10.320	189.095	5240.765	189.095	5240.765
8/12/09	12:50:00	8435	3.054	10.320	189.093	5240.767	189.093	5240.767
8/12/09	12:55:00	8440	3.053	10.320	189.095	5240.765	189.095	5240.765
8/12/09	13:00:00	8445	3.053	10.320	189.096	5240.764	189.096	5240.764
8/12/09	13:05:00	8450	3.054	10.323	189.093	5240.767	189.093	5240.767
8/12/09	13:10:00	8455	3.055	10.321	189.091	5240.769	189.091	5240.769
8/12/09	13:15:00	8460	3.055	10.319	189.091	5240.769	189.091	5240.769
8/12/09	13:20:00	8465	3.056	10.319	189.089	5240.771	189.089	5240.771
8/12/09	13:25:00	8470	3.054	10.321	189.092	5240.768	189.092	5240.768
8/12/09	13:30:00	8475	3.056	10.320	189.087	5240.773	189.087	5240.773
8/12/09	13:35:00	8480	3.054	10.322	189.093	5240.767	189.093	5240.767
8/12/09	13:40:00	8485	3.055	10.319	189.090	5240.770	189.090	5240.770
8/12/09	13:45:00	8490	3.058	10.319	189.082	5240.778	189.082	5240.778
8/12/09	13:50:00	8495	3.057	10.320	189.085	5240.775	189.085	5240.775
8/12/09	13:55:00	8500	3.058	10.317	189.084	5240.776	189.084	5240.776
8/12/09	14:00:00	8505	3.058	10.320	189.084	5240.776	189.084	5240.776
8/12/09	14:05:00	8510	3.058	10.319	189.083	5240.777	189.083	5240.777
8/12/09	14:10:00	8515	3.060	10.320	189.080	5240.780	189.080	5240.780
8/12/09	14:15:00	8520	3.061	10.319	189.076	5240.784	189.076	5240.784
8/12/09	14:20:00	8525	3.060	10.319	189.080	5240.780	189.080	5240.780
8/12/09	14:25:00	8530	3.061	10.318	189.077	5240.783	189.077	5240.783
8/12/09	14:30:00	8535	3.061	10.321	189.076	5240.784	189.076	5240.784
8/12/09	14:35:00	8540	3.059	10.320	189.080	5240.780	189.080	5240.780
8/12/09	14:40:00	8545	3.062	10.319	189.073	5240.787	189.073	5240.787
8/12/09	14:45:00	8550	3.065	10.319	189.068	5240.792	189.068	5240.792
8/12/09	14:50:00	8555	3.063	10.320	189.071	5240.789	189.071	5240.789
8/12/09	14:55:00	8560	3.065	10.319	189.068	5240.792	189.068	5240.792
8/12/09	15:00:00	8565	3.066	10.316	189.065	5240.795	189.065	5240.795
8/12/09	15:05:00	8570	3.066	10.319	189.066	5240.794	189.066	5240.794
8/12/09	15:10:00	8575	3.066	10.320	189.065	5240.795	189.065	5240.795
8/12/09	15:15:00	8580	3.066	10.318	189.064	5240.796	189.064	5240.796
8/12/09	15:20:00	8585	3.067	10.318	189.063	5240.797	189.063	5240.797
8/12/09	15:25:00	8590	3.066	10.320	189.065	5240.795	189.065	5240.795
8/12/09	15:30:00	8595	3.070	10.317	189.056	5240.804	189.056	5240.804
8/12/09	15:35:00	8600	3.069	10.319	189.058	5240.802	189.058	5240.802
8/12/09	15:40:00	8605	3.069	10.320	189.057	5240.803	189.057	5240.803
8/12/09	15:45:00	8610	3.072	10.317	189.051	5240.809	189.051	5240.809
8/12/09	15:50:00	8615	3.071	10.317	189.054	5240.806	189.054	5240.806
8/12/09	15:55:00	8620	3.070	10.319	189.055	5240.805	189.055	5240.805
8/12/09	16:00:00	8625	3.072	10.319	189.050	5240.810	189.050	5240.810
8/12/09	16:05:00	8630	3.072	10.321	189.052	5240.808	189.052	5240.808
8/12/09	16:10:00	8635	3.072	10.317	189.052	5240.808	189.052	5240.808
8/12/09	16:15:00	8640	3.071	10.319	189.053	5240.807	189.053	5240.807
8/12/09	16:20:00	8645	3.072	10.319	189.052	5240.808	189.052	5240.808
8/12/09	16:25:00	8650	3.073	10.316	189.048	5240.812	189.048	5240.812
8/12/09	16:30:00	8655	3.072	10.318	189.050	5240.810	189.050	5240.810
8/12/09	16:35:00	8660	3.073	10.319	189.048	5240.812	189.048	5240.812
8/12/09	16:40:00	8665	3.072	10.317	189.051	5240.809	189.051	5240.809
8/12/09	16:45:00	8670	3.072	10.320	189.051	5240.809	189.051	5240.809
8/12/09	16:50:00	8675	3.074	10.323	189.047	5240.813	189.047	5240.813

Appendix B-2. OMW-3 Water Level Data, Moore Ranch Supplemental Pump Testing

Date	Time	Elapsed TSN#: 138098		SN#: 138098	SN#: 138098	TOC Elev	Corrected	Corrected
		Minutes	PSI	Temp - C	DTW (ft btoc)	5429.860	DTW	GW Elev
8/12/09	16:55:00	8680	3.075	10.320	189.045	5240.815	189.045	5240.815
8/12/09	17:00:00	8685	3.075	10.318	189.045	5240.815	189.045	5240.815
8/12/09	17:05:00	8690	3.075	10.318	189.044	5240.816	189.044	5240.816
8/12/09	17:10:00	8695	3.075	10.318	189.044	5240.816	189.044	5240.816
8/12/09	17:15:00	8700	3.075	10.321	189.045	5240.815	189.045	5240.815
8/12/09	17:20:00	8705	3.076	10.318	189.042	5240.818	189.042	5240.818
8/12/09	17:25:00	8710	3.076	10.321	189.043	5240.817	189.043	5240.817
8/12/09	17:30:00	8715	3.076	10.320	189.042	5240.818	189.042	5240.818
8/12/09	17:35:00	8720	3.077	10.319	189.040	5240.820	189.040	5240.820
8/12/09	17:40:00	8725	3.077	10.322	189.039	5240.821	189.039	5240.821
8/12/09	17:45:00	8730	3.078	10.318	189.037	5240.823	189.037	5240.823
8/12/09	17:50:00	8735	3.078	10.320	189.037	5240.823	189.037	5240.823
8/12/09	17:55:00	8740	3.079	10.318	189.035	5240.825	189.035	5240.825
8/12/09	18:00:00	8745	3.079	10.319	189.036	5240.824	189.036	5240.824
8/12/09	18:05:00	8750	3.076	10.319	189.041	5240.819	189.041	5240.819
8/12/09	18:10:00	8755	3.077	10.319	189.039	5240.821	189.039	5240.821
8/12/09	18:15:00	8760	3.079	10.321	189.035	5240.825	189.035	5240.825
8/12/09	18:20:00	8765	3.081	10.322	189.030	5240.830	189.030	5240.830
8/12/09	18:25:00	8770	3.077	10.319	189.040	5240.820	189.040	5240.820
8/12/09	18:30:00	8775	3.078	10.319	189.038	5240.822	189.038	5240.822
8/12/09	18:35:00	8780	3.078	10.319	189.037	5240.823	189.037	5240.823
8/12/09	18:40:00	8785	3.078	10.321	189.038	5240.822	189.038	5240.822
8/12/09	18:45:00	8790	3.077	10.318	189.040	5240.820	189.040	5240.820
8/12/09	18:50:00	8795	3.077	10.320	189.040	5240.820	189.040	5240.820
8/12/09	18:55:00	8800	3.077	10.318	189.039	5240.821	189.039	5240.821
8/12/09	19:00:00	8805	3.078	10.319	189.037	5240.823	189.037	5240.823
8/12/09	19:05:00	8810	3.078	10.321	189.038	5240.822	189.038	5240.822
8/12/09	19:10:00	8815	3.077	10.318	189.040	5240.820	189.040	5240.820
8/12/09	19:15:00	8820	3.077	10.319	189.039	5240.821	189.039	5240.821
8/12/09	19:20:00	8825	3.078	10.321	189.038	5240.822	189.038	5240.822
8/12/09	19:25:00	8830	3.077	10.319	189.039	5240.821	189.039	5240.821
8/12/09	19:30:00	8835	3.077	10.318	189.039	5240.821	189.039	5240.821
8/12/09	19:35:00	8840	3.079	10.319	189.036	5240.824	189.036	5240.824
8/12/09	19:40:00	8845	3.077	10.321	189.040	5240.820	189.040	5240.820
8/12/09	19:45:00	8850	3.077	10.319	189.039	5240.821	189.039	5240.821
8/12/09	19:50:00	8855	3.077	10.320	189.040	5240.820	189.040	5240.820
8/12/09	19:55:00	8860	3.076	10.321	189.041	5240.819	189.041	5240.819
8/12/09	20:00:00	8865	3.075	10.322	189.044	5240.816	189.044	5240.816
8/12/09	20:05:00	8870	3.076	10.320	189.042	5240.818	189.042	5240.818
8/12/09	20:10:00	8875	3.076	10.321	189.041	5240.819	189.041	5240.819
8/12/09	20:15:00	8880	3.076	10.321	189.043	5240.817	189.043	5240.817
8/12/09	20:20:00	8885	3.075	10.318	189.043	5240.817	189.043	5240.817
8/12/09	20:25:00	8890	3.075	10.318	189.044	5240.816	189.044	5240.816
8/12/09	20:30:00	8895	3.076	10.319	189.042	5240.818	189.042	5240.818
8/12/09	20:35:00	8900	3.075	10.318	189.044	5240.816	189.044	5240.816
8/12/09	20:40:00	8905	3.075	10.318	189.044	5240.816	189.044	5240.816
8/12/09	20:45:00	8910	3.075	10.316	189.044	5240.816	189.044	5240.816
8/12/09	20:50:00	8915	3.074	10.317	189.045	5240.815	189.045	5240.815
8/12/09	20:55:00	8920	3.075	10.318	189.045	5240.815	189.045	5240.815
8/12/09	21:00:00	8925	3.075	10.319	189.045	5240.815	189.045	5240.815
8/12/09	21:05:00	8930	3.073	10.316	189.048	5240.812	189.048	5240.812
8/12/09	21:10:00	8935	3.073	10.318	189.050	5240.810	189.050	5240.810
8/12/09	21:15:00	8940	3.072	10.322	189.050	5240.810	189.050	5240.810
8/12/09	21:20:00	8945	3.073	10.321	189.049	5240.811	189.049	5240.811
8/12/09	21:25:00	8950	3.073	10.316	189.049	5240.811	189.049	5240.811
8/12/09	21:30:00	8955	3.070	10.321	189.055	5240.805	189.055	5240.805

Appendix B-2. OMW-3 Water Level Data, Moore Ranch Supplemental Pump Testing

Date	Time	Elapsed Minutes	1SN#: 138098 PSI	SN#: 138098 Temp - C	SN#: 138098 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5429.860 GW Elevation	DTW	GW Elev
8/12/09	21:35:00	8960	3.072	10.320	189.052	5240.808	189.052	5240.808
8/12/09	21:40:00	8965	3.072	10.321	189.052	5240.808	189.052	5240.808
8/12/09	21:45:00	8970	3.071	10.320	189.054	5240.806	189.054	5240.806
8/12/09	21:50:00	8975	3.069	10.320	189.057	5240.803	189.057	5240.803
8/12/09	21:55:00	8980	3.071	10.318	189.052	5240.808	189.052	5240.808
8/12/09	22:00:00	8985	3.072	10.320	189.050	5240.810	189.050	5240.810
8/12/09	22:05:00	8990	3.072	10.319	189.052	5240.808	189.052	5240.808
8/12/09	22:10:00	8995	3.072	10.320	189.051	5240.809	189.051	5240.809
8/12/09	22:15:00	9000	3.071	10.320	189.052	5240.808	189.052	5240.808
8/12/09	22:20:00	9005	3.072	10.323	189.051	5240.809	189.051	5240.809
8/12/09	22:25:00	9010	3.072	10.319	189.051	5240.809	189.051	5240.809
8/12/09	22:30:00	9015	3.071	10.319	189.052	5240.808	189.052	5240.808
8/12/09	22:35:00	9020	3.071	10.317	189.053	5240.807	189.053	5240.807
8/12/09	22:40:00	9025	3.071	10.318	189.053	5240.807	189.053	5240.807
8/12/09	22:45:00	9030	3.072	10.319	189.051	5240.809	189.051	5240.809
8/12/09	22:50:00	9035	3.072	10.319	189.052	5240.808	189.052	5240.808
8/12/09	22:55:00	9040	3.072	10.317	189.051	5240.809	189.051	5240.809
8/12/09	23:00:00	9045	3.071	10.316	189.053	5240.807	189.053	5240.807
8/12/09	23:05:00	9050	3.072	10.317	189.051	5240.809	189.051	5240.809
8/12/09	23:10:00	9055	3.072	10.319	189.050	5240.810	189.050	5240.810
8/12/09	23:15:00	9060	3.072	10.316	189.051	5240.809	189.051	5240.809
8/12/09	23:20:00	9065	3.072	10.318	189.051	5240.809	189.051	5240.809
8/12/09	23:25:00	9070	3.071	10.320	189.053	5240.807	189.053	5240.807
8/12/09	23:30:00	9075	3.070	10.317	189.055	5240.805	189.055	5240.805
8/12/09	23:35:00	9080	3.071	10.316	189.054	5240.806	189.054	5240.806
8/12/09	23:40:00	9085	3.070	10.316	189.056	5240.804	189.056	5240.804
8/12/09	23:45:00	9090	3.071	10.317	189.054	5240.806	189.054	5240.806
8/12/09	23:50:00	9095	3.071	10.315	189.054	5240.806	189.054	5240.806
8/12/09	23:55:00	9100	3.071	10.315	189.054	5240.806	189.054	5240.806
8/13/09	0:00:00	9105	3.070	10.319	189.057	5240.803	189.057	5240.803
8/13/09	0:05:00	9110	3.070	10.317	189.056	5240.804	189.056	5240.804
8/13/09	0:10:00	9115	3.069	10.315	189.058	5240.802	189.058	5240.802
8/13/09	0:15:00	9120	3.070	10.316	189.055	5240.805	189.055	5240.805
8/13/09	0:20:00	9125	3.070	10.319	189.057	5240.803	189.057	5240.803
8/13/09	0:25:00	9130	3.070	10.316	189.056	5240.804	189.056	5240.804
8/13/09	0:30:00	9135	3.070	10.318	189.056	5240.804	189.056	5240.804
8/13/09	0:35:00	9140	3.068	10.316	189.061	5240.799	189.061	5240.799
8/13/09	0:40:00	9145	3.067	10.317	189.062	5240.798	189.062	5240.798
8/13/09	0:45:00	9150	3.067	10.317	189.063	5240.797	189.063	5240.797
8/13/09	0:50:00	9155	3.066	10.317	189.065	5240.795	189.065	5240.795
8/13/09	0:55:00	9160	3.066	10.315	189.066	5240.794	189.066	5240.794
8/13/09	1:00:00	9165	3.065	10.317	189.068	5240.792	189.068	5240.792
8/13/09	1:05:00	9170	3.066	10.319	189.066	5240.794	189.066	5240.794
8/13/09	1:10:00	9175	3.068	10.315	189.061	5240.799	189.061	5240.799
8/13/09	1:15:00	9180	3.067	10.315	189.062	5240.798	189.062	5240.798
8/13/09	1:20:00	9185	3.067	10.317	189.062	5240.798	189.062	5240.798
8/13/09	1:25:00	9190	3.067	10.316	189.063	5240.797	189.063	5240.797
8/13/09	1:30:00	9195	3.067	10.316	189.064	5240.796	189.064	5240.796
8/13/09	1:35:00	9200	3.068	10.316	189.061	5240.799	189.061	5240.799
8/13/09	1:40:00	9205	3.069	10.317	189.059	5240.801	189.059	5240.801
8/13/09	1:45:00	9210	3.070	10.315	189.056	5240.804	189.056	5240.804
8/13/09	1:50:00	9215	3.069	10.316	189.058	5240.802	189.058	5240.802
8/13/09	1:55:00	9220	3.071	10.316	189.054	5240.806	189.054	5240.806
8/13/09	2:00:00	9225	3.072	10.316	189.051	5240.809	189.051	5240.809
8/13/09	2:05:00	9230	3.073	10.316	189.050	5240.810	189.050	5240.810
8/13/09	2:10:00	9235	3.073	10.315	189.049	5240.811	189.049	5240.811

Appendix B-2. OMW-3 Water Level Data, Moore Ranch Supplemental Pump Testing

Date	Time	Elapsed Minutes	SN#: 138098 PSI	SN#: 138098 Temp - C	SN#: 138098 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5429.860 GW Elevation	DTW	GW Elev
8/13/09	2:15:00	9240	3.074	10.318	189.047	5240.813	189.047	5240.813
8/13/09	2:20:00	9245	3.073	10.317	189.048	5240.812	189.048	5240.812
8/13/09	2:25:00	9250	3.074	10.317	189.047	5240.813	189.047	5240.813
8/13/09	2:30:00	9255	3.074	10.319	189.046	5240.814	189.046	5240.814
8/13/09	2:35:00	9260	3.074	10.319	189.045	5240.815	189.045	5240.815
8/13/09	2:40:00	9265	3.075	10.321	189.045	5240.815	189.045	5240.815
8/13/09	2:45:00	9270	3.074	10.320	189.046	5240.814	189.046	5240.814
8/13/09	2:50:00	9275	3.075	10.318	189.045	5240.815	189.045	5240.815
8/13/09	2:55:00	9280	3.075	10.320	189.043	5240.817	189.043	5240.817
8/13/09	3:00:00	9285	3.075	10.317	189.044	5240.816	189.044	5240.816
8/13/09	3:05:00	9290	3.077	10.320	189.040	5240.820	189.040	5240.820
8/13/09	3:10:00	9295	3.077	10.318	189.039	5240.821	189.039	5240.821
8/13/09	3:15:00	9300	3.077	10.317	189.040	5240.820	189.040	5240.820
8/13/09	3:20:00	9305	3.077	10.318	189.039	5240.821	189.039	5240.821
8/13/09	3:25:00	9310	3.078	10.320	189.038	5240.822	189.038	5240.822
8/13/09	3:30:00	9315	3.079	10.318	189.034	5240.826	189.034	5240.826
8/13/09	3:35:00	9320	3.080	10.316	189.032	5240.828	189.032	5240.828
8/13/09	3:40:00	9325	3.080	10.319	189.033	5240.827	189.033	5240.827
8/13/09	3:45:00	9330	3.080	10.320	189.034	5240.826	189.034	5240.826
8/13/09	3:50:00	9335	3.080	10.317	189.034	5240.826	189.034	5240.826
8/13/09	3:55:00	9340	3.079	10.317	189.035	5240.825	189.035	5240.825
8/13/09	4:00:00	9345	3.080	10.318	189.033	5240.827	189.033	5240.827
8/13/09	4:05:00	9350	3.081	10.319	189.031	5240.829	189.031	5240.829
8/13/09	4:10:00	9355	3.080	10.315	189.033	5240.827	189.033	5240.827
8/13/09	4:15:00	9360	3.082	10.318	189.029	5240.831	189.029	5240.831
8/13/09	4:20:00	9365	3.082	10.318	189.029	5240.831	189.029	5240.831
8/13/09	4:25:00	9370	3.080	10.318	189.032	5240.828	189.032	5240.828
8/13/09	4:30:00	9375	3.081	10.320	189.030	5240.830	189.030	5240.830
8/13/09	4:35:00	9380	3.081	10.317	189.030	5240.830	189.030	5240.830
8/13/09	4:40:00	9385	3.081	10.318	189.031	5240.829	189.031	5240.829
8/13/09	4:45:00	9390	3.081	10.318	189.031	5240.829	189.031	5240.829
8/13/09	4:50:00	9395	3.081	10.318	189.030	5240.830	189.030	5240.830
8/13/09	4:55:00	9400	3.082	10.315	189.029	5240.831	189.029	5240.831
8/13/09	5:00:00	9405	3.082	10.320	189.027	5240.833	189.027	5240.833
8/13/09	5:05:00	9410	3.081	10.317	189.029	5240.831	189.029	5240.831
8/13/09	5:10:00	9415	3.082	10.319	189.028	5240.832	189.028	5240.832
8/13/09	5:15:00	9420	3.083	10.320	189.026	5240.834	189.026	5240.834
8/13/09	5:20:00	9425	3.083	10.319	189.025	5240.835	189.025	5240.835
8/13/09	5:25:00	9430	3.081	10.318	189.030	5240.830	189.030	5240.830
8/13/09	5:30:00	9435	3.081	10.319	189.030	5240.830	189.030	5240.830
8/13/09	5:35:00	9440	3.081	10.317	189.031	5240.829	189.031	5240.829
8/13/09	5:40:00	9445	3.080	10.318	189.034	5240.826	189.034	5240.826
8/13/09	5:45:00	9450	3.080	10.316	189.032	5240.828	189.032	5240.828
8/13/09	5:50:00	9455	3.080	10.317	189.034	5240.826	189.034	5240.826
8/13/09	5:55:00	9460	3.080	10.320	189.033	5240.827	189.033	5240.827
8/13/09	6:00:00	9465	3.079	10.316	189.034	5240.826	189.034	5240.826
8/13/09	6:05:00	9470	3.078	10.317	189.038	5240.822	189.038	5240.822
8/13/09	6:10:00	9475	3.078	10.319	189.037	5240.823	189.037	5240.823
8/13/09	6:15:00	9480	3.079	10.315	189.035	5240.825	189.035	5240.825
8/13/09	6:20:00	9485	3.079	10.319	189.036	5240.824	189.036	5240.824
8/13/09	6:25:00	9490	3.079	10.318	189.036	5240.824	189.036	5240.824
8/13/09	6:30:00	9495	3.079	10.316	189.035	5240.825	189.035	5240.825
8/13/09	6:35:00	9500	3.078	10.320	189.038	5240.822	189.038	5240.822
8/13/09	6:40:00	9505	3.078	10.316	189.038	5240.822	189.038	5240.822
8/13/09	6:45:00	9510	3.078	10.320	189.038	5240.822	189.038	5240.822
8/13/09	6:50:00	9515	3.077	10.319	189.038	5240.822	189.038	5240.822

Appendix B-2. OMW-3 Water Level Data, Moore Ranch Supplemental Pump Testing

Date	Time	Elapsed Minutes	TSN#: 138098 PSI	SN#: 138098 Temp - C	SN#: 138098 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5429.860 GW Elevation	DTW	GW Elev
8/13/09	6:55:00	9520	3.077	10.316	189.040	5240.820	189.040	5240.820
8/13/09	7:00:00	9525	3.077	10.317	189.039	5240.821	189.039	5240.821
8/13/09	7:05:00	9530	3.078	10.316	189.036	5240.824	189.036	5240.824
8/13/09	7:10:00	9535	3.077	10.320	189.039	5240.821	189.039	5240.821
8/13/09	7:15:00	9540	3.077	10.319	189.039	5240.821	189.039	5240.821
8/13/09	7:20:00	9545	3.077	10.315	189.040	5240.820	189.040	5240.820
8/13/09	7:25:00	9550	3.077	10.316	189.040	5240.820	189.040	5240.820
8/13/09	7:30:00	9555	3.077	10.320	189.040	5240.820	189.040	5240.820
8/13/09	7:35:00	9560	3.078	10.317	189.038	5240.822	189.038	5240.822
8/13/09	7:40:00	9565	3.076	10.317	189.042	5240.818	189.042	5240.818
8/13/09	7:45:00	9570	3.078	10.316	189.038	5240.822	189.038	5240.822
8/13/09	7:50:00	9575	3.077	10.318	189.040	5240.820	189.040	5240.820
8/13/09	7:55:00	9580	3.077	10.318	189.039	5240.821	189.039	5240.821
8/13/09	8:00:00	9585	3.078	10.318	189.037	5240.823	189.037	5240.823
8/13/09	8:05:00	9590	3.078	10.316	189.038	5240.822	189.038	5240.822
8/13/09	8:10:00	9595	3.078	10.316	189.036	5240.824	189.036	5240.824
8/13/09	8:15:00	9600	3.076	10.315	189.041	5240.819	189.041	5240.819
8/13/09	8:20:00	9605	3.076	10.316	189.042	5240.818	189.042	5240.818
8/13/09	8:25:00	9610	3.075	10.318	189.044	5240.816	189.044	5240.816
8/13/09	8:30:00	9615	3.075	10.316	189.043	5240.817	189.043	5240.817
8/13/09	8:35:00	9620	3.074	10.315	189.046	5240.814	189.046	5240.814
8/13/09	8:40:00	9625	3.076	10.319	189.043	5240.817	189.043	5240.817
8/13/09	8:45:00	9630	3.075	10.317	189.045	5240.815	189.045	5240.815
8/13/09	8:50:00	9635	3.074	10.316	189.047	5240.813	189.047	5240.813
8/13/09	8:55:00	9640	3.075	10.315	189.045	5240.815	189.045	5240.815
8/13/09	9:00:00	9645	3.074	10.316	189.047	5240.813	189.047	5240.813
8/13/09	9:05:00	9650	3.074	10.313	189.046	5240.814	189.046	5240.814
8/13/09	9:10:00	9655	3.073	10.319	189.049	5240.811	189.049	5240.811
8/13/09	9:15:00	9660	3.072	10.316	189.051	5240.809	189.051	5240.809
8/13/09	9:20:00	9665	3.072	10.313	189.050	5240.810	189.050	5240.810
8/13/09	9:25:00	9670	3.074	10.316	189.047	5240.813	189.047	5240.813
8/13/09	9:30:00	9675	3.072	10.316	189.051	5240.809	189.051	5240.809
8/13/09	9:35:00	9680	3.072	10.317	189.050	5240.810	189.050	5240.810
8/13/09	9:40:00	9685	3.073	10.317	189.049	5240.811	189.049	5240.811
8/13/09	9:45:00	9690	3.073	10.317	189.049	5240.811	189.049	5240.811
8/13/09	9:50:00	9695	3.072	10.316	189.051	5240.809	189.051	5240.809
8/13/09	9:55:00	9700	3.072	10.316	189.052	5240.808	189.052	5240.808
8/13/09	10:00:00	9705	3.074	10.316	189.046	5240.814	189.046	5240.814
8/13/09	10:05:00	9710	3.073	10.315	189.049	5240.811	189.049	5240.811
8/13/09	10:10:00	9715	3.074	10.316	189.047	5240.813	189.047	5240.813
8/13/09	10:15:00	9720	3.075	10.316	189.044	5240.816	189.044	5240.816
8/13/09	10:20:00	9725	3.072	10.317	189.051	5240.809	189.051	5240.809
8/13/09	10:49:24	0	17.300	10.623	189.024	5240.836	189.024	5240.836
8/13/09	10:49:39	0.25	17.301	10.624	189.024	5240.836	189.024	5240.836
8/13/09	10:49:54	0.5	17.298	10.620	189.030	5240.830	189.030	5240.830
8/13/09	10:50:09	0.75	17.300	10.616	189.026	5240.834	189.026	5240.834
8/13/09	10:50:24	1	17.297	10.611	189.031	5240.829	189.031	5240.829
8/13/09	10:50:39	1.25	17.297	10.608	189.033	5240.827	189.033	5240.827
8/13/09	10:50:54	1.5	17.297	10.600	189.031	5240.829	189.031	5240.829
8/13/09	10:51:09	1.75	17.299	10.597	189.026	5240.834	189.026	5240.834
8/13/09	10:51:24	2	17.297	10.594	189.032	5240.828	189.032	5240.828
8/13/09	10:51:39	2.25	17.300	10.589	189.026	5240.834	189.026	5240.834
8/13/09	10:51:54	2.5	17.300	10.584	189.026	5240.834	189.026	5240.834
8/13/09	10:52:09	2.75	17.298	10.582	189.030	5240.830	189.030	5240.830
8/13/09	10:52:24	3	17.299	10.578	189.028	5240.832	189.028	5240.832
8/13/09	10:52:39	3.25	17.296	10.572	189.033	5240.827	189.033	5240.827

Appendix B-2. OMW-3 Water Level Data, Moore Ranch Supplemental Pump Testing

Date	Time	Elapsed Minutes	SN#: 138098 PSI	SN#: 138098 Temp - C	SN#: 138098 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5429.860 GW Elevation	DTW	GW Elev
8/13/09	10:52:54	3.5	17.298	10.572	189.030	5240.830	189.030	5240.830
8/13/09	10:53:09	3.75	17.298	10.567	189.030	5240.830	189.030	5240.830
8/13/09	10:53:24	4	17.298	10.567	189.030	5240.830	189.030	5240.830
8/13/09	10:53:39	4.25	17.296	10.563	189.033	5240.827	189.033	5240.827
8/13/09	10:53:54	4.5	17.296	10.562	189.034	5240.826	189.034	5240.826
8/13/09	10:54:09	4.75	17.296	10.556	189.034	5240.826	189.034	5240.826
8/13/09	10:54:24	5	17.297	10.554	189.031	5240.829	189.031	5240.829
8/13/09	10:54:39	5.25	17.296	10.552	189.034	5240.826	189.034	5240.826
8/13/09	10:54:54	5.5	17.296	10.550	189.034	5240.826	189.034	5240.826
8/13/09	10:55:09	5.75	17.296	10.549	189.033	5240.827	189.033	5240.827
8/13/09	10:55:24	6	17.296	10.544	189.033	5240.827	189.033	5240.827
8/13/09	10:55:39	6.25	17.301	10.544	189.022	5240.838	189.022	5240.838
8/13/09	10:55:54	6.5	17.296	10.540	189.035	5240.825	189.035	5240.825
8/13/09	10:56:09	6.75	17.296	10.540	189.034	5240.826	189.034	5240.826
8/13/09	10:56:24	7	17.297	10.537	189.033	5240.827	189.033	5240.827
8/13/09	10:56:39	7.25	17.296	10.539	189.034	5240.826	189.034	5240.826
8/13/09	10:56:54	7.5	17.297	10.535	189.032	5240.828	189.032	5240.828
8/13/09	10:57:09	7.75	17.297	10.532	189.032	5240.828	189.032	5240.828
8/13/09	10:57:24	8	17.295	10.532	189.035	5240.825	189.035	5240.825
8/13/09	10:57:39	8.25	17.295	10.531	189.036	5240.824	189.036	5240.824
8/13/09	10:57:54	8.5	17.295	10.530	189.037	5240.823	189.037	5240.823
8/13/09	10:58:09	8.75	17.297	10.527	189.032	5240.828	189.032	5240.828
8/13/09	10:58:24	9	17.301	10.530	189.022	5240.838	189.022	5240.838
8/13/09	10:58:39	9.25	17.298	10.528	189.030	5240.830	189.030	5240.830
8/13/09	10:58:54	9.5	17.274	10.526	189.085	5240.775	189.085	5240.775
8/13/09	10:59:09	9.75	17.107	10.523	189.472	5240.388	189.472	5240.388
8/13/09	10:59:24	10	17.061	10.523	189.577	5240.283	189.577	5240.283
8/13/09	10:59:39	10.25	17.060	10.523	189.580	5240.280	189.580	5240.280
8/13/09	10:59:54	10.5	17.063	10.523	189.572	5240.288	189.572	5240.288
8/13/09	11:00:09	10.75	17.065	10.524	189.569	5240.291	189.569	5240.291
8/13/09	11:00:24	11	17.068	10.524	189.562	5240.298	189.562	5240.298
8/13/09	11:00:39	11.25	17.067	10.527	189.563	5240.297	189.563	5240.297
8/13/09	11:00:54	11.5	17.065	10.528	189.567	5240.293	189.567	5240.293
8/13/09	11:01:09	11.75	17.064	10.530	189.569	5240.291	189.569	5240.291
8/13/09	11:01:24	12	17.065	10.536	189.569	5240.291	189.569	5240.291
8/13/09	11:01:39	12.25	17.064	10.542	189.569	5240.291	189.569	5240.291
8/13/09	11:01:54	12.5	17.061	10.544	189.577	5240.283	189.577	5240.283
8/13/09	11:02:09	12.75	17.061	10.552	189.576	5240.284	189.576	5240.284
8/13/09	11:02:24	13	17.058	10.560	189.584	5240.276	189.584	5240.276
8/13/09	11:02:39	13.25	17.056	10.568	189.589	5240.271	189.589	5240.271
8/13/09	11:02:54	13.5	17.055	10.575	189.590	5240.270	189.590	5240.270
8/13/09	11:03:09	13.75	17.058	10.586	189.584	5240.276	189.584	5240.276
8/13/09	11:03:24	14	17.057	10.593	189.587	5240.273	189.587	5240.273
8/13/09	11:03:39	14.25	17.056	10.598	189.589	5240.271	189.589	5240.271
8/13/09	11:03:54	14.5	17.055	10.609	189.592	5240.268	189.592	5240.268
8/13/09	11:04:09	14.75	17.054	10.615	189.594	5240.266	189.594	5240.266
8/13/09	11:04:24	15	17.050	10.625	189.602	5240.258	189.602	5240.258
8/13/09	11:04:39	15.25	17.050	10.632	189.603	5240.257	189.603	5240.257
8/13/09	11:04:54	15.5	17.048	10.638	189.607	5240.253	189.607	5240.253
8/13/09	11:05:09	15.75	17.049	10.646	189.604	5240.256	189.604	5240.256
8/13/09	11:05:24	16	17.047	10.648	189.609	5240.251	189.609	5240.251
8/13/09	11:05:39	16.25	17.051	10.655	189.601	5240.259	189.601	5240.259
8/13/09	11:05:54	16.5	17.049	10.660	189.605	5240.255	189.605	5240.255
8/13/09	11:06:09	16.75	17.044	10.665	189.615	5240.245	189.615	5240.245
8/13/09	11:06:24	17	17.045	10.670	189.613	5240.247	189.613	5240.247
8/13/09	11:06:39	17.25	17.047	10.673	189.609	5240.251	189.609	5240.251

Appendix B-2. OMW-3 Water Level Data, Moore Ranch Supplemental Pump Testing

Date	Time	Elapsed Minutes	TSN#: 138098 PSI	SN#: 138098 Temp - C	SN#: 138098 DTW (ft btoc)	TOC Elev	Corrected DTW	Corrected GW Elev
						5429.860 GW Elevation		
8/13/09	11:06:54	17.5	17.043	10.678	189.618	5240.242	189.618	5240.242
8/13/09	11:07:09	17.75	17.044	10.681	189.617	5240.243	189.617	5240.243
8/13/09	11:07:24	18	17.043	10.686	189.619	5240.241	189.619	5240.241
8/13/09	11:07:39	18.25	17.043	10.691	189.619	5240.241	189.619	5240.241
8/13/09	11:07:54	18.5	17.042	10.694	189.620	5240.240	189.620	5240.240
8/13/09	11:08:09	18.75	17.040	10.696	189.626	5240.234	189.626	5240.234
8/13/09	11:08:24	19	17.040	10.702	189.626	5240.234	189.626	5240.234
8/13/09	11:08:39	19.25	17.039	10.702	189.628	5240.232	189.628	5240.232
8/13/09	11:08:54	19.5	17.041	10.708	189.624	5240.236	189.624	5240.236
8/13/09	11:09:09	19.75	17.040	10.711	189.625	5240.235	189.625	5240.235
8/13/09	11:09:24	20	17.038	10.714	189.630	5240.230	189.630	5240.230
8/13/09	11:09:39	20.25	17.038	10.714	189.630	5240.230	189.630	5240.230
8/13/09	11:09:54	20.5	17.042	10.719	189.621	5240.239	189.621	5240.239
8/13/09	11:10:09	20.75	17.040	10.724	189.626	5240.234	189.626	5240.234
8/13/09	11:10:24	21	17.035	10.725	189.636	5240.224	189.636	5240.224
8/13/09	11:10:39	21.25	17.034	10.725	189.638	5240.222	189.638	5240.222
8/13/09	11:10:54	21.5	17.034	10.730	189.638	5240.222	189.638	5240.222
8/13/09	11:11:09	21.75	17.033	10.734	189.641	5240.219	189.641	5240.219
8/13/09	11:11:24	22	17.032	10.736	189.643	5240.217	189.643	5240.217
8/13/09	11:11:39	22.25	17.033	10.738	189.640	5240.220	189.640	5240.220
8/13/09	11:11:54	22.5	17.032	10.742	189.644	5240.216	189.644	5240.216
8/13/09	11:12:09	22.75	17.029	10.743	189.651	5240.209	189.651	5240.209
8/13/09	11:12:24	23	17.032	10.745	189.644	5240.216	189.644	5240.216
8/13/09	11:12:39	23.25	17.033	10.746	189.642	5240.218	189.642	5240.218
8/13/09	11:12:54	23.5	17.036	10.749	189.636	5240.224	189.636	5240.224
8/13/09	11:13:09	23.75	17.027	10.752	189.654	5240.206	189.654	5240.206
8/13/09	11:13:24	24	17.035	10.752	189.637	5240.223	189.637	5240.223
8/13/09	11:13:39	24.25	17.034	10.755	189.639	5240.221	189.639	5240.221
8/13/09	11:13:54	24.5	17.031	10.756	189.647	5240.213	189.647	5240.213
8/13/09	11:14:09	24.75	17.029	10.761	189.650	5240.210	189.650	5240.210
8/13/09	11:14:24	25	17.024	10.761	189.663	5240.197	189.663	5240.197
8/13/09	11:14:39	25.25	17.023	10.764	189.666	5240.194	189.666	5240.194
8/13/09	11:14:54	25.5	17.032	10.767	189.643	5240.217	189.643	5240.217
8/13/09	11:15:09	25.75	17.025	10.766	189.659	5240.201	189.659	5240.201
8/13/09	11:15:24	26	17.034	10.768	189.639	5240.221	189.639	5240.221
8/13/09	11:15:39	26.25	17.028	10.769	189.652	5240.208	189.652	5240.208
8/13/09	11:15:54	26.5	17.024	10.768	189.662	5240.198	189.662	5240.198
8/13/09	11:16:09	26.75	17.023	10.769	189.665	5240.195	189.665	5240.195
8/13/09	11:16:24	27	17.030	10.770	189.649	5240.211	189.649	5240.211
8/13/09	11:16:39	27.25	17.025	10.770	189.660	5240.200	189.660	5240.200
8/13/09	11:16:54	27.5	17.026	10.772	189.657	5240.203	189.657	5240.203
8/13/09	11:17:09	27.75	17.026	10.774	189.659	5240.201	189.659	5240.201
8/13/09	11:17:24	28	17.024	10.771	189.662	5240.198	189.662	5240.198
8/13/09	11:17:39	28.25	17.027	10.778	189.655	5240.205	189.655	5240.205
8/13/09	11:17:54	28.5	17.027	10.774	189.657	5240.203	189.657	5240.203
8/13/09	11:18:09	28.75	17.024	10.774	189.663	5240.197	189.663	5240.197
8/13/09	11:18:24	29	17.023	10.776	189.665	5240.195	189.665	5240.195
8/13/09	11:18:39	29.25	17.025	10.776	189.661	5240.199	189.661	5240.199
8/13/09	11:18:54	29.5	17.025	10.773	189.661	5240.199	189.661	5240.199
8/13/09	11:19:09	29.75	17.020	10.775	189.671	5240.189	189.671	5240.189
8/13/09	11:19:24	30	17.022	10.773	189.668	5240.192	189.668	5240.192
8/13/09	11:19:39	30.25	17.019	10.776	189.673	5240.187	189.673	5240.187
8/13/09	11:19:54	30.5	17.024	10.774	189.663	5240.197	189.663	5240.197
8/13/09	11:20:09	30.75	17.020	10.778	189.672	5240.188	189.672	5240.188
8/13/09	11:20:24	31	17.023	10.777	189.665	5240.195	189.665	5240.195
8/13/09	11:20:39	31.25	17.023	10.776	189.664	5240.196	189.664	5240.196

Appendix B-2. OMW-3 Water Level Data, Moore Ranch Supplemental Pump Testing

Date	Time	Elapsed Minutes	TSN#: 138098 PSI	SN#: 138098 Temp - C	SN#: 138098 DTW (ft btoc)	TOC Elev	Corrected DTW	Corrected GW Elev
						5429.860 GW Elevation		
8/13/09	11:20:54	31.5	17.023	10.775	189.664	5240.196	189.664	5240.196
8/13/09	11:21:09	31.75	17.019	10.774	189.674	5240.186	189.674	5240.186
8/13/09	11:21:24	32	17.020	10.774	189.672	5240.188	189.672	5240.188
8/13/09	11:21:39	32.25	17.021	10.768	189.670	5240.190	189.670	5240.190
8/13/09	11:21:54	32.5	17.020	10.761	189.672	5240.188	189.672	5240.188
8/13/09	11:22:09	32.75	17.025	10.756	189.661	5240.199	189.661	5240.199
8/13/09	11:22:24	33	17.023	10.755	189.664	5240.196	189.664	5240.196
8/13/09	11:22:39	33.25	17.022	10.752	189.667	5240.193	189.667	5240.193
8/13/09	11:22:54	33.5	17.020	10.749	189.672	5240.188	189.672	5240.188
8/13/09	11:23:09	33.75	17.024	10.747	189.662	5240.198	189.662	5240.198
8/13/09	11:23:24	34	17.023	10.747	189.665	5240.195	189.665	5240.195
8/13/09	11:23:39	34.25	17.021	10.746	189.668	5240.192	189.668	5240.192
8/13/09	11:23:54	34.5	17.018	10.743	189.675	5240.185	189.675	5240.185
8/13/09	11:24:09	34.75	17.025	10.744	189.659	5240.201	189.659	5240.201
8/13/09	11:24:24	35	17.021	10.743	189.669	5240.191	189.669	5240.191
8/13/09	11:24:39	35.25	17.016	10.745	189.680	5240.180	189.680	5240.180
8/13/09	11:24:54	35.5	17.018	10.744	189.675	5240.185	189.675	5240.185
8/13/09	11:25:09	35.75	17.019	10.743	189.674	5240.186	189.674	5240.186
8/13/09	11:25:24	36	17.020	10.745	189.672	5240.188	189.672	5240.188
8/13/09	11:25:39	36.25	17.023	10.746	189.665	5240.195	189.665	5240.195
8/13/09	11:25:54	36.5	17.020	10.745	189.672	5240.188	189.672	5240.188
8/13/09	11:26:09	36.75	17.018	10.748	189.675	5240.185	189.675	5240.185
8/13/09	11:26:24	37	17.021	10.750	189.668	5240.192	189.668	5240.192
8/13/09	11:26:39	37.25	17.023	10.751	189.664	5240.196	189.664	5240.196
8/13/09	11:26:54	37.5	17.020	10.751	189.672	5240.188	189.672	5240.188
8/13/09	11:27:09	37.75	17.022	10.753	189.667	5240.193	189.667	5240.193
8/13/09	11:27:24	38	17.022	10.754	189.667	5240.193	189.667	5240.193
8/13/09	11:27:39	38.251	17.020	10.783	189.672	5240.188	189.672	5240.188
8/13/09	11:27:54	38.501	17.023	10.788	189.665	5240.195	189.665	5240.195
8/13/09	11:28:09	38.75	17.016	10.793	189.680	5240.180	189.680	5240.180
8/13/09	11:28:24	39	17.021	10.800	189.669	5240.191	189.669	5240.191
8/13/09	11:28:39	39.25	17.031	10.802	189.646	5240.214	189.646	5240.214
8/13/09	11:28:54	39.5	17.120	10.805	189.440	5240.420	189.440	5240.420
8/13/09	11:29:09	39.75	17.287	10.806	189.055	5240.805	189.055	5240.805
8/13/09	11:29:24	40	17.370	10.810	188.862	5240.998	188.862	5240.998
8/13/09	11:29:39	40.25	17.413	10.808	188.764	5241.096	188.764	5241.096
8/13/09	11:29:54	40.5	17.425	10.800	188.736	5241.124	188.736	5241.124
8/13/09	11:30:09	40.75	17.394	10.900	188.808	5241.052	188.808	5241.052
8/13/09	11:30:24	41	17.352	11.010	188.906	5240.954	188.906	5240.954
8/13/09	11:30:39	41.25	17.324	11.123	188.970	5240.890	188.970	5240.890
8/13/09	11:30:54	41.5	17.306	11.205	189.011	5240.849	189.011	5240.849
8/13/09	11:31:09	41.75	17.292	11.259	189.043	5240.817	189.043	5240.817
8/13/09	11:31:24	42	17.286	11.293	189.057	5240.803	189.057	5240.803
8/13/09	11:31:39	42.25	17.281	11.316	189.069	5240.791	189.069	5240.791
8/13/09	11:31:54	42.5	17.277	11.337	189.079	5240.781	189.079	5240.781
8/13/09	11:32:09	42.75	17.275	11.351	189.083	5240.777	189.083	5240.777
8/13/09	11:32:24	43	17.274	11.354	189.085	5240.775	189.085	5240.775
8/13/09	11:32:39	43.25	17.273	11.350	189.088	5240.772	189.088	5240.772
8/13/09	11:32:54	43.5	17.273	11.346	189.088	5240.772	189.088	5240.772
8/13/09	11:33:09	43.75	17.274	11.334	189.084	5240.776	189.084	5240.776
8/13/09	11:33:24	44	17.275	11.320	189.084	5240.776	189.084	5240.776
8/13/09	11:33:39	44.25	17.272	11.307	189.089	5240.771	189.089	5240.771
8/13/09	11:33:54	44.5	17.276	11.294	189.080	5240.780	189.080	5240.780
8/13/09	11:34:09	44.75	17.274	11.280	189.085	5240.775	189.085	5240.775
8/13/09	11:34:24	45	17.276	11.270	189.081	5240.779	189.081	5240.779
8/13/09	11:34:39	45.25	17.274	11.252	189.086	5240.774	189.086	5240.774

Appendix B-2. OMW-3 Water Level Data, Moore Ranch Supplemental Pump Testing

Date	Time	Elapsed Minutes	TSN#: 138098 PSI	SN#: 138098 Temp - C	SN#: 138098 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5429.860 GW Elevation	DTW	GW Elev
8/13/09	11:34:54	45.5	17.278	11.241	189.076	5240.784	189.076	5240.784
8/13/09	11:35:09	45.75	17.279	11.220	189.075	5240.785	189.075	5240.785
8/13/09	11:35:24	46	17.276	11.177	189.081	5240.779	189.081	5240.779
8/13/09	11:35:39	46.25	17.277	11.191	189.079	5240.781	189.079	5240.781
8/13/09	11:35:54	46.5	17.278	11.173	189.075	5240.785	189.075	5240.785
8/13/09	11:36:09	46.75	17.276	11.161	189.079	5240.781	189.079	5240.781
8/13/09	11:36:24	47	17.279	11.141	189.074	5240.786	189.074	5240.786
8/13/09	11:36:39	47.25	17.276	11.129	189.080	5240.780	189.080	5240.780
8/13/09	11:36:54	47.5	17.277	11.114	189.079	5240.781	189.079	5240.781
8/13/09	11:37:09	47.75	17.279	11.096	189.074	5240.786	189.074	5240.786
8/13/09	11:37:24	48	17.278	11.083	189.075	5240.785	189.075	5240.785
8/13/09	11:37:39	48.25	17.279	11.069	189.075	5240.785	189.075	5240.785
8/13/09	11:37:54	48.5	17.278	11.059	189.075	5240.785	189.075	5240.785
8/13/09	11:38:09	48.75	17.278	11.017	189.076	5240.784	189.076	5240.784
8/13/09	11:38:24	49	17.281	11.033	189.069	5240.791	189.069	5240.791
8/13/09	11:38:39	49.25	17.277	11.019	189.077	5240.783	189.077	5240.783
8/13/09	11:38:54	49.5	17.279	11.006	189.074	5240.786	189.074	5240.786
8/13/09	11:39:09	49.75	17.278	10.993	189.075	5240.785	189.075	5240.785
8/13/09	11:39:24	50	17.279	10.984	189.073	5240.787	189.073	5240.787
8/13/09	11:39:39	50.25	17.282	10.973	189.068	5240.792	189.068	5240.792
8/13/09	11:39:54	50.5	17.281	10.960	189.069	5240.791	189.069	5240.791
8/13/09	11:40:09	50.75	17.281	10.950	189.068	5240.792	189.068	5240.792
8/13/09	11:40:24	51	17.282	10.940	189.067	5240.793	189.067	5240.793
8/13/09	11:40:39	51.25	17.283	10.902	189.063	5240.797	189.063	5240.797
8/13/09	11:40:54	51.5	17.282	10.920	189.066	5240.794	189.066	5240.794
8/13/09	11:41:09	51.75	17.283	10.914	189.064	5240.796	189.064	5240.796
8/13/09	11:41:24	52	17.284	10.905	189.063	5240.797	189.063	5240.797
8/13/09	11:41:39	52.25	17.283	10.894	189.064	5240.796	189.064	5240.796
8/13/09	11:41:54	52.5	17.283	10.890	189.065	5240.795	189.065	5240.795
8/13/09	11:42:09	52.75	17.281	10.880	189.069	5240.791	189.069	5240.791
8/13/09	11:42:24	53	17.284	10.876	189.063	5240.797	189.063	5240.797
8/13/09	11:42:39	53.25	17.283	10.867	189.064	5240.796	189.064	5240.796
8/13/09	11:42:54	53.5	17.281	10.863	189.069	5240.791	189.069	5240.791
8/13/09	11:43:09	53.75	17.283	10.856	189.064	5240.796	189.064	5240.796
8/13/09	11:43:24	54	17.289	10.825	189.050	5240.810	189.050	5240.810
8/13/09	11:43:39	54.25	17.282	10.847	189.068	5240.792	189.068	5240.792
8/13/09	11:43:54	54.5	17.284	10.843	189.063	5240.797	189.063	5240.797
8/13/09	11:44:09	54.75	17.284	10.838	189.062	5240.798	189.062	5240.798
8/13/09	11:44:24	55	17.284	10.833	189.062	5240.798	189.062	5240.798
8/13/09	11:44:39	55.25	17.284	10.830	189.062	5240.798	189.062	5240.798
8/13/09	11:44:54	55.5	17.282	10.825	189.066	5240.794	189.066	5240.794
8/13/09	11:45:09	55.75	17.285	10.821	189.059	5240.801	189.059	5240.801
8/13/09	11:45:24	56	17.284	10.820	189.061	5240.799	189.061	5240.799
8/13/09	11:45:39	56.25	17.286	10.815	189.058	5240.802	189.058	5240.802
8/13/09	11:45:54	56.5	17.287	10.786	189.056	5240.804	189.056	5240.804
8/13/09	11:46:09	56.75	17.284	10.812	189.061	5240.799	189.061	5240.799
8/13/09	11:46:24	57	17.284	10.808	189.062	5240.798	189.062	5240.798
8/13/09	11:46:39	57.25	17.284	10.806	189.063	5240.797	189.063	5240.797
8/13/09	11:46:54	57.5	17.285	10.801	189.059	5240.801	189.059	5240.801
8/13/09	11:47:09	57.75	17.284	10.806	189.062	5240.798	189.062	5240.798
8/13/09	11:47:24	58	17.285	10.800	189.061	5240.799	189.061	5240.799
8/13/09	11:47:39	58.251	17.284	10.797	189.061	5240.799	189.061	5240.799
8/13/09	11:47:54	58.501	17.284	10.796	189.062	5240.798	189.062	5240.798
8/13/09	11:48:09	58.751	17.285	10.795	189.059	5240.801	189.059	5240.801
8/13/09	11:48:24	59.001	17.286	10.793	189.058	5240.802	189.058	5240.802
8/13/09	11:48:39	59.251	17.285	10.789	189.059	5240.801	189.059	5240.801

Appendix B-2. OMW-3 Water Level Data, Moore Ranch Supplemental Pump Testing

Date	Time	Elapsed Minutes	SN#: 138098 PSI	SN#: 138098 Temp - C	SN#: 138098 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5429.860 GW Elevation	DTW	GW Elev
8/13/09	11:48:54	59.501	17.285	10.787	189.059	5240.801	189.059	5240.801
8/13/09	11:49:09	59.751	17.287	10.784	189.056	5240.804	189.056	5240.804
8/13/09	11:49:24	60.001	17.286	10.783	189.058	5240.802	189.058	5240.802
8/13/09	11:49:39	60.251	17.287	10.778	189.056	5240.804	189.056	5240.804
8/13/09	11:49:54	60.501	17.286	10.775	189.057	5240.803	189.057	5240.803
8/13/09	11:50:09	60.751	17.285	10.773	189.060	5240.800	189.060	5240.800
8/13/09	11:50:24	61.001	17.289	10.771	189.051	5240.809	189.051	5240.809
8/13/09	11:50:39	61.252	17.288	10.772	189.053	5240.807	189.053	5240.807
8/13/09	11:50:54	61.501	17.287	10.769	189.054	5240.806	189.054	5240.806
8/13/09	11:51:09	61.751	17.288	10.766	189.053	5240.807	189.053	5240.807
8/13/09	11:51:24	62.002	17.287	10.765	189.055	5240.805	189.055	5240.805
8/13/09	11:51:39	62.251	17.289	10.760	189.051	5240.809	189.051	5240.809
8/13/09	11:51:54	62.502	17.289	10.756	189.049	5240.811	189.049	5240.811
8/13/09	11:52:09	62.751	17.288	10.759	189.053	5240.807	189.053	5240.807
8/13/09	11:52:24	63.002	17.288	10.757	189.054	5240.806	189.054	5240.806
8/13/09	11:52:39	63.251	17.288	10.755	189.053	5240.807	189.053	5240.807
8/13/09	11:52:54	63.501	17.287	10.753	189.055	5240.805	189.055	5240.805
8/13/09	11:53:09	63.751	17.287	10.750	189.055	5240.805	189.055	5240.805
8/13/09	11:53:24	64.001	17.288	10.750	189.052	5240.808	189.052	5240.808
8/13/09	11:53:39	64.251	17.288	10.746	189.052	5240.808	189.052	5240.808
8/13/09	11:53:54	64.501	17.288	10.747	189.052	5240.808	189.052	5240.808
8/13/09	11:54:09	64.751	17.287	10.742	189.054	5240.806	189.054	5240.806
8/13/09	11:54:24	65	17.283	10.710	189.064	5240.796	189.064	5240.796
8/13/09	11:54:39	65.25	17.287	10.712	189.054	5240.806	189.054	5240.806
8/13/09	11:54:54	65.5	17.292	10.710	189.044	5240.816	189.044	5240.816
8/13/09	11:55:09	65.75	17.289	10.711	189.050	5240.810	189.050	5240.810
8/13/09	11:55:24	66	17.291	10.710	189.046	5240.814	189.046	5240.814
8/13/09	11:55:39	66.25	17.292	10.707	189.043	5240.817	189.043	5240.817
8/13/09	11:55:54	66.5	17.297	10.707	189.031	5240.829	189.031	5240.829
8/13/09	11:56:09	66.75	17.292	10.705	189.042	5240.818	189.042	5240.818
8/13/09	11:56:24	67	17.292	10.699	189.043	5240.817	189.043	5240.817
8/13/09	11:56:39	67.25	17.288	10.697	189.053	5240.807	189.053	5240.807
8/13/09	11:57:09	0	17.289	10.683	189.064	5240.796	189.064	5240.796
8/13/09	11:57:24	0.05	17.288	10.690	189.066	5240.794	189.066	5240.794
8/13/09	11:57:39	0.1	17.288	10.689	189.065	5240.795	189.065	5240.795
8/13/09	11:57:54	0.15	17.288	10.687	189.065	5240.795	189.065	5240.795
8/13/09	11:58:09	0.2	17.289	10.685	189.064	5240.796	189.064	5240.796
8/13/09	11:58:24	0.25	17.289	10.687	189.065	5240.795	189.065	5240.795
8/13/09	11:58:39	0.3	17.297	10.687	189.046	5240.814	189.046	5240.814
8/13/09	11:58:54	0.35	17.292	10.686	189.057	5240.803	189.057	5240.803
8/13/09	11:59:09	0.4	17.295	10.688	189.049	5240.811	189.049	5240.811
8/13/09	11:59:24	0.45	17.296	10.688	189.048	5240.812	189.048	5240.812
8/13/09	11:59:39	0.5	17.295	10.687	189.051	5240.809	189.051	5240.809
8/13/09	11:59:54	0.55	17.288	10.688	189.066	5240.794	189.066	5240.794
8/13/09	12:00:09	0.6	17.289	10.689	189.064	5240.796	189.064	5240.796
8/13/09	12:00:24	0.65	17.292	10.690	189.057	5240.803	189.057	5240.803
8/13/09	12:00:39	0.7	17.292	10.689	189.057	5240.803	189.057	5240.803
8/13/09	12:00:54	0.75	17.290	10.689	189.060	5240.800	189.060	5240.800
8/13/09	12:01:09	0.8	17.290	10.690	189.061	5240.799	189.061	5240.799
8/13/09	12:01:24	0.85	17.288	10.690	189.067	5240.793	189.067	5240.793
8/13/09	12:01:39	0.9	17.289	10.687	189.063	5240.797	189.063	5240.797
8/13/09	12:01:54	0.95	17.287	10.690	189.068	5240.792	189.068	5240.792
8/13/09	12:02:09	1	17.287	10.688	189.068	5240.792	189.068	5240.792
8/13/09	12:02:24	1.05	17.293	10.687	189.055	5240.805	189.055	5240.805
8/13/09	12:02:39	1.1	17.292	10.686	189.057	5240.803	189.057	5240.803
8/13/09	12:02:54	1.15	17.287	10.687	189.068	5240.792	189.068	5240.792

Appendix B-2. OMW-3 Water Level Data, Moore Ranch Supplemental Pump Testing

Date	Time	Elapsed Minutes	TSN#: 138098 PSI	SN#: 138098 Temp - C	SN#: 138098 DTW (ft btoc)	TOC Elev	Corrected DTW	Corrected GW Elev
						5429.860 GW Elevation		
8/13/09	11:59:01	1.2	17.289	10.689	189.064	5240.796	189.064	5240.796
8/13/09	11:59:04	1.25	17.292	10.686	189.057	5240.803	189.057	5240.803
8/13/09	11:59:07	1.3	17.288	10.688	189.065	5240.795	189.065	5240.795
8/13/09	11:59:10	1.35	17.289	10.686	189.064	5240.796	189.064	5240.796
8/13/09	11:59:13	1.4	17.293	10.688	189.055	5240.805	189.055	5240.805
8/13/09	11:59:16	1.45	17.293	10.689	189.055	5240.805	189.055	5240.805
8/13/09	11:59:19	1.5	17.289	10.688	189.064	5240.796	189.064	5240.796
8/13/09	11:59:22	1.55	17.292	10.687	189.056	5240.804	189.056	5240.804
8/13/09	11:59:25	1.6	17.288	10.686	189.065	5240.795	189.065	5240.795
8/13/09	11:59:28	1.65	17.289	10.690	189.063	5240.797	189.063	5240.797
8/13/09	11:59:31	1.7	17.289	10.685	189.063	5240.797	189.063	5240.797
8/13/09	11:59:34	1.75	17.288	10.683	189.065	5240.795	189.065	5240.795
8/13/09	11:59:37	1.8	17.288	10.684	189.067	5240.793	189.067	5240.793
8/13/09	11:59:40	1.85	17.288	10.686	189.067	5240.793	189.067	5240.793
8/13/09	11:59:43	1.9	17.288	10.687	189.066	5240.794	189.066	5240.794
8/13/09	11:59:46	1.95	17.292	10.685	189.057	5240.803	189.057	5240.803
8/13/09	11:59:49	2	17.291	10.682	189.059	5240.801	189.059	5240.801
8/13/09	11:59:52	2.05	17.286	10.685	189.071	5240.789	189.071	5240.789
8/13/09	11:59:55	2.1	17.261	10.685	189.128	5240.732	189.128	5240.732
8/13/09	11:59:58	2.15	17.210	10.691	189.245	5240.615	189.245	5240.615
8/13/09	12:00:01	2.2	17.159	10.695	189.364	5240.496	189.364	5240.496
8/13/09	12:00:04	2.25	17.127	10.690	189.438	5240.422	189.438	5240.422
8/13/09	12:00:07	2.3	17.107	10.690	189.483	5240.377	189.483	5240.377
8/13/09	12:00:10	2.35	17.090	10.686	189.523	5240.337	189.523	5240.337
8/13/09	12:00:13	2.4	17.079	10.689	189.549	5240.311	189.549	5240.311
8/13/09	12:00:16	2.45	17.068	10.699	189.574	5240.286	189.574	5240.286
8/13/09	12:00:19	2.5	17.059	10.690	189.594	5240.266	189.594	5240.266
8/13/09	12:00:22	2.55	17.057	10.696	189.598	5240.262	189.598	5240.262
8/13/09	12:00:25	2.6	17.049	10.693	189.618	5240.242	189.618	5240.242
8/13/09	12:00:28	2.65	17.052	10.694	189.611	5240.249	189.611	5240.249
8/13/09	12:00:31	2.7	17.050	10.701	189.615	5240.245	189.615	5240.245
8/13/09	12:00:34	2.75	17.054	10.691	189.605	5240.255	189.605	5240.255
8/13/09	12:00:37	2.8	17.053	10.697	189.608	5240.252	189.608	5240.252
8/13/09	12:00:40	2.85	17.052	10.690	189.611	5240.249	189.611	5240.249
8/13/09	12:00:43	2.9	17.055	10.694	189.603	5240.257	189.603	5240.257
8/13/09	12:00:46	2.95	17.054	10.704	189.606	5240.254	189.606	5240.254
8/13/09	12:00:49	3	17.058	10.694	189.597	5240.263	189.597	5240.263
8/13/09	12:00:52	3.05	17.056	10.699	189.601	5240.259	189.601	5240.259
8/13/09	12:00:55	3.1	17.060	10.696	189.593	5240.267	189.593	5240.267
8/13/09	12:00:58	3.15	17.057	10.696	189.600	5240.260	189.600	5240.260
8/13/09	12:01:01	3.2	17.058	10.705	189.597	5240.263	189.597	5240.263
8/13/09	12:01:04	3.25	17.059	10.695	189.595	5240.265	189.595	5240.265
8/13/09	12:01:07	3.3	17.060	10.697	189.593	5240.267	189.593	5240.267
8/13/09	12:01:10	3.35	17.060	10.697	189.592	5240.268	189.592	5240.268
8/13/09	12:01:13	3.4	17.060	10.697	189.592	5240.268	189.592	5240.268
8/13/09	12:01:16	3.45	17.058	10.706	189.598	5240.262	189.598	5240.262
8/13/09	12:01:19	3.5	17.059	10.696	189.594	5240.266	189.594	5240.266
8/13/09	12:01:22	3.55	17.058	10.702	189.597	5240.263	189.597	5240.263
8/13/09	12:01:25	3.6	17.059	10.695	189.594	5240.266	189.594	5240.266
8/13/09	12:01:28	3.65	17.061	10.701	189.590	5240.270	189.590	5240.270
8/13/09	12:01:31	3.701	17.057	10.708	189.600	5240.260	189.600	5240.260
8/13/09	12:01:34	3.75	17.059	10.700	189.594	5240.266	189.594	5240.266
8/13/09	12:01:37	3.8	17.060	10.703	189.593	5240.267	189.593	5240.267
8/13/09	12:01:40	3.85	17.060	10.700	189.593	5240.267	189.593	5240.267
8/13/09	12:01:43	3.9	17.058	10.700	189.597	5240.263	189.597	5240.263
8/13/09	12:01:46	3.95	17.056	10.711	189.602	5240.258	189.602	5240.258

Appendix B-2. OMW-3 Water Level Data, Moore Ranch Supplemental Pump Testing

Date	Time	Elapsed Minutes	TSN#: 138098 PSI	SN#: 138098 Temp - C	SN#: 138098 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5429.860 GW Elevation	DTW	GW Elev
8/13/09	12:01:49	4	17.060	10.700	189.592	5240.268	189.592	5240.268
8/13/09	12:01:52	4.05	17.057	10.705	189.600	5240.260	189.600	5240.260
8/13/09	12:01:55	4.1	17.057	10.702	189.599	5240.261	189.599	5240.261
8/13/09	12:01:58	4.15	17.056	10.705	189.601	5240.259	189.601	5240.259
8/13/09	12:02:01	4.2	17.055	10.712	189.604	5240.256	189.604	5240.256
8/13/09	12:02:04	4.25	17.053	10.704	189.608	5240.252	189.608	5240.252
8/13/09	12:02:07	4.3	17.055	10.708	189.603	5240.257	189.603	5240.257
8/13/09	12:02:10	4.35	17.052	10.706	189.610	5240.250	189.610	5240.250
8/13/09	12:02:13	4.4	17.056	10.705	189.601	5240.259	189.601	5240.259
8/13/09	12:02:16	4.45	17.055	10.716	189.604	5240.256	189.604	5240.256
8/13/09	12:02:19	4.5	17.055	10.707	189.604	5240.256	189.604	5240.256
8/13/09	12:02:22	4.55	17.054	10.714	189.607	5240.253	189.607	5240.253
8/13/09	12:02:25	4.6	17.053	10.708	189.609	5240.251	189.609	5240.251
8/13/09	12:02:28	4.65	17.050	10.709	189.616	5240.244	189.616	5240.244
8/13/09	12:02:31	4.7	17.051	10.720	189.613	5240.247	189.613	5240.247
8/13/09	12:02:34	4.75	17.054	10.710	189.607	5240.253	189.607	5240.253
8/13/09	12:02:37	4.8	17.051	10.716	189.612	5240.248	189.612	5240.248
8/13/09	12:02:40	4.85	17.053	10.715	189.609	5240.251	189.609	5240.251
8/13/09	12:02:43	4.9	17.048	10.713	189.619	5240.241	189.619	5240.241
8/13/09	12:02:46	4.95	17.045	10.724	189.627	5240.233	189.627	5240.233
8/13/09	12:02:49	5	17.050	10.718	189.616	5240.244	189.616	5240.244
8/13/09	12:02:52	5.05	17.047	10.721	189.621	5240.239	189.621	5240.239
8/13/09	12:02:55	5.1	17.052	10.716	189.612	5240.248	189.612	5240.248
8/13/09	12:02:58	5.15	17.049	10.721	189.619	5240.241	189.619	5240.241
8/13/09	12:03:01	5.2	17.047	10.730	189.621	5240.239	189.621	5240.239
8/13/09	12:03:04	5.25	17.047	10.719	189.623	5240.237	189.623	5240.237
8/13/09	12:03:07	5.3	17.046	10.726	189.626	5240.234	189.626	5240.234
8/13/09	12:03:10	5.35	17.044	10.722	189.629	5240.231	189.629	5240.231
8/13/09	12:03:13	5.4	17.045	10.725	189.626	5240.234	189.626	5240.234
8/13/09	12:03:16	5.45	17.044	10.734	189.629	5240.231	189.629	5240.231
8/13/09	12:03:19	5.5	17.043	10.726	189.631	5240.229	189.631	5240.229
8/13/09	12:03:22	5.55	17.047	10.731	189.623	5240.237	189.623	5240.237
8/13/09	12:03:25	5.6	17.049	10.728	189.617	5240.243	189.617	5240.243
8/13/09	12:03:28	5.65	17.046	10.733	189.625	5240.235	189.625	5240.235
8/13/09	12:03:31	5.7	17.041	10.742	189.636	5240.224	189.636	5240.224
8/13/09	12:03:34	5.75	17.044	10.736	189.629	5240.231	189.629	5240.231
8/13/09	12:03:37	5.8	17.044	10.738	189.629	5240.231	189.629	5240.231
8/13/09	12:03:40	5.85	17.045	10.736	189.626	5240.234	189.626	5240.234
8/13/09	12:03:43	5.9	17.047	10.739	189.623	5240.237	189.623	5240.237
8/13/09	12:03:46	5.95	17.042	10.749	189.635	5240.225	189.635	5240.225
8/13/09	12:03:49	6	17.040	10.742	189.637	5240.223	189.637	5240.223
8/13/09	12:03:52	6.05	17.042	10.743	189.635	5240.225	189.635	5240.225
8/13/09	12:03:55	6.1	17.045	10.743	189.627	5240.233	189.627	5240.233
8/13/09	12:03:58	6.15	17.043	10.743	189.631	5240.229	189.631	5240.229
8/13/09	12:04:01	6.2	17.041	10.753	189.637	5240.223	189.637	5240.223
8/13/09	12:04:04	6.25	17.043	10.744	189.631	5240.229	189.631	5240.229
8/13/09	12:04:07	6.3	17.038	10.753	189.644	5240.216	189.644	5240.216
8/13/09	12:04:10	6.35	17.042	10.749	189.634	5240.226	189.634	5240.226
8/13/09	12:04:13	6.4	17.040	10.751	189.638	5240.222	189.638	5240.222
8/13/09	12:04:16	6.451	17.038	10.760	189.643	5240.217	189.643	5240.217
8/13/09	12:04:19	6.5	17.039	10.753	189.641	5240.219	189.641	5240.219
8/13/09	12:04:22	6.55	17.038	10.759	189.644	5240.216	189.644	5240.216
8/13/09	12:04:25	6.6	17.039	10.755	189.642	5240.218	189.642	5240.218
8/13/09	12:04:28	6.65	17.037	10.760	189.644	5240.216	189.644	5240.216
8/13/09	12:04:31	6.7	17.044	10.770	189.629	5240.231	189.629	5240.231
8/13/09	12:04:34	6.75	17.039	10.762	189.641	5240.219	189.641	5240.219

Appendix B-2. OMW-3 Water Level Data, Moore Ranch Supplemental Pump Testing

Date	Time	Elapsed Minutes	SN#: 138098 PSI	SN#: 138098 Temp - C	SN#: 138098 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5429.860 GW Elevation	DTW	GW Elev
8/13/09	12:04:37	6.8	17.040	10.766	189.640	5240.220	189.640	5240.220
8/13/09	12:04:40	6.85	17.037	10.762	189.646	5240.214	189.646	5240.214
8/13/09	12:04:43	6.9	17.038	10.765	189.644	5240.216	189.644	5240.216
8/13/09	12:04:46	6.95	17.035	10.779	189.650	5240.210	189.650	5240.210
8/13/09	12:04:49	7	17.040	10.771	189.640	5240.220	189.640	5240.220
8/13/09	12:04:52	7.05	17.039	10.775	189.640	5240.220	189.640	5240.220
8/13/09	12:04:55	7.1	17.037	10.771	189.645	5240.215	189.645	5240.215
8/13/09	12:04:58	7.15	17.034	10.772	189.653	5240.207	189.653	5240.207
8/13/09	12:05:01	7.2	17.039	10.782	189.640	5240.220	189.640	5240.220
8/13/09	12:05:04	7.25	17.036	10.776	189.649	5240.211	189.649	5240.211
8/13/09	12:05:07	7.3	17.035	10.780	189.650	5240.210	189.650	5240.210
8/13/09	12:05:10	7.35	17.036	10.777	189.648	5240.212	189.648	5240.212
8/13/09	12:05:13	7.4	17.033	10.781	189.654	5240.206	189.654	5240.206
8/13/09	12:05:16	7.45	17.034	10.789	189.653	5240.207	189.653	5240.207
8/13/09	12:05:19	7.5	17.038	10.780	189.644	5240.216	189.644	5240.216
8/13/09	12:05:22	7.55	17.033	10.788	189.655	5240.205	189.655	5240.205
8/13/09	12:05:25	7.6	17.039	10.784	189.641	5240.219	189.641	5240.219
8/13/09	12:05:28	7.65	17.038	10.789	189.644	5240.216	189.644	5240.216
8/13/09	12:05:31	7.7	17.041	10.797	189.637	5240.223	189.637	5240.223
8/13/09	12:05:34	7.75	17.037	10.787	189.646	5240.214	189.646	5240.214
8/13/09	12:05:37	7.8	17.035	10.791	189.650	5240.210	189.650	5240.210
8/13/09	12:05:40	7.85	17.036	10.787	189.649	5240.211	189.649	5240.211
8/13/09	12:05:43	7.9	17.037	10.794	189.646	5240.214	189.646	5240.214
8/13/09	12:05:46	7.95	17.040	10.803	189.639	5240.221	189.639	5240.221
8/13/09	12:05:49	8	17.037	10.795	189.645	5240.215	189.645	5240.215
8/13/09	12:05:52	8.05	17.036	10.798	189.647	5240.213	189.647	5240.213
8/13/09	12:05:55	8.1	17.042	10.797	189.634	5240.226	189.634	5240.226
8/13/09	12:05:58	8.15	17.036	10.797	189.649	5240.211	189.649	5240.211
8/13/09	12:06:01	8.2	17.040	10.807	189.637	5240.223	189.637	5240.223
8/13/09	12:06:04	8.25	17.036	10.801	189.648	5240.212	189.648	5240.212
8/13/09	12:06:07	8.3	17.036	10.805	189.647	5240.213	189.647	5240.213
8/13/09	12:06:10	8.35	17.037	10.796	189.645	5240.215	189.645	5240.215
8/13/09	12:06:13	8.4	17.036	10.805	189.649	5240.211	189.649	5240.211
8/13/09	12:06:16	8.45	17.035	10.814	189.650	5240.210	189.650	5240.210
8/13/09	12:06:19	8.5	17.038	10.804	189.642	5240.218	189.642	5240.218
8/13/09	12:06:22	8.55	17.033	10.811	189.654	5240.206	189.654	5240.206
8/13/09	12:06:25	8.6	17.037	10.805	189.645	5240.215	189.645	5240.215
8/13/09	12:06:28	8.65	17.036	10.809	189.648	5240.212	189.648	5240.212
8/13/09	12:06:31	8.7	17.037	10.819	189.645	5240.215	189.645	5240.215
8/13/09	12:06:34	8.75	17.035	10.807	189.650	5240.210	189.650	5240.210
8/13/09	12:06:37	8.8	17.030	10.814	189.661	5240.199	189.661	5240.199
8/13/09	12:06:40	8.85	17.032	10.812	189.657	5240.203	189.657	5240.203
8/13/09	12:06:43	8.9	17.032	10.812	189.657	5240.203	189.657	5240.203
8/13/09	12:06:46	8.95	17.032	10.823	189.656	5240.204	189.656	5240.204
8/13/09	12:06:49	9	17.032	10.813	189.657	5240.203	189.657	5240.203
8/13/09	12:06:52	9.05	17.029	10.815	189.664	5240.196	189.664	5240.196
8/13/09	12:06:55	9.1	17.032	10.812	189.657	5240.203	189.657	5240.203
8/13/09	12:06:58	9.15	17.031	10.817	189.660	5240.200	189.660	5240.200
8/13/09	12:07:01	9.202	17.031	10.823	189.659	5240.201	189.659	5240.201
8/13/09	12:07:04	9.25	17.033	10.817	189.655	5240.205	189.655	5240.205
8/13/09	12:07:07	9.3	17.030	10.823	189.662	5240.198	189.662	5240.198
8/13/09	12:07:10	9.35	17.036	10.817	189.649	5240.211	189.649	5240.211
8/13/09	12:07:13	9.4	17.030	10.817	189.661	5240.199	189.661	5240.199
8/13/09	12:07:16	9.45	17.028	10.828	189.665	5240.195	189.665	5240.195
8/13/09	12:07:19	9.5	17.032	10.819	189.657	5240.203	189.657	5240.203
8/13/09	12:07:22	9.55	17.030	10.823	189.662	5240.198	189.662	5240.198

Appendix B-2. OMW-3 Water Level Data, Moore Ranch Supplemental Pump Testing

Date	Time	Elapsed Minutes	TSN#: 138098 PSI	SN#: 138098 Temp - C	SN#: 138098 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5429.860 GW Elevation	DTW	GW Elev
8/13/09	12:07:25	9.6	17.031	10.822	189.659	5240.201	189.659	5240.201
8/13/09	12:07:28	9.65	17.030	10.821	189.660	5240.200	189.660	5240.200
8/13/09	12:07:31	9.7	17.031	10.830	189.660	5240.200	189.660	5240.200
8/13/09	12:07:34	9.75	17.028	10.822	189.665	5240.195	189.665	5240.195
8/13/09	12:07:37	9.8	17.031	10.825	189.658	5240.202	189.658	5240.202
8/13/09	12:07:40	9.85	17.031	10.821	189.659	5240.201	189.659	5240.201
8/13/09	12:07:43	9.9	17.031	10.821	189.659	5240.201	189.659	5240.201
8/13/09	12:07:46	9.95	17.027	10.833	189.669	5240.191	189.669	5240.191
8/13/09	12:07:49	10	17.032	10.822	189.658	5240.202	189.658	5240.202
8/13/09	12:07:52	10.05	17.029	10.826	189.664	5240.196	189.664	5240.196
8/13/09	12:07:55	10.1	17.032	10.825	189.656	5240.204	189.656	5240.204
8/13/09	12:07:58	10.15	17.027	10.823	189.668	5240.192	189.668	5240.192
8/13/09	12:08:01	10.2	17.029	10.833	189.664	5240.196	189.664	5240.196
8/13/09	12:08:04	10.25	17.033	10.824	189.655	5240.205	189.655	5240.205
8/13/09	12:08:07	10.3	17.028	10.826	189.665	5240.195	189.665	5240.195
8/13/09	12:08:10	10.35	17.031	10.821	189.660	5240.200	189.660	5240.200
8/13/09	12:08:13	10.4	17.034	10.827	189.653	5240.207	189.653	5240.207
8/13/09	12:08:16	10.45	17.030	10.833	189.662	5240.198	189.662	5240.198
8/13/09	12:08:19	10.5	17.030	10.823	189.661	5240.199	189.661	5240.199
8/13/09	12:08:22	10.55	17.032	10.825	189.656	5240.204	189.656	5240.204
8/13/09	12:08:25	10.6	17.031	10.821	189.659	5240.201	189.659	5240.201
8/13/09	12:08:28	10.65	17.030	10.824	189.661	5240.199	189.661	5240.199
8/13/09	12:08:31	10.7	17.028	10.834	189.666	5240.194	189.666	5240.194
8/13/09	12:08:34	10.75	17.031	10.822	189.658	5240.202	189.658	5240.202
8/13/09	12:08:37	10.8	17.028	10.827	189.667	5240.193	189.667	5240.193
8/13/09	12:08:40	10.85	17.028	10.821	189.666	5240.194	189.666	5240.194
8/13/09	12:08:43	10.9	17.027	10.821	189.668	5240.192	189.668	5240.192
8/13/09	12:08:46	10.95	17.030	10.833	189.660	5240.200	189.660	5240.200
8/13/09	12:08:49	11	17.032	10.818	189.658	5240.202	189.658	5240.202
8/13/09	12:08:52	11.05	17.029	10.824	189.664	5240.196	189.664	5240.196
8/13/09	12:08:55	11.1	17.027	10.822	189.669	5240.191	189.669	5240.191
8/13/09	12:08:58	11.15	17.028	10.820	189.665	5240.195	189.665	5240.195
8/13/09	12:09:01	11.2	17.028	10.831	189.666	5240.194	189.666	5240.194
8/13/09	12:09:04	11.25	17.027	10.820	189.669	5240.191	189.669	5240.191
8/13/09	12:09:07	11.3	17.025	10.823	189.673	5240.187	189.673	5240.187
8/13/09	12:09:10	11.35	17.030	10.814	189.660	5240.200	189.660	5240.200
8/13/09	12:09:13	11.4	17.028	10.822	189.667	5240.193	189.667	5240.193
8/13/09	12:09:16	11.451	17.025	10.829	189.672	5240.188	189.672	5240.188
8/13/09	12:09:19	11.5	17.029	10.817	189.663	5240.197	189.663	5240.197
8/13/09	12:09:22	11.55	17.028	10.821	189.667	5240.193	189.667	5240.193
8/13/09	12:09:25	11.6	17.026	10.815	189.670	5240.190	189.670	5240.190
8/13/09	12:09:28	11.65	17.027	10.819	189.669	5240.191	189.669	5240.191
8/13/09	12:09:31	11.7	17.028	10.825	189.666	5240.194	189.666	5240.194
8/13/09	12:09:34	11.75	17.025	10.815	189.673	5240.187	189.673	5240.187
8/13/09	12:09:37	11.8	17.030	10.820	189.661	5240.199	189.661	5240.199
8/13/09	12:09:40	11.85	17.022	10.817	189.679	5240.181	189.679	5240.181
8/13/09	12:09:43	11.9	17.027	10.815	189.670	5240.190	189.670	5240.190
8/13/09	12:09:46	11.95	17.027	10.825	189.668	5240.192	189.668	5240.192
8/13/09	12:09:49	12	17.027	10.813	189.670	5240.190	189.670	5240.190
8/13/09	12:09:52	12.05	17.027	10.817	189.668	5240.192	189.668	5240.192
8/13/09	12:09:55	12.1	17.024	10.812	189.675	5240.185	189.675	5240.185
8/13/09	12:09:58	12.15	17.031	10.814	189.660	5240.200	189.660	5240.200
8/13/09	12:10:01	12.2	17.026	10.822	189.670	5240.190	189.670	5240.190
8/13/09	12:10:04	12.25	17.029	10.812	189.664	5240.196	189.664	5240.196
8/13/09	12:10:07	12.3	17.026	10.815	189.670	5240.190	189.670	5240.190
8/13/09	12:10:10	12.35	17.026	10.815	189.670	5240.190	189.670	5240.190

Appendix B-2. OMW-3 Water Level Data, Moore Ranch Supplemental Pump Testing

Date	Time	Elapsed Minutes	TSN#: 138098 PSI	SN#: 138098 Temp - C	SN#: 138098 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5429.860 GW Elevation	DTW	GW Elev
8/13/09	12:10:13	12.4	17.028	10.813	189.665	5240.195	189.665	5240.195
8/13/09	12:10:16	12.45	17.025	10.820	189.674	5240.186	189.674	5240.186
8/13/09	12:10:19	12.5	17.023	10.813	189.678	5240.182	189.678	5240.182
8/13/09	12:10:22	12.55	17.025	10.811	189.672	5240.188	189.672	5240.188
8/13/09	12:10:25	12.6	17.022	10.809	189.680	5240.180	189.680	5240.180
8/13/09	12:10:28	12.65	17.027	10.810	189.668	5240.192	189.668	5240.192
8/13/09	12:10:31	12.7	17.027	10.818	189.668	5240.192	189.668	5240.192
8/13/09	12:10:34	12.75	17.027	10.809	189.668	5240.192	189.668	5240.192
8/13/09	12:10:37	12.8	17.023	10.813	189.678	5240.182	189.678	5240.182
8/13/09	12:10:40	12.85	17.030	10.808	189.662	5240.198	189.662	5240.198
8/13/09	12:10:43	12.9	17.024	10.810	189.676	5240.184	189.676	5240.184
8/13/09	12:10:46	12.95	17.025	10.817	189.673	5240.187	189.673	5240.187
8/13/09	12:10:49	13	17.027	10.806	189.669	5240.191	189.669	5240.191
8/13/09	12:10:52	13.05	17.028	10.811	189.665	5240.195	189.665	5240.195
8/13/09	12:10:55	13.1	17.028	10.807	189.665	5240.195	189.665	5240.195
8/13/09	12:10:58	13.15	17.026	10.809	189.672	5240.188	189.672	5240.188
8/13/09	12:11:01	13.2	17.026	10.815	189.671	5240.189	189.671	5240.189
8/13/09	12:11:04	13.25	17.021	10.805	189.682	5240.178	189.682	5240.178
8/13/09	12:11:07	13.3	17.027	10.807	189.669	5240.191	189.669	5240.191
8/13/09	12:11:10	13.35	17.027	10.804	189.669	5240.191	189.669	5240.191
8/13/09	12:11:13	13.4	17.031	10.805	189.659	5240.201	189.659	5240.201
8/13/09	12:11:16	13.45	17.025	10.812	189.672	5240.188	189.672	5240.188
8/13/09	12:11:19	13.5	17.026	10.802	189.670	5240.190	189.670	5240.190
8/13/09	12:11:22	13.55	17.022	10.806	189.681	5240.179	189.681	5240.179
8/13/09	12:11:25	13.6	17.027	10.802	189.669	5240.191	189.669	5240.191
8/13/09	12:11:28	13.65	17.022	10.801	189.680	5240.180	189.680	5240.180
8/13/09	12:11:31	13.7	17.022	10.812	189.680	5240.180	189.680	5240.180
8/13/09	12:11:34	13.75	17.030	10.801	189.661	5240.199	189.661	5240.199
8/13/09	12:11:37	13.8	17.024	10.806	189.675	5240.185	189.675	5240.185
8/13/09	12:11:40	13.85	17.021	10.800	189.683	5240.177	189.683	5240.177
8/13/09	12:11:43	13.9	17.030	10.800	189.662	5240.198	189.662	5240.198
8/13/09	12:11:46	13.95	17.027	10.813	189.669	5240.191	189.669	5240.191
8/13/09	12:11:49	14	17.033	10.800	189.655	5240.205	189.655	5240.205
8/13/09	12:11:52	14.05	17.025	10.802	189.672	5240.188	189.672	5240.188
8/13/09	12:11:55	14.1	17.027	10.796	189.669	5240.191	189.669	5240.191
8/13/09	12:11:58	14.15	17.027	10.799	189.669	5240.191	189.669	5240.191
8/13/09	12:12:01	14.203	17.023	10.806	189.679	5240.181	189.679	5240.181
8/13/09	12:12:04	14.25	17.028	10.797	189.665	5240.195	189.665	5240.195
8/13/09	12:12:07	14.3	17.027	10.800	189.669	5240.191	189.669	5240.191
8/13/09	12:12:10	14.35	17.023	10.798	189.677	5240.183	189.677	5240.183
8/13/09	12:12:13	14.4	17.021	10.799	189.683	5240.177	189.683	5240.177
8/13/09	12:12:16	14.45	17.021	10.808	189.682	5240.178	189.682	5240.178
8/13/09	12:12:19	14.5	17.025	10.799	189.673	5240.187	189.673	5240.187
8/13/09	12:12:22	14.55	17.021	10.801	189.682	5240.178	189.682	5240.178
8/13/09	12:12:25	14.6	17.023	10.794	189.678	5240.182	189.678	5240.182
8/13/09	12:12:28	14.65	17.029	10.795	189.664	5240.196	189.664	5240.196
8/13/09	12:12:31	14.7	17.024	10.805	189.676	5240.184	189.676	5240.184
8/13/09	12:12:34	14.75	17.024	10.797	189.675	5240.185	189.675	5240.185
8/13/09	12:12:37	14.8	17.029	10.802	189.665	5240.195	189.665	5240.195
8/13/09	12:12:40	14.85	17.026	10.795	189.671	5240.189	189.671	5240.189
8/13/09	12:12:43	14.9	17.027	10.796	189.669	5240.191	189.669	5240.191
8/13/09	12:12:46	14.95	17.024	10.806	189.675	5240.185	189.675	5240.185
8/13/09	12:12:49	15	17.025	10.796	189.673	5240.187	189.673	5240.187
8/13/09	12:12:52	15.05	17.031	10.800	189.658	5240.202	189.658	5240.202
8/13/09	12:12:55	15.1	17.024	10.790	189.676	5240.184	189.676	5240.184
8/13/09	12:12:58	15.15	17.024	10.796	189.676	5240.184	189.676	5240.184

Appendix B-2. OMW-3 Water Level Data, Moore Ranch Supplemental Pump Testing

Date	Time	Elapsed Minutes	SN#: 138098 PSI	SN#: 138098 Temp - C	SN#: 138098 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5429.860 GW Elevation	DTW	GW Elev
8/13/09	12:13:01	15.2	17.026	10.802	189.672	5240.188	189.672	5240.188
8/13/09	12:13:04	15.25	17.025	10.794	189.672	5240.188	189.672	5240.188
8/13/09	12:13:07	15.3	17.027	10.795	189.669	5240.191	189.669	5240.191
8/13/09	12:13:10	15.35	17.023	10.795	189.678	5240.182	189.678	5240.182
8/13/09	12:13:13	15.4	17.022	10.796	189.679	5240.181	189.679	5240.181
8/13/09	12:13:16	15.45	17.027	10.803	189.668	5240.192	189.668	5240.192
8/13/09	12:13:19	15.5	17.022	10.792	189.680	5240.180	189.680	5240.180
8/13/09	12:13:22	15.55	17.025	10.798	189.672	5240.188	189.672	5240.188
8/13/09	12:13:25	15.6	17.027	10.791	189.668	5240.192	189.668	5240.192
8/13/09	12:13:28	15.65	17.029	10.793	189.663	5240.197	189.663	5240.197
8/13/09	12:13:31	15.7	17.026	10.804	189.671	5240.189	189.671	5240.189
8/13/09	12:13:34	15.75	17.023	10.795	189.677	5240.183	189.677	5240.183
8/13/09	12:13:37	15.8	17.026	10.796	189.671	5240.189	189.671	5240.189
8/13/09	12:13:40	15.85	17.023	10.790	189.678	5240.182	189.678	5240.182
8/13/09	12:13:43	15.9	17.022	10.793	189.680	5240.180	189.680	5240.180
8/13/09	12:13:46	15.95	17.028	10.802	189.667	5240.193	189.667	5240.193
8/13/09	12:13:49	16	17.027	10.790	189.667	5240.193	189.667	5240.193
8/13/09	12:13:52	16.05	17.024	10.792	189.675	5240.185	189.675	5240.185
8/13/09	12:13:55	16.1	17.024	10.790	189.676	5240.184	189.676	5240.184
8/13/09	12:13:58	16.15	17.026	10.791	189.670	5240.190	189.670	5240.190
8/13/09	12:14:01	16.2	17.025	10.799	189.673	5240.187	189.673	5240.187
8/13/09	12:14:04	16.25	17.031	10.787	189.658	5240.202	189.658	5240.202
8/13/09	12:14:07	16.3	17.027	10.793	189.668	5240.192	189.668	5240.192
8/13/09	12:14:10	16.35	17.025	10.790	189.674	5240.186	189.674	5240.186
8/13/09	12:14:13	16.4	17.025	10.790	189.674	5240.186	189.674	5240.186
8/13/09	12:14:16	16.45	17.025	10.800	189.674	5240.186	189.674	5240.186
8/13/09	12:14:19	16.5	17.023	10.787	189.678	5240.182	189.678	5240.182
8/13/09	12:14:22	16.55	17.025	10.792	189.673	5240.187	189.673	5240.187
8/13/09	12:14:25	16.6	17.023	10.787	189.678	5240.182	189.678	5240.182
8/13/09	12:14:28	16.65	17.023	10.786	189.677	5240.183	189.677	5240.183
8/13/09	12:14:31	16.7	17.025	10.799	189.672	5240.188	189.672	5240.188
8/13/09	12:14:34	16.75	17.025	10.786	189.672	5240.188	189.672	5240.188
8/13/09	12:14:37	16.8	17.024	10.791	189.675	5240.185	189.675	5240.185
8/13/09	12:14:40	16.85	17.030	10.786	189.663	5240.197	189.663	5240.197
8/13/09	12:14:43	16.9	17.026	10.785	189.670	5240.190	189.670	5240.190
8/13/09	12:14:46	16.953	17.028	10.793	189.666	5240.194	189.666	5240.194
8/13/09	12:14:49	17	17.028	10.786	189.666	5240.194	189.666	5240.194
8/13/09	12:14:52	17.05	17.066	10.785	189.579	5240.281	189.579	5240.281
8/13/09	12:14:55	17.1	17.126	10.785	189.439	5240.421	189.439	5240.421
8/13/09	12:14:58	17.15	17.171	10.785	189.336	5240.524	189.336	5240.524
8/13/09	12:15:01	17.2	17.216	10.795	189.231	5240.629	189.231	5240.629
8/13/09	12:15:04	17.25	17.251	10.785	189.151	5240.709	189.151	5240.709
8/13/09	12:15:07	17.3	17.279	10.787	189.087	5240.773	189.087	5240.773
8/13/09	12:15:10	17.35	17.308	10.783	189.019	5240.841	189.019	5240.841
8/13/09	12:15:13	17.4	17.329	10.783	188.971	5240.889	188.971	5240.889
8/13/09	12:15:16	17.45	17.351	10.795	188.921	5240.939	188.921	5240.939
8/13/09	12:15:19	17.5	17.367	10.782	188.884	5240.976	188.884	5240.976
8/13/09	12:15:22	17.55	17.382	10.786	188.848	5241.012	188.848	5241.012
8/13/09	12:15:25	17.6	17.395	10.782	188.819	5241.041	188.819	5241.041
8/13/09	12:15:28	17.65	17.410	10.784	188.784	5241.076	188.784	5241.076
8/13/09	12:15:31	17.7	17.417	10.793	188.767	5241.093	188.767	5241.093
8/13/09	12:15:34	17.75	17.426	10.780	188.748	5241.112	188.748	5241.112
8/13/09	12:15:37	17.8	17.435	10.784	188.727	5241.133	188.727	5241.133
8/13/09	12:15:40	17.85	17.439	10.781	188.717	5241.143	188.717	5241.143
8/13/09	12:15:43	17.9	17.445	10.782	188.704	5241.156	188.704	5241.156
8/13/09	12:15:46	17.95	17.438	10.790	188.720	5241.140	188.720	5241.140

Appendix B-2. OMW-3 Water Level Data, Moore Ranch Supplemental Pump Testing

Date	Time	Elapsed Minutes	TSN#: 138098 PSI	SN#: 138098 Temp - C	SN#: 138098 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5429.860 GW Elevation	DTW	GW Elev
8/13/09	12:15:49	18	17.435	10.782	188.726	5241.134	188.726	5241.134
8/13/09	12:15:52	18.05	17.426	10.788	188.746	5241.114	188.746	5241.114
8/13/09	12:15:55	18.1	17.416	10.789	188.770	5241.090	188.770	5241.090
8/13/09	12:15:58	18.15	17.404	10.795	188.797	5241.063	188.797	5241.063
8/13/09	12:16:01	18.2	17.392	10.815	188.825	5241.035	188.825	5241.035
8/13/09	12:16:04	18.25	17.384	10.814	188.844	5241.016	188.844	5241.016
8/13/09	12:16:07	18.3	17.372	10.831	188.873	5240.987	188.873	5240.987
8/13/09	12:16:10	18.35	17.367	10.844	188.883	5240.977	188.883	5240.977
8/13/09	12:16:13	18.4	17.355	10.866	188.911	5240.949	188.911	5240.949
8/13/09	12:16:16	18.45	17.346	10.897	188.931	5240.929	188.931	5240.929
8/13/09	12:16:19	18.5	17.341	10.908	188.943	5240.917	188.943	5240.917
8/13/09	12:16:22	18.55	17.336	10.935	188.956	5240.904	188.956	5240.904
8/13/09	12:16:25	18.6	17.328	10.957	188.973	5240.887	188.973	5240.887
8/13/09	12:16:28	18.65	17.323	10.981	188.985	5240.875	188.985	5240.875
8/13/09	12:16:31	18.7	17.317	11.017	189.000	5240.860	189.000	5240.860
8/13/09	12:16:34	18.75	17.316	11.026	189.001	5240.859	189.001	5240.859
8/13/09	12:16:37	18.8	17.312	11.046	189.011	5240.849	189.011	5240.849
8/13/09	12:16:40	18.85	17.304	11.066	189.028	5240.832	189.028	5240.832
8/13/09	12:16:43	18.9	17.304	11.084	189.028	5240.832	189.028	5240.832
8/13/09	12:16:46	18.95	17.301	11.107	189.037	5240.823	189.037	5240.823
8/13/09	12:16:49	19	17.301	11.112	189.037	5240.823	189.037	5240.823
8/13/09	12:16:52	19.05	17.298	11.128	189.042	5240.818	189.042	5240.818
8/13/09	12:16:55	19.1	17.294	11.137	189.051	5240.809	189.051	5240.809
8/13/09	12:16:58	19.15	17.289	11.151	189.063	5240.797	189.063	5240.797
8/13/09	12:17:01	19.2	17.290	11.171	189.061	5240.799	189.061	5240.799
8/13/09	12:17:04	19.25	17.290	11.169	189.062	5240.798	189.062	5240.798
8/13/09	12:17:07	19.3	17.290	11.181	189.062	5240.798	189.062	5240.798
8/13/09	12:17:10	19.35	17.290	11.188	189.061	5240.799	189.061	5240.799
8/13/09	12:17:13	19.4	17.284	11.199	189.074	5240.786	189.074	5240.786
8/13/09	12:17:16	19.45	17.285	11.215	189.074	5240.786	189.074	5240.786
8/13/09	12:17:19	19.5	17.284	11.211	189.076	5240.784	189.076	5240.784
8/13/09	12:17:22	19.55	17.282	11.224	189.079	5240.781	189.079	5240.781
8/13/09	12:17:25	19.6	17.284	11.228	189.075	5240.785	189.075	5240.785
8/13/09	12:17:28	19.65	17.279	11.233	189.088	5240.772	189.088	5240.772
8/13/09	12:17:31	19.703	17.280	11.248	189.085	5240.775	189.085	5240.775
8/13/09	12:17:34	19.75	17.280	11.247	189.083	5240.777	189.083	5240.777
8/13/09	12:17:37	19.8	17.279	11.256	189.086	5240.774	189.086	5240.774
8/13/09	12:17:40	19.85	17.280	11.254	189.085	5240.775	189.085	5240.775
8/13/09	12:17:43	19.9	17.280	11.263	189.085	5240.775	189.085	5240.775
8/13/09	12:17:46	19.95	17.277	11.277	189.090	5240.770	189.090	5240.770
8/13/09	12:17:49	20	17.276	11.271	189.093	5240.767	189.093	5240.767
8/13/09	12:17:52	20.05	17.276	11.280	189.094	5240.766	189.094	5240.766
8/13/09	12:17:55	20.1	17.278	11.281	189.089	5240.771	189.089	5240.771
8/13/09	12:17:58	20.15	17.277	11.285	189.092	5240.768	189.092	5240.768
8/13/09	12:18:01	20.2	17.279	11.297	189.086	5240.774	189.086	5240.774
8/13/09	12:18:04	20.25	17.279	11.290	189.087	5240.773	189.087	5240.773
8/13/09	12:18:07	20.3	17.278	11.298	189.088	5240.772	189.088	5240.772
8/13/09	12:18:10	20.35	17.276	11.298	189.094	5240.766	189.094	5240.766
8/13/09	12:18:13	20.4	17.276	11.302	189.094	5240.766	189.094	5240.766
8/13/09	12:18:16	20.45	17.274	11.315	189.099	5240.761	189.099	5240.761
8/13/09	12:18:19	20.5	17.276	11.306	189.093	5240.767	189.093	5240.767
8/13/09	12:18:22	20.55	17.276	11.312	189.093	5240.767	189.093	5240.767
8/13/09	12:18:25	20.6	17.278	11.309	189.089	5240.771	189.089	5240.771
8/13/09	12:18:28	20.65	17.276	11.312	189.093	5240.767	189.093	5240.767
8/13/09	12:18:31	20.7	17.275	11.322	189.095	5240.765	189.095	5240.765
8/13/09	12:18:34	20.75	17.275	11.311	189.095	5240.765	189.095	5240.765

Appendix B-2. OMW-3 Water Level Data, Moore Ranch Supplemental Pump Testing

Date	Time	Elapsed Minutes	TSN#: 138098 PSI	SN#: 138098 Temp - C	SN#: 138098 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5429.860 GW Elevation	DTW	GW Elev
8/13/09	12:18:37	20.8	17.275	11.317	189.095	5240.765	189.095	5240.765
8/13/09	12:18:40	20.85	17.277	11.313	189.092	5240.768	189.092	5240.768
8/13/09	12:18:43	20.9	17.276	11.313	189.094	5240.766	189.094	5240.766
8/13/09	12:18:46	20.95	17.278	11.321	189.089	5240.771	189.089	5240.771
8/13/09	12:18:49	21	17.278	11.313	189.090	5240.770	189.090	5240.770
8/13/09	12:18:52	21.05	17.277	11.315	189.091	5240.769	189.091	5240.769
8/13/09	12:18:55	21.1	17.275	11.310	189.095	5240.765	189.095	5240.765
8/13/09	12:18:58	21.15	17.278	11.314	189.089	5240.771	189.089	5240.771
8/13/09	12:19:01	21.2	17.277	11.322	189.091	5240.769	189.091	5240.769
8/13/09	12:19:04	21.25	17.275	11.311	189.095	5240.765	189.095	5240.765
8/13/09	12:19:07	21.3	17.279	11.313	189.087	5240.773	189.087	5240.773
8/13/09	12:19:10	21.35	17.276	11.310	189.093	5240.767	189.093	5240.767
8/13/09	12:19:13	21.4	17.276	11.310	189.093	5240.767	189.093	5240.767
8/13/09	12:19:16	21.45	17.279	11.322	189.087	5240.773	189.087	5240.773
8/13/09	12:19:19	21.5	17.278	11.307	189.089	5240.771	189.089	5240.771
8/13/09	12:19:22	21.55	17.278	11.311	189.089	5240.771	189.089	5240.771
8/13/09	12:19:25	21.6	17.278	11.303	189.088	5240.772	189.088	5240.772
8/13/09	12:19:28	21.65	17.278	11.305	189.090	5240.770	189.090	5240.770
8/13/09	12:19:31	21.7	17.276	11.315	189.094	5240.766	189.094	5240.766
8/13/09	12:19:34	21.75	17.276	11.300	189.095	5240.765	189.095	5240.765
8/13/09	12:19:37	21.8	17.276	11.302	189.094	5240.766	189.094	5240.766
8/13/09	12:19:40	21.85	17.276	11.298	189.093	5240.767	189.093	5240.767
8/13/09	12:19:43	21.9	17.277	11.300	189.091	5240.769	189.091	5240.769
8/13/09	12:19:46	21.95	17.276	11.307	189.094	5240.766	189.094	5240.766
8/13/09	12:19:49	22	17.279	11.295	189.088	5240.772	189.088	5240.772
8/13/09	12:19:52	22.05	17.278	11.299	189.090	5240.770	189.090	5240.770
8/13/09	12:19:55	22.1	17.279	11.288	189.087	5240.773	189.087	5240.773
8/13/09	12:19:58	22.15	17.276	11.289	189.093	5240.767	189.093	5240.767
8/13/09	12:20:01	22.2	17.278	11.300	189.089	5240.771	189.089	5240.771
8/13/09	12:20:04	22.25	17.276	11.285	189.094	5240.766	189.094	5240.766
8/13/09	12:20:07	22.3	17.277	11.285	189.090	5240.770	189.090	5240.770
8/13/09	12:20:10	22.35	17.279	11.279	189.086	5240.774	189.086	5240.774
8/13/09	12:20:13	22.4	17.279	11.278	189.086	5240.774	189.086	5240.774
8/13/09	12:20:16	22.45	17.277	11.286	189.091	5240.769	189.091	5240.769
8/13/09	12:20:19	22.5	17.278	11.272	189.088	5240.772	189.088	5240.772
8/13/09	12:20:22	22.55	17.279	11.276	189.086	5240.774	189.086	5240.774
8/13/09	12:20:25	22.6	17.280	11.268	189.085	5240.775	189.085	5240.775
8/13/09	12:20:28	22.65	17.279	11.267	189.086	5240.774	189.086	5240.774
8/13/09	12:20:31	22.7	17.279	11.275	189.087	5240.773	189.087	5240.773
8/13/09	12:20:34	22.75	17.280	11.263	189.084	5240.776	189.084	5240.776
8/13/09	12:20:37	22.8	17.281	11.261	189.081	5240.779	189.081	5240.779
8/13/09	12:20:40	22.85	17.278	11.254	189.089	5240.771	189.089	5240.771
8/13/09	12:20:43	22.9	17.279	11.256	189.085	5240.775	189.085	5240.775
8/13/09	12:20:46	22.95	17.279	11.263	189.086	5240.774	189.086	5240.774
8/13/09	12:20:49	23	17.281	11.252	189.081	5240.779	189.081	5240.779
8/13/09	12:20:52	23.05	17.278	11.250	189.089	5240.771	189.089	5240.771
8/13/09	12:20:55	23.1	17.280	11.246	189.085	5240.775	189.085	5240.775
8/13/09	12:20:58	23.15	17.280	11.244	189.083	5240.777	189.083	5240.777
8/13/09	12:21:01	23.2	17.279	11.250	189.087	5240.773	189.087	5240.773
8/13/09	12:21:04	23.25	17.282	11.237	189.079	5240.781	189.079	5240.781
8/13/09	12:21:07	23.3	17.279	11.236	189.086	5240.774	189.086	5240.774
8/13/09	12:21:10	23.35	17.278	11.230	189.089	5240.771	189.089	5240.771
8/13/09	12:21:13	23.4	17.282	11.230	189.080	5240.780	189.080	5240.780
8/13/09	12:21:16	23.45	17.280	11.241	189.084	5240.776	189.084	5240.776
8/13/09	12:21:19	23.5	17.283	11.223	189.078	5240.782	189.078	5240.782
8/13/09	12:21:22	23.55	17.276	11.227	189.093	5240.767	189.093	5240.767

Appendix B-2. OMW-3 Water Level Data, Moore Ranch Supplemental Pump Testing

Date	Time	Elapsed Minutes	TSN#: 138098 PSI	SN#: 138098 Temp - C	SN#: 138098 DTW (ft btoc)	TOC Elev		Corrected DTW	Corrected GW Elev
						5429.860 GW Elevation			
8/13/09	12:21:25	23.6	17.279	11.223	189.086	5240.774		189.086	5240.774
8/13/09	12:21:28	23.65	17.278	11.221	189.088	5240.772		189.088	5240.772
8/13/09	12:21:31	23.7	17.281	11.228	189.082	5240.778		189.082	5240.778
8/13/09	12:21:34	23.75	17.279	11.213	189.086	5240.774		189.086	5240.774
8/13/09	12:21:37	23.8	17.279	11.215	189.086	5240.774		189.086	5240.774
8/13/09	12:21:40	23.85	17.280	11.208	189.083	5240.777		189.083	5240.777
8/13/09	12:21:43	23.9	17.281	11.209	189.081	5240.779		189.081	5240.779
8/13/09	12:21:46	23.95	17.281	11.216	189.081	5240.779		189.081	5240.779
8/13/09	12:21:49	24	17.282	11.203	189.079	5240.781		189.079	5240.781
8/13/09	12:21:52	24.05	17.280	11.201	189.084	5240.776		189.084	5240.776
8/13/09	12:21:55	24.1	17.278	11.196	189.089	5240.771		189.089	5240.771
8/13/09	12:21:58	24.15	17.282	11.196	189.079	5240.781		189.079	5240.781
8/13/09	12:22:01	24.2	17.279	11.203	189.087	5240.773		189.087	5240.773
8/13/09	12:22:04	24.25	17.282	11.187	189.079	5240.781		189.079	5240.781
8/13/09	12:22:07	24.3	17.281	11.192	189.081	5240.779		189.081	5240.779
8/13/09	12:22:10	24.35	17.280	11.185	189.084	5240.776		189.084	5240.776
8/13/09	12:22:13	24.4	17.282	11.182	189.080	5240.780		189.080	5240.780
8/13/09	12:22:16	24.45	17.281	11.190	189.082	5240.778		189.082	5240.778
8/13/09	12:22:19	24.5	17.282	11.176	189.079	5240.781		189.079	5240.781
8/13/09	12:22:22	24.55	17.281	11.178	189.081	5240.779		189.081	5240.779
8/13/09	12:22:25	24.6	17.281	11.173	189.082	5240.778		189.082	5240.778
8/13/09	12:22:28	24.65	17.280	11.170	189.085	5240.775		189.085	5240.775
8/13/09	12:22:31	24.7	17.280	11.175	189.083	5240.777		189.083	5240.777
8/13/09	12:22:34	24.75	17.282	11.167	189.080	5240.780		189.080	5240.780
8/13/09	12:22:37	24.8	17.284	11.166	189.075	5240.785		189.075	5240.785
8/13/09	12:22:40	24.85	17.281	11.161	189.082	5240.778		189.082	5240.778
8/13/09	12:22:43	24.9	17.280	11.161	189.084	5240.776		189.084	5240.776
8/13/09	12:22:46	24.95	17.282	11.167	189.079	5240.781		189.079	5240.781
8/13/09	12:22:49	25	17.282	11.152	189.081	5240.779		189.081	5240.779
8/13/09	12:22:52	25.05	17.281	11.157	189.082	5240.778		189.082	5240.778
8/13/09	12:22:55	25.1	17.285	11.148	189.073	5240.787		189.073	5240.787
8/13/09	12:22:58	25.15	17.281	11.149	189.082	5240.778		189.082	5240.778
8/13/09	12:23:01	25.2	17.281	11.155	189.083	5240.777		189.083	5240.777
8/13/09	12:23:04	25.25	17.282	11.142	189.079	5240.781		189.079	5240.781
8/13/09	12:23:07	25.3	17.282	11.143	189.081	5240.779		189.081	5240.779
8/13/09	12:23:10	25.35	17.283	11.138	189.078	5240.782		189.078	5240.782
8/13/09	12:23:13	25.4	17.284	11.140	189.075	5240.785		189.075	5240.785
8/13/09	12:23:16	25.45	17.280	11.144	189.084	5240.776		189.084	5240.776
8/13/09	12:23:19	25.5	17.284	11.132	189.076	5240.784		189.076	5240.784
8/13/09	12:23:22	25.55	17.282	11.130	189.080	5240.780		189.080	5240.780
8/13/09	12:23:25	25.6	17.284	11.129	189.074	5240.786		189.074	5240.786
8/13/09	12:23:28	25.65	17.283	11.126	189.076	5240.784		189.076	5240.784
8/13/09	12:23:31	25.7	17.281	11.133	189.082	5240.778		189.082	5240.778
8/13/09	12:23:34	25.75	17.284	11.123	189.075	5240.785		189.075	5240.785
8/13/09	12:23:37	25.8	17.284	11.125	189.076	5240.784		189.076	5240.784
8/13/09	12:23:40	25.85	17.286	11.116	189.071	5240.789		189.071	5240.789
8/13/09	12:23:43	25.9	17.284	11.116	189.076	5240.784		189.076	5240.784
8/13/09	12:23:46	25.95	17.281	11.125	189.081	5240.779		189.081	5240.779
8/13/09	12:23:49	26	17.281	11.114	189.082	5240.778		189.082	5240.778
8/13/09	12:23:52	26.05	17.281	11.112	189.082	5240.778		189.082	5240.778
8/13/09	12:23:55	26.1	17.281	11.107	189.081	5240.779		189.081	5240.779
8/13/09	12:23:58	26.15	17.280	11.105	189.084	5240.776		189.084	5240.776
8/13/09	12:24:01	26.2	17.283	11.114	189.078	5240.782		189.078	5240.782
8/13/09	12:24:04	26.25	17.280	11.100	189.083	5240.777		189.083	5240.777
8/13/09	12:24:07	26.3	17.281	11.101	189.083	5240.777		189.083	5240.777
8/13/09	12:24:10	26.35	17.282	11.096	189.079	5240.781		189.079	5240.781

Appendix B-2. OMW-3 Water Level Data, Moore Ranch Supplemental Pump Testing

Date	Time	Elapsed Minutes	TSN#: 138098 PSI	SN#: 138098 Temp - C	SN#: 138098 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5429.860 GW Elevation	DTW	GW Elev
8/13/09	12:24:13	26.4	17.284	11.096	189.074	5240.786	189.074	5240.786
8/13/09	12:24:16	26.45	17.283	11.103	189.077	5240.783	189.077	5240.783
8/13/09	12:24:19	26.5	17.282	11.088	189.081	5240.779	189.081	5240.779
8/13/09	12:24:22	26.55	17.282	11.091	189.081	5240.779	189.081	5240.779
8/13/09	12:24:25	26.6	17.283	11.085	189.078	5240.782	189.078	5240.782
8/13/09	12:24:28	26.65	17.285	11.083	189.073	5240.787	189.073	5240.787
8/13/09	12:24:31	26.7	17.283	11.090	189.078	5240.782	189.078	5240.782
8/13/09	12:24:34	26.75	17.282	11.078	189.079	5240.781	189.079	5240.781
8/13/09	12:24:37	26.8	17.282	11.079	189.079	5240.781	189.079	5240.781
8/13/09	12:24:40	26.85	17.283	11.070	189.077	5240.783	189.077	5240.783
8/13/09	12:24:43	26.9	17.284	11.070	189.075	5240.785	189.075	5240.785
8/13/09	12:24:46	26.95	17.283	11.080	189.077	5240.783	189.077	5240.783
8/13/09	12:24:49	27	17.283	11.066	189.078	5240.782	189.078	5240.782
8/13/09	12:24:52	27.05	17.282	11.068	189.079	5240.781	189.079	5240.781
8/13/09	12:24:55	27.1	17.284	11.062	189.075	5240.785	189.075	5240.785
8/13/09	12:24:58	27.15	17.282	11.061	189.079	5240.781	189.079	5240.781
8/13/09	12:25:01	27.2	17.281	11.069	189.083	5240.777	189.083	5240.777
8/13/09	12:25:04	27.25	17.284	11.055	189.075	5240.785	189.075	5240.785
8/13/09	12:25:07	27.3	17.283	11.056	189.077	5240.783	189.077	5240.783
8/13/09	12:25:10	27.35	17.284	11.049	189.075	5240.785	189.075	5240.785
8/13/09	12:25:13	27.4	17.284	11.049	189.075	5240.785	189.075	5240.785
8/13/09	12:25:16	27.45	17.285	11.055	189.073	5240.787	189.073	5240.787
8/13/09	12:25:19	27.5	17.284	11.048	189.076	5240.784	189.076	5240.784
8/13/09	12:25:22	27.55	17.282	11.047	189.081	5240.779	189.081	5240.779
8/13/09	12:25:25	27.6	17.284	11.041	189.074	5240.786	189.074	5240.786
8/13/09	12:25:28	27.65	17.283	11.041	189.077	5240.783	189.077	5240.783
8/13/09	12:25:31	27.7	17.285	11.047	189.073	5240.787	189.073	5240.787
8/13/09	12:25:34	27.75	17.284	11.035	189.074	5240.786	189.074	5240.786
8/13/09	12:25:37	27.8	17.284	11.036	189.075	5240.785	189.075	5240.785
8/13/09	12:25:40	27.85	17.294	11.035	189.052	5240.808	189.052	5240.808
8/13/09	12:25:43	27.9	17.284	11.031	189.075	5240.785	189.075	5240.785
8/13/09	12:25:46	27.95	17.283	11.043	189.077	5240.783	189.077	5240.783
8/13/09	12:25:49	28	17.285	11.026	189.072	5240.788	189.072	5240.788
8/13/09	12:25:52	28.05	17.284	11.028	189.075	5240.785	189.075	5240.785
8/13/09	12:25:55	28.1	17.285	11.020	189.073	5240.787	189.073	5240.787
8/13/09	12:25:58	28.15	17.286	11.024	189.071	5240.789	189.071	5240.789
8/13/09	12:26:01	28.2	17.283	11.030	189.078	5240.782	189.078	5240.782
8/13/09	12:26:04	28.25	17.286	11.016	189.071	5240.789	189.071	5240.789
8/13/09	12:26:07	28.3	17.285	11.017	189.073	5240.787	189.073	5240.787
8/13/09	12:26:10	28.35	17.286	11.010	189.071	5240.789	189.071	5240.789
8/13/09	12:26:13	28.4	17.285	11.011	189.074	5240.786	189.074	5240.786
8/13/09	12:26:16	28.45	17.282	11.019	189.079	5240.781	189.079	5240.781
8/13/09	12:26:19	28.5	17.284	11.005	189.074	5240.786	189.074	5240.786
8/13/09	12:26:22	28.55	17.285	11.005	189.074	5240.786	189.074	5240.786
8/13/09	12:26:25	28.6	17.286	11.003	189.071	5240.789	189.071	5240.789
8/13/09	12:26:28	28.65	17.286	11.001	189.070	5240.790	189.070	5240.790
8/13/09	12:26:31	28.7	17.283	11.010	189.078	5240.782	189.078	5240.782
8/13/09	12:26:34	28.75	17.285	10.997	189.072	5240.788	189.072	5240.788
8/13/09	12:26:37	28.8	17.286	10.999	189.071	5240.789	189.071	5240.789
8/13/09	12:26:40	28.85	17.287	10.992	189.068	5240.792	189.068	5240.792
8/13/09	12:26:43	28.9	17.285	10.990	189.072	5240.788	189.072	5240.788
8/13/09	12:26:46	28.95	17.283	10.998	189.077	5240.783	189.077	5240.783
8/13/09	12:26:49	29	17.286	10.985	189.070	5240.790	189.070	5240.790
8/13/09	12:26:52	29.05	17.285	10.989	189.072	5240.788	189.072	5240.788
8/13/09	12:26:55	29.1	17.284	10.981	189.076	5240.784	189.076	5240.784
8/13/09	12:26:58	29.15	17.287	10.982	189.069	5240.791	189.069	5240.791

Appendix B-2. OMW-3 Water Level Data, Moore Ranch Supplemental Pump Testing

Date	Time	Elapsed Minutes	SN#: 138098 PSI	SN#: 138098 Temp - C	SN#: 138098 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5429.860 GW Elevation	DTW	GW Elev
8/13/09	12:27:01	29.2	17.284	10.989	189.075	5240.785	189.075	5240.785
8/13/09	12:27:04	29.25	17.284	10.978	189.074	5240.786	189.074	5240.786
8/13/09	12:27:07	29.3	17.287	10.979	189.068	5240.792	189.068	5240.792
8/13/09	12:27:10	29.35	17.285	10.974	189.073	5240.787	189.073	5240.787
8/13/09	12:27:13	29.4	17.288	10.975	189.067	5240.793	189.067	5240.793
8/13/09	12:27:16	29.45	17.285	10.980	189.072	5240.788	189.072	5240.788
8/13/09	12:27:19	29.5	17.288	10.966	189.066	5240.794	189.066	5240.794
8/13/09	12:27:22	29.55	17.288	10.973	189.067	5240.793	189.067	5240.793
8/13/09	12:27:25	29.6	17.285	10.965	189.072	5240.788	189.072	5240.788
8/13/09	12:27:28	29.65	17.285	10.967	189.074	5240.786	189.074	5240.786
8/13/09	12:27:31	29.7	17.285	10.975	189.073	5240.787	189.073	5240.787
8/13/09	12:27:34	29.75	17.287	10.958	189.068	5240.792	189.068	5240.792
8/13/09	12:27:37	29.8	17.288	10.963	189.067	5240.793	189.067	5240.793
8/13/09	12:27:40	29.85	17.285	10.957	189.073	5240.787	189.073	5240.787
8/13/09	12:27:43	29.9	17.285	10.958	189.072	5240.788	189.072	5240.788
8/13/09	12:27:46	29.95	17.285	10.966	189.072	5240.788	189.072	5240.788
8/13/09	12:27:49	30	17.286	10.953	189.071	5240.789	189.071	5240.789
8/13/09	12:27:52	30.05	17.284	10.954	189.074	5240.786	189.074	5240.786
8/13/09	12:27:55	30.1	17.285	10.945	189.074	5240.786	189.074	5240.786
8/13/09	12:27:58	30.15	17.285	10.946	189.074	5240.786	189.074	5240.786
8/13/09	12:28:01	30.2	17.286	10.955	189.070	5240.790	189.070	5240.790
8/13/09	12:28:04	30.25	17.286	10.944	189.070	5240.790	189.070	5240.790
8/13/09	12:28:07	30.3	17.285	10.944	189.073	5240.787	189.073	5240.787
8/13/09	12:28:10	30.35	17.286	10.939	189.070	5240.790	189.070	5240.790
8/13/09	12:28:13	30.4	17.285	10.940	189.073	5240.787	189.073	5240.787
8/13/09	12:28:16	30.45	17.287	10.950	189.068	5240.792	189.068	5240.792
8/13/09	12:28:19	30.5	17.285	10.937	189.073	5240.787	189.073	5240.787
8/13/09	12:28:22	30.55	17.285	10.937	189.073	5240.787	189.073	5240.787
8/13/09	12:28:25	30.6	17.285	10.934	189.072	5240.788	189.072	5240.788
8/13/09	12:28:28	30.65	17.285	10.932	189.073	5240.787	189.073	5240.787
8/13/09	12:28:31	30.7	17.286	10.944	189.071	5240.789	189.071	5240.789
8/13/09	12:28:34	30.75	17.286	10.928	189.070	5240.790	189.070	5240.790
8/13/09	12:28:37	30.8	17.285	10.932	189.072	5240.788	189.072	5240.788
8/13/09	12:28:40	30.85	17.286	10.924	189.070	5240.790	189.070	5240.790
8/13/09	12:28:43	30.9	17.285	10.925	189.073	5240.787	189.073	5240.787
8/13/09	12:28:46	30.951	17.286	10.933	189.069	5240.791	189.069	5240.791
8/13/09	12:28:49	31	17.287	10.918	189.068	5240.792	189.068	5240.792
8/13/09	12:28:52	31.05	17.284	10.923	189.075	5240.785	189.075	5240.785
8/13/09	12:28:55	31.1	17.286	10.918	189.070	5240.790	189.070	5240.790
8/13/09	12:28:58	31.15	17.284	10.918	189.076	5240.784	189.076	5240.784
8/13/09	12:29:01	31.201	17.289	10.927	189.064	5240.796	189.064	5240.796
8/13/09	12:29:04	31.25	17.286	10.915	189.071	5240.789	189.071	5240.789
8/13/09	12:29:07	31.3	17.287	10.917	189.068	5240.792	189.068	5240.792
8/13/09	12:29:10	31.35	17.286	10.910	189.069	5240.791	189.069	5240.791
8/13/09	12:29:13	31.4	17.286	10.909	189.071	5240.789	189.071	5240.789
8/13/09	12:29:16	31.451	17.284	10.917	189.076	5240.784	189.076	5240.784
8/13/09	12:29:19	31.5	17.288	10.905	189.066	5240.794	189.066	5240.794
8/13/09	12:29:22	31.55	17.286	10.907	189.070	5240.790	189.070	5240.790
8/13/09	12:29:25	31.6	17.289	10.900	189.064	5240.796	189.064	5240.796
8/13/09	12:29:28	31.65	17.287	10.897	189.068	5240.792	189.068	5240.792
8/13/09	12:29:31	31.701	17.285	10.912	189.073	5240.787	189.073	5240.787
8/13/09	12:29:34	31.75	17.287	10.896	189.069	5240.791	189.069	5240.791
8/13/09	12:29:37	31.8	17.285	10.902	189.072	5240.788	189.072	5240.788
8/13/09	12:29:40	31.85	17.289	10.893	189.065	5240.795	189.065	5240.795
8/13/09	12:29:43	31.9	17.287	10.893	189.068	5240.792	189.068	5240.792
8/13/09	12:29:46	31.951	17.284	10.901	189.075	5240.785	189.075	5240.785

Appendix B-2. OMW-3 Water Level Data, Moore Ranch Supplemental Pump Testing

Date	Time	Elapsed Minutes	TSN#: 138098 PSI	SN#: 138098 Temp - C	SN#: 138098 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5429.860 GW Elevation	DTW	GW Elev
8/13/09	12:29:49	32	17.288	10.888	189.065	5240.795	189.065	5240.795
8/13/09	12:29:52	32.05	17.287	10.892	189.069	5240.791	189.069	5240.791
8/13/09	12:29:55	32.1	17.287	10.888	189.067	5240.793	189.067	5240.793
8/13/09	12:29:58	32.15	17.288	10.886	189.066	5240.794	189.066	5240.794
8/13/09	12:30:01	32.201	17.284	10.896	189.074	5240.786	189.074	5240.786
8/13/09	12:30:04	32.25	17.287	10.884	189.068	5240.792	189.068	5240.792
8/13/09	12:30:07	32.3	17.288	10.884	189.065	5240.795	189.065	5240.795
8/13/09	12:30:10	32.35	17.287	10.880	189.068	5240.792	189.068	5240.792
8/13/09	12:30:13	32.4	17.289	10.877	189.065	5240.795	189.065	5240.795
8/13/09	12:30:16	32.451	17.285	10.890	189.072	5240.788	189.072	5240.788
8/13/09	12:30:19	32.5	17.289	10.877	189.064	5240.796	189.064	5240.796
8/13/09	12:30:22	32.55	17.288	10.878	189.066	5240.794	189.066	5240.794
8/13/09	12:30:25	32.6	17.289	10.872	189.064	5240.796	189.064	5240.796
8/13/09	12:30:28	32.65	17.289	10.870	189.064	5240.796	189.064	5240.796
8/13/09	12:30:31	32.701	17.285	10.881	189.074	5240.786	189.074	5240.786
8/13/09	12:30:34	32.75	17.290	10.869	189.061	5240.799	189.061	5240.799
8/13/09	12:30:37	32.8	17.288	10.872	189.067	5240.793	189.067	5240.793
8/13/09	12:30:40	32.85	17.289	10.864	189.064	5240.796	189.064	5240.796
8/13/09	12:30:43	32.9	17.288	10.864	189.066	5240.794	189.066	5240.794
8/13/09	12:30:46	32.951	17.287	10.874	189.068	5240.792	189.068	5240.792
8/13/09	12:30:49	33	17.289	10.861	189.064	5240.796	189.064	5240.796
8/13/09	12:30:52	33.05	17.288	10.864	189.065	5240.795	189.065	5240.795
8/13/09	12:30:55	33.1	17.289	10.859	189.064	5240.796	189.064	5240.796
8/13/09	12:30:58	33.15	17.288	10.856	189.065	5240.795	189.065	5240.795
8/13/09	12:31:01	33.2	17.287	10.866	189.068	5240.792	189.068	5240.792
8/13/09	12:31:04	33.25	17.289	10.855	189.063	5240.797	189.063	5240.797
8/13/09	12:31:07	33.3	17.287	10.857	189.069	5240.791	189.069	5240.791
8/13/09	12:31:10	33.35	17.286	10.851	189.070	5240.790	189.070	5240.790
8/13/09	12:31:13	33.4	17.289	10.852	189.064	5240.796	189.064	5240.796
8/13/09	12:31:16	33.452	17.286	10.857	189.070	5240.790	189.070	5240.790
8/13/09	12:31:19	33.5	17.289	10.848	189.063	5240.797	189.063	5240.797
8/13/09	12:31:22	33.55	17.288	10.853	189.066	5240.794	189.066	5240.794
8/13/09	12:31:25	33.6	17.291	10.845	189.060	5240.800	189.060	5240.800
8/13/09	12:31:28	33.65	17.289	10.841	189.065	5240.795	189.065	5240.795
8/13/09	12:31:31	33.702	17.288	10.856	189.067	5240.793	189.067	5240.793
8/13/09	12:31:34	33.75	17.289	10.842	189.062	5240.798	189.062	5240.798
8/13/09	12:31:37	33.8	17.288	10.845	189.065	5240.795	189.065	5240.795
8/13/09	12:31:40	33.85	17.290	10.841	189.062	5240.798	189.062	5240.798
8/13/09	12:31:43	33.9	17.289	10.842	189.063	5240.797	189.063	5240.797
8/13/09	12:31:46	33.952	17.286	10.848	189.070	5240.790	189.070	5240.790
8/13/09	12:31:49	34	17.289	10.835	189.064	5240.796	189.064	5240.796
8/13/09	12:31:52	34.05	17.288	10.840	189.065	5240.795	189.065	5240.795
8/13/09	12:31:55	34.1	17.290	10.832	189.062	5240.798	189.062	5240.798
8/13/09	12:31:58	34.15	17.290	10.835	189.061	5240.799	189.061	5240.799
8/13/09	12:32:01	34.202	17.286	10.843	189.070	5240.790	189.070	5240.790
8/13/09	12:32:04	34.25	17.286	10.830	189.070	5240.790	189.070	5240.790
8/13/09	12:32:07	34.3	17.289	10.832	189.063	5240.797	189.063	5240.797
8/13/09	12:32:10	34.35	17.286	10.828	189.071	5240.789	189.071	5240.789
8/13/09	12:32:13	34.4	17.286	10.829	189.070	5240.790	189.070	5240.790
8/13/09	12:32:16	34.452	17.288	10.838	189.067	5240.793	189.067	5240.793
8/13/09	12:32:19	34.5	17.287	10.825	189.068	5240.792	189.068	5240.792
8/13/09	12:32:22	34.55	17.289	10.829	189.064	5240.796	189.064	5240.796
8/13/09	12:32:25	34.6	17.288	10.824	189.067	5240.793	189.067	5240.793
8/13/09	12:32:28	34.65	17.290	10.822	189.062	5240.798	189.062	5240.798
8/13/09	12:32:31	34.702	17.288	10.830	189.065	5240.795	189.065	5240.795
8/13/09	12:32:34	34.75	17.291	10.821	189.060	5240.800	189.060	5240.800

Appendix B-2. OMW-3 Water Level Data, Moore Ranch Supplemental Pump Testing

Date	Time	Elapsed Minutes	TSN#: 138098 PSI	SN#: 138098 Temp - C	SN#: 138098 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5429.860 GW Elevation	DTW	GW Elev
8/13/09	12:32:37	34.8	17.289	10.826	189.063	5240.797	189.063	5240.797
8/13/09	12:32:40	34.85	17.287	10.816	189.068	5240.792	189.068	5240.792
8/13/09	12:32:43	34.9	17.286	10.818	189.070	5240.790	189.070	5240.790
8/13/09	12:32:46	34.952	17.287	10.829	189.068	5240.792	189.068	5240.792
8/13/09	12:32:49	35	17.291	10.815	189.059	5240.801	189.059	5240.801
8/13/09	12:32:52	35.05	17.285	10.816	189.073	5240.787	189.073	5240.787
8/13/09	12:32:55	35.1	17.286	10.814	189.070	5240.790	189.070	5240.790
8/13/09	12:32:58	35.15	17.286	10.813	189.071	5240.789	189.071	5240.789
8/13/09	12:33:01	35.202	17.289	10.823	189.064	5240.796	189.064	5240.796
8/13/09	12:33:04	35.25	17.287	10.809	189.068	5240.792	189.068	5240.792
8/13/09	12:33:07	35.3	17.289	10.813	189.063	5240.797	189.063	5240.797
8/13/09	12:33:10	35.35	17.287	10.807	189.068	5240.792	189.068	5240.792
8/13/09	12:33:13	35.4	17.288	10.807	189.066	5240.794	189.066	5240.794
8/13/09	12:33:16	35.452	17.288	10.818	189.067	5240.793	189.067	5240.793
8/13/09	12:33:19	35.5	17.288	10.805	189.066	5240.794	189.066	5240.794
8/13/09	12:33:22	35.55	17.291	10.807	189.060	5240.800	189.060	5240.800
8/13/09	12:33:25	35.6	17.289	10.804	189.064	5240.796	189.064	5240.796
8/13/09	12:33:28	35.65	17.287	10.808	189.067	5240.793	189.067	5240.793
8/13/09	12:33:31	35.7	17.288	10.800	189.065	5240.795	189.065	5240.795
8/13/09	12:33:34	35.75	17.290	10.798	189.062	5240.798	189.062	5240.798
8/13/09	12:33:37	35.8	17.289	10.794	189.063	5240.797	189.063	5240.797
8/13/09	12:34:29	0	17.290	10.765	189.052	5240.808	189.052	5240.808
8/13/09	12:34:30	0.018	17.294	10.776	189.043	5240.817	189.043	5240.817
8/13/09	12:34:31	0.033	17.290	10.779	189.053	5240.807	189.053	5240.807
8/13/09	12:34:32	0.05	17.289	10.780	189.055	5240.805	189.055	5240.805
8/13/09	12:34:33	0.067	17.289	10.779	189.056	5240.804	189.056	5240.804
8/13/09	12:34:34	0.083	17.288	10.779	189.057	5240.803	189.057	5240.803
8/13/09	12:34:35	0.1	17.289	10.782	189.055	5240.805	189.055	5240.805
8/13/09	12:34:36	0.117	17.289	10.783	189.055	5240.805	189.055	5240.805
8/13/09	12:34:37	0.133	17.290	10.781	189.054	5240.806	189.054	5240.806
8/13/09	12:34:38	0.15	17.289	10.785	189.055	5240.805	189.055	5240.805
8/13/09	12:34:39	0.167	17.289	10.783	189.054	5240.806	189.054	5240.806
8/13/09	12:34:40	0.183	17.289	10.781	189.055	5240.805	189.055	5240.805
8/13/09	12:34:41	0.2	17.287	10.784	189.059	5240.801	189.059	5240.801
8/13/09	12:34:42	0.217	17.289	10.784	189.056	5240.804	189.056	5240.804
8/13/09	12:34:43	0.233	17.292	10.786	189.048	5240.812	189.048	5240.812
8/13/09	12:34:44	0.25	17.288	10.785	189.056	5240.804	189.056	5240.804
8/13/09	12:34:45	0.267	17.287	10.785	189.059	5240.801	189.059	5240.801
8/13/09	12:34:46	0.283	17.288	10.785	189.057	5240.803	189.057	5240.803
8/13/09	12:34:47	0.3	17.288	10.811	189.057	5240.803	189.057	5240.803
8/13/09	12:34:48	0.317	17.289	10.793	189.054	5240.806	189.054	5240.806
8/13/09	12:34:49	0.333	17.286	10.789	189.061	5240.799	189.061	5240.799
8/13/09	12:34:50	0.35	17.291	10.790	189.051	5240.809	189.051	5240.809
8/13/09	12:34:51	0.367	17.286	10.788	189.061	5240.799	189.061	5240.799
8/13/09	12:34:52	0.385	17.288	10.801	189.057	5240.803	189.057	5240.803
8/13/09	12:34:53	0.4	17.287	10.793	189.060	5240.800	189.060	5240.800
8/13/09	12:34:54	0.417	17.289	10.791	189.055	5240.805	189.055	5240.805
8/13/09	12:34:55	0.433	17.289	10.792	189.054	5240.806	189.054	5240.806
8/13/09	12:34:56	0.45	17.290	10.790	189.052	5240.808	189.052	5240.808
8/13/09	12:34:57	0.468	17.288	10.803	189.057	5240.803	189.057	5240.803
8/13/09	12:34:58	0.483	17.289	10.794	189.055	5240.805	189.055	5240.805
8/13/09	12:34:59	0.5	17.290	10.792	189.053	5240.807	189.053	5240.807
8/13/09	12:35:00	0.517	17.290	10.794	189.052	5240.808	189.052	5240.808
8/13/09	12:35:01	0.533	17.290	10.791	189.052	5240.808	189.052	5240.808
8/13/09	12:35:02	0.552	17.288	10.802	189.058	5240.802	189.058	5240.802
8/13/09	12:35:03	0.567	17.290	10.797	189.053	5240.807	189.053	5240.807

Appendix B-2. OMW-3 Water Level Data, Moore Ranch Supplemental Pump Testing

Date	Time	Elapsed Minutes	SN#: 138098 PSI	SN#: 138098 Temp - C	SN#: 138098 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5429.860 GW Elevation	DTW	GW Elev
8/13/09	12:35:04	0.583	17.291	10.792	189.049	5240.811	189.049	5240.811
8/13/09	12:35:05	0.6	17.290	10.794	189.053	5240.807	189.053	5240.807
8/13/09	12:35:06	0.617	17.291	10.793	189.050	5240.810	189.050	5240.810
8/13/09	12:35:07	0.635	17.287	10.802	189.060	5240.800	189.060	5240.800
8/13/09	12:35:08	0.65	17.289	10.798	189.055	5240.805	189.055	5240.805
8/13/09	12:35:09	0.667	17.290	10.791	189.053	5240.807	189.053	5240.807
8/13/09	12:35:10	0.683	17.291	10.793	189.051	5240.809	189.051	5240.809
8/13/09	12:35:11	0.7	17.286	10.795	189.061	5240.799	189.061	5240.799
8/13/09	12:35:12	0.718	17.288	10.807	189.058	5240.802	189.058	5240.802
8/13/09	12:35:13	0.733	17.290	10.800	189.053	5240.807	189.053	5240.807
8/13/09	12:35:14	0.75	17.291	10.796	189.050	5240.810	189.050	5240.810
8/13/09	12:35:15	0.767	17.290	10.795	189.052	5240.808	189.052	5240.808
8/13/09	12:35:16	0.783	17.291	10.795	189.051	5240.809	189.051	5240.809
8/13/09	12:35:17	0.801	17.287	10.805	189.061	5240.799	189.061	5240.799
8/13/09	12:35:18	0.817	17.290	10.799	189.053	5240.807	189.053	5240.807
8/13/09	12:35:19	0.833	17.299	10.796	189.032	5240.828	189.032	5240.828
8/13/09	12:35:20	0.85	17.289	10.797	189.054	5240.806	189.054	5240.806
8/13/09	12:35:21	0.867	17.291	10.796	189.050	5240.810	189.050	5240.810
8/13/09	12:35:22	0.885	17.287	10.807	189.060	5240.800	189.060	5240.800
8/13/09	12:35:23	0.9	17.289	10.800	189.054	5240.806	189.054	5240.806
8/13/09	12:35:24	0.917	17.290	10.798	189.053	5240.807	189.053	5240.807
8/13/09	12:35:25	0.933	17.290	10.798	189.052	5240.808	189.052	5240.808
8/13/09	12:35:26	0.95	17.290	10.796	189.052	5240.808	189.052	5240.808
8/13/09	12:35:27	0.968	17.291	10.804	189.049	5240.811	189.049	5240.811
8/13/09	12:35:28	0.983	17.289	10.800	189.056	5240.804	189.056	5240.804
8/13/09	12:35:29	1	17.290	10.797	189.053	5240.807	189.053	5240.807
8/13/09	12:35:30	1.017	17.291	10.797	189.051	5240.809	189.051	5240.809
8/13/09	12:35:31	1.033	17.292	10.796	189.049	5240.811	189.049	5240.811
8/13/09	12:35:32	1.052	17.288	10.807	189.056	5240.804	189.056	5240.804
8/13/09	12:35:33	1.067	17.289	10.800	189.055	5240.805	189.055	5240.805
8/13/09	12:35:34	1.083	17.290	10.798	189.054	5240.806	189.054	5240.806
8/13/09	12:35:35	1.1	17.290	10.796	189.052	5240.808	189.052	5240.808
8/13/09	12:35:36	1.117	17.291	10.797	189.051	5240.809	189.051	5240.809
8/13/09	12:35:37	1.134	17.287	10.805	189.059	5240.801	189.059	5240.801
8/13/09	12:35:38	1.15	17.289	10.798	189.054	5240.806	189.054	5240.806
8/13/09	12:35:39	1.167	17.291	10.798	189.051	5240.809	189.051	5240.809
8/13/09	12:35:40	1.183	17.288	10.796	189.057	5240.803	189.057	5240.803
8/13/09	12:35:41	1.2	17.290	10.794	189.052	5240.808	189.052	5240.808
8/13/09	12:35:42	1.218	17.290	10.809	189.052	5240.808	189.052	5240.808
8/13/09	12:35:43	1.233	17.289	10.801	189.054	5240.806	189.054	5240.806
8/13/09	12:35:44	1.25	17.291	10.797	189.050	5240.810	189.050	5240.810
8/13/09	12:35:45	1.267	17.289	10.797	189.055	5240.805	189.055	5240.805
8/13/09	12:35:46	1.283	17.292	10.797	189.049	5240.811	189.049	5240.811
8/13/09	12:35:47	1.301	17.286	10.806	189.062	5240.798	189.062	5240.798
8/13/09	12:35:48	1.317	17.289	10.803	189.055	5240.805	189.055	5240.805
8/13/09	12:35:49	1.333	17.290	10.797	189.054	5240.806	189.054	5240.806
8/13/09	12:35:50	1.35	17.285	10.795	189.063	5240.797	189.063	5240.797
8/13/09	12:35:51	1.367	17.288	10.799	189.057	5240.803	189.057	5240.803
8/13/09	12:35:52	1.385	17.287	10.808	189.059	5240.801	189.059	5240.801
8/13/09	12:35:53	1.4	17.286	10.803	189.062	5240.798	189.062	5240.798
8/13/09	12:35:54	1.417	17.272	10.797	189.095	5240.765	189.095	5240.765
8/13/09	12:35:55	1.433	17.269	10.796	189.101	5240.759	189.101	5240.759
8/13/09	12:35:56	1.45	17.239	10.797	189.169	5240.691	189.169	5240.691
8/13/09	12:35:57	1.468	17.223	10.810	189.208	5240.652	189.208	5240.652
8/13/09	12:35:58	1.483	17.206	10.803	189.248	5240.612	189.248	5240.612
8/13/09	12:35:59	1.5	17.191	10.799	189.281	5240.579	189.281	5240.579

Appendix B-2. OMW-3 Water Level Data, Moore Ranch Supplemental Pump Testing

Date	Time	Elapsed Minutes	SN#: 138098 PSI	SN#: 138098 Temp - C	SN#: 138098 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5429.860 GW Elevation	DTW	GW Elev
8/13/09	12:36:00	1.517	17.173	10.797	189.322	5240.538	189.322	5240.538
8/13/09	12:36:01	1.533	17.155	10.796	189.365	5240.495	189.365	5240.495
8/13/09	12:36:02	1.551	17.142	10.805	189.393	5240.467	189.393	5240.467
8/13/09	12:36:03	1.567	17.133	10.802	189.415	5240.445	189.415	5240.445
8/13/09	12:36:04	1.583	17.120	10.797	189.444	5240.416	189.444	5240.416
8/13/09	12:36:05	1.6	17.114	10.797	189.458	5240.402	189.458	5240.402
8/13/09	12:36:06	1.617	17.106	10.796	189.478	5240.382	189.478	5240.382
8/13/09	12:36:07	1.635	17.101	10.805	189.490	5240.370	189.490	5240.370
8/13/09	12:36:08	1.65	17.095	10.800	189.502	5240.358	189.502	5240.358
8/13/09	12:36:09	1.667	17.091	10.796	189.513	5240.347	189.513	5240.347
8/13/09	12:36:10	1.683	17.089	10.797	189.517	5240.343	189.517	5240.343
8/13/09	12:36:11	1.7	17.086	10.796	189.524	5240.336	189.524	5240.336
8/13/09	12:36:12	1.718	17.076	10.804	189.547	5240.313	189.547	5240.313
8/13/09	12:36:13	1.733	17.074	10.801	189.551	5240.309	189.551	5240.309
8/13/09	12:36:14	1.75	17.072	10.798	189.556	5240.304	189.556	5240.304
8/13/09	12:36:15	1.767	17.071	10.796	189.559	5240.301	189.559	5240.301
8/13/09	12:36:16	1.783	17.068	10.796	189.566	5240.294	189.566	5240.294
8/13/09	12:36:17	1.802	17.060	10.805	189.583	5240.277	189.583	5240.277
8/13/09	12:36:18	1.817	17.060	10.800	189.584	5240.276	189.584	5240.276
8/13/09	12:36:19	1.833	17.057	10.795	189.591	5240.269	189.591	5240.269
8/13/09	12:36:20	1.85	17.060	10.796	189.585	5240.275	189.585	5240.275
8/13/09	12:36:21	1.867	17.058	10.796	189.589	5240.271	189.589	5240.271
8/13/09	12:36:22	1.885	17.053	10.806	189.601	5240.259	189.601	5240.259
8/13/09	12:36:23	1.9	17.055	10.798	189.594	5240.266	189.594	5240.266
8/13/09	12:36:24	1.917	17.056	10.798	189.593	5240.267	189.593	5240.267
8/13/09	12:36:25	1.933	17.056	10.795	189.592	5240.268	189.592	5240.268
8/13/09	12:36:26	1.95	17.051	10.796	189.605	5240.255	189.605	5240.255
8/13/09	12:36:27	1.968	17.052	10.807	189.603	5240.257	189.603	5240.257
8/13/09	12:36:28	1.983	17.052	10.801	189.601	5240.259	189.601	5240.259
8/13/09	12:36:29	2	17.054	10.798	189.597	5240.263	189.597	5240.263
8/13/09	12:36:30	2.017	17.056	10.795	189.593	5240.267	189.593	5240.267
8/13/09	12:36:31	2.033	17.055	10.796	189.594	5240.266	189.594	5240.266
8/13/09	12:36:32	2.051	17.057	10.807	189.591	5240.269	189.591	5240.269
8/13/09	12:36:33	2.067	17.056	10.799	189.593	5240.267	189.593	5240.267
8/13/09	12:36:34	2.083	17.056	10.796	189.592	5240.268	189.592	5240.268
8/13/09	12:36:35	2.1	17.058	10.796	189.587	5240.273	189.587	5240.273
8/13/09	12:36:36	2.117	17.054	10.796	189.597	5240.263	189.597	5240.263
8/13/09	12:36:37	2.135	17.059	10.804	189.586	5240.274	189.586	5240.274
8/13/09	12:36:38	2.15	17.057	10.801	189.590	5240.270	189.590	5240.270
8/13/09	12:36:39	2.167	17.058	10.795	189.588	5240.272	189.588	5240.272
8/13/09	12:36:40	2.183	17.060	10.795	189.583	5240.277	189.583	5240.277
8/13/09	12:36:41	2.2	17.058	10.796	189.588	5240.272	189.588	5240.272
8/13/09	12:36:42	2.217	17.057	10.807	189.590	5240.270	189.590	5240.270
8/13/09	12:36:43	2.233	17.062	10.799	189.580	5240.280	189.580	5240.280
8/13/09	12:36:44	2.25	17.060	10.795	189.583	5240.277	189.583	5240.277
8/13/09	12:36:45	2.267	17.057	10.793	189.591	5240.269	189.591	5240.269
8/13/09	12:36:46	2.283	17.061	10.793	189.582	5240.278	189.582	5240.278
8/13/09	12:36:47	2.301	17.058	10.808	189.587	5240.273	189.587	5240.273
8/13/09	12:36:48	2.319	17.061	10.795	189.581	5240.279	189.581	5240.279
8/13/09	12:36:49	2.333	17.062	10.797	189.579	5240.281	189.579	5240.281
8/13/09	12:36:50	2.35	17.063	10.796	189.576	5240.284	189.576	5240.284
8/13/09	12:36:51	2.367	17.063	10.794	189.577	5240.283	189.577	5240.283
8/13/09	12:36:52	2.383	17.063	10.805	189.577	5240.283	189.577	5240.283
8/13/09	12:36:53	2.4	17.063	10.799	189.576	5240.284	189.576	5240.284
8/13/09	12:36:54	2.417	17.065	10.796	189.571	5240.289	189.571	5240.289
8/13/09	12:36:55	2.433	17.061	10.794	189.582	5240.278	189.582	5240.278

Appendix B-2. OMW-3 Water Level Data, Moore Ranch Supplemental Pump Testing

Date	Time	Elapsed Minutes	TSN#: 138098 PSI	SN#: 138098 Temp - C	SN#: 138098 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5429.860 GW Elevation	DTW	GW Elev
8/13/09	12:36:56	2.45	17.064	10.794	189.574	5240.286	189.574	5240.286
8/13/09	12:36:57	2.467	17.063	10.805	189.577	5240.283	189.577	5240.283
8/13/09	12:36:58	2.483	17.066	10.798	189.571	5240.289	189.571	5240.289
8/13/09	12:36:59	2.5	17.063	10.795	189.577	5240.283	189.577	5240.283
8/13/09	12:37:00	2.517	17.063	10.795	189.577	5240.283	189.577	5240.283
8/13/09	12:37:01	2.533	17.066	10.794	189.571	5240.289	189.571	5240.289
8/13/09	12:37:02	2.551	17.064	10.805	189.574	5240.286	189.574	5240.286
8/13/09	12:37:03	2.567	17.063	10.797	189.577	5240.283	189.577	5240.283
8/13/09	12:37:04	2.583	17.063	10.791	189.576	5240.284	189.576	5240.284
8/13/09	12:37:05	2.6	17.065	10.793	189.571	5240.289	189.571	5240.289
8/13/09	12:37:06	2.617	17.067	10.794	189.568	5240.292	189.568	5240.292
8/13/09	12:37:07	2.635	17.063	10.805	189.576	5240.284	189.576	5240.284
8/13/09	12:37:08	2.65	17.066	10.798	189.569	5240.291	189.569	5240.291
8/13/09	12:37:09	2.667	17.063	10.795	189.578	5240.282	189.578	5240.282
8/13/09	12:37:10	2.683	17.065	10.794	189.572	5240.288	189.572	5240.288
8/13/09	12:37:11	2.7	17.068	10.792	189.566	5240.294	189.566	5240.294
8/13/09	12:37:12	2.718	17.063	10.803	189.577	5240.283	189.577	5240.283
8/13/09	12:37:13	2.733	17.066	10.795	189.570	5240.290	189.570	5240.290
8/13/09	12:37:14	2.75	17.065	10.795	189.571	5240.289	189.571	5240.289
8/13/09	12:37:15	2.767	17.063	10.797	189.578	5240.282	189.578	5240.282
8/13/09	12:37:16	2.783	17.068	10.790	189.564	5240.296	189.564	5240.296
8/13/09	12:37:17	2.801	17.064	10.802	189.575	5240.285	189.575	5240.285
8/13/09	12:37:18	2.817	17.068	10.795	189.565	5240.295	189.565	5240.295
8/13/09	12:37:19	2.833	17.065	10.793	189.573	5240.287	189.573	5240.287
8/13/09	12:37:20	2.85	17.063	10.793	189.576	5240.284	189.576	5240.284
8/13/09	12:37:21	2.867	17.061	10.790	189.582	5240.278	189.582	5240.278
8/13/09	12:37:22	2.885	17.064	10.803	189.574	5240.286	189.574	5240.286
8/13/09	12:37:23	2.9	17.067	10.798	189.569	5240.291	189.569	5240.291
8/13/09	12:37:24	2.917	17.067	10.794	189.567	5240.293	189.567	5240.293
8/13/09	12:37:25	2.933	17.069	10.791	189.563	5240.297	189.563	5240.297
8/13/09	12:37:26	2.95	17.066	10.794	189.570	5240.290	189.570	5240.290
8/13/09	12:37:27	2.968	17.066	10.801	189.569	5240.291	189.569	5240.291
8/13/09	12:37:28	2.983	17.067	10.797	189.567	5240.293	189.567	5240.293
8/13/09	12:37:29	3	17.069	10.795	189.563	5240.297	189.563	5240.297
8/13/09	12:37:30	3.017	17.068	10.794	189.566	5240.294	189.566	5240.294
8/13/09	12:37:31	3.033	17.067	10.791	189.567	5240.293	189.567	5240.293
8/13/09	12:37:32	3.051	17.063	10.803	189.577	5240.283	189.577	5240.283
8/13/09	12:37:33	3.067	17.065	10.796	189.571	5240.289	189.571	5240.289
8/13/09	12:37:34	3.083	17.067	10.795	189.568	5240.292	189.568	5240.292
8/13/09	12:37:35	3.1	17.064	10.796	189.574	5240.286	189.574	5240.286
8/13/09	12:37:36	3.117	17.066	10.795	189.570	5240.290	189.570	5240.290
8/13/09	12:37:37	3.134	17.062	10.802	189.579	5240.281	189.579	5240.281
8/13/09	12:37:38	3.15	17.063	10.796	189.578	5240.282	189.578	5240.282
8/13/09	12:37:39	3.167	17.069	10.794	189.564	5240.296	189.564	5240.296
8/13/09	12:37:40	3.183	17.069	10.794	189.564	5240.296	189.564	5240.296
8/13/09	12:37:41	3.2	17.065	10.791	189.573	5240.287	189.573	5240.287
8/13/09	12:37:42	3.218	17.066	10.804	189.569	5240.291	189.569	5240.291
8/13/09	12:37:43	3.233	17.065	10.800	189.572	5240.288	189.572	5240.288
8/13/09	12:37:44	3.25	17.068	10.795	189.565	5240.295	189.565	5240.295
8/13/09	12:37:45	3.267	17.066	10.794	189.570	5240.290	189.570	5240.290
8/13/09	12:37:46	3.283	17.064	10.792	189.574	5240.286	189.574	5240.286
8/13/09	12:37:47	3.301	17.061	10.806	189.581	5240.279	189.581	5240.279
8/13/09	12:37:48	3.317	17.063	10.799	189.576	5240.284	189.576	5240.284
8/13/09	12:37:49	3.333	17.063	10.796	189.577	5240.283	189.577	5240.283
8/13/09	12:37:50	3.35	17.065	10.794	189.572	5240.288	189.572	5240.288
8/13/09	12:37:51	3.367	17.062	10.794	189.579	5240.281	189.579	5240.281

Appendix B-2. OMW-3 Water Level Data, Moore Ranch Supplemental Pump Testing

Date	Time	Elapsed Minutes	TSN#: 138098 PSI	SN#: 138098 Temp - C	SN#: 138098 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5429.860 GW Elevation	DTW	GW Elev
8/13/09	12:37:52	3.384	17.058	10.803	189.587	5240.273	189.587	5240.273
8/13/09	12:37:53	3.4	17.066	10.798	189.569	5240.291	189.569	5240.291
8/13/09	12:37:54	3.417	17.062	10.795	189.580	5240.280	189.580	5240.280
8/13/09	12:37:55	3.433	17.066	10.795	189.570	5240.290	189.570	5240.290
8/13/09	12:37:56	3.45	17.066	10.795	189.570	5240.290	189.570	5240.290
8/13/09	12:37:57	3.468	17.063	10.803	189.578	5240.282	189.578	5240.282
8/13/09	12:37:58	3.483	17.061	10.799	189.582	5240.278	189.582	5240.278
8/13/09	12:37:59	3.5	17.062	10.798	189.579	5240.281	189.579	5240.281
8/13/09	12:38:00	3.517	17.064	10.795	189.574	5240.286	189.574	5240.286
8/13/09	12:38:01	3.533	17.062	10.795	189.578	5240.282	189.578	5240.282
8/13/09	12:38:02	3.551	17.059	10.805	189.586	5240.274	189.586	5240.274
8/13/09	12:38:03	3.567	17.061	10.799	189.582	5240.278	189.582	5240.278
8/13/09	12:38:04	3.583	17.063	10.797	189.576	5240.284	189.576	5240.284
8/13/09	12:38:05	3.6	17.064	10.795	189.574	5240.286	189.574	5240.286
8/13/09	12:38:06	3.617	17.064	10.793	189.574	5240.286	189.574	5240.286
8/13/09	12:38:07	3.635	17.060	10.803	189.585	5240.275	189.585	5240.275
8/13/09	12:38:08	3.65	17.063	10.799	189.577	5240.283	189.577	5240.283
8/13/09	12:38:09	3.667	17.061	10.797	189.581	5240.279	189.581	5240.279
8/13/09	12:38:10	3.683	17.063	10.797	189.577	5240.283	189.577	5240.283
8/13/09	12:38:11	3.7	17.061	10.794	189.581	5240.279	189.581	5240.279
8/13/09	12:38:12	3.718	17.058	10.805	189.589	5240.271	189.589	5240.271
8/13/09	12:38:13	3.733	17.062	10.802	189.579	5240.281	189.579	5240.281
8/13/09	12:38:14	3.75	17.061	10.798	189.582	5240.278	189.582	5240.278
8/13/09	12:38:15	3.767	17.065	10.797	189.572	5240.288	189.572	5240.288
8/13/09	12:38:16	3.783	17.062	10.796	189.580	5240.280	189.580	5240.280
8/13/09	12:38:17	3.802	17.063	10.806	189.578	5240.282	189.578	5240.282
8/13/09	12:38:18	3.817	17.058	10.802	189.587	5240.273	189.587	5240.273
8/13/09	12:38:19	3.833	17.059	10.800	189.587	5240.273	189.587	5240.273
8/13/09	12:38:20	3.85	17.057	10.796	189.590	5240.270	189.590	5240.270
8/13/09	12:38:21	3.867	17.065	10.798	189.573	5240.287	189.573	5240.287
8/13/09	12:38:22	3.885	17.061	10.807	189.582	5240.278	189.582	5240.278
8/13/09	12:38:23	3.9	17.061	10.799	189.581	5240.279	189.581	5240.279
8/13/09	12:38:24	3.917	17.060	10.798	189.583	5240.277	189.583	5240.277
8/13/09	12:38:25	3.933	17.063	10.799	189.576	5240.284	189.576	5240.284
8/13/09	12:38:26	3.95	17.058	10.799	189.588	5240.272	189.588	5240.272
8/13/09	12:38:27	3.969	17.059	10.806	189.586	5240.274	189.586	5240.274
8/13/09	12:38:28	3.983	17.061	10.802	189.580	5240.280	189.580	5240.280
8/13/09	12:38:29	4	17.061	10.798	189.581	5240.279	189.581	5240.279
8/13/09	12:38:30	4.017	17.060	10.797	189.583	5240.277	189.583	5240.277
8/13/09	12:38:31	4.033	17.062	10.795	189.579	5240.281	189.579	5240.281
8/13/09	12:38:32	4.052	17.057	10.809	189.591	5240.269	189.591	5240.269
8/13/09	12:38:33	4.067	17.058	10.801	189.588	5240.272	189.588	5240.272
8/13/09	12:38:34	4.083	17.065	10.800	189.573	5240.287	189.573	5240.287
8/13/09	12:38:35	4.1	17.057	10.799	189.590	5240.270	189.590	5240.270
8/13/09	12:38:36	4.117	17.061	10.800	189.581	5240.279	189.581	5240.279
8/13/09	12:38:37	4.135	17.059	10.806	189.587	5240.273	189.587	5240.273
8/13/09	12:38:38	4.15	17.059	10.804	189.586	5240.274	189.586	5240.274
8/13/09	12:38:39	4.167	17.061	10.801	189.581	5240.279	189.581	5240.279
8/13/09	12:38:40	4.183	17.057	10.801	189.591	5240.269	189.591	5240.269
8/13/09	12:38:41	4.2	17.054	10.803	189.597	5240.263	189.597	5240.263
8/13/09	12:38:42	4.219	17.055	10.812	189.596	5240.264	189.596	5240.264
8/13/09	12:38:43	4.233	17.057	10.804	189.590	5240.270	189.590	5240.270
8/13/09	12:38:44	4.25	17.060	10.802	189.584	5240.276	189.584	5240.276
8/13/09	12:38:45	4.267	17.055	10.801	189.595	5240.265	189.595	5240.265
8/13/09	12:38:46	4.283	17.061	10.797	189.582	5240.278	189.582	5240.278
8/13/09	12:38:47	4.302	17.054	10.812	189.599	5240.261	189.599	5240.261

Appendix B-2. OMW-3 Water Level Data, Moore Ranch Supplemental Pump Testing

Date	Time	Elapsed Minutes	SN#: 138098 PSI	SN#: 138098 Temp - C	SN#: 138098 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5429.860 GW Elevation	DTW	GW Elev
8/13/09	12:38:48	4.317	17.055	10.806	189.595	5240.265	189.595	5240.265
8/13/09	12:38:49	4.333	17.057	10.804	189.590	5240.270	189.590	5240.270
8/13/09	12:38:50	4.35	17.060	10.801	189.584	5240.276	189.584	5240.276
8/13/09	12:38:51	4.367	17.060	10.799	189.583	5240.277	189.583	5240.277
8/13/09	12:38:52	4.385	17.057	10.813	189.590	5240.270	189.590	5240.270
8/13/09	12:38:53	4.4	17.060	10.806	189.583	5240.277	189.583	5240.277
8/13/09	12:38:54	4.417	17.059	10.804	189.586	5240.274	189.586	5240.274
8/13/09	12:38:55	4.433	17.060	10.805	189.584	5240.276	189.584	5240.276
8/13/09	12:38:56	4.45	17.058	10.802	189.589	5240.271	189.589	5240.271
8/13/09	12:38:57	4.469	17.058	10.813	189.588	5240.272	189.588	5240.272
8/13/09	12:38:58	4.483	17.059	10.809	189.587	5240.273	189.587	5240.273
8/13/09	12:38:59	4.5	17.056	10.806	189.594	5240.266	189.594	5240.266
8/13/09	12:39:00	4.517	17.060	10.805	189.583	5240.277	189.583	5240.277
8/13/09	12:39:01	4.533	17.060	10.804	189.583	5240.277	189.583	5240.277
8/13/09	12:39:02	4.552	17.052	10.813	189.602	5240.258	189.602	5240.258
8/13/09	12:39:03	4.567	17.055	10.805	189.595	5240.265	189.595	5240.265
8/13/09	12:39:04	4.583	17.061	10.804	189.582	5240.278	189.582	5240.278
8/13/09	12:39:05	4.6	17.056	10.805	189.594	5240.266	189.594	5240.266
8/13/09	12:39:06	4.617	17.058	10.804	189.588	5240.272	189.588	5240.272
8/13/09	12:39:07	4.637	17.054	10.813	189.598	5240.262	189.598	5240.262
8/13/09	12:39:08	4.65	17.055	10.812	189.595	5240.265	189.595	5240.265
8/13/09	12:39:09	4.667	17.060	10.807	189.583	5240.277	189.583	5240.277
8/13/09	12:39:10	4.683	17.057	10.808	189.592	5240.268	189.592	5240.268
8/13/09	12:39:11	4.7	17.056	10.807	189.592	5240.268	189.592	5240.268
8/13/09	12:39:12	4.718	17.056	10.819	189.593	5240.267	189.593	5240.267
8/13/09	12:39:13	4.733	17.052	10.813	189.603	5240.257	189.603	5240.257
8/13/09	12:39:14	4.75	17.056	10.810	189.593	5240.267	189.593	5240.267
8/13/09	12:39:15	4.767	17.056	10.809	189.594	5240.266	189.594	5240.266
8/13/09	12:39:16	4.783	17.054	10.807	189.597	5240.263	189.597	5240.263
8/13/09	12:39:17	4.8	17.052	10.817	189.602	5240.258	189.602	5240.258
8/13/09	12:39:18	4.817	17.056	10.812	189.593	5240.267	189.593	5240.267
8/13/09	12:39:19	4.833	17.056	10.811	189.593	5240.267	189.593	5240.267
8/13/09	12:39:20	4.85	17.052	10.807	189.601	5240.259	189.601	5240.259
8/13/09	12:39:21	4.867	17.055	10.807	189.596	5240.264	189.596	5240.264
8/13/09	12:39:22	4.883	17.052	10.821	189.602	5240.258	189.602	5240.258
8/13/09	12:39:23	4.9	17.055	10.813	189.595	5240.265	189.595	5240.265
8/13/09	12:39:24	4.917	17.056	10.813	189.593	5240.267	189.593	5240.267
8/13/09	12:39:25	4.933	17.055	10.811	189.595	5240.265	189.595	5240.265
8/13/09	12:39:26	4.95	17.054	10.813	189.597	5240.263	189.597	5240.263
8/13/09	12:39:27	4.968	17.054	10.819	189.598	5240.262	189.598	5240.262
8/13/09	12:39:28	4.983	17.057	10.817	189.590	5240.270	189.590	5240.270
8/13/09	12:39:29	5	17.053	10.811	189.600	5240.260	189.600	5240.260
8/13/09	12:39:30	5.017	17.053	10.813	189.599	5240.261	189.599	5240.261
8/13/09	12:39:31	5.033	17.052	10.813	189.601	5240.259	189.601	5240.259
8/13/09	12:39:32	5.052	17.053	10.820	189.601	5240.259	189.601	5240.259
8/13/09	12:39:33	5.067	17.052	10.821	189.601	5240.259	189.601	5240.259
8/13/09	12:39:34	5.083	17.054	10.813	189.597	5240.263	189.597	5240.263
8/13/09	12:39:35	5.1	17.050	10.814	189.606	5240.254	189.606	5240.254
8/13/09	12:39:36	5.117	17.055	10.813	189.595	5240.265	189.595	5240.265
8/13/09	12:39:37	5.135	17.051	10.822	189.605	5240.255	189.605	5240.255
8/13/09	12:39:38	5.15	17.055	10.816	189.596	5240.264	189.596	5240.264
8/13/09	12:39:39	5.167	17.050	10.815	189.607	5240.253	189.607	5240.253
8/13/09	12:39:40	5.183	17.054	10.815	189.599	5240.261	189.599	5240.261
8/13/09	12:39:41	5.2	17.053	10.811	189.599	5240.261	189.599	5240.261
8/13/09	12:39:42	5.219	17.051	10.823	189.605	5240.255	189.605	5240.255
8/13/09	12:39:43	5.233	17.054	10.816	189.597	5240.263	189.597	5240.263

Appendix B-2. OMW-3 Water Level Data, Moore Ranch Supplemental Pump Testing

Date	Time	Elapsed Minutes	TSN#: 138098 PSI	SN#: 138098 Temp - C	SN#: 138098 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5429.860 GW Elevation	DTW	GW Elev
8/13/09	12:39:44	5.25	17.055	10.815	189.595	5240.265	189.595	5240.265
8/13/09	12:39:45	5.267	17.052	10.813	189.603	5240.257	189.603	5240.257
8/13/09	12:39:46	5.283	17.052	10.817	189.603	5240.257	189.603	5240.257
8/13/09	12:39:47	5.302	17.050	10.827	189.606	5240.254	189.606	5240.254
8/13/09	12:39:48	5.317	17.049	10.819	189.609	5240.251	189.609	5240.251
8/13/09	12:39:49	5.333	17.050	10.817	189.608	5240.252	189.608	5240.252
8/13/09	12:39:50	5.35	17.052	10.816	189.602	5240.258	189.602	5240.258
8/13/09	12:39:51	5.367	17.052	10.814	189.601	5240.259	189.601	5240.259
8/13/09	12:39:52	5.385	17.047	10.825	189.614	5240.246	189.614	5240.246
8/13/09	12:39:53	5.4	17.050	10.822	189.607	5240.253	189.607	5240.253
8/13/09	12:39:54	5.417	17.048	10.819	189.611	5240.249	189.611	5240.249
8/13/09	12:39:55	5.433	17.049	10.818	189.608	5240.252	189.608	5240.252
8/13/09	12:39:56	5.45	17.055	10.817	189.595	5240.265	189.595	5240.265
8/13/09	12:39:57	5.468	17.050	10.828	189.607	5240.253	189.607	5240.253
8/13/09	12:39:58	5.483	17.047	10.826	189.614	5240.246	189.614	5240.246
8/13/09	12:39:59	5.5	17.049	10.822	189.610	5240.250	189.610	5240.250
8/13/09	12:40:00	5.517	17.047	10.822	189.613	5240.247	189.613	5240.247
8/13/09	12:40:01	5.533	17.049	10.819	189.610	5240.250	189.610	5240.250
8/13/09	12:40:02	5.552	17.048	10.830	189.612	5240.248	189.612	5240.248
8/13/09	12:40:03	5.567	17.051	10.825	189.604	5240.256	189.604	5240.256
8/13/09	12:40:04	5.583	17.048	10.823	189.612	5240.248	189.612	5240.248
8/13/09	12:40:05	5.6	17.048	10.820	189.612	5240.248	189.612	5240.248
8/13/09	12:40:06	5.617	17.048	10.822	189.612	5240.248	189.612	5240.248
8/13/09	12:40:07	5.635	17.046	10.833	189.615	5240.245	189.615	5240.245
8/13/09	12:40:08	5.65	17.046	10.824	189.617	5240.243	189.617	5240.243
8/13/09	12:40:09	5.667	17.047	10.826	189.615	5240.245	189.615	5240.245
8/13/09	12:40:10	5.683	17.047	10.824	189.614	5240.246	189.614	5240.246
8/13/09	12:40:11	5.7	17.048	10.822	189.611	5240.249	189.611	5240.249
8/13/09	12:40:12	5.719	17.043	10.832	189.622	5240.238	189.622	5240.238
8/13/09	12:40:13	5.733	17.045	10.831	189.618	5240.242	189.618	5240.242
8/13/09	12:40:14	5.75	17.047	10.825	189.615	5240.245	189.615	5240.245
8/13/09	12:40:15	5.767	17.047	10.823	189.614	5240.246	189.614	5240.246
8/13/09	12:40:16	5.783	17.048	10.821	189.612	5240.248	189.612	5240.248
8/13/09	12:40:17	5.802	17.046	10.835	189.615	5240.245	189.615	5240.245
8/13/09	12:40:18	5.817	17.048	10.833	189.612	5240.248	189.612	5240.248
8/13/09	12:40:19	5.833	17.048	10.825	189.611	5240.249	189.611	5240.249
8/13/09	12:40:20	5.85	17.048	10.826	189.611	5240.249	189.611	5240.249
8/13/09	12:40:21	5.867	17.046	10.827	189.615	5240.245	189.615	5240.245
8/13/09	12:40:22	5.886	17.045	10.837	189.617	5240.243	189.617	5240.243
8/13/09	12:40:23	5.9	17.045	10.832	189.619	5240.241	189.619	5240.241
8/13/09	12:40:24	5.917	17.047	10.828	189.613	5240.247	189.613	5240.247
8/13/09	12:40:25	5.933	17.044	10.827	189.620	5240.240	189.620	5240.240
8/13/09	12:40:26	5.95	17.047	10.829	189.614	5240.246	189.614	5240.246
8/13/09	12:40:27	5.969	17.043	10.835	189.624	5240.236	189.624	5240.236
8/13/09	12:40:28	5.983	17.046	10.835	189.615	5240.245	189.615	5240.245
8/13/09	12:40:29	6	17.045	10.831	189.618	5240.242	189.618	5240.242
8/13/09	12:40:30	6.017	17.046	10.829	189.617	5240.243	189.617	5240.243
8/13/09	12:40:31	6.033	17.049	10.827	189.610	5240.250	189.610	5240.250
8/13/09	12:40:32	6.053	17.041	10.841	189.628	5240.232	189.628	5240.232
8/13/09	12:40:33	6.067	17.046	10.837	189.616	5240.244	189.616	5240.244
8/13/09	12:40:34	6.083	17.045	10.832	189.618	5240.242	189.618	5240.242
8/13/09	12:40:35	6.1	17.044	10.833	189.620	5240.240	189.620	5240.240
8/13/09	12:40:36	6.117	17.046	10.832	189.616	5240.244	189.616	5240.244
8/13/09	12:40:37	6.135	17.043	10.842	189.624	5240.236	189.624	5240.236
8/13/09	12:40:38	6.15	17.044	10.840	189.622	5240.238	189.622	5240.238
8/13/09	12:40:39	6.167	17.043	10.834	189.623	5240.237	189.623	5240.237

Appendix B-2. OMW-3 Water Level Data, Moore Ranch Supplemental Pump Testing

Date	Time	Elapsed Minutes	TSN#: 138098 PSI	SN#: 138098 Temp - C	SN#: 138098 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5429.860 GW Elevation	DTW	GW Elev
8/13/09	12:40:40	6.183	17.048	10.833	189.612	5240.248	189.612	5240.248
8/13/09	12:40:41	6.2	17.047	10.832	189.614	5240.246	189.614	5240.246
8/13/09	12:40:42	6.219	17.045	10.842	189.619	5240.241	189.619	5240.241
8/13/09	12:40:43	6.233	17.047	10.839	189.614	5240.246	189.614	5240.246
8/13/09	12:40:44	6.25	17.045	10.837	189.617	5240.243	189.617	5240.243
8/13/09	12:40:45	6.267	17.043	10.832	189.622	5240.238	189.622	5240.238
8/13/09	12:40:46	6.283	17.048	10.836	189.611	5240.249	189.611	5240.249
8/13/09	12:40:47	6.302	17.045	10.845	189.617	5240.243	189.617	5240.243
8/13/09	12:40:48	6.317	17.042	10.840	189.625	5240.235	189.625	5240.235
8/13/09	12:40:49	6.333	17.045	10.836	189.619	5240.241	189.619	5240.241
8/13/09	12:40:50	6.35	17.043	10.837	189.622	5240.238	189.622	5240.238
8/13/09	12:40:51	6.367	17.041	10.837	189.627	5240.233	189.627	5240.233
8/13/09	12:40:52	6.385	17.043	10.846	189.624	5240.236	189.624	5240.236
8/13/09	12:40:53	6.4	17.040	10.840	189.629	5240.231	189.629	5240.231
8/13/09	12:40:54	6.417	17.043	10.840	189.624	5240.236	189.624	5240.236
8/13/09	12:40:55	6.433	17.043	10.839	189.622	5240.238	189.622	5240.238
8/13/09	12:40:56	6.45	17.051	10.836	189.605	5240.255	189.605	5240.255
8/13/09	12:40:57	6.469	17.041	10.849	189.628	5240.232	189.628	5240.232
8/13/09	12:40:58	6.483	17.044	10.841	189.621	5240.239	189.621	5240.239
8/13/09	12:40:59	6.5	17.046	10.841	189.617	5240.243	189.617	5240.243
8/13/09	12:41:00	6.517	17.044	10.840	189.620	5240.240	189.620	5240.240
8/13/09	12:41:01	6.533	17.055	10.840	189.595	5240.265	189.595	5240.265
8/13/09	12:41:02	6.552	17.042	10.850	189.625	5240.235	189.625	5240.235
8/13/09	12:41:03	6.567	17.041	10.847	189.628	5240.232	189.628	5240.232
8/13/09	12:41:04	6.583	17.043	10.840	189.622	5240.238	189.622	5240.238
8/13/09	12:41:05	6.6	17.043	10.842	189.624	5240.236	189.624	5240.236
8/13/09	12:41:06	6.617	17.045	10.839	189.618	5240.242	189.618	5240.242
8/13/09	12:41:07	6.633	17.041	10.860	189.628	5240.232	189.628	5240.232
8/13/09	12:41:08	6.65	17.042	10.848	189.625	5240.235	189.625	5240.235
8/13/09	12:41:09	6.667	17.044	10.844	189.622	5240.238	189.622	5240.238
8/13/09	12:41:10	6.683	17.044	10.844	189.621	5240.239	189.621	5240.239
8/13/09	12:41:11	6.7	17.042	10.844	189.626	5240.234	189.626	5240.234
8/13/09	12:41:12	6.719	17.043	10.857	189.622	5240.238	189.622	5240.238
8/13/09	12:41:13	6.733	17.044	10.850	189.621	5240.239	189.621	5240.239
8/13/09	12:41:14	6.75	17.041	10.847	189.629	5240.231	189.629	5240.231
8/13/09	12:41:15	6.767	17.043	10.849	189.623	5240.237	189.623	5240.237
8/13/09	12:41:16	6.783	17.043	10.844	189.623	5240.237	189.623	5240.237
8/13/09	12:41:17	6.8	17.040	10.857	189.630	5240.230	189.630	5240.230
8/13/09	12:41:18	6.817	17.043	10.848	189.623	5240.237	189.623	5240.237
8/13/09	12:41:19	6.833	17.041	10.850	189.628	5240.232	189.628	5240.232
8/13/09	12:41:20	6.85	17.043	10.849	189.623	5240.237	189.623	5240.237
8/13/09	12:41:21	6.867	17.041	10.848	189.627	5240.233	189.627	5240.233
8/13/09	12:41:22	6.883	17.041	10.861	189.628	5240.232	189.628	5240.232
8/13/09	12:41:23	6.9	17.042	10.852	189.625	5240.235	189.625	5240.235
8/13/09	12:41:24	6.917	17.041	10.850	189.627	5240.233	189.627	5240.233
8/13/09	12:41:25	6.933	17.041	10.849	189.627	5240.233	189.627	5240.233
8/13/09	12:41:26	6.95	17.041	10.850	189.628	5240.232	189.628	5240.232
8/13/09	12:41:27	6.969	17.047	10.865	189.614	5240.246	189.614	5240.246
8/13/09	12:41:28	6.983	17.038	10.858	189.634	5240.226	189.634	5240.226
8/13/09	12:41:29	7	17.043	10.851	189.623	5240.237	189.623	5240.237
8/13/09	12:41:30	7.017	17.042	10.854	189.625	5240.235	189.625	5240.235
8/13/09	12:41:31	7.033	17.044	10.850	189.621	5240.239	189.621	5240.239
8/13/09	12:41:32	7.052	17.041	10.865	189.628	5240.232	189.628	5240.232
8/13/09	12:41:33	7.067	17.045	10.859	189.619	5240.241	189.619	5240.241
8/13/09	12:41:34	7.083	17.042	10.852	189.625	5240.235	189.625	5240.235
8/13/09	12:41:35	7.1	17.039	10.856	189.632	5240.228	189.632	5240.228

Appendix B-2. OMW-3 Water Level Data, Moore Ranch Supplemental Pump Testing

Date	Time	Elapsed Minutes	SN#: 138098 PSI	SN#: 138098 Temp - C	SN#: 138098 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5429.860 GW Elevation	DTW	GW Elev
8/13/09	12:41:36	7.117	17.042	10.852	189.626	5240.234	189.626	5240.234
8/13/09	12:41:37	7.136	17.044	10.863	189.620	5240.240	189.620	5240.240
8/13/09	12:41:38	7.15	17.044	10.856	189.622	5240.238	189.622	5240.238
8/13/09	12:41:39	7.167	17.044	10.857	189.620	5240.240	189.620	5240.240
8/13/09	12:41:40	7.183	17.041	10.855	189.628	5240.232	189.628	5240.232
8/13/09	12:41:41	7.2	17.043	10.851	189.622	5240.238	189.622	5240.238
8/13/09	12:41:42	7.219	17.042	10.862	189.624	5240.236	189.624	5240.236
8/13/09	12:41:43	7.233	17.038	10.863	189.633	5240.227	189.633	5240.227
8/13/09	12:41:44	7.25	17.039	10.856	189.632	5240.228	189.632	5240.228
8/13/09	12:41:45	7.267	17.042	10.856	189.626	5240.234	189.626	5240.234
8/13/09	12:41:46	7.283	17.041	10.854	189.627	5240.233	189.627	5240.233
8/13/09	12:41:47	7.303	17.043	10.865	189.622	5240.238	189.622	5240.238
8/13/09	12:41:48	7.317	17.040	10.861	189.631	5240.229	189.631	5240.229
8/13/09	12:41:49	7.333	17.043	10.858	189.623	5240.237	189.623	5240.237
8/13/09	12:41:50	7.35	17.042	10.858	189.626	5240.234	189.626	5240.234
8/13/09	12:41:51	7.367	17.040	10.855	189.630	5240.230	189.630	5240.230
8/13/09	12:41:52	7.386	17.042	10.867	189.625	5240.235	189.625	5240.235
8/13/09	12:41:53	7.4	17.044	10.866	189.620	5240.240	189.620	5240.240
8/13/09	12:41:54	7.417	17.042	10.859	189.625	5240.235	189.625	5240.235
8/13/09	12:41:55	7.433	17.041	10.858	189.628	5240.232	189.628	5240.232
8/13/09	12:41:56	7.45	17.040	10.857	189.630	5240.230	189.630	5240.230
8/13/09	12:41:57	7.47	17.040	10.869	189.630	5240.230	189.630	5240.230
8/13/09	12:41:58	7.483	17.040	10.863	189.629	5240.231	189.629	5240.231
8/13/09	12:41:59	7.5	17.039	10.861	189.632	5240.228	189.632	5240.228
8/13/09	12:42:00	7.517	17.041	10.861	189.628	5240.232	189.628	5240.232
8/13/09	12:42:01	7.533	17.043	10.859	189.623	5240.237	189.623	5240.237
8/13/09	12:42:02	7.553	17.042	10.870	189.625	5240.235	189.625	5240.235
8/13/09	12:42:03	7.567	17.043	10.865	189.622	5240.238	189.622	5240.238
8/13/09	12:42:04	7.583	17.043	10.863	189.624	5240.236	189.624	5240.236
8/13/09	12:42:05	7.6	17.043	10.862	189.623	5240.237	189.623	5240.237
8/13/09	12:42:06	7.617	17.041	10.858	189.627	5240.233	189.627	5240.233
8/13/09	12:42:07	7.637	17.040	10.871	189.631	5240.229	189.631	5240.229
8/13/09	12:42:08	7.65	17.043	10.868	189.623	5240.237	189.623	5240.237
8/13/09	12:42:09	7.667	17.040	10.863	189.629	5240.231	189.629	5240.231
8/13/09	12:42:10	7.683	17.041	10.860	189.627	5240.233	189.627	5240.233
8/13/09	12:42:11	7.7	17.040	10.863	189.630	5240.230	189.630	5240.230
8/13/09	12:42:12	7.72	17.039	10.871	189.632	5240.228	189.632	5240.228
8/13/09	12:42:13	7.733	17.042	10.867	189.624	5240.236	189.624	5240.236
8/13/09	12:42:14	7.75	17.041	10.865	189.627	5240.233	189.627	5240.233
8/13/09	12:42:15	7.767	17.039	10.861	189.632	5240.228	189.632	5240.228
8/13/09	12:42:16	7.783	17.040	10.864	189.630	5240.230	189.630	5240.230
8/13/09	12:42:17	7.8	17.040	10.877	189.629	5240.231	189.629	5240.231
8/13/09	12:42:18	7.817	17.043	10.868	189.622	5240.238	189.622	5240.238
8/13/09	12:42:19	7.833	17.041	10.864	189.628	5240.232	189.628	5240.232
8/13/09	12:42:20	7.85	17.042	10.866	189.625	5240.235	189.625	5240.235
8/13/09	12:42:21	7.867	17.040	10.865	189.629	5240.231	189.629	5240.231
8/13/09	12:42:22	7.887	17.039	10.876	189.633	5240.227	189.633	5240.227
8/13/09	12:42:23	7.9	17.041	10.869	189.629	5240.231	189.629	5240.231
8/13/09	12:42:24	7.917	17.037	10.864	189.637	5240.223	189.637	5240.223
8/13/09	12:42:25	7.933	17.040	10.866	189.629	5240.231	189.629	5240.231
8/13/09	12:42:26	7.95	17.039	10.864	189.631	5240.229	189.631	5240.229
8/13/09	12:42:27	7.97	17.042	10.875	189.625	5240.235	189.625	5240.235
8/13/09	12:42:28	7.983	17.042	10.873	189.626	5240.234	189.626	5240.234
8/13/09	12:42:29	8	17.042	10.868	189.624	5240.236	189.624	5240.236
8/13/09	12:42:30	8.017	17.040	10.867	189.630	5240.230	189.630	5240.230
8/13/09	12:42:31	8.033	17.041	10.868	189.628	5240.232	189.628	5240.232

Appendix B-2. OMW-3 Water Level Data, Moore Ranch Supplemental Pump Testing

Date	Time	Elapsed Minutes	TSN#: 138098 PSI	SN#: 138098 Temp - C	SN#: 138098 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5429.860 GW Elevation	DTW	GW Elev
8/13/09	12:42:32	8.053	17.040	10.875	189.629	5240.231	189.629	5240.231
8/13/09	12:42:33	8.067	17.039	10.871	189.632	5240.228	189.632	5240.228
8/13/09	12:42:34	8.083	17.039	10.869	189.633	5240.227	189.633	5240.227
8/13/09	12:42:35	8.1	17.038	10.872	189.634	5240.226	189.634	5240.226
8/13/09	12:42:36	8.117	17.037	10.868	189.636	5240.224	189.636	5240.224
8/13/09	12:42:37	8.133	17.039	10.883	189.631	5240.229	189.631	5240.229
8/13/09	12:42:38	8.151	17.041	10.870	189.627	5240.233	189.627	5240.233
8/13/09	12:42:39	8.167	17.040	10.869	189.629	5240.231	189.629	5240.231
8/13/09	12:42:40	8.183	17.037	10.867	189.637	5240.223	189.637	5240.223
8/13/09	12:42:41	8.2	17.040	10.866	189.629	5240.231	189.629	5240.231
8/13/09	12:42:42	8.22	17.041	10.876	189.626	5240.234	189.626	5240.234
8/13/09	12:42:43	8.233	17.043	10.875	189.622	5240.238	189.622	5240.238
8/13/09	12:42:44	8.25	17.041	10.870	189.627	5240.233	189.627	5240.233
8/13/09	12:42:45	8.267	17.043	10.872	189.624	5240.236	189.624	5240.236
8/13/09	12:42:46	8.283	17.041	10.870	189.627	5240.233	189.627	5240.233
8/13/09	12:42:47	8.303	17.039	10.875	189.632	5240.228	189.632	5240.228
8/13/09	12:42:48	8.317	17.041	10.875	189.628	5240.232	189.628	5240.232
8/13/09	12:42:49	8.333	17.046	10.870	189.615	5240.245	189.615	5240.245
8/13/09	12:42:50	8.35	17.042	10.868	189.626	5240.234	189.626	5240.234
8/13/09	12:42:51	8.367	17.043	10.868	189.623	5240.237	189.623	5240.237
8/13/09	12:42:52	8.387	17.041	10.877	189.627	5240.233	189.627	5240.233
8/13/09	12:42:53	8.4	17.042	10.875	189.626	5240.234	189.626	5240.234
8/13/09	12:42:54	8.417	17.042	10.870	189.625	5240.235	189.625	5240.235
8/13/09	12:42:55	8.433	17.039	10.869	189.631	5240.229	189.631	5240.229
8/13/09	12:42:56	8.45	17.042	10.868	189.625	5240.235	189.625	5240.235
8/13/09	12:42:57	8.467	17.037	10.884	189.637	5240.223	189.637	5240.223
8/13/09	12:42:58	8.483	17.044	10.875	189.620	5240.240	189.620	5240.240
8/13/09	12:42:59	8.5	17.042	10.873	189.625	5240.235	189.625	5240.235
8/13/09	12:43:00	8.517	17.043	10.870	189.623	5240.237	189.623	5240.237
8/13/09	12:43:01	8.533	17.044	10.870	189.621	5240.239	189.621	5240.239
8/13/09	12:43:02	8.55	17.038	10.884	189.635	5240.225	189.635	5240.225
8/13/09	12:43:03	8.567	17.040	10.875	189.630	5240.230	189.630	5240.230
8/13/09	12:43:04	8.583	17.041	10.871	189.629	5240.231	189.629	5240.231
8/13/09	12:43:05	8.6	17.041	10.869	189.629	5240.231	189.629	5240.231
8/13/09	12:43:06	8.617	17.040	10.871	189.629	5240.231	189.629	5240.231
8/13/09	12:43:07	8.637	17.042	10.880	189.626	5240.234	189.626	5240.234
8/13/09	12:43:08	8.65	17.043	10.878	189.623	5240.237	189.623	5240.237
8/13/09	12:43:09	8.667	17.041	10.873	189.629	5240.231	189.629	5240.231
8/13/09	12:43:10	8.683	17.039	10.868	189.633	5240.227	189.633	5240.227
8/13/09	12:43:11	8.7	17.041	10.870	189.628	5240.232	189.628	5240.232
8/13/09	12:43:12	8.718	17.040	10.901	189.630	5240.230	189.630	5240.230
8/13/09	12:43:13	8.733	17.045	10.877	189.617	5240.243	189.617	5240.243
8/13/09	12:43:14	8.75	17.042	10.875	189.624	5240.236	189.624	5240.236
8/13/09	12:43:15	8.767	17.041	10.875	189.629	5240.231	189.629	5240.231
8/13/09	12:43:16	8.783	17.040	10.872	189.630	5240.230	189.630	5240.230
8/13/09	12:43:17	8.8	17.041	10.887	189.628	5240.232	189.628	5240.232
8/13/09	12:43:18	8.817	17.044	10.878	189.622	5240.238	189.622	5240.238
8/13/09	12:43:19	8.833	17.038	10.874	189.636	5240.224	189.636	5240.224
8/13/09	12:43:20	8.85	17.039	10.872	189.631	5240.229	189.631	5240.229
8/13/09	12:43:21	8.867	17.045	10.873	189.618	5240.242	189.618	5240.242
8/13/09	12:43:22	8.883	17.033	10.885	189.645	5240.215	189.645	5240.215
8/13/09	12:43:23	8.9	17.037	10.877	189.637	5240.223	189.637	5240.223
8/13/09	12:43:24	8.917	17.037	10.875	189.637	5240.223	189.637	5240.223
8/13/09	12:43:25	8.933	17.039	10.873	189.633	5240.227	189.633	5240.227
8/13/09	12:43:26	8.95	17.042	10.870	189.626	5240.234	189.626	5240.234
8/13/09	12:43:27	8.967	17.037	10.889	189.637	5240.223	189.637	5240.223

Appendix B-2. OMW-3 Water Level Data, Moore Ranch Supplemental Pump Testing

Date	Time	Elapsed Minutes	TSN#: 138098 PSI	SN#: 138098 Temp - C	SN#: 138098 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5429.860 GW Elevation	DTW	GW Elev
8/13/09	12:43:28	8.984	17.041	10.883	189.628	5240.232	189.628	5240.232
8/13/09	12:43:29	9	17.040	10.875	189.629	5240.231	189.629	5240.231
8/13/09	12:43:30	9.017	17.038	10.874	189.634	5240.226	189.634	5240.226
8/13/09	12:43:31	9.033	17.041	10.876	189.628	5240.232	189.628	5240.232
8/13/09	12:43:32	9.05	17.039	10.888	189.633	5240.227	189.633	5240.227
8/13/09	12:43:33	9.067	17.042	10.878	189.626	5240.234	189.626	5240.234
8/13/09	12:43:34	9.083	17.036	10.876	189.638	5240.222	189.638	5240.222
8/13/09	12:43:35	9.1	17.039	10.875	189.633	5240.227	189.633	5240.227
8/13/09	12:43:36	9.117	17.041	10.874	189.628	5240.232	189.628	5240.232
8/13/09	12:43:37	9.133	17.036	10.887	189.639	5240.221	189.639	5240.221
8/13/09	12:43:38	9.15	17.037	10.878	189.637	5240.223	189.637	5240.223
8/13/09	12:43:39	9.167	17.037	10.877	189.637	5240.223	189.637	5240.223
8/13/09	12:43:40	9.183	17.037	10.874	189.637	5240.223	189.637	5240.223
8/13/09	12:43:41	9.2	17.041	10.874	189.628	5240.232	189.628	5240.232
8/13/09	12:43:42	9.217	17.038	10.892	189.634	5240.226	189.634	5240.226
8/13/09	12:43:43	9.233	17.040	10.879	189.631	5240.229	189.631	5240.229
8/13/09	12:43:44	9.25	17.041	10.873	189.628	5240.232	189.628	5240.232
8/13/09	12:43:45	9.267	17.038	10.876	189.636	5240.224	189.636	5240.224
8/13/09	12:43:46	9.283	17.040	10.875	189.631	5240.229	189.631	5240.229
8/13/09	12:43:47	9.3	17.035	10.892	189.642	5240.218	189.642	5240.218
8/13/09	12:43:48	9.317	17.036	10.879	189.639	5240.221	189.639	5240.221
8/13/09	12:43:49	9.333	17.039	10.875	189.633	5240.227	189.633	5240.227
8/13/09	12:43:50	9.35	17.038	10.876	189.635	5240.225	189.635	5240.225
8/13/09	12:43:51	9.367	17.040	10.875	189.631	5240.229	189.631	5240.229
8/13/09	12:43:52	9.384	17.037	10.890	189.638	5240.222	189.638	5240.222
8/13/09	12:43:53	9.4	17.036	10.879	189.638	5240.222	189.638	5240.222
8/13/09	12:43:54	9.417	17.043	10.877	189.624	5240.236	189.624	5240.236
8/13/09	12:43:55	9.433	17.039	10.874	189.632	5240.228	189.632	5240.228
8/13/09	12:43:56	9.45	17.038	10.876	189.635	5240.225	189.635	5240.225
8/13/09	12:43:57	9.467	17.039	10.904	189.632	5240.228	189.632	5240.228
8/13/09	12:43:58	9.483	17.038	10.884	189.635	5240.225	189.635	5240.225
8/13/09	12:43:59	9.5	17.041	10.877	189.626	5240.234	189.626	5240.234
8/13/09	12:44:00	9.517	17.038	10.877	189.635	5240.225	189.635	5240.225
8/13/09	12:44:01	9.533	17.036	10.876	189.639	5240.221	189.639	5240.221
8/13/09	12:44:02	9.551	17.041	10.892	189.627	5240.233	189.627	5240.233
8/13/09	12:44:03	9.567	17.038	10.880	189.633	5240.227	189.633	5240.227
8/13/09	12:44:04	9.583	17.037	10.878	189.636	5240.224	189.636	5240.224
8/13/09	12:44:05	9.6	17.036	10.877	189.638	5240.222	189.638	5240.222
8/13/09	12:44:06	9.617	17.037	10.876	189.636	5240.224	189.636	5240.224
8/13/09	12:44:07	9.634	17.036	10.892	189.639	5240.221	189.639	5240.221
8/13/09	12:44:08	9.65	17.040	10.880	189.631	5240.229	189.631	5240.229
8/13/09	12:44:09	9.667	17.040	10.881	189.630	5240.230	189.630	5240.230
8/13/09	12:44:10	9.683	17.037	10.875	189.637	5240.223	189.637	5240.223
8/13/09	12:44:11	9.7	17.037	10.875	189.636	5240.224	189.636	5240.224
8/13/09	12:44:12	9.718	17.035	10.892	189.640	5240.220	189.640	5240.220
8/13/09	12:44:13	9.733	17.038	10.883	189.634	5240.226	189.634	5240.226
8/13/09	12:44:14	9.75	17.039	10.878	189.633	5240.227	189.633	5240.227
8/13/09	12:44:15	9.767	17.037	10.878	189.637	5240.223	189.637	5240.223
8/13/09	12:44:16	9.783	17.036	10.877	189.639	5240.221	189.639	5240.221
8/13/09	12:44:17	9.801	17.033	10.893	189.645	5240.215	189.645	5240.215
8/13/09	12:44:18	9.817	17.041	10.882	189.627	5240.233	189.627	5240.233
8/13/09	12:44:19	9.833	17.037	10.880	189.637	5240.223	189.637	5240.223
8/13/09	12:44:20	9.85	17.041	10.879	189.628	5240.232	189.628	5240.232
8/13/09	12:44:21	9.867	17.034	10.879	189.643	5240.217	189.643	5240.217
8/13/09	12:44:22	9.885	17.036	10.893	189.639	5240.221	189.639	5240.221
8/13/09	12:44:23	9.9	17.036	10.884	189.639	5240.221	189.639	5240.221

Appendix B-2. OMW-3 Water Level Data, Moore Ranch Supplemental Pump Testing

Date	Time	Elapsed Minutes	SN#: 138098 PSI	SN#: 138098 Temp - C	SN#: 138098 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5429.860 GW Elevation	DTW	GW Elev
8/13/09	12:44:24	9.917	17.034	10.876	189.645	5240.215	189.645	5240.215
8/13/09	12:44:25	9.933	17.042	10.879	189.626	5240.234	189.626	5240.234
8/13/09	12:44:26	9.95	17.036	10.876	189.639	5240.221	189.639	5240.221
8/13/09	12:44:27	9.968	17.037	10.893	189.637	5240.223	189.637	5240.223
8/13/09	12:44:28	9.983	17.040	10.885	189.630	5240.230	189.630	5240.230
8/13/09	12:44:29	10	17.040	10.878	189.631	5240.229	189.631	5240.229
8/13/09	12:44:30	10.017	17.043	10.883	189.624	5240.236	189.624	5240.236
8/13/09	12:44:31	10.033	17.039	10.879	189.633	5240.227	189.633	5240.227
8/13/09	12:44:32	10.051	17.041	10.893	189.628	5240.232	189.628	5240.232
8/13/09	12:44:33	10.067	17.037	10.884	189.637	5240.223	189.637	5240.223
8/13/09	12:44:34	10.083	17.036	10.881	189.639	5240.221	189.639	5240.221
8/13/09	12:44:35	10.1	17.040	10.880	189.630	5240.230	189.630	5240.230
8/13/09	12:44:36	10.117	17.036	10.878	189.640	5240.220	189.640	5240.220
8/13/09	12:44:37	10.135	17.032	10.892	189.648	5240.212	189.648	5240.212
8/13/09	12:44:38	10.15	17.039	10.885	189.632	5240.228	189.632	5240.228
8/13/09	12:44:39	10.167	17.034	10.881	189.644	5240.216	189.644	5240.216
8/13/09	12:44:40	10.183	17.035	10.879	189.642	5240.218	189.642	5240.218
8/13/09	12:44:41	10.2	17.037	10.878	189.636	5240.224	189.636	5240.224
8/13/09	12:44:42	10.218	17.034	10.897	189.644	5240.216	189.644	5240.216
8/13/09	12:44:43	10.233	17.038	10.885	189.633	5240.227	189.633	5240.227
8/13/09	12:44:44	10.25	17.037	10.883	189.637	5240.223	189.637	5240.223
8/13/09	12:44:45	10.267	17.034	10.880	189.643	5240.217	189.643	5240.217
8/13/09	12:44:46	10.283	17.038	10.880	189.635	5240.225	189.635	5240.225
8/13/09	12:44:47	10.301	17.037	10.896	189.636	5240.224	189.636	5240.224
8/13/09	12:44:48	10.317	17.039	10.888	189.632	5240.228	189.632	5240.228
8/13/09	12:44:49	10.333	17.034	10.883	189.643	5240.217	189.643	5240.217
8/13/09	12:44:50	10.35	17.033	10.881	189.645	5240.215	189.645	5240.215
8/13/09	12:44:51	10.367	17.036	10.879	189.639	5240.221	189.639	5240.221
8/13/09	12:44:52	10.385	17.038	10.896	189.634	5240.226	189.634	5240.226
8/13/09	12:44:53	10.4	17.035	10.884	189.642	5240.218	189.642	5240.218
8/13/09	12:44:54	10.417	17.036	10.881	189.639	5240.221	189.639	5240.221
8/13/09	12:44:55	10.433	17.037	10.880	189.637	5240.223	189.637	5240.223
8/13/09	12:44:56	10.45	17.035	10.880	189.642	5240.218	189.642	5240.218
8/13/09	12:44:57	10.468	17.035	10.894	189.642	5240.218	189.642	5240.218
8/13/09	12:44:58	10.483	17.036	10.883	189.638	5240.222	189.638	5240.222
8/13/09	12:44:59	10.5	17.035	10.883	189.642	5240.218	189.642	5240.218
8/13/09	12:45:00	10.517	17.039	10.881	189.632	5240.228	189.632	5240.228
8/13/09	12:45:01	10.533	17.032	10.878	189.648	5240.212	189.648	5240.212
8/13/09	12:45:02	10.552	17.038	10.897	189.634	5240.226	189.634	5240.226
8/13/09	12:45:03	10.567	17.034	10.885	189.644	5240.216	189.644	5240.216
8/13/09	12:45:04	10.583	17.035	10.883	189.642	5240.218	189.642	5240.218
8/13/09	12:45:05	10.6	17.036	10.881	189.640	5240.220	189.640	5240.220
8/13/09	12:45:06	10.617	17.041	10.882	189.628	5240.232	189.628	5240.232
8/13/09	12:45:07	10.635	17.035	10.895	189.641	5240.219	189.641	5240.219
8/13/09	12:45:08	10.65	17.035	10.888	189.642	5240.218	189.642	5240.218
8/13/09	12:45:09	10.667	17.035	10.882	189.641	5240.219	189.641	5240.219
8/13/09	12:45:10	10.683	17.034	10.884	189.644	5240.216	189.644	5240.216
8/13/09	12:45:11	10.7	17.035	10.881	189.641	5240.219	189.641	5240.219
8/13/09	12:45:12	10.718	17.032	10.896	189.649	5240.211	189.649	5240.211
8/13/09	12:45:13	10.733	17.038	10.888	189.635	5240.225	189.635	5240.225
8/13/09	12:45:14	10.75	17.036	10.883	189.640	5240.220	189.640	5240.220
8/13/09	12:45:15	10.767	17.038	10.880	189.636	5240.224	189.636	5240.224
8/13/09	12:45:16	10.783	17.036	10.878	189.638	5240.222	189.638	5240.222
8/13/09	12:45:17	10.8	17.034	10.910	189.643	5240.217	189.643	5240.217
8/13/09	12:45:18	10.817	17.040	10.888	189.629	5240.231	189.629	5240.231
8/13/09	12:45:19	10.833	17.034	10.885	189.644	5240.216	189.644	5240.216

Appendix B-2. OMW-3 Water Level Data, Moore Ranch Supplemental Pump Testing

Date	Time	Elapsed Minutes	TSN#: 138098 PSI	SN#: 138098 Temp - C	SN#: 138098 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5429.860 GW Elevation	DTW	GW Elev
8/13/09	12:45:20	10.85	17.036	10.883	189.639	5240.221	189.639	5240.221
8/13/09	12:45:21	10.867	17.034	10.882	189.644	5240.216	189.644	5240.216
8/13/09	12:45:22	10.883	17.038	10.898	189.636	5240.224	189.636	5240.224
8/13/09	12:45:23	10.9	17.038	10.887	189.635	5240.225	189.635	5240.225
8/13/09	12:45:24	10.917	17.033	10.883	189.645	5240.215	189.645	5240.215
8/13/09	12:45:25	10.933	17.033	10.883	189.646	5240.214	189.646	5240.214
8/13/09	12:45:26	10.95	17.034	10.883	189.644	5240.216	189.644	5240.216
8/13/09	12:45:27	10.968	17.035	10.896	189.642	5240.218	189.642	5240.218
8/13/09	12:45:28	10.983	17.039	10.887	189.633	5240.227	189.633	5240.227
8/13/09	12:45:29	11	17.032	10.884	189.649	5240.211	189.649	5240.211
8/13/09	12:45:30	11.017	17.034	10.883	189.643	5240.217	189.643	5240.217
8/13/09	12:45:31	11.033	17.033	10.884	189.645	5240.215	189.645	5240.215
8/13/09	12:45:32	11.051	17.034	10.898	189.643	5240.217	189.643	5240.217
8/13/09	12:45:33	11.067	17.038	10.888	189.635	5240.225	189.635	5240.225
8/13/09	12:45:34	11.083	17.033	10.885	189.646	5240.214	189.646	5240.214
8/13/09	12:45:35	11.1	17.031	10.885	189.650	5240.210	189.650	5240.210
8/13/09	12:45:36	11.117	17.033	10.885	189.646	5240.214	189.646	5240.214
8/13/09	12:45:37	11.135	17.032	10.897	189.648	5240.212	189.648	5240.212
8/13/09	12:45:38	11.15	17.032	10.887	189.647	5240.213	189.647	5240.213
8/13/09	12:45:39	11.167	17.031	10.886	189.650	5240.210	189.650	5240.210
8/13/09	12:45:40	11.183	17.035	10.883	189.641	5240.219	189.641	5240.219
8/13/09	12:45:41	11.2	17.036	10.882	189.640	5240.220	189.640	5240.220
8/13/09	12:45:42	11.218	17.032	10.902	189.648	5240.212	189.648	5240.212
8/13/09	12:45:43	11.233	17.042	10.893	189.625	5240.235	189.625	5240.235
8/13/09	12:45:44	11.25	17.033	10.886	189.647	5240.213	189.647	5240.213
8/13/09	12:45:45	11.267	17.031	10.883	189.650	5240.210	189.650	5240.210
8/13/09	12:45:46	11.283	17.034	10.884	189.643	5240.217	189.643	5240.217
8/13/09	12:45:47	11.302	17.035	10.899	189.642	5240.218	189.642	5240.218
8/13/09	12:45:48	11.317	17.034	10.889	189.643	5240.217	189.643	5240.217
8/13/09	12:45:49	11.333	17.035	10.886	189.641	5240.219	189.641	5240.219
8/13/09	12:45:50	11.35	17.035	10.883	189.642	5240.218	189.642	5240.218
8/13/09	12:45:51	11.367	17.033	10.884	189.645	5240.215	189.645	5240.215
8/13/09	12:45:52	11.385	17.035	10.898	189.641	5240.219	189.641	5240.219
8/13/09	12:45:53	11.4	17.035	10.892	189.640	5240.220	189.640	5240.220
8/13/09	12:45:54	11.417	17.036	10.884	189.638	5240.222	189.638	5240.222
8/13/09	12:45:55	11.433	17.034	10.885	189.644	5240.216	189.644	5240.216
8/13/09	12:45:56	11.45	17.033	10.885	189.646	5240.214	189.646	5240.214
8/13/09	12:45:57	11.468	17.030	10.902	189.653	5240.207	189.653	5240.207
8/13/09	12:45:58	11.483	17.031	10.892	189.650	5240.210	189.650	5240.210
8/13/09	12:45:59	11.5	17.030	10.882	189.653	5240.207	189.653	5240.207
8/13/09	12:46:00	11.517	17.035	10.889	189.642	5240.218	189.642	5240.218
8/13/09	12:46:01	11.533	17.036	10.886	189.639	5240.221	189.639	5240.221
8/13/09	12:46:02	11.551	17.031	10.902	189.650	5240.210	189.650	5240.210
8/13/09	12:46:03	11.567	17.034	10.890	189.643	5240.217	189.643	5240.217
8/13/09	12:46:04	11.583	17.032	10.889	189.647	5240.213	189.647	5240.213
8/13/09	12:46:05	11.6	17.035	10.887	189.642	5240.218	189.642	5240.218
8/13/09	12:46:06	11.617	17.037	10.886	189.637	5240.223	189.637	5240.223
8/13/09	12:46:07	11.635	17.029	10.901	189.656	5240.204	189.656	5240.204
8/13/09	12:46:08	11.65	17.038	10.891	189.635	5240.225	189.635	5240.225
8/13/09	12:46:09	11.667	17.034	10.889	189.643	5240.217	189.643	5240.217
8/13/09	12:46:10	11.683	17.033	10.886	189.646	5240.214	189.646	5240.214
8/13/09	12:46:11	11.7	17.034	10.885	189.645	5240.215	189.645	5240.215
8/13/09	12:46:12	11.719	17.036	10.904	189.639	5240.221	189.639	5240.221
8/13/09	12:46:13	11.733	17.035	10.892	189.641	5240.219	189.641	5240.219
8/13/09	12:46:14	11.75	17.031	10.888	189.650	5240.210	189.650	5240.210
8/13/09	12:46:15	11.767	17.033	10.888	189.646	5240.214	189.646	5240.214

Appendix B-2. OMW-3 Water Level Data, Moore Ranch Supplemental Pump Testing

Date	Time	Elapsed Minutes	SN#: 138098 PSI	SN#: 138098 Temp - C	SN#: 138098 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5429.860 GW Elevation	DTW	GW Elev
8/13/09	12:46:16	11.783	17.033	10.888	189.647	5240.213	189.647	5240.213
8/13/09	12:46:17	11.802	17.030	10.902	189.654	5240.206	189.654	5240.206
8/13/09	12:46:18	11.817	17.037	10.892	189.636	5240.224	189.636	5240.224
8/13/09	12:46:19	11.833	17.032	10.892	189.647	5240.213	189.647	5240.213
8/13/09	12:46:20	11.85	17.033	10.886	189.645	5240.215	189.645	5240.215
8/13/09	12:46:21	11.867	17.034	10.889	189.645	5240.215	189.645	5240.215
8/13/09	12:46:22	11.885	17.036	10.906	189.639	5240.221	189.639	5240.221
8/13/09	12:46:23	11.9	17.037	10.894	189.636	5240.224	189.636	5240.224
8/13/09	12:46:24	11.917	17.035	10.891	189.642	5240.218	189.642	5240.218
8/13/09	12:46:25	11.933	17.033	10.889	189.646	5240.214	189.646	5240.214
8/13/09	12:46:26	11.95	17.032	10.889	189.647	5240.213	189.647	5240.213
8/13/09	12:46:27	11.969	17.032	10.904	189.648	5240.212	189.648	5240.212
8/13/09	12:46:28	11.983	17.038	10.897	189.635	5240.225	189.635	5240.225
8/13/09	12:46:29	12	17.032	10.892	189.647	5240.213	189.647	5240.213
8/13/09	12:46:30	12.017	17.033	10.891	189.646	5240.214	189.646	5240.214
8/13/09	12:46:31	12.033	17.035	10.889	189.643	5240.217	189.643	5240.217
8/13/09	12:46:32	12.052	17.030	10.906	189.652	5240.208	189.652	5240.208
8/13/09	12:46:33	12.067	17.034	10.900	189.644	5240.216	189.644	5240.216
8/13/09	12:46:34	12.083	17.035	10.892	189.641	5240.219	189.641	5240.219
8/13/09	12:46:35	12.1	17.032	10.891	189.649	5240.211	189.649	5240.211
8/13/09	12:46:36	12.117	17.036	10.891	189.639	5240.221	189.639	5240.221
8/13/09	12:46:37	12.136	17.034	10.908	189.644	5240.216	189.644	5240.216
8/13/09	12:46:38	12.15	17.032	10.896	189.648	5240.212	189.648	5240.212
8/13/09	12:46:39	12.167	17.032	10.892	189.648	5240.212	189.648	5240.212
8/13/09	12:46:40	12.183	17.032	10.889	189.648	5240.212	189.648	5240.212
8/13/09	12:46:41	12.2	17.033	10.892	189.647	5240.213	189.647	5240.213
8/13/09	12:46:42	12.219	17.032	10.908	189.649	5240.211	189.649	5240.211
8/13/09	12:46:43	12.233	17.036	10.900	189.639	5240.221	189.639	5240.221
8/13/09	12:46:44	12.25	17.033	10.896	189.645	5240.215	189.645	5240.215
8/13/09	12:46:45	12.267	17.032	10.893	189.648	5240.212	189.648	5240.212
8/13/09	12:46:46	12.283	17.034	10.891	189.643	5240.217	189.643	5240.217
8/13/09	12:46:47	12.302	17.033	10.905	189.647	5240.213	189.647	5240.213
8/13/09	12:46:48	12.317	17.030	10.898	189.652	5240.208	189.652	5240.208
8/13/09	12:46:49	12.333	17.034	10.895	189.643	5240.217	189.643	5240.217
8/13/09	12:46:50	12.35	17.032	10.893	189.649	5240.211	189.649	5240.211
8/13/09	12:46:51	12.367	17.033	10.891	189.645	5240.215	189.645	5240.215
8/13/09	12:46:52	12.386	17.033	10.908	189.646	5240.214	189.646	5240.214
8/13/09	12:46:53	12.4	17.036	10.899	189.640	5240.220	189.640	5240.220
8/13/09	12:46:54	12.417	17.035	10.894	189.642	5240.218	189.642	5240.218
8/13/09	12:46:55	12.433	17.035	10.895	189.643	5240.217	189.643	5240.217
8/13/09	12:46:56	12.45	17.033	10.895	189.647	5240.213	189.647	5240.213
8/13/09	12:46:57	12.469	17.033	10.908	189.646	5240.214	189.646	5240.214
8/13/09	12:46:58	12.483	17.033	10.900	189.645	5240.215	189.645	5240.215
8/13/09	12:46:59	12.5	17.030	10.895	189.653	5240.207	189.653	5240.207
8/13/09	12:47:00	12.517	17.033	10.895	189.645	5240.215	189.645	5240.215
8/13/09	12:47:01	12.533	17.035	10.894	189.641	5240.219	189.641	5240.219
8/13/09	12:47:02	12.552	17.033	10.921	189.645	5240.215	189.645	5240.215
8/13/09	12:47:03	12.567	17.033	10.902	189.647	5240.213	189.647	5240.213
8/13/09	12:47:04	12.583	17.033	10.898	189.647	5240.213	189.647	5240.213
8/13/09	12:47:05	12.6	17.035	10.893	189.641	5240.219	189.641	5240.219
8/13/09	12:47:06	12.617	17.030	10.894	189.654	5240.206	189.654	5240.206
8/13/09	12:47:07	12.633	17.034	10.915	189.644	5240.216	189.644	5240.216
8/13/09	12:47:08	12.65	17.029	10.898	189.655	5240.205	189.655	5240.205
8/13/09	12:47:09	12.667	17.035	10.900	189.642	5240.218	189.642	5240.218
8/13/09	12:47:10	12.683	17.035	10.896	189.641	5240.219	189.641	5240.219
8/13/09	12:47:11	12.7	17.030	10.896	189.654	5240.206	189.654	5240.206

Appendix B-2. OMW-3 Water Level Data, Moore Ranch Supplemental Pump Testing

Date	Time	Elapsed Minutes	SN#: 138098 PSI	SN#: 138098 Temp - C	SN#: 138098 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5429.860 GW Elevation	DTW	GW Elev
8/13/09	12:47:12	12.719	17.033	10.910	189.645	5240.215	189.645	5240.215
8/13/09	12:47:13	12.733	17.033	10.901	189.645	5240.215	189.645	5240.215
8/13/09	12:47:14	12.75	17.033	10.896	189.646	5240.214	189.646	5240.214
8/13/09	12:47:15	12.767	17.032	10.895	189.647	5240.213	189.647	5240.213
8/13/09	12:47:16	12.783	17.035	10.895	189.641	5240.219	189.641	5240.219
8/13/09	12:47:17	12.803	17.034	10.911	189.643	5240.217	189.643	5240.217
8/13/09	12:47:18	12.817	17.037	10.903	189.638	5240.222	189.638	5240.222
8/13/09	12:47:19	12.833	17.034	10.898	189.644	5240.216	189.644	5240.216
8/13/09	12:47:20	12.85	17.030	10.898	189.653	5240.207	189.653	5240.207
8/13/09	12:47:21	12.867	17.033	10.898	189.645	5240.215	189.645	5240.215
8/13/09	12:47:22	12.886	17.034	10.911	189.645	5240.215	189.645	5240.215
8/13/09	12:47:23	12.9	17.037	10.902	189.638	5240.222	189.638	5240.222
8/13/09	12:47:24	12.917	17.030	10.898	189.653	5240.207	189.653	5240.207
8/13/09	12:47:25	12.933	17.033	10.900	189.646	5240.214	189.646	5240.214
8/13/09	12:47:26	12.95	17.033	10.895	189.647	5240.213	189.647	5240.213
8/13/09	12:47:27	12.969	17.031	10.912	189.652	5240.208	189.652	5240.208
8/13/09	12:47:28	12.983	17.033	10.906	189.646	5240.214	189.646	5240.214
8/13/09	12:47:29	13	17.031	10.899	189.651	5240.209	189.651	5240.209
8/13/09	12:47:30	13.017	17.031	10.898	189.651	5240.209	189.651	5240.209
8/13/09	12:47:31	13.033	17.035	10.900	189.640	5240.220	189.640	5240.220
8/13/09	12:47:32	13.053	17.032	10.913	189.649	5240.211	189.649	5240.211
8/13/09	12:47:33	13.067	17.034	10.904	189.643	5240.217	189.643	5240.217
8/13/09	12:47:34	13.083	17.031	10.900	189.651	5240.209	189.651	5240.209
8/13/09	12:47:35	13.1	17.032	10.896	189.649	5240.211	189.649	5240.211
8/13/09	12:47:36	13.117	17.032	10.897	189.649	5240.211	189.649	5240.211
8/13/09	12:47:37	13.137	17.036	10.913	189.640	5240.220	189.640	5240.220
8/13/09	12:47:38	13.15	17.033	10.906	189.646	5240.214	189.646	5240.214
8/13/09	12:47:39	13.167	17.029	10.898	189.655	5240.205	189.655	5240.205
8/13/09	12:47:40	13.183	17.032	10.899	189.648	5240.212	189.648	5240.212
8/13/09	12:47:41	13.2	17.034	10.901	189.644	5240.216	189.644	5240.216
8/13/09	12:47:42	13.22	17.034	10.912	189.643	5240.217	189.643	5240.217
8/13/09	12:47:43	13.233	17.036	10.908	189.639	5240.221	189.639	5240.221
8/13/09	12:47:44	13.25	17.033	10.902	189.647	5240.213	189.647	5240.213
8/13/09	12:47:45	13.267	17.037	10.899	189.637	5240.223	189.637	5240.223
8/13/09	12:47:46	13.283	17.031	10.901	189.651	5240.209	189.651	5240.209
8/13/09	12:47:47	13.303	17.035	10.915	189.641	5240.219	189.641	5240.219
8/13/09	12:47:48	13.317	17.034	10.909	189.644	5240.216	189.644	5240.216
8/13/09	12:47:49	13.333	17.035	10.904	189.641	5240.219	189.641	5240.219
8/13/09	12:47:50	13.35	17.034	10.906	189.643	5240.217	189.643	5240.217
8/13/09	12:47:51	13.367	17.031	10.900	189.651	5240.209	189.651	5240.209
8/13/09	12:47:52	13.386	17.032	10.916	189.649	5240.211	189.649	5240.211
8/13/09	12:47:53	13.4	17.035	10.908	189.642	5240.218	189.642	5240.218
8/13/09	12:47:54	13.417	17.031	10.906	189.652	5240.208	189.652	5240.208
8/13/09	12:47:55	13.433	17.032	10.901	189.647	5240.213	189.647	5240.213
8/13/09	12:47:56	13.45	17.032	10.901	189.649	5240.211	189.649	5240.211
8/13/09	12:47:57	13.469	17.034	10.916	189.645	5240.215	189.645	5240.215
8/13/09	12:47:58	13.483	17.035	10.910	189.642	5240.218	189.642	5240.218
8/13/09	12:47:59	13.5	17.034	10.904	189.644	5240.216	189.644	5240.216
8/13/09	12:48:00	13.517	17.035	10.903	189.641	5240.219	189.641	5240.219
8/13/09	12:48:01	13.533	17.035	10.903	189.642	5240.218	189.642	5240.218
8/13/09	12:48:02	13.553	17.036	10.916	189.639	5240.221	189.639	5240.221
8/13/09	12:48:03	13.567	17.034	10.911	189.644	5240.216	189.644	5240.216
8/13/09	12:48:04	13.583	17.037	10.908	189.637	5240.223	189.637	5240.223
8/13/09	12:48:05	13.6	17.034	10.905	189.643	5240.217	189.643	5240.217
8/13/09	12:48:06	13.617	17.031	10.902	189.650	5240.210	189.650	5240.210
8/13/09	12:48:07	13.636	17.033	10.919	189.646	5240.214	189.646	5240.214

Appendix B-2. OMW-3 Water Level Data, Moore Ranch Supplemental Pump Testing

Date	Time	Elapsed Minutes	TSN#: 138098 PSI	SN#: 138098 Temp - C	SN#: 138098 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5429.860 GW Elevation	DTW	GW Elev
8/13/09	12:48:08	13.65	17.033	10.913	189.645	5240.215	189.645	5240.215
8/13/09	12:48:09	13.667	17.033	10.906	189.646	5240.214	189.646	5240.214
8/13/09	12:48:10	13.683	17.029	10.905	189.654	5240.206	189.654	5240.206
8/13/09	12:48:11	13.7	17.030	10.902	189.654	5240.206	189.654	5240.206
8/13/09	12:48:12	13.719	17.035	10.920	189.642	5240.218	189.642	5240.218
8/13/09	12:48:13	13.733	17.034	10.910	189.645	5240.215	189.645	5240.215
8/13/09	12:48:14	13.75	17.036	10.906	189.638	5240.222	189.638	5240.222
8/13/09	12:48:15	13.767	17.035	10.904	189.642	5240.218	189.642	5240.218
8/13/09	12:48:16	13.783	17.034	10.906	189.643	5240.217	189.643	5240.217
8/13/09	12:48:17	13.8	17.031	10.934	189.650	5240.210	189.650	5240.210
8/13/09	12:48:18	13.817	17.035	10.913	189.642	5240.218	189.642	5240.218
8/13/09	12:48:19	13.833	17.034	10.908	189.644	5240.216	189.644	5240.216
8/13/09	12:48:20	13.85	17.033	10.907	189.646	5240.214	189.646	5240.214
8/13/09	12:48:21	13.867	17.033	10.907	189.646	5240.214	189.646	5240.214
8/13/09	12:48:22	13.885	17.031	10.934	189.651	5240.209	189.651	5240.209
8/13/09	12:48:23	13.9	17.035	10.915	189.641	5240.219	189.641	5240.219
8/13/09	12:48:24	13.917	17.033	10.908	189.646	5240.214	189.646	5240.214
8/13/09	12:48:25	13.933	17.030	10.905	189.652	5240.208	189.652	5240.208
8/13/09	12:48:26	13.95	17.030	10.905	189.652	5240.208	189.652	5240.208
8/13/09	12:48:27	13.967	17.029	10.931	189.654	5240.206	189.654	5240.206
8/13/09	12:48:28	13.983	17.029	10.911	189.655	5240.205	189.655	5240.205
8/13/09	12:48:29	14	17.034	10.906	189.644	5240.216	189.644	5240.216
8/13/09	12:48:30	14.017	17.030	10.907	189.654	5240.206	189.654	5240.206
8/13/09	12:48:31	14.033	17.030	10.905	189.652	5240.208	189.652	5240.208
8/13/09	12:48:32	14.05	17.030	10.932	189.653	5240.207	189.653	5240.207
8/13/09	12:48:33	14.067	17.035	10.915	189.641	5240.219	189.641	5240.219
8/13/09	12:48:34	14.083	17.029	10.909	189.656	5240.204	189.656	5240.204
8/13/09	12:48:35	14.1	17.031	10.910	189.650	5240.210	189.650	5240.210
8/13/09	12:48:36	14.117	17.036	10.908	189.639	5240.221	189.639	5240.221
8/13/09	12:48:37	14.133	17.031	10.931	189.651	5240.209	189.651	5240.209
8/13/09	12:48:38	14.15	17.034	10.913	189.645	5240.215	189.645	5240.215
8/13/09	12:48:39	14.167	17.034	10.908	189.643	5240.217	189.643	5240.217
8/13/09	12:48:40	14.183	17.036	10.910	189.639	5240.221	189.639	5240.221
8/13/09	12:48:41	14.2	17.033	10.909	189.646	5240.214	189.646	5240.214
8/13/09	12:48:42	14.217	17.031	10.934	189.650	5240.210	189.650	5240.210
8/13/09	12:48:43	14.233	17.034	10.913	189.643	5240.217	189.643	5240.217
8/13/09	12:48:44	14.25	17.033	10.911	189.646	5240.214	189.646	5240.214
8/13/09	12:48:45	14.267	17.032	10.910	189.649	5240.211	189.649	5240.211
8/13/09	12:48:46	14.283	17.030	10.910	189.653	5240.207	189.653	5240.207
8/13/09	12:48:47	14.3	17.032	10.937	189.649	5240.211	189.649	5240.211
8/13/09	12:48:48	14.317	17.035	10.918	189.643	5240.217	189.643	5240.217
8/13/09	12:48:49	14.333	17.029	10.911	189.656	5240.204	189.656	5240.204
8/13/09	12:48:50	14.35	17.033	10.911	189.646	5240.214	189.646	5240.214
8/13/09	12:48:51	14.367	17.032	10.910	189.648	5240.212	189.648	5240.212
8/13/09	12:48:52	14.383	17.037	10.935	189.636	5240.224	189.636	5240.224
8/13/09	12:48:53	14.4	17.034	10.917	189.644	5240.216	189.644	5240.216
8/13/09	12:48:54	14.417	17.032	10.913	189.649	5240.211	189.649	5240.211
8/13/09	12:48:55	14.433	17.027	10.912	189.659	5240.201	189.659	5240.201
8/13/09	12:48:56	14.45	17.035	10.912	189.642	5240.218	189.642	5240.218
8/13/09	12:48:57	14.467	17.036	10.938	189.639	5240.221	189.639	5240.221
8/13/09	12:48:58	14.483	17.034	10.919	189.643	5240.217	189.643	5240.217
8/13/09	12:48:59	14.5	17.033	10.917	189.646	5240.214	189.646	5240.214
8/13/09	12:49:00	14.517	17.032	10.913	189.649	5240.211	189.649	5240.211
8/13/09	12:49:01	14.533	17.032	10.913	189.648	5240.212	189.648	5240.212
8/13/09	12:49:02	14.55	17.035	10.941	189.640	5240.220	189.640	5240.220
8/13/09	12:49:03	14.567	17.035	10.918	189.642	5240.218	189.642	5240.218

Appendix B-2. OMW-3 Water Level Data, Moore Ranch Supplemental Pump Testing

Date	Time	Elapsed Minutes	TSN#: 138098 PSI	SN#: 138098 Temp - C	SN#: 138098 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5429.860 GW Elevation	DTW	GW Elev
8/13/09	12:49:04	14.583	17.033	10.915	189.647	5240.213	189.647	5240.213
8/13/09	12:49:05	14.6	17.036	10.914	189.639	5240.221	189.639	5240.221
8/13/09	12:49:06	14.617	17.032	10.915	189.649	5240.211	189.649	5240.211
8/13/09	12:49:07	14.633	17.034	10.940	189.643	5240.217	189.643	5240.217
8/13/09	12:49:08	14.65	17.032	10.923	189.648	5240.212	189.648	5240.212
8/13/09	12:49:09	14.667	17.038	10.918	189.634	5240.226	189.634	5240.226
8/13/09	12:49:10	14.683	17.038	10.914	189.635	5240.225	189.635	5240.225
8/13/09	12:49:11	14.7	17.035	10.913	189.641	5240.219	189.641	5240.219
8/13/09	12:49:12	14.717	17.034	10.942	189.643	5240.217	189.643	5240.217
8/13/09	12:49:13	14.733	17.035	10.923	189.642	5240.218	189.642	5240.218
8/13/09	12:49:14	14.75	17.033	10.919	189.647	5240.213	189.647	5240.213
8/13/09	12:49:15	14.767	17.038	10.916	189.635	5240.225	189.635	5240.225
8/13/09	12:49:16	14.783	17.035	10.917	189.641	5240.219	189.641	5240.219
8/13/09	12:49:17	14.8	17.036	10.946	189.639	5240.221	189.639	5240.221
8/13/09	12:49:18	14.817	17.034	10.923	189.643	5240.217	189.643	5240.217
8/13/09	12:49:19	14.833	17.034	10.919	189.644	5240.216	189.644	5240.216
8/13/09	12:49:20	14.85	17.033	10.917	189.646	5240.214	189.646	5240.214
8/13/09	12:49:21	14.867	17.032	10.918	189.648	5240.212	189.648	5240.212
8/13/09	12:49:22	14.884	17.037	10.945	189.637	5240.223	189.637	5240.223
8/13/09	12:49:23	14.9	17.033	10.924	189.647	5240.213	189.647	5240.213
8/13/09	12:49:24	14.917	17.032	10.920	189.648	5240.212	189.648	5240.212
8/13/09	12:49:25	14.933	17.030	10.916	189.654	5240.206	189.654	5240.206
8/13/09	12:49:26	14.95	17.034	10.919	189.645	5240.215	189.645	5240.215
8/13/09	12:49:27	14.967	17.034	10.945	189.644	5240.216	189.644	5240.216
8/13/09	12:49:28	14.983	17.036	10.923	189.639	5240.221	189.639	5240.221
8/13/09	12:49:29	15	17.034	10.917	189.645	5240.215	189.645	5240.215
8/13/09	12:49:30	15.017	17.030	10.920	189.653	5240.207	189.653	5240.207
8/13/09	12:49:31	15.033	17.032	10.918	189.648	5240.212	189.648	5240.212
8/13/09	12:49:32	15.05	17.031	10.945	189.651	5240.209	189.651	5240.209
8/13/09	12:49:33	15.067	17.034	10.927	189.644	5240.216	189.644	5240.216
8/13/09	12:49:34	15.083	17.038	10.924	189.635	5240.225	189.635	5240.225
8/13/09	12:49:35	15.1	17.032	10.919	189.648	5240.212	189.648	5240.212
8/13/09	12:49:36	15.117	17.036	10.919	189.639	5240.221	189.639	5240.221
8/13/09	12:49:37	15.133	17.035	10.946	189.641	5240.219	189.641	5240.219
8/13/09	12:49:38	15.15	17.034	10.922	189.643	5240.217	189.643	5240.217
8/13/09	12:49:39	15.167	17.034	10.921	189.644	5240.216	189.644	5240.216
8/13/09	12:49:40	15.183	17.032	10.921	189.648	5240.212	189.648	5240.212
8/13/09	12:49:41	15.2	17.031	10.918	189.651	5240.209	189.651	5240.209
8/13/09	12:49:42	15.217	17.032	10.946	189.649	5240.211	189.649	5240.211
8/13/09	12:49:43	15.233	17.031	10.927	189.650	5240.210	189.650	5240.210
8/13/09	12:49:44	15.25	17.033	10.924	189.646	5240.214	189.646	5240.214
8/13/09	12:49:45	15.267	17.034	10.920	189.644	5240.216	189.644	5240.216
8/13/09	12:49:46	15.283	17.032	10.923	189.649	5240.211	189.649	5240.211
8/13/09	12:49:47	15.3	17.032	10.951	189.649	5240.211	189.649	5240.211
8/13/09	12:49:48	15.317	17.033	10.928	189.647	5240.213	189.647	5240.213
8/13/09	12:49:49	15.333	17.032	10.924	189.648	5240.212	189.648	5240.212
8/13/09	12:49:50	15.35	17.037	10.925	189.637	5240.223	189.637	5240.223
8/13/09	12:49:51	15.367	17.031	10.921	189.650	5240.210	189.650	5240.210
8/13/09	12:49:52	15.383	17.030	10.952	189.653	5240.207	189.653	5240.207
8/13/09	12:49:53	15.4	17.033	10.929	189.646	5240.214	189.646	5240.214
8/13/09	12:49:54	15.417	17.032	10.924	189.649	5240.211	189.649	5240.211
8/13/09	12:49:55	15.433	17.032	10.922	189.647	5240.213	189.647	5240.213
8/13/09	12:49:56	15.45	17.032	10.922	189.649	5240.211	189.649	5240.211
8/13/09	12:49:57	15.467	17.034	10.951	189.643	5240.217	189.643	5240.217
8/13/09	12:49:58	15.483	17.032	10.928	189.648	5240.212	189.648	5240.212
8/13/09	12:49:59	15.5	17.033	10.923	189.646	5240.214	189.646	5240.214

Appendix B-2. OMW-3 Water Level Data, Moore Ranch Supplemental Pump Testing

Date	Time	Elapsed Minutes	SN#: 138098 PSI	SN#: 138098 Temp - C	SN#: 138098 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5429.860 GW Elevation	DTW	GW Elev
8/13/09	12:50:00	15.517	17.032	10.925	189.648	5240.212	189.648	5240.212
8/13/09	12:50:01	15.533	17.036	10.922	189.639	5240.221	189.639	5240.221
8/13/09	12:50:02	15.55	17.034	10.954	189.645	5240.215	189.645	5240.215
8/13/09	12:50:03	15.567	17.027	10.930	189.659	5240.201	189.659	5240.201
8/13/09	12:50:04	15.583	17.031	10.925	189.650	5240.210	189.650	5240.210
8/13/09	12:50:05	15.6	17.033	10.926	189.646	5240.214	189.646	5240.214
8/13/09	12:50:06	15.617	17.027	10.922	189.660	5240.200	189.660	5240.200
8/13/09	12:50:07	15.633	17.031	10.950	189.651	5240.209	189.651	5240.209
8/13/09	12:50:08	15.65	17.031	10.931	189.650	5240.210	189.650	5240.210
8/13/09	12:50:09	15.667	17.034	10.927	189.645	5240.215	189.645	5240.215
8/13/09	12:50:10	15.683	17.033	10.923	189.646	5240.214	189.646	5240.214
8/13/09	12:50:11	15.7	17.029	10.924	189.655	5240.205	189.655	5240.205
8/13/09	12:50:12	15.717	17.034	10.954	189.644	5240.216	189.644	5240.216
8/13/09	12:50:13	15.733	17.033	10.933	189.645	5240.215	189.645	5240.215
8/13/09	12:50:14	15.75	17.030	10.928	189.653	5240.207	189.653	5240.207
8/13/09	12:50:15	15.767	17.028	10.926	189.657	5240.203	189.657	5240.203
8/13/09	12:50:16	15.783	17.029	10.924	189.655	5240.205	189.655	5240.205
8/13/09	12:50:17	15.802	17.030	10.955	189.653	5240.207	189.653	5240.207
8/13/09	12:50:18	15.817	17.030	10.931	189.652	5240.208	189.652	5240.208
8/13/09	12:50:19	15.833	17.030	10.927	189.652	5240.208	189.652	5240.208
8/13/09	12:50:20	15.85	17.035	10.927	189.641	5240.219	189.641	5240.219
8/13/09	12:50:21	15.867	17.028	10.926	189.658	5240.202	189.658	5240.202
8/13/09	12:50:22	15.883	17.028	10.924	189.657	5240.203	189.657	5240.203
8/13/09	12:50:23	15.9	17.028	10.935	189.657	5240.203	189.657	5240.203
8/13/09	12:50:24	15.917	17.030	10.931	189.653	5240.207	189.653	5240.207
8/13/09	12:50:25	15.933	17.028	10.927	189.659	5240.201	189.659	5240.201
8/13/09	12:50:26	15.95	17.029	10.925	189.654	5240.206	189.654	5240.206
8/13/09	12:50:27	15.967	17.031	10.957	189.650	5240.210	189.650	5240.210
8/13/09	12:50:28	15.983	17.031	10.933	189.651	5240.209	189.651	5240.209
8/13/09	12:50:29	16	17.030	10.929	189.654	5240.206	189.654	5240.206
8/13/09	12:50:30	16.017	17.032	10.931	189.649	5240.211	189.649	5240.211
8/13/09	12:50:31	16.033	17.026	10.927	189.661	5240.199	189.661	5240.199
8/13/09	12:50:32	16.05	17.029	10.957	189.656	5240.204	189.656	5240.204
8/13/09	12:50:33	16.067	17.031	10.936	189.650	5240.210	189.650	5240.210
8/13/09	12:50:34	16.083	17.032	10.930	189.648	5240.212	189.648	5240.212
8/13/09	12:50:35	16.1	17.031	10.928	189.652	5240.208	189.652	5240.208
8/13/09	12:50:36	16.117	17.029	10.928	189.656	5240.204	189.656	5240.204
8/13/09	12:50:37	16.133	17.027	10.929	189.660	5240.200	189.660	5240.200
8/13/09	12:50:38	16.15	17.030	10.926	189.653	5240.207	189.653	5240.207
8/13/09	12:50:39	16.169	17.032	10.925	189.649	5240.211	189.649	5240.211
8/13/09	12:50:40	16.183	17.027	10.928	189.660	5240.200	189.660	5240.200
8/13/09	12:50:41	16.2	17.029	10.925	189.656	5240.204	189.656	5240.204
8/13/09	12:50:42	16.217	17.028	10.928	189.658	5240.202	189.658	5240.202
8/13/09	12:50:43	16.233	17.029	10.926	189.655	5240.205	189.655	5240.205
8/13/09	12:50:44	16.25	17.035	10.928	189.642	5240.218	189.642	5240.218
8/13/09	12:50:45	16.267	17.029	10.927	189.655	5240.205	189.655	5240.205
8/13/09	12:50:46	16.283	17.028	10.926	189.657	5240.203	189.657	5240.203
8/13/09	12:50:47	16.3	17.029	10.927	189.655	5240.205	189.655	5240.205
8/13/09	12:50:48	16.317	17.036	10.926	189.639	5240.221	189.639	5240.221
8/13/09	12:50:49	16.333	17.029	10.928	189.654	5240.206	189.654	5240.206
8/13/09	12:50:50	16.35	17.031	10.928	189.652	5240.208	189.652	5240.208
8/13/09	12:50:51	16.367	17.033	10.928	189.647	5240.213	189.647	5240.213
8/13/09	12:50:52	16.383	17.028	10.928	189.659	5240.201	189.659	5240.201
8/13/09	12:50:53	16.4	17.029	10.927	189.655	5240.205	189.655	5240.205
8/13/09	12:50:54	16.417	17.029	10.929	189.655	5240.205	189.655	5240.205
8/13/09	12:50:55	16.433	17.031	10.926	189.651	5240.209	189.651	5240.209

Appendix B-2. OMW-3 Water Level Data, Moore Ranch Supplemental Pump Testing

Date	Time	Elapsed Minutes	TSN#: 138098 PSI	SN#: 138098 Temp - C	SN#: 138098 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5429.860 GW Elevation	DTW	GW Elev
8/13/09	12:50:56	16.45	17.032	10.924	189.649	5240.211	189.649	5240.211
8/13/09	12:50:57	16.467	17.035	10.926	189.642	5240.218	189.642	5240.218
8/13/09	12:50:58	16.483	17.034	10.925	189.643	5240.217	189.643	5240.217
8/13/09	12:50:59	16.5	17.031	10.925	189.651	5240.209	189.651	5240.209
8/13/09	12:51:00	16.517	17.032	10.926	189.648	5240.212	189.648	5240.212
8/13/09	12:51:01	16.533	17.028	10.924	189.658	5240.202	189.658	5240.202
8/13/09	12:51:02	16.55	17.027	10.927	189.659	5240.201	189.659	5240.201
8/13/09	12:51:03	16.567	17.029	10.927	189.656	5240.204	189.656	5240.204
8/13/09	12:51:04	16.583	17.031	10.927	189.651	5240.209	189.651	5240.209
8/13/09	12:51:05	16.6	17.031	10.924	189.651	5240.209	189.651	5240.209
8/13/09	12:51:06	16.617	17.032	10.926	189.649	5240.211	189.649	5240.211
8/13/09	12:51:07	16.633	17.027	10.925	189.660	5240.200	189.660	5240.200
8/13/09	12:51:08	16.65	17.028	10.927	189.658	5240.202	189.658	5240.202
8/13/09	12:51:09	16.667	17.028	10.928	189.658	5240.202	189.658	5240.202
8/13/09	12:51:10	16.683	17.031	10.927	189.651	5240.209	189.651	5240.209
8/13/09	12:51:11	16.702	17.033	10.925	189.647	5240.213	189.647	5240.213
8/13/09	12:51:12	16.717	17.034	10.928	189.644	5240.216	189.644	5240.216
8/13/09	12:51:13	16.733	17.031	10.925	189.650	5240.210	189.650	5240.210
8/13/09	12:51:14	16.75	17.029	10.925	189.656	5240.204	189.656	5240.204
8/13/09	12:51:15	16.769	17.031	10.927	189.650	5240.210	189.650	5240.210
8/13/09	12:51:16	16.783	17.033	10.927	189.645	5240.215	189.645	5240.215
8/13/09	12:51:17	16.8	17.030	10.928	189.652	5240.208	189.652	5240.208
8/13/09	12:51:18	16.817	17.037	10.928	189.637	5240.223	189.637	5240.223
8/13/09	12:51:19	16.833	17.031	10.925	189.651	5240.209	189.651	5240.209
8/13/09	12:51:20	16.85	17.034	10.927	189.644	5240.216	189.644	5240.216
8/13/09	12:51:21	16.867	17.029	10.929	189.655	5240.205	189.655	5240.205
8/13/09	12:51:22	16.883	17.033	10.927	189.646	5240.214	189.646	5240.214
8/13/09	12:51:23	16.9	17.029	10.927	189.655	5240.205	189.655	5240.205
8/13/09	12:51:24	16.917	17.030	10.928	189.654	5240.206	189.654	5240.206
8/13/09	12:51:25	16.933	17.032	10.927	189.647	5240.213	189.647	5240.213
8/13/09	12:51:26	16.95	17.027	10.927	189.659	5240.201	189.659	5240.201
8/13/09	12:51:27	16.967	17.028	10.926	189.657	5240.203	189.657	5240.203
8/13/09	12:51:28	16.983	17.028	10.926	189.658	5240.202	189.658	5240.202
8/13/09	12:51:29	17	17.034	10.929	189.643	5240.217	189.643	5240.217
8/13/09	12:51:30	17.017	17.031	10.927	189.650	5240.210	189.650	5240.210
8/13/09	12:51:31	17.033	17.028	10.928	189.657	5240.203	189.657	5240.203
8/13/09	12:51:32	17.05	17.027	10.929	189.660	5240.200	189.660	5240.200
8/13/09	12:51:33	17.067	17.028	10.927	189.657	5240.203	189.657	5240.203
8/13/09	12:51:34	17.083	17.027	10.928	189.660	5240.200	189.660	5240.200
8/13/09	12:51:35	17.1	17.032	10.930	189.649	5240.211	189.649	5240.211
8/13/09	12:51:36	17.117	17.030	10.928	189.654	5240.206	189.654	5240.206
8/13/09	12:51:37	17.133	17.027	10.930	189.660	5240.200	189.660	5240.200
8/13/09	12:51:38	17.15	17.029	10.946	189.656	5240.204	189.656	5240.204
8/13/09	12:51:39	17.168	17.033	10.935	189.646	5240.214	189.646	5240.214
8/13/09	12:51:40	17.183	17.030	10.934	189.653	5240.207	189.653	5240.207
8/13/09	12:51:41	17.2	17.027	10.929	189.660	5240.200	189.660	5240.200
8/13/09	12:51:42	17.217	17.029	10.931	189.656	5240.204	189.656	5240.204
8/13/09	12:51:43	17.233	17.034	10.932	189.645	5240.215	189.645	5240.215
8/13/09	12:51:44	17.25	17.028	10.950	189.658	5240.202	189.658	5240.202
8/13/09	12:51:45	17.267	17.032	10.938	189.649	5240.211	189.649	5240.211
8/13/09	12:51:46	17.283	17.026	10.936	189.661	5240.199	189.661	5240.199
8/13/09	12:51:47	17.3	17.030	10.934	189.653	5240.207	189.653	5240.207
8/13/09	12:51:48	17.317	17.030	10.936	189.654	5240.206	189.654	5240.206
8/13/09	12:51:49	17.333	17.030	10.951	189.654	5240.206	189.654	5240.206
8/13/09	12:51:50	17.35	17.033	10.940	189.647	5240.213	189.647	5240.213
8/13/09	12:51:51	17.367	17.031	10.934	189.652	5240.208	189.652	5240.208

Appendix B-2. OMW-3 Water Level Data, Moore Ranch Supplemental Pump Testing

Date	Time	Elapsed Minutes	SN#: 138098 PSI	SN#: 138098 Temp - C	SN#: 138098 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5429.860 GW Elevation	DTW	GW Elev
8/13/09	12:51:52	17.383	17.032	10.937	189.648	5240.212	189.648	5240.212
8/13/09	12:51:53	17.4	17.027	10.936	189.661	5240.199	189.661	5240.199
8/13/09	12:51:54	17.417	17.031	10.952	189.651	5240.209	189.651	5240.209
8/13/09	12:51:55	17.433	17.030	10.941	189.652	5240.208	189.652	5240.208
8/13/09	12:51:56	17.45	17.027	10.939	189.659	5240.201	189.659	5240.201
8/13/09	12:51:57	17.467	17.032	10.938	189.650	5240.210	189.650	5240.210
8/13/09	12:51:58	17.483	17.032	10.938	189.650	5240.210	189.650	5240.210
8/13/09	12:51:59	17.5	17.028	10.953	189.657	5240.203	189.657	5240.203
8/13/09	12:52:00	17.517	17.030	10.944	189.654	5240.206	189.654	5240.206
8/13/09	12:52:01	17.533	17.029	10.943	189.656	5240.204	189.656	5240.204
8/13/09	12:52:02	17.55	17.031	10.941	189.651	5240.209	189.651	5240.209
8/13/09	12:52:03	17.567	17.032	10.938	189.648	5240.212	189.648	5240.212
8/13/09	12:52:04	17.583	17.030	10.954	189.652	5240.208	189.652	5240.208
8/13/09	12:52:05	17.6	17.029	10.942	189.656	5240.204	189.656	5240.204
8/13/09	12:52:06	17.617	17.031	10.940	189.651	5240.209	189.651	5240.209
8/13/09	12:52:07	17.633	17.030	10.941	189.654	5240.206	189.654	5240.206
8/13/09	12:52:08	17.65	17.025	10.939	189.666	5240.194	189.666	5240.194
8/13/09	12:52:09	17.667	17.028	10.968	189.658	5240.202	189.658	5240.202
8/13/09	12:52:10	17.683	17.031	10.952	189.650	5240.210	189.650	5240.210
8/13/09	12:52:11	17.7	17.030	10.945	189.654	5240.206	189.654	5240.206
8/13/09	12:52:12	17.717	17.034	10.941	189.645	5240.215	189.645	5240.215
8/13/09	12:52:13	17.733	17.030	10.942	189.653	5240.207	189.653	5240.207
8/13/09	12:52:14	17.75	17.029	10.942	189.655	5240.205	189.655	5240.205
8/13/09	12:52:15	17.767	17.027	10.953	189.660	5240.200	189.660	5240.200
8/13/09	12:52:16	17.783	17.030	10.948	189.653	5240.207	189.653	5240.207
8/13/09	12:52:17	17.8	17.031	10.944	189.651	5240.209	189.651	5240.209
8/13/09	12:52:18	17.817	17.028	10.946	189.658	5240.202	189.658	5240.202
8/13/09	12:52:19	17.834	17.028	10.961	189.658	5240.202	189.658	5240.202
8/13/09	12:52:20	17.85	17.029	10.950	189.656	5240.204	189.656	5240.204
8/13/09	12:52:21	17.867	17.029	10.945	189.655	5240.205	189.655	5240.205
8/13/09	12:52:22	17.883	17.030	10.945	189.654	5240.206	189.654	5240.206
8/13/09	12:52:23	17.9	17.031	10.945	189.650	5240.210	189.650	5240.210
8/13/09	12:52:24	17.918	17.027	10.959	189.659	5240.201	189.659	5240.201
8/13/09	12:52:25	17.933	17.036	10.950	189.640	5240.220	189.640	5240.220
8/13/09	12:52:26	17.95	17.028	10.948	189.658	5240.202	189.658	5240.202
8/13/09	12:52:27	17.967	17.032	10.946	189.648	5240.212	189.648	5240.212
8/13/09	12:52:28	17.983	17.027	10.942	189.661	5240.199	189.661	5240.199
8/13/09	12:52:29	18.002	17.029	10.962	189.654	5240.206	189.654	5240.206
8/13/09	12:52:30	18.017	17.026	10.950	189.662	5240.198	189.662	5240.198
8/13/09	12:52:31	18.033	17.029	10.948	189.656	5240.204	189.656	5240.204
8/13/09	12:52:32	18.05	17.028	10.944	189.659	5240.201	189.659	5240.201
8/13/09	12:52:33	18.067	17.027	10.948	189.659	5240.201	189.659	5240.201
8/13/09	12:52:34	18.085	17.028	10.962	189.658	5240.202	189.658	5240.202
8/13/09	12:52:35	18.1	17.033	10.951	189.646	5240.214	189.646	5240.214
8/13/09	12:52:36	18.117	17.029	10.949	189.656	5240.204	189.656	5240.204
8/13/09	12:52:37	18.133	17.028	10.947	189.658	5240.202	189.658	5240.202
8/13/09	12:52:38	18.15	17.029	10.948	189.656	5240.204	189.656	5240.204
8/13/09	12:52:39	18.169	17.028	10.963	189.658	5240.202	189.658	5240.202
8/13/09	12:52:40	18.183	17.037	10.955	189.638	5240.222	189.638	5240.222
8/13/09	12:52:41	18.2	17.027	10.950	189.661	5240.199	189.661	5240.199
8/13/09	12:52:42	18.217	17.030	10.949	189.653	5240.207	189.653	5240.207
8/13/09	12:52:43	18.233	17.032	10.949	189.648	5240.212	189.648	5240.212
8/13/09	12:52:44	18.252	17.031	10.961	189.651	5240.209	189.651	5240.209
8/13/09	12:52:45	18.267	17.027	10.956	189.661	5240.199	189.661	5240.199
8/13/09	12:52:46	18.283	17.028	10.951	189.657	5240.203	189.657	5240.203
8/13/09	12:52:47	18.3	17.030	10.950	189.653	5240.207	189.653	5240.207

Appendix B-2. OMW-3 Water Level Data, Moore Ranch Supplemental Pump Testing

Date	Time	Elapsed Minutes	SN#: 138098 PSI	SN#: 138098 Temp - C	SN#: 138098 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5429.860 GW Elevation	DTW	GW Elev
8/13/09	12:52:48	18.317	17.030	10.949	189.652	5240.208	189.652	5240.208
8/13/09	12:52:49	18.335	17.030	10.964	189.654	5240.206	189.654	5240.206
8/13/09	12:52:50	18.35	17.046	10.955	189.616	5240.244	189.616	5240.244
8/13/09	12:52:51	18.367	17.058	10.951	189.588	5240.272	189.588	5240.272
8/13/09	12:52:52	18.383	17.069	10.952	189.563	5240.297	189.563	5240.297
8/13/09	12:52:53	18.4	17.087	10.950	189.521	5240.339	189.521	5240.339
8/13/09	12:52:54	18.419	17.108	10.964	189.474	5240.386	189.474	5240.386
8/13/09	12:52:55	18.433	17.124	10.955	189.436	5240.424	189.436	5240.424
8/13/09	12:52:56	18.45	17.143	10.955	189.393	5240.467	189.393	5240.467
8/13/09	12:52:57	18.467	17.159	10.952	189.356	5240.504	189.356	5240.504
8/13/09	12:52:58	18.483	17.175	10.949	189.319	5240.541	189.319	5240.541
8/13/09	12:52:59	18.503	17.191	10.965	189.281	5240.579	189.281	5240.579
8/13/09	12:53:00	18.517	17.202	10.960	189.255	5240.605	189.255	5240.605
8/13/09	12:53:01	18.533	17.216	10.955	189.224	5240.636	189.224	5240.636
8/13/09	12:53:02	18.55	17.230	10.951	189.190	5240.670	189.190	5240.670
8/13/09	12:53:03	18.567	17.242	10.954	189.163	5240.697	189.163	5240.697
8/13/09	12:53:04	18.586	17.253	10.967	189.139	5240.721	189.139	5240.721
8/13/09	12:53:05	18.6	17.264	10.960	189.113	5240.747	189.113	5240.747
8/13/09	12:53:06	18.617	17.277	10.955	189.082	5240.778	189.082	5240.778
8/13/09	12:53:07	18.633	17.285	10.952	189.065	5240.795	189.065	5240.795
8/13/09	12:53:08	18.65	17.294	10.952	189.044	5240.816	189.044	5240.816
8/13/09	12:53:09	18.669	17.303	10.968	189.022	5240.838	189.022	5240.838
8/13/09	12:53:10	18.683	17.310	10.961	189.007	5240.853	189.007	5240.853
8/13/09	12:53:11	18.7	17.319	10.957	188.987	5240.873	188.987	5240.873
8/13/09	12:53:12	18.717	17.327	10.952	188.968	5240.892	188.968	5240.892
8/13/09	12:53:13	18.733	17.334	10.954	188.950	5240.910	188.950	5240.910
8/13/09	12:53:14	18.753	17.340	10.969	188.936	5240.924	188.936	5240.924
8/13/09	12:53:15	18.767	17.346	10.963	188.922	5240.938	188.922	5240.938
8/13/09	12:53:16	18.783	17.354	10.958	188.904	5240.956	188.904	5240.956
8/13/09	12:53:17	18.8	17.360	10.954	188.891	5240.969	188.891	5240.969
8/13/09	12:53:18	18.817	17.366	10.955	188.878	5240.982	188.878	5240.982
8/13/09	12:53:19	18.837	17.370	10.968	188.867	5240.993	188.867	5240.993
8/13/09	12:53:20	18.85	17.374	10.962	188.859	5241.001	188.859	5241.001
8/13/09	12:53:21	18.867	17.378	10.958	188.850	5241.010	188.850	5241.010
8/13/09	12:53:22	18.883	17.383	10.955	188.838	5241.022	188.838	5241.022
8/13/09	12:53:23	18.9	17.388	10.952	188.826	5241.034	188.826	5241.034
8/13/09	12:53:24	18.917	17.392	10.980	188.817	5241.043	188.817	5241.043
8/13/09	12:53:25	18.933	17.395	10.961	188.810	5241.050	188.810	5241.050
8/13/09	12:53:26	18.95	17.401	10.960	188.797	5241.063	188.797	5241.063
8/13/09	12:53:27	18.967	17.406	10.954	188.785	5241.075	188.785	5241.075
8/13/09	12:53:28	18.983	17.410	10.954	188.775	5241.085	188.775	5241.085
8/13/09	12:53:29	19.003	17.413	10.971	188.768	5241.092	188.768	5241.092
8/13/09	12:53:30	19.017	17.416	10.965	188.761	5241.099	188.761	5241.099
8/13/09	12:53:31	19.033	17.419	10.958	188.754	5241.106	188.754	5241.106
8/13/09	12:53:32	19.05	17.426	10.957	188.739	5241.121	188.739	5241.121
8/13/09	12:53:33	19.067	17.428	10.956	188.734	5241.126	188.734	5241.126
8/13/09	12:53:34	19.087	17.432	10.971	188.726	5241.134	188.726	5241.134
8/13/09	12:53:35	19.1	17.432	10.964	188.725	5241.135	188.725	5241.135
8/13/09	12:53:36	19.117	17.436	10.960	188.716	5241.144	188.716	5241.144
8/13/09	12:53:37	19.133	17.438	10.959	188.710	5241.150	188.710	5241.150
8/13/09	12:53:38	19.15	17.441	10.958	188.704	5241.156	188.704	5241.156
8/13/09	12:53:39	19.167	17.441	10.982	188.705	5241.155	188.705	5241.155
8/13/09	12:53:40	19.183	17.438	10.965	188.710	5241.150	188.710	5241.150
8/13/09	12:53:41	19.2	17.442	10.959	188.701	5241.159	188.701	5241.159
8/13/09	12:53:42	19.217	17.442	10.960	188.701	5241.159	188.701	5241.159
8/13/09	12:53:43	19.233	17.441	10.958	188.703	5241.157	188.703	5241.157