

**Appendix B-6. OMW-2 Water Level Data, Moore Ranch Supplemental Pump Testing**

Date	Time	Elapsed Time Minutes	SN#: 13808 PSI	SN#: 13808 Temp - C	SN#: 138089 DTW (ft btoc)	TOC Elev	Corrected DTW	Corrected Elev
						5314.590 GW Elevation		
8/10/09	17:30:00	5940	3.606	10.152	66.583	5248.007	66.583	5248.007
8/10/09	17:35:00	5945	3.607	10.152	66.582	5248.008	66.582	5248.008
8/10/09	17:40:00	5950	3.606	10.152	66.584	5248.006	66.584	5248.006
8/10/09	17:45:00	5955	3.607	10.152	66.581	5248.009	66.581	5248.009
8/10/09	17:50:00	5960	3.607	10.153	66.583	5248.007	66.583	5248.007
8/10/09	17:55:00	5965	3.606	10.153	66.583	5248.007	66.583	5248.007
8/10/09	18:00:00	5970	3.605	10.153	66.586	5248.004	66.586	5248.004
8/10/09	18:05:00	5975	3.607	10.152	66.581	5248.009	66.581	5248.009
8/10/09	18:10:00	5980	3.607	10.153	66.581	5248.009	66.581	5248.009
8/10/09	18:15:00	5985	3.605	10.152	66.586	5248.004	66.586	5248.004
8/10/09	18:20:00	5990	3.607	10.152	66.581	5248.009	66.581	5248.009
8/10/09	18:25:00	5995	3.605	10.152	66.585	5248.005	66.585	5248.005
8/10/09	18:30:00	6000	3.606	10.153	66.585	5248.005	66.585	5248.005
8/10/09	18:35:00	6005	3.605	10.151	66.586	5248.004	66.586	5248.004
8/10/09	18:40:00	6010	3.608	10.152	66.580	5248.010	66.580	5248.010
8/10/09	18:45:00	6015	3.608	10.153	66.579	5248.011	66.579	5248.011
8/10/09	18:50:00	6020	3.606	10.153	66.585	5248.005	66.585	5248.005
8/10/09	18:55:00	6025	3.607	10.153	66.583	5248.007	66.583	5248.007
8/10/09	19:00:00	6030	3.604	10.154	66.589	5248.001	66.589	5248.001
8/10/09	19:05:00	6035	3.605	10.152	66.587	5248.003	66.587	5248.003
8/10/09	19:10:00	6040	3.607	10.153	66.583	5248.007	66.583	5248.007
8/10/09	19:15:00	6045	3.608	10.151	66.580	5248.010	66.580	5248.010
8/10/09	19:20:00	6050	3.607	10.151	66.582	5248.008	66.582	5248.008
8/10/09	19:25:00	6055	3.608	10.153	66.580	5248.010	66.580	5248.010
8/10/09	19:30:00	6060	3.606	10.155	66.584	5248.006	66.584	5248.006
8/10/09	19:35:00	6065	3.607	10.152	66.581	5248.009	66.581	5248.009
8/10/09	19:40:00	6070	3.608	10.152	66.580	5248.010	66.580	5248.010
8/10/09	19:45:00	6075	3.605	10.154	66.586	5248.004	66.586	5248.004
8/10/09	19:50:00	6080	3.608	10.152	66.580	5248.010	66.580	5248.010
8/10/09	19:55:00	6085	3.607	10.154	66.581	5248.009	66.581	5248.009
8/10/09	20:00:00	6090	3.608	10.152	66.580	5248.010	66.580	5248.010
8/10/09	20:05:00	6095	3.607	10.153	66.581	5248.009	66.581	5248.009
8/10/09	20:10:00	6100	3.606	10.151	66.583	5248.007	66.583	5248.007
8/10/09	20:15:00	6105	3.609	10.154	66.578	5248.012	66.578	5248.012
8/10/09	20:20:00	6110	3.608	10.154	66.580	5248.010	66.580	5248.010
8/10/09	20:25:00	6115	3.606	10.152	66.584	5248.006	66.584	5248.006
8/10/09	20:30:00	6120	3.607	10.153	66.582	5248.008	66.582	5248.008
8/10/09	20:35:00	6125	3.606	10.155	66.584	5248.006	66.584	5248.006
8/10/09	20:40:00	6130	3.606	10.153	66.584	5248.006	66.584	5248.006
8/10/09	20:45:00	6135	3.607	10.153	66.581	5248.009	66.581	5248.009
8/10/09	20:50:00	6140	3.607	10.155	66.581	5248.009	66.581	5248.009
8/10/09	20:55:00	6145	3.607	10.154	66.582	5248.008	66.582	5248.008
8/10/09	21:00:00	6150	3.607	10.153	66.582	5248.008	66.582	5248.008
8/10/09	21:05:00	6155	3.606	10.152	66.584	5248.006	66.584	5248.006
8/10/09	21:10:00	6160	3.607	10.152	66.582	5248.008	66.582	5248.008
8/10/09	21:15:00	6165	3.607	10.155	66.582	5248.008	66.582	5248.008
8/10/09	21:20:00	6170	3.606	10.154	66.583	5248.007	66.583	5248.007
8/10/09	21:25:00	6175	3.606	10.155	66.584	5248.006	66.584	5248.006
8/10/09	21:30:00	6180	3.606	10.151	66.584	5248.006	66.584	5248.006
8/10/09	21:35:00	6185	3.606	10.152	66.585	5248.005	66.585	5248.005
8/10/09	21:40:00	6190	3.607	10.152	66.582	5248.008	66.582	5248.008
8/10/09	21:45:00	6195	3.608	10.152	66.580	5248.010	66.580	5248.010
8/10/09	21:50:00	6200	3.605	10.152	66.586	5248.004	66.586	5248.004
8/10/09	21:55:00	6205	3.606	10.151	66.584	5248.006	66.584	5248.006

**Appendix B-6. OMW-2 Water Level Data, Moore Ranch Supplemental Pump Testing**

Date	Time	Elapsed Time Minutes	SN#: 13808 PSI	SN#: 13808 Temp - C	SN#: 138089 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5314.590 GW Elevation	DTW	Elev
8/10/09	22:00:00	6210	3.605	10.151	66.587	5248.003	66.587	5248.003
8/10/09	22:05:00	6215	3.605	10.154	66.585	5248.005	66.585	5248.005
8/10/09	22:10:00	6220	3.606	10.152	66.584	5248.006	66.584	5248.006
8/10/09	22:15:00	6225	3.607	10.151	66.583	5248.007	66.583	5248.007
8/10/09	22:20:00	6230	3.604	10.155	66.588	5248.002	66.588	5248.002
8/10/09	22:25:00	6235	3.605	10.153	66.585	5248.005	66.585	5248.005
8/10/09	22:30:00	6240	3.607	10.154	66.582	5248.008	66.582	5248.008
8/10/09	22:35:00	6245	3.605	10.152	66.586	5248.004	66.586	5248.004
8/10/09	22:40:00	6250	3.605	10.153	66.585	5248.005	66.585	5248.005
8/10/09	22:45:00	6255	3.605	10.154	66.587	5248.003	66.587	5248.003
8/10/09	22:50:00	6260	3.604	10.152	66.588	5248.002	66.588	5248.002
8/10/09	22:55:00	6265	3.604	10.151	66.588	5248.002	66.588	5248.002
8/10/09	23:00:00	6270	3.604	10.152	66.588	5248.002	66.588	5248.002
8/10/09	23:05:00	6275	3.604	10.153	66.588	5248.002	66.588	5248.002
8/10/09	23:10:00	6280	3.604	10.153	66.588	5248.002	66.588	5248.002
8/10/09	23:15:00	6285	3.604	10.153	66.588	5248.002	66.588	5248.002
8/10/09	23:20:00	6290	3.604	10.152	66.588	5248.002	66.588	5248.002
8/10/09	23:25:00	6295	3.604	10.157	66.589	5248.001	66.589	5248.001
8/10/09	23:30:00	6300	3.604	10.152	66.588	5248.002	66.588	5248.002
8/10/09	23:35:00	6305	3.603	10.154	66.590	5248.000	66.590	5248.000
8/10/09	23:40:00	6310	3.603	10.152	66.590	5248.000	66.590	5248.000
8/10/09	23:45:00	6315	3.605	10.153	66.586	5248.004	66.586	5248.004
8/10/09	23:50:00	6320	3.604	10.153	66.589	5248.001	66.589	5248.001
8/10/09	23:55:00	6325	3.604	10.153	66.589	5248.001	66.589	5248.001
8/11/09	0:00:00	6330	3.604	10.153	66.589	5248.001	66.589	5248.001
8/11/09	0:05:00	6335	3.604	10.151	66.588	5248.002	66.588	5248.002
8/11/09	0:10:00	6340	3.604	10.152	66.588	5248.002	66.588	5248.002
8/11/09	0:15:00	6345	3.604	10.155	66.588	5248.002	66.588	5248.002
8/11/09	0:20:00	6350	3.603	10.154	66.591	5247.999	66.591	5247.999
8/11/09	0:25:00	6355	3.602	10.152	66.593	5247.997	66.593	5247.997
8/11/09	0:30:00	6360	3.603	10.155	66.592	5247.998	66.592	5247.998
8/11/09	0:35:00	6365	3.602	10.152	66.592	5247.998	66.592	5247.998
8/11/09	0:40:00	6370	3.603	10.153	66.590	5248.000	66.590	5248.000
8/11/09	0:45:00	6375	3.603	10.153	66.591	5247.999	66.591	5247.999
8/11/09	0:50:00	6380	3.603	10.152	66.591	5248.000	66.591	5248.000
8/11/09	0:55:00	6385	3.603	10.152	66.591	5247.999	66.591	5247.999
8/11/09	1:00:00	6390	3.604	10.153	66.588	5248.002	66.588	5248.002
8/11/09	1:05:00	6395	3.602	10.152	66.592	5247.998	66.592	5247.998
8/11/09	1:10:00	6400	3.601	10.152	66.595	5247.995	66.595	5247.995
8/11/09	1:15:00	6405	3.602	10.152	66.592	5247.998	66.592	5247.998
8/11/09	1:20:00	6410	3.602	10.153	66.593	5247.997	66.593	5247.997
8/11/09	1:25:00	6415	3.602	10.151	66.594	5247.996	66.594	5247.996
8/11/09	1:30:00	6420	3.602	10.155	66.593	5247.997	66.593	5247.997
8/11/09	1:35:00	6425	3.602	10.154	66.594	5247.996	66.594	5247.996
8/11/09	1:40:00	6430	3.602	10.153	66.593	5247.997	66.593	5247.997
8/11/09	1:45:00	6435	3.602	10.156	66.593	5247.997	66.593	5247.997
8/11/09	1:50:00	6440	3.601	10.151	66.596	5247.994	66.596	5247.994
8/11/09	1:55:00	6445	3.600	10.151	66.597	5247.993	66.597	5247.993
8/11/09	2:00:00	6450	3.601	10.152	66.595	5247.995	66.595	5247.995
8/11/09	2:05:00	6455	3.603	10.151	66.591	5247.999	66.591	5247.999
8/11/09	2:10:00	6460	3.602	10.156	66.594	5247.996	66.594	5247.996
8/11/09	2:15:00	6465	3.602	10.151	66.594	5247.996	66.594	5247.996
8/11/09	2:20:00	6470	3.602	10.152	66.593	5247.997	66.593	5247.997
8/11/09	2:25:00	6475	3.604	10.152	66.590	5248.000	66.590	5248.000

**Appendix B-6. OMW-2 Water Level Data, Moore Ranch Supplemental Pump Testing**

Date	Time	Elapsed Time Minutes	SN#: 138089 PSI	SN#: 138089 Temp - C	SN#: 138089 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5314.590 GW Elevation	DTW	Elev
8/11/09	2:30:00	6480	3.602	10.153	66.593	5247.997	66.593	5247.997
8/11/09	2:35:00	6485	3.602	10.154	66.594	5247.996	66.594	5247.996
8/11/09	2:40:00	6490	3.601	10.154	66.596	5247.994	66.596	5247.994
8/11/09	2:45:00	6495	3.601	10.154	66.595	5247.995	66.595	5247.995
8/11/09	2:50:00	6500	3.602	10.150	66.593	5247.997	66.593	5247.997
8/11/09	2:55:00	6505	3.601	10.154	66.597	5247.993	66.597	5247.993
8/11/09	3:00:00	6510	3.602	10.156	66.594	5247.996	66.594	5247.996
8/11/09	3:05:00	6515	3.601	10.151	66.595	5247.995	66.595	5247.995
8/11/09	3:10:00	6520	3.601	10.153	66.595	5247.995	66.595	5247.995
8/11/09	3:15:00	6525	3.600	10.153	66.598	5247.992	66.598	5247.992
8/11/09	3:20:00	6530	3.601	10.153	66.595	5247.995	66.595	5247.995
8/11/09	3:25:00	6535	3.601	10.151	66.597	5247.993	66.597	5247.993
8/11/09	3:30:00	6540	3.600	10.153	66.597	5247.993	66.597	5247.993
8/11/09	3:35:00	6545	3.601	10.153	66.596	5247.994	66.596	5247.994
8/11/09	3:40:00	6550	3.601	10.152	66.595	5247.995	66.595	5247.995
8/11/09	3:45:00	6555	3.600	10.153	66.597	5247.993	66.597	5247.993
8/11/09	3:50:00	6560	3.601	10.152	66.595	5247.995	66.595	5247.995
8/11/09	3:55:00	6565	3.599	10.151	66.599	5247.991	66.599	5247.991
8/11/09	4:00:00	6570	3.600	10.154	66.597	5247.993	66.597	5247.993
8/11/09	4:05:00	6575	3.600	10.153	66.598	5247.992	66.598	5247.992
8/11/09	4:10:00	6580	3.601	10.155	66.597	5247.993	66.597	5247.993
8/11/09	4:15:00	6585	3.599	10.152	66.599	5247.991	66.599	5247.991
8/11/09	4:20:00	6590	3.599	10.153	66.601	5247.989	66.601	5247.989
8/11/09	4:25:00	6595	3.600	10.152	66.597	5247.993	66.597	5247.993
8/11/09	4:30:00	6600	3.599	10.151	66.601	5247.989	66.601	5247.989
8/11/09	4:35:00	6605	3.599	10.155	66.599	5247.991	66.599	5247.991
8/11/09	4:40:00	6610	3.599	10.153	66.599	5247.991	66.599	5247.991
8/11/09	4:45:00	6615	3.600	10.153	66.597	5247.993	66.597	5247.993
8/11/09	4:50:00	6620	3.597	10.152	66.605	5247.985	66.605	5247.985
8/11/09	4:55:00	6625	3.601	10.152	66.595	5247.995	66.595	5247.995
8/11/09	5:00:00	6630	3.599	10.153	66.600	5247.990	66.600	5247.990
8/11/09	5:05:00	6635	3.600	10.151	66.598	5247.992	66.598	5247.992
8/11/09	5:10:00	6640	3.599	10.154	66.600	5247.990	66.600	5247.990
8/11/09	5:15:00	6645	3.599	10.155	66.600	5247.990	66.600	5247.990
8/11/09	5:20:00	6650	3.599	10.152	66.599	5247.991	66.599	5247.991
8/11/09	5:25:00	6655	3.600	10.151	66.599	5247.991	66.599	5247.991
8/11/09	5:30:00	6660	3.600	10.153	66.598	5247.992	66.598	5247.992
8/11/09	5:35:00	6665	3.599	10.154	66.600	5247.990	66.600	5247.990
8/11/09	5:40:00	6670	3.599	10.155	66.600	5247.990	66.600	5247.990
8/11/09	5:45:00	6675	3.598	10.153	66.602	5247.988	66.602	5247.988
8/11/09	5:50:00	6680	3.598	10.155	66.603	5247.987	66.603	5247.987
8/11/09	5:55:00	6685	3.599	10.152	66.600	5247.990	66.600	5247.990
8/11/09	6:00:00	6690	3.599	10.155	66.600	5247.990	66.600	5247.990
8/11/09	6:05:00	6695	3.599	10.151	66.601	5247.989	66.601	5247.989
8/11/09	6:10:00	6700	3.598	10.153	66.602	5247.988	66.602	5247.988
8/11/09	6:15:00	6705	3.599	10.153	66.601	5247.989	66.601	5247.989
8/11/09	6:20:00	6710	3.598	10.152	66.601	5247.989	66.601	5247.989
8/11/09	6:25:00	6715	3.597	10.153	66.604	5247.986	66.604	5247.986
8/11/09	6:30:00	6720	3.597	10.154	66.604	5247.986	66.604	5247.986
8/11/09	6:35:00	6725	3.598	10.151	66.603	5247.987	66.603	5247.987
8/11/09	6:40:00	6730	3.597	10.153	66.606	5247.984	66.606	5247.984
8/11/09	6:45:00	6735	3.597	10.150	66.605	5247.985	66.605	5247.985
8/11/09	6:50:00	6740	3.598	10.151	66.604	5247.986	66.604	5247.986
8/11/09	6:55:00	6745	3.596	10.153	66.608	5247.982	66.608	5247.982

**Appendix B-6. OMW-2 Water Level Data, Moore Ranch Supplemental Pump Testing**

Date	Time	Elapsed Time Minutes	SN#: 138089 PSI	SN#: 138089 Temp - C	SN#: 138089 DTW (ft btoc)	TOC Elev	Corrected DTW	Corrected Elev
						5314.590 GW Elevation		
8/11/09	7:00:00	6750	3.598	10.153	66.603	5247.987	66.603	5247.987
8/11/09	7:05:00	6755	3.596	10.151	66.607	5247.983	66.607	5247.983
8/11/09	7:10:00	6760	3.597	10.155	66.604	5247.986	66.604	5247.986
8/11/09	7:15:00	6765	3.594	10.152	66.611	5247.979	66.611	5247.979
8/11/09	7:20:00	6770	3.597	10.155	66.605	5247.985	66.605	5247.985
8/11/09	7:25:00	6775	3.597	10.151	66.605	5247.985	66.605	5247.985
8/11/09	7:30:00	6780	3.595	10.154	66.608	5247.982	66.608	5247.982
8/11/09	7:35:00	6785	3.596	10.153	66.606	5247.984	66.606	5247.984
8/11/09	7:40:00	6790	3.596	10.153	66.607	5247.983	66.607	5247.983
8/11/09	7:45:00	6795	3.595	10.153	66.610	5247.980	66.610	5247.980
8/11/09	7:50:00	6800	3.597	10.151	66.605	5247.985	66.605	5247.985
8/11/09	7:55:00	6805	3.596	10.153	66.608	5247.982	66.608	5247.982
8/11/09	8:00:00	6810	3.595	10.153	66.610	5247.980	66.610	5247.980
8/11/09	8:05:00	6815	3.594	10.152	66.612	5247.978	66.612	5247.978
8/11/09	8:10:00	6820	3.596	10.154	66.606	5247.984	66.606	5247.984
8/11/09	8:15:00	6825	3.596	10.151	66.608	5247.982	66.608	5247.982
8/11/09	8:20:00	6830	3.594	10.153	66.612	5247.978	66.612	5247.978
8/11/09	8:25:00	6835	3.594	10.154	66.611	5247.979	66.611	5247.979
8/11/09	8:30:00	6840	3.595	10.155	66.608	5247.982	66.608	5247.982
8/11/09	8:35:00	6845	3.593	10.152	66.614	5247.976	66.614	5247.976
8/11/09	8:40:00	6850	3.593	10.155	66.614	5247.976	66.614	5247.976
8/11/09	8:45:00	6855	3.596	10.153	66.608	5247.982	66.608	5247.982
8/11/09	8:50:00	6860	3.594	10.155	66.612	5247.978	66.612	5247.978
8/11/09	8:55:00	6865	3.595	10.151	66.609	5247.981	66.609	5247.981
8/11/09	9:00:00	6870	3.595	10.154	66.609	5247.981	66.609	5247.981
8/11/09	9:05:00	6875	3.595	10.153	66.609	5247.981	66.609	5247.981
8/11/09	9:10:00	6880	3.594	10.153	66.612	5247.978	66.612	5247.978
8/11/09	9:15:00	6885	3.594	10.156	66.612	5247.978	66.612	5247.978
8/11/09	9:20:00	6890	3.592	10.153	66.616	5247.974	66.616	5247.974
8/11/09	9:25:00	6895	3.594	10.153	66.613	5247.977	66.613	5247.977
8/11/09	9:30:00	6900	3.594	10.152	66.612	5247.978	66.612	5247.978
8/11/09	9:35:00	6905	3.592	10.152	66.615	5247.975	66.615	5247.975
8/11/09	9:40:00	6910	3.594	10.153	66.611	5247.979	66.611	5247.979
8/11/09	9:45:00	6915	3.593	10.152	66.614	5247.976	66.614	5247.976
8/11/09	9:50:00	6920	3.593	10.151	66.614	5247.976	66.614	5247.976
8/11/09	9:55:00	6925	3.594	10.154	66.613	5247.977	66.613	5247.977
8/11/09	10:00:00	6930	3.592	10.152	66.616	5247.974	66.616	5247.974
8/11/09	10:05:00	6935	3.592	10.153	66.617	5247.973	66.617	5247.973
8/11/09	10:10:00	6940	3.593	10.153	66.615	5247.975	66.615	5247.975
8/11/09	10:15:00	6945	3.593	10.151	66.615	5247.975	66.615	5247.975
8/11/09	10:20:00	6950	3.592	10.153	66.616	5247.974	66.616	5247.974
8/11/09	10:25:00	6955	3.593	10.151	66.615	5247.975	66.615	5247.975
8/11/09	10:30:00	6960	3.592	10.152	66.616	5247.974	66.616	5247.974
8/11/09	10:35:00	6965	3.592	10.153	66.615	5247.975	66.615	5247.975
8/11/09	10:40:00	6970	3.592	10.152	66.617	5247.973	66.617	5247.973
8/11/09	10:45:00	6975	3.591	10.155	66.618	5247.972	66.618	5247.972
8/11/09	10:50:00	6980	3.591	10.157	66.618	5247.972	66.618	5247.972
8/11/09	10:55:00	6985	3.591	10.154	66.619	5247.971	66.619	5247.971
8/11/09	11:00:00	6990	3.592	10.157	66.616	5247.974	66.616	5247.974
8/11/09	11:05:00	6995	3.592	10.152	66.617	5247.973	66.617	5247.973
8/11/09	11:10:00	7000	3.591	10.152	66.619	5247.971	66.619	5247.971
8/11/09	11:15:00	7005	3.591	10.151	66.619	5247.971	66.619	5247.971
8/11/09	11:20:00	7010	3.590	10.151	66.621	5247.969	66.621	5247.969
8/11/09	11:25:00	7015	3.592	10.153	66.617	5247.973	66.617	5247.973

**Appendix B-6. OMW-2 Water Level Data, Moore Ranch Supplemental Pump Testing**

Date	Time	Elapsed Time Minutes	SN#: 13808	SN#: 13808	SN#: 138089	TOC Elev		Corrected DTW	Corrected Elev
						5314.590 PSI	5314.590 Temp - C		
8/11/09	11:30:00	7020	3.591	10.152	66.619	5247.971	66.619	5247.971	
8/11/09	11:35:00	7025	3.590	10.154	66.620	5247.970	66.620	5247.970	
8/11/09	11:40:00	7030	3.593	10.151	66.615	5247.975	66.615	5247.975	
8/11/09	11:45:00	7035	3.591	10.155	66.618	5247.972	66.618	5247.972	
8/11/09	11:50:00	7040	3.591	10.155	66.620	5247.970	66.620	5247.970	
8/11/09	11:55:00	7045	3.591	10.155	66.618	5247.972	66.618	5247.972	
8/11/09	12:00:00	7050	3.590	10.151	66.620	5247.970	66.620	5247.970	
8/11/09	12:05:00	7055	3.591	10.155	66.619	5247.971	66.619	5247.971	
8/11/09	12:10:00	7060	3.591	10.152	66.619	5247.971	66.619	5247.971	
8/11/09	12:15:00	7065	3.592	10.153	66.617	5247.973	66.617	5247.973	
8/11/09	12:20:00	7070	3.592	10.153	66.617	5247.973	66.617	5247.973	
8/11/09	12:25:00	7075	3.590	10.152	66.621	5247.969	66.621	5247.969	
8/11/09	12:30:00	7080	3.588	10.153	66.625	5247.965	66.625	5247.965	
8/11/09	12:35:00	7085	3.590	10.151	66.622	5247.968	66.622	5247.968	
8/11/09	12:40:00	7090	3.589	10.152	66.623	5247.967	66.623	5247.967	
8/11/09	12:45:00	7095	3.590	10.151	66.621	5247.969	66.621	5247.969	
8/11/09	12:50:00	7100	3.590	10.153	66.621	5247.969	66.621	5247.969	
8/11/09	12:55:00	7105	3.590	10.151	66.622	5247.968	66.622	5247.968	
8/11/09	13:00:00	7110	3.589	10.152	66.624	5247.966	66.624	5247.966	
8/11/09	13:05:00	7115	3.589	10.151	66.624	5247.966	66.624	5247.966	
8/11/09	13:10:00	7120	3.591	10.153	66.618	5247.972	66.618	5247.972	
8/11/09	13:15:00	7125	3.590	10.153	66.620	5247.970	66.620	5247.970	
8/11/09	13:20:00	7130	3.589	10.154	66.623	5247.967	66.623	5247.967	
8/11/09	13:25:00	7135	3.590	10.154	66.622	5247.968	66.622	5247.968	
8/11/09	13:30:00	7140	3.589	10.152	66.624	5247.966	66.624	5247.966	
8/11/09	13:35:00	7145	3.591	10.154	66.619	5247.971	66.619	5247.971	
8/11/09	13:40:00	7150	3.590	10.153	66.621	5247.969	66.621	5247.969	
8/11/09	13:45:00	7155	3.591	10.153	66.618	5247.972	66.618	5247.972	
8/11/09	13:50:00	7160	3.589	10.153	66.623	5247.967	66.623	5247.967	
8/11/09	13:55:00	7165	3.588	10.156	66.627	5247.963	66.627	5247.963	
8/11/09	14:00:00	7170	3.590	10.157	66.620	5247.970	66.620	5247.970	
8/11/09	14:05:00	7175	3.590	10.154	66.621	5247.969	66.621	5247.969	
8/11/09	14:10:00	7180	3.589	10.152	66.622	5247.968	66.622	5247.968	
8/11/09	14:15:00	7185	3.589	10.153	66.624	5247.966	66.624	5247.966	
8/11/09	14:20:00	7190	3.588	10.153	66.625	5247.965	66.625	5247.965	
8/11/09	14:25:00	7195	3.588	10.154	66.624	5247.966	66.624	5247.966	
8/11/09	14:30:00	7200	3.590	10.154	66.621	5247.969	66.621	5247.969	
8/11/09	14:35:00	7205	3.589	10.155	66.623	5247.967	66.623	5247.967	
8/11/09	14:40:00	7210	3.589	10.151	66.624	5247.966	66.624	5247.966	
8/11/09	14:45:00	7215	3.585	10.153	66.632	5247.958	66.632	5247.958	
8/11/09	14:50:00	7220	3.589	10.155	66.624	5247.966	66.624	5247.966	
8/11/09	14:55:00	7225	3.588	10.152	66.625	5247.965	66.625	5247.965	
8/11/09	15:00:00	7230	3.588	10.154	66.625	5247.965	66.625	5247.965	
8/11/09	15:05:00	7235	3.588	10.151	66.625	5247.965	66.625	5247.965	
8/11/09	15:10:00	7240	3.588	10.154	66.627	5247.963	66.627	5247.963	
8/11/09	15:15:00	7245	3.588	10.152	66.625	5247.965	66.625	5247.965	
8/11/09	15:20:00	7250	3.588	10.153	66.625	5247.965	66.625	5247.965	
8/11/09	15:25:00	7255	3.589	10.154	66.623	5247.967	66.623	5247.967	
8/11/09	15:30:00	7260	3.589	10.152	66.624	5247.966	66.624	5247.966	
8/11/09	15:35:00	7265	3.590	10.155	66.621	5247.969	66.621	5247.969	
8/11/09	15:40:00	7270	3.586	10.153	66.630	5247.960	66.630	5247.960	
8/11/09	15:45:00	7275	3.586	10.153	66.631	5247.959	66.631	5247.959	
8/11/09	15:50:00	7280	3.587	10.155	66.629	5247.961	66.629	5247.961	
8/11/09	15:55:00	7285	3.587	10.154	66.627	5247.963	66.627	5247.963	

**Appendix B-6. OMW-2 Water Level Data, Moore Ranch Supplemental Pump Testing**

Date	Time	Elapsed Time Minutes	SN#: 13808 PSI	SN#: 13808 Temp - C	SN#: 138089 DTW (ft btoc)	TOC Elev	Corrected DTW	Corrected Elev
						5314.590 GW Elevation		
8/11/09	16:00:00	7290	3.586	10.153	66.629	5247.961	66.629	5247.961
8/11/09	16:05:00	7295	3.589	10.152	66.623	5247.967	66.623	5247.967
8/11/09	16:10:00	7300	3.587	10.154	66.627	5247.963	66.627	5247.963
8/11/09	16:15:00	7305	3.586	10.152	66.630	5247.960	66.630	5247.960
8/11/09	16:20:00	7310	3.586	10.154	66.629	5247.961	66.629	5247.961
8/11/09	16:25:00	7315	3.587	10.152	66.628	5247.962	66.628	5247.962
8/11/09	16:30:00	7320	3.588	10.151	66.627	5247.963	66.627	5247.963
8/11/09	16:35:00	7325	3.587	10.155	66.627	5247.963	66.627	5247.963
8/11/09	16:40:00	7330	3.588	10.153	66.625	5247.965	66.625	5247.965
8/11/09	16:45:00	7335	3.588	10.156	66.626	5247.964	66.626	5247.964
8/11/09	16:50:00	7340	3.589	10.156	66.623	5247.967	66.623	5247.967
8/11/09	16:55:00	7345	3.589	10.154	66.624	5247.966	66.624	5247.966
8/11/09	17:00:00	7350	3.588	10.151	66.626	5247.964	66.626	5247.964
8/11/09	17:05:00	7355	3.586	10.155	66.629	5247.961	66.629	5247.961
8/11/09	17:10:00	7360	3.586	10.155	66.631	5247.959	66.631	5247.959
8/11/09	17:15:00	7365	3.589	10.156	66.624	5247.966	66.624	5247.966
8/11/09	17:20:00	7370	3.587	10.154	66.629	5247.961	66.629	5247.961
8/11/09	17:25:00	7375	3.587	10.156	66.628	5247.962	66.628	5247.962
8/11/09	17:30:00	7380	3.588	10.151	66.625	5247.965	66.625	5247.965
8/11/09	17:35:00	7385	3.588	10.151	66.626	5247.964	66.626	5247.964
8/11/09	17:40:00	7390	3.588	10.154	66.626	5247.964	66.626	5247.964
8/11/09	17:45:00	7395	3.587	10.153	66.627	5247.963	66.627	5247.963
8/11/09	17:50:00	7400	3.588	10.153	66.625	5247.965	66.625	5247.965
8/11/09	17:55:00	7405	3.589	10.153	66.623	5247.967	66.623	5247.967
8/11/09	18:00:00	7410	3.589	10.151	66.623	5247.967	66.623	5247.967
8/11/09	18:05:00	7415	3.587	10.151	66.628	5247.962	66.628	5247.962
8/11/09	18:10:00	7420	3.588	10.155	66.625	5247.965	66.625	5247.965
8/11/09	18:15:00	7425	3.587	10.151	66.627	5247.963	66.627	5247.963
8/11/09	18:20:00	7430	3.587	10.155	66.627	5247.963	66.627	5247.963
8/11/09	18:25:00	7435	3.589	10.153	66.624	5247.966	66.624	5247.966
8/11/09	18:30:00	7440	3.589	10.154	66.624	5247.966	66.624	5247.966
8/11/09	18:35:00	7445	3.589	10.155	66.623	5247.967	66.623	5247.967
8/11/09	18:40:00	7450	3.589	10.153	66.623	5247.967	66.623	5247.967
8/11/09	18:45:00	7455	3.588	10.155	66.627	5247.963	66.627	5247.963
8/11/09	18:50:00	7460	3.588	10.155	66.625	5247.965	66.625	5247.965
8/11/09	18:55:00	7465	3.586	10.154	66.630	5247.960	66.630	5247.960
8/11/09	19:00:00	7470	3.589	10.154	66.622	5247.968	66.622	5247.968
8/11/09	19:05:00	7475	3.587	10.152	66.627	5247.963	66.627	5247.963
8/11/09	19:10:00	7480	3.587	10.155	66.627	5247.963	66.627	5247.963
8/11/09	19:15:00	7485	3.588	10.151	66.626	5247.964	66.626	5247.964
8/11/09	19:20:00	7490	3.588	10.153	66.625	5247.965	66.625	5247.965
8/11/09	19:25:00	7495	3.589	10.153	66.622	5247.968	66.622	5247.968
8/11/09	19:30:00	7500	3.589	10.154	66.623	5247.967	66.623	5247.967
8/11/09	19:35:00	7505	3.589	10.152	66.623	5247.967	66.623	5247.967
8/11/09	19:40:00	7510	3.589	10.153	66.623	5247.967	66.623	5247.967
8/11/09	19:45:00	7515	3.590	10.155	66.621	5247.969	66.621	5247.969
8/11/09	19:50:00	7520	3.588	10.153	66.625	5247.965	66.625	5247.965
8/11/09	19:55:00	7525	3.588	10.153	66.625	5247.965	66.625	5247.965
8/11/09	20:00:00	7530	3.589	10.156	66.623	5247.967	66.623	5247.967
8/11/09	20:05:00	7535	3.590	10.156	66.621	5247.969	66.621	5247.969
8/11/09	20:10:00	7540	3.590	10.158	66.621	5247.969	66.621	5247.969
8/11/09	20:15:00	7545	3.589	10.155	66.624	5247.966	66.624	5247.966
8/11/09	20:20:00	7550	3.588	10.154	66.625	5247.965	66.625	5247.965
8/11/09	20:25:00	7555	3.588	10.153	66.627	5247.963	66.627	5247.963

**Appendix B-6. OMW-2 Water Level Data, Moore Ranch Supplemental Pump Testing**

Date	Time	Elapsed Time Minutes	SN#: 138089 PSI	SN#: 138089 Temp - C	SN#: 138089 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5314.590 GW Elevation	DTW	Elev
8/11/09	20:30:00	7560	3.589	10.154	66.624	5247.966	66.624	5247.966
8/11/09	20:35:00	7565	3.591	10.153	66.619	5247.971	66.619	5247.971
8/11/09	20:40:00	7570	3.590	10.155	66.620	5247.970	66.620	5247.970
8/11/09	20:45:00	7575	3.589	10.153	66.622	5247.968	66.622	5247.968
8/11/09	20:50:00	7580	3.590	10.153	66.622	5247.968	66.622	5247.968
8/11/09	20:55:00	7585	3.589	10.153	66.623	5247.967	66.623	5247.967
8/11/09	21:00:00	7590	3.589	10.154	66.623	5247.967	66.623	5247.967
8/11/09	21:05:00	7595	3.590	10.153	66.620	5247.970	66.620	5247.970
8/11/09	21:10:00	7600	3.589	10.153	66.622	5247.968	66.622	5247.968
8/11/09	21:15:00	7605	3.588	10.154	66.625	5247.965	66.625	5247.965
8/11/09	21:20:00	7610	3.589	10.153	66.623	5247.967	66.623	5247.967
8/11/09	21:25:00	7615	3.590	10.154	66.620	5247.970	66.620	5247.970
8/11/09	21:30:00	7620	3.589	10.153	66.623	5247.967	66.623	5247.967
8/11/09	21:35:00	7625	3.589	10.153	66.624	5247.966	66.624	5247.966
8/11/09	21:40:00	7630	3.590	10.155	66.621	5247.969	66.621	5247.969
8/11/09	21:45:00	7635	3.589	10.153	66.623	5247.967	66.623	5247.967
8/11/09	21:50:00	7640	3.589	10.156	66.623	5247.967	66.623	5247.967
8/11/09	21:55:00	7645	3.590	10.153	66.622	5247.968	66.622	5247.968
8/11/09	22:00:00	7650	3.589	10.153	66.623	5247.967	66.623	5247.967
8/11/09	22:05:00	7655	3.589	10.152	66.624	5247.966	66.624	5247.966
8/11/09	22:10:00	7660	3.589	10.155	66.623	5247.967	66.623	5247.967
8/11/09	22:15:00	7665	3.589	10.154	66.624	5247.966	66.624	5247.966
8/11/09	22:20:00	7670	3.589	10.156	66.624	5247.966	66.624	5247.966
8/11/09	22:25:00	7675	3.590	10.154	66.622	5247.968	66.622	5247.968
8/11/09	22:30:00	7680	3.589	10.152	66.624	5247.966	66.624	5247.966
8/11/09	22:35:00	7685	3.589	10.153	66.624	5247.966	66.624	5247.966
8/11/09	22:40:00	7690	3.589	10.154	66.623	5247.967	66.623	5247.967
8/11/09	22:45:00	7695	3.589	10.152	66.624	5247.966	66.624	5247.966
8/11/09	22:50:00	7700	3.589	10.153	66.623	5247.967	66.623	5247.967
8/11/09	22:55:00	7705	3.589	10.154	66.623	5247.967	66.623	5247.967
8/11/09	23:00:00	7710	3.587	10.151	66.629	5247.961	66.629	5247.961
8/11/09	23:05:00	7715	3.588	10.154	66.626	5247.964	66.626	5247.964
8/11/09	23:10:00	7720	3.588	10.153	66.625	5247.965	66.625	5247.965
8/11/09	23:15:00	7725	3.589	10.154	66.623	5247.967	66.623	5247.967
8/11/09	23:20:00	7730	3.588	10.152	66.625	5247.965	66.625	5247.965
8/11/09	23:25:00	7735	3.589	10.157	66.624	5247.966	66.624	5247.966
8/11/09	23:30:00	7740	3.588	10.156	66.626	5247.964	66.626	5247.964
8/11/09	23:35:00	7745	3.587	10.155	66.627	5247.963	66.627	5247.963
8/11/09	23:40:00	7750	3.588	10.155	66.627	5247.963	66.627	5247.963
8/11/09	23:45:00	7755	3.588	10.156	66.626	5247.964	66.626	5247.964
8/11/09	23:50:00	7760	3.588	10.154	66.625	5247.965	66.625	5247.965
8/11/09	23:55:00	7765	3.589	10.156	66.622	5247.968	66.622	5247.968
8/12/09	0:00:00	7770	3.588	10.154	66.626	5247.964	66.626	5247.964
8/12/09	0:05:00	7775	3.588	10.151	66.626	5247.964	66.626	5247.964
8/12/09	0:10:00	7780	3.589	10.154	66.624	5247.966	66.624	5247.966
8/12/09	0:15:00	7785	3.589	10.155	66.624	5247.966	66.624	5247.966
8/12/09	0:20:00	7790	3.589	10.155	66.624	5247.966	66.624	5247.966
8/12/09	0:25:00	7795	3.587	10.155	66.627	5247.963	66.627	5247.963
8/12/09	0:30:00	7800	3.588	10.152	66.624	5247.966	66.624	5247.966
8/12/09	0:35:00	7805	3.589	10.153	66.623	5247.967	66.623	5247.967
8/12/09	0:40:00	7810	3.589	10.152	66.623	5247.967	66.623	5247.967
8/12/09	0:45:00	7815	3.588	10.153	66.626	5247.964	66.626	5247.964
8/12/09	0:50:00	7820	3.588	10.153	66.626	5247.964	66.626	5247.964
8/12/09	0:55:00	7825	3.588	10.154	66.626	5247.964	66.626	5247.964

**Appendix B-6. OMW-2 Water Level Data, Moore Ranch Supplemental Pump Testing**

Date	Time	Elapsed Time Minutes	SN#: 138089 PSI	SN#: 138089 Temp - C	SN#: 138089 DTW (ft btoc)	TOC Elev		Corrected DTW	Corrected Elev
						5314.590 GW Elevation			
8/12/09	1:00:00	7830	3.588	10.153	66.627	5247.963		66.627	5247.963
8/12/09	1:05:00	7835	3.588	10.155	66.625	5247.965		66.625	5247.965
8/12/09	1:10:00	7840	3.588	10.154	66.626	5247.964		66.626	5247.964
8/12/09	1:15:00	7845	3.586	10.153	66.630	5247.960		66.630	5247.960
8/12/09	1:20:00	7850	3.587	10.153	66.628	5247.962		66.628	5247.962
8/12/09	1:25:00	7855	3.587	10.153	66.627	5247.963		66.627	5247.963
8/12/09	1:30:00	7860	3.588	10.155	66.625	5247.965		66.625	5247.965
8/12/09	1:35:00	7865	3.588	10.155	66.625	5247.965		66.625	5247.965
8/12/09	1:40:00	7870	3.587	10.155	66.628	5247.962		66.628	5247.962
8/12/09	1:45:00	7875	3.587	10.155	66.627	5247.963		66.627	5247.963
8/12/09	1:50:00	7880	3.586	10.155	66.629	5247.961		66.629	5247.961
8/12/09	1:55:00	7885	3.589	10.154	66.623	5247.967		66.623	5247.967
8/12/09	2:00:00	7890	3.588	10.154	66.625	5247.965		66.625	5247.965
8/12/09	2:05:00	7895	3.586	10.151	66.629	5247.961		66.629	5247.961
8/12/09	2:10:00	7900	3.587	10.153	66.629	5247.961		66.629	5247.961
8/12/09	2:15:00	7905	3.589	10.156	66.623	5247.967		66.623	5247.967
8/12/09	2:20:00	7910	3.588	10.153	66.626	5247.964		66.626	5247.964
8/12/09	2:25:00	7915	3.588	10.154	66.625	5247.965		66.625	5247.965
8/12/09	2:30:00	7920	3.587	10.153	66.627	5247.963		66.627	5247.963
8/12/09	2:35:00	7925	3.588	10.154	66.627	5247.963		66.627	5247.963
8/12/09	2:40:00	7930	3.588	10.158	66.626	5247.964		66.626	5247.964
8/12/09	2:45:00	7935	3.588	10.155	66.626	5247.964		66.626	5247.964
8/12/09	2:50:00	7940	3.589	10.151	66.623	5247.967		66.623	5247.967
8/12/09	2:55:00	7945	3.588	10.154	66.625	5247.965		66.625	5247.965
8/12/09	3:00:00	7950	3.586	10.152	66.630	5247.960		66.630	5247.960
8/12/09	3:05:00	7955	3.588	10.154	66.626	5247.964		66.626	5247.964
8/12/09	3:10:00	7960	3.587	10.153	66.627	5247.963		66.627	5247.963
8/12/09	3:15:00	7965	3.587	10.155	66.629	5247.961		66.629	5247.961
8/12/09	3:20:00	7970	3.588	10.154	66.625	5247.965		66.625	5247.965
8/12/09	3:25:00	7975	3.587	10.154	66.627	5247.963		66.627	5247.963
8/12/09	3:30:00	7980	3.589	10.153	66.624	5247.966		66.624	5247.966
8/12/09	3:35:00	7985	3.588	10.156	66.625	5247.965		66.625	5247.965
8/12/09	3:40:00	7990	3.587	10.154	66.627	5247.963		66.627	5247.963
8/12/09	3:45:00	7995	3.586	10.152	66.630	5247.960		66.630	5247.960
8/12/09	3:50:00	8000	3.587	10.152	66.628	5247.962		66.628	5247.962
8/12/09	3:55:00	8005	3.586	10.153	66.629	5247.961		66.629	5247.961
8/12/09	4:00:00	8010	3.588	10.151	66.625	5247.965		66.625	5247.965
8/12/09	4:05:00	8015	3.588	10.154	66.626	5247.964		66.626	5247.964
8/12/09	4:10:00	8020	3.588	10.153	66.626	5247.964		66.626	5247.964
8/12/09	4:15:00	8025	3.587	10.153	66.628	5247.962		66.628	5247.962
8/12/09	4:20:00	8030	3.587	10.155	66.628	5247.962		66.628	5247.962
8/12/09	4:25:00	8035	3.587	10.158	66.628	5247.962		66.628	5247.962
8/12/09	4:30:00	8040	3.587	10.154	66.627	5247.963		66.627	5247.963
8/12/09	4:35:00	8045	3.588	10.154	66.626	5247.964		66.626	5247.964
8/12/09	4:40:00	8050	3.588	10.156	66.626	5247.964		66.626	5247.964
8/12/09	4:45:00	8055	3.589	10.152	66.624	5247.966		66.624	5247.966
8/12/09	4:50:00	8060	3.587	10.153	66.627	5247.963		66.627	5247.963
8/12/09	4:55:00	8065	3.587	10.155	66.628	5247.962		66.628	5247.962
8/12/09	5:00:00	8070	3.588	10.154	66.627	5247.963		66.627	5247.963
8/12/09	5:05:00	8075	3.587	10.155	66.627	5247.963		66.627	5247.963
8/12/09	5:10:00	8080	3.588	10.154	66.626	5247.964		66.626	5247.964
8/12/09	5:15:00	8085	3.587	10.152	66.628	5247.962		66.628	5247.962
8/12/09	5:20:00	8090	3.588	10.154	66.625	5247.965		66.625	5247.965
8/12/09	5:25:00	8095	3.586	10.153	66.630	5247.960		66.630	5247.960



**Appendix B-6. OMW-2 Water Level Data, Moore Ranch Supplemental Pump Testing**

Date	Time	Elapsed Time Minutes	SN#: 138089 PSI	SN#: 138089 Temp - C	SN#: 138089 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5314.590 GW Elevation	DTW	Elev
8/12/09	5:30:00	8100	3.587	10.151	66.628	5247.962	66.628	5247.962
8/12/09	5:35:00	8105	3.587	10.153	66.627	5247.963	66.627	5247.963
8/12/09	5:40:00	8110	3.586	10.156	66.629	5247.961	66.629	5247.961
8/12/09	5:45:00	8115	3.587	10.152	66.628	5247.962	66.628	5247.962
8/12/09	5:50:00	8120	3.587	10.155	66.629	5247.961	66.629	5247.961
8/12/09	5:55:00	8125	3.586	10.152	66.629	5247.961	66.629	5247.961
8/12/09	6:00:00	8130	3.587	10.152	66.627	5247.963	66.627	5247.963
8/12/09	6:05:00	8135	3.585	10.152	66.632	5247.958	66.632	5247.958
8/12/09	6:10:00	8140	3.587	10.156	66.628	5247.962	66.628	5247.962
8/12/09	6:15:00	8145	3.586	10.154	66.629	5247.961	66.629	5247.961
8/12/09	6:20:00	8150	3.587	10.153	66.628	5247.962	66.628	5247.962
8/12/09	6:25:00	8155	3.586	10.152	66.629	5247.961	66.629	5247.961
8/12/09	6:30:00	8160	3.588	10.155	66.627	5247.963	66.627	5247.963
8/12/09	6:35:00	8165	3.587	10.152	66.627	5247.963	66.627	5247.963
8/12/09	6:40:00	8170	3.585	10.154	66.632	5247.958	66.632	5247.958
8/12/09	6:45:00	8175	3.586	10.152	66.630	5247.960	66.630	5247.960
8/12/09	6:50:00	8180	3.586	10.156	66.630	5247.960	66.630	5247.960
8/12/09	6:55:00	8185	3.586	10.155	66.629	5247.961	66.629	5247.961
8/12/09	7:00:00	8190	3.587	10.152	66.628	5247.962	66.628	5247.962
8/12/09	7:05:00	8195	3.587	10.156	66.627	5247.963	66.627	5247.963
8/12/09	7:10:00	8200	3.587	10.154	66.627	5247.963	66.627	5247.963
8/12/09	7:15:00	8205	3.585	10.152	66.633	5247.957	66.633	5247.957
8/12/09	7:20:00	8210	3.585	10.154	66.632	5247.958	66.632	5247.958
8/12/09	7:25:00	8215	3.586	10.155	66.631	5247.959	66.631	5247.959
8/12/09	7:30:00	8220	3.585	10.151	66.632	5247.958	66.632	5247.958
8/12/09	7:35:00	8225	3.586	10.153	66.630	5247.960	66.630	5247.960
8/12/09	7:40:00	8230	3.585	10.155	66.634	5247.956	66.634	5247.956
8/12/09	7:45:00	8235	3.586	10.154	66.631	5247.959	66.631	5247.959
8/12/09	7:50:00	8240	3.586	10.152	66.631	5247.959	66.631	5247.959
8/12/09	7:55:00	8245	3.584	10.157	66.634	5247.956	66.634	5247.956
8/12/09	8:00:00	8250	3.586	10.156	66.631	5247.959	66.631	5247.959
8/12/09	8:05:00	8255	3.585	10.154	66.633	5247.957	66.633	5247.957
8/12/09	8:10:00	8260	3.585	10.152	66.633	5247.957	66.633	5247.957
8/12/09	8:15:00	8265	3.586	10.155	66.631	5247.959	66.631	5247.959
8/12/09	8:20:00	8270	3.585	10.152	66.633	5247.957	66.633	5247.957
8/12/09	8:25:00	8275	3.584	10.154	66.634	5247.956	66.634	5247.956
8/12/09	8:30:00	8280	3.585	10.153	66.633	5247.957	66.633	5247.957
8/12/09	8:35:00	8285	3.585	10.154	66.631	5247.959	66.631	5247.959
8/12/09	8:40:00	8290	3.586	10.151	66.631	5247.959	66.631	5247.959
8/12/09	8:45:00	8295	3.585	10.156	66.633	5247.957	66.633	5247.957
8/12/09	8:50:00	8300	3.585	10.153	66.633	5247.957	66.633	5247.957
8/12/09	8:55:00	8305	3.585	10.153	66.633	5247.957	66.633	5247.957
8/12/09	9:00:00	8310	3.586	10.154	66.631	5247.959	66.631	5247.959
8/12/09	9:05:00	8315	3.586	10.155	66.630	5247.960	66.630	5247.960
8/12/09	9:10:00	8320	3.586	10.154	66.631	5247.959	66.631	5247.959
8/12/09	9:15:00	8325	3.584	10.151	66.635	5247.955	66.635	5247.955
8/12/09	9:20:00	8330	3.586	10.155	66.631	5247.959	66.631	5247.959
8/12/09	9:25:00	8335	3.585	10.154	66.633	5247.957	66.633	5247.957
8/12/09	9:30:00	8340	3.587	10.154	66.629	5247.961	66.629	5247.961
8/12/09	9:35:00	8345	3.586	10.157	66.631	5247.959	66.631	5247.959
8/12/09	9:40:00	8350	3.584	10.154	66.635	5247.955	66.635	5247.955
8/12/09	9:45:00	8355	3.585	10.153	66.634	5247.956	66.634	5247.956
8/12/09	9:50:00	8360	3.585	10.151	66.633	5247.957	66.633	5247.957
8/12/09	9:55:00	8365	3.585	10.156	66.632	5247.958	66.632	5247.958

**Appendix B-6. OMW-2 Water Level Data, Moore Ranch Supplemental Pump Testing**

Date	Time	Elapsed Time Minutes	SN#: 138089 PSI	SN#: 138089 Temp - C	SN#: 138089 DTW (ft btoc)	TOC Elev	Corrected DTW	Corrected Elev
						5314.590 GW Elevation		
8/12/09	10:00:00	8370	3.586	10.153	66.630	5247.960	66.630	5247.960
8/12/09	10:05:00	8375	3.585	10.153	66.634	5247.956	66.634	5247.956
8/12/09	10:10:00	8380	3.585	10.153	66.632	5247.958	66.632	5247.958
8/12/09	10:15:00	8385	3.584	10.151	66.634	5247.956	66.634	5247.956
8/12/09	10:20:00	8390	3.586	10.154	66.629	5247.961	66.629	5247.961
8/12/09	10:25:00	8395	3.585	10.151	66.632	5247.958	66.632	5247.958
8/12/09	10:30:00	8400	3.584	10.160	66.634	5247.956	66.634	5247.956
8/12/09	10:35:00	8405	3.585	10.155	66.631	5247.959	66.631	5247.959
8/12/09	10:40:00	8410	3.585	10.155	66.633	5247.957	66.633	5247.957
8/12/09	10:45:00	8415	3.583	10.152	66.638	5247.952	66.638	5247.952
8/12/09	10:50:00	8420	3.583	10.153	66.638	5247.952	66.638	5247.952
8/12/09	10:55:00	8425	3.585	10.156	66.633	5247.957	66.633	5247.957
8/12/09	11:00:00	8430	3.584	10.156	66.634	5247.956	66.634	5247.956
8/12/09	11:05:00	8435	3.584	10.153	66.636	5247.954	66.636	5247.954
8/12/09	11:10:00	8440	3.584	10.155	66.635	5247.955	66.635	5247.955
8/12/09	11:15:00	8445	3.582	10.157	66.639	5247.951	66.639	5247.951
8/12/09	11:20:00	8450	3.585	10.153	66.632	5247.958	66.632	5247.958
8/12/09	11:25:00	8455	3.584	10.153	66.636	5247.954	66.636	5247.954
8/12/09	11:30:00	8460	3.585	10.153	66.633	5247.957	66.633	5247.957
8/12/09	11:35:00	8465	3.584	10.153	66.635	5247.955	66.635	5247.955
8/12/09	11:40:00	8470	3.585	10.155	66.633	5247.957	66.633	5247.957
8/12/09	11:45:00	8475	3.584	10.156	66.635	5247.955	66.635	5247.955
8/12/09	11:50:00	8480	3.585	10.154	66.634	5247.956	66.634	5247.956
8/12/09	11:55:00	8485	3.585	10.152	66.634	5247.956	66.634	5247.956
8/12/09	12:00:00	8490	3.585	10.154	66.632	5247.958	66.632	5247.958
8/12/09	12:05:00	8495	3.584	10.153	66.635	5247.955	66.635	5247.955
8/12/09	12:10:00	8500	3.584	10.154	66.634	5247.956	66.634	5247.956
8/12/09	12:15:00	8505	3.583	10.152	66.637	5247.953	66.637	5247.953
8/12/09	12:20:00	8510	3.583	10.153	66.637	5247.953	66.637	5247.953
8/12/09	12:25:00	8515	3.585	10.155	66.633	5247.957	66.633	5247.957
8/12/09	12:30:00	8520	3.583	10.154	66.637	5247.953	66.637	5247.953
8/12/09	12:35:00	8525	3.583	10.155	66.637	5247.953	66.637	5247.953
8/12/09	12:40:00	8530	3.583	10.155	66.636	5247.954	66.636	5247.954
8/12/09	12:45:00	8535	3.584	10.154	66.634	5247.956	66.634	5247.956
8/12/09	12:50:00	8540	3.584	10.154	66.634	5247.956	66.634	5247.956
8/12/09	12:55:00	8545	3.583	10.154	66.637	5247.953	66.637	5247.953
8/12/09	13:00:00	8550	3.654	16.371	66.515	5248.075	66.515	5248.075
8/12/09	13:05:00	8555	3.627	11.385	66.536	5248.054	66.536	5248.054
8/12/09	13:10:00	8560	3.617	10.629	66.558	5248.032	66.558	5248.032
8/12/09	13:15:00	8565	3.613	10.496	66.567	5248.023	66.567	5248.023
8/12/09	13:20:00	8570	3.613	10.427	66.571	5248.019	66.571	5248.019
8/12/09	13:25:00	8575	3.614	10.374	66.575	5248.015	66.575	5248.015
8/12/09	13:30:00	8580	3.613	10.342	66.576	5248.014	66.576	5248.014
8/12/09	13:35:00	8585	3.612	10.327	66.578	5248.012	66.578	5248.012
8/12/09	13:53:18	0	3.610	10.321	66.583	5248.007	66.583	5248.007
8/12/09	13:53:33	0.25	3.610	10.314	66.584	5248.006	66.584	5248.006
8/12/09	13:53:48	0.5	3.612	10.311	66.583	5248.007	66.583	5248.007
8/12/09	13:54:03	0.75	3.612	10.311	66.584	5248.006	66.584	5248.006
8/12/09	13:54:18	1	3.611	10.310	66.584	5248.006	66.584	5248.006
8/12/09	13:54:33	1.25	3.609	10.310	66.585	5248.005	66.585	5248.005
8/12/09	13:54:48	1.5	3.610	10.308	66.584	5248.006	66.584	5248.006
8/12/09	13:55:03	1.75	3.609	10.308	66.585	5248.005	66.585	5248.005
8/12/09	13:55:18	2	3.612	10.311	66.584	5248.006	66.584	5248.006
8/12/09	13:55:33	2.25	3.613	10.313	66.585	5248.005	66.585	5248.005

**Appendix B-6. OMW-2 Water Level Data, Moore Ranch Supplemental Pump Testing**

Date	Time	Elapsed Time Minutes	SN#: 138089 PSI	SN#: 138089 Temp - C	SN#: 138089 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5314.590 GW Elevation	DTW	Elev
8/12/09	13:55:48	2.5	3.611	10.315	66.585	5248.005	66.585	5248.005
8/12/09	13:56:03	2.75	3.608	10.315	66.583	5248.007	66.583	5248.007
8/12/09	13:56:18	3	3.571	10.319	66.585	5248.005	66.585	5248.005
8/12/09	13:56:33	3.25	3.560	10.323	66.584	5248.006	66.584	5248.006
8/12/09	13:56:48	3.5	3.547	10.320	66.583	5248.007	66.583	5248.007
8/12/09	13:57:03	3.75	3.539	10.323	66.585	5248.005	66.585	5248.005
8/12/09	13:57:18	4	3.525	10.327	66.585	5248.005	66.585	5248.005
8/12/09	13:57:33	4.25	3.518	10.329	66.585	5248.005	66.585	5248.005
8/12/09	13:57:48	4.5	3.506	10.332	66.584	5248.006	66.584	5248.006
8/12/09	13:58:03	4.75	3.495	10.332	66.584	5248.006	66.584	5248.006
8/12/09	13:58:18	5	3.482	10.336	66.584	5248.006	66.584	5248.006
8/12/09	13:58:33	5.25	3.475	10.338	66.585	5248.005	66.585	5248.005
8/12/09	13:58:48	5.5	3.465	10.340	66.584	5248.006	66.584	5248.006
8/12/09	13:59:03	5.75	3.454	10.348	66.584	5248.006	66.584	5248.006
8/12/09	13:59:18	6	3.444	10.351	66.585	5248.005	66.585	5248.005
8/12/09	13:59:33	6.25	3.438	10.358	66.584	5248.006	66.584	5248.006
8/12/09	13:59:48	6.5	3.424	10.363	66.585	5248.005	66.585	5248.005
8/12/09	14:00:03	6.75	3.414	10.367	66.585	5248.005	66.585	5248.005
8/12/09	14:00:18	7	3.407	10.373	66.584	5248.006	66.584	5248.006
8/12/09	14:00:33	7.25	3.396	10.379	66.586	5248.004	66.586	5248.004
8/12/09	14:00:48	7.5	3.387	10.383	66.586	5248.004	66.586	5248.004
8/12/09	14:01:03	7.75	3.377	10.388	66.586	5248.004	66.586	5248.004
8/12/09	14:01:18	8	3.367	10.393	66.585	5248.005	66.585	5248.005
8/12/09	14:01:33	8.25	3.358	10.396	66.585	5248.005	66.585	5248.005
8/12/09	14:01:48	8.5	3.347	10.399	66.586	5248.004	66.586	5248.004
8/12/09	14:02:03	8.75	3.337	10.404	66.587	5248.003	66.587	5248.003
8/12/09	14:02:18	9	3.329	10.411	66.588	5248.002	66.588	5248.002
8/12/09	14:02:33	9.25	3.320	10.420	66.586	5248.004	66.586	5248.004
8/12/09	14:02:48	9.5	3.310	10.425	66.588	5248.002	66.588	5248.002
8/12/09	14:03:03	9.75	3.302	10.439	66.589	5248.001	66.589	5248.001
8/12/09	14:03:18	10	3.305	10.445	66.589	5248.001	66.589	5248.001
8/12/09	14:03:33	10.25	3.320	10.456	66.590	5248.000	66.590	5248.000
8/12/09	14:03:48	10.5	3.335	10.463	66.591	5247.999	66.591	5247.999
8/12/09	14:04:03	10.75	3.347	10.469	66.589	5248.001	66.589	5248.001
8/12/09	14:04:18	11	3.361	10.473	66.590	5248.000	66.590	5248.000
8/12/09	14:04:33	11.25	3.377	10.510	66.591	5247.999	66.591	5247.999
8/12/09	14:04:48	11.5	3.390	10.621	66.592	5247.998	66.592	5247.998
8/12/09	14:05:03	11.75	3.407	10.692	66.593	5247.997	66.593	5247.997
8/12/09	14:05:18	12	3.417	10.735	66.591	5247.999	66.591	5247.999
8/12/09	14:05:33	12.25	3.415	10.767	66.593	5247.997	66.593	5247.997
8/12/09	14:05:48	12.5	3.416	10.803	66.592	5247.998	66.592	5247.998
8/12/09	14:06:03	12.75	3.415	10.859	66.594	5247.996	66.594	5247.996
8/12/09	14:06:18	13	3.415	10.912	66.594	5247.996	66.594	5247.996
8/12/09	14:06:33	13.25	3.415	10.954	66.592	5247.998	66.592	5247.998
8/12/09	14:06:48	13.5	3.416	10.977	66.591	5247.999	66.591	5247.999
8/12/09	14:07:03	13.75	3.416	10.995	66.592	5247.998	66.592	5247.998
8/12/09	14:07:18	14	3.417	11.005	66.593	5247.997	66.593	5247.997
8/12/09	14:07:33	14.25	3.416	11.016	66.591	5247.999	66.591	5247.999
8/12/09	14:07:48	14.5	3.416	11.025	66.590	5248.000	66.590	5248.000
8/12/09	14:08:03	14.75	3.415	11.029	66.592	5247.998	66.592	5247.998
8/12/09	14:08:18	15	3.415	11.038	66.594	5247.996	66.594	5247.996
8/12/09	14:08:33	15.25	3.415	11.044	66.594	5247.996	66.594	5247.996
8/12/09	14:08:48	15.5	3.417	11.041	66.595	5247.995	66.595	5247.995
8/12/09	14:09:03	15.75	3.416	11.033	66.594	5247.996	66.594	5247.996

**Appendix B-6. OMW-2 Water Level Data, Moore Ranch Supplemental Pump Testing**

Date	Time	Elapsed Time Minutes	SN#: 138089 PSI	SN#: 138089 Temp - C	SN#: 138089 DTW (ft btoc)	TOC Elev	Corrected DTW	Corrected Elev
						5314.590 GW Elevation		
8/12/09	14:09:18	16	3.417	11.025	66.593	5247.997	66.593	5247.997
8/12/09	14:09:33	16.25	3.418	11.020	66.594	5247.996	66.594	5247.996
8/12/09	14:09:48	16.5	3.417	11.014	66.592	5247.998	66.592	5247.998
8/12/09	14:10:03	16.75	3.417	11.007	66.592	5247.998	66.592	5247.998
8/12/09	14:10:18	17	3.417	11.003	66.593	5247.997	66.593	5247.997
8/12/09	14:10:33	17.25	3.417	10.997	66.593	5247.997	66.593	5247.997
8/12/09	14:10:48	17.5	3.416	10.994	66.594	5247.996	66.594	5247.996
8/12/09	14:11:03	17.75	3.418	10.989	66.594	5247.996	66.594	5247.996
8/12/09	14:11:18	18	3.419	10.987	66.595	5247.995	66.595	5247.995
8/12/09	14:11:33	18.25	3.416	10.983	66.595	5247.995	66.595	5247.995
8/12/09	14:11:48	18.5	3.416	10.978	66.597	5247.993	66.597	5247.993
8/12/09	14:12:03	18.75	3.414	10.978	66.594	5247.996	66.594	5247.996
8/12/09	14:12:18	19	3.416	10.975	66.596	5247.994	66.596	5247.994
8/12/09	14:12:33	19.25	3.416	10.973	66.597	5247.993	66.597	5247.993
8/12/09	14:12:48	19.5	3.418	10.967	66.595	5247.995	66.595	5247.995
8/12/09	14:13:03	19.75	3.416	10.963	66.596	5247.994	66.596	5247.994
8/12/09	14:13:18	20	3.417	10.961	66.596	5247.994	66.596	5247.994
8/12/09	14:13:33	20.25	3.416	10.954	66.595	5247.995	66.595	5247.995
8/12/09	14:13:48	20.5	3.418	10.955	66.595	5247.995	66.595	5247.995
8/12/09	14:14:03	20.75	3.417	10.950	66.597	5247.993	66.597	5247.993
8/12/09	14:14:18	21	3.417	10.948	66.596	5247.994	66.596	5247.994
8/12/09	14:14:33	21.25	3.416	10.948	66.596	5247.994	66.596	5247.994
8/12/09	14:14:48	21.5	3.416	10.949	66.596	5247.994	66.596	5247.994
8/12/09	14:15:03	21.75	3.417	10.947	66.597	5247.993	66.597	5247.993
8/12/09	14:15:18	22	3.417	10.944	66.595	5247.995	66.595	5247.995
8/12/09	14:15:33	22.25	3.416	10.946	66.597	5247.993	66.597	5247.993
8/12/09	14:15:48	22.5	3.418	10.948	66.597	5247.993	66.597	5247.993
8/12/09	14:16:03	22.75	3.416	10.948	66.599	5247.991	66.599	5247.991
8/12/09	14:16:18	23	3.416	10.949	66.598	5247.992	66.598	5247.992
8/12/09	14:16:33	23.25	3.417	10.950	66.598	5247.992	66.598	5247.992
8/12/09	14:16:48	23.5	3.418	10.950	66.599	5247.991	66.599	5247.991
8/12/09	14:17:03	23.75	3.419	10.951	66.597	5247.993	66.597	5247.993
8/12/09	14:17:18	24	3.419	10.955	66.596	5247.994	66.596	5247.994
8/12/09	14:17:33	24.25	3.419	10.957	66.596	5247.994	66.596	5247.994
8/12/09	14:17:48	24.5	3.417	10.958	66.597	5247.993	66.597	5247.993
8/12/09	14:18:03	24.75	3.417	10.959	66.597	5247.993	66.597	5247.993
8/12/09	14:18:18	25	3.417	10.961	66.598	5247.992	66.598	5247.992
8/12/09	14:18:33	25.25	3.417	10.966	66.598	5247.992	66.598	5247.992
8/12/09	14:18:48	25.5	3.417	10.966	66.598	5247.992	66.598	5247.992
8/12/09	14:19:03	25.75	3.418	10.970	66.596	5247.994	66.596	5247.994
8/12/09	14:19:18	26	3.416	10.972	66.597	5247.993	66.597	5247.993
8/12/09	14:19:33	26.25	3.417	10.972	66.596	5247.994	66.596	5247.994
8/12/09	14:19:48	26.5	3.416	10.975	66.597	5247.993	66.597	5247.993
8/12/09	14:20:03	26.75	3.416	10.976	66.595	5247.995	66.595	5247.995
8/12/09	14:20:18	27	3.417	10.981	66.596	5247.994	66.596	5247.994
8/12/09	14:20:33	27.25	3.417	10.982	66.596	5247.994	66.596	5247.994
8/12/09	14:20:48	27.5	3.418	10.987	66.597	5247.993	66.597	5247.993
8/12/09	14:21:03	27.75	3.420	10.988	66.597	5247.993	66.597	5247.993
8/12/09	14:21:18	28	3.419	10.989	66.597	5247.993	66.597	5247.993
8/12/09	14:21:33	28.25	3.417	10.989	66.598	5247.992	66.598	5247.992
8/12/09	14:21:48	28.5	3.419	10.993	66.597	5247.993	66.597	5247.993
8/12/09	14:22:03	28.75	3.417	10.992	66.599	5247.991	66.599	5247.991
8/12/09	14:22:18	29	3.417	10.995	66.598	5247.992	66.598	5247.992
8/12/09	14:22:33	29.25	3.417	10.998	66.598	5247.992	66.598	5247.992

**Appendix B-6. OMW-2 Water Level Data, Moore Ranch Supplemental Pump Testing**

Date	Time	Elapsed Time Minutes	SN#: 13808 PSI	SN#: 13808 Temp - C	SN#: 138089 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5314.590 GW Elevation	DTW	Elev
8/12/09	14:22:48	29.5	3.419	10.998	66.598	5247.992	66.598	5247.992
8/12/09	14:23:03	29.75	3.420	10.999	66.599	5247.991	66.599	5247.991
8/12/09	14:23:18	30	3.418	11.001	66.599	5247.991	66.599	5247.991
8/12/09	14:23:33	30.25	3.418	11.002	66.597	5247.993	66.597	5247.993
8/12/09	14:23:48	30.5	3.419	11.003	66.598	5247.992	66.598	5247.992
8/12/09	14:24:03	30.75	3.417	11.004	66.597	5247.993	66.597	5247.993
8/12/09	14:24:18	31	3.418	11.005	66.598	5247.992	66.598	5247.992
8/12/09	14:24:33	31.25	3.416	11.007	66.598	5247.992	66.598	5247.992
8/12/09	14:24:48	31.5	3.416	11.008	66.599	5247.991	66.599	5247.991
8/12/09	14:25:03	31.75	3.416	11.008	66.599	5247.991	66.599	5247.991
8/12/09	14:25:18	32	3.418	11.009	66.598	5247.992	66.598	5247.992
8/12/09	14:25:33	32.25	3.419	11.010	66.600	5247.990	66.600	5247.990
8/12/09	14:25:48	32.5	3.416	11.009	66.599	5247.991	66.599	5247.991
8/12/09	14:26:03	32.75	3.418	11.014	66.599	5247.991	66.599	5247.991
8/12/09	14:26:18	33	3.417	11.012	66.598	5247.992	66.598	5247.992
8/12/09	14:26:33	33.25	3.418	11.012	66.598	5247.992	66.598	5247.992
8/12/09	14:26:48	33.5	3.418	11.010	66.597	5247.993	66.597	5247.993
8/12/09	14:27:03	33.75	3.417	11.015	66.598	5247.992	66.598	5247.992
8/12/09	14:27:18	34	3.418	11.014	66.598	5247.992	66.598	5247.992
8/12/09	14:27:33	34.25	3.417	11.014	66.599	5247.991	66.599	5247.991
8/12/09	14:27:48	34.5	3.419	11.013	66.599	5247.991	66.599	5247.991
8/12/09	14:28:03	34.75	3.417	11.016	66.598	5247.992	66.598	5247.992
8/12/09	14:28:18	35	3.418	11.016	66.598	5247.992	66.598	5247.992
8/12/09	14:28:33	35.25	3.418	11.019	66.599	5247.991	66.599	5247.991
8/12/09	14:28:48	35.5	3.417	11.025	66.601	5247.989	66.601	5247.989
8/12/09	14:29:03	35.75	3.416	11.025	66.600	5247.990	66.600	5247.990
8/12/09	14:29:18	36	3.416	11.023	66.599	5247.991	66.599	5247.991
8/12/09	14:29:33	36.25	3.418	11.018	66.601	5247.989	66.601	5247.989
8/12/09	14:29:48	36.5	3.418	11.020	66.600	5247.990	66.600	5247.990
8/12/09	14:30:03	36.75	3.416	11.020	66.600	5247.990	66.600	5247.990
8/12/09	14:30:18	37	3.416	11.018	66.601	5247.989	66.601	5247.989
8/12/09	14:30:33	37.25	3.416	11.019	66.600	5247.990	66.600	5247.990
8/12/09	14:30:48	37.5	3.417	11.017	66.602	5247.988	66.602	5247.988
8/12/09	14:31:03	37.75	3.417	11.017	66.601	5247.989	66.601	5247.989
8/12/09	14:31:18	38	3.418	11.018	66.598	5247.992	66.598	5247.992
8/12/09	14:31:33	38.25	3.418	11.017	66.597	5247.993	66.597	5247.993
8/12/09	14:31:48	38.5	3.417	11.016	66.599	5247.991	66.599	5247.991
8/12/09	14:32:03	38.75	3.417	11.016	66.599	5247.991	66.599	5247.991
8/12/09	14:32:18	39	3.416	11.014	66.601	5247.989	66.601	5247.989
8/12/09	14:32:33	39.25	3.417	11.014	66.600	5247.990	66.600	5247.990
8/12/09	14:32:48	39.5	3.417	11.012	66.599	5247.991	66.599	5247.991
8/12/09	14:33:03	39.75	3.417	11.016	66.598	5247.992	66.598	5247.992
8/12/09	14:33:18	40	3.417	11.014	66.601	5247.989	66.601	5247.989
8/12/09	14:33:33	40.25	3.416	11.013	66.599	5247.991	66.599	5247.991
8/12/09	14:33:48	40.5	3.415	11.012	66.598	5247.992	66.598	5247.992
8/12/09	14:34:03	40.75	3.416	11.009	66.599	5247.991	66.599	5247.991
8/12/09	14:34:18	41	3.416	11.010	66.600	5247.990	66.600	5247.990
8/12/09	14:34:33	41.25	3.416	11.008	66.599	5247.991	66.599	5247.991
8/12/09	14:34:48	41.5	3.416	11.011	66.599	5247.991	66.599	5247.991
8/12/09	14:35:03	41.75	3.416	11.011	66.599	5247.991	66.599	5247.991
8/12/09	14:35:18	42	3.418	11.009	66.601	5247.989	66.601	5247.989
8/12/09	14:35:33	42.25	3.417	11.006	66.600	5247.990	66.600	5247.990
8/12/09	14:35:48	42.5	3.417	11.010	66.599	5247.991	66.599	5247.991
8/12/09	14:36:03	42.75	3.416	11.008	66.599	5247.991	66.599	5247.991

**Appendix B-6. OMW-2 Water Level Data, Moore Ranch Supplemental Pump Testing**

Date	Time	Elapsed Time Minutes	SN#: 138089 PSI	SN#: 138089 Temp - C	SN#: 138089 DTW (ft btoc)	TOC Elev	Corrected DTW	Corrected Elev
						5314.590 GW Elevation		
8/12/09	14:36:18	43	3.417	11.007	66.600	5247.990	66.600	5247.990
8/12/09	14:36:33	43.25	3.418	11.007	66.601	5247.989	66.601	5247.989
8/12/09	14:36:48	43.5	3.417	11.005	66.599	5247.991	66.599	5247.991
8/12/09	14:37:03	43.75	3.419	11.005	66.601	5247.989	66.601	5247.989
8/12/09	14:37:18	44	3.418	11.003	66.600	5247.990	66.600	5247.990
8/12/09	14:37:33	44.25	3.419	11.004	66.601	5247.989	66.601	5247.989
8/12/09	14:37:48	44.5	3.417	11.005	66.599	5247.991	66.599	5247.991
8/12/09	14:38:03	44.75	3.416	11.004	66.598	5247.992	66.598	5247.992
8/12/09	14:38:18	45	3.418	11.002	66.599	5247.991	66.599	5247.991
8/12/09	14:38:33	45.25	3.417	11.000	66.601	5247.989	66.601	5247.989
8/12/09	14:38:48	45.5	3.416	11.002	66.601	5247.989	66.601	5247.989
8/12/09	14:39:03	45.75	3.416	11.000	66.601	5247.989	66.601	5247.989
8/12/09	14:39:18	46	3.416	11.003	66.602	5247.988	66.602	5247.988
8/12/09	14:39:33	46.25	3.417	10.998	66.600	5247.990	66.600	5247.990
8/12/09	14:39:48	46.5	3.416	10.998	66.601	5247.989	66.601	5247.989
8/12/09	14:40:03	46.75	3.417	10.998	66.601	5247.989	66.601	5247.989
8/12/09	14:40:18	47	3.417	10.999	66.602	5247.988	66.602	5247.988
8/12/09	14:40:33	47.25	3.417	10.996	66.601	5247.989	66.601	5247.989
8/12/09	14:40:48	47.5	3.418	10.997	66.601	5247.989	66.601	5247.989
8/12/09	14:41:03	47.75	3.416	10.996	66.599	5247.991	66.599	5247.991
8/12/09	14:41:18	48	3.417	10.996	66.599	5247.991	66.599	5247.991
8/12/09	14:41:33	48.25	3.418	10.994	66.602	5247.988	66.602	5247.988
8/12/09	14:41:48	48.5	3.417	10.995	66.601	5247.989	66.601	5247.989
8/12/09	14:42:03	48.75	3.418	10.993	66.600	5247.990	66.600	5247.990
8/12/09	14:42:18	49	3.416	10.997	66.601	5247.989	66.601	5247.989
8/12/09	14:42:33	49.25	3.417	11.002	66.598	5247.992	66.598	5247.992
8/12/09	14:42:48	49.5	3.417	11.007	66.599	5247.991	66.599	5247.991
8/12/09	14:43:03	49.75	3.419	11.006	66.598	5247.992	66.598	5247.992
8/12/09	14:43:18	50	3.418	11.008	66.602	5247.988	66.602	5247.988
8/12/09	14:43:33	50.25	3.416	11.008	66.601	5247.989	66.601	5247.989
8/12/09	14:43:48	50.5	3.418	11.012	66.601	5247.989	66.601	5247.989
8/12/09	14:44:03	50.75	3.418	11.013	66.601	5247.989	66.601	5247.989
8/12/09	14:44:18	51	3.419	11.013	66.598	5247.992	66.598	5247.992
8/12/09	14:44:33	51.25	3.419	11.015	66.600	5247.990	66.600	5247.990
8/12/09	14:44:48	51.5	3.418	11.015	66.602	5247.988	66.602	5247.988
8/12/09	14:45:03	51.75	3.417	11.011	66.599	5247.991	66.599	5247.991
8/12/09	14:45:18	52	3.373	11.013	66.700	5247.890	66.700	5247.890
8/12/09	14:45:33	52.25	3.346	11.014	66.762	5247.828	66.762	5247.828
8/12/09	14:45:48	52.5	3.323	11.016	66.816	5247.774	66.816	5247.774
8/12/09	14:46:03	52.75	3.301	11.018	66.866	5247.724	66.866	5247.724
8/12/09	14:46:18	53	3.277	11.023	66.923	5247.667	66.923	5247.667
8/12/09	14:46:33	53.25	3.257	11.027	66.968	5247.622	66.968	5247.622
8/12/09	14:46:48	53.5	3.239	11.030	67.010	5247.580	67.010	5247.580
8/12/09	14:47:03	53.75	3.217	11.032	67.060	5247.530	67.060	5247.530
8/12/09	14:47:18	54	3.198	11.037	67.103	5247.487	67.103	5247.487
8/12/09	14:47:33	54.25	3.178	11.036	67.149	5247.441	67.149	5247.441
8/12/09	14:47:48	54.5	3.157	11.042	67.199	5247.391	67.199	5247.391
8/12/09	14:48:03	54.75	3.139	11.043	67.241	5247.349	67.241	5247.349
8/12/09	14:48:18	55	3.117	11.042	67.290	5247.300	67.290	5247.300
8/12/09	14:48:33	55.25	3.096	11.041	67.339	5247.251	67.339	5247.251
8/12/09	14:48:48	55.5	3.076	11.038	67.386	5247.204	67.386	5247.204
8/12/09	14:49:03	55.75	3.058	11.039	67.428	5247.162	67.428	5247.162
8/12/09	14:49:18	56	3.036	11.031	67.477	5247.113	67.477	5247.113
8/12/09	14:49:33	56.25	3.018	11.032	67.521	5247.069	67.521	5247.069

**Appendix B-6. OMW-2 Water Level Data, Moore Ranch Supplemental Pump Testing**

Date	Time	Elapsed Time Minutes	SN#: 138089 PSI	SN#: 138089 Temp - C	SN#: 138089 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5314.590 GW Elevation	DTW	Elev
8/12/09	14:49:48	56.5	2.999	11.022	67.562	5247.028	67.562	5247.028
8/12/09	14:50:03	56.75	2.977	11.012	67.614	5246.976	67.614	5246.976
8/12/09	14:50:18	57	2.955	11.005	67.665	5246.925	67.665	5246.925
8/12/09	14:50:33	57.25	2.934	10.991	67.713	5246.877	67.713	5246.877
8/12/09	14:50:48	57.5	2.913	10.985	67.763	5246.827	67.763	5246.827
8/12/09	14:51:03	57.75	2.887	10.973	67.822	5246.768	67.822	5246.768
8/12/09	14:51:18	58	2.867	10.966	67.868	5246.722	67.868	5246.722
8/12/09	14:51:33	58.25	2.844	10.954	67.922	5246.668	67.922	5246.668
8/12/09	14:51:48	58.5	2.821	10.945	67.974	5246.616	67.974	5246.616
8/12/09	14:52:03	58.75	2.797	10.934	68.029	5246.561	68.029	5246.561
8/12/09	14:52:18	59	2.774	10.925	68.084	5246.506	68.084	5246.506
8/12/09	14:52:33	59.25	2.751	10.912	68.137	5246.453	68.137	5246.453
8/12/09	14:52:48	59.5	2.727	10.901	68.192	5246.398	68.192	5246.398
8/12/09	14:53:03	59.75	2.703	10.893	68.246	5246.344	68.246	5246.344
8/12/09	14:53:18	60	2.679	10.885	68.302	5246.288	68.302	5246.288
8/12/09	14:53:33	60.25	2.653	10.879	68.362	5246.228	68.362	5246.228
8/12/09	14:53:48	60.5	2.633	10.871	68.409	5246.181	68.409	5246.181
8/12/09	14:54:03	60.75	2.609	10.864	68.463	5246.127	68.463	5246.127
8/12/09	14:54:18	61	2.583	10.860	68.523	5246.067	68.523	5246.067
8/12/09	14:54:33	61.25	2.566	10.854	68.564	5246.026	68.564	5246.026
8/12/09	14:54:48	61.5	2.534	10.848	68.636	5245.954	68.636	5245.954
8/12/09	14:55:03	61.75	2.509	10.843	68.694	5245.896	68.694	5245.896
8/12/09	14:55:18	62	2.483	10.834	68.754	5245.836	68.754	5245.836
8/12/09	14:55:33	62.25	2.460	10.821	68.807	5245.783	68.807	5245.783
8/12/09	14:55:48	62.5	2.437	10.805	68.862	5245.728	68.862	5245.728
8/12/09	14:56:03	62.75	2.412	10.788	68.919	5245.671	68.919	5245.671
8/12/09	14:56:18	63	2.387	10.773	68.977	5245.613	68.977	5245.613
8/12/09	14:56:33	63.25	2.364	10.756	69.030	5245.560	69.030	5245.560
8/12/09	14:56:48	63.5	2.339	10.735	69.088	5245.502	69.088	5245.502
8/12/09	14:57:03	63.75	2.316	10.715	69.141	5245.449	69.141	5245.449
8/12/09	14:57:18	64	2.292	10.704	69.197	5245.393	69.197	5245.393
8/12/09	14:57:33	64.25	2.266	10.684	69.256	5245.334	69.256	5245.334
8/12/09	14:57:48	64.5	2.240	10.672	69.315	5245.275	69.315	5245.275
8/12/09	14:58:03	64.75	2.217	10.658	69.370	5245.220	69.370	5245.220
8/12/09	14:58:18	65	2.192	10.647	69.427	5245.163	69.427	5245.163
8/12/09	14:58:33	65.25	2.165	10.632	69.490	5245.100	69.490	5245.100
8/12/09	14:58:48	65.5	2.142	10.625	69.543	5245.047	69.543	5245.047
8/12/09	14:59:03	65.75	2.114	10.611	69.607	5244.983	69.607	5244.983
8/12/09	14:59:18	66	2.091	10.601	69.659	5244.931	69.659	5244.931
8/12/09	14:59:33	66.25	2.065	10.589	69.719	5244.871	69.719	5244.871
8/12/09	14:59:48	66.5	2.041	10.580	69.776	5244.814	69.776	5244.814
8/12/09	15:00:03	66.75	2.014	10.570	69.837	5244.753	69.837	5244.753
8/12/09	15:00:18	67	1.987	10.560	69.900	5244.690	69.900	5244.690
8/12/09	15:00:33	67.25	1.960	10.553	69.961	5244.629	69.961	5244.629
8/12/09	15:00:48	67.5	1.940	10.544	70.007	5244.583	70.007	5244.583
8/12/09	15:01:03	67.75	1.915	10.537	70.066	5244.524	70.066	5244.524
8/12/09	15:01:18	68	1.888	10.530	70.130	5244.460	70.130	5244.460
8/12/09	15:01:33	68.25	1.864	10.523	70.184	5244.406	70.184	5244.406
8/12/09	15:01:48	68.5	1.840	10.515	70.240	5244.350	70.240	5244.350
8/12/09	15:02:03	68.75	1.814	10.511	70.300	5244.290	70.300	5244.290
8/12/09	15:02:18	69	1.791	10.504	70.352	5244.238	70.352	5244.238
8/12/09	15:02:33	69.25	1.766	10.497	70.410	5244.180	70.410	5244.180
8/12/09	15:02:48	69.5	1.743	10.494	70.465	5244.125	70.465	5244.125
8/12/09	15:03:03	69.75	1.720	10.488	70.516	5244.074	70.516	5244.074

**Appendix B-6. OMW-2 Water Level Data, Moore Ranch Supplemental Pump Testing**

Date	Time	Elapsed Time Minutes	SN#: 138089 PSI	SN#: 138089 Temp - C	SN#: 138089 DTW (ft btoc)	TOC Elev	Corrected DTW	Corrected Elev
						5314.590 GW Elevation		
8/12/09	15:03:18	70	1.697	10.485	70.570	5244.020	70.570	5244.020
8/12/09	15:03:33	70.25	1.673	10.484	70.625	5243.965	70.625	5243.965
8/12/09	15:03:48	70.5	1.649	10.485	70.680	5243.910	70.680	5243.910
8/12/09	15:04:03	70.75	1.625	10.481	70.737	5243.853	70.737	5243.853
8/12/09	15:04:18	71	1.601	10.483	70.792	5243.798	70.792	5243.798
8/12/09	15:04:33	71.25	1.576	10.479	70.848	5243.742	70.848	5243.742
8/12/09	15:04:48	71.5	1.552	10.481	70.905	5243.685	70.905	5243.685
8/12/09	15:05:03	71.75	1.529	10.479	70.956	5243.634	70.956	5243.634
8/12/09	15:05:18	72	1.503	10.479	71.018	5243.572	71.018	5243.572
8/12/09	15:05:33	72.25	1.480	10.480	71.071	5243.519	71.071	5243.519
8/12/09	15:05:48	72.5	1.458	10.482	71.122	5243.468	71.122	5243.468
8/12/09	15:06:03	72.75	1.431	10.482	71.184	5243.406	71.184	5243.406
8/12/09	15:06:18	73	1.405	10.485	71.244	5243.346	71.244	5243.346
8/12/09	15:06:33	73.25	1.382	10.488	71.296	5243.294	71.296	5243.294
8/12/09	15:06:48	73.5	1.359	10.489	71.350	5243.240	71.350	5243.240
8/12/09	15:07:03	73.75	1.335	10.492	71.405	5243.185	71.405	5243.185
8/12/09	15:07:18	74	1.312	10.496	71.458	5243.132	71.458	5243.132
8/12/09	15:07:33	74.25	1.286	10.501	71.518	5243.072	71.518	5243.072
8/12/09	15:07:48	74.5	1.263	10.500	71.573	5243.017	71.573	5243.017
8/12/09	15:08:03	74.75	1.240	10.504	71.625	5242.965	71.625	5242.965
8/12/09	15:08:18	75	1.216	10.506	71.680	5242.910	71.680	5242.910
8/12/09	15:08:33	75.25	1.193	10.507	71.734	5242.856	71.734	5242.856
8/12/09	15:08:48	75.5	1.169	10.512	71.789	5242.801	71.789	5242.801
8/12/09	15:09:03	75.75	1.145	10.513	71.843	5242.747	71.843	5242.747
8/12/09	15:09:18	76	1.122	10.514	71.898	5242.692	71.898	5242.692
8/12/09	15:09:33	76.25	1.098	10.522	71.952	5242.638	71.952	5242.638
8/12/09	15:09:48	76.5	1.074	10.522	72.007	5242.583	72.007	5242.583
8/12/09	15:10:03	76.75	1.050	10.528	72.063	5242.527	72.063	5242.527
8/12/09	15:10:18	77	1.029	10.532	72.113	5242.477	72.113	5242.477
8/12/09	15:10:33	77.25	1.004	10.538	72.170	5242.420	72.170	5242.420
8/12/09	15:10:48	77.5	0.979	10.544	72.227	5242.363	72.227	5242.363
8/12/09	15:11:03	77.75	0.958	10.546	72.276	5242.314	72.276	5242.314
8/12/09	15:11:18	78	0.933	10.551	72.333	5242.257	72.333	5242.257
8/12/09	15:11:33	78.25	0.917	10.556	72.371	5242.219	72.371	5242.219
8/12/09	15:11:48	78.5	0.889	10.559	72.434	5242.156	72.434	5242.156
8/12/09	15:12:03	78.75	0.867	10.560	72.487	5242.103	72.487	5242.103
8/12/09	15:12:18	79	0.843	10.567	72.541	5242.049	72.541	5242.049
8/12/09	15:12:33	79.25	0.819	10.569	72.596	5241.994	72.596	5241.994
8/12/09	15:12:48	79.5	0.796	10.573	72.650	5241.940	72.650	5241.940
8/12/09	15:13:03	79.75	0.774	10.578	72.702	5241.888	72.702	5241.888
8/12/09	15:13:18	80	0.750	10.578	72.755	5241.835	72.755	5241.835
8/12/09	15:13:33	80.25	0.726	10.583	72.812	5241.778	72.812	5241.778
8/12/09	15:13:48	80.5	0.704	10.584	72.862	5241.728	72.862	5241.728
8/12/09	15:14:03	80.75	0.681	10.585	72.915	5241.675	72.915	5241.675
8/12/09	15:14:18	81	0.659	10.594	72.967	5241.623	72.967	5241.623
8/12/09	15:14:33	81.25	0.635	10.594	73.023	5241.567	73.023	5241.567
8/12/09	15:14:48	81.5	0.612	10.600	73.076	5241.514	73.076	5241.514
8/12/09	15:15:03	81.75	0.588	10.606	73.130	5241.460	73.130	5241.460
8/12/09	15:15:18	82	0.567	10.612	73.179	5241.411	73.179	5241.411
8/12/09	15:15:33	82.25	0.544	10.620	73.232	5241.358	73.232	5241.358
8/12/09	15:15:48	82.5	0.519	10.629	73.290	5241.300	73.290	5241.300
8/12/09	15:16:03	82.75	0.496	10.638	73.342	5241.248	73.342	5241.248
8/12/09	15:16:18	83	0.472	10.646	73.398	5241.192	73.398	5241.192
8/12/09	15:16:33	83.25	0.449	10.657	73.450	5241.140	73.450	5241.140



**Appendix B-6. OMW-2 Water Level Data, Moore Ranch Supplemental Pump Testing**

Date	Time	Elapsed Time Minutes	SN#: 13808 PSI	SN#: 13808 Temp - C	SN#: 138089 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5314.590 GW Elevation	DTW	Elev
8/12/09	15:16:48	83.5	0.426	10.666	73.505	5241.085	73.505	5241.085
8/12/09	15:17:03	83.75	0.403	10.676	73.556	5241.034	73.556	5241.034
8/12/09	15:17:18	84	0.379	10.685	73.613	5240.977	73.613	5240.977
8/12/09	15:17:33	84.25	0.353	10.695	73.673	5240.917	73.673	5240.917
8/12/09	15:17:48	84.5	0.332	10.705	73.722	5240.868	73.722	5240.868
8/12/09	15:18:03	84.75	0.312	10.716	73.767	5240.823	73.767	5240.823
8/12/09	15:18:18	85	0.335	10.726	73.715	5240.875	73.715	5240.875
8/12/09	15:18:33	85.25	0.351	10.740	73.678	5240.912	73.678	5240.912
8/12/09	15:18:48	85.5	0.365	10.748	73.645	5240.945	73.645	5240.945
8/12/09	15:19:03	85.75	0.382	10.755	73.606	5240.984	73.606	5240.984
8/12/09	15:19:18	86	0.394	10.770	73.578	5241.012	73.578	5241.012
8/12/09	15:19:33	86.25	0.410	10.888	73.541	5241.049	73.541	5241.049
8/12/09	15:19:48	86.5	0.431	10.979	73.494	5241.096	73.494	5241.096
8/12/09	15:20:03	86.75	0.439	11.030	73.473	5241.117	73.473	5241.117
8/12/09	15:20:18	87	0.440	11.072	73.473	5241.117	73.473	5241.117
8/12/09	15:20:33	87.25	0.442	11.098	73.468	5241.122	73.468	5241.122
8/12/09	15:20:48	87.5	0.441	11.113	73.471	5241.119	73.471	5241.119
8/12/09	15:21:03	87.75	0.440	11.128	73.471	5241.119	73.471	5241.119
8/12/09	15:21:18	88	0.441	11.146	73.471	5241.119	73.471	5241.119
8/12/09	15:21:33	88.25	0.441	11.154	73.469	5241.121	73.469	5241.121
8/12/09	15:21:48	88.5	0.441	11.164	73.470	5241.120	73.470	5241.120
8/12/09	15:22:03	88.75	0.442	11.169	73.467	5241.123	73.467	5241.123
8/12/09	15:22:18	89	0.442	11.177	73.468	5241.122	73.468	5241.122
8/12/09	15:22:33	89.25	0.441	11.180	73.470	5241.120	73.470	5241.120
8/12/09	15:22:48	89.5	0.440	11.184	73.472	5241.118	73.472	5241.118
8/12/09	15:23:03	89.75	0.441	11.189	73.470	5241.120	73.470	5241.120
8/12/09	15:23:18	90	0.442	11.196	73.468	5241.122	73.468	5241.122
8/12/09	15:23:33	90.25	0.442	11.195	73.468	5241.122	73.468	5241.122
8/12/09	15:23:48	90.5	0.442	11.198	73.468	5241.122	73.468	5241.122
8/12/09	15:24:03	90.75	0.442	11.199	73.468	5241.122	73.468	5241.122
8/12/09	15:24:18	91	0.442	11.198	73.468	5241.122	73.468	5241.122
8/12/09	15:24:33	91.25	0.443	11.201	73.466	5241.124	73.466	5241.124
8/12/09	15:24:48	91.5	0.442	11.200	73.468	5241.122	73.468	5241.122
8/12/09	15:25:03	91.75	0.443	11.201	73.465	5241.125	73.465	5241.125
8/12/09	15:25:18	92	0.443	11.202	73.464	5241.126	73.464	5241.126
8/12/09	15:25:33	92.25	0.444	11.203	73.462	5241.128	73.462	5241.128
8/12/09	15:25:48	92.5	0.443	11.201	73.465	5241.125	73.465	5241.125
8/12/09	15:26:03	92.75	0.443	11.199	73.466	5241.124	73.466	5241.124
8/12/09	15:26:18	93	0.442	11.200	73.468	5241.122	73.468	5241.122
8/12/09	15:26:33	93.25	0.443	11.202	73.466	5241.124	73.466	5241.124
8/12/09	15:26:48	93.5	0.441	11.201	73.469	5241.121	73.469	5241.121
8/12/09	15:27:03	93.75	0.442	11.198	73.468	5241.122	73.468	5241.122
8/12/09	15:27:18	94	0.441	11.197	73.469	5241.121	73.469	5241.121
8/12/09	15:27:33	94.25	0.441	11.197	73.470	5241.120	73.470	5241.120
8/12/09	15:27:48	94.5	0.442	11.197	73.468	5241.122	73.468	5241.122
8/12/09	15:28:03	94.75	0.441	11.197	73.471	5241.119	73.471	5241.119
8/12/09	15:28:18	95	0.442	11.195	73.467	5241.123	73.467	5241.123
8/12/09	15:28:33	95.25	0.442	11.194	73.468	5241.122	73.468	5241.122
8/12/09	15:28:48	95.5	0.442	11.195	73.466	5241.124	73.466	5241.124
8/12/09	15:29:03	95.75	0.443	11.195	73.466	5241.124	73.466	5241.124
8/12/09	15:29:18	96	0.442	11.194	73.467	5241.123	73.467	5241.123
8/12/09	15:29:33	96.25	0.442	11.196	73.467	5241.123	73.467	5241.123
8/12/09	15:29:48	96.5	0.442	11.192	73.468	5241.122	73.468	5241.122
8/12/09	15:30:03	96.75	0.443	11.194	73.465	5241.125	73.465	5241.125

**Appendix B-6. OMW-2 Water Level Data, Moore Ranch Supplemental Pump Testing**

Date	Time	Elapsed Time Minutes	SN#: 138089 PSI	SN#: 138089 Temp - C	SN#: 138089 DTW (ft btoc)	TOC Elev	Corrected DTW	Corrected Elev
						5314.590 GW Elevation		
8/12/09	15:30:18	97	0.443	11.192	73.465	5241.125	73.465	5241.125
8/12/09	15:30:33	97.25	0.444	11.193	73.464	5241.126	73.464	5241.126
8/12/09	15:30:48	97.5	0.443	11.193	73.465	5241.125	73.465	5241.125
8/12/09	15:31:03	97.75	0.443	11.193	73.465	5241.125	73.465	5241.125
8/12/09	15:31:18	98	0.443	11.193	73.465	5241.125	73.465	5241.125
8/12/09	15:31:33	98.25	0.442	11.194	73.467	5241.123	73.467	5241.123
8/12/09	15:31:48	98.5	0.443	11.194	73.466	5241.124	73.466	5241.124
8/12/09	15:32:03	98.75	0.443	11.193	73.465	5241.125	73.465	5241.125
8/12/09	15:32:18	99	0.442	11.190	73.466	5241.124	73.466	5241.124
8/12/09	15:32:33	99.25	0.443	11.191	73.466	5241.124	73.466	5241.124
8/12/09	15:32:48	99.5	0.442	11.191	73.468	5241.122	73.468	5241.122
8/12/09	15:33:03	99.75	0.443	11.194	73.466	5241.124	73.466	5241.124
8/12/09	15:33:18	100	0.443	11.191	73.464	5241.126	73.464	5241.126
8/12/09	15:33:33	100.25	0.444	11.191	73.462	5241.128	73.462	5241.128
8/12/09	15:33:48	100.5	0.445	11.191	73.460	5241.130	73.460	5241.130
8/12/09	15:34:03	100.75	0.444	11.190	73.463	5241.127	73.463	5241.127
8/12/09	15:34:18	101	0.444	11.190	73.464	5241.126	73.464	5241.126
8/12/09	15:34:33	101.25	0.444	11.191	73.463	5241.127	73.463	5241.127
8/12/09	15:34:48	101.5	0.444	11.186	73.462	5241.128	73.462	5241.128
8/12/09	15:35:03	101.75	0.444	11.188	73.463	5241.127	73.463	5241.127
8/12/09	15:35:18	102	0.442	11.189	73.468	5241.122	73.468	5241.122
8/12/09	15:35:33	102.25	0.442	11.187	73.467	5241.123	73.467	5241.123
8/12/09	15:35:48	102.5	0.443	11.188	73.466	5241.124	73.466	5241.124
8/12/09	15:36:03	102.75	0.444	11.188	73.463	5241.127	73.463	5241.127
8/12/09	15:36:18	103	0.443	11.188	73.466	5241.124	73.466	5241.124
8/12/09	15:36:33	103.25	0.442	11.188	73.467	5241.123	73.467	5241.123
8/12/09	15:36:48	103.5	0.443	11.186	73.465	5241.125	73.465	5241.125
8/12/09	15:37:03	103.75	0.444	11.186	73.464	5241.126	73.464	5241.126
8/12/09	15:37:18	104	0.443	11.186	73.466	5241.124	73.466	5241.124
8/12/09	15:37:33	104.25	0.444	11.185	73.463	5241.127	73.463	5241.127
8/12/09	15:37:48	104.5	0.442	11.186	73.467	5241.123	73.467	5241.123
8/12/09	15:38:03	104.75	0.443	11.184	73.465	5241.125	73.465	5241.125
8/12/09	15:38:18	105	0.444	11.185	73.464	5241.126	73.464	5241.126
8/12/09	15:38:33	105.25	0.445	11.185	73.460	5241.130	73.460	5241.130
8/12/09	15:38:48	105.5	0.440	11.184	73.472	5241.118	73.472	5241.118
8/12/09	15:39:03	105.75	0.441	11.185	73.470	5241.120	73.470	5241.120
8/12/09	15:39:18	106	0.443	11.179	73.466	5241.124	73.466	5241.124
8/12/09	15:39:33	106.25	0.444	11.192	73.462	5241.128	73.462	5241.128
8/12/09	15:39:48	106.5	0.444	11.186	73.464	5241.126	73.464	5241.126
8/12/09	15:40:03	106.75	0.443	11.186	73.464	5241.126	73.464	5241.126
8/12/09	15:40:18	107	0.443	11.183	73.466	5241.124	73.466	5241.124
8/12/09	15:40:33	107.25	0.444	11.190	73.463	5241.127	73.463	5241.127
8/12/09	15:40:48	107.5	0.442	11.191	73.467	5241.123	73.467	5241.123
8/12/09	15:41:03	107.75	0.444	11.193	73.464	5241.126	73.464	5241.126
8/12/09	15:41:18	108	0.443	11.196	73.466	5241.124	73.466	5241.124
8/12/09	15:44:59	0	0.448	11.165	73.447	5241.143	73.447	5241.143
8/12/09	15:49:59	300.001	0.445	11.129	73.454	5241.136	73.454	5241.136
8/12/09	15:54:59	600.001	0.445	11.089	73.455	5241.135	73.455	5241.135
8/12/09	15:59:59	900.001	0.447	11.055	73.450	5241.140	73.450	5241.140
8/12/09	16:04:59	1200.001	0.448	11.020	73.449	5241.141	73.449	5241.141
8/12/09	16:09:59	1500.001	0.447	10.982	73.450	5241.140	73.450	5241.140
8/12/09	16:14:59	1800.001	0.447	10.953	73.449	5241.141	73.449	5241.141
8/12/09	16:19:59	2100.001	0.450	10.929	73.443	5241.147	73.443	5241.147
8/12/09	16:24:59	2400.001	0.451	10.909	73.442	5241.148	73.442	5241.148

**Appendix B-6. OMW-2 Water Level Data, Moore Ranch Supplemental Pump Testing**

Date	Time	Elapsed Time Minutes	SN#: 138089 PSI	SN#: 138089 Temp - C	SN#: 138089 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5314.590 GW Elevation	DTW	Elev
8/12/09	16:29:59	2700.001	0.450	10.888	73.443	5241.147	73.443	5241.147
8/12/09	16:34:59	3000.001	0.449	10.865	73.446	5241.144	73.446	5241.144
8/12/09	16:39:59	3300.001	0.449	10.845	73.446	5241.144	73.446	5241.144
8/12/09	16:44:59	3600.001	0.451	10.823	73.442	5241.148	73.442	5241.148
8/12/09	16:49:59	3900.001	0.451	10.811	73.441	5241.149	73.441	5241.149
8/12/09	16:54:59	4200.001	0.453	10.787	73.436	5241.154	73.436	5241.154
8/12/09	16:59:59	4500.001	0.453	10.772	73.437	5241.153	73.437	5241.153
8/12/09	17:04:59	4800.001	0.453	10.760	73.437	5241.153	73.437	5241.153
8/12/09	17:09:59	5100.001	0.455	10.746	73.432	5241.158	73.432	5241.158
8/12/09	17:14:59	5400.001	0.454	10.728	73.435	5241.155	73.435	5241.155
8/12/09	17:19:59	5700.001	0.456	10.715	73.428	5241.162	73.428	5241.162
8/12/09	17:24:59	6000.001	0.456	10.707	73.429	5241.161	73.429	5241.161
8/12/09	17:29:59	6300.001	0.457	10.697	73.427	5241.163	73.427	5241.163
8/12/09	17:34:59	6600.001	0.456	10.687	73.429	5241.161	73.429	5241.161
8/12/09	17:39:59	6900.001	0.459	10.678	73.422	5241.168	73.422	5241.168
8/12/09	17:44:59	7200.001	0.458	10.671	73.424	5241.166	73.424	5241.166
8/12/09	17:49:59	7500.001	0.461	10.660	73.419	5241.171	73.419	5241.171
8/12/09	17:54:59	7800.001	0.460	10.655	73.420	5241.170	73.420	5241.170
8/12/09	17:59:59	8100.001	0.461	10.644	73.418	5241.172	73.418	5241.172
8/12/09	18:04:59	8400.001	0.462	10.637	73.416	5241.174	73.416	5241.174
8/12/09	18:09:59	8700.001	0.461	10.630	73.419	5241.171	73.419	5241.171
8/12/09	18:14:59	9000.001	0.462	10.625	73.415	5241.175	73.415	5241.175
8/12/09	18:19:59	9300.001	0.464	10.618	73.412	5241.178	73.412	5241.178
8/12/09	18:24:59	9600.001	0.463	10.612	73.413	5241.177	73.413	5241.177
8/12/09	18:29:59	9900.001	0.462	10.605	73.416	5241.174	73.416	5241.174
8/12/09	18:34:59	10200.001	0.463	10.596	73.414	5241.176	73.414	5241.176
8/12/09	18:39:59	10500.001	0.465	10.589	73.410	5241.180	73.410	5241.180
8/12/09	18:44:59	10800.001	0.465	10.583	73.408	5241.182	73.408	5241.182
8/12/09	18:49:59	11100.001	0.466	10.577	73.406	5241.184	73.406	5241.184
8/12/09	18:54:59	11400.001	0.466	10.572	73.406	5241.184	73.406	5241.184
8/12/09	18:59:59	11700.001	0.466	10.565	73.406	5241.184	73.406	5241.184
8/12/09	19:04:59	12000.001	0.467	10.559	73.403	5241.187	73.403	5241.187
8/12/09	19:09:59	12300.001	0.469	10.559	73.400	5241.190	73.400	5241.190
8/12/09	19:14:59	12600.001	0.469	10.549	73.401	5241.189	73.401	5241.189
8/12/09	19:19:59	12900.001	0.468	10.546	73.401	5241.189	73.401	5241.189
8/12/09	19:24:59	13200.001	0.470	10.545	73.397	5241.193	73.397	5241.193
8/12/09	19:29:59	13500.001	0.469	10.538	73.400	5241.190	73.400	5241.190
8/12/09	19:34:59	13800.001	0.471	10.533	73.395	5241.195	73.395	5241.195
8/12/09	19:39:59	14100.001	0.472	10.532	73.394	5241.196	73.394	5241.196
8/12/09	19:44:59	14400.001	0.471	10.525	73.395	5241.195	73.395	5241.195
8/12/09	19:49:59	14700.001	0.472	10.519	73.393	5241.197	73.393	5241.197
8/12/09	19:54:59	15000.001	0.471	10.515	73.395	5241.195	73.395	5241.195
8/12/09	19:59:59	15300.001	0.475	10.511	73.387	5241.203	73.387	5241.203
8/12/09	20:04:59	15600.001	0.473	10.509	73.389	5241.201	73.389	5241.201
8/12/09	20:09:59	15900.001	0.475	10.501	73.387	5241.203	73.387	5241.203
8/12/09	20:14:59	16200.001	0.475	10.500	73.386	5241.204	73.386	5241.204
8/12/09	20:19:59	16500.001	0.475	10.496	73.385	5241.205	73.385	5241.205
8/12/09	20:24:59	16800.001	0.476	10.492	73.384	5241.206	73.384	5241.206
8/12/09	20:29:59	17100.001	0.475	10.488	73.386	5241.204	73.386	5241.204
8/12/09	20:34:59	17400.001	0.477	10.486	73.381	5241.209	73.381	5241.209
8/12/09	20:39:59	17700.001	0.477	10.481	73.382	5241.208	73.382	5241.208
8/12/09	20:44:59	18000.001	0.478	10.479	73.378	5241.212	73.378	5241.212
8/12/09	20:49:59	18300.001	0.478	10.473	73.378	5241.212	73.378	5241.212
8/12/09	20:54:59	18600.001	0.479	10.473	73.378	5241.212	73.378	5241.212

**Appendix B-6. OMW-2 Water Level Data, Moore Ranch Supplemental Pump Testing**

Date	Time	Elapsed Time Minutes	SN#: 138089 PSI	SN#: 138089 Temp - C	SN#: 138089 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5314.590 GW Elevation	DTW	Elev
8/12/09	20:59:59	18900.001	0.478	10.472	73.379	5241.211	73.379	5241.211
8/12/09	21:04:59	19200.001	0.480	10.469	73.374	5241.216	73.374	5241.216
8/12/09	21:09:59	19500.001	0.480	10.465	73.374	5241.216	73.374	5241.216
8/12/09	21:14:59	19800.001	0.481	10.466	73.371	5241.219	73.371	5241.219
8/12/09	21:19:59	20100.001	0.480	10.457	73.374	5241.216	73.374	5241.216
8/12/09	21:24:59	20400.001	0.481	10.455	73.372	5241.218	73.372	5241.218
8/12/09	21:29:59	20700.001	0.483	10.452	73.367	5241.223	73.367	5241.223
8/12/09	21:34:59	21000.001	0.482	10.450	73.369	5241.221	73.369	5241.221
8/12/09	21:39:59	21300.001	0.484	10.450	73.366	5241.224	73.366	5241.224
8/12/09	21:44:59	21600.001	0.484	10.446	73.365	5241.225	73.365	5241.225
8/12/09	21:49:59	21900.001	0.483	10.442	73.367	5241.223	73.367	5241.223
8/12/09	21:54:59	22200.001	0.483	10.440	73.366	5241.224	73.366	5241.224
8/12/09	21:59:59	22500.001	0.485	10.439	73.363	5241.227	73.363	5241.227
8/12/09	22:04:59	22800.001	0.485	10.434	73.364	5241.226	73.364	5241.226
8/12/09	22:09:59	23100.001	0.485	10.431	73.362	5241.228	73.362	5241.228
8/12/09	22:14:59	23400.001	0.485	10.429	73.363	5241.227	73.363	5241.227
8/12/09	22:19:59	23700.001	0.485	10.426	73.362	5241.228	73.362	5241.228
8/12/09	22:24:59	24000.001	0.486	10.423	73.359	5241.231	73.359	5241.231
8/12/09	22:29:59	24300.001	0.486	10.419	73.361	5241.229	73.361	5241.229
8/12/09	22:34:59	24600.001	0.487	10.420	73.358	5241.232	73.358	5241.232
8/12/09	22:39:59	24900.001	0.488	10.415	73.356	5241.234	73.356	5241.234
8/12/09	22:44:59	25200.001	0.488	10.414	73.355	5241.235	73.355	5241.235
8/12/09	22:49:59	25500.001	0.489	10.410	73.353	5241.237	73.353	5241.237
8/12/09	22:54:59	25800.001	0.489	10.407	73.352	5241.238	73.352	5241.238
8/12/09	22:59:59	26100.001	0.490	10.407	73.351	5241.239	73.351	5241.239
8/12/09	23:04:59	26400.001	0.491	10.404	73.350	5241.240	73.350	5241.240
8/12/09	23:09:59	26700.001	0.490	10.403	73.350	5241.240	73.350	5241.240
8/12/09	23:14:59	27000.001	0.491	10.398	73.348	5241.242	73.348	5241.242
8/12/09	23:19:59	27300.001	0.492	10.395	73.345	5241.245	73.345	5241.245
8/12/09	23:24:59	27600.001	0.493	10.393	73.344	5241.246	73.344	5241.246
8/12/09	23:29:59	27900.001	0.493	10.390	73.344	5241.246	73.344	5241.246
8/12/09	23:34:59	28200.001	0.493	10.388	73.344	5241.246	73.344	5241.246
8/12/09	23:39:59	28500.001	0.495	10.388	73.340	5241.250	73.340	5241.250
8/12/09	23:44:59	28800.001	0.495	10.386	73.339	5241.251	73.339	5241.251
8/12/09	23:49:59	29100.001	0.495	10.383	73.339	5241.251	73.339	5241.251
8/12/09	23:54:59	29400.001	0.495	10.381	73.340	5241.250	73.340	5241.250
8/12/09	23:59:59	29700.001	0.495	10.380	73.339	5241.251	73.339	5241.251
8/13/09	0:04:59	30000.001	0.496	10.375	73.337	5241.253	73.337	5241.253
8/13/09	0:09:59	30300.001	0.498	10.375	73.333	5241.257	73.333	5241.257
8/13/09	0:14:59	30600.001	0.497	10.374	73.335	5241.255	73.335	5241.255
8/13/09	0:19:59	30900.001	0.497	10.370	73.336	5241.254	73.336	5241.254
8/13/09	0:24:59	31200.001	0.498	10.369	73.331	5241.259	73.331	5241.259
8/13/09	0:29:59	31500.001	0.497	10.366	73.336	5241.254	73.336	5241.254
8/13/09	0:34:59	31800.001	0.498	10.366	73.332	5241.258	73.332	5241.258
8/13/09	0:39:59	32100.001	0.499	10.364	73.330	5241.260	73.330	5241.260
8/13/09	0:44:59	32400.001	0.500	10.361	73.329	5241.261	73.329	5241.261
8/13/09	0:49:59	32700.001	0.500	10.358	73.328	5241.262	73.328	5241.262
8/13/09	0:54:59	33000.001	0.501	10.358	73.327	5241.263	73.327	5241.263
8/13/09	0:59:59	33300.001	0.502	10.358	73.322	5241.268	73.322	5241.268
8/13/09	1:04:59	33600.001	0.501	10.357	73.325	5241.265	73.325	5241.265
8/13/09	1:09:59	33900.001	0.502	10.355	73.323	5241.267	73.323	5241.267
8/13/09	1:14:59	34200.001	0.502	10.351	73.323	5241.267	73.323	5241.267
8/13/09	1:19:59	34500.001	0.503	10.351	73.322	5241.268	73.322	5241.268
8/13/09	1:24:59	34800.001	0.503	10.349	73.320	5241.270	73.320	5241.270

**Appendix B-6. OMW-2 Water Level Data, Moore Ranch Supplemental Pump Testing**

Date	Time	Elapsed Time Minutes	SN#: 138089 PSI	SN#: 138089 Temp - C	SN#: 138089 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5314.590 GW Elevation	DTW	Elev
8/13/09	1:29:59	35100.001	0.504	10.346	73.318	5241.272	73.318	5241.272
8/13/09	1:34:59	35400.001	0.504	10.346	73.319	5241.271	73.319	5241.271
8/13/09	1:39:59	35700.001	0.505	10.345	73.317	5241.273	73.317	5241.273
8/13/09	1:44:59	36000.001	0.505	10.341	73.318	5241.272	73.318	5241.272
8/13/09	1:49:59	36300.001	0.507	10.341	73.312	5241.278	73.312	5241.278
8/13/09	1:54:59	36600.001	0.504	10.340	73.318	5241.272	73.318	5241.272
8/13/09	1:59:59	36900.001	0.506	10.336	73.313	5241.277	73.313	5241.277
8/13/09	2:04:59	37200.001	0.506	10.337	73.314	5241.276	73.314	5241.276
8/13/09	2:09:59	37500.001	0.508	10.335	73.310	5241.280	73.310	5241.280
8/13/09	2:14:59	37800.001	0.508	10.333	73.310	5241.280	73.310	5241.280
8/13/09	2:19:59	38100.001	0.507	10.332	73.311	5241.279	73.311	5241.279
8/13/09	2:24:59	38400.001	0.510	10.333	73.305	5241.285	73.305	5241.285
8/13/09	2:29:59	38700.001	0.510	10.329	73.304	5241.286	73.304	5241.286
8/13/09	2:34:59	39000.001	0.509	10.327	73.306	5241.284	73.306	5241.284
8/13/09	2:39:59	39300.001	0.510	10.327	73.306	5241.284	73.306	5241.284
8/13/09	2:44:59	39600.001	0.510	10.326	73.304	5241.286	73.304	5241.286
8/13/09	2:49:59	39900.001	0.512	10.325	73.301	5241.289	73.301	5241.289
8/13/09	2:54:59	40200.001	0.512	10.323	73.301	5241.289	73.301	5241.289
8/13/09	2:59:59	40500.001	0.513	10.322	73.299	5241.291	73.299	5241.291
8/13/09	3:04:59	40800.001	0.512	10.320	73.301	5241.289	73.301	5241.289
8/13/09	3:09:59	41100.001	0.513	10.317	73.297	5241.293	73.297	5241.293
8/13/09	3:14:59	41400.001	0.514	10.319	73.295	5241.295	73.295	5241.295
8/13/09	3:19:59	41700.001	0.515	10.318	73.294	5241.296	73.294	5241.296
8/13/09	3:24:59	42000.001	0.514	10.317	73.296	5241.294	73.296	5241.294
8/13/09	3:29:59	42300.001	0.515	10.315	73.294	5241.296	73.294	5241.296
8/13/09	3:34:59	42600.001	0.516	10.314	73.292	5241.298	73.292	5241.298
8/13/09	3:39:59	42900.001	0.517	10.313	73.289	5241.301	73.289	5241.301
8/13/09	3:44:59	43200.001	0.515	10.312	73.292	5241.298	73.292	5241.298
8/13/09	3:49:59	43500.001	0.517	10.313	73.289	5241.301	73.289	5241.301
8/13/09	3:54:59	43800.001	0.518	10.311	73.287	5241.303	73.287	5241.303
8/13/09	3:59:59	44100.001	0.518	10.311	73.286	5241.304	73.286	5241.304
8/13/09	4:04:59	44400.001	0.518	10.309	73.287	5241.303	73.287	5241.303
8/13/09	4:09:59	44700.001	0.519	10.306	73.283	5241.307	73.283	5241.307
8/13/09	4:14:59	45000.001	0.519	10.308	73.284	5241.306	73.284	5241.306
8/13/09	4:19:59	45300.001	0.520	10.306	73.283	5241.307	73.283	5241.307
8/13/09	4:24:59	45600.001	0.520	10.304	73.281	5241.309	73.281	5241.309
8/13/09	4:29:59	45900.001	0.520	10.304	73.282	5241.308	73.282	5241.308
8/13/09	4:34:59	46200.001	0.521	10.303	73.280	5241.310	73.280	5241.310
8/13/09	4:39:59	46500.001	0.522	10.303	73.278	5241.312	73.278	5241.312
8/13/09	4:44:59	46800.001	0.522	10.298	73.277	5241.313	73.277	5241.313
8/13/09	4:49:59	47100.001	0.522	10.300	73.277	5241.313	73.277	5241.313
8/13/09	4:54:59	47400.001	0.522	10.299	73.278	5241.312	73.278	5241.312
8/13/09	4:59:59	47700.001	0.523	10.296	73.275	5241.315	73.275	5241.315
8/13/09	5:04:59	48000.001	0.524	10.294	73.272	5241.318	73.272	5241.318
8/13/09	5:09:59	48300.001	0.524	10.297	73.273	5241.317	73.273	5241.317
8/13/09	5:14:59	48600.001	0.526	10.295	73.269	5241.321	73.269	5241.321
8/13/09	5:19:59	48900.001	0.526	10.293	73.269	5241.321	73.269	5241.321
8/13/09	5:24:59	49200.001	0.526	10.292	73.267	5241.323	73.267	5241.323
8/13/09	5:29:59	49500.001	0.527	10.291	73.266	5241.324	73.266	5241.324
8/13/09	5:34:59	49800.001	0.527	10.293	73.266	5241.324	73.266	5241.324
8/13/09	5:39:59	50100.001	0.528	10.291	73.262	5241.328	73.262	5241.328
8/13/09	5:44:59	50400.001	0.527	10.288	73.265	5241.325	73.265	5241.325
8/13/09	5:49:59	50700.001	0.528	10.289	73.263	5241.327	73.263	5241.327
8/13/09	5:54:59	51000.001	0.529	10.287	73.262	5241.328	73.262	5241.328

**Appendix B-6. OMW-2 Water Level Data, Moore Ranch Supplemental Pump Testing**

Date	Time	Elapsed Time Minutes	SN#: 13808 PSI	SN#: 13808 Temp - C	SN#: 138089 DTW (ft btoc)	TOC Elev	Corrected DTW	Corrected Elev
						5314.590 GW Elevation		
8/13/09	5:59:59	51300.001	0.530	10.284	73.260	5241.330	73.260	5241.330
8/13/09	6:04:59	51600.001	0.528	10.285	73.262	5241.328	73.262	5241.328
8/13/09	6:09:59	51900.001	0.531	10.284	73.257	5241.333	73.257	5241.333
8/13/09	6:14:59	52200.001	0.532	10.283	73.254	5241.336	73.254	5241.336
8/13/09	6:19:59	52500.001	0.530	10.281	73.258	5241.332	73.258	5241.332
8/13/09	6:24:59	52800.001	0.532	10.281	73.255	5241.335	73.255	5241.335
8/13/09	6:29:59	53100.001	0.531	10.280	73.256	5241.334	73.256	5241.334
8/13/09	6:34:59	53400.001	0.532	10.280	73.255	5241.335	73.255	5241.335
8/13/09	6:39:59	53700.001	0.533	10.279	73.251	5241.339	73.251	5241.339
8/13/09	6:44:59	54000.001	0.532	10.277	73.253	5241.337	73.253	5241.337
8/13/09	6:49:59	54300.001	0.532	10.275	73.254	5241.336	73.254	5241.336
8/13/09	6:54:59	54600.001	0.533	10.276	73.251	5241.339	73.251	5241.339
8/13/09	6:59:59	54900.001	0.535	10.274	73.247	5241.343	73.247	5241.343
8/13/09	7:04:59	55200.001	0.535	10.275	73.247	5241.343	73.247	5241.343
8/13/09	7:09:59	55500.001	0.535	10.276	73.247	5241.343	73.247	5241.343
8/13/09	7:14:59	55800.001	0.535	10.271	73.248	5241.342	73.248	5241.342
8/13/09	7:19:59	56100.001	0.536	10.272	73.246	5241.344	73.246	5241.344
8/13/09	7:24:59	56400.001	0.537	10.271	73.244	5241.346	73.244	5241.346
8/13/09	7:29:59	56700.001	0.534	10.271	73.248	5241.342	73.248	5241.342
8/13/09	7:34:59	57000.001	0.537	10.270	73.243	5241.347	73.243	5241.347
8/13/09	7:39:59	57300.001	0.537	10.269	73.243	5241.347	73.243	5241.347
8/13/09	7:44:59	57600.001	0.537	10.268	73.241	5241.349	73.241	5241.349
8/13/09	7:49:59	57900.001	0.538	10.267	73.240	5241.350	73.240	5241.350
8/13/09	7:54:59	58200.001	0.536	10.265	73.244	5241.346	73.244	5241.346
8/13/09	7:59:59	58500.001	0.539	10.266	73.238	5241.352	73.238	5241.352
8/13/09	8:04:59	58800.001	0.541	10.265	73.234	5241.356	73.234	5241.356
8/13/09	8:09:59	59100.001	0.540	10.265	73.236	5241.354	73.236	5241.354
8/13/09	8:14:59	59400.001	0.541	10.263	73.233	5241.357	73.233	5241.357
8/13/09	8:19:59	59700.001	0.540	10.264	73.236	5241.354	73.236	5241.354
8/13/09	8:24:59	60000.001	0.542	10.262	73.232	5241.358	73.232	5241.358
8/13/09	8:29:59	60300.001	0.542	10.259	73.232	5241.358	73.232	5241.358
8/13/09	8:34:59	60600.001	0.542	10.258	73.231	5241.359	73.231	5241.359
8/13/09	8:39:59	60900.001	0.543	10.261	73.229	5241.361	73.229	5241.361
8/13/09	8:44:59	61200.001	0.546	10.259	73.223	5241.367	73.223	5241.367
8/13/09	8:49:59	61500.001	0.543	10.257	73.229	5241.361	73.229	5241.361
8/13/09	8:54:59	61800.001	0.544	10.259	73.226	5241.364	73.226	5241.364
8/13/09	8:59:59	62100.001	0.543	10.255	73.229	5241.361	73.229	5241.361
8/13/09	9:04:59	62400.001	0.545	10.255	73.224	5241.366	73.224	5241.366
8/13/09	9:09:59	62700.001	0.545	10.255	73.225	5241.365	73.225	5241.365
8/13/09	9:14:59	63000.001	0.546	10.255	73.222	5241.368	73.222	5241.368
8/13/09	9:19:59	63300.001	0.547	10.254	73.219	5241.371	73.219	5241.371
8/13/09	9:24:59	63600.001	0.546	10.253	73.223	5241.367	73.223	5241.367
8/13/09	9:29:59	63900.001	0.547	10.256	73.220	5241.370	73.220	5241.370
8/13/09	9:34:59	64200.001	0.547	10.253	73.219	5241.371	73.219	5241.371
8/13/09	9:39:59	64500.001	0.547	10.250	73.219	5241.371	73.219	5241.371
8/13/09	9:44:59	64800.001	0.548	10.253	73.218	5241.372	73.218	5241.372
8/13/09	9:49:59	65100.001	0.548	10.251	73.217	5241.373	73.217	5241.373
8/13/09	9:54:59	65400.001	0.549	10.248	73.214	5241.376	73.214	5241.376
8/13/09	9:59:59	65700.001	0.550	10.248	73.213	5241.377	73.213	5241.377
8/13/09	10:04:59	66000.001	0.548	10.252	73.216	5241.374	73.216	5241.374
8/13/09	10:09:59	66300.001	0.547	10.274	73.220	5241.370	73.220	5241.370
8/13/09	10:14:59	66600.001	0.530	10.243	73.260	5241.330	73.260	5241.330
8/13/09	10:19:59	66900.001	0.529	10.233	73.261	5241.329	73.261	5241.329
8/13/09	10:24:59	67200.001	0.532	10.237	73.255	5241.335	73.255	5241.335

**Appendix B-6. OMW-2 Water Level Data, Moore Ranch Supplemental Pump Testing**

Date	Time	Elapsed Time Minutes	SN#: 13808 PSI	SN#: 13808 Temp - C	SN#: 138089 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5314.590 GW Elevation	DTW	Elev
8/13/09	10:29:59	67500.001	0.531	10.235	73.257	5241.333	73.257	5241.333
8/13/09	10:34:59	67800.001	0.530	10.238	73.258	5241.332	73.258	5241.332
8/13/09	10:39:59	68100.001	0.531	10.232	73.256	5241.334	73.256	5241.334
8/13/09	10:44:59	68400.001	0.532	10.235	73.254	5241.336	73.254	5241.336
8/13/09	10:49:59	68700.001	0.533	10.235	73.252	5241.338	73.252	5241.338
8/13/09	10:54:59	69000.001	0.533	10.234	73.252	5241.338	73.252	5241.338
8/13/09	10:59:59	69300.001	0.534	10.234	73.251	5241.339	73.251	5241.339
8/13/09	11:04:59	69600.001	0.533	10.231	73.251	5241.339	73.251	5241.339
8/13/09	11:09:59	69900.001	0.533	10.233	73.252	5241.338	73.252	5241.338
8/13/09	11:14:59	70200.001	0.536	10.231	73.246	5241.344	73.246	5241.344
8/13/09	11:19:59	70500.001	0.535	10.233	73.246	5241.344	73.246	5241.344
8/13/09	11:24:59	70800.001	0.535	10.233	73.248	5241.342	73.248	5241.342
8/13/09	11:29:59	71100.001	0.535	10.231	73.247	5241.343	73.247	5241.343
8/13/09	11:34:59	71400.001	0.535	10.232	73.247	5241.343	73.247	5241.343
8/13/09	11:39:59	71700.001	0.538	10.232	73.240	5241.350	73.240	5241.350
8/13/09	11:44:59	72000.001	0.537	10.230	73.243	5241.347	73.243	5241.347
8/13/09	11:49:59	72300.001	0.539	10.230	73.239	5241.351	73.239	5241.351
8/13/09	11:54:59	72600.001	0.539	10.229	73.239	5241.351	73.239	5241.351
8/13/09	11:59:59	72900.001	0.539	10.227	73.237	5241.353	73.237	5241.353
8/13/09	12:04:59	73200.001	0.541	10.228	73.233	5241.357	73.233	5241.357
8/13/09	12:09:59	73500.001	0.541	10.227	73.234	5241.356	73.234	5241.356
8/13/09	12:14:59	73800.001	0.541	10.228	73.233	5241.357	73.233	5241.357
8/13/09	12:19:59	74100.001	0.542	10.227	73.230	5241.360	73.230	5241.360
8/13/09	12:24:59	74400.001	0.541	10.227	73.233	5241.357	73.233	5241.357
8/13/09	12:29:59	74700.001	0.542	10.228	73.230	5241.360	73.230	5241.360
8/13/09	12:34:59	75000.001	0.544	10.225	73.227	5241.363	73.227	5241.363
8/13/09	12:39:59	75300.001	0.544	10.226	73.227	5241.363	73.227	5241.363
8/13/09	12:44:59	75600.001	0.543	10.227	73.229	5241.361	73.229	5241.361
8/13/09	12:49:59	75900.001	0.545	10.222	73.225	5241.365	73.225	5241.365
8/13/09	12:54:59	76200.001	0.545	10.225	73.223	5241.367	73.223	5241.367
8/13/09	12:59:59	76500.001	0.546	10.224	73.222	5241.368	73.222	5241.368
8/13/09	13:04:59	76800.001	0.546	10.223	73.223	5241.367	73.223	5241.367
8/13/09	13:09:59	77100.001	0.546	10.225	73.222	5241.368	73.222	5241.368
8/13/09	13:14:59	77400.001	0.544	10.226	73.227	5241.363	73.227	5241.363
8/13/09	13:19:59	77700.001	0.547	10.224	73.220	5241.370	73.220	5241.370
8/13/09	13:24:59	78000.001	0.548	10.223	73.216	5241.374	73.216	5241.374
8/13/09	13:29:59	78300.001	0.549	10.224	73.215	5241.375	73.215	5241.375
8/13/09	13:34:59	78600.001	0.549	10.222	73.214	5241.376	73.214	5241.376
8/13/09	13:39:59	78900.001	0.550	10.222	73.213	5241.377	73.213	5241.377
8/13/09	13:44:59	79200.001	0.549	10.224	73.214	5241.376	73.214	5241.376
8/13/09	13:49:59	79500.001	0.549	10.220	73.215	5241.375	73.215	5241.375
8/13/09	13:54:59	79800.001	0.551	10.224	73.211	5241.379	73.211	5241.379
8/13/09	13:59:59	80100.001	0.549	10.221	73.214	5241.376	73.214	5241.376
8/13/09	14:04:59	80400.001	0.551	10.223	73.210	5241.380	73.210	5241.380
8/13/09	14:09:59	80700.001	0.552	10.220	73.207	5241.383	73.207	5241.383
8/13/09	14:14:59	81000.001	0.553	10.221	73.206	5241.384	73.206	5241.384
8/13/09	14:19:59	81300.001	0.554	10.218	73.204	5241.386	73.204	5241.386
8/13/09	14:24:59	81600.001	0.553	10.222	73.205	5241.385	73.205	5241.385
8/13/09	14:29:59	81900.001	0.553	10.222	73.206	5241.384	73.206	5241.384
8/13/09	14:34:59	82200.001	0.553	10.219	73.206	5241.384	73.206	5241.384
8/13/09	14:39:59	82500.001	0.554	10.219	73.203	5241.387	73.203	5241.387
8/13/09	14:44:59	82800.001	0.554	10.220	73.202	5241.388	73.202	5241.388
8/13/09	14:49:59	83100.001	0.557	10.216	73.195	5241.395	73.195	5241.395
8/13/09	14:54:59	83400.001	0.555	10.217	73.201	5241.389	73.201	5241.389

**Appendix B-6. OMW-2 Water Level Data, Moore Ranch Supplemental Pump Testing**

Date	Time	Elapsed Time Minutes	SN#: 13808 PSI	SN#: 13808 Temp - C	SN#: 138089 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5314.590 GW Elevation	DTW	Elev
8/13/09	14:59:59	83700.001	0.555	10.219	73.201	5241.389	73.201	5241.389
8/13/09	15:04:59	84000.001	0.558	10.217	73.194	5241.396	73.194	5241.396
8/13/09	15:09:59	84300.001	0.558	10.217	73.195	5241.395	73.195	5241.395
8/13/09	15:14:59	84600.001	0.559	10.216	73.191	5241.399	73.191	5241.399
8/13/09	15:19:59	84900.001	0.557	10.215	73.195	5241.395	73.195	5241.395
8/13/09	15:24:59	85200.001	0.558	10.217	73.194	5241.396	73.194	5241.396
8/13/09	15:29:59	85500.001	0.560	10.216	73.189	5241.401	73.189	5241.401
8/13/09	15:34:59	85800.001	0.560	10.217	73.189	5241.401	73.189	5241.401
8/13/09	15:39:59	86100.001	0.562	10.214	73.185	5241.405	73.185	5241.405
8/13/09	15:44:59	86400.001	0.561	10.211	73.186	5241.404	73.186	5241.404
8/13/09	15:49:59	86700.001	0.562	10.213	73.185	5241.405	73.185	5241.405
8/13/09	15:54:59	87000.001	0.563	10.214	73.182	5241.408	73.182	5241.408
8/13/09	15:59:59	87300.001	0.562	10.214	73.186	5241.404	73.186	5241.404
8/13/09	16:04:59	87600.001	0.564	10.213	73.181	5241.409	73.181	5241.409
8/13/09	16:09:59	87900.001	0.563	10.212	73.182	5241.408	73.182	5241.408
8/13/09	16:14:59	88200.001	0.565	10.211	73.179	5241.411	73.179	5241.411
8/13/09	16:19:59	88500.001	0.566	10.212	73.175	5241.415	73.175	5241.415
8/13/09	16:24:59	88800.001	0.567	10.213	73.173	5241.417	73.173	5241.417
8/13/09	16:29:59	89100.001	0.565	10.211	73.177	5241.413	73.177	5241.413
8/13/09	16:34:59	89400.001	0.567	10.209	73.173	5241.417	73.173	5241.417
8/13/09	16:39:59	89700.001	0.567	10.214	73.174	5241.416	73.174	5241.416
8/13/09	16:44:59	90000.001	0.567	10.212	73.172	5241.418	73.172	5241.418
8/13/09	16:49:59	90300.001	0.568	10.210	73.170	5241.420	73.170	5241.420
8/13/09	16:54:59	90600.001	0.569	10.207	73.169	5241.421	73.169	5241.421
8/13/09	16:59:59	90900.001	0.571	10.208	73.165	5241.425	73.165	5241.425
8/13/09	17:04:59	91200.001	0.570	10.208	73.167	5241.423	73.167	5241.423
8/13/09	17:09:59	91500.001	0.569	10.209	73.168	5241.422	73.168	5241.422
8/13/09	17:14:59	91800.001	0.572	10.207	73.162	5241.428	73.162	5241.428
8/13/09	17:19:59	92100.001	0.571	10.207	73.164	5241.426	73.164	5241.426
8/13/09	17:24:59	92400.001	0.572	10.206	73.162	5241.428	73.162	5241.428
8/13/09	17:29:59	92700.001	0.573	10.208	73.159	5241.431	73.159	5241.431
8/13/09	17:34:59	93000.001	0.573	10.205	73.159	5241.431	73.159	5241.431
8/13/09	17:39:59	93300.001	0.574	10.209	73.157	5241.433	73.157	5241.433
8/13/09	17:44:59	93600.001	0.575	10.205	73.156	5241.434	73.156	5241.434
8/13/09	17:49:59	93900.001	0.573	10.207	73.159	5241.431	73.159	5241.431
8/13/09	17:54:59	94200.001	0.574	10.207	73.158	5241.432	73.158	5241.432
8/13/09	17:59:59	94500.001	0.576	10.205	73.152	5241.438	73.152	5241.438
8/13/09	18:04:59	94800.001	0.578	10.205	73.149	5241.441	73.149	5241.441
8/13/09	18:09:59	95100.001	0.577	10.205	73.150	5241.440	73.150	5241.440
8/13/09	18:14:59	95400.001	0.577	10.203	73.151	5241.439	73.151	5241.439
8/13/09	18:19:59	95700.001	0.578	10.203	73.148	5241.442	73.148	5241.442
8/13/09	18:24:59	96000.001	0.579	10.203	73.145	5241.445	73.145	5241.445
8/13/09	18:29:59	96300.001	0.580	10.204	73.144	5241.446	73.144	5241.446
8/13/09	18:34:59	96600.001	0.581	10.202	73.141	5241.449	73.141	5241.449
8/13/09	18:39:59	96900.001	0.582	10.204	73.139	5241.451	73.139	5241.451
8/13/09	18:44:59	97200.001	0.582	10.200	73.139	5241.451	73.139	5241.451
8/13/09	18:49:59	97500.001	0.583	10.203	73.137	5241.453	73.137	5241.453
8/13/09	18:54:59	97800.001	0.582	10.200	73.138	5241.452	73.138	5241.452
8/13/09	18:59:59	98100.001	0.583	10.202	73.136	5241.454	73.136	5241.454
8/13/09	19:04:59	98400.001	0.584	10.201	73.135	5241.455	73.135	5241.455
8/13/09	19:09:59	98700.001	0.585	10.203	73.133	5241.457	73.133	5241.457
8/13/09	19:14:59	99000.001	0.585	10.201	73.131	5241.459	73.131	5241.459
8/13/09	19:19:59	99300.001	0.585	10.201	73.132	5241.458	73.132	5241.458
8/13/09	19:24:59	99600.001	0.587	10.199	73.127	5241.463	73.127	5241.463



**Appendix B-6. OMW-2 Water Level Data, Moore Ranch Supplemental Pump Testing**

Date	Time	Elapsed Time Minutes	SN#: 138089 PSI	SN#: 138089 Temp - C	SN#: 138089 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5314.590 GW Elevation	DTW	Elev
8/13/09	19:29:59	99900.001	0.588	10.203	73.125	5241.465	73.125	5241.465
8/13/09	19:34:59	100200.001	0.588	10.203	73.126	5241.464	73.126	5241.464
8/13/09	19:39:59	100500.001	0.588	10.201	73.125	5241.465	73.125	5241.465
8/13/09	19:44:59	100800.001	0.588	10.198	73.124	5241.466	73.124	5241.466
8/13/09	19:49:59	101100.001	0.589	10.203	73.122	5241.468	73.122	5241.468
8/13/09	19:54:59	101400.001	0.591	10.201	73.118	5241.472	73.118	5241.472
8/13/09	19:59:59	101700.001	0.590	10.200	73.120	5241.470	73.120	5241.470
8/13/09	20:04:59	102000.001	0.590	10.201	73.119	5241.471	73.119	5241.471
8/13/09	20:09:59	102300.001	0.592	10.198	73.115	5241.475	73.115	5241.475
8/13/09	20:14:59	102600.001	0.591	10.198	73.118	5241.472	73.118	5241.472
8/13/09	20:19:59	102900.001	0.592	10.202	73.116	5241.474	73.116	5241.474
8/13/09	20:24:59	103200.001	0.593	10.196	73.114	5241.476	73.114	5241.476
8/13/09	20:29:59	103500.001	0.594	10.197	73.111	5241.479	73.111	5241.479
8/13/09	20:34:59	103800.001	0.594	10.201	73.111	5241.479	73.111	5241.479
8/13/09	20:39:59	104100.001	0.595	10.197	73.109	5241.481	73.109	5241.481
8/13/09	20:44:59	104400.001	0.595	10.197	73.109	5241.481	73.109	5241.481
8/13/09	20:49:59	104700.001	0.596	10.196	73.107	5241.483	73.107	5241.483
8/13/09	20:54:59	105000.001	0.597	10.196	73.105	5241.485	73.105	5241.485
8/13/09	20:59:59	105300.001	0.597	10.197	73.103	5241.487	73.103	5241.487
8/13/09	21:04:59	105600.001	0.597	10.196	73.104	5241.486	73.104	5241.486
8/13/09	21:09:59	105900.001	0.597	10.195	73.104	5241.486	73.104	5241.486
8/13/09	21:14:59	106200.001	0.599	10.197	73.100	5241.490	73.100	5241.490
8/13/09	21:19:59	106500.001	0.597	10.196	73.104	5241.486	73.104	5241.486
8/13/09	21:24:59	106800.001	0.597	10.195	73.104	5241.486	73.104	5241.486
8/13/09	21:29:59	107100.001	0.597	10.194	73.105	5241.485	73.105	5241.485
8/13/09	21:34:59	107400.001	0.598	10.197	73.102	5241.488	73.102	5241.488
8/13/09	21:39:59	107700.001	0.599	10.196	73.100	5241.490	73.100	5241.490
8/13/09	21:44:59	108000.001	0.600	10.196	73.097	5241.493	73.097	5241.493
8/13/09	21:49:59	108300.001	0.600	10.194	73.096	5241.494	73.096	5241.494
8/13/09	21:54:59	108600.001	0.599	10.193	73.099	5241.491	73.099	5241.491
8/13/09	21:59:59	108900.001	0.600	10.194	73.098	5241.492	73.098	5241.492
8/13/09	22:04:59	109200.001	0.603	10.194	73.091	5241.499	73.091	5241.499
8/13/09	22:09:59	109500.001	0.601	10.194	73.095	5241.495	73.095	5241.495
8/13/09	22:14:59	109800.001	0.603	10.191	73.090	5241.500	73.090	5241.500
8/13/09	22:19:59	110100.001	0.602	10.194	73.091	5241.499	73.091	5241.499
8/13/09	22:24:59	110400.001	0.604	10.192	73.088	5241.502	73.088	5241.502
8/13/09	22:29:59	110700.001	0.605	10.193	73.085	5241.505	73.085	5241.505
8/13/09	22:34:59	111000.001	0.606	10.192	73.084	5241.506	73.084	5241.506
8/13/09	22:39:59	111300.001	0.605	10.192	73.085	5241.505	73.085	5241.505
8/13/09	22:44:59	111600.001	0.606	10.192	73.083	5241.507	73.083	5241.507
8/13/09	22:49:59	111900.001	0.605	10.193	73.085	5241.505	73.085	5241.505
8/13/09	22:54:59	112200.001	0.609	10.194	73.077	5241.513	73.077	5241.513
8/13/09	22:59:59	112500.001	0.608	10.189	73.079	5241.511	73.079	5241.511
8/13/09	23:04:59	112800.001	0.608	10.190	73.078	5241.512	73.078	5241.512
8/13/09	23:09:59	113100.001	0.609	10.191	73.076	5241.514	73.076	5241.514
8/13/09	23:14:59	113400.001	0.610	10.190	73.074	5241.516	73.074	5241.516
8/13/09	23:19:59	113700.001	0.609	10.189	73.076	5241.514	73.076	5241.514
8/13/09	23:24:59	114000.001	0.610	10.192	73.074	5241.516	73.074	5241.516
8/13/09	23:29:59	114300.001	0.610	10.192	73.074	5241.516	73.074	5241.516
8/13/09	23:34:59	114600.001	0.611	10.190	73.072	5241.518	73.072	5241.518
8/13/09	23:39:59	114900.001	0.612	10.190	73.069	5241.521	73.069	5241.521
8/13/09	23:44:59	115200.001	0.611	10.189	73.071	5241.519	73.071	5241.519
8/13/09	23:49:59	115500.001	0.612	10.191	73.070	5241.520	73.070	5241.520
8/13/09	23:54:59	115800.001	0.613	10.190	73.066	5241.524	73.066	5241.524

**Appendix B-6. OMW-2 Water Level Data, Moore Ranch Supplemental Pump Testing**

Date	Time	Elapsed Time Minutes	SN#: 138089 PSI	SN#: 138089 Temp - C	SN#: 138089 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5314.590 GW Elevation	DTW	Elev
8/13/09	23:59:59	116100.001	0.614	10.189	73.065	5241.525	73.065	5241.525
8/14/09	0:04:59	116400.001	0.612	10.190	73.068	5241.522	73.068	5241.522
8/14/09	0:09:59	116700.001	0.613	10.189	73.067	5241.523	73.067	5241.523
8/14/09	0:14:59	117000.001	0.615	10.191	73.062	5241.528	73.062	5241.528
8/14/09	0:19:59	117300.001	0.615	10.188	73.063	5241.527	73.063	5241.527
8/14/09	0:24:59	117600.001	0.616	10.189	73.061	5241.529	73.061	5241.529
8/14/09	0:29:59	117900.001	0.616	10.188	73.060	5241.530	73.060	5241.530
8/14/09	0:34:59	118200.001	0.616	10.190	73.059	5241.531	73.059	5241.531
8/14/09	0:39:59	118500.001	0.616	10.188	73.059	5241.531	73.059	5241.531
8/14/09	0:44:59	118800.001	0.618	10.189	73.057	5241.533	73.057	5241.533
8/14/09	0:49:59	119100.001	0.618	10.188	73.056	5241.534	73.056	5241.534
8/14/09	0:54:59	119400.001	0.619	10.188	73.053	5241.537	73.053	5241.537
8/14/09	0:59:59	119700.001	0.617	10.189	73.057	5241.533	73.057	5241.533
8/14/09	1:04:59	120000.001	0.619	10.188	73.052	5241.538	73.052	5241.538
8/14/09	1:09:59	120300.001	0.620	10.191	73.052	5241.538	73.052	5241.538
8/14/09	1:14:59	120600.001	0.620	10.187	73.051	5241.539	73.051	5241.539
8/14/09	1:19:59	120900.001	0.622	10.188	73.046	5241.544	73.046	5241.544
8/14/09	1:24:59	121200.001	0.620	10.189	73.051	5241.539	73.051	5241.539
8/14/09	1:29:59	121500.001	0.621	10.187	73.047	5241.543	73.047	5241.543
8/14/09	1:34:59	121800.001	0.621	10.187	73.048	5241.542	73.048	5241.542
8/14/09	1:39:59	122100.001	0.622	10.187	73.046	5241.544	73.046	5241.544
8/14/09	1:44:59	122400.001	0.623	10.187	73.045	5241.545	73.045	5241.545
8/14/09	1:49:59	122700.001	0.622	10.185	73.045	5241.545	73.045	5241.545
8/14/09	1:54:59	123000.001	0.623	10.185	73.044	5241.546	73.044	5241.546
8/14/09	1:59:59	123300.001	0.624	10.188	73.041	5241.549	73.041	5241.549
8/14/09	2:04:59	123600.001	0.625	10.188	73.040	5241.550	73.040	5241.550
8/14/09	2:09:59	123900.001	0.625	10.186	73.039	5241.551	73.039	5241.551
8/14/09	2:14:59	124200.001	0.626	10.187	73.038	5241.552	73.038	5241.552
8/14/09	2:19:59	124500.001	0.626	10.186	73.037	5241.553	73.037	5241.553
8/14/09	2:24:59	124800.001	0.625	10.185	73.038	5241.552	73.038	5241.552
8/14/09	2:29:59	125100.001	0.627	10.185	73.035	5241.555	73.035	5241.555
8/14/09	2:34:59	125400.001	0.628	10.185	73.033	5241.557	73.033	5241.557
8/14/09	2:39:59	125700.001	0.627	10.184	73.034	5241.556	73.034	5241.556
8/14/09	2:44:59	126000.001	0.629	10.186	73.030	5241.560	73.030	5241.560
8/14/09	2:49:59	126300.001	0.628	10.184	73.031	5241.559	73.031	5241.559
8/14/09	2:54:59	126600.001	0.629	10.184	73.031	5241.559	73.031	5241.559
8/14/09	2:59:59	126900.001	0.630	10.186	73.027	5241.563	73.027	5241.563
8/14/09	3:04:59	127200.001	0.630	10.187	73.028	5241.562	73.028	5241.562
8/14/09	3:09:59	127500.001	0.631	10.186	73.026	5241.564	73.026	5241.564
8/14/09	3:14:59	127800.001	0.631	10.184	73.026	5241.564	73.026	5241.564
8/14/09	3:19:59	128100.001	0.631	10.186	73.025	5241.565	73.025	5241.565
8/14/09	3:24:59	128400.001	0.633	10.187	73.020	5241.570	73.020	5241.570
8/14/09	3:29:59	128700.001	0.633	10.181	73.022	5241.568	73.022	5241.568
8/14/09	3:34:59	129000.001	0.633	10.183	73.020	5241.570	73.020	5241.570
8/14/09	3:39:59	129300.001	0.633	10.185	73.020	5241.570	73.020	5241.570
8/14/09	3:44:59	129600.001	0.635	10.185	73.016	5241.574	73.016	5241.574
8/14/09	3:49:59	129900.001	0.637	10.183	73.012	5241.578	73.012	5241.578
8/14/09	3:54:59	130200.001	0.635	10.186	73.016	5241.574	73.016	5241.574
8/14/09	3:59:59	130500.001	0.636	10.184	73.014	5241.576	73.014	5241.576
8/14/09	4:04:59	130800.001	0.636	10.185	73.014	5241.576	73.014	5241.576
8/14/09	4:09:59	131100.001	0.638	10.184	73.010	5241.580	73.010	5241.580
8/14/09	4:14:59	131400.001	0.636	10.187	73.013	5241.577	73.013	5241.577
8/14/09	4:19:59	131700.001	0.638	10.183	73.010	5241.580	73.010	5241.580
8/14/09	4:24:59	132000.001	0.638	10.184	73.010	5241.580	73.010	5241.580

**Appendix B-6. OMW-2 Water Level Data, Moore Ranch Supplemental Pump Testing**

Date	Time	Elapsed Time Minutes	SN#: 138089 PSI	SN#: 138089 Temp - C	SN#: 138089 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5314.590 GW Elevation	DTW	Elev
8/14/09	4:29:59	132300.001	0.638	10.185	73.009	5241.581	73.009	5241.581
8/14/09	4:34:59	132600.001	0.638	10.185	73.008	5241.582	73.008	5241.582
8/14/09	4:39:59	132900.001	0.639	10.185	73.007	5241.583	73.007	5241.583
8/14/09	4:44:59	133200.001	0.639	10.184	73.008	5241.582	73.008	5241.582
8/14/09	4:49:59	133500.001	0.640	10.182	73.004	5241.586	73.004	5241.586
8/14/09	4:54:59	133800.001	0.641	10.183	73.002	5241.588	73.002	5241.588
8/14/09	4:59:59	134100.001	0.639	10.186	73.006	5241.584	73.006	5241.584
8/14/09	5:04:59	134400.001	0.641	10.183	73.001	5241.589	73.001	5241.589
8/14/09	5:09:59	134700.001	0.642	10.184	73.000	5241.590	73.000	5241.590
8/14/09	5:14:59	135000.001	0.643	10.183	72.998	5241.592	72.998	5241.592
8/14/09	5:19:59	135300.001	0.643	10.181	72.998	5241.592	72.998	5241.592
8/14/09	5:24:59	135600.001	0.643	10.181	72.997	5241.593	72.997	5241.593
8/14/09	5:29:59	135900.001	0.644	10.183	72.995	5241.595	72.995	5241.595
8/14/09	5:34:59	136200.001	0.645	10.181	72.993	5241.597	72.993	5241.597
8/14/09	5:39:59	136500.001	0.645	10.182	72.993	5241.597	72.993	5241.597
8/14/09	5:44:59	136800.001	0.646	10.181	72.991	5241.599	72.991	5241.599
8/14/09	5:49:59	137100.001	0.645	10.184	72.993	5241.597	72.993	5241.597
8/14/09	5:54:59	137400.001	0.646	10.182	72.992	5241.598	72.992	5241.598
8/14/09	5:59:59	137700.001	0.645	10.185	72.993	5241.597	72.993	5241.597
8/14/09	6:04:59	138000.001	0.647	10.182	72.989	5241.601	72.989	5241.601
8/14/09	6:09:59	138300.001	0.647	10.181	72.988	5241.602	72.988	5241.602
8/14/09	6:14:59	138600.001	0.648	10.182	72.986	5241.604	72.986	5241.604
8/14/09	6:19:59	138900.001	0.648	10.183	72.986	5241.604	72.986	5241.604
8/14/09	6:24:59	139200.001	0.650	10.181	72.982	5241.608	72.982	5241.608
8/14/09	6:29:59	139500.001	0.650	10.181	72.982	5241.608	72.982	5241.608
8/14/09	6:34:59	139800.001	0.650	10.181	72.982	5241.608	72.982	5241.608
8/14/09	6:39:59	140100.001	0.650	10.182	72.981	5241.609	72.981	5241.609
8/14/09	6:44:59	140400.001	0.653	10.181	72.976	5241.614	72.976	5241.614
8/14/09	6:49:59	140700.001	0.652	10.181	72.976	5241.614	72.976	5241.614
8/14/09	6:54:59	141000.001	0.652	10.182	72.977	5241.613	72.977	5241.613
8/14/09	6:59:59	141300.001	0.652	10.181	72.976	5241.614	72.976	5241.614
8/14/09	7:04:59	141600.001	0.654	10.200	72.971	5241.619	72.971	5241.619
8/14/09	7:09:59	141900.001	0.654	10.197	72.971	5241.619	72.971	5241.619
8/14/09	7:14:59	142200.001	0.654	10.199	72.972	5241.618	72.972	5241.618
8/14/09	7:19:59	142500.001	0.656	10.196	72.969	5241.621	72.969	5241.621
8/14/09	7:24:59	142800.001	0.655	10.194	72.969	5241.621	72.969	5241.621
8/14/09	7:29:59	143100.001	0.655	10.193	72.971	5241.619	72.971	5241.619
8/14/09	7:34:59	143400.001	0.657	10.193	72.966	5241.624	72.966	5241.624
8/14/09	7:39:59	143700.001	0.655	10.191	72.971	5241.619	72.971	5241.619
8/14/09	7:44:59	144000.001	0.656	10.191	72.967	5241.623	72.967	5241.623
8/14/09	7:49:59	144300.001	0.657	10.190	72.964	5241.626	72.964	5241.626
8/14/09	7:54:59	144600.001	0.656	10.191	72.968	5241.622	72.968	5241.622
8/14/09	7:59:59	144900.001	0.656	10.189	72.967	5241.623	72.967	5241.623
8/14/09	8:04:59	145200.001	0.657	10.187	72.965	5241.625	72.965	5241.625
8/14/09	8:09:59	145500.001	0.657	10.189	72.966	5241.624	72.966	5241.624
8/14/09	8:14:59	145800.001	0.659	10.184	72.962	5241.629	72.962	5241.629
8/14/09	8:19:59	146100.001	0.660	10.187	72.959	5241.631	72.959	5241.631
8/14/09	8:24:59	146400.001	0.660	10.186	72.960	5241.630	72.960	5241.630
8/14/09	8:29:59	146700.001	0.660	10.187	72.959	5241.631	72.959	5241.631
8/14/09	8:34:59	147000.001	0.660	10.182	72.958	5241.632	72.958	5241.632
8/14/09	8:39:59	147300.001	0.662	10.185	72.954	5241.636	72.954	5241.636
8/14/09	8:44:59	147600.001	0.662	10.185	72.954	5241.636	72.954	5241.636
8/14/09	8:49:59	147900.001	0.663	10.185	72.952	5241.638	72.952	5241.638
8/14/09	8:54:59	148200.001	0.664	10.183	72.950	5241.640	72.950	5241.640

**Appendix B-6. OMW-2 Water Level Data, Moore Ranch Supplemental Pump Testing**

Date	Time	Elapsed Time Minutes	SN#: 138089 PSI	SN#: 138089 Temp - C	SN#: 138089 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5314.590 GW Elevation	DTW	Elev
8/14/09	8:59:59	148500.001	0.663	10.183	72.952	5241.638	72.952	5241.638
8/14/09	9:04:59	148800.001	0.664	10.180	72.950	5241.640	72.950	5241.640
8/14/09	9:09:59	149100.001	0.663	10.180	72.951	5241.639	72.951	5241.639
8/14/09	9:14:59	149400.001	0.664	10.181	72.950	5241.640	72.950	5241.640
8/14/09	9:19:59	149700.001	0.664	10.180	72.948	5241.642	72.948	5241.642
8/14/09	9:24:59	150000.001	0.664	10.180	72.950	5241.640	72.950	5241.640
8/14/09	9:29:59	150300.001	0.663	10.179	72.952	5241.638	72.952	5241.638
8/14/09	9:34:59	150600.001	0.665	10.180	72.948	5241.642	72.948	5241.642
8/14/09	9:39:59	150900.001	0.666	10.179	72.945	5241.645	72.945	5241.645
8/14/09	9:44:59	151200.001	0.667	10.178	72.943	5241.647	72.943	5241.647
8/14/09	9:49:59	151500.001	0.668	10.177	72.940	5241.650	72.940	5241.650
8/14/09	9:54:59	151800.001	0.667	10.181	72.942	5241.648	72.942	5241.648
8/14/09	9:59:59	152100.001	0.667	10.179	72.943	5241.647	72.943	5241.647
8/14/09	10:04:59	152400.001	0.669	10.182	72.937	5241.653	72.937	5241.653
8/14/09	10:09:59	152700.001	0.669	10.179	72.937	5241.653	72.937	5241.653
8/14/09	10:14:59	153000.001	0.668	10.178	72.939	5241.651	72.939	5241.651
8/14/09	10:19:59	153300.001	0.669	10.180	72.937	5241.653	72.937	5241.653
8/14/09	10:24:59	153600.001	0.670	10.179	72.935	5241.655	72.935	5241.655
8/14/09	10:29:59	153900.001	0.669	10.182	72.937	5241.653	72.937	5241.653
8/14/09	10:34:59	154200.001	0.670	10.180	72.935	5241.655	72.935	5241.655
8/14/09	10:39:59	154500.001	0.670	10.178	72.936	5241.654	72.936	5241.654
8/14/09	10:44:59	154800.001	0.671	10.180	72.933	5241.657	72.933	5241.657
8/14/09	10:49:59	155100.001	0.672	10.180	72.930	5241.660	72.930	5241.660
8/14/09	10:54:59	155400.001	0.672	10.179	72.931	5241.659	72.931	5241.659
8/14/09	10:59:59	155700.001	0.673	10.178	72.929	5241.661	72.929	5241.661
8/14/09	11:04:59	156000.001	0.672	10.178	72.930	5241.660	72.930	5241.660
8/14/09	11:09:59	156300.001	0.673	10.177	72.928	5241.662	72.928	5241.662
8/14/09	11:14:59	156600.001	0.674	10.178	72.926	5241.664	72.926	5241.664
8/14/09	11:19:59	156900.001	0.673	10.176	72.930	5241.660	72.930	5241.660
8/14/09	11:24:59	157200.001	0.675	10.179	72.925	5241.665	72.925	5241.665
8/14/09	11:29:59	157500.001	0.674	10.178	72.926	5241.664	72.926	5241.664
8/14/09	11:34:59	157800.001	0.676	10.178	72.921	5241.669	72.921	5241.669
8/14/09	11:39:59	158100.001	0.676	10.178	72.921	5241.669	72.921	5241.669
8/14/09	11:44:59	158400.001	0.674	10.177	72.926	5241.664	72.926	5241.664
8/14/09	11:49:59	158700.001	0.675	10.179	72.924	5241.666	72.924	5241.666
8/14/09	11:54:59	159000.001	0.676	10.176	72.922	5241.668	72.922	5241.668
8/14/09	11:59:59	159300.001	0.676	10.177	72.921	5241.669	72.921	5241.669
8/14/09	12:04:59	159600.001	0.678	10.179	72.916	5241.674	72.916	5241.674
8/14/09	12:09:59	159900.001	0.679	10.179	72.914	5241.676	72.914	5241.676
8/14/09	12:14:59	160200.001	0.680	10.178	72.913	5241.677	72.913	5241.677
8/14/09	12:19:59	160500.001	0.680	10.178	72.913	5241.677	72.913	5241.677
8/14/09	12:24:59	160800.001	0.681	10.175	72.910	5241.680	72.910	5241.680
8/14/09	12:29:59	161100.001	0.680	10.178	72.911	5241.679	72.911	5241.679
8/14/09	12:34:59	161400.001	0.680	10.176	72.912	5241.678	72.912	5241.678
8/14/09	12:39:59	161700.001	0.682	10.177	72.908	5241.682	72.908	5241.682
8/14/09	12:44:59	162000.001	0.681	10.177	72.909	5241.681	72.909	5241.681
8/14/09	12:49:59	162300.001	0.681	10.181	72.909	5241.681	72.909	5241.681
8/14/09	12:54:59	162600.001	0.683	10.176	72.905	5241.685	72.905	5241.685
8/14/09	12:59:59	162900.001	0.683	10.177	72.905	5241.685	72.905	5241.685
8/14/09	13:04:59	163200.001	0.683	10.177	72.906	5241.684	72.906	5241.684
8/14/09	13:09:59	163500.001	0.684	10.175	72.903	5241.687	72.903	5241.687
8/14/09	13:14:59	163800.001	0.682	10.176	72.907	5241.683	72.907	5241.683
8/14/09	13:19:59	164100.001	0.685	10.175	72.901	5241.689	72.901	5241.689
8/14/09	13:24:59	164400.001	0.685	10.174	72.900	5241.690	72.900	5241.690

**Appendix B-6. OMW-2 Water Level Data, Moore Ranch Supplemental Pump Testing**

Date	Time	Elapsed Time Minutes	SN#: 138089 PSI	SN#: 138089 Temp - C	SN#: 138089 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5314.590 GW Elevation	DTW	Elev
8/14/09	13:29:59	164700.001	0.684	10.176	72.904	5241.686	72.904	5241.686
8/14/09	13:34:59	165000.001	0.686	10.175	72.897	5241.693	72.897	5241.693
8/14/09	13:39:59	165300.001	0.685	10.176	72.900	5241.690	72.900	5241.690
8/14/09	13:44:59	165600.001	0.688	10.174	72.895	5241.695	72.895	5241.695
8/14/09	13:49:59	165900.001	0.688	10.178	72.894	5241.696	72.894	5241.696
8/14/09	13:54:59	166200.001	0.689	10.175	72.893	5241.697	72.893	5241.697
8/14/09	13:59:59	166500.001	0.688	10.177	72.894	5241.696	72.894	5241.696
8/14/09	14:04:59	166800.001	0.690	10.178	72.890	5241.700	72.890	5241.700
8/14/09	14:09:59	167100.001	0.689	10.177	72.892	5241.698	72.892	5241.698
8/14/09	14:14:59	167400.001	0.691	10.175	72.887	5241.703	72.887	5241.703
8/14/09	14:19:59	167700.001	0.690	10.178	72.889	5241.701	72.889	5241.701
8/14/09	14:24:59	168000.001	0.691	10.180	72.886	5241.704	72.886	5241.704
8/14/09	14:29:59	168300.001	0.694	10.179	72.880	5241.710	72.880	5241.710
8/14/09	14:34:59	168600.001	0.692	10.174	72.885	5241.705	72.885	5241.705
8/14/09	14:39:59	168900.001	0.694	10.176	72.880	5241.710	72.880	5241.710
8/14/09	14:44:59	169200.001	0.693	10.177	72.881	5241.709	72.881	5241.709
8/14/09	14:49:59	169500.001	0.694	10.175	72.880	5241.710	72.880	5241.710
8/14/09	14:54:59	169800.001	0.697	10.178	72.873	5241.717	72.873	5241.717
8/14/09	14:59:59	170100.001	0.693	10.177	72.882	5241.708	72.882	5241.708
8/14/09	15:04:59	170400.001	0.696	10.174	72.875	5241.715	72.875	5241.715
8/14/09	15:09:59	170700.001	0.695	10.176	72.877	5241.713	72.877	5241.713
8/14/09	15:14:59	171000.001	0.697	10.174	72.873	5241.717	72.873	5241.717
8/14/09	15:19:59	171300.001	0.695	10.173	72.877	5241.713	72.877	5241.713
8/14/09	15:24:59	171600.001	0.699	10.175	72.868	5241.722	72.868	5241.722
8/14/09	15:29:59	171900.001	0.698	10.177	72.871	5241.719	72.871	5241.719
8/14/09	15:34:59	172200.001	0.697	10.178	72.874	5241.716	72.874	5241.716
8/14/09	15:39:59	172500.001	0.698	10.173	72.870	5241.720	72.870	5241.720
8/14/09	15:44:59	172800.001	0.699	10.175	72.869	5241.721	72.869	5241.721
8/14/09	15:49:59	173100.001	0.703	10.176	72.860	5241.730	72.860	5241.730
8/14/09	15:54:59	173400.001	0.704	10.176	72.857	5241.733	72.857	5241.733
8/14/09	15:59:59	173700.001	0.702	10.177	72.862	5241.728	72.862	5241.728
8/14/09	16:04:59	174000.001	0.703	10.176	72.858	5241.732	72.858	5241.732
8/14/09	16:09:59	174300.001	0.703	10.175	72.858	5241.732	72.858	5241.732
8/14/09	16:14:59	174600.001	0.703	10.175	72.860	5241.730	72.860	5241.730
8/14/09	16:19:59	174900.001	0.705	10.176	72.854	5241.736	72.854	5241.736
8/14/09	16:24:59	175200.001	0.704	10.174	72.857	5241.733	72.857	5241.733
8/14/09	16:29:59	175500.001	0.706	10.173	72.853	5241.737	72.853	5241.737
8/14/09	16:34:59	175800.001	0.706	10.173	72.853	5241.737	72.853	5241.737
8/14/09	16:39:59	176100.001	0.706	10.173	72.852	5241.738	72.852	5241.738
8/14/09	16:44:59	176400.001	0.708	10.175	72.847	5241.743	72.847	5241.743
8/14/09	16:49:59	176700.001	0.708	10.175	72.848	5241.742	72.848	5241.742
8/14/09	16:54:59	177000.001	0.709	10.174	72.845	5241.745	72.845	5241.745
8/14/09	16:59:59	177300.001	0.710	10.174	72.843	5241.747	72.843	5241.747
8/14/09	17:04:59	177600.001	0.707	10.177	72.849	5241.741	72.849	5241.741
8/14/09	17:09:59	177900.001	0.709	10.173	72.846	5241.744	72.846	5241.744
8/14/09	17:14:59	178200.001	0.712	10.174	72.839	5241.751	72.839	5241.751
8/14/09	17:19:59	178500.001	0.711	10.173	72.842	5241.748	72.842	5241.748
8/14/09	17:24:59	178800.001	0.712	10.173	72.839	5241.751	72.839	5241.751
8/14/09	17:29:59	179100.001	0.713	10.174	72.837	5241.753	72.837	5241.753
8/14/09	17:34:59	179400.001	0.713	10.174	72.835	5241.755	72.835	5241.755
8/14/09	17:39:59	179700.001	0.714	10.173	72.833	5241.757	72.833	5241.757
8/14/09	17:44:59	180000.001	0.713	10.176	72.835	5241.755	72.835	5241.755
8/14/09	17:49:59	180300.001	0.717	10.176	72.826	5241.764	72.826	5241.764
8/14/09	17:54:59	180600.001	0.718	10.174	72.825	5241.765	72.825	5241.765

**Appendix B-6. OMW-2 Water Level Data, Moore Ranch Supplemental Pump Testing**

Date	Time	Elapsed Time Minutes	SN#: 138089 PSI	SN#: 138089 Temp - C	SN#: 138089 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5314.590 GW Elevation	DTW	Elev
8/14/09	17:59:59	180900.001	0.722	10.173	72.816	5241.774	72.816	5241.774
8/14/09	18:04:59	181200.001	0.719	10.173	72.823	5241.767	72.823	5241.767
8/14/09	18:09:59	181500.001	0.717	10.175	72.827	5241.763	72.827	5241.763
8/14/09	18:14:59	181800.001	0.719	10.175	72.821	5241.769	72.821	5241.769
8/14/09	18:19:59	182100.001	0.720	10.174	72.821	5241.769	72.821	5241.769
8/14/09	18:24:59	182400.001	0.720	10.171	72.820	5241.770	72.820	5241.770
8/14/09	18:29:59	182700.001	0.722	10.172	72.816	5241.774	72.816	5241.774
8/14/09	18:34:59	183000.001	0.735	10.173	72.819	5241.771	72.819	5241.771
8/14/09	18:39:59	183300.001	0.763	10.175	72.817	5241.773	72.817	5241.773
8/14/09	18:44:59	183600.001	0.781	10.173	72.814	5241.776	72.814	5241.776
8/14/09	18:49:59	183900.001	0.722	10.173	72.815	5241.775	72.815	5241.775
8/14/09	18:54:59	184200.001	0.721	10.174	72.818	5241.772	72.818	5241.772
8/14/09	18:59:59	184500.001	0.723	10.173	72.813	5241.777	72.813	5241.777
8/14/09	19:04:59	184800.001	0.721	10.175	72.818	5241.772	72.818	5241.772
8/14/09	19:09:59	185100.001	0.723	10.172	72.814	5241.776	72.814	5241.776
8/14/09	19:14:59	185400.001	0.723	10.173	72.813	5241.777	72.813	5241.777
8/14/09	19:19:59	185700.001	0.725	10.174	72.809	5241.781	72.809	5241.781
8/14/09	19:24:59	186000.001	0.726	10.173	72.805	5241.785	72.805	5241.785
8/14/09	19:29:59	186300.001	0.723	10.173	72.812	5241.778	72.812	5241.778
8/14/09	19:34:59	186600.001	0.725	10.171	72.810	5241.780	72.810	5241.780
8/14/09	19:39:59	186900.001	0.727	10.175	72.804	5241.786	72.804	5241.786
8/14/09	19:44:59	187200.001	0.727	10.173	72.805	5241.785	72.805	5241.785
8/14/09	19:49:59	187500.001	0.726	10.174	72.805	5241.785	72.805	5241.785
8/14/09	19:54:59	187800.001	0.728	10.173	72.802	5241.788	72.802	5241.788
8/14/09	19:59:59	188100.001	0.727	10.173	72.805	5241.785	72.805	5241.785
8/14/09	20:04:59	188400.001	0.727	10.173	72.804	5241.786	72.804	5241.786
8/14/09	20:09:59	188700.001	0.728	10.172	72.802	5241.788	72.802	5241.788
8/14/09	20:14:59	189000.001	0.728	10.173	72.801	5241.789	72.801	5241.789
8/14/09	20:19:59	189300.001	0.729	10.175	72.800	5241.790	72.800	5241.790
8/14/09	20:24:59	189600.001	0.730	10.173	72.798	5241.792	72.798	5241.792
8/14/09	20:29:59	189900.001	0.730	10.173	72.798	5241.792	72.798	5241.792
8/14/09	20:34:59	190200.001	0.730	10.172	72.797	5241.793	72.797	5241.793
8/14/09	20:39:59	190500.001	0.730	10.171	72.796	5241.794	72.796	5241.794
8/14/09	20:44:59	190800.001	0.730	10.171	72.797	5241.793	72.797	5241.793
8/14/09	20:49:59	191100.001	0.730	10.170	72.796	5241.794	72.796	5241.794
8/14/09	20:54:59	191400.001	0.732	10.172	72.793	5241.797	72.793	5241.797
8/14/09	20:59:59	191700.001	0.731	10.173	72.795	5241.795	72.795	5241.795
8/14/09	21:04:59	192000.001	0.731	10.173	72.794	5241.796	72.794	5241.796
8/14/09	21:09:59	192300.001	0.732	10.172	72.792	5241.798	72.792	5241.798
8/14/09	21:14:59	192600.001	0.734	10.173	72.788	5241.802	72.788	5241.802
8/14/09	21:19:59	192900.001	0.733	10.172	72.789	5241.801	72.789	5241.801
8/14/09	21:24:59	193200.001	0.734	10.173	72.788	5241.802	72.788	5241.802
8/14/09	21:29:59	193500.001	0.735	10.171	72.784	5241.806	72.784	5241.806
8/14/09	21:34:59	193800.001	0.734	10.171	72.787	5241.803	72.787	5241.803
8/14/09	21:39:59	194100.001	0.735	10.171	72.786	5241.804	72.786	5241.804
8/14/09	21:44:59	194400.001	0.735	10.171	72.784	5241.806	72.784	5241.806
8/14/09	21:49:59	194700.001	0.737	10.171	72.781	5241.809	72.781	5241.809
8/14/09	21:54:59	195000.001	0.737	10.171	72.781	5241.809	72.781	5241.809
8/14/09	21:59:59	195300.001	0.738	10.174	72.779	5241.811	72.779	5241.811
8/14/09	22:04:59	195600.001	0.736	10.172	72.783	5241.807	72.783	5241.807
8/14/09	22:09:59	195900.001	0.737	10.171	72.781	5241.809	72.781	5241.809
8/14/09	22:14:59	196200.001	0.738	10.169	72.779	5241.811	72.779	5241.811
8/14/09	22:19:59	196500.001	0.739	10.171	72.776	5241.814	72.776	5241.814
8/14/09	22:24:59	196800.001	0.740	10.173	72.773	5241.817	72.773	5241.817

**Appendix B-6. OMW-2 Water Level Data, Moore Ranch Supplemental Pump Testing**

Date	Time	Elapsed Time Minutes	SN#: 138089 PSI	SN#: 138089 Temp - C	SN#: 138089 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5314.590 GW Elevation	DTW	Elev
8/14/09	22:29:59	197100.001	0.740	10.171	72.774	5241.816	72.774	5241.816
8/14/09	22:34:59	197400.001	0.741	10.173	72.773	5241.817	72.773	5241.817
8/14/09	22:39:59	197700.001	0.740	10.171	72.774	5241.816	72.774	5241.816
8/14/09	22:44:59	198000.001	0.740	10.170	72.774	5241.816	72.774	5241.816
8/14/09	22:49:59	198300.001	0.741	10.172	72.771	5241.819	72.771	5241.819
8/14/09	22:54:59	198600.001	0.741	10.172	72.770	5241.820	72.770	5241.820
8/14/09	22:59:59	198900.001	0.742	10.171	72.769	5241.821	72.769	5241.821
8/14/09	23:04:59	199200.001	0.742	10.171	72.769	5241.821	72.769	5241.821
8/14/09	23:09:59	199500.001	0.743	10.172	72.766	5241.824	72.766	5241.824
8/14/09	23:14:59	199800.001	0.745	10.173	72.763	5241.827	72.763	5241.827
8/14/09	23:19:59	200100.001	0.745	10.168	72.763	5241.827	72.763	5241.827
8/14/09	23:24:59	200400.001	0.745	10.170	72.763	5241.827	72.763	5241.827
8/14/09	23:29:59	200700.001	0.747	10.171	72.759	5241.831	72.759	5241.831
8/14/09	23:34:59	201000.001	0.746	10.172	72.760	5241.830	72.760	5241.830
8/14/09	23:39:59	201300.001	0.748	10.170	72.756	5241.834	72.756	5241.834
8/14/09	23:44:59	201600.001	0.745	10.173	72.763	5241.827	72.763	5241.827
8/14/09	23:49:59	201900.001	0.747	10.173	72.758	5241.832	72.758	5241.832
8/14/09	23:54:59	202200.001	0.745	10.171	72.761	5241.829	72.761	5241.829
8/14/09	23:59:59	202500.001	0.748	10.171	72.756	5241.834	72.756	5241.834
8/15/09	0:04:59	202800.001	0.749	10.171	72.753	5241.837	72.753	5241.837
8/15/09	0:09:59	203100.001	0.750	10.172	72.750	5241.840	72.750	5241.840
8/15/09	0:14:59	203400.001	0.750	10.173	72.751	5241.839	72.751	5241.839
8/15/09	0:19:59	203700.001	0.750	10.172	72.750	5241.840	72.750	5241.840
8/15/09	0:24:59	204000.001	0.750	10.172	72.752	5241.838	72.752	5241.838
8/15/09	0:29:59	204300.001	0.750	10.173	72.750	5241.840	72.750	5241.840
8/15/09	0:34:59	204600.001	0.751	10.172	72.748	5241.842	72.748	5241.842
8/15/09	0:39:59	204900.001	0.752	10.172	72.746	5241.844	72.746	5241.844
8/15/09	0:44:59	205200.001	0.751	10.172	72.748	5241.842	72.748	5241.842
8/15/09	0:49:59	205500.001	0.753	10.171	72.745	5241.845	72.745	5241.845
8/15/09	0:54:59	205800.001	0.752	10.169	72.746	5241.844	72.746	5241.844
8/15/09	0:59:59	206100.001	0.754	10.171	72.743	5241.847	72.743	5241.847
8/15/09	1:04:59	206400.001	0.753	10.171	72.744	5241.846	72.744	5241.846
8/15/09	1:09:59	206700.001	0.755	10.172	72.740	5241.850	72.740	5241.850
8/15/09	1:14:59	207000.001	0.754	10.169	72.741	5241.849	72.741	5241.849
8/15/09	1:19:59	207300.001	0.755	10.172	72.738	5241.852	72.738	5241.852
8/15/09	1:24:59	207600.001	0.756	10.170	72.738	5241.852	72.738	5241.852
8/15/09	1:29:59	207900.001	0.757	10.171	72.735	5241.855	72.735	5241.855
8/15/09	1:34:59	208200.001	0.756	10.170	72.737	5241.853	72.737	5241.853
8/15/09	1:39:59	208500.001	0.757	10.173	72.734	5241.856	72.734	5241.856
8/15/09	1:44:59	208800.001	0.757	10.172	72.734	5241.856	72.734	5241.856
8/15/09	1:49:59	209100.001	0.759	10.173	72.730	5241.860	72.730	5241.860
8/15/09	1:54:59	209400.001	0.759	10.169	72.730	5241.860	72.730	5241.860
8/15/09	1:59:59	209700.001	0.760	10.173	72.728	5241.862	72.728	5241.862
8/15/09	2:04:59	210000.001	0.760	10.173	72.728	5241.862	72.728	5241.862
8/15/09	2:09:59	210300.001	0.760	10.167	72.727	5241.863	72.727	5241.863
8/15/09	2:14:59	210600.001	0.760	10.171	72.727	5241.863	72.727	5241.863
8/15/09	2:19:59	210900.001	0.761	10.172	72.725	5241.865	72.725	5241.865
8/15/09	2:24:59	211200.001	0.762	10.171	72.724	5241.866	72.724	5241.866
8/15/09	2:29:59	211500.001	0.762	10.171	72.722	5241.868	72.722	5241.868
8/15/09	2:34:59	211800.001	0.762	10.172	72.724	5241.866	72.724	5241.866
8/15/09	2:39:59	212100.001	0.763	10.170	72.721	5241.869	72.721	5241.869
8/15/09	2:44:59	212400.001	0.763	10.170	72.722	5241.868	72.722	5241.868
8/15/09	2:49:59	212700.001	0.764	10.168	72.718	5241.872	72.718	5241.872
8/15/09	2:54:59	213000.001	0.764	10.168	72.718	5241.872	72.718	5241.872

**Appendix B-6. OMW-2 Water Level Data, Moore Ranch Supplemental Pump Testing**

Date	Time	Elapsed Time Minutes	SN#: 138089 PSI	SN#: 138089 Temp - C	SN#: 138089 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5314.590 GW Elevation	DTW	Elev
8/15/09	2:59:59	213300.001	0.763	10.171	72.721	5241.869	72.721	5241.869
8/15/09	3:04:59	213600.001	0.765	10.168	72.716	5241.874	72.716	5241.874
8/15/09	3:09:59	213900.001	0.767	10.170	72.712	5241.878	72.712	5241.878
8/15/09	3:14:59	214200.001	0.766	10.170	72.713	5241.877	72.713	5241.877
8/15/09	3:19:59	214500.001	0.766	10.172	72.714	5241.876	72.714	5241.876
8/15/09	3:24:59	214800.001	0.766	10.170	72.714	5241.876	72.714	5241.876
8/15/09	3:29:59	215100.001	0.769	10.171	72.708	5241.882	72.708	5241.882
8/15/09	3:34:59	215400.001	0.767	10.172	72.711	5241.879	72.711	5241.879
8/15/09	3:39:59	215700.001	0.768	10.167	72.708	5241.882	72.708	5241.882
8/15/09	3:44:59	216000.001	0.769	10.169	72.706	5241.884	72.706	5241.884
8/15/09	3:49:59	216300.001	0.770	10.169	72.704	5241.886	72.704	5241.886
8/15/09	3:54:59	216600.001	0.770	10.172	72.704	5241.886	72.704	5241.886
8/15/09	3:59:59	216900.001	0.770	10.172	72.705	5241.885	72.705	5241.885
8/15/09	4:04:59	217200.001	0.770	10.171	72.704	5241.886	72.704	5241.886
8/15/09	4:09:59	217500.001	0.772	10.169	72.701	5241.889	72.701	5241.889
8/15/09	4:14:59	217800.001	0.771	10.169	72.702	5241.888	72.702	5241.888
8/15/09	4:19:59	218100.001	0.773	10.170	72.698	5241.892	72.698	5241.892
8/15/09	4:24:59	218400.001	0.771	10.170	72.702	5241.888	72.702	5241.888
8/15/09	4:29:59	218700.001	0.774	10.170	72.695	5241.895	72.695	5241.895
8/15/09	4:34:59	219000.001	0.775	10.168	72.694	5241.896	72.694	5241.896
8/15/09	4:39:59	219300.001	0.775	10.173	72.694	5241.896	72.694	5241.896
8/15/09	4:44:59	219600.001	0.774	10.170	72.694	5241.896	72.694	5241.896
8/15/09	4:49:59	219900.001	0.775	10.170	72.694	5241.896	72.694	5241.896
8/15/09	4:54:59	220200.001	0.775	10.168	72.694	5241.896	72.694	5241.896
8/15/09	4:59:59	220500.001	0.776	10.170	72.691	5241.899	72.691	5241.899
8/15/09	5:04:59	220800.001	0.775	10.167	72.692	5241.898	72.692	5241.898
8/15/09	5:09:59	221100.001	0.778	10.167	72.686	5241.904	72.686	5241.904
8/15/09	5:14:59	221400.001	0.774	10.171	72.694	5241.896	72.694	5241.896
8/15/09	5:19:59	221700.001	0.778	10.170	72.687	5241.903	72.687	5241.903
8/15/09	5:24:59	222000.001	0.778	10.168	72.687	5241.903	72.687	5241.903
8/15/09	5:29:59	222300.001	0.778	10.167	72.685	5241.905	72.685	5241.905
8/15/09	5:34:59	222600.001	0.780	10.168	72.683	5241.907	72.683	5241.907
8/15/09	5:39:59	222900.001	0.779	10.170	72.683	5241.907	72.683	5241.907
8/15/09	5:44:59	223200.001	0.779	10.169	72.684	5241.906	72.684	5241.906
8/15/09	5:49:59	223500.001	0.780	10.170	72.682	5241.908	72.682	5241.908
8/15/09	5:54:59	223800.001	0.781	10.171	72.680	5241.910	72.680	5241.910
8/15/09	5:59:59	224100.001	0.782	10.170	72.678	5241.912	72.678	5241.912
8/15/09	6:04:59	224400.001	0.781	10.170	72.679	5241.911	72.679	5241.911
8/15/09	6:09:59	224700.001	0.783	10.169	72.675	5241.915	72.675	5241.915
8/15/09	6:14:59	225000.001	0.783	10.169	72.675	5241.915	72.675	5241.915
8/15/09	6:19:59	225300.001	0.784	10.172	72.672	5241.918	72.672	5241.918
8/15/09	6:24:59	225600.001	0.783	10.169	72.674	5241.916	72.674	5241.916
8/15/09	6:29:59	225900.001	0.783	10.170	72.674	5241.916	72.674	5241.916
8/15/09	6:34:59	226200.001	0.784	10.171	72.672	5241.918	72.672	5241.918
8/15/09	6:39:59	226500.001	0.784	10.169	72.673	5241.917	72.673	5241.917
8/15/09	6:44:59	226800.001	0.784	10.169	72.671	5241.919	72.671	5241.919
8/15/09	6:49:59	227100.001	0.785	10.167	72.670	5241.920	72.670	5241.920
8/15/09	6:54:59	227400.001	0.786	10.168	72.668	5241.922	72.668	5241.922
8/15/09	6:59:59	227700.001	0.787	10.170	72.666	5241.924	72.666	5241.924
8/15/09	7:04:59	228000.001	0.787	10.168	72.666	5241.924	72.666	5241.924
8/15/09	7:09:59	228300.001	0.786	10.169	72.668	5241.922	72.668	5241.922
8/15/09	7:14:59	228600.001	0.788	10.169	72.663	5241.927	72.663	5241.927
8/15/09	7:19:59	228900.001	0.788	10.168	72.662	5241.928	72.662	5241.928
8/15/09	7:24:59	229200.001	0.789	10.169	72.660	5241.930	72.660	5241.930



**Appendix B-6. OMW-2 Water Level Data, Moore Ranch Supplemental Pump Testing**

Date	Time	Elapsed Time Minutes	SN#: 138089 PSI	SN#: 138089 Temp - C	SN#: 138089 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5314.590 GW Elevation	DTW	Elev
8/15/09	7:29:59	229500.001	0.789	10.168	72.662	5241.928	72.662	5241.928
8/15/09	7:34:59	229800.001	0.790	10.167	72.659	5241.931	72.659	5241.931
8/15/09	7:39:59	230100.001	0.788	10.169	72.663	5241.927	72.663	5241.927
8/15/09	7:44:59	230400.001	0.790	10.168	72.658	5241.932	72.658	5241.932
8/15/09	7:49:59	230700.001	0.790	10.169	72.658	5241.932	72.658	5241.932
8/15/09	7:54:59	231000.001	0.791	10.167	72.656	5241.934	72.656	5241.934
8/15/09	7:59:59	231300.001	0.791	10.167	72.657	5241.933	72.657	5241.933
8/15/09	8:04:59	231600.001	0.791	10.166	72.657	5241.933	72.657	5241.933
8/15/09	8:09:59	231900.001	0.792	10.169	72.654	5241.936	72.654	5241.936
8/15/09	8:14:59	232200.001	0.792	10.170	72.653	5241.937	72.653	5241.937
8/15/09	8:19:59	232500.001	0.792	10.168	72.654	5241.936	72.654	5241.936
8/15/09	8:24:59	232800.001	0.792	10.170	72.653	5241.937	72.653	5241.937
8/15/09	8:29:59	233100.001	0.794	10.170	72.649	5241.941	72.649	5241.941
8/15/09	8:34:59	233400.001	0.795	10.166	72.647	5241.943	72.647	5241.943
8/15/09	8:39:59	233700.001	0.793	10.169	72.652	5241.938	72.652	5241.938
8/15/09	8:44:59	234000.001	0.795	10.171	72.646	5241.944	72.646	5241.944
8/15/09	8:49:59	234300.001	0.795	10.170	72.648	5241.942	72.648	5241.942
8/15/09	8:54:59	234600.001	0.795	10.170	72.647	5241.943	72.647	5241.943
8/15/09	8:59:59	234900.001	0.796	10.167	72.645	5241.945	72.645	5241.945
8/15/09	9:04:59	235200.001	0.795	10.169	72.647	5241.943	72.647	5241.943
8/15/09	9:09:59	235500.001	0.796	10.165	72.644	5241.946	72.644	5241.946
8/15/09	9:14:59	235800.001	0.795	10.168	72.648	5241.942	72.648	5241.942
8/15/09	9:19:59	236100.001	0.797	10.169	72.641	5241.949	72.641	5241.949
8/15/09	9:24:59	236400.001	0.797	10.166	72.642	5241.948	72.642	5241.948
8/15/09	9:29:59	236700.001	0.798	10.168	72.639	5241.951	72.639	5241.951
8/15/09	9:34:59	237000.001	0.797	10.170	72.641	5241.949	72.641	5241.949
8/15/09	9:39:59	237300.001	0.799	10.169	72.637	5241.953	72.637	5241.953
8/15/09	9:44:59	237600.001	0.798	10.168	72.640	5241.950	72.640	5241.950
8/15/09	9:49:59	237900.001	0.800	10.168	72.636	5241.954	72.636	5241.954
8/15/09	9:54:59	238200.001	0.800	10.172	72.635	5241.955	72.635	5241.955
8/15/09	9:59:59	238500.001	0.801	10.169	72.633	5241.957	72.633	5241.957
8/15/09	10:04:59	238800.001	0.801	10.169	72.633	5241.957	72.633	5241.957
8/15/09	10:09:59	239100.001	0.802	10.166	72.630	5241.960	72.630	5241.960
8/15/09	10:14:59	239400.001	0.801	10.171	72.633	5241.957	72.633	5241.957
8/15/09	10:19:59	239700.001	0.801	10.168	72.632	5241.958	72.632	5241.958
8/15/09	10:24:59	240000.001	0.802	10.168	72.631	5241.959	72.631	5241.959
8/15/09	10:29:59	240300.001	0.803	10.170	72.629	5241.961	72.629	5241.961
8/15/09	10:34:59	240600.001	0.805	10.168	72.624	5241.966	72.624	5241.966
8/15/09	10:39:59	240900.001	0.803	10.169	72.629	5241.961	72.629	5241.961
8/15/09	10:44:59	241200.001	0.803	10.168	72.629	5241.961	72.629	5241.961
8/15/09	10:49:59	241500.001	0.805	10.170	72.624	5241.966	72.624	5241.966
8/15/09	10:54:59	241800.001	0.806	10.170	72.621	5241.969	72.621	5241.969
8/15/09	10:59:59	242100.001	0.806	10.166	72.622	5241.968	72.622	5241.968
8/15/09	11:04:59	242400.001	0.805	10.167	72.624	5241.966	72.624	5241.966
8/15/09	11:09:59	242700.001	0.804	10.169	72.626	5241.964	72.626	5241.964
8/15/09	11:14:59	243000.001	0.807	10.165	72.619	5241.971	72.619	5241.971
8/15/09	11:19:59	243300.001	0.807	10.166	72.620	5241.970	72.620	5241.970
8/15/09	11:24:59	243600.001	0.806	10.167	72.621	5241.969	72.621	5241.969
8/15/09	11:29:59	243900.001	0.809	10.167	72.613	5241.977	72.613	5241.977
8/15/09	11:34:59	244200.001	0.809	10.167	72.615	5241.975	72.615	5241.975
8/15/09	11:39:59	244500.001	0.808	10.165	72.616	5241.974	72.616	5241.974
8/15/09	11:44:59	244800.001	0.809	10.169	72.615	5241.975	72.615	5241.975
8/15/09	11:49:59	245100.001	0.810	10.167	72.612	5241.978	72.612	5241.978
8/15/09	11:54:59	245400.001	0.809	10.167	72.614	5241.976	72.614	5241.976

**Appendix B-6. OMW-2 Water Level Data, Moore Ranch Supplemental Pump Testing**

Date	Time	Elapsed Time Minutes	SN#: 138089 PSI	SN#: 138089 Temp - C	SN#: 138089 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5314.590 GW Elevation	DTW	Elev
8/15/09	11:59:59	245700.001	0.812	10.167	72.608	5241.982	72.608	5241.982
8/15/09	12:04:59	246000.001	0.812	10.169	72.608	5241.982	72.608	5241.982
8/15/09	12:09:59	246300.001	0.812	10.169	72.608	5241.982	72.608	5241.982
8/15/09	12:14:59	246600.001	0.812	10.168	72.609	5241.981	72.609	5241.981
8/15/09	12:19:59	246900.001	0.812	10.167	72.607	5241.983	72.607	5241.983
8/15/09	12:24:59	247200.001	0.813	10.166	72.606	5241.984	72.606	5241.984
8/15/09	12:29:59	247500.001	0.813	10.166	72.605	5241.985	72.605	5241.985
8/15/09	12:34:59	247800.001	0.815	10.168	72.602	5241.988	72.602	5241.988
8/15/09	12:39:59	248100.001	0.815	10.169	72.600	5241.990	72.600	5241.990
8/15/09	12:44:59	248400.001	0.814	10.166	72.603	5241.987	72.603	5241.987
8/15/09	12:49:59	248700.001	0.816	10.169	72.599	5241.991	72.599	5241.991
8/15/09	12:54:59	249000.001	0.816	10.167	72.599	5241.991	72.599	5241.991
8/15/09	12:59:59	249300.001	0.816	10.167	72.598	5241.992	72.598	5241.992
8/15/09	13:04:59	249600.001	0.816	10.167	72.599	5241.991	72.599	5241.991
8/15/09	13:09:59	249900.001	0.817	10.170	72.596	5241.994	72.596	5241.994
8/15/09	13:14:59	250200.001	0.819	10.167	72.591	5241.999	72.591	5241.999
8/15/09	13:19:59	250500.001	0.818	10.168	72.594	5241.996	72.594	5241.996
8/15/09	13:24:59	250800.001	0.818	10.167	72.593	5241.997	72.593	5241.997
8/15/09	13:29:59	251100.001	0.820	10.167	72.589	5242.001	72.589	5242.001
8/15/09	13:34:59	251400.001	0.820	10.167	72.590	5242.000	72.590	5242.000
8/15/09	13:39:59	251700.001	0.820	10.165	72.588	5242.002	72.588	5242.002
8/15/09	13:44:59	252000.001	0.819	10.167	72.592	5241.998	72.592	5241.998
8/15/09	13:49:59	252300.001	0.821	10.169	72.586	5242.004	72.586	5242.004
8/15/09	13:54:59	252600.001	0.822	10.165	72.584	5242.006	72.584	5242.006
8/15/09	13:59:59	252900.001	0.821	10.169	72.587	5242.003	72.587	5242.003
8/15/09	14:04:59	253200.001	0.822	10.168	72.584	5242.006	72.584	5242.006
8/15/09	14:09:59	253500.001	0.823	10.170	72.582	5242.008	72.582	5242.008
8/15/09	14:14:59	253800.001	0.823	10.168	72.581	5242.009	72.581	5242.009
8/15/09	14:19:59	254100.001	0.822	10.166	72.585	5242.005	72.585	5242.005
8/15/09	14:24:59	254400.001	0.823	10.166	72.583	5242.007	72.583	5242.007
8/15/09	14:29:59	254700.001	0.824	10.168	72.579	5242.011	72.579	5242.011
8/15/09	14:34:59	255000.001	0.823	10.166	72.582	5242.008	72.582	5242.008
8/15/09	14:39:59	255300.001	0.824	10.165	72.579	5242.011	72.579	5242.011
8/15/09	14:44:59	255600.001	0.825	10.166	72.577	5242.013	72.577	5242.013
8/15/09	14:49:59	255900.001	0.825	10.166	72.577	5242.013	72.577	5242.013
8/15/09	14:54:59	256200.001	0.826	10.165	72.576	5242.014	72.576	5242.014
8/15/09	14:59:59	256500.001	0.827	10.170	72.572	5242.018	72.572	5242.018
8/15/09	15:04:59	256800.001	0.827	10.167	72.574	5242.016	72.574	5242.016
8/15/09	15:09:59	257100.001	0.827	10.166	72.572	5242.018	72.572	5242.018
8/15/09	15:14:59	257400.001	0.828	10.166	72.570	5242.020	72.570	5242.020
8/15/09	15:19:59	257700.001	0.827	10.166	72.572	5242.018	72.572	5242.018
8/15/09	15:24:59	258000.001	0.827	10.168	72.573	5242.017	72.573	5242.017
8/15/09	15:29:59	258300.001	0.829	10.168	72.569	5242.021	72.569	5242.021
8/15/09	15:34:59	258600.001	0.827	10.168	72.572	5242.018	72.572	5242.018
8/15/09	15:39:59	258900.001	0.830	10.166	72.567	5242.023	72.567	5242.023
8/15/09	15:44:59	259200.001	0.830	10.165	72.565	5242.025	72.565	5242.025
8/15/09	15:49:59	259500.001	0.832	10.168	72.562	5242.028	72.562	5242.028
8/15/09	15:54:59	259800.001	0.832	10.166	72.561	5242.029	72.561	5242.029
8/15/09	15:59:59	260100.001	0.833	10.165	72.558	5242.032	72.558	5242.032
8/15/09	16:04:59	260400.001	0.832	10.169	72.562	5242.028	72.562	5242.028
8/15/09	16:09:59	260700.001	0.832	10.168	72.562	5242.028	72.562	5242.028
8/15/09	16:14:59	261000.001	0.833	10.168	72.559	5242.031	72.559	5242.031
8/15/09	16:19:59	261300.001	0.832	10.164	72.561	5242.029	72.561	5242.029
8/15/09	16:24:59	261600.001	0.834	10.168	72.557	5242.033	72.557	5242.033

**Appendix B-6. OMW-2 Water Level Data, Moore Ranch Supplemental Pump Testing**

Date	Time	Elapsed Time Minutes	SN#: 138089 PSI	SN#: 138089 Temp - C	SN#: 138089 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5314.590 GW Elevation	DTW	Elev
8/15/09	16:29:59	261900.001	0.840	10.164	72.543	5242.047	72.543	5242.047
8/15/09	16:34:59	262200.001	0.845	10.164	72.532	5242.058	72.532	5242.058
8/15/09	16:39:59	262500.001	0.844	10.164	72.534	5242.056	72.534	5242.056
8/15/09	16:44:59	262800.001	0.845	10.169	72.530	5242.060	72.530	5242.060
8/15/09	16:49:59	263100.001	0.849	10.165	72.523	5242.067	72.523	5242.067
8/15/09	16:54:59	263400.001	0.859	10.169	72.499	5242.091	72.499	5242.091
8/15/09	16:59:59	263700.001	0.862	10.169	72.492	5242.098	72.492	5242.098
8/15/09	17:04:59	264000.001	0.865	10.167	72.484	5242.106	72.484	5242.106
8/15/09	17:09:59	264300.001	0.868	10.166	72.478	5242.112	72.478	5242.112
8/15/09	17:14:59	264600.001	0.866	10.165	72.482	5242.108	72.482	5242.108
8/15/09	17:19:59	264900.001	0.862	10.166	72.493	5242.097	72.493	5242.097
8/15/09	17:24:59	265200.001	0.858	10.166	72.502	5242.088	72.502	5242.088
8/15/09	17:29:59	265500.001	0.854	10.167	72.510	5242.080	72.510	5242.080
8/15/09	17:34:59	265800.001	0.850	10.168	72.519	5242.071	72.519	5242.071
8/15/09	17:39:59	266100.001	0.847	10.165	72.526	5242.064	72.526	5242.064
8/15/09	17:44:59	266400.001	0.844	10.165	72.534	5242.056	72.534	5242.056
8/15/09	17:49:59	266700.001	0.844	10.164	72.534	5242.056	72.534	5242.056
8/15/09	17:54:59	267000.001	0.848	10.166	72.523	5242.067	72.523	5242.067
8/15/09	17:59:59	267300.001	0.841	10.166	72.540	5242.050	72.540	5242.050
8/15/09	18:04:59	267600.001	0.842	10.168	72.539	5242.051	72.539	5242.051
8/15/09	18:09:59	267900.001	0.843	10.166	72.536	5242.054	72.536	5242.054
8/15/09	18:14:59	268200.001	0.843	10.167	72.537	5242.053	72.537	5242.053
8/15/09	18:19:59	268500.001	0.845	10.167	72.532	5242.058	72.532	5242.058
8/15/09	18:24:59	268800.001	0.844	10.165	72.534	5242.056	72.534	5242.056
8/15/09	18:29:59	269100.001	0.844	10.165	72.533	5242.057	72.533	5242.057
8/15/09	18:34:59	269400.001	0.845	10.169	72.531	5242.059	72.531	5242.059
8/15/09	18:39:59	269700.001	0.845	10.168	72.531	5242.059	72.531	5242.059
8/15/09	18:44:59	270000.001	0.846	10.167	72.529	5242.061	72.529	5242.061
8/15/09	18:49:59	270300.001	0.847	10.167	72.527	5242.063	72.527	5242.063
8/15/09	18:54:59	270600.001	0.847	10.165	72.527	5242.063	72.527	5242.063
8/15/09	18:59:59	270900.001	0.849	10.166	72.523	5242.067	72.523	5242.067
8/15/09	19:04:59	271200.001	0.848	10.165	72.525	5242.065	72.525	5242.065
8/15/09	19:09:59	271500.001	0.849	10.167	72.523	5242.067	72.523	5242.067
8/15/09	19:14:59	271800.001	0.849	10.166	72.523	5242.067	72.523	5242.067
8/15/09	19:19:59	272100.001	0.849	10.166	72.521	5242.069	72.521	5242.069
8/15/09	19:24:59	272400.001	0.850	10.164	72.520	5242.070	72.520	5242.070
8/15/09	19:29:59	272700.001	0.851	10.167	72.518	5242.072	72.518	5242.072
8/15/09	19:34:59	273000.001	0.850	10.167	72.520	5242.070	72.520	5242.070
8/15/09	19:39:59	273300.001	0.849	10.166	72.521	5242.069	72.521	5242.069
8/15/09	19:44:59	273600.001	0.851	10.166	72.517	5242.073	72.517	5242.073
8/15/09	19:49:59	273900.001	0.852	10.166	72.514	5242.076	72.514	5242.076
8/15/09	19:54:59	274200.001	0.853	10.165	72.514	5242.076	72.514	5242.076
8/15/09	19:59:59	274500.001	0.852	10.165	72.515	5242.075	72.515	5242.075
8/15/09	20:04:59	274800.001	0.852	10.165	72.516	5242.074	72.516	5242.074
8/15/09	20:09:59	275100.001	0.854	10.166	72.510	5242.080	72.510	5242.080
8/15/09	20:14:59	275400.001	0.854	10.164	72.511	5242.079	72.511	5242.079
8/15/09	20:19:59	275700.001	0.853	10.166	72.512	5242.078	72.512	5242.078
8/15/09	20:24:59	276000.001	0.855	10.168	72.508	5242.082	72.508	5242.082
8/15/09	20:29:59	276300.001	0.856	10.165	72.507	5242.083	72.507	5242.083
8/15/09	20:34:59	276600.001	0.856	10.167	72.506	5242.084	72.506	5242.084
8/15/09	20:39:59	276900.001	0.857	10.167	72.504	5242.086	72.504	5242.086
8/15/09	20:44:59	277200.001	0.857	10.168	72.505	5242.085	72.505	5242.085
8/15/09	20:49:59	277500.001	0.856	10.167	72.506	5242.084	72.506	5242.084
8/15/09	20:54:59	277800.001	0.857	10.165	72.505	5242.085	72.505	5242.085

**Appendix B-6. OMW-2 Water Level Data, Moore Ranch Supplemental Pump Testing**

Date	Time	Elapsed Time Minutes	SN#: 13808 PSI	SN#: 13808 Temp - C	SN#: 138089 DTW (ft btoc)	TOC Elev	Corrected DTW	Corrected Elev
						5314.590 GW Elevation		
8/15/09	20:59:59	278100.001	0.857	10.166	72.503	5242.087	72.503	5242.087
8/15/09	21:04:59	278400.001	0.857	10.165	72.503	5242.087	72.503	5242.087
8/15/09	21:09:59	278700.001	0.859	10.166	72.500	5242.090	72.500	5242.090
8/15/09	21:14:59	279000.001	0.859	10.164	72.500	5242.090	72.500	5242.090
8/15/09	21:19:59	279300.001	0.861	10.163	72.495	5242.095	72.495	5242.095
8/15/09	21:24:59	279600.001	0.858	10.164	72.502	5242.088	72.502	5242.088
8/15/09	21:29:59	279900.001	0.860	10.167	72.498	5242.092	72.498	5242.092
8/15/09	21:34:59	280200.001	0.860	10.165	72.497	5242.093	72.497	5242.093
8/15/09	21:39:59	280500.001	0.860	10.165	72.497	5242.093	72.497	5242.093
8/15/09	21:44:59	280800.001	0.861	10.165	72.495	5242.095	72.495	5242.095
8/15/09	21:49:59	281100.001	0.863	10.166	72.491	5242.099	72.491	5242.099
8/15/09	21:54:59	281400.001	0.865	10.164	72.486	5242.104	72.486	5242.104
8/15/09	21:59:59	281700.001	0.864	10.166	72.487	5242.103	72.487	5242.103
8/15/09	22:04:59	282000.001	0.865	10.167	72.486	5242.104	72.486	5242.104
8/15/09	22:09:59	282300.001	0.865	10.164	72.484	5242.106	72.484	5242.106
8/15/09	22:14:59	282600.001	0.865	10.165	72.485	5242.105	72.485	5242.105
8/15/09	22:19:59	282900.001	0.869	10.166	72.477	5242.113	72.477	5242.113
8/15/09	22:24:59	283200.001	0.867	10.165	72.481	5242.109	72.481	5242.109
8/15/09	22:29:59	283500.001	0.874	10.165	72.465	5242.125	72.465	5242.125
8/15/09	22:34:59	283800.001	0.887	10.165	72.434	5242.156	72.434	5242.156
8/15/09	22:39:59	284100.001	0.898	10.166	72.409	5242.181	72.409	5242.181
8/15/09	22:44:59	284400.001	0.902	10.167	72.400	5242.190	72.400	5242.190
8/15/09	22:49:59	284700.001	0.913	10.166	72.374	5242.216	72.374	5242.216
8/15/09	22:54:59	285000.001	0.921	10.165	72.356	5242.234	72.356	5242.234
8/15/09	22:59:59	285300.001	0.934	10.167	72.325	5242.265	72.325	5242.265
8/15/09	23:04:59	285600.001	0.943	10.165	72.304	5242.286	72.304	5242.286
8/15/09	23:09:59	285900.001	0.952	10.166	72.285	5242.305	72.285	5242.305
8/15/09	23:14:59	286200.001	0.959	10.163	72.268	5242.322	72.268	5242.322
8/15/09	23:19:59	286500.001	0.968	10.167	72.247	5242.343	72.247	5242.343
8/15/09	23:24:59	286800.001	0.976	10.166	72.229	5242.361	72.229	5242.361
8/15/09	23:29:59	287100.001	0.985	10.165	72.207	5242.383	72.207	5242.383
8/15/09	23:34:59	287400.001	0.990	10.164	72.196	5242.394	72.196	5242.394
8/15/09	23:39:59	287700.001	0.998	10.166	72.178	5242.412	72.178	5242.412
8/15/09	23:44:59	288000.001	1.009	10.165	72.152	5242.438	72.152	5242.438
8/15/09	23:49:59	288300.001	1.018	10.164	72.132	5242.458	72.132	5242.458
8/15/09	23:54:59	288600.001	1.022	10.164	72.123	5242.467	72.123	5242.467
8/15/09	23:59:59	288900.001	1.026	10.166	72.114	5242.476	72.114	5242.476
8/16/09	0:04:59	289200.001	1.026	10.164	72.113	5242.477	72.113	5242.477
8/16/09	0:09:59	289500.001	1.031	10.164	72.102	5242.488	72.102	5242.488
8/16/09	0:14:59	289800.001	1.033	10.166	72.097	5242.493	72.097	5242.493
8/16/09	0:19:59	290100.001	1.034	10.165	72.096	5242.494	72.096	5242.494
8/16/09	0:24:59	290400.001	1.035	10.166	72.093	5242.497	72.093	5242.497
8/16/09	0:29:59	290700.001	1.039	10.166	72.084	5242.506	72.084	5242.506
8/16/09	0:34:59	291000.001	1.041	10.164	72.080	5242.510	72.080	5242.510
8/16/09	0:39:59	291300.001	1.042	10.168	72.077	5242.513	72.077	5242.513
8/16/09	0:44:59	291600.001	1.044	10.166	72.073	5242.517	72.073	5242.517
8/16/09	0:49:59	291900.001	1.047	10.167	72.066	5242.524	72.066	5242.524
8/16/09	0:54:59	292200.001	1.051	10.166	72.057	5242.533	72.057	5242.533
8/16/09	0:59:59	292500.001	1.053	10.164	72.052	5242.538	72.052	5242.538
8/16/09	1:04:59	292800.001	1.057	10.165	72.041	5242.549	72.041	5242.549
8/16/09	1:09:59	293100.001	1.059	10.165	72.037	5242.553	72.037	5242.553
8/16/09	1:14:59	293400.001	1.061	10.165	72.033	5242.557	72.033	5242.557
8/16/09	1:19:59	293700.001	1.065	10.166	72.024	5242.566	72.024	5242.566
8/16/09	1:24:59	294000.001	1.067	10.165	72.018	5242.572	72.018	5242.572

**Appendix B-6. OMW-2 Water Level Data, Moore Ranch Supplemental Pump Testing**

Date	Time	Elapsed Time Minutes	SN#: 13808 PSI	SN#: 13808 Temp - C	SN#: 138089 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5314.590 GW Elevation	DTW	Elev
8/16/09	1:29:59	294300.001	1.068	10.165	72.017	5242.573	72.017	5242.573
8/16/09	1:34:59	294600.001	1.071	10.164	72.009	5242.581	72.009	5242.581
8/16/09	1:39:59	294900.001	1.071	10.166	72.009	5242.581	72.009	5242.581
8/16/09	1:44:59	295200.001	1.074	10.162	72.002	5242.588	72.002	5242.588
8/16/09	1:49:59	295500.001	1.075	10.166	72.001	5242.589	72.001	5242.589
8/16/09	1:54:59	295800.001	1.079	10.166	71.992	5242.598	71.992	5242.598
8/16/09	1:59:59	296100.001	1.081	10.165	71.987	5242.603	71.987	5242.603
8/16/09	2:04:59	296400.001	1.084	10.165	71.980	5242.610	71.980	5242.610
8/16/09	2:09:59	296700.001	1.086	10.164	71.975	5242.615	71.975	5242.615
8/16/09	2:14:59	297000.001	1.088	10.166	71.969	5242.621	71.969	5242.621
8/16/09	2:19:59	297300.001	1.091	10.163	71.964	5242.626	71.964	5242.626
8/16/09	2:24:59	297600.001	1.095	10.164	71.953	5242.637	71.953	5242.637
8/16/09	2:29:59	297900.001	1.097	10.167	71.949	5242.641	71.949	5242.641
8/16/09	2:34:59	298200.001	1.105	10.166	71.932	5242.658	71.932	5242.658
8/16/09	2:39:59	298500.001	1.106	10.166	71.928	5242.662	71.928	5242.662
8/16/09	2:44:59	298800.001	1.107	10.165	71.927	5242.663	71.927	5242.663
8/16/09	2:49:59	299100.001	1.107	10.165	71.927	5242.663	71.927	5242.663
8/16/09	2:54:59	299400.001	1.107	10.165	71.927	5242.663	71.927	5242.663
8/16/09	2:59:59	299700.001	1.109	10.167	71.923	5242.667	71.923	5242.667
8/16/09	3:04:59	300000.001	1.109	10.164	71.921	5242.669	71.921	5242.669
8/16/09	3:09:59	300300.001	1.110	10.165	71.921	5242.669	71.921	5242.669
8/16/09	3:14:59	300600.001	1.111	10.164	71.918	5242.672	71.918	5242.672
8/16/09	3:19:59	300900.001	1.113	10.165	71.911	5242.679	71.911	5242.679
8/16/09	3:24:59	301200.001	1.115	10.165	71.908	5242.682	71.908	5242.682
8/16/09	3:29:59	301500.001	1.119	10.164	71.898	5242.692	71.898	5242.692
8/16/09	3:34:59	301800.001	1.125	10.164	71.884	5242.706	71.884	5242.706
8/16/09	3:39:59	302100.001	1.129	10.164	71.875	5242.715	71.875	5242.715
8/16/09	3:44:59	302400.001	1.135	10.162	71.861	5242.729	71.861	5242.729
8/16/09	3:49:59	302700.001	1.142	10.165	71.847	5242.743	71.847	5242.743
8/16/09	3:54:59	303000.001	1.149	10.165	71.830	5242.760	71.830	5242.760
8/16/09	3:59:59	303300.001	1.155	10.163	71.816	5242.774	71.816	5242.774
8/16/09	4:04:59	303600.001	1.161	10.162	71.803	5242.787	71.803	5242.787
8/16/09	4:09:59	303900.001	1.167	10.165	71.789	5242.801	71.789	5242.801
8/16/09	4:14:59	304200.001	1.173	10.166	71.774	5242.816	71.774	5242.816
8/16/09	4:19:59	304500.001	1.178	10.166	71.763	5242.827	71.763	5242.827
8/16/09	4:24:59	304800.001	1.184	10.165	71.749	5242.841	71.749	5242.841
8/16/09	4:29:59	305100.001	1.188	10.164	71.739	5242.851	71.739	5242.851
8/16/09	4:34:59	305400.001	1.191	10.165	71.732	5242.858	71.732	5242.858
8/16/09	4:39:59	305700.001	1.195	10.165	71.723	5242.867	71.723	5242.867
8/16/09	4:44:59	306000.001	1.198	10.164	71.715	5242.875	71.715	5242.875
8/16/09	4:49:59	306300.001	1.207	10.164	71.695	5242.895	71.695	5242.895
8/16/09	4:54:59	306600.001	1.211	10.163	71.686	5242.904	71.686	5242.904
8/16/09	4:59:59	306900.001	1.214	10.167	71.679	5242.911	71.679	5242.911
8/16/09	5:04:59	307200.001	1.218	10.165	71.671	5242.919	71.671	5242.919
8/16/09	5:09:59	307500.001	1.220	10.165	71.666	5242.924	71.666	5242.924
8/16/09	5:14:59	307800.001	1.224	10.165	71.655	5242.935	71.655	5242.935
8/16/09	5:19:59	308100.001	1.228	10.163	71.646	5242.944	71.646	5242.944
8/16/09	5:24:59	308400.001	1.231	10.166	71.641	5242.949	71.641	5242.949
8/16/09	5:29:59	308700.001	1.233	10.164	71.637	5242.953	71.637	5242.953
8/16/09	5:34:59	309000.001	1.232	10.165	71.638	5242.952	71.638	5242.952
8/16/09	5:39:59	309300.001	1.235	10.165	71.631	5242.959	71.631	5242.959
8/16/09	5:44:59	309600.001	1.241	10.164	71.616	5242.974	71.616	5242.974
8/16/09	5:49:59	309900.001	1.244	10.164	71.610	5242.980	71.610	5242.980
8/16/09	5:54:59	310200.001	1.245	10.164	71.607	5242.983	71.607	5242.983

**Appendix B-6. OMW-2 Water Level Data, Moore Ranch Supplemental Pump Testing**

Date	Time	Elapsed Time Minutes	SN#: 138089 PSI	SN#: 138089 Temp - C	SN#: 138089 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5314.590 GW Elevation	DTW	Elev
8/16/09	5:59:59	310500.001	1.249	10.164	71.599	5242.991	71.599	5242.991
8/16/09	6:04:59	310800.001	1.251	10.165	71.595	5242.995	71.595	5242.995
8/16/09	6:09:59	311100.001	1.253	10.166	71.590	5243.000	71.590	5243.000
8/16/09	6:14:59	311400.001	1.254	10.163	71.588	5243.002	71.588	5243.002
8/16/09	6:19:59	311700.001	1.249	10.164	71.599	5242.991	71.599	5242.991
8/16/09	6:24:59	312000.001	1.243	10.165	71.613	5242.977	71.613	5242.977
8/16/09	6:29:59	312300.001	1.235	10.166	71.630	5242.960	71.630	5242.960
8/16/09	6:34:59	312600.001	1.223	10.163	71.659	5242.931	71.659	5242.931
8/16/09	6:39:59	312900.001	1.214	10.161	71.679	5242.911	71.679	5242.911
8/16/09	6:44:59	313200.001	1.203	10.164	71.704	5242.886	71.704	5242.886
8/16/09	6:49:59	313500.001	1.191	10.165	71.733	5242.857	71.733	5242.857
8/16/09	6:54:59	313800.001	1.178	10.166	71.763	5242.827	71.763	5242.827
8/16/09	6:59:59	314100.001	1.163	10.161	71.797	5242.793	71.797	5242.793
8/16/09	7:04:59	314400.001	1.147	10.165	71.834	5242.756	71.834	5242.756
8/16/09	7:09:59	314700.001	1.129	10.163	71.876	5242.714	71.876	5242.714
8/16/09	7:14:59	315000.001	1.113	10.164	71.912	5242.678	71.912	5242.678
8/16/09	7:19:59	315300.001	1.101	10.164	71.941	5242.649	71.941	5242.649
8/16/09	7:24:59	315600.001	1.089	10.164	71.968	5242.622	71.968	5242.622
8/16/09	7:29:59	315900.001	1.074	10.166	72.003	5242.587	72.003	5242.587
8/16/09	7:34:59	316200.001	1.057	10.167	72.043	5242.547	72.043	5242.547
8/16/09	7:39:59	316500.001	1.043	10.163	72.074	5242.516	72.074	5242.516
8/16/09	7:44:59	316800.001	1.027	10.164	72.112	5242.478	72.112	5242.478
8/16/09	7:49:59	317100.001	1.008	10.165	72.155	5242.435	72.155	5242.435
8/16/09	7:54:59	317400.001	1.003	10.164	72.167	5242.423	72.167	5242.423
8/16/09	7:59:59	317700.001	0.995	10.165	72.186	5242.404	72.186	5242.404
8/16/09	8:04:59	318000.001	0.979	10.164	72.222	5242.368	72.222	5242.368
8/16/09	8:09:59	318300.001	0.971	10.165	72.241	5242.349	72.241	5242.349
8/16/09	8:14:59	318600.001	0.929	10.166	72.337	5242.253	72.337	5242.253
8/16/09	8:19:59	318900.001	0.909	10.163	72.384	5242.206	72.384	5242.206
8/16/09	8:24:59	319200.001	0.910	10.164	72.382	5242.208	72.382	5242.208
8/16/09	8:29:59	319500.001	0.911	10.165	72.379	5242.211	72.379	5242.211
8/16/09	8:34:59	319800.001	0.911	10.165	72.378	5242.212	72.378	5242.212
8/16/09	8:39:59	320100.001	0.912	10.165	72.376	5242.214	72.376	5242.214
8/16/09	8:44:59	320400.001	0.911	10.165	72.379	5242.211	72.379	5242.211
8/16/09	8:49:59	320700.001	0.912	10.166	72.376	5242.214	72.376	5242.214
8/16/09	8:54:59	321000.001	0.913	10.166	72.375	5242.215	72.375	5242.215
8/16/09	8:59:59	321300.001	0.912	10.164	72.377	5242.213	72.377	5242.213
8/16/09	9:04:59	321600.001	0.913	10.166	72.374	5242.216	72.374	5242.216
8/16/09	9:09:59	321900.001	0.913	10.168	72.374	5242.216	72.374	5242.216
8/16/09	9:14:59	322200.001	0.912	10.164	72.376	5242.214	72.376	5242.214
8/16/09	9:19:59	322500.001	0.914	10.164	72.373	5242.217	72.373	5242.217
8/16/09	9:24:59	322800.001	0.914	10.165	72.373	5242.217	72.373	5242.217
8/16/09	9:29:59	323100.001	0.915	10.162	72.369	5242.221	72.369	5242.221
8/16/09	9:34:59	323400.001	0.914	10.163	72.372	5242.218	72.372	5242.218
8/16/09	9:39:59	323700.001	0.916	10.165	72.368	5242.222	72.368	5242.222
8/16/09	9:44:59	324000.001	0.916	10.163	72.367	5242.223	72.367	5242.223
8/16/09	9:49:59	324300.001	0.917	10.164	72.365	5242.225	72.365	5242.225
8/16/09	9:54:59	324600.001	0.917	10.163	72.366	5242.224	72.366	5242.224
8/16/09	9:59:59	324900.001	0.917	10.163	72.366	5242.224	72.366	5242.224
8/16/09	10:04:59	325200.001	0.917	10.164	72.365	5242.225	72.365	5242.225
8/16/09	10:09:59	325500.001	0.918	10.166	72.363	5242.227	72.363	5242.227
8/16/09	10:14:59	325800.001	0.918	10.163	72.362	5242.228	72.362	5242.228
8/16/09	10:19:59	326100.001	0.919	10.163	72.360	5242.230	72.360	5242.230
8/16/09	10:24:59	326400.001	0.919	10.165	72.360	5242.230	72.360	5242.230

**Appendix B-6. OMW-2 Water Level Data, Moore Ranch Supplemental Pump Testing**

Date	Time	Elapsed Time Minutes	SN#: 138089 PSI	SN#: 138089 Temp - C	SN#: 138089 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5314.590 GW Elevation	DTW	Elev
8/16/09	10:29:59	326700.001	0.919	10.163	72.360	5242.230	72.360	5242.230
8/16/09	10:34:59	327000.001	0.920	10.163	72.357	5242.233	72.357	5242.233
8/16/09	10:39:59	327300.001	0.921	10.163	72.356	5242.234	72.356	5242.234
8/16/09	10:44:59	327600.001	0.921	10.164	72.356	5242.234	72.356	5242.234
8/16/09	10:49:59	327900.001	0.919	10.165	72.360	5242.230	72.360	5242.230
8/16/09	10:54:59	328200.001	0.920	10.164	72.358	5242.232	72.358	5242.232
8/16/09	10:59:59	328500.001	0.921	10.161	72.355	5242.235	72.355	5242.235
8/16/09	11:04:59	328800.001	0.920	10.166	72.359	5242.231	72.359	5242.231
8/16/09	11:09:59	329100.001	0.921	10.164	72.355	5242.235	72.355	5242.235
8/16/09	11:14:59	329400.001	0.922	10.162	72.354	5242.236	72.354	5242.236
8/16/09	11:19:59	329700.001	0.923	10.163	72.351	5242.239	72.351	5242.239
8/16/09	11:24:59	330000.001	0.923	10.165	72.352	5242.238	72.352	5242.238
8/16/09	11:29:59	330300.001	0.923	10.163	72.352	5242.238	72.352	5242.238
8/16/09	11:34:59	330600.001	0.923	10.165	72.350	5242.240	72.350	5242.240
8/16/09	11:39:59	330900.001	0.925	10.164	72.348	5242.242	72.348	5242.242
8/16/09	11:44:59	331200.001	0.925	10.165	72.346	5242.244	72.346	5242.244
8/16/09	11:49:59	331500.001	0.923	10.163	72.351	5242.239	72.351	5242.239
8/16/09	11:54:59	331800.001	0.925	10.164	72.346	5242.244	72.346	5242.244
8/16/09	11:59:59	332100.001	0.926	10.163	72.345	5242.245	72.345	5242.245
8/16/09	12:04:59	332400.001	0.926	10.165	72.345	5242.245	72.345	5242.245
8/16/09	12:09:59	332700.001	0.926	10.164	72.345	5242.245	72.345	5242.245
8/16/09	12:14:59	333000.001	0.926	10.165	72.345	5242.245	72.345	5242.245
8/16/09	12:19:59	333300.001	0.928	10.163	72.340	5242.250	72.340	5242.250
8/16/09	12:24:59	333600.001	0.926	10.163	72.344	5242.246	72.344	5242.246
8/16/09	12:29:59	333900.001	0.930	10.165	72.336	5242.254	72.336	5242.254
8/16/09	12:34:59	334200.001	0.931	10.164	72.334	5242.256	72.334	5242.256
8/16/09	12:39:59	334500.001	0.930	10.162	72.335	5242.255	72.335	5242.255
8/16/09	12:44:59	334800.001	0.930	10.163	72.335	5242.255	72.335	5242.255
8/16/09	12:49:59	335100.001	0.930	10.165	72.334	5242.256	72.334	5242.256
8/16/09	12:54:59	335400.001	0.929	10.164	72.337	5242.253	72.337	5242.253
8/16/09	12:59:59	335700.001	0.931	10.165	72.332	5242.258	72.332	5242.258
8/16/09	13:04:59	336000.001	0.931	10.163	72.333	5242.257	72.333	5242.257
8/16/09	13:09:59	336300.001	0.932	10.164	72.330	5242.260	72.330	5242.260
8/16/09	13:14:59	336600.001	0.933	10.166	72.329	5242.261	72.329	5242.261
8/16/09	13:19:59	336900.001	0.932	10.164	72.331	5242.259	72.331	5242.259
8/16/09	13:24:59	337200.001	0.931	10.163	72.332	5242.258	72.332	5242.258
8/16/09	13:29:59	337500.001	0.934	10.163	72.327	5242.263	72.327	5242.263
8/16/09	13:34:59	337800.001	0.932	10.163	72.330	5242.260	72.330	5242.260
8/16/09	13:39:59	338100.001	0.934	10.164	72.326	5242.264	72.326	5242.264
8/16/09	13:44:59	338400.001	0.934	10.164	72.325	5242.265	72.325	5242.265
8/16/09	13:49:59	338700.001	0.935	10.162	72.324	5242.266	72.324	5242.266
8/16/09	13:54:59	339000.001	0.936	10.163	72.322	5242.268	72.322	5242.268
8/16/09	13:59:59	339300.001	0.935	10.163	72.323	5242.267	72.323	5242.267
8/16/09	14:04:59	339600.001	0.936	10.163	72.322	5242.268	72.322	5242.268
8/16/09	14:09:59	339900.001	0.936	10.165	72.322	5242.268	72.322	5242.268
8/16/09	14:14:59	340200.001	0.935	10.164	72.324	5242.266	72.324	5242.266
8/16/09	14:19:59	340500.001	0.937	10.165	72.318	5242.272	72.318	5242.272
8/16/09	14:24:59	340800.001	0.937	10.162	72.320	5242.270	72.320	5242.270
8/16/09	14:29:59	341100.001	0.935	10.162	72.323	5242.267	72.323	5242.267
8/16/09	14:34:59	341400.001	0.936	10.165	72.321	5242.269	72.321	5242.269
8/16/09	14:39:59	341700.001	0.939	10.164	72.314	5242.276	72.314	5242.276
8/16/09	14:44:59	342000.001	0.940	10.162	72.312	5242.278	72.312	5242.278
8/16/09	14:49:59	342300.001	0.940	10.163	72.311	5242.279	72.311	5242.279
8/16/09	14:54:59	342600.001	0.940	10.163	72.312	5242.278	72.312	5242.278

**Appendix B-6. OMW-2 Water Level Data, Moore Ranch Supplemental Pump Testing**

Date	Time	Elapsed Time Minutes	SN#: 13808 PSI	SN#: 13808 Temp - C	SN#: 138089 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5314.590 GW Elevation	DTW	Elev
8/16/09	14:59:59	342900.001	0.942	10.162	72.308	5242.282	72.308	5242.282
8/16/09	15:04:59	343200.001	0.942	10.165	72.307	5242.283	72.307	5242.283
8/16/09	15:09:59	343500.001	0.944	10.163	72.303	5242.287	72.303	5242.287
8/16/09	15:14:59	343800.001	0.942	10.165	72.306	5242.284	72.306	5242.284
8/16/09	15:19:59	344100.001	0.942	10.162	72.307	5242.283	72.307	5242.283
8/16/09	15:24:59	344400.001	0.943	10.162	72.305	5242.285	72.305	5242.285
8/16/09	15:29:59	344700.001	0.943	10.162	72.304	5242.286	72.304	5242.286
8/16/09	15:34:59	345000.001	0.943	10.164	72.304	5242.286	72.304	5242.286
8/16/09	15:39:59	345300.001	0.944	10.163	72.302	5242.288	72.302	5242.288
8/16/09	15:44:59	345600.001	0.945	10.162	72.300	5242.290	72.300	5242.290
8/16/09	15:49:59	345900.001	0.944	10.163	72.303	5242.287	72.303	5242.287
8/16/09	15:54:59	346200.001	0.945	10.164	72.301	5242.289	72.301	5242.289
8/16/09	15:59:59	346500.001	0.941	10.162	72.310	5242.280	72.310	5242.280
8/16/09	16:04:59	346800.001	0.944	10.164	72.304	5242.286	72.304	5242.286
8/16/09	16:09:59	347100.001	0.946	10.165	72.297	5242.293	72.297	5242.293
8/16/09	16:14:59	347400.001	0.946	10.165	72.298	5242.292	72.298	5242.292
8/16/09	16:19:59	347700.001	0.945	10.164	72.301	5242.289	72.301	5242.289
8/16/09	16:24:59	348000.001	0.947	10.161	72.295	5242.295	72.295	5242.295
8/16/09	16:29:59	348300.001	0.946	10.164	72.299	5242.291	72.299	5242.291
8/16/09	16:34:59	348600.001	0.948	10.163	72.294	5242.296	72.294	5242.296
8/16/09	16:39:59	348900.001	0.948	10.161	72.295	5242.295	72.295	5242.295
8/16/09	16:44:59	349200.001	0.949	10.163	72.291	5242.299	72.291	5242.299
8/16/09	16:49:59	349500.001	0.950	10.162	72.289	5242.301	72.289	5242.301
8/16/09	16:54:59	349800.001	0.947	10.165	72.296	5242.294	72.296	5242.294
8/16/09	16:59:59	350100.001	0.951	10.161	72.288	5242.302	72.288	5242.302
8/16/09	17:04:59	350400.001	0.950	10.162	72.290	5242.300	72.290	5242.300
8/16/09	17:09:59	350700.001	0.949	10.159	72.290	5242.300	72.290	5242.300
8/16/09	17:14:59	351000.001	0.950	10.163	72.289	5242.301	72.289	5242.301
8/16/09	17:19:59	351300.001	0.954	10.162	72.280	5242.310	72.280	5242.310
8/16/09	17:24:59	351600.001	0.951	10.158	72.285	5242.305	72.285	5242.305
8/16/09	17:29:59	351900.001	0.953	10.164	72.283	5242.307	72.283	5242.307
8/16/09	17:34:59	352200.001	0.950	10.161	72.289	5242.301	72.289	5242.301
8/16/09	17:39:59	352500.001	0.954	10.162	72.280	5242.310	72.280	5242.310
8/16/09	17:44:59	352800.001	0.955	10.161	72.278	5242.312	72.278	5242.312
8/16/09	17:49:59	353100.001	0.953	10.161	72.282	5242.308	72.282	5242.308
8/16/09	17:54:59	353400.001	0.954	10.164	72.279	5242.311	72.279	5242.311
8/16/09	17:59:59	353700.001	0.953	10.163	72.281	5242.309	72.281	5242.309
8/16/09	18:04:59	354000.001	0.955	10.163	72.277	5242.313	72.277	5242.313
8/16/09	18:09:59	354300.001	0.955	10.163	72.278	5242.312	72.278	5242.312
8/16/09	18:14:59	354600.001	0.956	10.161	72.274	5242.316	72.274	5242.316
8/16/09	18:19:59	354900.001	0.956	10.162	72.274	5242.316	72.274	5242.316
8/16/09	18:24:59	355200.001	0.958	10.162	72.271	5242.319	72.271	5242.319
8/16/09	18:29:59	355500.001	0.957	10.160	72.272	5242.318	72.272	5242.318
8/16/09	18:34:59	355800.001	0.957	10.165	72.272	5242.318	72.272	5242.318
8/16/09	18:39:59	356100.001	0.958	10.163	72.270	5242.320	72.270	5242.320
8/16/09	18:44:59	356400.001	0.957	10.163	72.272	5242.318	72.272	5242.318
8/16/09	18:49:59	356700.001	0.959	10.164	72.268	5242.322	72.268	5242.322
8/16/09	18:54:59	357000.001	0.959	10.164	72.268	5242.322	72.268	5242.322
8/16/09	18:59:59	357300.001	0.960	10.163	72.265	5242.325	72.265	5242.325
8/16/09	19:04:59	357600.001	0.962	10.159	72.261	5242.329	72.261	5242.329
8/16/09	19:09:59	357900.001	0.960	10.162	72.265	5242.325	72.265	5242.325
8/16/09	19:14:59	358200.001	0.961	10.162	72.264	5242.326	72.264	5242.326
8/16/09	19:19:59	358500.001	0.960	10.163	72.265	5242.325	72.265	5242.325
8/16/09	19:24:59	358800.001	0.962	10.166	72.261	5242.329	72.261	5242.329



**Appendix B-6. OMW-2 Water Level Data, Moore Ranch Supplemental Pump Testing**

Date	Time	Elapsed Time Minutes	SN#: 138089 PSI	SN#: 138089 Temp - C	SN#: 138089 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5314.590 GW Elevation	DTW	Elev
8/16/09	19:29:59	359100.001	0.963	10.163	72.260	5242.330	72.260	5242.330
8/16/09	19:34:59	359400.001	0.963	10.163	72.260	5242.330	72.260	5242.330
8/16/09	19:39:59	359700.001	0.963	10.165	72.259	5242.331	72.259	5242.331
8/16/09	19:44:59	360000.001	0.964	10.162	72.255	5242.335	72.255	5242.335
8/16/09	19:49:59	360300.001	0.964	10.163	72.257	5242.333	72.257	5242.333
8/16/09	19:54:59	360600.001	0.963	10.163	72.258	5242.332	72.258	5242.332
8/16/09	19:59:59	360900.001	0.964	10.164	72.257	5242.333	72.257	5242.333
8/16/09	20:04:59	361200.001	0.966	10.163	72.251	5242.339	72.251	5242.339
8/16/09	20:09:59	361500.001	0.965	10.162	72.254	5242.336	72.254	5242.336
8/16/09	20:14:59	361800.001	0.966	10.163	72.253	5242.337	72.253	5242.337
8/16/09	20:19:59	362100.001	0.967	10.164	72.250	5242.340	72.250	5242.340
8/16/09	20:24:59	362400.001	0.966	10.161	72.252	5242.338	72.252	5242.338
8/16/09	20:29:59	362700.001	0.967	10.160	72.250	5242.340	72.250	5242.340
8/16/09	20:34:59	363000.001	0.967	10.163	72.250	5242.340	72.250	5242.340
8/16/09	20:39:59	363300.001	0.968	10.162	72.248	5242.342	72.248	5242.342
8/16/09	20:44:59	363600.001	0.968	10.163	72.247	5242.343	72.247	5242.343
8/16/09	20:49:59	363900.001	0.968	10.163	72.248	5242.342	72.248	5242.342
8/16/09	20:54:59	364200.001	0.969	10.162	72.245	5242.345	72.245	5242.345
8/16/09	20:59:59	364500.001	0.969	10.163	72.244	5242.346	72.244	5242.346
8/16/09	21:04:59	364800.001	0.969	10.161	72.244	5242.346	72.244	5242.346
8/16/09	21:09:59	365100.001	0.970	10.164	72.243	5242.347	72.243	5242.347
8/16/09	21:14:59	365400.001	0.971	10.163	72.241	5242.349	72.241	5242.349
8/16/09	21:19:59	365700.001	0.972	10.164	72.238	5242.352	72.238	5242.352
8/16/09	21:24:59	366000.001	0.970	10.163	72.244	5242.346	72.244	5242.346
8/16/09	21:29:59	366300.001	0.971	10.165	72.241	5242.349	72.241	5242.349
8/16/09	21:34:59	366600.001	0.973	10.162	72.236	5242.354	72.236	5242.354
8/16/09	21:39:59	366900.001	0.972	10.164	72.237	5242.353	72.237	5242.353
8/16/09	21:44:59	367200.001	0.973	10.159	72.235	5242.355	72.235	5242.355
8/16/09	21:49:59	367500.001	0.973	10.162	72.236	5242.354	72.236	5242.354
8/16/09	21:54:59	367800.001	0.973	10.166	72.236	5242.354	72.236	5242.354
8/16/09	21:59:59	368100.001	0.973	10.165	72.235	5242.355	72.235	5242.355
8/16/09	22:04:59	368400.001	0.974	10.164	72.233	5242.357	72.233	5242.357
8/16/09	22:09:59	368700.001	0.973	10.163	72.235	5242.355	72.235	5242.355
8/16/09	22:14:59	369000.001	0.974	10.162	72.233	5242.357	72.233	5242.357
8/16/09	22:19:59	369300.001	0.976	10.161	72.230	5242.360	72.230	5242.360
8/16/09	22:24:59	369600.001	0.975	10.162	72.231	5242.359	72.231	5242.359
8/16/09	22:29:59	369900.001	0.975	10.162	72.231	5242.359	72.231	5242.359
8/16/09	22:34:59	370200.001	0.976	10.163	72.229	5242.361	72.229	5242.361
8/16/09	22:39:59	370500.001	0.977	10.161	72.226	5242.364	72.226	5242.364
8/16/09	22:44:59	370800.001	0.977	10.165	72.226	5242.364	72.226	5242.364
8/16/09	22:49:59	371100.001	0.976	10.163	72.228	5242.362	72.228	5242.362
8/16/09	22:54:59	371400.001	0.977	10.161	72.226	5242.364	72.226	5242.364
8/16/09	22:59:59	371700.001	0.978	10.162	72.224	5242.366	72.224	5242.366
8/16/09	23:04:59	372000.001	0.978	10.159	72.224	5242.366	72.224	5242.366
8/16/09	23:09:59	372300.001	0.979	10.161	72.222	5242.368	72.222	5242.368
8/16/09	23:14:59	372600.001	0.979	10.163	72.222	5242.368	72.222	5242.368
8/16/09	23:19:59	372900.001	0.979	10.161	72.223	5242.367	72.223	5242.367
8/16/09	23:24:59	373200.001	0.979	10.162	72.222	5242.368	72.222	5242.368
8/16/09	23:29:59	373500.001	0.979	10.162	72.222	5242.368	72.222	5242.368
8/16/09	23:34:59	373800.001	0.980	10.165	72.220	5242.370	72.220	5242.370
8/16/09	23:39:59	374100.001	0.980	10.162	72.219	5242.371	72.219	5242.371
8/16/09	23:44:59	374400.001	0.980	10.163	72.219	5242.371	72.219	5242.371
8/16/09	23:49:59	374700.001	0.981	10.161	72.218	5242.372	72.218	5242.372
8/16/09	23:54:59	375000.001	0.981	10.162	72.217	5242.373	72.217	5242.373

**Appendix B-6. OMW-2 Water Level Data, Moore Ranch Supplemental Pump Testing**

Date	Time	Elapsed Time Minutes	SN#: 138089 PSI	SN#: 138089 Temp - C	SN#: 138089 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5314.590 GW Elevation	DTW	Elev
8/16/09	23:59:59	375300.001	0.981	10.161	72.217	5242.373	72.217	5242.373
8/17/09	0:04:59	375600.001	0.982	10.164	72.215	5242.375	72.215	5242.375
8/17/09	0:09:59	375900.001	0.982	10.162	72.215	5242.375	72.215	5242.375
8/17/09	0:14:59	376200.001	0.983	10.162	72.214	5242.376	72.214	5242.376
8/17/09	0:19:59	376500.001	0.983	10.163	72.212	5242.378	72.212	5242.378
8/17/09	0:24:59	376800.001	0.984	10.162	72.212	5242.378	72.212	5242.378
8/17/09	0:29:59	377100.001	0.984	10.165	72.211	5242.379	72.211	5242.379
8/17/09	0:34:59	377400.001	0.984	10.162	72.210	5242.380	72.210	5242.380
8/17/09	0:39:59	377700.001	0.984	10.159	72.209	5242.381	72.209	5242.381
8/17/09	0:44:59	378000.001	0.984	10.163	72.210	5242.380	72.210	5242.380
8/17/09	0:49:59	378300.001	0.984	10.163	72.210	5242.380	72.210	5242.380
8/17/09	0:54:59	378600.001	0.985	10.163	72.208	5242.382	72.208	5242.382
8/17/09	0:59:59	378900.001	0.985	10.162	72.208	5242.382	72.208	5242.382
8/17/09	1:04:59	379200.001	0.985	10.162	72.208	5242.382	72.208	5242.382
8/17/09	1:09:59	379500.001	0.986	10.163	72.206	5242.384	72.206	5242.384
8/17/09	1:14:59	379800.001	0.986	10.162	72.207	5242.383	72.207	5242.383
8/17/09	1:19:59	380100.001	0.988	10.162	72.202	5242.388	72.202	5242.388
8/17/09	1:24:59	380400.001	0.988	10.162	72.202	5242.388	72.202	5242.388
8/17/09	1:29:59	380700.001	0.986	10.162	72.206	5242.384	72.206	5242.384
8/17/09	1:34:59	381000.001	0.987	10.160	72.202	5242.388	72.202	5242.388
8/17/09	1:39:59	381300.001	0.989	10.163	72.200	5242.390	72.200	5242.390
8/17/09	1:44:59	381600.001	0.989	10.163	72.199	5242.391	72.199	5242.391
8/17/09	1:49:59	381900.001	0.988	10.161	72.201	5242.389	72.201	5242.389
8/17/09	1:54:59	382200.001	0.988	10.163	72.202	5242.388	72.202	5242.388
8/17/09	1:59:59	382500.001	0.990	10.161	72.196	5242.394	72.196	5242.394
8/17/09	2:04:59	382800.001	0.990	10.162	72.195	5242.395	72.195	5242.395
8/17/09	2:09:59	383100.001	0.990	10.161	72.196	5242.394	72.196	5242.394
8/17/09	2:14:59	383400.001	0.990	10.161	72.197	5242.393	72.197	5242.393
8/17/09	2:19:59	383700.001	0.990	10.164	72.197	5242.393	72.197	5242.393
8/17/09	2:24:59	384000.001	0.992	10.162	72.191	5242.399	72.191	5242.399
8/17/09	2:29:59	384300.001	0.992	10.163	72.193	5242.397	72.193	5242.397
8/17/09	2:34:59	384600.001	0.992	10.163	72.192	5242.398	72.192	5242.398
8/17/09	2:39:59	384900.001	0.991	10.160	72.194	5242.396	72.194	5242.396
8/17/09	2:44:59	385200.001	0.992	10.161	72.191	5242.399	72.191	5242.399
8/17/09	2:49:59	385500.001	0.993	10.161	72.190	5242.400	72.190	5242.400
8/17/09	2:54:59	385800.001	0.993	10.163	72.189	5242.401	72.189	5242.401
8/17/09	2:59:59	386100.001	0.993	10.162	72.190	5242.400	72.190	5242.400
8/17/09	3:04:59	386400.001	0.994	10.163	72.187	5242.403	72.187	5242.403
8/17/09	3:09:59	386700.001	0.993	10.163	72.189	5242.401	72.189	5242.401
8/17/09	3:14:59	387000.001	0.994	10.162	72.187	5242.403	72.187	5242.403
8/17/09	3:19:59	387300.001	0.995	10.161	72.186	5242.404	72.186	5242.404
8/17/09	3:24:59	387600.001	0.996	10.161	72.182	5242.408	72.182	5242.408
8/17/09	3:29:59	387900.001	0.994	10.162	72.188	5242.402	72.188	5242.402
8/17/09	3:34:59	388200.001	0.996	10.160	72.183	5242.407	72.183	5242.407
8/17/09	3:39:59	388500.001	0.996	10.162	72.182	5242.408	72.182	5242.408
8/17/09	3:44:59	388800.001	0.997	10.164	72.180	5242.410	72.180	5242.410
8/17/09	3:49:59	389100.001	0.997	10.161	72.181	5242.409	72.181	5242.409
8/17/09	3:54:59	389400.001	0.996	10.165	72.182	5242.408	72.182	5242.408
8/17/09	3:59:59	389700.001	0.998	10.161	72.178	5242.412	72.178	5242.412
8/17/09	4:04:59	390000.001	0.997	10.162	72.180	5242.410	72.180	5242.410
8/17/09	4:09:59	390300.001	0.998	10.160	72.178	5242.412	72.178	5242.412
8/17/09	4:14:59	390600.001	1.000	10.160	72.174	5242.416	72.174	5242.416
8/17/09	4:19:59	390900.001	1.000	10.160	72.172	5242.418	72.172	5242.418
8/17/09	4:24:59	391200.001	0.998	10.163	72.177	5242.413	72.177	5242.413

**Appendix B-6. OMW-2 Water Level Data, Moore Ranch Supplemental Pump Testing**

Date	Time	Elapsed Time Minutes	SN#: 13808 PSI	SN#: 13808 Temp - C	SN#: 138089 DTW (ft btoc)	TOC Elev	Corrected	Corrected
						5314.590 GW Elevation	DTW	Elev
8/17/09	4:29:59	391500.001	1.000	10.162	72.173	5242.417	72.173	5242.417
8/17/09	4:34:59	391800.001	0.999	10.161	72.176	5242.414	72.176	5242.414
8/17/09	4:39:59	392100.001	1.001	10.161	72.172	5242.418	72.172	5242.418
8/17/09	4:44:59	392400.001	1.001	10.162	72.172	5242.418	72.172	5242.418
8/17/09	4:49:59	392700.001	1.002	10.161	72.169	5242.421	72.169	5242.421
8/17/09	4:54:59	393000.001	1.001	10.164	72.171	5242.419	72.171	5242.419
8/17/09	4:59:59	393300.001	1.003	10.161	72.167	5242.423	72.167	5242.423
8/17/09	5:04:59	393600.001	1.002	10.162	72.170	5242.420	72.170	5242.420
8/17/09	5:09:59	393900.001	1.003	10.161	72.168	5242.422	72.168	5242.422
8/17/09	5:14:59	394200.001	1.002	10.163	72.168	5242.422	72.168	5242.422
8/17/09	5:19:59	394500.001	1.003	10.161	72.166	5242.424	72.166	5242.424
8/17/09	5:24:59	394800.001	1.004	10.161	72.165	5242.425	72.165	5242.425
8/17/09	5:29:59	395100.001	1.004	10.159	72.165	5242.425	72.165	5242.425
8/17/09	5:34:59	395400.001	1.003	10.161	72.166	5242.424	72.166	5242.424
8/17/09	5:39:59	395700.001	1.004	10.163	72.164	5242.426	72.164	5242.426
8/17/09	5:44:59	396000.001	1.004	10.163	72.164	5242.426	72.164	5242.426
8/17/09	5:49:59	396300.001	1.006	10.160	72.161	5242.429	72.161	5242.429
8/17/09	5:54:59	396600.001	1.005	10.163	72.163	5242.427	72.163	5242.427
8/17/09	5:59:59	396900.001	1.005	10.160	72.161	5242.429	72.161	5242.429
8/17/09	6:04:59	397200.001	1.004	10.162	72.164	5242.426	72.164	5242.426
8/17/09	6:09:59	397500.001	1.008	10.162	72.154	5242.436	72.154	5242.436
8/17/09	6:14:59	397800.001	1.006	10.160	72.159	5242.431	72.159	5242.431
8/17/09	6:19:59	398100.001	1.005	10.158	72.161	5242.429	72.161	5242.429
8/17/09	6:24:59	398400.001	1.008	10.162	72.155	5242.435	72.155	5242.435
8/17/09	6:29:59	398700.001	1.008	10.161	72.156	5242.434	72.156	5242.434
8/17/09	6:34:59	399000.001	1.006	10.161	72.159	5242.431	72.159	5242.431
8/17/09	6:39:59	399300.001	1.008	10.160	72.155	5242.435	72.155	5242.435
8/17/09	6:44:59	399600.001	1.006	10.163	72.159	5242.431	72.159	5242.431
8/17/09	6:49:59	399900.001	1.007	10.161	72.157	5242.433	72.157	5242.433
8/17/09	6:54:59	400200.001	1.008	10.161	72.156	5242.434	72.156	5242.434
8/17/09	6:59:59	400500.001	1.009	10.162	72.152	5242.438	72.152	5242.438
8/17/09	7:04:59	400800.001	1.008	10.159	72.156	5242.434	72.156	5242.434
8/17/09	7:09:59	401100.001	1.009	10.161	72.154	5242.436	72.154	5242.436
8/17/09	7:14:59	401400.001	1.010	10.161	72.151	5242.439	72.151	5242.439
8/17/09	7:19:59	401700.001	1.011	10.163	72.148	5242.442	72.148	5242.442
8/17/09	7:24:59	402000.001	1.010	10.161	72.151	5242.439	72.151	5242.439
8/17/09	7:29:59	402300.001	1.010	10.162	72.150	5242.440	72.150	5242.440
8/17/09	7:34:59	402600.001	1.011	10.162	72.148	5242.442	72.148	5242.442
8/17/09	7:39:59	402900.001	1.011	10.160	72.148	5242.442	72.148	5242.442
8/17/09	7:44:59	403200.001	1.011	10.161	72.148	5242.442	72.148	5242.442
8/17/09	7:49:59	403500.001	1.012	10.163	72.146	5242.444	72.146	5242.444
8/17/09	7:54:59	403800.001	1.012	10.161	72.146	5242.444	72.146	5242.444
8/17/09	7:59:59	404100.001	1.012	10.162	72.146	5242.444	72.146	5242.444
8/17/09	8:04:59	404400.001	1.012	10.159	72.145	5242.445	72.145	5242.445
8/17/09	8:09:59	404700.001	1.013	10.161	72.143	5242.447	72.143	5242.447
8/17/09	8:14:59	405000.001	1.014	10.164	72.140	5242.450	72.140	5242.450
8/17/09	8:19:59	405300.001	1.012	10.162	72.145	5242.445	72.145	5242.445
8/17/09	8:24:59	405600.001	1.014	10.163	72.140	5242.450	72.140	5242.450
8/17/09	8:29:59	405900.001	1.014	10.161	72.141	5242.449	72.141	5242.449
8/17/09	8:34:59	406200.001	1.013	10.158	72.142	5242.448	72.142	5242.448
8/17/09	8:39:59	406500.001	1.015	10.162	72.139	5242.451	72.139	5242.451
8/17/09	8:44:59	406800.001	1.015	10.161	72.138	5242.452	72.138	5242.452
8/17/09	8:49:59	407100.001	1.015	10.158	72.138	5242.452	72.138	5242.452
8/17/09	8:54:59	407400.001	1.015	10.162	72.138	5242.452	72.138	5242.452

**Appendix B-6. OMW-2 Water Level Data, Moore Ranch Supplemental Pump Testing**

Date	Time	Elapsed Time Minutes	SN#: 138089 PSI	SN#: 138089 Temp - C	SN#: 138089 DTW (ft btoc)	TOC Elev	Corrected DTW	Corrected Elev
						5314.590 GW Elevation		
8/17/09	8:59:59	407700.001	1.017	10.161	72.135	5242.455	72.135	5242.455
8/17/09	9:04:59	408000.001	1.015	10.161	72.140	5242.450	72.140	5242.450
8/17/09	9:09:59	408300.001	1.017	10.162	72.133	5242.457	72.133	5242.457
8/17/09	9:14:59	408600.001	1.018	10.160	72.132	5242.458	72.132	5242.458
8/17/09	9:19:59	408900.001	1.017	10.162	72.134	5242.456	72.134	5242.456
8/17/09	9:24:59	409200.001	1.013	10.162	72.143	5242.447	72.143	5242.447
8/17/09	9:29:59	409500.001	1.017	10.161	72.135	5242.455	72.135	5242.455
8/17/09	9:34:59	409800.001	1.016	10.165	72.137	5242.453	72.137	5242.453

APPENDIX B-7  
MW-2 WATER LEVEL DATA

**Appendix B-7. MW-2 Water Level Data, Moore Ranch Supplemental Pump Testing**

Date and Time	Elapsed Time Minutes	SN#: 112365 PSI	SN#: 112365 Temp - C	SN#: 112365 DTW (ft btoc)	TOC Elev	Corrected DTW	Corrected Elev
					5314.650 GW Elevation		
8/6/2009 14:15	0	15.845	10.346	123.427	5191.223	123.427	5191.223
8/6/2009 14:20	5	15.843	10.318	123.432	5191.218	123.432	5191.218
8/6/2009 14:25	10	15.842	10.313	123.434	5191.216	123.434	5191.216
8/6/2009 14:30	15	15.838	10.308	123.443	5191.207	123.443	5191.207
8/6/2009 14:35	20	15.840	10.304	123.440	5191.210	123.440	5191.210
8/6/2009 14:40	25	15.837	10.303	123.447	5191.203	123.447	5191.203
8/6/2009 14:45	30	15.836	10.301	123.449	5191.201	123.449	5191.201
8/6/2009 14:50	35	15.834	10.300	123.453	5191.197	123.453	5191.197
8/6/2009 14:55	40	15.834	10.300	123.452	5191.198	123.452	5191.198
8/6/2009 15:00	45	15.832	10.301	123.458	5191.192	123.458	5191.192
8/6/2009 15:05	50	15.830	10.296	123.463	5191.187	123.463	5191.187
8/6/2009 15:10	55	15.834	10.296	123.454	5191.196	123.454	5191.196
8/6/2009 15:15	60	15.831	10.299	123.460	5191.190	123.460	5191.190
8/6/2009 15:20	65	15.835	10.297	123.451	5191.199	123.451	5191.199
8/6/2009 15:25	70	15.832	10.296	123.458	5191.192	123.458	5191.192
8/6/2009 15:30	75	15.833	10.294	123.456	5191.194	123.456	5191.194
8/6/2009 15:35	80	15.833	10.297	123.455	5191.195	123.455	5191.195
8/6/2009 15:40	85	15.831	10.298	123.461	5191.189	123.461	5191.189
8/6/2009 15:45	90	15.831	10.294	123.460	5191.190	123.460	5191.190
8/6/2009 15:50	95	15.832	10.297	123.457	5191.193	123.457	5191.193
8/6/2009 15:55	100	15.838	10.297	123.443	5191.207	123.443	5191.207
8/6/2009 16:00	105	15.840	10.295	123.438	5191.212	123.438	5191.212
8/6/2009 16:05	110	15.836	10.294	123.449	5191.201	123.449	5191.201
8/6/2009 16:10	115	15.839	10.297	123.442	5191.208	123.442	5191.208
8/6/2009 16:15	120	15.836	10.296	123.448	5191.202	123.448	5191.202
8/6/2009 16:20	125	15.841	10.296	123.437	5191.213	123.437	5191.213
8/6/2009 16:25	130	15.837	10.296	123.446	5191.204	123.446	5191.204
8/6/2009 16:30	135	15.839	10.293	123.440	5191.210	123.440	5191.210
8/6/2009 16:35	140	15.843	10.296	123.432	5191.218	123.432	5191.218
8/6/2009 16:40	145	15.848	10.296	123.422	5191.228	123.422	5191.228
8/6/2009 16:45	150	15.850	10.295	123.416	5191.234	123.416	5191.234
8/6/2009 16:50	155	15.848	10.296	123.421	5191.229	123.421	5191.229
8/6/2009 16:55	160	15.853	10.296	123.408	5191.242	123.408	5191.242
8/6/2009 17:00	165	15.857	10.295	123.401	5191.249	123.401	5191.249
8/6/2009 17:05	170	15.858	10.293	123.397	5191.253	123.397	5191.253
8/6/2009 17:10	175	15.860	10.297	123.392	5191.258	123.392	5191.258
8/6/2009 17:15	180	15.862	10.297	123.388	5191.262	123.388	5191.262
8/6/2009 17:20	185	15.863	10.296	123.387	5191.263	123.387	5191.263
8/6/2009 17:25	190	15.867	10.296	123.376	5191.274	123.376	5191.274
8/6/2009 17:30	195	15.868	10.298	123.375	5191.275	123.375	5191.275
8/6/2009 17:35	200	15.869	10.296	123.372	5191.278	123.372	5191.278
8/6/2009 17:40	205	15.872	10.296	123.365	5191.285	123.365	5191.285
8/6/2009 17:45	210	15.876	10.299	123.355	5191.295	123.355	5191.295
8/6/2009 17:50	215	15.877	10.296	123.354	5191.296	123.354	5191.296
8/6/2009 17:55	220	15.880	10.295	123.348	5191.302	123.348	5191.302
8/6/2009 18:00	225	15.876	10.294	123.355	5191.295	123.355	5191.295
8/6/2009 18:05	230	15.880	10.295	123.346	5191.304	123.346	5191.304
8/6/2009 18:10	235	15.879	10.294	123.350	5191.300	123.350	5191.300
8/6/2009 18:15	240	15.877	10.296	123.353	5191.297	123.353	5191.297
8/6/2009 18:20	245	15.882	10.296	123.341	5191.309	123.341	5191.309
8/6/2009 18:25	250	15.883	10.296	123.341	5191.309	123.341	5191.309
8/6/2009 18:30	255	15.887	10.296	123.331	5191.319	123.331	5191.319
8/6/2009 18:35	260	15.884	10.296	123.338	5191.312	123.338	5191.312
8/6/2009 18:40	265	15.884	10.296	123.337	5191.313	123.337	5191.313
8/6/2009 18:45	270	15.882	10.296	123.341	5191.309	123.341	5191.309

**Appendix B-7. MW-2 Water Level Data, Moore Ranch Supplemental Pump Testing**

Date and Time	Elapsed Time Minutes	SN#: 112365 PSI	SN#: 112365 Temp - C	SN#: 112365 DTW (ft btoc)	TOC Elev	Corrected DTW	Corrected Elev
					5314.650 GW Elevation		
8/6/2009 18:50	275	15.884	10.296	123.338	5191.312	123.338	5191.312
8/6/2009 18:55	280	15.886	10.297	123.332	5191.318	123.332	5191.318
8/6/2009 19:00	285	15.885	10.295	123.336	5191.314	123.336	5191.314
8/6/2009 19:05	290	15.885	10.299	123.334	5191.316	123.334	5191.316
8/6/2009 19:10	295	15.886	10.298	123.334	5191.316	123.334	5191.316
8/6/2009 19:15	300	15.885	10.298	123.336	5191.314	123.336	5191.314
8/6/2009 19:20	305	15.889	10.299	123.325	5191.325	123.325	5191.325
8/6/2009 19:25	310	15.884	10.299	123.337	5191.313	123.337	5191.313
8/6/2009 19:30	315	15.884	10.298	123.337	5191.313	123.337	5191.313
8/6/2009 19:35	320	15.886	10.297	123.332	5191.318	123.332	5191.318
8/6/2009 19:40	325	15.886	10.298	123.333	5191.317	123.333	5191.317
8/6/2009 19:45	330	15.889	10.301	123.325	5191.325	123.325	5191.325
8/6/2009 19:50	335	15.892	10.297	123.320	5191.330	123.320	5191.330
8/6/2009 19:55	340	15.890	10.297	123.323	5191.327	123.323	5191.327
8/6/2009 20:00	345	15.891	10.300	123.322	5191.328	123.322	5191.328
8/6/2009 20:05	350	15.888	10.298	123.328	5191.322	123.328	5191.322
8/6/2009 20:10	355	15.891	10.296	123.320	5191.330	123.320	5191.330
8/6/2009 20:15	360	15.891	10.298	123.322	5191.328	123.322	5191.328
8/6/2009 20:20	365	15.886	10.297	123.332	5191.318	123.332	5191.318
8/6/2009 20:25	370	15.886	10.297	123.332	5191.318	123.332	5191.318
8/6/2009 20:30	375	15.885	10.300	123.334	5191.316	123.334	5191.316
8/6/2009 20:35	380	15.884	10.299	123.337	5191.313	123.337	5191.313
8/6/2009 20:40	385	15.884	10.300	123.337	5191.313	123.337	5191.313
8/6/2009 20:45	390	15.883	10.301	123.339	5191.311	123.339	5191.311
8/6/2009 20:50	395	15.883	10.300	123.341	5191.309	123.341	5191.309
8/6/2009 20:55	400	15.883	10.298	123.341	5191.309	123.341	5191.309
8/6/2009 21:00	405	15.881	10.296	123.344	5191.306	123.344	5191.306
8/6/2009 21:05	410	15.881	10.300	123.345	5191.305	123.345	5191.305
8/6/2009 21:10	415	15.880	10.300	123.348	5191.302	123.348	5191.302
8/6/2009 21:15	420	15.883	10.301	123.339	5191.311	123.339	5191.311
8/6/2009 21:20	425	15.880	10.294	123.347	5191.303	123.347	5191.303
8/6/2009 21:25	430	15.879	10.293	123.349	5191.301	123.349	5191.301
8/6/2009 21:30	435	15.879	10.299	123.349	5191.301	123.349	5191.301
8/6/2009 21:35	440	15.879	10.296	123.350	5191.300	123.350	5191.300
8/6/2009 21:40	445	15.877	10.295	123.354	5191.296	123.354	5191.296
8/6/2009 21:45	450	15.882	10.298	123.343	5191.307	123.343	5191.307
8/6/2009 21:50	455	15.881	10.296	123.343	5191.307	123.343	5191.307
8/6/2009 21:55	460	15.886	10.298	123.333	5191.317	123.333	5191.317
8/6/2009 22:00	465	15.888	10.293	123.327	5191.323	123.327	5191.323
8/6/2009 22:05	470	15.889	10.294	123.325	5191.325	123.325	5191.325
8/6/2009 22:10	475	15.892	10.293	123.319	5191.331	123.319	5191.331
8/6/2009 22:15	480	15.894	10.295	123.314	5191.336	123.314	5191.336
8/6/2009 22:20	485	15.899	10.295	123.302	5191.348	123.302	5191.348
8/6/2009 22:25	490	15.901	10.296	123.298	5191.352	123.298	5191.352
8/6/2009 22:30	495	15.905	10.293	123.290	5191.360	123.290	5191.360
8/6/2009 22:35	500	15.897	10.294	123.308	5191.342	123.308	5191.342
8/6/2009 22:40	505	15.897	10.292	123.307	5191.343	123.307	5191.343
8/6/2009 22:45	510	15.895	10.297	123.312	5191.338	123.312	5191.338
8/6/2009 22:50	515	15.896	10.295	123.309	5191.341	123.309	5191.341
8/6/2009 22:55	520	15.896	10.297	123.311	5191.339	123.311	5191.339
8/6/2009 23:00	525	15.895	10.293	123.312	5191.338	123.312	5191.338
8/6/2009 23:05	530	15.897	10.294	123.307	5191.343	123.307	5191.343
8/6/2009 23:10	535	15.893	10.294	123.317	5191.333	123.317	5191.333
8/6/2009 23:15	540	15.893	10.296	123.318	5191.332	123.318	5191.332
8/6/2009 23:20	545	15.896	10.295	123.309	5191.341	123.309	5191.341

**Appendix B-7. MW-2 Water Level Data, Moore Ranch Supplemental Pump Testing**

Date and Time	Elapsed Time Minutes	SN#: 112365 PSI	SN#: 112365 Temp - C	SN#: 112365 DTW (ft btoc)	TOC Elev	Corrected DTW	Corrected Elev
					5314.650 GW Elevation		
8/6/2009 23:25	550	15.893	10.297	123.316	5191.334	123.316	5191.334
8/6/2009 23:30	555	15.889	10.294	123.325	5191.325	123.325	5191.325
8/6/2009 23:35	560	15.888	10.295	123.329	5191.321	123.329	5191.321
8/6/2009 23:40	565	15.883	10.295	123.339	5191.311	123.339	5191.311
8/6/2009 23:45	570	15.885	10.293	123.335	5191.315	123.335	5191.315
8/6/2009 23:50	575	15.881	10.294	123.345	5191.305	123.345	5191.305
8/6/2009 23:55	580	15.879	10.295	123.349	5191.301	123.349	5191.301
8/7/2009 0:00	585	15.879	10.300	123.349	5191.301	123.349	5191.301
8/7/2009 0:05	590	15.878	10.299	123.352	5191.298	123.352	5191.298
8/7/2009 0:10	595	15.879	10.298	123.350	5191.300	123.350	5191.300
8/7/2009 0:15	600	15.878	10.295	123.351	5191.299	123.351	5191.299
8/7/2009 0:20	605	15.878	10.298	123.352	5191.298	123.352	5191.298
8/7/2009 0:25	610	15.880	10.299	123.346	5191.304	123.346	5191.304
8/7/2009 0:30	615	15.883	10.296	123.340	5191.310	123.340	5191.310
8/7/2009 0:35	620	15.883	10.297	123.339	5191.311	123.339	5191.311
8/7/2009 0:40	625	15.889	10.297	123.327	5191.323	123.327	5191.323
8/7/2009 0:45	630	15.888	10.296	123.328	5191.322	123.328	5191.322
8/7/2009 0:50	635	15.893	10.295	123.318	5191.332	123.318	5191.332
8/7/2009 0:55	640	15.894	10.298	123.315	5191.335	123.315	5191.335
8/7/2009 1:00	645	15.889	10.298	123.326	5191.324	123.326	5191.324
8/7/2009 1:05	650	15.896	10.297	123.309	5191.341	123.309	5191.341
8/7/2009 1:10	655	15.897	10.298	123.308	5191.342	123.308	5191.342
8/7/2009 1:15	660	15.891	10.297	123.322	5191.328	123.322	5191.328
8/7/2009 1:20	665	15.890	10.297	123.323	5191.327	123.323	5191.327
8/7/2009 1:25	670	15.892	10.297	123.318	5191.332	123.318	5191.332
8/7/2009 1:30	675	15.890	10.298	123.324	5191.326	123.324	5191.326
8/7/2009 1:35	680	15.884	10.301	123.339	5191.311	123.339	5191.311
8/7/2009 1:40	685	15.882	10.300	123.342	5191.308	123.342	5191.308
8/7/2009 1:45	690	15.882	10.301	123.341	5191.309	123.341	5191.309
8/7/2009 1:50	695	15.885	10.301	123.336	5191.314	123.336	5191.314
8/7/2009 1:55	700	15.882	10.301	123.341	5191.309	123.341	5191.309
8/7/2009 2:00	705	15.883	10.301	123.340	5191.310	123.340	5191.310
8/7/2009 2:05	710	15.882	10.301	123.341	5191.309	123.341	5191.309
8/7/2009 2:10	715	15.885	10.301	123.335	5191.315	123.335	5191.315
8/7/2009 2:15	720	15.884	10.302	123.337	5191.313	123.337	5191.313
8/7/2009 2:20	725	15.882	10.301	123.342	5191.308	123.342	5191.308
8/7/2009 2:25	730	15.883	10.299	123.339	5191.311	123.339	5191.311
8/7/2009 2:30	735	15.878	10.300	123.352	5191.298	123.352	5191.298
8/7/2009 2:35	740	15.881	10.299	123.345	5191.305	123.345	5191.305
8/7/2009 2:40	745	15.876	10.301	123.357	5191.293	123.357	5191.293
8/7/2009 2:45	750	15.876	10.299	123.355	5191.295	123.355	5191.295
8/7/2009 2:50	755	15.871	10.299	123.368	5191.282	123.368	5191.282
8/7/2009 2:55	760	15.875	10.298	123.359	5191.291	123.359	5191.291
8/7/2009 3:00	765	15.870	10.301	123.369	5191.281	123.369	5191.281
8/7/2009 3:05	770	15.870	10.299	123.370	5191.280	123.370	5191.280
8/7/2009 3:10	775	15.868	10.301	123.373	5191.277	123.373	5191.277
8/7/2009 3:15	780	15.871	10.299	123.368	5191.282	123.368	5191.282
8/7/2009 3:20	785	15.871	10.299	123.369	5191.281	123.369	5191.281
8/7/2009 3:25	790	15.870	10.301	123.371	5191.279	123.371	5191.279
8/7/2009 3:30	795	15.872	10.299	123.366	5191.284	123.366	5191.284
8/7/2009 3:35	800	15.869	10.302	123.373	5191.277	123.373	5191.277
8/7/2009 3:40	805	15.872	10.299	123.366	5191.284	123.366	5191.284
8/7/2009 3:45	810	15.874	10.300	123.361	5191.289	123.361	5191.289
8/7/2009 3:50	815	15.875	10.302	123.359	5191.291	123.359	5191.291
8/7/2009 3:55	820	15.875	10.301	123.358	5191.292	123.358	5191.292



**Appendix B-7. MW-2 Water Level Data, Moore Ranch Supplemental Pump Testing**

Date and Time	Elapsed Time Minutes	SN#: 112365 PSI	SN#: 112365 Temp - C	SN#: 112365 DTW (ft btoc)	TOC Elev	Corrected DTW	Corrected Elev
					5314.650 GW Elevation		
8/7/2009 4:00	825	15.876	10.300	123.356	5191.294	123.356	5191.294
8/7/2009 4:05	830	15.877	10.303	123.354	5191.297	123.354	5191.297
8/7/2009 4:10	835	15.879	10.302	123.350	5191.300	123.350	5191.300
8/7/2009 4:15	840	15.880	10.303	123.348	5191.302	123.348	5191.302
8/7/2009 4:20	845	15.882	10.304	123.341	5191.309	123.341	5191.309
8/7/2009 4:25	850	15.885	10.302	123.336	5191.314	123.336	5191.314
8/7/2009 4:30	855	15.887	10.304	123.330	5191.320	123.330	5191.320
8/7/2009 4:35	860	15.885	10.303	123.336	5191.314	123.336	5191.314
8/7/2009 4:40	865	15.883	10.304	123.339	5191.311	123.339	5191.311
8/7/2009 4:45	870	15.889	10.304	123.325	5191.325	123.325	5191.325
8/7/2009 4:50	875	15.891	10.308	123.322	5191.328	123.322	5191.328
8/7/2009 4:55	880	15.889	10.305	123.327	5191.323	123.327	5191.323
8/7/2009 5:00	885	15.891	10.306	123.321	5191.329	123.321	5191.329
8/7/2009 5:05	890	15.887	10.305	123.331	5191.319	123.331	5191.319
8/7/2009 5:10	895	15.890	10.305	123.324	5191.326	123.324	5191.326
8/7/2009 5:15	900	15.887	10.304	123.331	5191.319	123.331	5191.319
8/7/2009 5:20	905	15.890	10.308	123.324	5191.326	123.324	5191.326
8/7/2009 5:25	910	15.890	10.303	123.323	5191.327	123.323	5191.327
8/7/2009 5:30	915	15.886	10.305	123.332	5191.318	123.332	5191.318
8/7/2009 5:35	920	15.887	10.301	123.331	5191.319	123.331	5191.319
8/7/2009 5:40	925	15.885	10.303	123.336	5191.314	123.336	5191.314
8/7/2009 5:45	930	15.887	10.304	123.330	5191.320	123.330	5191.320
8/7/2009 5:50	935	15.884	10.301	123.338	5191.312	123.338	5191.312
8/7/2009 5:55	940	15.884	10.302	123.337	5191.313	123.337	5191.313
8/7/2009 6:00	945	15.883	10.303	123.339	5191.311	123.339	5191.311
8/7/2009 6:05	950	15.883	10.304	123.341	5191.309	123.341	5191.309
8/7/2009 6:10	955	15.881	10.304	123.345	5191.305	123.345	5191.305
8/7/2009 6:15	960	15.878	10.306	123.351	5191.299	123.351	5191.299
8/7/2009 6:20	965	15.881	10.306	123.344	5191.306	123.344	5191.306
8/7/2009 6:25	970	15.882	10.305	123.341	5191.309	123.341	5191.309
8/7/2009 6:30	975	15.880	10.305	123.348	5191.302	123.348	5191.302
8/7/2009 6:35	980	15.879	10.304	123.349	5191.301	123.349	5191.301
8/7/2009 6:40	985	15.879	10.306	123.349	5191.301	123.349	5191.301
8/7/2009 6:45	990	15.879	10.307	123.350	5191.300	123.350	5191.300
8/7/2009 6:50	995	15.881	10.307	123.345	5191.305	123.345	5191.305
8/7/2009 6:55	1000	15.880	10.306	123.346	5191.304	123.346	5191.304
8/7/2009 7:00	1005	15.881	10.309	123.345	5191.305	123.345	5191.305
8/7/2009 7:05	1010	15.881	10.306	123.344	5191.306	123.344	5191.306
8/7/2009 7:10	1015	15.883	10.306	123.339	5191.311	123.339	5191.311
8/7/2009 7:15	1020	15.884	10.307	123.338	5191.312	123.338	5191.312
8/7/2009 7:20	1025	15.883	10.305	123.339	5191.311	123.339	5191.311
8/7/2009 7:25	1030	15.885	10.305	123.336	5191.314	123.336	5191.314
8/7/2009 7:30	1035	15.885	10.308	123.335	5191.315	123.335	5191.315
8/7/2009 7:35	1040	15.885	10.305	123.334	5191.316	123.334	5191.316
8/7/2009 7:40	1045	15.884	10.306	123.338	5191.312	123.338	5191.312
8/7/2009 7:45	1050	15.882	10.305	123.341	5191.309	123.341	5191.309
8/7/2009 7:50	1055	15.881	10.305	123.345	5191.305	123.345	5191.305
8/7/2009 7:55	1060	15.879	10.305	123.350	5191.300	123.350	5191.300
8/7/2009 8:00	1065	15.877	10.309	123.354	5191.296	123.354	5191.296
8/7/2009 8:05	1070	15.881	10.309	123.345	5191.305	123.345	5191.305
8/7/2009 8:10	1075	15.876	10.309	123.355	5191.295	123.355	5191.295
8/7/2009 8:15	1080	15.875	10.309	123.357	5191.293	123.357	5191.293
8/7/2009 8:20	1085	15.879	10.308	123.349	5191.301	123.349	5191.301
8/7/2009 8:25	1090	15.879	10.304	123.350	5191.300	123.350	5191.300
8/7/2009 8:30	1095	15.880	10.309	123.347	5191.303	123.347	5191.303

**Appendix B-7. MW-2 Water Level Data, Moore Ranch Supplemental Pump Testing**

Date and Time	Elapsed Time Minutes	SN#: 112365 PSI	SN#: 112365 Temp - C	SN#: 112365 DTW (ft btoc)	TOC Elev	Corrected DTW	Corrected Elev
					5314.650 GW Elevation		
8/7/2009 8:35	1100	15.875	10.308	123.359	5191.291	123.359	5191.291
8/7/2009 8:40	1105	15.878	10.309	123.352	5191.298	123.352	5191.298
8/7/2009 8:45	1110	15.879	10.306	123.349	5191.301	123.349	5191.301
8/7/2009 8:50	1115	15.879	10.308	123.348	5191.302	123.348	5191.302
8/7/2009 8:55	1120	15.877	10.308	123.355	5191.295	123.355	5191.295
8/7/2009 9:00	1125	15.876	10.307	123.355	5191.295	123.355	5191.295
8/7/2009 9:05	1130	15.875	10.308	123.357	5191.293	123.357	5191.293
8/7/2009 9:10	1135	15.874	10.308	123.360	5191.290	123.360	5191.290
8/7/2009 9:15	1140	15.878	10.308	123.351	5191.299	123.351	5191.299
8/7/2009 9:20	1145	15.874	10.310	123.361	5191.289	123.361	5191.289
8/7/2009 9:25	1150	15.874	10.310	123.360	5191.290	123.360	5191.290
8/7/2009 9:30	1155	15.873	10.309	123.362	5191.288	123.362	5191.288
8/7/2009 9:35	1160	15.874	10.310	123.360	5191.290	123.360	5191.290
8/7/2009 9:40	1165	15.872	10.310	123.364	5191.286	123.364	5191.286
8/7/2009 9:45	1170	15.873	10.309	123.364	5191.286	123.364	5191.286
8/7/2009 9:50	1175	15.873	10.308	123.364	5191.286	123.364	5191.286
8/7/2009 9:55	1180	15.873	10.309	123.364	5191.286	123.364	5191.286
8/7/2009 10:00	1185	15.872	10.307	123.366	5191.284	123.366	5191.284
8/7/2009 10:05	1190	15.871	10.309	123.367	5191.283	123.367	5191.283
8/7/2009 10:10	1195	15.875	10.308	123.358	5191.292	123.358	5191.292
8/7/2009 10:15	1200	15.872	10.310	123.366	5191.284	123.366	5191.284
8/7/2009 10:20	1205	15.872	10.309	123.366	5191.284	123.366	5191.284
8/7/2009 10:25	1210	15.875	10.311	123.359	5191.291	123.359	5191.291
8/7/2009 10:30	1215	15.871	10.309	123.367	5191.283	123.367	5191.283
8/7/2009 10:35	1220	15.871	10.313	123.367	5191.283	123.367	5191.283
8/7/2009 10:40	1225	15.874	10.310	123.361	5191.289	123.361	5191.289
8/7/2009 10:45	1230	15.870	10.309	123.371	5191.279	123.371	5191.279
8/7/2009 10:50	1235	15.871	10.310	123.366	5191.284	123.366	5191.284
8/7/2009 10:55	1240	15.874	10.310	123.362	5191.288	123.362	5191.288
8/7/2009 11:00	1245	15.869	10.309	123.371	5191.279	123.371	5191.279
8/7/2009 11:05	1250	15.871	10.310	123.368	5191.282	123.368	5191.282
8/7/2009 11:10	1255	15.874	10.308	123.362	5191.288	123.362	5191.288
8/7/2009 11:15	1260	15.870	10.311	123.371	5191.279	123.371	5191.279
8/7/2009 11:20	1265	15.872	10.308	123.366	5191.284	123.366	5191.284
8/7/2009 11:25	1270	15.873	10.308	123.363	5191.287	123.363	5191.287
8/7/2009 11:30	1275	15.870	10.309	123.370	5191.280	123.370	5191.280
8/7/2009 11:35	1280	15.871	10.308	123.367	5191.283	123.367	5191.283
8/7/2009 11:40	1285	15.868	10.311	123.373	5191.277	123.373	5191.277
8/7/2009 11:45	1290	15.869	10.309	123.371	5191.279	123.371	5191.279
8/7/2009 11:50	1295	15.869	10.309	123.373	5191.277	123.373	5191.277
8/7/2009 11:55	1300	15.873	10.306	123.364	5191.286	123.364	5191.286
8/7/2009 12:00	1305	15.870	10.309	123.370	5191.280	123.370	5191.280
8/7/2009 12:05	1310	15.873	10.309	123.363	5191.287	123.363	5191.287
8/7/2009 12:10	1315	15.871	10.310	123.367	5191.283	123.367	5191.283
8/7/2009 12:15	1320	15.870	10.310	123.369	5191.281	123.369	5191.281
8/7/2009 12:20	1325	15.871	10.309	123.367	5191.283	123.367	5191.283
8/7/2009 12:25	1330	15.872	10.308	123.365	5191.285	123.365	5191.285
8/7/2009 12:30	1335	15.873	10.307	123.363	5191.287	123.363	5191.287
8/7/2009 12:35	1340	15.874	10.309	123.361	5191.289	123.361	5191.289
8/7/2009 12:40	1345	15.874	10.306	123.360	5191.290	123.360	5191.290
8/7/2009 12:45	1350	15.874	10.307	123.360	5191.290	123.360	5191.290
8/7/2009 12:50	1355	15.874	10.305	123.360	5191.290	123.360	5191.290
8/7/2009 12:55	1360	15.874	10.310	123.362	5191.288	123.362	5191.288
8/7/2009 13:00	1365	15.874	10.308	123.361	5191.289	123.361	5191.289
8/7/2009 13:05	1370	15.875	10.305	123.359	5191.291	123.359	5191.291

**Appendix B-7. MW-2 Water Level Data, Moore Ranch Supplemental Pump Testing**

Date and Time	Elapsed Time Minutes	SN#: 112365 PSI	SN#: 112365 Temp - C	SN#: 112365 DTW (ft btoc)	TOC Elev	Corrected DTW	Corrected Elev
					5314.650 GW Elevation		
8/7/2009 13:10	1375	15.875	10.307	123.359	5191.291	123.359	5191.291
8/7/2009 13:15	1380	15.879	10.305	123.348	5191.302	123.348	5191.302
8/7/2009 13:20	1385	15.876	10.305	123.356	5191.294	123.356	5191.294
8/7/2009 13:25	1390	15.874	10.305	123.360	5191.290	123.360	5191.290
8/7/2009 13:30	1395	15.878	10.308	123.351	5191.299	123.351	5191.299
8/7/2009 13:35	1400	15.873	10.304	123.363	5191.287	123.363	5191.287
8/7/2009 13:40	1405	15.879	10.307	123.348	5191.302	123.348	5191.302
8/7/2009 13:45	1410	15.878	10.308	123.352	5191.298	123.352	5191.298
8/7/2009 13:50	1415	15.877	10.308	123.354	5191.296	123.354	5191.296
8/7/2009 13:55	1420	15.882	10.309	123.342	5191.308	123.342	5191.308
8/7/2009 14:00	1425	15.878	10.310	123.351	5191.299	123.351	5191.299
8/7/2009 14:05	1430	15.879	10.306	123.348	5191.302	123.348	5191.302
8/7/2009 14:10	1435	15.874	10.310	123.360	5191.290	123.360	5191.290
8/7/2009 14:15	1440	15.882	10.308	123.343	5191.307	123.343	5191.307
8/7/2009 14:20	1445	15.877	10.308	123.353	5191.297	123.353	5191.297
8/7/2009 14:25	1450	15.875	10.310	123.358	5191.292	123.358	5191.292
8/7/2009 14:30	1455	15.877	10.308	123.354	5191.296	123.354	5191.296
8/7/2009 14:35	1460	15.878	10.309	123.351	5191.299	123.351	5191.299
8/7/2009 14:40	1465	15.876	10.310	123.356	5191.294	123.356	5191.294
8/7/2009 14:45	1470	15.878	10.310	123.351	5191.299	123.351	5191.299
8/7/2009 14:50	1475	15.879	10.313	123.349	5191.301	123.349	5191.301
8/7/2009 14:55	1480	15.880	10.311	123.346	5191.304	123.346	5191.304
8/7/2009 15:00	1485	15.880	10.309	123.347	5191.303	123.347	5191.303
8/7/2009 15:05	1490	15.875	10.310	123.358	5191.292	123.358	5191.292
8/7/2009 15:10	1495	15.877	10.310	123.354	5191.297	123.354	5191.297
8/7/2009 15:15	1500	15.875	10.309	123.358	5191.292	123.358	5191.292
8/7/2009 15:20	1505	15.880	10.309	123.348	5191.302	123.348	5191.302
8/7/2009 15:25	1510	15.875	10.309	123.358	5191.292	123.358	5191.292
8/7/2009 15:30	1515	15.876	10.311	123.357	5191.293	123.357	5191.293
8/7/2009 15:35	1520	15.875	10.307	123.357	5191.293	123.357	5191.293
8/7/2009 15:40	1525	15.878	10.310	123.351	5191.299	123.351	5191.299
8/7/2009 15:45	1530	15.877	10.311	123.353	5191.297	123.353	5191.297
8/7/2009 15:50	1535	15.875	10.312	123.358	5191.292	123.358	5191.292
8/7/2009 15:55	1540	15.876	10.310	123.357	5191.293	123.357	5191.293
8/7/2009 16:00	1545	15.879	10.312	123.348	5191.302	123.348	5191.302
8/7/2009 16:05	1550	15.881	10.312	123.345	5191.305	123.345	5191.305
8/7/2009 16:10	1555	15.879	10.308	123.348	5191.302	123.348	5191.302
8/7/2009 16:15	1560	15.877	10.311	123.353	5191.297	123.353	5191.297
8/7/2009 16:20	1565	15.879	10.310	123.348	5191.302	123.348	5191.302
8/7/2009 16:25	1570	15.878	10.310	123.352	5191.298	123.352	5191.298
8/7/2009 16:30	1575	15.878	10.311	123.352	5191.298	123.352	5191.298
8/7/2009 16:35	1580	15.879	10.310	123.349	5191.301	123.349	5191.301
8/7/2009 16:40	1585	15.881	10.310	123.343	5191.307	123.343	5191.307
8/7/2009 16:45	1590	15.878	10.309	123.351	5191.299	123.351	5191.299
8/7/2009 16:50	1595	15.879	10.308	123.349	5191.301	123.349	5191.301
8/7/2009 16:55	1600	15.880	10.311	123.348	5191.302	123.348	5191.302
8/7/2009 17:00	1605	15.880	10.310	123.347	5191.303	123.347	5191.303
8/7/2009 17:05	1610	15.881	10.309	123.344	5191.306	123.344	5191.306
8/7/2009 17:10	1615	15.881	10.309	123.345	5191.305	123.345	5191.305
8/7/2009 17:15	1620	15.881	10.309	123.344	5191.306	123.344	5191.306
8/7/2009 17:20	1625	15.884	10.307	123.338	5191.312	123.338	5191.312
8/7/2009 17:25	1630	15.880	10.309	123.346	5191.304	123.346	5191.304
8/7/2009 17:30	1635	15.882	10.308	123.342	5191.308	123.342	5191.308
8/7/2009 17:35	1640	15.881	10.310	123.345	5191.305	123.345	5191.305
8/7/2009 17:40	1645	15.880	10.308	123.348	5191.302	123.348	5191.302

**Appendix B-7. MW-2 Water Level Data, Moore Ranch Supplemental Pump Testing**

Date and Time	Elapsed Time Minutes	SN#: 112365 PSI	SN#: 112365 Temp - C	SN#: 112365 DTW (ft btoc)	TOC Elev	Corrected DTW	Corrected Elev
					5314.650 GW Elevation		
8/7/2009 17:45	1650	15.881	10.310	123.345	5191.305	123.345	5191.305
8/7/2009 17:50	1655	15.880	10.307	123.346	5191.304	123.346	5191.304
8/7/2009 17:55	1660	15.882	10.310	123.342	5191.308	123.342	5191.308
8/7/2009 18:00	1665	15.881	10.310	123.344	5191.306	123.344	5191.306
8/7/2009 18:05	1670	15.882	10.309	123.342	5191.308	123.342	5191.308
8/7/2009 18:10	1675	15.883	10.307	123.340	5191.310	123.340	5191.310
8/7/2009 18:15	1680	15.884	10.310	123.337	5191.313	123.337	5191.313
8/7/2009 18:20	1685	15.887	10.305	123.331	5191.319	123.331	5191.319
8/7/2009 18:25	1690	15.884	10.309	123.337	5191.313	123.337	5191.313
8/7/2009 18:30	1695	15.883	10.310	123.339	5191.311	123.339	5191.311
8/7/2009 18:35	1700	15.884	10.310	123.338	5191.312	123.338	5191.312
8/7/2009 18:40	1705	15.886	10.310	123.332	5191.318	123.332	5191.318
8/7/2009 18:45	1710	15.882	10.311	123.342	5191.308	123.342	5191.308
8/7/2009 18:50	1715	15.883	10.309	123.339	5191.311	123.339	5191.311
8/7/2009 18:55	1720	15.883	10.310	123.339	5191.311	123.339	5191.311
8/7/2009 19:00	1725	15.883	10.310	123.339	5191.311	123.339	5191.311
8/7/2009 19:05	1730	15.883	10.311	123.339	5191.311	123.339	5191.311
8/7/2009 19:10	1735	15.882	10.306	123.342	5191.308	123.342	5191.308
8/7/2009 19:15	1740	15.881	10.309	123.345	5191.305	123.345	5191.305
8/7/2009 19:20	1745	15.881	10.310	123.344	5191.306	123.344	5191.306
8/7/2009 19:25	1750	15.880	10.307	123.346	5191.304	123.346	5191.304
8/7/2009 19:30	1755	15.880	10.310	123.346	5191.304	123.346	5191.304
8/7/2009 19:35	1760	15.882	10.308	123.342	5191.308	123.342	5191.308
8/7/2009 19:40	1765	15.878	10.307	123.352	5191.298	123.352	5191.298
8/7/2009 19:45	1770	15.878	10.307	123.353	5191.297	123.353	5191.297
8/7/2009 19:50	1775	15.880	10.307	123.346	5191.304	123.346	5191.304
8/7/2009 19:55	1780	15.875	10.308	123.357	5191.293	123.357	5191.293
8/7/2009 20:00	1785	15.875	10.308	123.359	5191.291	123.359	5191.291
8/7/2009 20:05	1790	15.878	10.306	123.351	5191.299	123.351	5191.299
8/7/2009 20:10	1795	15.873	10.309	123.363	5191.287	123.363	5191.287
8/7/2009 20:15	1800	15.872	10.310	123.364	5191.286	123.364	5191.286
8/7/2009 20:20	1805	15.873	10.309	123.363	5191.287	123.363	5191.287
8/7/2009 20:25	1810	15.871	10.306	123.368	5191.282	123.368	5191.282
8/7/2009 20:30	1815	15.869	10.309	123.371	5191.279	123.371	5191.279
8/7/2009 20:35	1820	15.872	10.308	123.365	5191.285	123.365	5191.285
8/7/2009 20:40	1825	15.869	10.308	123.372	5191.278	123.372	5191.278
8/7/2009 20:45	1830	15.871	10.309	123.367	5191.283	123.367	5191.283
8/7/2009 20:50	1835	15.871	10.308	123.368	5191.282	123.368	5191.282
8/7/2009 20:55	1840	15.866	10.311	123.379	5191.271	123.379	5191.271
8/7/2009 21:00	1845	15.868	10.307	123.375	5191.275	123.375	5191.275
8/7/2009 21:05	1850	15.867	10.310	123.377	5191.273	123.377	5191.273
8/7/2009 21:10	1855	15.868	10.308	123.374	5191.276	123.374	5191.276
8/7/2009 21:15	1860	15.873	10.308	123.363	5191.287	123.363	5191.287
8/7/2009 21:20	1865	15.872	10.307	123.366	5191.284	123.366	5191.284
8/7/2009 21:25	1870	15.872	10.309	123.366	5191.284	123.366	5191.284
8/7/2009 21:30	1875	15.871	10.308	123.368	5191.282	123.368	5191.282
8/7/2009 21:35	1880	15.866	10.307	123.379	5191.271	123.379	5191.271
8/7/2009 21:40	1885	15.866	10.309	123.378	5191.272	123.378	5191.272
8/7/2009 21:45	1890	15.869	10.308	123.373	5191.277	123.373	5191.277
8/7/2009 21:50	1895	15.864	10.308	123.383	5191.267	123.383	5191.267
8/7/2009 21:55	1900	15.862	10.308	123.388	5191.262	123.388	5191.262
8/7/2009 22:00	1905	15.862	10.309	123.388	5191.262	123.388	5191.262
8/7/2009 22:05	1910	15.865	10.309	123.382	5191.268	123.382	5191.268
8/7/2009 22:10	1915	15.861	10.307	123.391	5191.259	123.391	5191.259
8/7/2009 22:15	1920	15.862	10.305	123.389	5191.261	123.389	5191.261

**Appendix B-7. MW-2 Water Level Data, Moore Ranch Supplemental Pump Testing**

Date and Time	Elapsed Time Minutes	SN#: 112365 PSI	SN#: 112365 Temp - C	SN#: 112365 DTW (ft btoc)	TOC Elev	Corrected DTW	Corrected Elev
					5314.650 GW Elevation		
8/7/2009 22:20	1925	15.857	10.306	123.399	5191.251	123.399	5191.251
8/7/2009 22:25	1930	15.854	10.307	123.407	5191.243	123.407	5191.243
8/7/2009 22:30	1935	15.858	10.307	123.398	5191.252	123.398	5191.252
8/7/2009 22:35	1940	15.852	10.308	123.410	5191.240	123.410	5191.240
8/7/2009 22:40	1945	15.855	10.305	123.404	5191.246	123.404	5191.246
8/7/2009 22:45	1950	15.848	10.306	123.421	5191.229	123.421	5191.229
8/7/2009 22:50	1955	15.849	10.309	123.419	5191.231	123.419	5191.231
8/7/2009 22:55	1960	15.847	10.306	123.422	5191.228	123.422	5191.228
8/7/2009 23:00	1965	15.847	10.305	123.423	5191.227	123.423	5191.227
8/7/2009 23:05	1970	15.844	10.308	123.430	5191.220	123.430	5191.220
8/7/2009 23:10	1975	15.837	10.306	123.445	5191.205	123.445	5191.205
8/7/2009 23:15	1980	15.836	10.306	123.449	5191.201	123.449	5191.201
8/7/2009 23:20	1985	15.836	10.309	123.449	5191.201	123.449	5191.201
8/7/2009 23:25	1990	15.830	10.306	123.462	5191.188	123.462	5191.188
8/7/2009 23:30	1995	15.830	10.304	123.463	5191.187	123.463	5191.187
8/7/2009 23:35	2000	15.833	10.310	123.455	5191.195	123.455	5191.195
8/7/2009 23:40	2005	15.834	10.308	123.452	5191.198	123.452	5191.198
8/7/2009 23:45	2010	15.838	10.307	123.443	5191.207	123.443	5191.207
8/7/2009 23:50	2015	15.836	10.306	123.448	5191.202	123.448	5191.202
8/7/2009 23:55	2020	15.840	10.309	123.439	5191.211	123.439	5191.211
8/8/2009 0:00	2025	15.838	10.306	123.444	5191.206	123.444	5191.206
8/8/2009 0:05	2030	15.837	10.304	123.445	5191.205	123.445	5191.205
8/8/2009 0:10	2035	15.838	10.307	123.444	5191.206	123.444	5191.206
8/8/2009 0:15	2040	15.838	10.310	123.444	5191.206	123.444	5191.206
8/8/2009 0:20	2045	15.835	10.308	123.450	5191.200	123.450	5191.200
8/8/2009 0:25	2050	15.834	10.310	123.452	5191.198	123.452	5191.198
8/8/2009 0:30	2055	15.833	10.306	123.455	5191.195	123.455	5191.195
8/8/2009 0:35	2060	15.829	10.309	123.464	5191.186	123.464	5191.186
8/8/2009 0:40	2065	15.831	10.309	123.460	5191.190	123.460	5191.190
8/8/2009 0:45	2070	15.828	10.307	123.467	5191.183	123.467	5191.183
8/8/2009 0:50	2075	15.829	10.308	123.465	5191.185	123.465	5191.185
8/8/2009 0:55	2080	15.826	10.308	123.471	5191.179	123.471	5191.179
8/8/2009 1:00	2085	15.827	10.310	123.470	5191.180	123.470	5191.180
8/8/2009 1:05	2090	15.825	10.308	123.474	5191.176	123.474	5191.176
8/8/2009 1:10	2095	15.826	10.310	123.472	5191.178	123.472	5191.178
8/8/2009 1:15	2100	15.822	10.309	123.482	5191.168	123.482	5191.168
8/8/2009 1:20	2105	15.825	10.308	123.473	5191.177	123.473	5191.177
8/8/2009 1:25	2110	15.822	10.307	123.481	5191.169	123.481	5191.169
8/8/2009 1:30	2115	15.822	10.307	123.481	5191.169	123.481	5191.169
8/8/2009 1:35	2120	15.825	10.307	123.475	5191.175	123.475	5191.175
8/8/2009 1:40	2125	15.821	10.308	123.483	5191.167	123.483	5191.167
8/8/2009 1:45	2130	15.823	10.307	123.479	5191.171	123.479	5191.171
8/8/2009 1:50	2135	15.817	10.307	123.491	5191.159	123.491	5191.159
8/8/2009 1:55	2140	15.816	10.307	123.494	5191.156	123.494	5191.156
8/8/2009 2:00	2145	15.812	10.306	123.504	5191.146	123.504	5191.146
8/8/2009 2:05	2150	15.814	10.306	123.499	5191.151	123.499	5191.151
8/8/2009 2:10	2155	15.815	10.308	123.497	5191.153	123.497	5191.153
8/8/2009 2:15	2160	15.815	10.309	123.497	5191.153	123.497	5191.153
8/8/2009 2:20	2165	15.815	10.309	123.497	5191.153	123.497	5191.153
8/8/2009 2:25	2170	15.819	10.309	123.489	5191.161	123.489	5191.161
8/8/2009 2:30	2175	15.821	10.309	123.483	5191.167	123.483	5191.167
8/8/2009 2:35	2180	15.819	10.309	123.488	5191.162	123.488	5191.162
8/8/2009 2:40	2185	15.815	10.308	123.497	5191.153	123.497	5191.153
8/8/2009 2:45	2190	15.818	10.308	123.490	5191.160	123.490	5191.160
8/8/2009 2:50	2195	15.819	10.308	123.487	5191.163	123.487	5191.163

**Appendix B-7. MW-2 Water Level Data, Moore Ranch Supplemental Pump Testing**

Date and Time	Elapsed Time Minutes	SN#: 112365 PSI	SN#: 112365 Temp - C	SN#: 112365 DTW (ft btoc)	TOC Elev	Corrected DTW	Corrected Elev
					5314.650 GW Elevation		
8/8/2009 2:55	2200	15.817	10.309	123.493	5191.157	123.493	5191.157
8/8/2009 3:00	2205	15.822	10.310	123.480	5191.170	123.480	5191.170
8/8/2009 3:05	2210	15.819	10.311	123.487	5191.163	123.487	5191.163
8/8/2009 3:10	2215	15.821	10.310	123.482	5191.168	123.482	5191.168
8/8/2009 3:15	2220	15.819	10.309	123.488	5191.162	123.488	5191.162
8/8/2009 3:20	2225	15.820	10.310	123.485	5191.165	123.485	5191.165
8/8/2009 3:25	2230	15.821	10.309	123.484	5191.166	123.484	5191.166
8/8/2009 3:30	2235	15.818	10.308	123.490	5191.160	123.490	5191.160
8/8/2009 3:35	2240	15.815	10.307	123.497	5191.153	123.497	5191.153
8/8/2009 3:40	2245	15.809	10.309	123.511	5191.139	123.511	5191.139
8/8/2009 3:45	2250	15.815	10.308	123.496	5191.154	123.496	5191.154
8/8/2009 3:50	2255	15.826	10.309	123.472	5191.178	123.472	5191.178
8/8/2009 3:55	2260	15.823	10.309	123.479	5191.171	123.479	5191.171
8/8/2009 4:00	2265	15.824	10.308	123.476	5191.174	123.476	5191.174
8/8/2009 4:05	2270	15.823	10.309	123.479	5191.171	123.479	5191.171
8/8/2009 4:10	2275	15.817	10.308	123.493	5191.157	123.493	5191.157
8/8/2009 4:15	2280	15.813	10.306	123.501	5191.149	123.501	5191.149
8/8/2009 4:20	2285	15.809	10.307	123.510	5191.140	123.510	5191.140
8/8/2009 4:25	2290	15.811	10.306	123.507	5191.143	123.507	5191.143
8/8/2009 4:30	2295	15.808	10.310	123.514	5191.136	123.514	5191.136
8/8/2009 4:35	2300	15.803	10.307	123.524	5191.126	123.524	5191.126
8/8/2009 4:40	2305	15.801	10.310	123.528	5191.122	123.528	5191.122
8/8/2009 4:45	2310	15.802	10.308	123.527	5191.123	123.527	5191.123
8/8/2009 4:50	2315	15.797	10.311	123.538	5191.112	123.538	5191.112
8/8/2009 4:55	2320	15.796	10.309	123.540	5191.110	123.540	5191.110
8/8/2009 5:00	2325	15.799	10.308	123.534	5191.116	123.534	5191.116
8/8/2009 5:05	2330	15.796	10.310	123.541	5191.109	123.541	5191.109
8/8/2009 5:10	2335	15.795	10.308	123.542	5191.108	123.542	5191.108
8/8/2009 5:15	2340	15.797	10.309	123.538	5191.112	123.538	5191.112
8/8/2009 5:20	2345	15.798	10.310	123.535	5191.115	123.535	5191.115
8/8/2009 5:25	2350	15.796	10.309	123.542	5191.108	123.542	5191.108
8/8/2009 5:30	2355	15.792	10.306	123.551	5191.099	123.551	5191.099
8/8/2009 5:35	2360	15.789	10.309	123.558	5191.092	123.558	5191.092
8/8/2009 5:40	2365	15.789	10.309	123.557	5191.093	123.557	5191.093
8/8/2009 5:45	2370	15.785	10.310	123.566	5191.084	123.566	5191.084
8/8/2009 5:50	2375	15.785	10.312	123.566	5191.084	123.566	5191.084
8/8/2009 5:55	2380	15.786	10.309	123.563	5191.087	123.563	5191.087
8/8/2009 6:00	2385	15.783	10.311	123.570	5191.080	123.570	5191.080
8/8/2009 6:05	2390	15.782	10.310	123.572	5191.078	123.572	5191.078
8/8/2009 6:10	2395	15.782	10.310	123.572	5191.078	123.572	5191.078
8/8/2009 6:15	2400	15.775	10.311	123.590	5191.060	123.590	5191.060
8/8/2009 6:20	2405	15.771	10.311	123.598	5191.052	123.598	5191.052
8/8/2009 6:25	2410	15.779	10.312	123.580	5191.070	123.580	5191.070
8/8/2009 6:30	2415	15.801	10.312	123.530	5191.120	123.530	5191.120
8/8/2009 6:35	2420	15.804	10.310	123.523	5191.127	123.523	5191.127
8/8/2009 6:40	2425	15.796	10.310	123.540	5191.110	123.540	5191.110
8/8/2009 6:45	2430	15.798	10.309	123.536	5191.114	123.536	5191.114
8/8/2009 6:50	2435	15.799	10.309	123.533	5191.117	123.533	5191.117
8/8/2009 6:55	2440	15.801	10.310	123.528	5191.122	123.528	5191.122
8/8/2009 7:00	2445	15.800	10.310	123.532	5191.118	123.532	5191.118
8/8/2009 7:05	2450	15.805	10.308	123.519	5191.131	123.519	5191.131
8/8/2009 7:10	2455	15.801	10.307	123.528	5191.122	123.528	5191.122
8/8/2009 7:15	2460	15.800	10.308	123.531	5191.119	123.531	5191.119
8/8/2009 7:20	2465	15.799	10.308	123.533	5191.117	123.533	5191.117
8/8/2009 7:25	2470	15.797	10.311	123.539	5191.111	123.539	5191.111

**Appendix B-7. MW-2 Water Level Data, Moore Ranch Supplemental Pump Testing**

Date and Time	Elapsed Time Minutes	SN#: 112365 PSI	SN#: 112365 Temp - C	SN#: 112365 DTW (ft btoc)	TOC Elev	Corrected DTW	Corrected Elev
					5314.650 GW Elevation		
8/8/2009 7:30	2475	15.795	10.308	123.542	5191.108	123.542	5191.108
8/8/2009 7:35	2480	15.793	10.307	123.548	5191.102	123.548	5191.102
8/8/2009 7:40	2485	15.792	10.307	123.549	5191.101	123.549	5191.101
8/8/2009 7:45	2490	15.790	10.310	123.556	5191.094	123.556	5191.094
8/8/2009 7:50	2495	15.789	10.307	123.558	5191.092	123.558	5191.092
8/8/2009 7:55	2500	15.791	10.307	123.551	5191.099	123.551	5191.099
8/8/2009 8:00	2505	15.786	10.305	123.563	5191.087	123.563	5191.087
8/8/2009 8:05	2510	15.785	10.307	123.566	5191.084	123.566	5191.084
8/8/2009 8:10	2515	15.784	10.308	123.569	5191.081	123.569	5191.081
8/8/2009 8:15	2520	15.783	10.308	123.571	5191.079	123.571	5191.079
8/8/2009 8:20	2525	15.783	10.305	123.570	5191.080	123.570	5191.080
8/8/2009 8:25	2530	15.783	10.309	123.570	5191.080	123.570	5191.080
8/8/2009 8:30	2535	15.785	10.310	123.566	5191.084	123.566	5191.084
8/8/2009 8:35	2540	15.784	10.308	123.569	5191.081	123.569	5191.081
8/8/2009 8:40	2545	15.781	10.308	123.576	5191.074	123.576	5191.074
8/8/2009 8:45	2550	15.782	10.310	123.573	5191.077	123.573	5191.077
8/8/2009 8:50	2555	15.780	10.310	123.577	5191.073	123.577	5191.073
8/8/2009 8:55	2560	15.781	10.307	123.576	5191.074	123.576	5191.074
8/8/2009 9:00	2565	15.779	10.310	123.579	5191.071	123.579	5191.071
8/8/2009 9:05	2570	15.779	10.310	123.580	5191.070	123.580	5191.070
8/8/2009 9:10	2575	15.779	10.307	123.580	5191.070	123.580	5191.070
8/8/2009 9:15	2580	15.779	10.307	123.581	5191.069	123.581	5191.069
8/8/2009 9:20	2585	15.779	10.310	123.580	5191.070	123.580	5191.070
8/8/2009 9:25	2590	15.777	10.311	123.583	5191.067	123.583	5191.067
8/8/2009 9:30	2595	15.777	10.309	123.583	5191.067	123.583	5191.067
8/8/2009 9:35	2600	15.780	10.308	123.578	5191.072	123.578	5191.072
8/8/2009 9:40	2605	15.780	10.307	123.578	5191.072	123.578	5191.072
8/8/2009 9:45	2610	15.778	10.309	123.583	5191.067	123.583	5191.067
8/8/2009 9:50	2615	15.778	10.309	123.583	5191.067	123.583	5191.067
8/8/2009 9:55	2620	15.778	10.309	123.582	5191.068	123.582	5191.068
8/8/2009 10:00	2625	15.777	10.308	123.585	5191.065	123.585	5191.065
8/8/2009 10:05	2630	15.778	10.309	123.583	5191.067	123.583	5191.067
8/8/2009 10:10	2635	15.781	10.309	123.574	5191.076	123.574	5191.076
8/8/2009 10:15	2640	15.778	10.310	123.582	5191.068	123.582	5191.068
8/8/2009 10:20	2645	15.778	10.308	123.583	5191.067	123.583	5191.067
8/8/2009 10:25	2650	15.781	10.307	123.576	5191.074	123.576	5191.074
8/8/2009 10:30	2655	15.779	10.308	123.580	5191.070	123.580	5191.070
8/8/2009 10:35	2660	15.778	10.307	123.582	5191.068	123.582	5191.068
8/8/2009 10:40	2665	15.779	10.312	123.580	5191.070	123.580	5191.070
8/8/2009 10:45	2670	15.778	10.306	123.581	5191.069	123.581	5191.069
8/8/2009 10:50	2675	15.777	10.310	123.585	5191.065	123.585	5191.065
8/8/2009 10:55	2680	15.778	10.310	123.582	5191.068	123.582	5191.068
8/8/2009 11:00	2685	15.779	10.309	123.581	5191.069	123.581	5191.069
8/8/2009 11:05	2690	15.780	10.307	123.578	5191.072	123.578	5191.072
8/8/2009 11:10	2695	15.776	10.309	123.587	5191.063	123.587	5191.063
8/8/2009 11:15	2700	15.780	10.307	123.577	5191.073	123.577	5191.073
8/8/2009 11:20	2705	15.777	10.310	123.584	5191.066	123.584	5191.066
8/8/2009 11:25	2710	15.778	10.305	123.582	5191.068	123.582	5191.068
8/8/2009 11:30	2715	15.778	10.307	123.583	5191.067	123.583	5191.067
8/8/2009 11:35	2720	15.776	10.307	123.586	5191.064	123.586	5191.064
8/8/2009 11:40	2725	15.776	10.305	123.587	5191.063	123.587	5191.063
8/8/2009 11:45	2730	15.779	10.308	123.581	5191.069	123.581	5191.069
8/8/2009 11:50	2735	15.778	10.310	123.582	5191.068	123.582	5191.068
8/8/2009 11:55	2740	15.780	10.310	123.577	5191.073	123.577	5191.073
8/8/2009 12:00	2745	15.779	10.311	123.581	5191.069	123.581	5191.069

**Appendix B-7. MW-2 Water Level Data, Moore Ranch Supplemental Pump Testing**

Date and Time	Elapsed Time Minutes	SN#: 112365 PSI	SN#: 112365 Temp - C	SN#: 112365 DTW (ft btoc)	TOC Elev	Corrected DTW	Corrected Elev
					5314.650 GW Elevation		
8/8/2009 12:05	2750	15.782	10.310	123.572	5191.078	123.572	5191.078
8/8/2009 12:10	2755	15.784	10.308	123.569	5191.081	123.569	5191.081
8/8/2009 12:15	2760	15.780	10.310	123.577	5191.073	123.577	5191.073
8/8/2009 12:20	2765	15.782	10.310	123.573	5191.077	123.573	5191.077
8/8/2009 12:25	2770	15.785	10.307	123.566	5191.084	123.566	5191.084
8/8/2009 12:30	2775	15.781	10.310	123.575	5191.075	123.575	5191.075
8/8/2009 12:35	2780	15.787	10.310	123.562	5191.088	123.562	5191.088
8/8/2009 12:40	2785	15.783	10.307	123.570	5191.080	123.570	5191.080
8/8/2009 12:45	2790	15.784	10.307	123.568	5191.082	123.568	5191.082
8/8/2009 12:50	2795	15.784	10.310	123.567	5191.083	123.567	5191.083
8/8/2009 12:55	2800	15.788	10.308	123.560	5191.090	123.560	5191.090
8/8/2009 13:00	2805	15.791	10.307	123.551	5191.099	123.551	5191.099
8/8/2009 13:05	2810	15.787	10.308	123.561	5191.089	123.561	5191.089
8/8/2009 13:10	2815	15.792	10.308	123.549	5191.101	123.549	5191.101
8/8/2009 13:15	2820	15.791	10.307	123.553	5191.097	123.553	5191.097
8/8/2009 13:20	2825	15.793	10.308	123.547	5191.103	123.547	5191.103
8/8/2009 13:25	2830	15.789	10.308	123.556	5191.094	123.556	5191.094
8/8/2009 13:30	2835	15.794	10.308	123.546	5191.104	123.546	5191.104
8/8/2009 13:35	2840	15.791	10.307	123.552	5191.098	123.552	5191.098
8/8/2009 13:40	2845	15.792	10.306	123.550	5191.100	123.550	5191.100
8/8/2009 13:45	2850	15.791	10.309	123.552	5191.098	123.552	5191.098
8/8/2009 13:50	2855	15.791	10.308	123.552	5191.098	123.552	5191.098
8/8/2009 13:55	2860	15.792	10.309	123.550	5191.100	123.550	5191.100
8/8/2009 14:00	2865	15.795	10.307	123.543	5191.107	123.543	5191.107
8/8/2009 14:05	2870	15.793	10.308	123.547	5191.103	123.547	5191.103
8/8/2009 14:10	2875	15.793	10.307	123.548	5191.102	123.548	5191.102
8/8/2009 14:15	2880	15.793	10.309	123.548	5191.102	123.548	5191.102
8/8/2009 14:20	2885	15.792	10.309	123.549	5191.101	123.549	5191.101
8/8/2009 14:25	2890	15.793	10.309	123.547	5191.103	123.547	5191.103
8/8/2009 14:30	2895	15.798	10.309	123.537	5191.113	123.537	5191.113
8/8/2009 14:35	2900	15.797	10.307	123.539	5191.111	123.539	5191.111
8/8/2009 14:40	2905	15.797	10.306	123.537	5191.113	123.537	5191.113
8/8/2009 14:45	2910	15.797	10.309	123.539	5191.111	123.539	5191.111
8/8/2009 14:50	2915	15.798	10.307	123.537	5191.113	123.537	5191.113
8/8/2009 14:55	2920	15.798	10.310	123.537	5191.113	123.537	5191.113
8/8/2009 15:00	2925	15.798	10.307	123.536	5191.114	123.536	5191.114
8/8/2009 15:05	2930	15.798	10.307	123.536	5191.114	123.536	5191.114
8/8/2009 15:10	2935	15.800	10.310	123.532	5191.118	123.532	5191.118
8/8/2009 15:15	2940	15.797	10.307	123.538	5191.112	123.538	5191.112
8/8/2009 15:20	2945	15.796	10.310	123.542	5191.108	123.542	5191.108
8/8/2009 15:25	2950	15.795	10.310	123.543	5191.107	123.543	5191.107
8/8/2009 15:30	2955	15.795	10.312	123.542	5191.108	123.542	5191.108
8/8/2009 15:35	2960	15.794	10.308	123.544	5191.106	123.544	5191.106
8/8/2009 15:40	2965	15.788	10.310	123.558	5191.092	123.558	5191.092
8/8/2009 15:45	2970	15.788	10.311	123.560	5191.090	123.560	5191.090
8/8/2009 15:50	2975	15.789	10.311	123.557	5191.093	123.557	5191.093
8/8/2009 15:55	2980	15.788	10.310	123.559	5191.091	123.559	5191.091
8/8/2009 16:00	2985	15.787	10.312	123.562	5191.088	123.562	5191.088
8/8/2009 16:05	2990	15.789	10.306	123.557	5191.093	123.557	5191.093
8/8/2009 16:10	2995	15.784	10.309	123.567	5191.083	123.567	5191.083
8/8/2009 16:15	3000	15.783	10.309	123.570	5191.080	123.570	5191.080
8/8/2009 16:20	3005	15.784	10.311	123.569	5191.081	123.569	5191.081
8/8/2009 16:25	3010	15.784	10.310	123.568	5191.082	123.568	5191.082
8/8/2009 16:30	3015	15.787	10.310	123.562	5191.088	123.562	5191.088
8/8/2009 16:35	3020	15.792	10.309	123.550	5191.100	123.550	5191.100



**Appendix B-7. MW-2 Water Level Data, Moore Ranch Supplemental Pump Testing**

Date and Time	Elapsed Time Minutes	SN#: 112365 PSI	SN#: 112365 Temp - C	SN#: 112365 DTW (ft btoc)	TOC Elev	Corrected DTW	Corrected Elev
					5314.650 GW Elevation		
8/8/2009 16:40	3025	15.789	10.310	123.558	5191.092	123.558	5191.092
8/8/2009 16:45	3030	15.789	10.309	123.557	5191.093	123.557	5191.093
8/8/2009 16:50	3035	15.792	10.309	123.551	5191.099	123.551	5191.099
8/8/2009 16:55	3040	15.793	10.309	123.548	5191.102	123.548	5191.102
8/8/2009 17:00	3045	15.793	10.308	123.548	5191.102	123.548	5191.102
8/8/2009 17:05	3050	15.795	10.309	123.542	5191.108	123.542	5191.108
8/8/2009 17:10	3055	15.795	10.310	123.543	5191.107	123.543	5191.107
8/8/2009 17:15	3060	15.796	10.310	123.540	5191.110	123.540	5191.110
8/8/2009 17:20	3065	15.797	10.312	123.538	5191.112	123.538	5191.112
8/8/2009 17:25	3070	15.797	10.311	123.538	5191.112	123.538	5191.112
8/8/2009 17:30	3075	15.800	10.308	123.532	5191.118	123.532	5191.118
8/8/2009 17:35	3080	15.796	10.312	123.542	5191.108	123.542	5191.108
8/8/2009 17:40	3085	15.793	10.309	123.547	5191.103	123.547	5191.103
8/8/2009 17:45	3090	15.789	10.309	123.558	5191.092	123.558	5191.092
8/8/2009 17:50	3095	15.783	10.310	123.571	5191.079	123.571	5191.079
8/8/2009 17:55	3100	15.783	10.309	123.570	5191.080	123.570	5191.080
8/8/2009 18:00	3105	15.792	10.308	123.549	5191.101	123.549	5191.101
8/8/2009 18:05	3110	15.789	10.309	123.557	5191.093	123.557	5191.093
8/8/2009 18:10	3115	15.790	10.306	123.556	5191.094	123.556	5191.094
8/8/2009 18:15	3120	15.789	10.307	123.557	5191.093	123.557	5191.093
8/8/2009 18:20	3125	15.786	10.308	123.563	5191.087	123.563	5191.087
8/8/2009 18:25	3130	15.787	10.309	123.562	5191.088	123.562	5191.088
8/8/2009 18:30	3135	15.788	10.309	123.560	5191.090	123.560	5191.090
8/8/2009 18:35	3140	15.787	10.308	123.561	5191.089	123.561	5191.089
8/8/2009 18:40	3145	15.789	10.310	123.558	5191.092	123.558	5191.092
8/8/2009 18:45	3150	15.792	10.308	123.549	5191.101	123.549	5191.101
8/8/2009 18:50	3155	15.789	10.307	123.556	5191.094	123.556	5191.094
8/8/2009 18:55	3160	15.789	10.307	123.558	5191.092	123.558	5191.092
8/8/2009 19:00	3165	15.787	10.307	123.561	5191.089	123.561	5191.089
8/8/2009 19:05	3170	15.787	10.308	123.561	5191.089	123.561	5191.089
8/8/2009 19:10	3175	15.788	10.307	123.560	5191.090	123.560	5191.090
8/8/2009 19:15	3180	15.787	10.309	123.562	5191.088	123.562	5191.088
8/8/2009 19:20	3185	15.787	10.311	123.561	5191.089	123.561	5191.089
8/8/2009 19:25	3190	15.790	10.308	123.554	5191.096	123.554	5191.096
8/8/2009 19:30	3195	15.788	10.306	123.560	5191.090	123.560	5191.090
8/8/2009 19:35	3200	15.787	10.305	123.561	5191.089	123.561	5191.089
8/8/2009 19:40	3205	15.788	10.307	123.560	5191.090	123.560	5191.090
8/8/2009 19:45	3210	15.790	10.306	123.555	5191.095	123.555	5191.095
8/8/2009 19:50	3215	15.789	10.308	123.556	5191.094	123.556	5191.094
8/8/2009 19:55	3220	15.785	10.306	123.566	5191.084	123.566	5191.084
8/8/2009 20:00	3225	15.784	10.307	123.568	5191.082	123.568	5191.082
8/8/2009 20:05	3230	15.786	10.308	123.564	5191.086	123.564	5191.086
8/8/2009 20:10	3235	15.781	10.307	123.576	5191.074	123.576	5191.074
8/8/2009 20:15	3240	15.780	10.310	123.578	5191.072	123.578	5191.072
8/8/2009 20:20	3245	15.778	10.309	123.583	5191.067	123.583	5191.067
8/8/2009 20:25	3250	15.775	10.305	123.589	5191.061	123.589	5191.061
8/8/2009 20:30	3255	15.775	10.309	123.590	5191.060	123.590	5191.060
8/8/2009 20:35	3260	15.773	10.306	123.593	5191.057	123.593	5191.057
8/8/2009 20:40	3265	15.776	10.306	123.586	5191.064	123.586	5191.064
8/8/2009 20:45	3270	15.772	10.308	123.595	5191.055	123.595	5191.055
8/8/2009 20:50	3275	15.771	10.310	123.599	5191.051	123.599	5191.051
8/8/2009 20:55	3280	15.771	10.310	123.600	5191.050	123.600	5191.050
8/8/2009 21:00	3285	15.769	10.310	123.604	5191.046	123.604	5191.046
8/8/2009 21:05	3290	15.770	10.311	123.602	5191.048	123.602	5191.048
8/8/2009 21:10	3295	15.767	10.308	123.608	5191.042	123.608	5191.042

**Appendix B-7. MW-2 Water Level Data, Moore Ranch Supplemental Pump Testing**

Date and Time	Elapsed Time Minutes	SN#: 112365 PSI	SN#: 112365 Temp - C	SN#: 112365 DTW (ft btoc)	TOC Elev	Corrected DTW	Corrected Elev
					5314.650 GW Elevation		
8/8/2009 21:15	3300	15.766	10.311	123.610	5191.040	123.610	5191.040
8/8/2009 21:20	3305	15.770	10.312	123.600	5191.050	123.600	5191.050
8/8/2009 21:25	3310	15.769	10.311	123.604	5191.046	123.604	5191.046
8/8/2009 21:30	3315	15.769	10.311	123.602	5191.048	123.602	5191.048
8/8/2009 21:35	3320	15.773	10.310	123.593	5191.057	123.593	5191.057
8/8/2009 21:40	3325	15.774	10.310	123.591	5191.059	123.591	5191.059
8/8/2009 21:45	3330	15.772	10.307	123.597	5191.053	123.597	5191.053
8/8/2009 21:50	3335	15.773	10.311	123.594	5191.056	123.594	5191.056
8/8/2009 21:55	3340	15.775	10.310	123.590	5191.060	123.590	5191.060
8/8/2009 22:00	3345	15.771	10.310	123.597	5191.053	123.597	5191.053
8/8/2009 22:05	3350	15.772	10.312	123.596	5191.054	123.596	5191.054
8/8/2009 22:10	3355	15.771	10.310	123.598	5191.052	123.598	5191.052
8/8/2009 22:15	3360	15.768	10.312	123.605	5191.045	123.605	5191.045
8/8/2009 22:20	3365	15.769	10.307	123.603	5191.047	123.603	5191.047
8/8/2009 22:25	3370	15.771	10.308	123.599	5191.051	123.599	5191.051
8/8/2009 22:30	3375	15.768	10.310	123.606	5191.044	123.606	5191.044
8/8/2009 22:35	3380	15.767	10.307	123.607	5191.043	123.607	5191.043
8/8/2009 22:40	3385	15.767	10.307	123.609	5191.041	123.609	5191.041
8/8/2009 22:45	3390	15.763	10.308	123.616	5191.034	123.616	5191.034
8/8/2009 22:50	3395	15.761	10.307	123.621	5191.029	123.621	5191.029
8/8/2009 22:55	3400	15.759	10.306	123.626	5191.024	123.626	5191.024
8/8/2009 23:00	3405	15.758	10.310	123.628	5191.022	123.628	5191.022
8/8/2009 23:05	3410	15.758	10.307	123.628	5191.022	123.628	5191.022
8/8/2009 23:10	3415	15.759	10.313	123.627	5191.023	123.627	5191.023
8/8/2009 23:15	3420	15.756	10.310	123.632	5191.018	123.632	5191.018
8/8/2009 23:20	3425	15.756	10.309	123.632	5191.018	123.632	5191.018
8/8/2009 23:25	3430	15.760	10.309	123.623	5191.027	123.623	5191.027
8/8/2009 23:30	3435	15.755	10.306	123.635	5191.015	123.635	5191.015
8/8/2009 23:35	3440	15.753	10.304	123.639	5191.011	123.639	5191.011
8/8/2009 23:40	3445	15.752	10.306	123.641	5191.009	123.641	5191.009
8/8/2009 23:45	3450	15.751	10.305	123.644	5191.006	123.644	5191.006
8/8/2009 23:50	3455	15.751	10.309	123.645	5191.005	123.645	5191.005
8/8/2009 23:55	3460	15.754	10.306	123.639	5191.011	123.639	5191.011
8/9/2009 0:00	3465	15.753	10.308	123.639	5191.011	123.639	5191.011
8/9/2009 0:05	3470	15.755	10.305	123.636	5191.014	123.636	5191.014
8/9/2009 0:10	3475	15.756	10.307	123.632	5191.018	123.632	5191.018
8/9/2009 0:15	3480	15.762	10.307	123.620	5191.030	123.620	5191.030
8/9/2009 0:20	3485	15.762	10.310	123.619	5191.031	123.619	5191.031
8/9/2009 0:25	3490	15.758	10.311	123.628	5191.022	123.628	5191.022
8/9/2009 0:30	3495	15.756	10.305	123.634	5191.016	123.634	5191.016
8/9/2009 0:35	3500	15.757	10.310	123.630	5191.020	123.630	5191.020
8/9/2009 0:40	3505	15.757	10.311	123.632	5191.018	123.632	5191.018
8/9/2009 0:45	3510	15.757	10.307	123.630	5191.020	123.630	5191.020
8/9/2009 0:50	3515	15.758	10.309	123.629	5191.021	123.629	5191.021
8/9/2009 0:55	3520	15.763	10.311	123.617	5191.033	123.617	5191.033
8/9/2009 1:00	3525	15.758	10.310	123.628	5191.022	123.628	5191.022
8/9/2009 1:05	3530	15.757	10.309	123.630	5191.020	123.630	5191.020
8/9/2009 1:10	3535	15.762	10.308	123.619	5191.031	123.619	5191.031
8/9/2009 1:15	3540	15.759	10.310	123.627	5191.023	123.627	5191.023
8/9/2009 1:20	3545	15.760	10.309	123.624	5191.026	123.624	5191.026
8/9/2009 1:25	3550	15.760	10.310	123.624	5191.026	123.624	5191.026
8/9/2009 1:30	3555	15.761	10.308	123.621	5191.029	123.621	5191.029
8/9/2009 1:35	3560	15.761	10.312	123.621	5191.029	123.621	5191.029
8/9/2009 1:40	3565	15.762	10.311	123.620	5191.030	123.620	5191.030
8/9/2009 1:45	3570	15.762	10.307	123.619	5191.031	123.619	5191.031

**Appendix B-7. MW-2 Water Level Data, Moore Ranch Supplemental Pump Testing**

Date and Time	Elapsed Time Minutes	SN#: 112365 PSI	SN#: 112365 Temp - C	SN#: 112365 DTW (ft btoc)	TOC Elev	Corrected DTW	Corrected Elev
					5314.650 GW Elevation		
8/9/2009 1:50	3575	15.762	10.307	123.618	5191.032	123.618	5191.032
8/9/2009 1:55	3580	15.767	10.309	123.608	5191.042	123.608	5191.042
8/9/2009 2:00	3585	15.766	10.311	123.611	5191.039	123.611	5191.039
8/9/2009 2:05	3590	15.767	10.311	123.608	5191.042	123.608	5191.042
8/9/2009 2:10	3595	15.767	10.308	123.607	5191.043	123.607	5191.043
8/9/2009 2:15	3600	15.770	10.311	123.602	5191.048	123.602	5191.048
8/9/2009 2:20	3605	15.767	10.311	123.607	5191.043	123.607	5191.043
8/9/2009 2:25	3610	15.767	10.310	123.608	5191.042	123.608	5191.042
8/9/2009 2:30	3615	15.766	10.311	123.611	5191.039	123.611	5191.039
8/9/2009 2:35	3620	15.766	10.311	123.610	5191.040	123.610	5191.040
8/9/2009 2:40	3625	15.767	10.312	123.609	5191.041	123.609	5191.041
8/9/2009 2:45	3630	15.768	10.308	123.606	5191.044	123.606	5191.044
8/9/2009 2:50	3635	15.768	10.310	123.605	5191.045	123.605	5191.045
8/9/2009 2:55	3640	15.769	10.310	123.602	5191.048	123.602	5191.048
8/9/2009 3:00	3645	15.769	10.309	123.604	5191.046	123.604	5191.046
8/9/2009 3:05	3650	15.771	10.310	123.599	5191.051	123.599	5191.051
8/9/2009 3:10	3655	15.774	10.310	123.592	5191.058	123.592	5191.058
8/9/2009 3:15	3660	15.771	10.311	123.599	5191.051	123.599	5191.051
8/9/2009 3:20	3665	15.770	10.310	123.601	5191.049	123.601	5191.049
8/9/2009 3:25	3670	15.773	10.311	123.594	5191.056	123.594	5191.056
8/9/2009 3:30	3675	15.770	10.308	123.602	5191.048	123.602	5191.048
8/9/2009 3:35	3680	15.770	10.310	123.601	5191.049	123.601	5191.049
8/9/2009 3:40	3685	15.770	10.308	123.602	5191.048	123.602	5191.048
8/9/2009 3:45	3690	15.775	10.308	123.590	5191.060	123.590	5191.060
8/9/2009 3:50	3695	15.772	10.310	123.596	5191.054	123.596	5191.054
8/9/2009 3:55	3700	15.771	10.309	123.598	5191.052	123.598	5191.052
8/9/2009 4:00	3705	15.771	10.307	123.598	5191.052	123.598	5191.052
8/9/2009 4:05	3710	15.769	10.308	123.603	5191.047	123.603	5191.047
8/9/2009 4:10	3715	15.768	10.309	123.605	5191.045	123.605	5191.045
8/9/2009 4:15	3720	15.770	10.309	123.602	5191.048	123.602	5191.048
8/9/2009 4:20	3725	15.769	10.306	123.604	5191.046	123.604	5191.046
8/9/2009 4:25	3730	15.767	10.310	123.607	5191.043	123.607	5191.043
8/9/2009 4:30	3735	15.768	10.309	123.605	5191.045	123.605	5191.045
8/9/2009 4:35	3740	15.773	10.309	123.594	5191.056	123.594	5191.056
8/9/2009 4:40	3745	15.770	10.309	123.601	5191.049	123.601	5191.049
8/9/2009 4:45	3750	15.773	10.307	123.593	5191.057	123.593	5191.057
8/9/2009 4:50	3755	15.773	10.304	123.593	5191.057	123.593	5191.057
8/9/2009 4:55	3760	15.771	10.310	123.599	5191.051	123.599	5191.051
8/9/2009 5:00	3765	15.770	10.307	123.600	5191.050	123.600	5191.050
8/9/2009 5:05	3770	15.769	10.308	123.603	5191.047	123.603	5191.047
8/9/2009 5:10	3775	15.767	10.307	123.607	5191.043	123.607	5191.043
8/9/2009 5:15	3780	15.765	10.309	123.611	5191.039	123.611	5191.039
8/9/2009 5:20	3785	15.766	10.308	123.611	5191.039	123.611	5191.039
8/9/2009 5:25	3790	15.760	10.308	123.624	5191.026	123.624	5191.026
8/9/2009 5:30	3795	15.758	10.307	123.629	5191.021	123.629	5191.021
8/9/2009 5:35	3800	15.754	10.309	123.638	5191.012	123.638	5191.012
8/9/2009 5:40	3805	15.752	10.307	123.642	5191.008	123.642	5191.008
8/9/2009 5:45	3810	15.757	10.307	123.631	5191.019	123.631	5191.019
8/9/2009 5:50	3815	15.760	10.308	123.623	5191.027	123.623	5191.027
8/9/2009 5:55	3820	15.761	10.309	123.621	5191.029	123.621	5191.029
8/9/2009 6:00	3825	15.762	10.309	123.620	5191.030	123.620	5191.030
8/9/2009 6:05	3830	15.764	10.306	123.614	5191.036	123.614	5191.036
8/9/2009 6:10	3835	15.767	10.309	123.607	5191.043	123.607	5191.043
8/9/2009 6:15	3840	15.769	10.308	123.602	5191.048	123.602	5191.048
8/9/2009 6:20	3845	15.769	10.309	123.604	5191.046	123.604	5191.046

**Appendix B-7. MW-2 Water Level Data, Moore Ranch Supplemental Pump Testing**

Date and Time	Elapsed Time Minutes	SN#: 112365 PSI	SN#: 112365 Temp - C	SN#: 112365 DTW (ft btoc)	TOC Elev	Corrected DTW	Corrected Elev
					5314.650 GW Elevation		
8/9/2009 6:25	3850	15.764	10.309	123.615	5191.035	123.615	5191.035
8/9/2009 6:30	3855	15.765	10.306	123.613	5191.037	123.613	5191.037
8/9/2009 6:35	3860	15.765	10.307	123.612	5191.038	123.612	5191.038
8/9/2009 6:40	3865	15.764	10.310	123.614	5191.036	123.614	5191.036
8/9/2009 6:45	3870	15.759	10.308	123.627	5191.023	123.627	5191.023
8/9/2009 6:50	3875	15.760	10.305	123.624	5191.026	123.624	5191.026
8/9/2009 6:55	3880	15.761	10.308	123.621	5191.029	123.621	5191.029
8/9/2009 7:00	3885	15.765	10.309	123.612	5191.038	123.612	5191.038
8/9/2009 7:05	3890	15.766	10.307	123.611	5191.039	123.611	5191.039
8/9/2009 7:10	3895	15.768	10.310	123.606	5191.044	123.606	5191.044
8/9/2009 7:15	3900	15.767	10.311	123.608	5191.042	123.608	5191.042
8/9/2009 7:20	3905	15.767	10.308	123.607	5191.043	123.607	5191.043
8/9/2009 7:25	3910	15.766	10.310	123.609	5191.041	123.609	5191.041
8/9/2009 7:30	3915	15.770	10.309	123.602	5191.048	123.602	5191.048
8/9/2009 7:35	3920	15.766	10.307	123.609	5191.041	123.609	5191.041
8/9/2009 7:40	3925	15.765	10.308	123.613	5191.037	123.613	5191.037
8/9/2009 7:45	3930	15.765	10.309	123.612	5191.038	123.612	5191.038
8/9/2009 7:50	3935	15.764	10.309	123.614	5191.036	123.614	5191.036
8/9/2009 7:55	3940	15.764	10.310	123.614	5191.036	123.614	5191.036
8/9/2009 8:00	3945	15.765	10.310	123.612	5191.038	123.612	5191.038
8/9/2009 8:05	3950	15.766	10.306	123.611	5191.039	123.611	5191.039
8/9/2009 8:10	3955	15.764	10.310	123.615	5191.035	123.615	5191.035
8/9/2009 8:15	3960	15.764	10.310	123.614	5191.036	123.614	5191.036
8/9/2009 8:20	3965	15.768	10.307	123.606	5191.044	123.606	5191.044
8/9/2009 8:25	3970	15.765	10.309	123.612	5191.038	123.612	5191.038
8/9/2009 8:30	3975	15.770	10.305	123.601	5191.049	123.601	5191.049
8/9/2009 8:35	3980	15.767	10.307	123.607	5191.043	123.607	5191.043
8/9/2009 8:40	3985	15.768	10.308	123.606	5191.044	123.606	5191.044
8/9/2009 8:45	3990	15.770	10.306	123.601	5191.049	123.601	5191.049
8/9/2009 8:50	3995	15.769	10.308	123.604	5191.046	123.604	5191.046
8/9/2009 8:55	4000	15.769	10.307	123.603	5191.047	123.603	5191.047
8/9/2009 9:00	4005	15.769	10.308	123.603	5191.047	123.603	5191.047
8/9/2009 9:05	4010	15.770	10.309	123.600	5191.050	123.600	5191.050
8/9/2009 9:10	4015	15.771	10.310	123.597	5191.053	123.597	5191.053
8/9/2009 9:15	4020	15.771	10.310	123.599	5191.051	123.599	5191.051
8/9/2009 9:20	4025	15.774	10.308	123.591	5191.059	123.591	5191.059
8/9/2009 9:25	4030	15.771	10.309	123.599	5191.051	123.599	5191.051
8/9/2009 9:30	4035	15.772	10.310	123.597	5191.053	123.597	5191.053
8/9/2009 9:35	4040	15.774	10.306	123.592	5191.058	123.592	5191.058
8/9/2009 9:40	4045	15.770	10.310	123.600	5191.050	123.600	5191.050
8/9/2009 9:45	4050	15.771	10.307	123.599	5191.051	123.599	5191.051
8/9/2009 9:50	4055	15.771	10.307	123.597	5191.053	123.597	5191.053
8/9/2009 9:55	4060	15.769	10.307	123.602	5191.048	123.602	5191.048
8/9/2009 10:00	4065	15.771	10.308	123.598	5191.052	123.598	5191.052
8/9/2009 10:05	4070	15.770	10.308	123.600	5191.050	123.600	5191.050
8/9/2009 10:10	4075	15.771	10.308	123.598	5191.052	123.598	5191.052
8/9/2009 10:15	4080	15.769	10.307	123.603	5191.047	123.603	5191.047
8/9/2009 10:20	4085	15.768	10.309	123.604	5191.046	123.604	5191.046
8/9/2009 10:25	4090	15.769	10.308	123.603	5191.047	123.603	5191.047
8/9/2009 10:30	4095	15.767	10.307	123.607	5191.043	123.607	5191.043
8/9/2009 10:35	4100	15.767	10.307	123.607	5191.043	123.607	5191.043
8/9/2009 10:40	4105	15.767	10.308	123.608	5191.042	123.608	5191.042
8/9/2009 10:45	4110	15.764	10.310	123.614	5191.036	123.614	5191.036
8/9/2009 10:50	4115	15.765	10.310	123.613	5191.037	123.613	5191.037
8/9/2009 10:55	4120	15.764	10.309	123.615	5191.035	123.615	5191.035