

United States Nuclear Regulatory Commission
Region III, Materials Licensing Section
2443 Warrenville Road, Ste 210
Lisle, IL 60532-4352


Close-out location for license # 21-26263-01, Eastside Cardiovascular Medicine, PC., Ten Mile Rd. site

1. A close-out survey was performed on 08/27/12 of our 18325 Ten Mile Rd., Roseville, MI 48066 address and is enclosed for your review. We have also enclosed a map of all areas wipe tested.

We did not dispose of radioactive materials by release to sewers or incineration. In addition, there were no spills or leaking sources of any long-lived radioactive material or on-site burials of radioactive materials.

2. Any further correspondence may be sent to **Eastside Cardiovascular Medicine, PC., 25195 Kelly Rd., Roseville, MI 48066.**

Cordially,



Srihari Nayi, C.E.O. and R.S.O.
Eastside Cardiovascular Medicine, PC.

RECEIVED SEP 18 2012

Close-out Survey

Date Performed: 08/27/12

Performed By: Laura M. Luna, Physics Consultant

Wipe tests analyzed with a CRC-15W well counter. Efficiency for Co-57 is 1.2%. MDA is 30 dpm.

Survey performed with Ludlum survey meter model 14C with end window probe, S/N 115932, calibrated on 10/06/12 with a check source reading of 1.0 mR/hr. Range used was 0.1 mR/hr.

All sealed radioactive sources were transported to Eastside Cardiovascular Medicine, PC., 25195 Kelly Rd., Roseville, MI 48066. There is no history of any leaking sources.

History of Radionuclides Used

Tc-99m last used 08/24/12, Tl-201 last used 2010. No other isotopes, except sealed sources: Cs-137, Ba-133 and Co-57, were used at this facility.

Visual Check

The area was checked to ensure that all radioactive waste had been removed. No radioactive material was located.

Radiation Level Survey

No area within the department demonstrated radiation levels in excess of the background reading of 0.02 mR/hr.

Removable Contamination

1 minute counts of a wipe sample covering at least a 100 square centimeter area


Area Results(dpm)		Area Results(dpm)		Area Results(dpm)	
1	0	29	0	57	0
2	0	30	0	58	0
3	0	31	0	59	0
4	0	31	0	60	0
5	0	33	0	61	0
6	0	34	0	62	0
7	0	35	0	63	0
8	0	36	0	64	0
9	0	37	0	65	0
10	0	38	0	66	0
11	0	39	0	67	0
12	0	40	0	68	0
13	0	41	0	69	0
14	0	42	0	70	0
15	0	43	0	71	0
16	0	44	0	72	0
17	0	45	0	73	0
18	0	46	0	74	0
19	0	47	0	75	0
20	0	48	0	76	0
21	0	49	0	77	0
22	0	50	0	78	0
23	0	51	0	79	0
24	0	52	0	80	0
25	0	53	0	81	0
26	0	54	0	82	0
27	0	55	0		
28	0	56	0		


Maximum removable contamination: 0 net dpm/100 cm²

Conclusion

As of 08/27/12 all radioactive materials were removed from the site and no removable contamination was present.

Eastside Cardiovascular Medicine, PC.
18325 Ten Mile Rd.
Roseville, MI 48066





xpress


RT 493 1 D 0527 09.18
FZ 495 v9.17

FedEx
TRK# 8003 4742 0527
0215

TUE - 18 SEP A1
** 2DAY **

SE ENLA

60532
IL-US
ORD



Emp# 314256 14SEP12 UIZA 515C1/0D3A/AA4

36006
30100

FedEx Express NEW Package US Airbill
FedEx Tracking Number 8003 4742 0527

1 From This portion can be removed for Recipient's records.
Date 9/14/12 FedEx Tracking Number 800347420527

Sender's Name Cal Szlach Phone 586 775-4594
Company EASTSIDE CARDIOVASCULAR MEDICI
Address 25195 KELLY RD STE 400
City ROSEVILLE State MI ZIP 48066-4909

2 Your Internal Billing Reference

3 To Recipient's Name Materials Licensing Sct. Phone
United States Nuclear Regulatory Commission
Company Region III, Materials Licensing
Address 2443 Warrenville Rd, Ste 210
City histe State IL ZIP 60532-4352



8003 4742 0527

Recipient's Copy

4 Express Package Service * To meet location. Packages up to 150 lbs.
NOTE: Service order has changed. Please select carefully. For packages over 150 lbs, use the new FedEx Express Freight US Airbill

Next Business Day
FedEx First Overnight
FedEx Priority Overnight
FedEx Standard Overnight
2 or 3 Business Days
NEW FedEx 2Day A.M.
FedEx 2Day
FedEx Express Saver

5 Packaging * Declared value limit \$500.
FedEx Envelope* FedEx Pak* FedEx Box* FedEx Tube* Other

6 Special Handling and Delivery Signature Options
SATURDAY Delivery
No Signature Required
Direct Signature
Indirect Signature

Does this shipment contain dangerous goods?
No Yes
Dry Ice
Cargo Aircraft Only

7 Payment Bill to:
Sender Recipient Third Party Credit Card Cash/Check
Total Packages Total Weight Credit Card Auth

Your liability is limited to \$100 unless you declare a higher value. See the current FedEx Services Guide for details.

RECIP: FEEL HERE
fedex.com 1.800.GoFedEx 1800.463.3339

fedex.com 1.800.GoFedEx 1800.463.3339