

| RPTREQCD | RPTREQ |
|----------|-------------------|
| 001 | 20.1906(d)(1) |
| 002 | 20.1906(d)(2) |
| 003 | 20.2201(a)(1)(i) |
| 004 | 20.2201(a)(1)(ii) |
| 005 | 20.2202(a)(1)(i) |
| 006 | 20.2202(a)(1)(ii) |
| 007 | 20.2202(a)(1)(ii) |
| 008 | 20.2202(a)(2) |
| 009 | 20.2202(b)(1)(i) |
| 010 | 20.2202(b)(1)(ii) |
| 011 | 20.2202(b)(1)(ii) |
| 012 | 20.2202(b)(2) |
| 013 | 20.2203(a)(2)(i) |
| 014 | 20.2203(a)(2)(ii) |
| 015 | 20.2203(a)(2)(ii) |
| 016 | 20.2203(a)(2)(i) |
| 017 | 20.2203(a)(2)(v) |
| 018 | 20.2203(a)(2)(v) |
| 019 | 20.2203(a)(3)(i) |
| 020 | 20.2203(a)(3)(ii) |
| 021 | 20.2203(a)(4) |
| 022 | 21.21(d)(1)(i) |
| 023 | 21.21(d)(1)(ii) |
| 024 | 30.50(a) |
| 025 | 30.50(b)(1) |
| 026 | 30.50(b)(2) |
| 027 | 30.50(b)(3) |
| 028 | 30.50(b)(4) |
| 029 | 30.55(c) |
| 030 | 31.5(c)(5) |
| 031 | 34.27(d) |
| 032 | 34.101(a)(1) |
| 033 | 34.101(a)(2) |
| 034 | 34.101(a)(3) |
| 035 | 35.67(e) |
| 036 | 35.3045(a)(1)(i) |
| 037 | 35.3045(a)(1)(ii) |
| 038 | 35.3045(a)(1)(ii) |
| 039 | 35.3045(a)(2)(i) |
| 040 | 35.3045(a)(2)(ii) |
| 041 | 35.3045(a)(2)(ii) |
| 042 | 35.3045(a)(2)(i) |
| 043 | 35.3045(a)(2)(v) |

| REQUIREMENT |
|--|
| Transported package exceeds removable surface contamination limits. |
| Transported package exceeds external radiation limits. |
| Lost, stolen, or missing licensed material in a quantity greater than or equal to 1,000 times the applicable limit. |
| Lost, stolen, or missing licensed material in a quantity greater than 10 times the applicable limit. |
| An individual received a total effective dose equivalent of 25 rem (0.25 Sv) or more. |
| An individual received a lens dose equivalent of 75 rem (0.75 Sv) or more. |
| An individual received a shallow-dose equivalent to the skin or extremities of 250 rad |
| Release of radioactive material, inside or outside of a restricted area, so that had an individual receive a total effective dose equivalent of 25 rem (0.25 Sv) or more. |
| Loss of control of material causing or threatening to cause an individual to receive a total effective dose equivalent of 25 rem (0.25 Sv) or more. |
| Loss of control of material causing or threatening to cause an individual to receive a total effective dose equivalent of 25 rem (0.25 Sv) or more. |
| Loss of control of material causing or threatening to cause an individual to receive a total effective dose equivalent of 25 rem (0.25 Sv) or more. |
| Release of material, inside or outside of a restricted area, so that, had an individual been present, would have received a total effective dose equivalent of 25 rem (0.25 Sv) or more. |
| Doses in excess of the occupational dose limits for adults in 20.1201. |
| Doses in excess of the occupational dose limits for a minor in 20.1207. |
| Doses in excess of the limits for an embryo/fetus of a declared pregnant woman in 20.1209. |
| Doses in excess of the limits for an individual member of the public in 20.1301. |
| Doses in excess of any applicable limit in the license. |
| Doses in excess of the ALARA constraints for air emissions established under 20.1101(f). |
| Radiation or concentrations of radioactive material in a restricted area in excess of the standards in 40.1001. |
| Radiation or concentrations of radioactive material in an unrestricted area in excess of the standards in 40.1002. |
| Levels of radiation or releases of radioactive material in excess of the standards in 40.1003. |
| A failure to comply or a defect affecting the construction or operation of a facility or a component that is supplied for a facility. |
| A failure to comply or a defect affecting a basic component that is supplied for a facility. |
| Event that prevents immediate protective actions necessary to avoid exposures to radiation. |
| Unplanned contamination event. |
| Equipment is disabled or fails to function as designed. |
| Event that requires unplanned medical treatment at a medical facility of an individual. |
| Unplanned fire or explosion damaging any licensed material or any device, container, or component. |
| Attempted theft or unlawful diversion of more than 10 Ci of H-3 at any one time or 10 Ci of any other radionuclide. |
| Actual or indicated failure to shielding, the on-off mechanism or indicator, or upon the completion of the radiography source leak test revealed the presence of 185 Bq (0.005 uCi) or more of radionuclides other than H-3. |
| Radiography source leak test revealed the presence of 185 Bq (0.005 uCi) or more of radionuclides other than H-3. |
| Unintentional disconnection of the radiographic source assembly from the control cabinet. |
| Inability to retract and secure the radiographic source assembly to its fully shielded position. |
| Failure of any radiographic component (critical to the safe operation of the device) to function as designed. |
| Medical source leak test revealed the presence of 185 Bq (0.005 uCi) or more of removable radionuclides other than H-3. |
| Total dose delivered that differs from the prescribed dose by 20% or more; and differs from the prescribed dose by 20% or more or falls outside the prescribed dose range. |
| Total dosage delivered differs from prescribed by 20% or more or falls outside the prescribed dose range. |
| Fractionated dose delivered that differs from the prescribed dose for a single fraction by 20% or more. |
| Administration of a wrong radioactive drug containing byproduct material that results in a total effective dose equivalent of 25 rem (0.25 Sv) or more. |
| Administration of a radioactive drug containing byproduct material by the wrong route. |
| Administration of a dose or dosage to the wrong individual or human research subject. |
| Administration of a dose or dosage delivered by the wrong mode of treatment that results in a total effective dose equivalent of 25 rem (0.25 Sv) or more. |
| Leaking sealed source that results in a dose that exceeds 0.05 Sv (5 rem) EDE, 0.5 Sv (50 rem) EDE, or 0.05 Sv (5 rem) EDE, 0.5 Sv (50 rem) EDE. |

| RPTREQCD | RPTREQ |
|----------|------------------|
| 044 | 35.3045(a)(3) |
| 045 | 35.3045(b) |
| 046 | 35.3047(a) |
| 047 | 35.3047(b)(1) |
| 048 | 35.3047(b)(2) |
| 049 | 36.83(a)(1) |
| 050 | 36.83(a)(2) |
| 051 | 36.83(a)(3) |
| 052 | 36.83(a)(4) |
| 053 | 36.83(a)(5) |
| 054 | 36.83(a)(6) |
| 055 | 36.83(a)(7) |
| 056 | 36.83(a)(8) |
| 057 | 36.83(a)(9) |
| 058 | 36.83(a)(10) |
| 059 | 39.35(d)(1) |
| 060 | 39.77(a) |
| 061 | 39.77(b) |
| 062 | 39.77(d) |
| 063 | 40.60(a) |
| 064 | 40.60(b)(1) |
| 065 | 40.60(b)(2) |
| 066 | 40.60(b)(3) |
| 067 | 40.60(b)(4) |
| 068 | 40.64(c)(1) |
| 069 | 50.72(b)(3)(xii) |
| 070 | 70.50(a) |
| 071 | 70.50(b)(1) |
| 072 | 70.50(b)(2) |
| 073 | 70.50(b)(3) |
| 074 | 70.50(b)(4) |
| 075 | 70.52(a) |
| 076 | 70.App A(a)(1) |
| 077 | 70.App A(a)(2) |
| 078 | 70.App A(a)(3) |
| 079 | 70.App A(a)(4)(|
| 080 | 70.App A(a)(4)(|
| 081 | 70.App A(a)(5) |
| 082 | 70.App A(b)(1) |
| 083 | 70.App A(b)(2) |
| 084 | 70.App A(b)(3) |
| 085 | 70.App A(b)(4) |
| 086 | 70.App A(b)(5)(|

| REQUIREMENT |
|--|
| Dose to the skin, organ, or tissue, other than the treatment site, that exceeds the prescribed limit. |
| Event resulting from patient intervention in which the administration of byproduct material results in a dose to an embryo/fetus greater than 50 mSv (5 rem) DE from administration of byproduct material. |
| Dose to a nursing child greater than 50 mSv (5 rem) TEDE resulting from an administrative action. |
| Dose to a nursing child resulting in unintended permanent functional damage to an organ or tissue. |
| An irradiator source stuck in an unshielded position. |
| Fire or explosion in an irradiator radiation room. |
| Damage to the irradiator source racks. |
| Failure of the irradiator cable or drive mechanism used to move the source racks. |
| Inoperability of the irradiator access control system. |
| Detection of irradiator source by the product exit monitor. |
| Detection of irradiator radioactive contamination attributable to licensed radioactive material. |
| Structural damage to the irradiator pool liner or walls. |
| Abnormal water loss or leakage from the irradiator source storage pool. |
| Irradiator pool water conductivity exceeding 100 microsiemens per centimeter. |
| Well logging source leak test revealed the presence of 185 Bq (0.005 uCi) or more of radioactive material in a well logging sealed source. |
| Theft or loss of radioactive material, radiation overexposures, excessive levels and contamination. |
| Irrecoverable well logging source. |
| Event that prevents immediate protective actions necessary to avoid exposures to radiation. |
| Unplanned contamination event. |
| Equipment is disabled or fails to function as designed. |
| Event that requires unplanned treatment at a medical facility of an individual with symptoms of radiation exposure. |
| Unplanned fire or explosion damaging any licensed material or any device, container, or structure. |
| Attempted theft or unlawful diversion of more than 6.8 kg (15 lb) of Uranium or Thorium. |
| Event requiring the transport of a radioactively contaminated person to an offsite medical facility. |
| Event that prevents immediate protective actions necessary to avoid exposures to radiation. |
| Unplanned contamination event. |
| Equipment is disabled or fails to function as designed. |
| Event that requires unplanned medical treatment at a medical facility of an individual with symptoms of radiation exposure. |
| Unplanned fire or explosion damaging any licensed material or any device, container, or structure. |
| Inadvertent nuclear criticality. |
| Inadvertent nuclear criticality. |
| Acute intake by an individual of 30 mg or greater of uranium in a soluble form. |
| Acute chemical exposure to an individual from licensed material or hazardous chemical. |
| Event or condition such that no IROFSs remain available and reliable to perform the safety function. |
| Event or condition such that no IROFSs remain available and reliable to prevent a nuclear event. |
| Loss of controls such that only one IROFS has been available and reliable (for longer than 10 minutes). |
| Event or condition that results in the facility being in a state not analyzed, improperly analyzed, or analyzed incorrectly. |
| Loss or degradation of IROFSs that results in failure to meet the performance requirements. |
| Acute chemical exposure to an individual from licensed material or hazardous chemical. |
| Natural phenomenon or external event, including fires internal and external to the facility. |
| Occurrence of an event or process deviation that was considered in the ISA and was diagnosed. |

| RPTREQCD | RPTREQ |
|----------|------------------|
| 087 | 70.App A(b)(5)(|
| 088 | 71.5 |
| 089 | 71.95(a)(1) |
| 090 | 71.95(a)(2) |
| 091 | 71.95(a)(3) |
| 092 | 71.95(b) |
| 093 | 72.74(a) |
| 094 | 72.75(c)(1) |
| 095 | 72.75(c)(2) |
| 096 | 72.75(c)(3) |
| 097 | 72.75(d)(1) |
| 098 | 72.242(d) |
| 099 | 73.71(a)(1) |
| 100 | 73.App G(l)(a)(|
| 101 | 74.11(a) |
| 102 | 76.120(a)(1) |
| 103 | 76.120(a)(2) |
| 104 | 76.120(a)(3) |
| 105 | 76.120(a)(4) |
| 106 | 76.120(b) |
| 107 | 76.120(c)(1) |
| 108 | 76.120(c)(2) |
| 109 | 76.120(c)(3) |
| 110 | 76.120(c)(4) |
| 111 | 150.16(b)(1) |
| 112 | 150.17(c)(1) |
| 113 | 150.19(c) |
| 114 | NRCB 91-01 - A |
| 115 | NRCB 91-01 - B |
| 116 | S.E.A. |
| 117 | 20.0205(b)(2) - |
| 118 | 20.0205(c)(2) - |
| 119 | 20.0402(a)(1) - |
| 120 | 20.0403(a)(1) - |
| 121 | 20.0403(a)(2) - |
| 122 | 20.0403(b)(1) - |
| 123 | 20.0403(b)(2) - |
| 124 | 20.0405(a)(1)(i) |
| 125 | 20.0405(a)(1)(ii |
| 126 | 20.0405(a)(1)(ii |
| 127 | 20.0405(a)(1)(i |
| 128 | 20.0405(a)(1)(v |
| 129 | 20.0405(c)(1) - |

| REQUIREMENT |
|--|
| Occurrence of an event or process deviation that was considered in the ISA, categoriz |
| Transportation of licensed material. |
| Significant reduction in the effectiveness of any NRC-approved Type B or Type AF pack |
| Defects with safety significance in any NRC-approved Type B or fissile material packagi |
| Conditions of approval in the Certificate of Compliance were not observed in making a |
| Conditions in the Certificate of Compliance were not followed during a shipment. |
| Accidental criticality or any loss of special nuclear material. |
| Defect in any spent fuel, HLW, or reactor-related GTCC waste storage structure, syste |
| Significant reduction in the effectiveness of any spent fuel, HLW, or reactor-related GT |
| Event requiring the transport of a radioactively contaminated person to an offsite me |
| Equipment is disabled or fails to function as designed. |
| Design or fabrication deficiency for any spent fuel storage cask delivered to a licensee |
| Loss of any shipment of SNM or spent fuel or accounting for such lost shipment. |
| Actual or attempted theft or unlawful diversion of SNM. |
| Loss, theft or unlawful diversion (actual or attempted) of SNM or the unauthorized pr |
| Criticality event. |
| Loss, other than normal operating loss, of special nuclear material. |
| Actual or attempted theft or unlawful diversion of special nuclear material. |
| Emergency condition that has been declared an alert or site area emergency. |
| Event that prevents immediate protective actions necessary to avoid exposures to rad |
| Unplanned contamination event. |
| Equipment is disabled or fails to function as designed. |
| Event that requires unplanned medical treatment at a medical facility of an individual |
| Unplanned fire or explosion damaging any licensed material or any device, container, |
| Actual or attempted theft or unlawful diversion of SNM. |
| Attempted theft or unlawful diversion of more than 6.8 kg (15 lb) of Uranium or Thori |
| Attempted theft or unlawful diversion of more than 10 Ci of H-3 at any one time or 10 |
| 4-hour report of the loss of criticality safety controls. |
| 24-hour report of the loss of criticality safety controls. |
| Safety equipment actuation. |
| (SUPERSEDED) REMOVABLE CONTAMINATION IN EXCESS OF 0.01 MCI (22,000 DPM) P |
| (SUPERSEDED) RADIATION LEVELS IN EXCESS OF 200 MREM/HR AT THE SURFACE OF A |
| (SUPERSEDED) IMMEDIATE TELEPHONE REPORT OF A LOSS OR THEFT OF LICENSED M |
| (SUPERSEDED) IMMEDIATE REPORT OF ANY EVENT THAT CAUSED OR THREATENS TO |
| (SUPERSEDED) IMMEDIATE REPORT OF ANY EVENT THAT CAUSED OR THREATENS TO |
| (SUPERSEDED) THE 24 HOUR REPORT OF ANY EVENT THAT CAUSED OR THREATENS T |
| (SUPERSEDED) THE 24 HOUR REPORT OF ANY EVENT THAT CAUSES OR THREATENS TO |
| (SUPERSEDED) THE 30 DAY WRITTEN REPORT OF EACH EXPOSURE OF AN INDIVIDUAL |
| (SUPERSEDED) THE 30 DAY WRITTEN REPORT OF EACH EXPOSURE TO AN INDIVIDUAL |
| (SUPERSEDED) THE 30 DAY WRITTEN REPORT OF LEVELS OF RADIATION OR CONCENT |
| (SUPERSEDED) THE 30 DAY WRITTEN REPORT OF ANY INCIDENT FOR WHICH NOTIFICA |
| (SUPERSEDED) THE 30 DAY WRITTEN REPORT OF LEVELS OF RADIATION OR CONCENT |
| (SUPERSEDED) WRITTEN REPORT OF LEVELS OF RADIATION OR RELEASES OF RADIOAC |

| RPTREQCD | RPTREQ |
|----------|--------------------|
| 130 | 21.21(c)(1)(i) - |
| 131 | 21.21(c)(1)(ii) - |
| 132 | 30.50(b)(1)(i) - |
| 133 | 30.50(b)(1)(ii) - |
| 134 | 30.50(b)(1)(iii) - |
| 135 | 30.50(b)(2)(i) - |
| 136 | 30.50(b)(2)(ii) - |
| 137 | 30.50(b)(2)(iii) - |
| 138 | 30.50(b)(4)(i) - |
| 139 | 30.50(b)(4)(ii) - |
| 140 | 34.25(d) - old |
| 141 | 34.30(a)(1) - ol |
| 142 | 34.30(a)(2) - ol |
| 143 | 34.30(a)(3) - ol |
| 144 | 35.33(a)(1)-1A |
| 145 | 35.33(a)(1)-1B |
| 146 | 35.33(a)(1)-1C |
| 147 | 35.33(a)(1)-1D |
| 148 | 35.33(a)(1)-1E - |
| 149 | 35.33(a)(1)-1F - |
| 150 | 35.33(a)(1)-2A |
| 151 | 35.33(a)(1)-2B |
| 152 | 35.33(a)(1)-2C |
| 153 | 35.33(a)(1)-2D |
| 154 | 35.33(a)(1)-3A |
| 155 | 35.33(a)(1)-3B |
| 156 | 35.33(a)(1)-3C |
| 157 | 35.33(a)(1)-4A |
| 158 | 35.33(a)(1)-4B |
| 159 | 35.33(a)(1)-4C |
| 160 | 35.33(a)(1)-4D |
| 161 | 35.33(a)(1)-4E - |
| 162 | 35.33(a)(1)-4F - |
| 163 | 35.33(a)(1)-5A |
| 164 | 35.33(a)(1)-5B |
| 165 | 35.33(a)(1)-5C |
| 166 | 35.33(a)(1)-5D |
| 167 | 35.33(a)(1)-5E - |
| 168 | 35.33(a)(1)-5F - |
| 169 | 35.33(a)(1)-6 - |
| 170 | 35.33(a)(1)-6A |
| 171 | 35.33(a)(1)-6B |
| 172 | 35.33(a)(1)-6C |

| REQUIREMT |
|--|
| (SUPERSEDED) A FAILURE TO COMPLY OR A DEFECT AFFECTING THE CONSTRUCTION |
| (SUPERSEDED) A FAILURE TO COMPLY OR A DEFECT AFFECTING A BASIC COMPONENT |
| (SUPERSEDED) UNPLANNED CONTAMINATION EVENT THAT PROHIBITS ENTRY TO AN |
| (SUPERSEDED) UNPLANNED CONTAMINATION EVENT THAT INVOLVES A QUANTITY O |
| (SUPERSEDED) UNPLANNED CONTAMINATION EVENT THAT HAS ACCESS TO THE AREA |
| (SUPERSEDED) EQUIPMENT IS DISABLED OR FAILS TO FUNCTION AS DESIGNED TO PRE |
| (SUPERSEDED) EQUIPMENT IS DISABLED OR FAILS TO FUNCTION AS DESIGNED WHEN |
| (SUPERSEDED) EQUIPMENT IS DISABLED OR FAILS TO FUNCTION AS DESIGNED WHEN |
| (SUPERSEDED) UNPLANNED FIRE OR EXPLOSION DAMAGING ANY LICENSED MATERIA |
| (SUPERSEDED) UNPLANNED FIRE OR EXPLOSION DAMAGING ANY LICENSED MATERIA |
| (SUPERSEDED) RADIOGRAPHY SOURCE LEAK TEST REVEALED THE PRESENCE OF 185 B |
| (SUPERSEDED) THE 30 DAY WRITTEN REPORT INVOLVING RADIOGRAPHIC EQUIPMEN |
| (SUPERSEDED) THE 30 DAY WRITTEN REPORT INVOLVING RADIOGRAPHIC EQUIPMEN |
| (SUPERSEDED) THE 30 DAY WRITTEN REPORT INVOLVING RADIOGRAPHIC EQUIPMEN |
| (SUPERSEDED) PHONE RPT. NO LATER THAN THE NEXT CAL. DAY AFTER DISC. OF A PH |
| (SUPERSEDED) PHONE RPT. NO LATER THAN THE NEXT CAL. DAY AFTER DISC. OF A PH |
| (SUPERSEDED) PHONE RPT. NO LATER THAN THE NEXT CAL. DAY AFTER DISC. OF A PH |
| (SUPERSEDED) PHONE RPT. NO LATER THAN THE NEXT CAL. DAY AFTER DISC. OF A PH |
| (SUPERSEDED) PHONE RPT. NO LATER THAN THE NEXT CAL. DAY AFTER DISC. OF A DO |
| (SUPERSEDED) PHONE RPT. NO LATER THAN THE NEXT CAL. DAY AFTER DISC. OF A DO |
| (SUPERSEDED) PHONE RPT. NO LATER THAN THE NEXT CAL. DAY AFTER DISC. OF A TH |
| (SUPERSEDED) PHONE RPT. NO LATER THAN THE NEXT CAL. DAY AFTER DISC. OF A TH |
| (SUPERSEDED) PHONE RPT. NO LATER THAN THE NEXT CAL. DAY AFTER DISC. OF A TH |
| (SUPERSEDED) PHONE RPT. NO LATER THAN THE NEXT CAL. DAY AFTER DISC. OF A TH |
| (SUPERSEDED) PHONE RPT. NO LATER THAN THE NEXT CAL. DAY AFTER DISC. OF A GA |
| (SUPERSEDED) PHONE RPT. NO LATER THAN THE NEXT CAL. DAY AFTER DISC. OF A GA |
| (SUPERSEDED) PHONE RPT. NO LATER THAN THE NEXT CAL. DAY AFTER DISC. OF A GA |
| (SUPERSEDED) PHONE RPT. NO LATER THAN THE NEXT CAL. DAY AFTER DISC. OF A TEL |
| (SUPERSEDED) PHONE RPT. NO LATER THAN THE NEXT CAL. DAY AFTER DISC. OF A TEL |
| (SUPERSEDED) PHONE RPT. NO LATER THAN THE NEXT CAL. DAY AFTER DISC. OF A TEL |
| (SUPERSEDED) PHONE RPT. NO LATER THAN THE NEXT CAL. DAY AFTER DISC. OF A TEL |
| (SUPERSEDED) PHONE RPT. NO LATER THAN THE NEXT CAL. DAY AFTER DISC. OF A TEL |
| (SUPERSEDED) PHONE RPT. NO LATER THAN THE NEXT CAL. DAY AFTER DISC. OF A BR |
| (SUPERSEDED) PHONE RPT. NO LATER THAN THE NEXT CAL. DAY AFTER DISC. OF A BR |
| (SUPERSEDED) PHONE RPT. NO LATER THAN THE NEXT CAL. DAY AFTER DISC. OF A BR |
| (SUPERSEDED) PHONE RPT. NO LATER THAN THE NEXT CAL. DAY AFTER DISC. OF A BR |
| (SUPERSEDED) PHONE RPT. NO LATER THAN THE NEXT CAL. DAY AFTER DISC. OF A BR |
| (SUPERSEDED) PHONE RPT. NO LATER THAN THE NEXT CAL. DAY AFTER DISC. OF A BR |
| (SUPERSEDED) PHONE RPT. NO LATER THAN THE NEXT CAL. DAY AFTER DISC. OF A BR |
| (SUPERSEDED) WRITTEN RPT. <15 DAYS AFTER DISC. OF A DIAG. PHARM. DOSAGE OT |
| (SUPERSEDED) PHONE RPT. NO LATER THAN THE NEXT CAL. DAY AFTER DISC. OF A DIA |
| (SUPERSEDED) PHONE RPT. NO LATER THAN THE NEXT CAL. DAY AFTER DISC. OF A DIA |
| (SUPERSEDED) PHONE RPT. NO LATER THAN THE NEXT CAL. DAY AFTER DISC. OF A DIA |

| RPTREQCD | RPTREQ |
|----------|--------------------|
| 173 | 35.33(a)(1)-6D |
| 174 | 35.33(a)(1)-6E - |
| 175 | 35.33(a)(1)-6F - |
| 176 | 35.33(a)(1)-6G |
| 177 | 35.33(a)(1)-6H |
| 178 | 35.33(a)(2)-1A |
| 179 | 35.33(a)(2)-1B |
| 180 | 35.33(a)(2)-1C |
| 181 | 35.33(a)(2)-1D |
| 182 | 35.33(a)(2)-1E - |
| 183 | 35.33(a)(2)-1F - |
| 184 | 35.33(a)(2)-2A |
| 185 | 35.33(a)(2)-2B |
| 186 | 35.33(a)(2)-2C |
| 187 | 35.33(a)(2)-2D |
| 188 | 35.33(a)(2)-3A |
| 189 | 35.33(a)(2)-3B |
| 190 | 35.33(a)(2)-3C |
| 191 | 35.33(a)(2)-4A |
| 192 | 35.33(a)(2)-4B |
| 193 | 35.33(a)(2)-4C |
| 194 | 35.33(a)(2)-4D |
| 195 | 35.33(a)(2)-4E - |
| 196 | 35.33(a)(2)-4F - |
| 197 | 35.33(a)(2)-5A |
| 198 | 35.33(a)(2)-5B |
| 199 | 35.33(a)(2)-5C |
| 200 | 35.33(a)(2)-5D |
| 201 | 35.33(a)(2)-5E - |
| 202 | 35.33(a)(2)-5F - |
| 203 | 35.33(a)(2)-6A |
| 204 | 35.33(a)(2)-6B |
| 205 | 35.33(a)(2)-6C |
| 206 | 35.33(a)(2)-6D |
| 207 | 35.33(a)(2)-6E - |
| 208 | 35.33(a)(2)-6F - |
| 209 | 35.33(a)(2)-6G |
| 210 | 35.33(a)(2)-6H |
| 211 | 35.59(e) - old |
| 212 | 40.60(b)(1)(i) - |
| 213 | 40.60(b)(1)(ii) - |
| 214 | 40.60(b)(1)(iii) - |
| 215 | 40.60(b)(2)(i) - |

| REQUIREMT |
|---|
| (SUPERSEDED) PHONE RPT. NO LATER THAN THE NEXT CAL. DAY AFTER DISC. OF A DIA |
| (SUPERSEDED) PHONE RPT. NO LATER THAN THE NEXT CAL. DAY AFTER DISC. OF A DIA |
| (SUPERSEDED) PHONE RPT. NO LATER THAN THE NEXT CAL. DAY AFTER DISC. OF A DIA |
| (SUPERSEDED) PHONE RPT. NO LATER THAN THE NEXT CAL. DAY AFTER DISC. OF A DIA |
| (SUPERSEDED) PHONE RPT. NO LATER THAN THE NEXT CAL. DAY AFTER DISC. OF A DIA |
| (SUPERSEDED) WRITTEN RPT. <15 DAYS AFTER DISC. OF A PHARM. DOSAGE >30 uCi O |
| (SUPERSEDED) WRITTEN RPT. <15 DAYS AFTER DISC. OF A PHARM. DOSAGE >30 uCi O |
| (SUPERSEDED) WRITTEN RPT. <15 DAYS AFTER DISC. OF A PHARM. DOSAGE >30 uCi O |
| (SUPERSEDED) WRITTEN RPT. <15 DAYS AFTER DISC. OF A PHARM. DOSAGE >30 uCi O |
| (SUPERSEDED) WRITTEN RPT. <15 DAYS AFTER DISC. OF A DOSE >30 uCi OF NaI I-125 |
| (SUPERSEDED) WRITTEN RPT. <15 DAYS AFTER DISC. OF A DOSE >30 uCi OF NaI I-131 |
| (SUPERSEDED) WRITTEN RPT. <15 DAYS AFTER DISC. OF A THERAPEUTIC PHARM. DOS |
| (SUPERSEDED) WRITTEN RPT. <15 DAYS AFTER DISC. OF A THERAPEUTIC PHARM. DOS |
| (SUPERSEDED) WRITTEN RPT. <15 DAYS AFTER DISC. OF A THERAPEUTIC PHARM. DOS |
| (SUPERSEDED) WRITTEN RPT. <15 DAYS AFTER DISC. OF A THERAPEUTIC PHARM. DOS |
| (SUPERSEDED) WRITTEN RPT. <15 DAYS AFTER DISC. OF A GAMMA STEREOTACTIC RA |
| (SUPERSEDED) WRITTEN RPT. <15 DAYS AFTER DISC. OF A GAMMA STEREOTACTIC RA |
| (SUPERSEDED) WRITTEN RPT. <15 DAYS AFTER DISC. OF A GAMMA STEREOTACTIC RA |
| (SUPERSEDED) WRITTEN RPT. <15 DAYS AFTER DISC. OF A TELETHERAPY RAD. DOSE IN |
| (SUPERSEDED) WRITTEN RPT. <15 DAYS AFTER DISC. OF A TELETHERAPY RAD. DOSE IN |
| (SUPERSEDED) WRITTEN RPT. <15 DAYS AFTER DISC. OF A TELETHERAPY RAD. DOSE IN |
| (SUPERSEDED) WRITTEN RPT. <15 DAYS AFTER DISC. OF A TELETHERAPY RAD. DOSE W |
| (SUPERSEDED) WRITTEN RPT. <15 DAYS AFTER DISC. OF A TELETHERAPY DOSE WHEN |
| (SUPERSEDED) WRITTEN RPT. <15 DAYS AFTER DISC. OF A TELETHERAPY DOSE WHEN |
| (SUPERSEDED) WRITTEN RPT. <15 DAYS AFTER DISC. OF A BRACHY. RAD. DOSE INVOL |
| (SUPERSEDED) WRITTEN RPT. <15 DAYS AFTER DISC. OF A BRACHY. RAD. DOSE INVOL |
| (SUPERSEDED) WRITTEN RPT. <15 DAYS AFTER DISC. OF A BRACHY. RAD. DOSE INVOL |
| (SUPERSEDED) WRITTEN RPT. <15 DAYS AFTER DISC. OF A BRACHY. RAD. DOSE WHEN |
| (SUPERSEDED) WRITTEN RPT. <15 DAYS AFTER DISC. OF A BRACHY. RAD. DOSE WHEN |
| (SUPERSEDED) WRITTEN RPT. <15 DAYS AFTER DISC. OF A BRACHY. RAD. DOSE WHEN |
| (SUPERSEDED) WRITTEN RPT. <15 DAYS AFTER DISC. OF A DIAG. PHARM. DOSAGE OT |
| (SUPERSEDED) WRITTEN RPT. <15 DAYS AFTER DISC. OF A DIAG. PHARM. DOSAGE OT |
| (SUPERSEDED) WRITTEN RPT. <15 DAYS AFTER DISC. OF A DIAG. PHARM. DOSAGE OT |
| (SUPERSEDED) WRITTEN RPT. <15 DAYS AFTER DISC. OF A DIAG. PHARM. DOSAGE OT |
| (SUPERSEDED) WRITTEN RPT. <15 DAYS AFTER DISC. OF A DIAG. PHARM. DOSAGE OT |
| (SUPERSEDED) WRITTEN RPT. <15 DAYS AFTER DISC. OF A DIAG. PHARM. DOSAGE OT |
| (SUPERSEDED) WRITTEN RPT. <15 DAYS AFTER DISC. OF A DIAG. PHARM. DOSAGE OT |
| (SUPERSEDED) WRITTEN RPT. <15 DAYS AFTER DISC. OF A DIAG. PHARM. DOSAGE OT |
| (SUPERSEDED) MEDICAL SOURCE LEAK TEST REVEALED THE PRESENCE OF 185 Bq (0.0 |
| (SUPERSEDED) UNPLANNED CONTAMINATION EVENT THAT PROHIBITS ENTRY TO AN |
| (SUPERSEDED) UNPLANNED CONTAMINATION EVENT THAT INVOLVES A QUANTITY O |
| (SUPERSEDED) UNPLANNED CONTAMINATION EVENT THAT HAS ACCESS TO THE AREA |
| (SUPERSEDED) EQUIPMENT IS DISABLED OR FAILS TO FUNCTION AS DESIGNED TO PRE |

| RPTREQCD | RPTREQ |
|----------|--------------------|
| 216 | 40.60(b)(2)(ii) - |
| 217 | 40.60(b)(2)(iii) - |
| 218 | 40.60(b)(4)(i) - |
| 219 | 40.60(b)(4)(ii) - |
| 220 | 40.64(c) - old |
| 221 | 50.72(b)(2)(v) - |
| 222 | 70.50(b)(1)(i) - |
| 223 | 70.50(b)(1)(ii) - |
| 224 | 70.50(b)(1)(iii) - |
| 225 | 70.50(b)(2)(i) - |
| 226 | 70.50(b)(2)(ii) - |
| 227 | 70.50(b)(2)(iii) - |
| 228 | 70.50(b)(4)(i) - |
| 229 | 70.50(b)(4)(ii) - |
| 230 | 70.52(b) - old |
| 231 | 71.95(a) - old |
| 232 | 71.95(b) - old |
| 233 | 71.95(c) - old |
| 234 | 72.75(a) - old |
| 235 | 72.75(b)(1) - ol |
| 236 | 72.75(b)(2) - ol |
| 237 | 72.75(b)(3) - ol |
| 238 | 72.75(b)(4) - ol |
| 239 | 72.75(b)(5) - ol |
| 240 | 72.75(b)(6) - ol |
| 241 | 72.75(c)(1) - ol |
| 242 | 72.75(c)(2)(i) - |
| 243 | 72.75(c)(2)(ii) - |
| 244 | 72.75(d)(1)(i) - |
| 245 | 72.75(d)(1)(ii) - |
| 246 | 72.216(a)(1) - o |
| 247 | 72.216(a)(2) - o |
| 248 | 76.120(c)(1)(i) - |
| 249 | 76.120(c)(1)(ii) |
| 250 | 76.120(c)(1)(iii) |
| 251 | 76.120(c)(2)(i) - |
| 252 | 76.120(c)(2)(ii) |
| 253 | 76.120(c)(2)(iii) |
| 254 | 76.120(c)(4)(i) - |
| 255 | 76.120(c)(4)(ii) |

| REQUIREMT |
|---|
| (SUPERSEDED) EQUIPMENT IS DISABLED OR FAILS TO FUNCTION AS DESIGNED WHEN |
| (SUPERSEDED) EQUIPMENT IS DISABLED OR FAILS TO FUNCTION AS DESIGNED WHEN |
| (SUPERSEDED) UNPLANNED FIRE OR EXPLOSION DAMAGING ANY LICENSED MATERIA |
| (SUPERSEDED) UNPLANNED FIRE OR EXPLOSION DAMAGING ANY LICENSED MATERIA |
| (SUPERSEDED) ATTEMPTED THEFT OR UNLAWFUL DIVERSION OF MORE THAN 15 LB O |
| (SUPERSEDED) ANY EVENT REQUIRING THE TRANSPORT OF A RADIOACTIVELY CONTA |
| (SUPERSEDED) UNPLANNED CONTAMINATION EVENT THAT PROHIBITS ENTRY TO AN |
| (SUPERSEDED) UNPLANNED CONTAMINATION EVENT THAT INVOLVES A QUANTITY O |
| (SUPERSEDED) UNPLANNED CONTAMINATION EVENT THAT HAS ACCESS TO THE AREA |
| (SUPERSEDED) EQUIPMENT IS DISABLED OR FAILS TO FUNCTION AS DESIGNED TO PRE |
| (SUPERSEDED) EQUIPMENT IS DISABLED OR FAILS TO FUNCTION AS DESIGNED WHEN |
| (SUPERSEDED) EQUIPMENT IS DISABLED OR FAILS TO FUNCTION AS DESIGNED WHEN |
| (SUPERSEDED) UNPLANNED FIRE OR EXPLOSION DAMAGING ANY LICENSED MATERIA |
| (SUPERSEDED) UNPLANNED FIRE OR EXPLOSION DAMAGING ANY LICENSED MATERIA |
| (SUPERSEDED) THE IMMEDIATE REPORT OF ANY LOSS OR UNLAWFUL DIVERSION OF S |
| (SUPERSEDED) THE 30 DAY REPORT OF ANY INSTANCE IN WHICH THERE IS SIGNIFICAN |
| (SUPERSEDED) THE 30 DAY REPORT DETAILING ANY DEFECTS WITH SAFETY SIGNIFICA |
| (SUPERSEDED) THE 30 DAY REPORT OF ANY INSTANCES IN WHICH THE CONDITIONS O |
| (SUPERSEDED) AN EVENT INVOLVING THE DECLARATION OF AN EMERGENCY AS SPECI |
| (SUPERSEDED) AN EVENT THE PREVENTS IMMEDIATE ACTIONS NECESSARY TO AVOID |
| (SUPERSEDED) AN EVENT INVOLVING A DEFECT IN ANY SPENT FUEL STORAGE STRUCT |
| (SUPERSEDED) AN EVENT INVOLVING A SIGNIFICANT REDUCTION IN THE EFFECTIVENE |
| (SUPERSEDED) AN ACTION TAKEN IN AN EMERGENCY THAT DEPARTS FROM A CONDIT |
| (SUPERSEDED) AN EVENT THAT REQUIRES UNPLANNED MEDICAL TREATMENT AT AN |
| (SUPERSEDED) AN UNPLANNED FIRE OR EXPLOSION DAMAGING ANY SPENT FUEL OR |
| (SUPERSEDED) ANY UNPLANNED CONTAMINATION EVENT THAT REQUIRES ACCESS T |
| (SUPERSEDED) AN EVENT IN WHICH SAFETY EQUIPMENT IS DISABLED OR FAILS TO FU |
| (SUPERSEDED) AN EVENT IN WHICH SAFETY EQUIPMENT IS DISABLED OR FAILS TO FU |
| (SUPERSEDED) SAFETY EQUIPMENT IS DISABLED OR FAILS TO FUNCTION AS DESIGNED |
| (SUPERSEDED) SAFETY EQUIPMENT IS DISABLED OR FAILS TO FUNCTION AS DESIGNED |
| (SUPERSEDED) ANY DEFECT DISCOVERED IN ANY SPENT FUEL STORAGE CASK STRUCT |
| (SUPERSEDED) ANY INSTANCE IN WHICH THERE IS A SIGNIFICANT REDUCTION IN THE |
| (SUPERSEDED) UNPLANNED CONTAMINATION EVENT THAT PROHIBITS ENTRY TO AN |
| (SUPERSEDED) UNPLANNED CONTAMINATION EVENT THAT INVOLVES A QUANTITY O |
| (SUPERSEDED) UNPLANNED CONTAMINATION EVENT THAT HAS ACCESS TO THE AREA |
| (SUPERSEDED) EQUIPMENT IS DISABLED OR FAILS TO FUNCTION AS DESIGNED TO PRE |
| (SUPERSEDED) EQUIPMENT IS DISABLED OR FAILS TO FUNCTION AS DESIGNED WHEN |
| (SUPERSEDED) EQUIPMENT IS DISABLED OR FAILS TO FUNCTION AS DESIGNED WHEN |
| (SUPERSEDED) UNPLANNED FIRE OR EXPLOSION DAMAGING ANY LICENSED MATERIA |
| (SUPERSEDED) UNPLANNED FIRE OR EXPLOSION DAMAGING ANY LICENSED MATERIA |