


LEGEND

- AP1000 Structures
- Elevation of the Q/T unconformity Elevation (NAVD 88)
 - 35.1 - 37.8 ft. ● 10.5 - 11.3 m
 - 30.1 - 35.0 ft. ● 9.0 - 10.5 m
 - 25.1 - 30.0 ft. ● 7.5 - 9.0 m
 - 20.1 - 25.0 ft. ● 6.0 - 7.5 m
 - 15.1 - 20.0 ft. ● 4.5 - 6.0 m
 - 10.1 - 15.0 ft. ● 3.0 - 4.5 m
 - 0.1 - 10.0 ft. ● 0.0 - 3.0 m
 - 14.9 - 0.0 ft. ● -4.5 - 0.0 m
 - 23.9 - -15.0 ft. ● -7.2 - -4.5 m
 - 34.9 - -24.0 ft. ● -10.5 - -7.2 m
 - < -35.0 ft. ● < -10.5 m

Note: Multiple values shown by individual borings indicate uncertainty in the elevation of this contact; See Figure 2.5.2-251 for borehole numbers

- COLA Borings
- Pre COLA Site Selection Borings
- Generalized Contour Lines (NAVD 88)
 - 2 ft. interval

Note: Map rotated 70° CCW



Duke Energy Florida
Levy Nuclear Plant
Units 1 and 2
Part 2, Final Safety Analysis Report

Elevation of the Q/T Unconformity at the LNP Site (Showing Contact Elevation)
 FIGURE 2.5.1-252