

## Tables

|                |   |       |
|----------------|---|-------|
| Table 1.1-201  | Left Margin Annotations .....   | 1-9   |
| Table 1.6-201  | Referenced Topical Reports.....   | 1-26  |
| Table 1.7-201  | Summary of Electrical System Configuration Drawings .....   | 1-29  |
| Table 1.7-202  | Summary of Mechanical System Configuration Drawings.....  | 1-29  |
| Table 1.8-201  | Departures from the Referenced Certified Design .....   | 1-32  |
| Table 1.8-202  | Conceptual Design Information (CDI) .....   | 1-33  |
| Table 1.9-201  | Conformance with Standard Review Plan .....   | 1-38  |
| Table 1.9-202  | Conformance with Regulatory Guides.....   | 1-86  |
| Table 1.9-203  | Conformance with the FSAR Content Guidance in RG 1.206.....   | 1-113 |
| Table 1.9-204  | Industrial Codes and Standards .....  | 1-152 |
| Table 1.9-205  | NUREG Reports Cited .....   | 1-157 |
| Table 1.10-201 | Summary of FSAR Sections Where DCD COL Items Are Addressed .....  | 1-161 |
| Table 1.11-201 | COL Item Resolutions Related to NUREG-0933 Table II Task Action Plan<br>Items and New Generic Issues .....          | 1-169 |
| Table 1.11-202 | Supplementary Resolutions Related to NUREG-0933 Table II TMI Action<br>Plan Items and Human Factors Issues .....    | 1-171 |
| Table 1.12-201 | Potential Hazards to Fermi 2 from Fermi 3 Construction Activities .....   | 1-176 |
| Table 1.12-202 | Potential Consequences to Fermi 2 Due to Potential Hazards Resulting<br>from Fermi 3 Construction Activities) ..... | 1-178 |
| Table 1.12-203 | Managerial and Administrative Controls for Fermi 3 Construction Activity<br>Hazards .....                           | 1-181 |
| Table 1C-201   | Operating Experience Review Results Summary—Generic Letters .....   | 1-185 |
| Table 1C-202   | Operating Experience Review Results Summary—IE Bulletins .....  | 1-185 |
| Table 2.0-2R   | Limits Imposed on Acceptance Criteria in Section II of SRP by ESBWR<br>Design .....                                 | 2-2   |
| Table 2.0-201  | Evaluation of Site/Design Parameters and Characteristics .....  | 2-7   |
| Table 2.1-201  | U.S. Counties and Canadian Counties within 80 km (50 mi) Radius of<br>Fermi 3 .....                                 | 2-59  |

## Tables

|               |   |       |
|---------------|---|-------|
| Table 2.1-202 | Resident Population Distribution by Segment, 0 to 16 km (10 mi) from Fermi 3, 2000 .....  | 2-60  |
| Table 2.1-203 | Largest Population Areas within 16 km (10 mi) of the Fermi Site, 2000.....  | 2-61  |
| Table 2.1-204 | Segment Resident Population Distribution 0 to 80 km (50 mi) From the Proposed Fermi 3 Power Block, 2000 .....                           | 2-62  |
| Table 2.1-205 | Resident and Transient Population and Density, 0-10 mi Concentric Circles from the Fermi Site, 2000 .....                               | 2-63  |
| Table 2.1-206 | Resident and Transient Population and Density by Concentric Circle, 2000 .  | 2-64  |
| Table 2.1-207 | Commuter Information for the 80 km (50 mi) Region, 2000 .....   | 2-65  |
| Table 2.1-208 | Special Facilities Transient Population Data for the Regional Counties, 2000 .....  | 2-66  |
| Table 2.1-209 | Michigan and Ohio Regional County Populations and Average Annual Growth Rates .....   | 2-67  |
| Table 2.1-210 | 0 to 16 km (10 mi) Resident and Transient Historical Population and Population Projections, 2000, 2008, 2013, 2018, and 2020-2060 ..... | 2-68  |
| Table 2.1-211 | Canadian Population and Average Annual Growth Rates .....   | 2-74  |
| Table 2.1-212 | 16 km (10 mi) to 80 km (50 mi) Resident and Transient Population, 2000, 2008, 2013, 2018, and 2020 to 2060 .....                        | 2-75  |
| Table 2.1-213 | Industrial Facilities within 5 mi of Fermi Site .....   | 2-79  |
| Table 2.1-214 | Schools within 5 mi of Fermi Site .....   | 2-80  |
| Table 2.1-215 | Current and Projected Population Data for the LPZ.....  | 2-81  |
| Table 2.1-216 | 2013 Population Density by Concentric Circle .....  | 2-82  |
| Table 2.1-217 | 2018 Population Density by Concentric Circle .....  | 2-83  |
| Table 2.2-201 | Industrial Facilities Within 8 Km (5 Mi) .....  | 2-112 |
| Table 2.2-202 | Offsite Hazardous Materials Within 8 Km (5 Mi).....   | 2-113 |
| Table 2.2-203 | Fermi Onsite Chemical Storage Locations and Quantities.....   | 2-118 |
| Table 2.2-204 | Airports Near Fermi 3 .....   | 2-123 |
| Table 2.2-205 | Fermi Onsite Chemicals Evaluation .....   | 2-125 |
| Table 2.3-201 | National Weather Service First–Order and Cooperative Observing Stations Surrounding the Fermi Site .....                                | 2-218 |

## Tables

|               |   |       |
|---------------|---|-------|
| Table 2.3-202 | Local Climatological Data Summary for Detroit, Michigan .....   | 2-219 |
| Table 2.3-203 | Local Climatological Data Summary for Flint, Michigan .....   | 2-221 |
| Table 2.3-204 | Local Climatological Data Summary for Toledo, Ohio.....   | 2-223 |
| Table 2.3-205 | Climatological Normals for National Weather Service First-Order and<br>Cooperative Observation Stations in the Region Surrounding the<br>Fermi Site ..... | 2-225 |
| Table 2.3-206 | Climatological Extremes for National Weather Service First-Order and<br>Cooperative Observation Stations Surrounding the Fermi Site.....                  | 2-226 |
| Table 2.3-207 | Annual Summaries of Hours with Dust Reported for Detroit Metropolitan<br>Airport During the Period 1961-1995.....   | 2-227 |
| Table 2.3-208 | Distribution for Duration of Discrete Dust Events at Detroit Metropolitan<br>Airport (1961-1995) .....  | 2-228 |
| Table 2.3-209 | Summaries for Freezing Rain Events Occurring in the Five-County Area<br>Surrounding the Fermi Site (1993-2007).....                                       | 2-229 |
| Table 2.3-210 | Ambient Temperature and Humidity Statistics for Detroit Metropolitan<br>Airport .....   | 2-230 |
| Table 2.3-211 | Monthly and Annual Temperature Data (°F) for Detroit Metropolitan<br>Airport and Fermi Site (2003 - 2007).....  | 2-231 |
| Table 2.3-212 | Monthly and Annual Dew-point Temperature (°F) Summaries for the<br>Fermi Site (2003 - 2007) .....   | 2-232 |
| Table 2.3-213 | Hours with Precipitation and Hourly Precipitation Rate Distribution for Detroit<br>Metropolitan Airport at Detroit, Michigan (2003-2007) .....            | 2-233 |
| Table 2.3-214 | Estimated Maximum Precipitation Amounts (Inches) for Durations 1 Hour to<br>24 Hours and Recurrence Intervals 1 year to 100 years for Fermi 3.....        | 2-234 |
| Table 2.3-215 | Observed Maximum Precipitation Events at Detroit Metro Airport for<br>Durations from 1 Hour to 24 Hours .....   | 2-235 |
| Table 2.3-216 | Mean Monthly and Annual Summaries (Hours) of Fog and Heavy Fog for<br>Detroit, Michigan (1961-1995).....  | 2-236 |
| Table 2.3-217 | Monthly and Annual Mean Wind Speeds (mph) for Detroit Metropolitan<br>Airport and Fermi Site (2003 - 2007).....   | 2-237 |
| Table 2.3-218 | Wind Direction Persistence Summaries - Fermi Site 10-m Level.....   | 2-238 |
| Table 2.3-219 | Wind Direction Persistence Summaries - Fermi Site 10-m Level.....   | 2-239 |

**Tables**

Table 2.3-220 Wind Direction Persistence Summaries - Fermi Site 10-m Level..... 2-240

Table 2.3-221 Wind Direction Persistence Summaries - Fermi Site 10-m Level..... 2-241

Table 2.3-222 Wind Direction Persistence Summaries - Fermi Site 10-m Level..... 2-242

Table 2.3-223 Wind Direction Persistence Summaries - Fermi Site 10-m Level..... 2-243

Table 2.3-224 Wind Direction Persistence Summaries - Fermi Site 10-m Level..... 2-244

Table 2.3-225 Wind Direction Persistence Summaries - Fermi Site 10-m Level..... 2-245

Table 2.3-226 Wind Direction Persistence Summaries - Fermi Site 10-m Level..... 2-246

Table 2.3-227 Wind Direction Persistence Summaries - Fermi Site 10-m Level..... 2-247

Table 2.3-228 Wind Direction Persistence Summaries - Fermi Site 10-m Level..... 2-248

Table 2.3-229 Wind Direction Persistence Summaries - Fermi Site 10-m Level..... 2-249

Table 2.3-230 Wind Direction Persistence Summaries - Fermi Site 60-m Level..... 2-250

Table 2.3-231 Wind Direction Persistence Summaries - Fermi Site 60-m Level..... 2-251

Table 2.3-232 Wind Direction Persistence Summaries - Fermi Site 60-m Level..... 2-252

Table 2.3-233 Wind Direction Persistence Summaries - Fermi Site 60-m Level..... 2-253

Table 2.3-234 Wind Direction Persistence Summaries - Fermi Site 60-m Level..... 2-254

Table 2.3-235 Wind Direction Persistence Summaries - Fermi Site 60-m Level..... 2-255

Table 2.3-236 Wind Direction Persistence Summaries - Fermi Site 60-m Level..... 2-256

Table 2.3-237 Wind Direction Persistence Summaries - Fermi Site 60-m Level..... 2-257

Table 2.3-238 Wind Direction Persistence Summaries - Fermi Site 60-m Level..... 2-258

Table 2.3-239 Wind Direction Persistence Summaries - Fermi Site 60-m Level..... 2-259

Table 2.3-240 Wind Direction Persistence Summaries - Fermi Site 60-m Level..... 2-260

Table 2.3-241 Wind Direction Persistence Summaries - Fermi Site 60-m Level..... 2-261

Table 2.3-242 Wind Direction Persistence Summaries - Detroit Metropolitan Airport 10 m  
Level ..... 2-262

Table 2.3-243 Wind Direction Persistence Summaries - Detroit Metropolitan Airport 10 m  
Level ..... 2-263

## Tables

|               |  |       |
|---------------|--|-------|
| Table 2.3-244 | Wind Direction Persistence Summaries - Detroit Metropolitan Airport 10 m Level .....         | 2-264 |
| Table 2.3-245 | Wind Direction Persistence Summaries - Detroit Metropolitan Airport 10 m Level .....         | 2-265 |
| Table 2.3-246 | Wind Direction Persistence Summaries - Detroit Metropolitan Airport 10 m Level .....         | 2-266 |
| Table 2.3-247 | Wind Direction Persistence Summaries - Detroit Metropolitan Airport 10 m Level .....         | 2-267 |
| Table 2.3-248 | Wind Direction Persistence Summaries - Detroit Metropolitan Airport 10 m Level .....         | 2-268 |
| Table 2.3-249 | Wind Direction Persistence Summaries - Detroit Metropolitan Airport 10 m Level .....         | 2-269 |
| Table 2.3-250 | Wind Direction Persistence Summaries - Detroit Metropolitan Airport 10 m Level .....         | 2-270 |
| Table 2.3-251 | Wind Direction Persistence Summaries - Detroit Metropolitan Airport 10 m Level .....         | 2-271 |
| Table 2.3-252 | Wind Direction Persistence Summaries - Detroit Metropolitan Airport 10 m Level .....         | 2-272 |
| Table 2.3-253 | Wind Direction Persistence Summaries - Detroit Metropolitan Airport 10 m Level .....         | 2-273 |
| Table 2.3-254 | Mean Monthly and Annual Mixing Heights (m) at White Lake, Michigan (2003 - 2007) .....       | 2-274 |
| Table 2.3-255 | Temperature Inversion Frequency and Persistence at the Fermi Site (2003 - 2007) .....        | 2-275 |
| Table 2.3-256 | Monthly Temperature Inversion Frequency and Persistence at the Fermi Site (2003 - 2007)..... | 2-276 |
| Table 2.3-257 | Monthly Temperature Inversion Frequency and Persistence at the Fermi Site (2003 - 2007)..... | 2-277 |
| Table 2.3-258 | Monthly Temperature Inversion Frequency and Persistence at the Fermi Site (2003 - 2007)..... | 2-278 |
| Table 2.3-259 | Monthly Temperature Inversion Frequency and Persistence at the Fermi Site (2003 - 2007)..... | 2-279 |

## Tables

|               |   |       |
|---------------|---|-------|
| Table 2.3-260 | Monthly Temperature Inversion Frequency and Persistence at the Fermi Site (2003 - 2007).....                          | 2-280 |
| Table 2.3-261 | Monthly Temperature Inversion Frequency and Persistence at the Fermi Site (2003 - 2007).....                          | 2-281 |
| Table 2.3-262 | Monthly Temperature Inversion Frequency and Persistence at the Fermi Site (2003 - 2007).....                          | 2-282 |
| Table 2.3-263 | Monthly Temperature Inversion Frequency and Persistence at the Fermi Site (2003 - 2007).....                          | 2-283 |
| Table 2.3-264 | Monthly Temperature Inversion Frequency and Persistence at the Fermi Site (2003 - 2007).....                          | 2-284 |
| Table 2.3-265 | Monthly Temperature Inversion Frequency and Persistence at the Fermi Site (2003 - 2007).....                          | 2-285 |
| Table 2.3-266 | Monthly Temperature Inversion Frequency and Persistence at the Fermi Site (2003 - 2007).....                          | 2-286 |
| Table 2.3-267 | Monthly Temperature Inversion Frequency and Persistence at the Fermi Site (2003 - 2007).....                          | 2-287 |
| Table 2.3-268 | Monthly and Annual Vertical Stability Class and Mean 60-m Wind Speed Distributions for Fermi Site (2003 - 2007) ..... | 2-288 |
| Table 2.3-269 | Annual JFD of Wind Direction, Wind Speed, and Stability Class .....   | 2-290 |
| Table 2.3-270 | Annual JFD of Wind Direction, Wind Speed, and Stability Class .....   | 2-291 |
| Table 2.3-271 | Annual JFD of Wind Direction, Wind Speed, and Stability Class .....   | 2-292 |
| Table 2.3-272 | Annual JFD of Wind Direction, Wind Speed, and Stability Class .....   | 2-293 |
| Table 2.3-273 | Annual JFD of Wind Direction, Wind Speed, and Stability Class .....   | 2-294 |
| Table 2.3-274 | Annual JFD of Wind Direction, Wind Speed, and Stability Class .....   | 2-295 |
| Table 2.3-275 | Annual JFD of Wind Direction, Wind Speed, and Stability Class .....   | 2-296 |
| Table 2.3-276 | Annual JFD of Wind Direction, Wind Speed, and Stability Class .....   | 2-297 |
| Table 2.3-277 | Annual JFD of Wind Direction, Wind Speed, and Stability Class .....   | 2-298 |
| Table 2.3-278 | Annual JFD of Wind Direction, Wind Speed, and Stability Class .....   | 2-299 |
| Table 2.3-279 | Annual JFD of Wind Direction, Wind Speed, and Stability Class .....   | 2-300 |
| Table 2.3-280 | Annual JFD of Wind Direction, Wind Speed, and Stability Class .....   | 2-301 |

## Tables

|               |   |       |
|---------------|---|-------|
| Table 2.3-281 | Annual JFD of Wind Direction, Wind Speed, and Stability Class .....   | 2-302 |
| Table 2.3-282 | Annual JFD of Wind Direction, Wind Speed, and Stability Class .....   | 2-303 |
| Table 2.3-283 | Annual JFD of Wind Direction, Wind Speed, and Stability Class .....   | 2-304 |
| Table 2.3-284 | Annual JFD of Wind Direction, Wind Speed, and Stability Class .....   | 2-305 |
| Table 2.3-285 | SACTI Input Parameters .....  | 2-306 |
| Table 2.3-286 | Average Plume Lengths During NDCT Operation.....  | 2-307 |
| Table 2.3-287 | Annual Plume Length Frequency During NDCT Operations.....   | 2-308 |
| Table 2.3-288 | Meteorological Parameters Monitored at the Fermi Site .....   | 2-309 |
| Table 2.3-289 | Accuracies and Thresholds for the Fermi Onsite Meteorological Monitoring<br>Program Instruments .....                             | 2-310 |
| Table 2.3-290 | Method for Substituting Redundant Parameters of the Critical Meteorological<br>Measurements.....                                  | 2-311 |
| Table 2.3-291 | Data Recovery Percentages for the Fermi Onsite<br>Meteorological Monitoring Instruments<br>During the 2003-2007 Time Period ..... | 2-312 |
| Table 2.3-292 | Joint Frequency Distribution in Hours of Wind Speed and Direction by<br>Atmospheric Stability Class – Stability Class A.....      | 2-313 |
| Table 2.3-293 | Joint Frequency Distribution in Hours of Wind Speed and Direction by<br>Atmospheric Stability Class – Stability Class B.....      | 2-314 |
| Table 2.3-294 | Joint Frequency Distribution in Hours of Wind Speed and Direction by<br>Atmospheric Stability Class – Stability Class C.....      | 2-315 |
| Table 2.3-295 | Joint Frequency Distribution in Hours of Wind Speed and Direction by<br>Atmospheric Stability Class – Stability Class D.....      | 2-316 |
| Table 2.3-296 | Joint Frequency Distribution in Hours of Wind Speed and Direction by<br>Atmospheric Stability Class – Stability Class E.....      | 2-317 |
| Table 2.3-297 | Joint Frequency Distribution in Hours of Wind Speed and Direction by<br>Atmospheric Stability Class – Stability Class F .....     | 2-318 |
| Table 2.3-298 | Joint Frequency Distribution in Hours of Wind Speed and Direction by<br>Atmospheric Stability Class – Stability Class G .....     | 2-319 |
| Table 2.3-299 | Joint Frequency Distribution in Hours of Wind Speed and Direction by<br>Atmospheric Stability Class – All Stability Classes.....  | 2-320 |

## Tables

|               |  |       |
|---------------|--|-------|
| Table 2.3-300 | Fermi 3 Offsite Short-Term Atmospheric Dispersion Factors .....  | 2-321 |
| Table 2.3-301 | Onsite X/Q Factors from ARCON96 Runs (Based on 2001-2007 Meteorological Data Set) .....  | 2-322 |
| Table 2.3-302 | Cross-Unit C/Q Factors (Based on 2001-2007 Meteorological Data Set) .....  | 2-326 |
| Table 2.3-303 | Distances to Site Boundary, Nearest Residences, and Nearest Gardens ...  | 2-327 |
| Table 2.3-304 | Distances to Nearest Sheep, Goat, Meat Cow, and Milk Cow Receptors....   | 2-328 |
| Table 2.3-305 | Site Boundary X/Q and D/Q Factors for Ground-Level Release (Based on 2002-2007 met data) .....   | 2-329 |
| Table 2.3-306 | Site Boundary X/Q and D/Q Factors for Mixed-Mode Release from the Reactor Building/Fuel Building Stack (Based on 2002-2007 met data) .....     | 2-330 |
| Table 2.3-307 | Site Boundary X/Q and D/Q Factors for Mixed-Mode Release from the Turbine Building Stack (Based on 2002-2007 met data).....                    | 2-331 |
| Table 2.3-308 | Nearest Residence X/Q and D/Q Factors for Ground-Level Release (Based on 2002-2007 met data).....  | 2-332 |
| Table 2.3-309 | Nearest Residence X/Q and D/Q Factors for Mixed-Mode Release from the Reactor Building/Fuel Building Stack (Based on 2002-2007 met data) ..... | 2-333 |
| Table 2.3-310 | Nearest Residence X/Q and D/Q Factors for Mixed-Mode Release from the Turbine Building Stack (Based on 2002-2007 met data).....                | 2-334 |
| Table 2.3-311 | Nearest Garden X/Q and D/Q Factors for Ground-Level Release (Based on 2002-2007 met data) .....  | 2-335 |
| Table 2.3-312 | Nearest Garden X/Q and D/Q Factors for Mixed-Mode Release from the Reactor Building/Fuel Building Stack (Based on 2002-2007 met data) .....    | 2-336 |
| Table 2.3-313 | Nearest Garden X/Q and D/Q Factors for Mixed-Mode Release from the Turbine Building Stack (Based on 2002-2007 met data).....                   | 2-337 |
| Table 2.3-314 | Nearest Sheep X/Q and D/Q Factors for Ground-Level Release (Based on 2002-2007 met data) .....   | 2-338 |
| Table 2.3-315 | Nearest Sheep X/Q and D/Q Factors for Mixed-Mode Release from the Reactor Building/Fuel Building Stack (Based on 2002-2007 met data) .....     | 2-339 |
| Table 2.3-316 | Nearest Sheep X/Q and D/Q Factors for Mixed-Mode Release from the Turbine Building Stack (Based on 2002-2007 met data).....                    | 2-340 |

## Tables

|               |  |       |
|---------------|--|-------|
| Table 2.3-317 | Nearest Goat X/Q and D/Q Factors for Ground-Level Release (Based on 2002-2007 met data) .....  | 2-341 |
| Table 2.3-318 | Nearest Goat X/Q and D/Q Factors for Mixed-Mode Release from the Reactor Building/Fuel Building Stack (Based on 2002-2007 met data) .....                      | 2-342 |
| Table 2.3-319 | Nearest Goat X/Q and D/Q Factors for Mixed-Mode Release from the Turbine Building Stack (Based on 2002-2007 met data).....                                     | 2-343 |
| Table 2.3-320 | Nearest Meat Cow X/Q and D/Q Factors for Ground-Level Release (Based on 2002-2007 met data).....   | 2-344 |
| Table 2.3-321 | Nearest Meat Cow X/Q and D/Q Factors for Mixed-Mode Release from the Reactor Building/Fuel Building Stack (Based on 2002-2007 met data) .....                  | 2-345 |
| Table 2.3-322 | Nearest Meat Cow X/Q and D/Q Factors for Mixed-Mode Release from the Turbine Building Stack (Based on 2002-2007 met data).....                                 | 2-346 |
| Table 2.3-323 | Nearest Milk Cow X/Q and D/Q Factors for Ground-Level Release (Based on 2002-2007 met data) .....  | 2-347 |
| Table 2.3-324 | Nearest Milk Cow X/Q and D/Q Factors for Mixed-Mode Release from the Reactor Building/Fuel Building Stack (Based on 2002-2007 met data) .....                  | 2-348 |
| Table 2.3-325 | Nearest Milk Cow X/Q and D/Q Factors for Mixed-Mode Release from the Turbine Building Stack (Based on 2002-2007 met data).....                                 | 2-349 |
| Table 2.3-326 | Annual Average X/Q Values (No Decay, Undepleted) for Ground Level Release (Based on 2002-2007 met data) .....  | 2-350 |
| Table 2.3-327 | Annual Average X/Q Values (2.26 Day Decay, Undepleted) for Ground Level Release (Based on 2002-2007 met data).....   | 2-353 |
| Table 2.3-328 | Annual Average X/Q Values (8.0 Day Decay, Depleted) for Ground Level Release (Based on 2002-2007 met data).....  | 2-356 |
| Table 2.3-329 | Annual Average D/Q Values for Ground Level Release (Based on 2002-2007 met data).....  | 2-359 |
| Table 2.3-330 | Annual Average X/Q Values (No Decay, Undepleted) for Mixed-Mode Release from the Reactor Building/Fuel Building Stack (Based on 2002-2007 met data).....       | 2-362 |
| Table 2.3-331 | Annual Average X/Q Values (2.26 Day Decay, Undepleted) for Mixed-Mode Release from the Reactor Building/Fuel Building Stack (Based on 2002-2007 met data)..... | 2-365 |

## Tables

|               |   |       |
|---------------|---|-------|
| Table 2.3-332 | Annual Average X/Q Values (8.0 Day Decay, Depleted) for Mixed-Mode Release from the Reactor Building/Fuel Building Stack (Based on 2002-2007 met data)..... | 2-368 |
| Table 2.3-333 | Annual Average D/Q Values for Mixed-Mode Release from the Reactor Building/Fuel Building Stack (Based on 2002-2007 met data) .....                          | 2-371 |
| Table 2.3-334 | Annual Average X/Q Values (No Decay, Undepleted) for Mixed-Mode Release from the Turbine Building Stack (Based on 2002-2007 met data) .                     | 2-374 |
| Table 2.3-335 | Annual Average X/Q Values (2.26 Day Decay, Undepleted) for Mixed-Mode Release from the Turbine Building Stack (Based on 2002-2007 met data) .               | 2-377 |
| Table 2.3-336 | Annual Average X/Q Values (8.0 Day Decay, Depleted) for Mixed-Mode Release from the Turbine Building Stack (Based on 2002-2007 met data) .                  | 2-380 |
| Table 2.3-337 | Annual Average D/Q Values for Mixed-Mode Release from the Turbine Building Stack (Based on 2002-2007 met data).....   | 2-383 |
| Table 2.3-338 | Joint Frequency Distribution in Hours of Wind Speed and Direction by Atmospheric Stability Class (Based on 1985-1989 Met Data) – Stability Class A .....    | 2-386 |
| Table 2.3-339 | Joint Frequency Distribution in Hours of Wind Speed and Direction by Atmospheric Stability Class (Based on 1985-1989 Met Data) – Stability Class B .....    | 2-387 |
| Table 2.3-340 | Joint Frequency Distribution in Hours of Wind Speed and Direction by Atmospheric Stability Class (Based on 1985-1989 Met Data) – Stability Class C .....    | 2-388 |
| Table 2.3-341 | Joint Frequency Distribution in Hours of Wind Speed and Direction by Atmospheric Stability Class (Based on 1985-1989 Met Data) – Stability Class D .....    | 2-389 |
| Table 2.3-342 | Joint Frequency Distribution in Hours of Wind Speed and Direction by Atmospheric Stability Class (Based on 1985-1989 Met Data) – Stability Class E .....    | 2-390 |
| Table 2.3-343 | Joint Frequency Distribution in Hours of Wind Speed and Direction by Atmospheric Stability Class (Based on 1985-1989 Met Data) – Stability Class F .....    | 2-391 |
| Table 2.3-344 | Joint Frequency Distribution in Hours of Wind Speed and Direction by Atmospheric Stability Class (Based on 1985-1989 Met Data) – Stability Class G .....    | 2-392 |
| Table 2.3-345 | Site Boundary X/Q and D/Q Factors for Ground-Level Release (Based on 1985-1989 met data) .....  | 2-393 |

## Tables

|               |  |       |
|---------------|--|-------|
| Table 2.3-346 | Site Boundary X/Q and D/Q Factors for Mixed-Mode Release from the Reactor Building/Fuel Building Stack (Based on 1985-1989 met data) .....     | 2-394 |
| Table 2.3-347 | Site Boundary X/Q and D/Q Factors for Mixed-Mode Release from the Turbine Building Stack (Based on 1985-1989 met data).....                    | 2-395 |
| Table 2.3-348 | Nearest Residence X/Q and D/Q Factors for Ground-Level Release (Based on 1985-1989 met data).....  | 2-396 |
| Table 2.3-349 | Nearest Residence X/Q and D/Q Factors for Mixed-Mode Release from the Reactor Building/Fuel Building Stack (Based on 1985-1989 met data) ..... | 2-397 |
| Table 2.3-350 | Nearest Residence X/Q and D/Q Factors for Mixed-Mode Release from the Turbine Building Stack (Based on 1985-1989 met data).....                | 2-398 |
| Table 2.3-351 | Nearest Garden X/Q and D/Q Factors for Ground-Level Release (Based on 1985-1989 met data).....   | 2-399 |
| Table 2.3-352 | Nearest Garden X/Q and D/Q Factors for Mixed-Mode Release from the Reactor Building/Fuel Building Stack (Based on 1985-1989 met data) .....    | 2-400 |
| Table 2.3-353 | Nearest Garden X/Q and D/Q Factors for Mixed-Mode Release from the Turbine Building Stack (Based on 1985-1989 met data).....                   | 2-401 |
| Table 2.3-354 | Nearest Sheep X/Q and D/Q Factors for Ground Level Release (Based on 1985-1989 met data) .....   | 2-402 |
| Table 2.3-355 | Nearest Sheep X/Q and D/Q Factors for Mixed-Mode Release from the Reactor Building/Fuel Building Stack (Based on 1985-1989 met data) .....     | 2-403 |
| Table 2.3-356 | Nearest Sheep X/Q and D/Q Factors for Mixed-Mode Release from the Turbine Building Stack (Based on 1985-1989 met data).....                    | 2-404 |
| Table 2.3-357 | Nearest Goat X/Q and D/Q Factors for Ground Level Release (Based on 1985-1989 met data) .....  | 2-405 |
| Table 2.3-358 | Nearest Goat X/Q and D/Q Factors for Mixed-Mode Release from the Reactor Building/Fuel Building Stack (Based on 1985-1989 met data) .....      | 2-406 |
| Table 2.3-359 | Nearest Goat X/Q and D/Q Factors for Mixed-Mode Release from the Turbine Building Stack (Based on 1985-1989 met data).....                     | 2-407 |
| Table 2.3-360 | Nearest Meat Cow X/Q and D/Q Factors for Ground Level Release (Based on 1985-1989 met data).....   | 2-408 |
| Table 2.3-361 | Nearest Meat Cow X/Q and D/Q Factors for Mixed-Mode Release from the Reactor Building/Fuel Building Stack (Based on 1985-1989 met data) .....  | 2-409 |

## Tables

|               |  |       |
|---------------|--|-------|
| Table 2.3-362 | Nearest Meat Cow X/Q and D/Q Factors for Mixed-Mode Release from the Turbine Building Stack (Based on 1985-1989 met data).....                                 | 2-410 |
| Table 2.3-363 | Nearest Milk Cow X/Q and D/Q Factors for Ground Level Release (Based on 1985-1989 met data).....   | 2-411 |
| Table 2.3-364 | Nearest Milk Cow X/Q and D/Q Factors for Mixed-Mode Release from the Reactor Building/Fuel Building Stack (Based on 1985-1989 met data) .....                  | 2-412 |
| Table 2.3-365 | Nearest Milk Cow X/Q and D/Q Factors for Mixed-Mode Release from the Turbine Building Stack (Based on 1985-1989 met data).....                                 | 2-413 |
| Table 2.3-366 | Annual Average X/Q Values (no Decay, Undepleted) for Ground Level Release (Based on 1985-1989 met data) .....  | 2-414 |
| Table 2.3-367 | Annual Average X/Q Values (2.26 Day Decay, Undepleted) for Ground Level Release (Based on 1985-1989 met data) .....  | 2-417 |
| Table 2.3-368 | Annual Average X/Q Values (8.0 Day Decay, Undepleted) for Ground Level Release (Based on 1985-1989 met data) .....   | 2-420 |
| Table 2.3-369 | Annual Average D/Q Values for Ground Level Release (Based on 1985-1989 met data).....  | 2-423 |
| Table 2.3-370 | Annual Average X/Q Values (no Decay, Undepleted) for Mixed-Mode Release from the Reactor Building/Fuel Building Stack (Based on 1985-1989 met data) .....      | 2-426 |
| Table 2.3-371 | Annual Average X/Q Values (2.26 Day Decay, Undepleted) for Mixed-Mode Release from the Reactor Building/Fuel Building Stack (Based on 1985-1989 met data)..... | 2-429 |
| Table 2.3-372 | Annual Average X/Q Values (8.0 Day Decay, Depleted) for Mixed-Mode Release from the Reactor Building/Fuel Building Stack (Based on 1985-1989 met data) .....   | 2-432 |
| Table 2.3-373 | Annual Average D/Q Values for Mixed-Mode Release from the Reactor Building/Fuel Building Stack (Based on 1985-1989 met data) .....                             | 2-435 |
| Table 2.3-374 | Annual Average X/Q Values (No Decay, Undepleted) for Mixed-Mode Release from the Turbine Building Stack (Based on 1985-1989 met data) .....                    | 2-438 |
| Table 2.3-375 | Annual Average X/Q Values (2.26 Day Decay, Undepleted) for Mixed-Mode Release from the Turbine Building Stack (Based on 1985-1989 met data) .                  | 2-441 |
| Table 2.3-376 | Annual Average X/Q Values (8.0 Day Decay, Depleted) for Mixed-Mode Release from the Turbine Building Stack (Based on 1985-1989 met data) .                     | 2-444 |

## Tables

|               |   |       |
|---------------|---|-------|
| Table 2.3-377 | Annual Average D/Q Values for Mixed-Mode Release from the Turbine Building Stack (Based on 1985-1989 met data)..... | 2-447 |
| Table 2.3-378 | Onsite X/Q Factors from ARCON96 Runs (Based on 1985-1989 Meteorological Data Set).....                              | 2-450 |
| Table 2.3-379 | Cross-Unit X/Q Factors (Based on 1985-1989 Meteorological Data Set)....   | 2-454 |
| Table 2.4-201 | 2004 Water Usage - Withdrawal and Consumptive Uses for Lake Erie .....  | 2-627 |
| Table 2.4-202 | 2003 Summary Report and 2002 Basin Report for Lake Erie Water Usage   | 2-628 |
| Table 2.4-203 | 2001 and 2000 Basin Water Usage Report for Lake Erie .....  | 2-629 |
| Table 2.4-204 | 1999 and 1998 Basin Water Usage Report for Lake Erie .....  | 2-630 |
| Table 2.4-205 | Monroe County Water Usage (2000 – 2006) .....   | 2-631 |
| Table 2.4-206 | 2005 Monroe County Report .....   | 2-633 |
| Table 2.4-207 | 2006 Monroe County Report .....   | 2-634 |
| Table 2.4-208 | 2006 Monroe County Water Capacity Report .....  | 2-635 |
| Table 2.4-209 | Net Basin Supply for Lake Erie .....  | 2-636 |
| Table 2.4-210 | Extreme Lake Levels for the Western Basin of Lake Erie at the Fermi Site (ID 9063090) .....                         | 2-637 |
| Table 2.4-211 | Local Intense PMP Depth Duration .....  | 2-639 |
| Table 2.4-212 | Discharge (Q) from Existing Locations Calculated with the Rational Method .....                                     | 2-640 |
| Table 2.4-213 | Discharge (Q) from Final Grade Locations Calculated with the Rational Method .....                                  | 2-641 |
| Table 2.4-214 | Existing Site and Final Grade Runoff Comparison.....  | 2-642 |
| Table 2.4-215 | Swan Creek Flow Characteristics .....   | 2-643 |
| Table 2.4-216 | Swan Creek Watershed Incremental PMP Depths for the 72-Hour Storm....   | 2-644 |
| Table 2.4-217 | PMP Temporal Distribution .....   | 2-645 |
| Table 2.4-218 | NRCS Dimensionless Unit Hydrograph Ordinates .....  | 2-646 |
| Table 2.4-219 | Summary of Results for Alternative II - PMF .....   | 2-647 |
| Table 2.4-220 | Summary of Results for Alternative I – 500-Year Flood .....   | 2-648 |

## Tables

|                 |   |       |
|-----------------|---|-------|
| Table 2.4-221   | Summary of Results for Alternative III – Probable Maximum Surge and Seiche .....                      | 2-649 |
| Table 2.4-222   | Lake Erie - Possible Storm Induced Lake Level Increases (Ft) .....                                    | 2-650 |
| Table 2.4-223   | Wavelengths for Various Points in the Lake.....   | 2-651 |
| Table 2.4-224   | Breaking Wave Heights .....   | 2-652 |
| Table 2.4-225   | Lake Erie Extreme Low Water Elevations from 1967-2007 at the Fermi Site (Station No. 9063090) .....   | 2-653 |
| Table 2.4-226   | EPA Region 5 Sole Source Aquifers .....   | 2-654 |
| Table 2.4-227   | Monroe County, Michigan Projected Groundwater Use Through 2060.....                                   | 2-655 |
| Table 2.4-228   | Wayne County, Michigan Projected Groundwater Use Through 2060.....                                    | 2-656 |
| Table 2.4-229   | Monitoring Well/Piezometer Construction Data.....   | 2-657 |
| Table 2.4-230   | Surface Water Gauge Construction Data .....   | 2-659 |
| Table 2.4-231   | Water Level Data.....   | 2-660 |
| Table 2.4-232   | Overburden Hydraulic Conductivity .....   | 2-665 |
| Table 2.4-233   | Bedrock Aquifer Hydraulic Conductivity .....  | 2-666 |
| Table 2.4-234   | Site Specific Inputs .....  | 2-668 |
| Table 2.4-235   | Comparison of Liquid Release Concentrations With 10 CFR 20 Concentrations - Lake Erie .....           | 2-669 |
| Table 2.4-236   | Comparison of Liquid Release Concentrations With 10 CFR 20 Concentrations - Off Site Water Well ..... | 2-672 |
| Table 2.4-237   | Depth-Area-Duration Data.....   | 2-675 |
| Table 2.4-238   | Lake Erie - Decay Plus Retardation .....  | 2-676 |
| Table 2.4-239   | Off Site Well – Decay Plus Retardation.....   | 2-679 |
| Table 2.4-240   | Lake Erie - Decay Plus Retardation, Factor of 10 for Dilution .....                                   | 2-682 |
| Table 2.4-241   | Off Site Well - Decay Plus Retardation Plus 1-D Dispersion (H-3, Ni-63, Pu-239 Only) .....            | 2-685 |
| Table 2.4-242   | Off Site Well - Decay Plus Retardation Plus 2-D Dispersion (H-3, Ni-63, Pu-239 Only) .....            | 2-688 |
| Table 2.5.1-201 | Regional Tectonic Structures Within 320 km (200 mi) .....   | 2-904 |

## Tables

|                 |   |        |
|-----------------|---|--------|
| Table 2.5.1-202 | Site Stratigraphy for Fermi 2 and Fermi 3 .....   | 2-912  |
| Table 2.5.2-201 | Results of Significance Tests of Predicted Seismicity Rates Within 320 km<br>(200 mi) of the Fermi 3 Site ..... | 2-1069 |
| Table 2.5.2-202 | Post-CEUS Earthquakes Used In Assessing Mmax Distributions.....   | 2-1070 |
| Table 2.5.2-203 | Maximum Magnitude Distributions for Select CEUS SSC Distributed<br>Seismicity Source Zones .....                | 2-1071 |
| Table 2.5.2-204 | Generic CEUS Hard Rock Hazard Results for 0.5 Hz Spectral Acceleration<br>for the Fermi 3 Site .....            | 2-1072 |
| Table 2.5.2-205 | Generic CEUS Hard Rock Hazard Results for 1 Hz Spectral Acceleration<br>for the Fermi 3 Site .....              | 2-1073 |
| Table 2.5.2-206 | Generic CEUS Hard Rock Hazard Results for 2.5 Hz Spectral Acceleration<br>for the Fermi 3 Site .....            | 2-1074 |
| Table 2.5.2-207 | Generic CEUS Hard Rock Hazard Results for 5 Hz Spectral Acceleration<br>for the Fermi 3 Site .....              | 2-1075 |
| Table 2.5.2-208 | Generic CEUS Hard Rock Hazard Results for 10 Hz Spectral Acceleration<br>for the Fermi 3 Site .....             | 2-1076 |
| Table 2.5.2-209 | Generic CEUS Hard Rock Hazard Results for 25 Hz Spectral Acceleration<br>for the Fermi 3 Site .....             | 2-1077 |
| Table 2.5.2-210 | Generic CEUS Hard Rock Hazard Results for (100 Hz Spectral Acceleration) for<br>the Fermi 3 Site .....          | 2-1078 |
| Table 2.5.2-211 | Uniform Hazard Response Spectra for the Fermi 3 Site for Generic Hard Rock<br>Conditions .....                  | 2-1079 |
| Table 2.5.2-212 | Rock Hazard Reference and Deaggregation Earthquakes .....   | 2-1080 |
| Table 2.5.2-213 | Site Response Analysis Profile .....  | 2-1081 |
| Table 2.5.2-214 | Rock Damping Values for Site Response Analyses.....   | 2-1082 |
| Table 2.5.2-215 | Time History Data Sets Used for Each Deaggregation Earthquake.....  | 2-1083 |
| Table 2.5.2-216 | GMRS for the Fermi 3 Site .....   | 2-1084 |
| Table 2.5.4-201 | Approximate Elevation Ranges for Each Subsurface Material Encountered at<br>Fermi 3 .....                       | 2-1276 |
| Table 2.5.4-202 | Summary Engineering Properties of Soils and Bedrock .....   | 2-1277 |

## Tables

|                 |  |        |
|-----------------|--|--------|
| Table 2.5.4-203 | Statistical Analysis of Results from Field and Laboratory Test Performed for Lacustrine Deposits .....                             | 2-1279 |
| Table 2.5.4-204 | Statistical Analysis of Results from Field and Laboratory Test Performed for Glacial Till .....                                    | 2-1280 |
| Table 2.5.4-205 | Input Parameters to Estimate Rock Mass Strength .....  | 2-1281 |
| Table 2.5.4-206 | Statistical Analysis of Results from Field and Laboratory Test Performed for Bass Islands Group .....                              | 2-1282 |
| Table 2.5.4-207 | Rock Mass Properties for Rock Units Encountered at Fermi 3 based on Hoek-Brown Criterion .....                                     | 2-1283 |
| Table 2.5.4-208 | Mohr-Coulomb Parameters for Bedrock Units Encountered at Fermi 3 based on Hoek-Brown Criterion .....                               | 2-1284 |
| Table 2.5.4-209 | Statistical Analysis of Measured Compression and Shear Wave Velocities using P-S Suspension Logger in the Bass Islands Group ..... | 2-1285 |
| Table 2.5.4-210 | Statistical Analysis of Results from Field and Laboratory Test Performed for the Salina Group Unit F .....                         | 2-1286 |
| Table 2.5.4-211 | Statistical Analysis of Measured Compression and Shear Wave Velocities using P-S Suspension Logger in Salina Group Unit F .....    | 2-1287 |
| Table 2.5.4-212 | Statistical Analysis of Results from Field and Laboratory Test Performed for the Salina Group Unit E.....                          | 2-1288 |
| Table 2.5.4-213 | Statistical Analysis of Measured Compression and Shear Wave Velocities using P-S Suspension Logger in the Salina Group Unit E..... | 2-1289 |
| Table 2.5.4-214 | Statistical Analysis of Results from Field and Laboratory Test Performed for the Salina Group Unit C .....                         | 2-1290 |
| Table 2.5.4-215 | Statistical Analysis of Measured Compression and Shear Wave Velocities using P-S Suspension Logger in the Salina Group Unit C..... | 2-1291 |
| Table 2.5.4-216 | Statistical Analysis of Results from Field and Laboratory Test Performed for Salina Group Unit B.....                              | 2-1292 |
| Table 2.5.4-217 | Statistical Analysis of Measured Compression and Shear Wave Velocities using P-S Suspension Logger in Salina Group - Unit B.....   | 2-1293 |
| Table 2.5.4-218 | Elevations, Boring Depths and Depths to Top of Each Soil/Rock Layer Observed from Each Boring.....                                 | 2-1294 |
| Table 2.5.4-219 | Pressuremeter Testing Locations and Results in Boring RB-C6.....   | 2-1297 |
| Table 2.5.4-220 | Results of Index, Gradation and Chemical Tests on Soil Samples .....   | 2-1299 |

## Tables

|                 |  |        |
|-----------------|--|--------|
| Table 2.5.4-221 | Results of Strength Tests on Soil Samples .....  | 2-1301 |
| Table 2.5.4-222 | Results of Unconfined Compression Tests on Rock Samples .....  | 2-1303 |
| Table 2.5.4-223 | Results of Direct Shear Tests on Rock Discontinuities .....  | 2-1306 |
| Table 2.5.4-224 | Foundation Elevations of Major Structures in the Power Block Area .....  | 2-1307 |
| Table 2.5.4-225 | Locations, Logging Methods, and Depth Ranges for Geophysical Surveys<br>Performed to obtain the Dynamic Characteristics of Soils and Rocks ..... | 2-1308 |
| Table 2.5.4-226 | Summary of Building Dimensions, Depths of Foundation Level and Loadings in<br>the Power Block Area .....   | 2-1310 |
| Table 2.5.4-227 | Results of Bearing Capacity Analysis.....  | 2-1311 |
| Table 2.5.4-228 | Summary of Modulus of Elasticity of Bedrock Units based on Test Results, and<br>Hoek-Brown Criterion .....                                       | 2-1312 |
| Table 2.5.4-229 | Selected Parameters for Linear Elastic Model used for Settlement<br>Analysis .....   | 2-1313 |
| Table 2.5.4-230 | Calculated Rebound at Seismic Category I Structures due to Excavation to<br>Foundation Level.....  | 2-1314 |
| Table 2.5.4-231 | Calculated Total Settlements due to Backfilling and Applied Loads for Seismic<br>Category I Structures .....                                     | 2-1315 |
| Table 2.5.4-232 | Comparing Acceptance Criteria in Referenced DCD .....  | 2-1316 |
| Table 2A-4R     | ARCON 96 Input-Receiver to Source Direction .....  | 2-1353 |
| Table 3.7.1-201 | Full Soil Column Site Response Analysis Profile: Lower Range .....   | 3-37   |
| Table 3.7.1-202 | Full Soil Column Site Response Analysis Profile: Intermediate Range.....   | 3-38   |
| Table 3.7.1-203 | Full Soil Column Site Response Analysis Profile: Upper Range .....   | 3-39   |
| Table 3.7.1-204 | FWSC Foundation Input Response Spectrum Site Response Analysis<br>Profile .....  | 3-40   |
| Table 3.7.1-205 | Horizontal and Vertical PBSRS at the Finished Ground Level Grade with<br>Associated V/H Ratios.....  | 3-41   |
| Table 3.7.1-206 | Deterministic Profile with Engineered Granular Backfill above the<br>Top of the Bass Islands Group Bedrock: Best Estimate .....                  | 3-43   |
| Table 3.7.1-207 | Deterministic Profile with Engineered Granular Backfill above the Top of the Bass<br>Islands Group Bedrock: Lower Bound.....                     | 3-44   |

## Tables

|                  |  |       |
|------------------|--|-------|
| Table 3.7.1-208  | Deterministic Profile with Engineered Granular Backfill above the Top of the Bass Islands Group Bedrock: Upper Bound.....  | 3-45  |
| Table 3.7.1-209  | Deterministic Profile without Engineered Granular Backfill above the Top of the Bass Islands Group Bedrock: Best Estimate.....   | 3-46  |
| Table 3.7.1-210  | Deterministic Profile without Engineered Granular Backfill above the Top of the Bass Islands Group Bedrock: Lower Bound.....   | 3-47  |
| Table 3.7.1-211  | Deterministic Profile without Engineered Granular Backfill above the Top of the Bass Islands Group Bedrock: Upper Bound.....   | 3-48  |
| Table 3.7.1-212  | Horizontal and Vertical RB/FB SCOR FIRS at Elevation 523.7 (ft) NAVD 88 with Associated V/H Ratios .....   | 3-49  |
| Table 3.7.1-213  | Horizontal and Vertical CB SCOR FIRS at Elevation 540.4 (ft) NAVD 88 with Associated V/H Ratios .....  | 3-52  |
| Table 3.7.1-214  | Enhanced Horizontal and Vertical RB/FB SCOR FIRS at Elevation 523.7 (ft) NAVD 88 .....   | 3-55  |
| Table 3.7.1-215  | Enhanced Horizontal and Vertical CB SCOR FIRS at Elevation 540.4 (ft) NAVD 88 .....  | 3-58  |
| Table 3.7.1-216  | Horizontal and Vertical FWSC FIRS at Elevation 581.6 (ft) NAVD 88 with Associated V/H Ratios.....  | 3-61  |
| Table 3.7.1-217  | Seed Time History Recording Details .....  | 3-64  |
| Table 3.7.1-218  | Cross Correlation Coefficients for the Matched Time Histories.....   | 3-65  |
| Table 3.7.1-219  | Matched Time History (Outcrop Motions) Parameters .....  | 3-66  |
| Table 3.7.1-220  | Cumulative Power below 50 Hz for In-Column Acceleration Time Histories with and without Engineered Granular Backfill above the Top of the Bass Islands Group Bedrock ..... | 3-67  |
| Table 3.7.2-201  | RB/FB Soil-Structure Interaction Analysis Cases.....   | 3-140 |
| Table 3.7.2-202  | CB Soil-Structure Interaction Analysis .....   | 3-141 |
| Table 3.7.2-203a | Ratio with DCD Enveloping Seismic Loads: RB/FB Stick .....   | 3-142 |
| Table 3.7.2-203b | Ratio with DCD Enveloping Seismic Loads: RCCV Stick.....   | 3-143 |
| Table 3.7.2-203c | Ratio with DCD Enveloping Seismic Loads: Vent Wall/Pedestal Stick.....   | 3-144 |
| Table 3.7.2-203d | Ratio with DCD Enveloping Seismic Loads: RSW Stick.....  | 3-145 |
| Table 3.7.2-203e | Ratio with DCD Enveloping Seismic Loads: RPV Stick.....  | 3-146 |

## Tables

|                  |  |       |
|------------------|--|-------|
| Table 3.7.2-204  | Ratio with DCD Enveloping Seismic Loads: CB Stick .....  | 3-147 |
| Table 3.7.2-205a | Ratio with DCD Enveloping Maximum Vertical Acceleration: RB/FB .....                             | 3-148 |
| Table 3.7.2-205b | Ratio with DCD Enveloping Maximum Vertical Acceleration: RCCV .....                              | 3-149 |
| Table 3.7.2-205c | Ratio with DCD Enveloping Maximum Vertical Acceleration: VW/Pedestal .                           | 3-150 |
| Table 3.7.2-205d | Ratio with DCD Enveloping Maximum Vertical Acceleration: RSW .....                               | 3-151 |
| Table 3.7.2-205e | Ratio with DCD Enveloping Maximum Vertical Acceleration: RB/FB Flexible Slab<br>Oscillators..... | 3-152 |
| Table 3.7.2-206  | Ratio with DCD Enveloping Maximum Vertical Acceleration: CB.....                                 | 3-154 |
| Table 3.8.5-201  | Factors of Safety for RB/FB Foundation Stability .....   | 3-196 |
| Table 3.8.5-202  | Factors of Safety for CB Foundation Stability .....  | 3-197 |
| Table 3.8.5-203  | Maximum Soil Dynamic Bearing Pressure Demand for<br>RB/FB and CB .....                           | 3-198 |
| Table 5.3-201    | Quantities of Reactor Vessel Material Specimens per Irradiation Exposure<br>Set .....            | 5-9   |
| Table 8.3-4R     | Safety-Related DC and UPS Nominal Component Data.....  | 8-16  |
| Table 9.2-201    | PSWS Component Design Characteristics .....  | 9-14  |
| Table 9.2-202    | Major Makeup Water System Components.....  | 9-15  |
| Table 9.2-203    | Potable Water System Component Design Characteristics .....                                      | 9-16  |
| Table 9.2-204    | Station Water System – Plant Cooling Tower Makeup System Component Design<br>Parameters .....    | 9-17  |
| Table 9.2-205    | Station Water System – Pretreated Water Supply System Component Design<br>Parameters .....       | 9-18  |
| Table 9.5-201    | Codes and Standards.....   | 9-41  |
| Table 9A.5-5R    | Radwaste Building.....   | 9-46  |
| Table 9A.5-7R    | Yard.....  | 9-55  |
| Table 10.4-201   | Recommended Water Quality and Action Levels .....  | 10-9  |
| Table 10.4-3R    | Circulating Water System.....  | 10-10 |
| Table 11.3-201   | HEPA Filter Locations and Costs .....  | 11-9  |

## Tables

|                 |  |       |
|-----------------|--|-------|
| Table 11.3-202  | HEPA Filter Annual Costs .....   | 11-10 |
| Table 11.4-1R   | SWMS Component Capacities .....  | 11-17 |
| Table 11.4-2R   | Annual Waste Volumes <sup>1&amp;5</sup> .....  | 11-18 |
| Table 11.5-201  | Provisions for Sampling Liquid Streams.....  | 11-25 |
| Table 11.5-201  | Provisions for Sampling Liquid Streams (Notes).....  | 11-27 |
| Table 12.2-15R  | Airborne Sources Calculation .....   | 12-11 |
| Table 12.2-17R  | Comparison of Airborne Release Concentrations with 10 CFR 20 Limit.....  | 12-12 |
| Table 12.2-18aR | Offsite Dose Calculation Bases .....   | 12-16 |
| Table 12.2-18bR | Gaseous Pathway Doses to the MEI.....  | 12-17 |
| Table 12.2-19bR | Comparison of Annual Liquid Release Concentrations with<br>10 CFR 20 Limit .....   | 12-22 |
| Table 12.2-20aR | Liquid Pathway Offsite Dose Calculation Bases .....  | 12-25 |
| Table 12.2-20bR | Liquid Pathway Doses from Fermi 3 for MEI at Lake Erie.....  | 12-26 |
| Table 12.2-22R  | Radiation Source Parameters .....  | 12-27 |
| Table 12.2-201  | Comparison of Annual Doses to the MEI from Gaseous Effluents.....  | 12-30 |
| Table 12.2-202  | Comparison of Annual Doses to MEI from Liquid Effluents .....  | 12-31 |
| Table 12.2-203  | Comparison of Site Doses to the MEI .....  | 12-32 |
| Table 12.2-204  | Collective Total Body (Population) Doses Within 50 Miles.....  | 12-33 |
| Table 12.2-205  | Fermi 3 Normal Operational Iodine Radioisotopes in Reactor Water (Based on<br>Fermi 3 ODCM) .....  | 12-34 |
| Table 12.2-206  | Fermi 3 Annual Airborne Iodine Releases for Offsite Dose Evaluations (MBq)** -<br>Based on Reactor Water Iodine Concentrations in Table 12.2-205 ..... | 12-35 |
| Table 12.2-207  | Bounding Radionuclide Concentration and Inventory in the Condensate Storage<br>Tank .....  | 12-36 |
| Table 12.2-208  | Radioactive Sources Used for Radiation Monitoring and Laboratory and Portable<br>Monitoring Instrumentation <sup>1</sup> .....                         | 12-38 |
| Table 12.2-209  | Non-Fuel Special Nuclear Material for Use .....  | 12-38 |
| Table 12.3-8R   | Shielding Geometry (Nominal) .....   | 12-44 |

## Tables

|                |  |       |
|----------------|--|-------|
| Table 12.4-201 | Maximum Annual Dose to a Construction Worker by Source (mrem).....   | 12-63 |
| Table 12.4-202 | Collective Annual Construction Worker Dose by Source (person-rem)1.....  | 12-63 |
| Table 12.4-203 | Comparison of Construction Worker Dose to Public Dose Limits Specified in 10<br>CFR 20.1301.....                     | 12-63 |
| Table 12.4-204 | Comparison of Construction Worker Dose from Gaseous Effluent to Public Dose<br>Limits Specified in 40 CFR 1901 ..... | 12-64 |
| Table 12.4-205 | Comparison with 10 CFR 50 Appendix I Criteria for Effluent Dose .....  | 12-64 |
| Table 12BB-201 | Very High Radiation Areas (VHRA)1.....   | 12-68 |
| Table 13.1-201 | Generic Position/Site Specific Position Cross Reference .....  | 13-28 |
| Table 13.1-202 | Minimum Shift Staffing for Unit 3.....   | 13-34 |
| Table 13.4-201 | Operational Programs Required by NRC Regulations .....   | 13-43 |
| Table 13.5-201 | Pre-COL Phase Administrative Programs and Procedures.....  | 13-69 |
| Table 13.5-202 | Nominal Procedure Development Schedule .....   | 13-70 |
| Table 17.5-201 | Quality Assurance Activities for FSAR Section and Supporting Activities....  | 17-18 |