

Scott L. Batson Vice President Oconee Nuclear Station

Duke Energy ON01VP | 7800 Rochester Hwy Seneca, SC 29672

ONS-2014-135

o: 864.873.3274 f: 864.873.4208 Scott.Batson@duke-energy.com

October 30, 2014

10 CFR 50.54(q)

Attn: Document Control Desk U.S. Nuclear Regulatory Commission 11555 Rockville Pike Rockville, Maryland 20852-2746

Subject:

Duke Energy Carolinas, LLC

Oconee Nuclear Station, Units 1, 2, and 3 Docket Nos. 50-269, -270, and -287

Emergency Plan Implementing Procedure Revision 2014-023

Please find attached for your use and review copies of the enclosed revisions along with the associated supporting documentation and 10 CFR 50.54(q) evaluation. These procedures are Emergency Plan Implementing Procedures.

This revision is being submitted in accordance with 10 CFR 50.54(q) and does not reduce the effectiveness of the Emergency Plan or the Emergency Plan Implementing Procedures. If there are any questions or concerns pertaining to this revision please call Pat Street, Emergency Preparedness Manager, at 864-873-3124.

By copy of this letter, a copy of this revision is being provided to the NRC, Region II, Atlanta, Georgia.

Sincerely,

Scott L. Batson Vice President

Oconee Nuclear Station

Attachments:

Emergency Plan Implementing Procedure Revision

10 CFR 50.54(q) Evaluation(s)

AXYS

#### U. S. Nuclear Regulatory Commission

October 30, 2014

xc: w/2 copies of attachments

Mr. Victor McCree, Regional Administrator U.S. Nuclear Regulatory Commission - Region II Marquis One Tower 245 Peachtree Center Ave., NE, Suite 1200 Atlanta, GA 30303-1257

w/copy of attachments

Mr. James R. Hall, Project Manager U. S. Nuclear Regulatory Commission One White Flint North Mailstop O-8G9A 11555 Rockville Pike Rockville, MD 20852-2738 (send via E-mail)

w/o attachments

Mr. Eddy Crowe NRC Senior Resident Inspector Oconee Nuclear Station

ELL EC2ZF October 2, 2014

#### OCONEE NUCLEAR STATION

Emergency Plan Implementing Procedures Volume C Revision 2014-023 SUBJECT:

Please make the following changes to the Emergency Plan Implementing Procedures, Volume C:

> **REMOVE INSERT**

Cover Sheet Rev. 2014-022 Cover Sheet Rev. 2014-023

**Table of Contents Table of Contents** Pages 1, 2, & 3 Pages 1, 2, & 3


SR/0/A/2000/003 Rev 2 SR/0/A/2000/003 Rev 3

Pat Street

**ONS Emergency Planning Manager** 



## **OCONEE NUCLEAR STATION EMERGENCY PLAN IMPLEMENTING PROCEDURES VOLUME C**



	-	-	-	 -
ΛL	) D	D	$\mathbf{n}$	1
AF		$\mathbf{n}$		U.

Terry L. Patterson

**Director Nuclear Org Effectiveness** 

10/20/14 Date Approved

**VOLUME C REVISION 2014-023** September 2014

# VOLUME C TABLE OF CONTENTS

SH/0/B/2005/001	Emergency Response Offsite Dose Projections	Rev.	006
SH/0/B/2005/002	Protocol for the Field Monitoring Coordinator During Emergency Conditions	Rev.	005
HP/0/B/1009/018	Off-Site Dose Projections	Rev.	023
HP/0/B/1009/020	Estimating Food Chain Doses Under Post- Accident Conditions	Rev.	005
HP/0/B/1009/022	On-Shift Off-Site Dose Projections	Rev.	013
HP/0/B/1009/023	Radiation Protection Emergency Response	Rev.	000
HP/0/B/1009/026	Environmental Monitoring For Emergency Conditions	Rev.	000
RP/0/A/1000/001	Emergency Classification	Rev.	001
RP/0/A/1000/002	Control Room Emergency Coordinator Procedure	Rev.	005
RP/0/A/1000/003 A	ERDS Operation	Rev.	000
RP/0/A/1000/009	Procedure For Site Assembly	Rev.	002
RP/0/A/1000/010	Procedure For Emergency Evacuation/Relocation Of Site Personnel	Rev.	001
RP/0/A/1000/015 A	Offsite Communications From The Control Room	Rev.	002
RP/0/A/1000/015 B	Offsite Communications From The Technical Support Center	Rev.	001
RP/0/A/1000/016	MERT Activation Procedure For Medical, Confined Space, and High Angle Rescue Emergencies	Rev.	001
RP/0/A/1000/017	Spill Response	Rev.	002
RP/0/A/1000/018	Core Damage Assessment	Rev.	000
RP/0/A/1000/019	Technical Support Center Emergency Coordinator Procedure	Rev.	006

# VOLUME C TABLE OF CONTENTS

RP/0/A/1000/022	Procedure For Major Site Damage Assessment And Repair	Rev.	001
RP/0/A/1000/024	Protective Action Recommendations	Rev.	002
RP/0/A/1000/027	Re-Entry Recovery Procedure	Rev.	000
RP/0/A/1000/028	Nuclear Communications Emergency Response Plan	Rev.	000
RP/0/A/1000/029	Fire Brigade Response	Rev.	001
RP/0/A/1000/031	Joint Information Center Emergency Response Plan	Rev.	001
RP/0/A/1000/035	Severe Weather Preparations	Rev.	001
RP/0/A/1000/036	Equipment Important to Emergency Response	Rev.	001
RP/0/A/1000/037	Incident Command Post (ICP) Operations and Radiation Protection Liaison Guidelines	Rev.	002
SR/0/A/2000/001	Standard Procedure For Corporate Communications Response To The Emergency Operations Facility	Rev.	000
SR/0/B/2000/002	Standard Procedure for EOF Services	Rev.	006
SR/0/A/2000/003	Activation of the Emergency Operations Facility	Rev.	003
SR/0/A/2000/004	Notification to States and Counties from the Emergency Operations Facility for Catawba, McGuire, and Oconee	Rev.	000
Business Management	Business Management Emergency Plan	Rev.	012
SSG Functional Area Directive 102	SSG Emergency Response Plan – ONS Specific	Rev.	800
SCD - 110	Supply Chain Directive 110 – SCO Emergency Response Plan	Rev.	004
Engineering Manual 5.1	Engineering Emergency Response Plan	Rev.	032
Human Resources Procedure	ONS Human Resources Emergency Plan	10/13	3/2004

# VOLUME C TABLE OF CONTENTS

Radiation Protection Section Manual 11.3	Off-Site Dose Assessment And Data Evaluation	Rev.	001
Safety Assurance Directive 6.1	Emergency Response Organization	Rev.	007
Safety Assurance Directive 6.2	Emergency Contingency Plan	Rev.	006
Training Division DTS-007	Oconee Training Division Training Standard	Rev.	018

# Duke Energy Standard Procedure for CNS, MNS & ONS Activation of the Emergency Operations Facility

Procedure No.
SR/ <b>0</b> /A/2000/003
Revision No.
003
•
Electronic Reference No.
SHR0005P

	El	lectronic Reference No.
Reference Us	e	SHR0005P
PERFORMANCE		
This Procedure was printed on 10/02/14 at 12:4	6:30 from the electronic library	as:
(ISSUED)	- PDF Format	
Compare with Control Copy every 14 calendar	days while work is being perfort	med.
Compared with Control Copy*	Date	
Compared with Control Copy*		
Compared with Control Copy*		
Date(s) Performed	Work Order/Task Number (W	
COMPLETION		
Yes		
IMPORTANT: Do NOT mark on barcodes.  Enclosure No.: *FULL*	Printed Date: *10/02/2014  Revision No.: *003*	
Procedure No.: *SR/0/A/2000/003*		



#### **Activation of the Emergency Operations Facility**

#### 1. PURPOSE

1.1 This procedure describes the emergency responsibilities and duties of the Emergency Operations Facility Emergency Response Organization (ERO) members.

#### 2. **DEFINITIONS**

**NOTE:** The EOF must be operational using 75 minutes as a goal for the minimum staff to be in place following declaration of an Alert or higher classification. Turnover should occur with the TSC at a time that will not decrease the effectiveness of communications with the offsite agencies.

- 2.1 Operational: The Emergency Response Facility (e.g., Technical Support Center, Operations Support Center, Emergency Operations Facility) is staffed, ready to receive turnover and ready to perform assigned emergency response functions.
- 2.2 Activated: The Emergency Response Facility (e.g., Technical Support Center, Operations Support Center, Emergency Operations Facility) has accepted turnover and has direction and control of assigned emergency response functions.

**NOTE:** The following definition is applicable to the Emergency Notification Form Line 6.

2.3 Emergency Release: An unplanned, quantifiable radiological release to the environment during an emergency event. The release does not have to be related to the declared emergency. {AD-EP-ALL-0002} Refer to procedure SH/0/B/2005/001 for specific indications of an emergency release.

**NOTE:** The following definitions are applicable to the Emergency Notification Form, Line 8.

2.4 Degrading: Plant conditions involve at least one of the following:

Plant parameters (e.g., temperature, pressure, level, voltage, frequency) are trending unfavorably away from expected or desired values <u>AND</u> plant conditions could result in a higher classification or Protective Action Recommendation (PAR) before the next follow-up notification.

Site conditions (e.g., wind, ice/snow, ground tremors, hazardous/toxic/radioactive material leak, fire, security event) impacting plant operations or personnel safety are worsening <u>AND</u> plant conditions could result in a higher classification or Protective Action Recommendation (PAR) before the next follow-up notification.

2.5 Improving: Plant conditions involve at least one of the following:

Plant parameters (e.g., temperature, pressure, level, voltage, frequency) are trending favorably toward expected or desired values <u>AND</u> plant conditions could result in a lower classification or emergency termination before the next follow-up notification.

Site conditions (e.g., wind, ice/snow, ground tremors hazardous/toxic/radioactive material leak, fire, security events) have become less of a threat to plant operations or personnel safety <u>AND</u> plant conditions could result in a lower classification or emergency termination before the next follow-up notification.

2.6 Stable: Plant conditions are neither degrading nor improving.

#### 3. PROCEDURE

**NOTES:** • This procedure and the position specific enclosures are not intended to be followed in a serial step-by-step sequence.

- Instructions and guidance steps are to be implemented as applicable for the specific needs of the event.
- Use hard copy (paper) forms or electronic equivalents to complete all forms.
- References to "Status Boards" may refer to physical displays mounted in the facility or electronic displays either projected, displayed on large monitors or on personal computer monitors.
- 3.1 General instructions for all ERO members.
  - 3.1.1 Ensure appropriate checklist, logs and forms are completed.
  - 3.1.2 Provide critical information to appropriate personnel upon receipt rather than waiting for a time out or roundtable discussion.
  - 3.1.3 Use "Attention in the EOF" to announce critical information in the facility.
  - 3.1.4 **IF** additional personnel are needed to support the emergency or for 24-hour coverage, refer to the following for telephone numbers:
    - ERO Member Contact Information notebook on the EOF Director's Area bookshelf (home, office and cell phone numbers).
    - Duke Energy Enterprise Phone Book (office and cell phone numbers).

- Emergency Response Organization (ERO) database by contacting the EOF Emergency Planner.
- 3.1.5 **IF** equipment problems occur, contact the following:
  - Computer EOF Data Coordinator
  - Communications systems and other facility equipment EOF Services Manager

NOTE: When using the OAC to trend plant data for decision purposes, please note that reducing the trend screen overall size can cause the plotted data to be suspect upon restoration to full size. It is recommended that trend plots be minimized using the standard windows button (the button in the top right that has the underbar). The software code is designed to refresh the trend screens upon restoration to full size from a minimized state. A second method is to have the OAC redraw the trend after restoring the trend screen to full size.

- 3.2 **IF** access to SDS data is desired, login to system as follows:
  - 3.2.1 From DAE main screen, select Search DAE tab.
  - 3.2.2 Type SDS in Search box and press Enter.
  - 3.2.3 Select Catawba OAC SDS, McGuire OAC SDS, or Oconee OAC SDS as applicable.
  - 3.2.4 Select Run Application.
  - 3.2.5 Logon with LAN ID and Password as follows:

NAM\UserID Password

3.2.6 Select the desired OAC to access by checking the box and then clicking the Start button. You can start multiple sessions if desired.

#### **CNS**

- C1 RT PRI
- C2 RT PRI
- C1 RT BAC
- C2 RT BAC
- Simulator
- Spare Simulator
- Drill Simulator

#### **MNS**

- M1 RTS PRI
- M1 RTS BAC
- M2 RTS PRI
- M2 RTS BAC
- Simulator
- Sim Backup

#### **ONS**

- 01 OAC
- **O2 OAC**
- O3 OAC
- KHU OAC
- Simulator A
- Simulator B
- 3.2.7 Access emergency response displays as follows:

#### Catawba/McGuire

Enter GD (space)"Group Display Name" in the white box at the upper right portion of the screen.

Catawba Specific	
Group Display Name	Group Display Description
	Group Display Description
ERDS1	ERDS Group 1
ERDS2	ERDS Group 2
EROCONT	Selected values associated with containment.
EROCORE1	Incore temperature values
EROCORE2	Additional incore temperature values
EROCORE3	Additional incore temperature values
EROINJCT	Selected letdown/charging values
EROPLEAK	Selected primary to containment leakage values
EROSLEAK	Selected primary to secondary leakage values
EROPRIM	Selected primary system values
ERORD5	Selected Raddose V Assessment Points
ERORXG	Selected Value for Reactor Engineer
EROSAMG	Selected SAMG Values
EROSECND	Selected secondary system values
MET	Met Tower Points

McGuire Specific	
Group Display Name	Group Display Description
ERO-1	Selected plant parameters
EROCONT	Emergency Response Containment
EROCORE	Emergency Response Incore
EROINJCT	Emergency Response Injection
EROPRIM	Emergency Response Primary
ERORD5	Selected Raddose V Assessment Points
EROSECND	Emergency Response Secondary.
	{9} {10}
WEATHER	Weather Data

#### **Oconee**

Enter applicable Turn On code in the white box at the upper right portion of the screen.

Oconee Specific	
Turn On Code Name	Turn On Code Description
EROMENU	Menu Access for Oconee Data Screens
EROPRI	Selected Primary System values
EROSEC	Selected Secondary System values
EROCONT	Selected Containment Condition values
EROAUX	Selected Radiation Monitor values
EROAREA	Selected Area Radiation Monitor values
EROPROC	Selected Process Radiation Monitor values
EROENV	Selected values for Dose Assessment and Field Monitoring use
EROECCS	Selected ECCS values
ERDSMENU	Menu Access for Oconee ERDS Data

- 3.3 The Emergency Plant Status application has also been established for Oconee emergency response use. This application is available from DAE.
  - 3.3.1 To launch the Emergency Plant Status application, from DAE select Search DAE and type in Emergency Plant Status.
  - 3.3.2 Select the *Emergency Plant Status ONS*
  - 3.3.3 Select Run Application
  - 3.3.4 Enter your password and verify domain as NAM.
- 3.4 **IF** EOF facility in Energy Center is unavailable, establish Alternate EOF at designated alternate location {IER L1-13-10}:

- Catawba Nuclear Station event McGuire Administration Building per Enclosure 6.25
- McGuire Nuclear Station event Catawba Administration Building per Enclosure 6.26
- Oconee Nuclear Station event Catawba Administration Building per Enclosure 6.26
- 3.5 Perform the applicable actions for the event using instructions and guidance in the following enclosures:

ERO Position Title	Enclosure
EOF Director/Assistant EOF Director	6.1 EOF Director/Assistant EOF Director Checklist
Radiological Assessment Manager	6.6 Radiological Assessment Manager Checklist
EOF Dose Assessor	6.7 EOF Dose Assessor Checklist
Field Monitoring Coordinator	6.8 Field Monitoring Coordinator Checklist
Radio Operator	6.9 Radio Operator Checklist
EOF Offsite Agency Communicator	6.10 EOF Offsite Agency Communicator Checklist
EOF Services Administration/Commissary	6.11 EOF Services Administration/Commissary Checklist {71}
Accident Assessment Manager	6.12 Accident Assessment Manager Checklist
Accident Assessment Interface	6.13 Accident Assessment Interface Checklist
Operations Interface Checklist	6.14 Operations Interface Checklist {44}
Reactor Physics	6.15 Reactor Physics Checklist
EOF Emergency Planner	6.16 EOF Emergency Planner Checklist
EOF Log Recorder	6.17 EOF Log Recorder Checklist
EOF Data Coordinator	6.18 EOF Data Coordinator Checklist
EOF Services Manager	6.19 EOF Services Manager Checklist

#### 4. REFERENCES

- 4.1 Catawba Nuclear Station (CNS) Emergency Plan
- 4.2 McGuire Nuclear Station (MNS) Emergency Plan
- 4.3 Oconee Nuclear Station (ONS) Emergency Plan

#### 5. RECORDS

- 5.1 All logs, forms and records completed as the result of implementing this procedure during an actual declared event shall be retained as permanent plant records. Nuclear Generation Record Retention Rule Number 421734, "Procedures-Technical Completed."
- 5.2 All checklists, logs and forms completed as the result of implementing this procedure shall be collected at the end of the event and provided to the site Emergency Preparedness Manager.

#### 6. Enclosures

- 6.1 EOF Director/Assistant EOF Director Checklist
- 6.2 Catawba Offsite Protective Actions
- 6.3 McGuire Offsite Protective Actions
- 6.4 Oconee Offsite Protective Actions
- 6.5 Emergency Classification Downgrade/Termination
- 6.6 Radiological Assessment Manager Checklist
- 6.7 EOF Dose Assessor Checklist
- 6.8 Field Monitoring Coordinator Checklist
- 6.9 Radio Operator Checklist
- 6.10 EOF Offsite Agency Communicator Checklist
- 6.11 EOF Services Administration/Commissary Checklist {71}
- 6.12 Accident Assessment Manager Checklist
- 6.13 Accident Assessment Interface Checklist
- 6.14 Operations Interface Checklist {44}
- 6.15 Reactor Physics Checklist
- 6.16 EOF Emergency Planner Checklist
- 6.17 EOF Log Recorder Checklist
- 6.18 EOF Data Coordinator Checklist
- 6.19 EOF Services Manager Checklist
- 6.20 Establishing Communications Links Between McGuire SAMG Evaluators {11}
- 6.21 Oconee Recovery Guidelines
- 6.22 Keowee Hydro Dam/Dikes Condition A/B Descriptions
- 6.23 EOF Evacuation Checklist
- 6.24 EOF Briefing Guideline
- 6.25 Setup of Catawba Alternate EOF in McGuire Admin Bldg. {66, 67, 68}

- Setup of McGuire or Oconee Alternate EOF in Catawba Admin Bldg. {66, 67, 68} NRC Response Team Briefing Commitments for SR/0/B/2000/003 6.26
- 6.27
- 6.28

SR/**0**/A/2000/003

#### **EOF Director/Assistant EOF Director Checklist** Page 1 of 14

INITIAL

NOTE:	Steps in this checklist may be performed in any order appropriate to the specific event conditions or they may be omitted if not applicable.				
	<u>IF</u> reporting to EOF outside your normal work hours, complete a Fitness for Duty Questionnaire.				
	_ Don position badge.				
	Sign in on EOF staffing board.				
NOTE:	The EOF Log Recorder will maintain the official log for the EOF Director/Assistant EOF Director. The EOF Director/Assistant EOF Director may maintain an additional log if desired.				
	_ Establish log of activities sufficient to conduct turnover for on-coming shift.				
	_ Establish communications with Emergency Coordinator or Assistant Emergency Coordinator in affected site's TSC:				
	<ul> <li>Use affected site's EOF Director to Emergency Coordinator Ringdown phone (Catawba and McGuire only)</li> </ul>				
	• Catawba TSC, 9-803-701-5870 <b>OR</b>				
	• McGuire TSC, 9-980-875-4950				
	• Oconee TSC, 9-1-864-873-3921				
NOTE:	EOF access is controlled through the use of a monitored card reader process.				
	Verify Energy Center Building Security personnel are monitoring the EOF entrance card reader.				
	INITIALSPRINTED NAME(EOF Director)				
	INITIALSPRINTED NAME(Asst. EOF Director)				

SR/**0**/A/2000/003

#### **EOF Director/Assistant EOF Director Checklist** Page 2 of 14

	NOTE:	1.	<b><u>IF</u></b> the emergency situation prevents activating the TSC within 75 minutes of declaration, Control Room will:
			• turn over responsibility for classification and state and county notification to EOF.
			<ul> <li>maintain responsibility for NRC Event Notification until released by NRC Communicator in TSC.</li> </ul>
			<ul> <li>maintain responsibility for continuous phone communications to the NRC until relieved by the NRC Communicator in TSC.</li> </ul>
		2.	<u>IF</u> TSC remains unavailable and EOF cannot take responsibility for classification and state and county notification, Control Room will maintain these responsibilities until one of the facilities is capable of turnover.
			nergency situation prevents activating TSC within 75 minutes of declaration, contact red Site's Control Room:
			Person Notified/Date/Time
			Catawba Control Room, 9-803-701-5164/
			McGuire Control Room, 9-980-875-4138//
)			Oconee Unit 1 and 2 Control Room, 9-1-864-873-2159/
			Oconee Unit 3 Control Room, 9-1-864-873-2160/
			y EOF minimum staffing positions are prepared to assume their EOF duties prior to ring the EOF operational:
			EOF Director
			Accident Assessment Manager
			Radiological Assessment Manager
			Off-Site Agency Communicator
			Off-Site Agency Communicator.
			OR
		<u>IF</u> L	ess than the above listed minimum EOF positions are filled,
		<u>ANI</u>	<u>)</u>
		The	75-minute EOF operational time requirement is near,
		<u>ANI</u>	<u>)</u>
		posi	extra person(s) is available whom the EOF Director believes is capable of filling a missing tion(s) based on the training, experience and skills required by the ERO training program - 2S 7111.0, Emergency Response Training
		ANI	<u>)</u>
)		An a	appropriate log entry is made. {64}
		_ Req	uest Offsite Agency Communicator monitor EOF Fax 704-382-1825. {13}

SR/**0**/A/2000/003

#### EOF Director/Assistant EOF Director Checklist Page 3 of 14

NOTE:	OTE: For all drills, messages should be preceded with "This is a drill. This is a drill."					
	_Announce over EOF public address system:					
	"Anyone who is reporting to this facility outside of your normal work hours must complete a Fitness for the Duty Form. If you have consumed alcohol within the past five (5) hours or believe your work quality may be compromised due to fatigue {69}, sickness, or other potentially impairing conditions {72}, notify either the EOF Director, Assistant EOF Director, or the appropriate lead in your functional area."					
	Declare EOF operational. EOF operational time:					
NOTE:	For all drills, messages should be preceded with "This is a drill. This is a drill."					
	_ Announce over EOF public address system:					
	"Attention all EOF personnel. This is and as of hours,					
	the EOF is operational. Each EOF functional area should perform a Take a Minute in its work area."					
	_Notify Emergency Coordinator or Assistant Emergency Coordinator that the EOF is:					
	<ul><li>Operational</li><li>Gathering plant status information</li><li>Ready to receive turnover at the Emergency Coordinator's convenience.</li></ul>					
	_Review definitions in Section 2 of this procedure.					
NOTE:	The following step may be accomplished by conducting a Time Out or by verifying the level of readiness with the individuals in the positions.					
	Verify the following positions, at a minimum, are ready to activate and prepared to perform the next offsite agency notification.					
	Accident Assessment Manager Radiological Assessment Manager Lead Off-Site Agency Communicator					
NOTE:	The Emergency Coordinator or Assistant Emergency Coordinator should fax the Emergency Coordinator Turnover Checklist to the EOF. The "Emergency Coordinator Turnover Checklist" is provided on page 13 of this enclosure.					
	<u>IF</u> a classification change occurs during turnover, suspend turnover until CR OR TSC declares and transmits notification to offsite agencies. {12}					

SR/**0**/A/2000/003

#### **EOF Director/Assistant EOF Director Checklist** Page 4 of 14

	Receive turnover from Emergency Coordinator or Assistant Emergency Coordinator utilizing the "Emergency Coordinator Turnover Checklist" or equivalent.
	<ul> <li>Prepare or delegate to Assistant EOF Director preparations for briefing NRC by completing job aid in Enclosure 6.27 {8}</li> </ul>
NOTE:	The EOF Director is responsible for determining Emergency Classifications, approving Protective Action Recommendations, and approving Offsite Agency Emergency Notification Forms after the EOF is activated. These responsibilities remain with the EOF Director and shall not be delegated.
<del>_</del>	_ Inform Emergency Coordinator that EOF is ready to activate.
NOTE:	For all drills, messages should be preceded with "This is a drill. This is a drill."
	_Announce over the EOF public address system:
1	"Attention all EOF personnel. The EOF was activated athours. This is I am the EOF Director and have taken responsibility for emergency management from the Emergency Coordinator in the Technical Support Center. At this time, the EOF has command and control for emergency classification, offsite notifications, protective action recommendations, field monitoring, and offsite agency interface. The current emergency classification is The following is a summary of the plant status
Additional information will be provided to you as conditions change. The next offsite again notification shall be transmitted by hours. The EOF staff shall prepare for a time and a roundtable discussion at hours."	
<del></del>	_Review current emergency classification with EOF staff and verify it meets criteria in:
	<ul> <li>Catawba RP/0/A/5000/001         <ul> <li>OR</li> </ul> </li> <li>McGuire RP/0/A/5700/000</li></ul>
<del></del>	Obtain from RAM expected time frames that dose assessment runs will be available to be included on emergency notification forms. {31}

#### **NOTE:**

- 1. The first message from the EOF should include EOF activation time on Line 13.
- 2. <u>IF</u> data changes during review of the emergency notification form, it is a good practice to require the EOF staff to do a "clean sweep" through the form prior to approval. {52}

SR/0/A/2000/003

#### EOF Director/Assistant EOF Director Checklist Page 5 of 14

Notify Offsite Agency Communicator to make emergency notifications according to the following schedule:

#### **Initial Notifications** {39}

- 1. Initial notifications to the State(s) and counties must be made within 15 minutes of the event declaration time using the Emergency Notification form (ENF).
- 2. For an upgrade in classification prior to or while transmitting an initial message:
  - -The notification for the lesser emergency classification must be made within 15 minutes of the lesser classification declaration time.
  - -The agencies must be informed that an upgrade in classification will be coming.
  - -The upgraded classification message must be transmitted within 15 minutes of the upgraded classification declaration time.

#### **Follow-up Notifications**

1. Follow-up notifications to the State	1. Follow-up notifications to the State(s) and Counties must be made according to the following schedule:				
<u>Catawba</u>	McGuire	Oconee			
-For NOUE, ALERT, SAE, or GE,	-For NOUE, every 4 hours until the	-For NOUE, a follow-up is not			
every hour until the emergency is	emergency is terminated.	required.			
terminated.	-For ALERT, SAE, or GE,	-For ALERT, SAE, or GE, every 60			
	every hour until the emergency is	minutes until the emergency is			
	terminated.	terminated.			
	OR				
<u>Catawba</u>	McGuire	Oconee			
If there is any significant change to	-If there is any significant change to	-If there is any significant change to			
the situation (make notification as	the situation (make notification as	the situation (make notification as			
soon as possible).	soon as possible).	the change occurs). See NOTE*			
below for examples of change					
OR					

<u>Catawba</u>	<u>McGuire</u>	Oconee
-As agreed upon with an	-As agreed upon with an Emergency	-Required every 60 minutes from
Emergency Management official	Management official from each	the notification time on Line 2 for
from <u>each</u> individual agency.	individual agency. Documentation	ALERT, SAE, or GE.
Documentation shall be maintained	shall be maintained for any agreed	-This frequency may be changed at
for any agreed upon schedule	upon schedule change.	the request of offsite agencies.
change.	-The interval for ALERT, SAE, or	
-The interval shall not be greater	GE shall not be greater than 2 hours	
than 4 hours to any agency.	to any agency.	

- \*NOTE (Oconee): Examples of significant plant changes include: evacuation/relocation of site personnel, fires onsite, MERT activation and/or injured personnel transported offsite, chemical spills, explosions, Condition "A" or "B" for Keowee Hydro Project Dams/Dikes, or any event that would cause or require offsite agency response.
- 2. If a follow-up is due and an upgrade to a higher classification is declared, there is no need to complete the follow-up ENF. In this case, the offsite agencies must be notified that the pending follow-up is being superseded by an upgrade to a higher classification and information will be provided.
- 3. Follow-up messages in the General Emergency classification that involve an upgrade in PARs must be communicated to the offsite agencies as soon as possible and within 15 minutes.

SR/**0**/A/2000/003

#### **EOF Director/Assistant EOF Director Checklist** Page 6 of 14

	and Radio	IF AT ANY TIME Site Area Emergency is declared, consult Accident Assessment Manager and Radiological Assessment Manager to determine potential zones for protective action recommendations.					
<del></del>	(within 15	NY TIME General Emergency is declared, EOF Director shall IMMEDIATELY minutes) make Protective Action Recommendations to offsite agencies on by Notification Form (ENF) using: {57}					
	☐ En	closure 6.2 - Catawba Offsite Protective Actions closure 6.3 - McGuire Offsite Protective Actions closure 6.4 - Oconee Offsite Protective Action					
		es to Protective Action Recommendations are approved by the EOF Director, ensure re transmitted to offsite agencies within 15 minutes.					
CAUTIO	N: If a zo	one has been accurately selected for evacuation, it shall remain selected. {27} {30}					
		specific plant conditions, offsite dose projections, field monitoring team data, and need to update Protective Action Recommendations.					
		ose projections with Radiological Assessment Manager to determine if Protective ecommendations are required beyond the 10-mile EPZ.					
		tive Action Recommendations are required beyond 10 miles, notify the states and o consider sheltering/evacuation of general population beyond 10-mile EPZ.					
NOTE:	Description	ons of Keowee Hydro Dam/Dike Condition A and B are provided in Enclosure 6.22.					
<u>IF</u> Condition A, Dam Failure (Keowee or Jocassee) exists, make Protective Action Recommendations to Oconee County and Pickens County for imminent/actual dam failure on Emergency Notification Form Line 5B (Evacuate) and Line 5E (Other):							
	Line 5B ground.	Move residents living downstream of the Keowee Hydro Project dams to higher					
	Line 5E	Prohibit traffic flow across bridges identified on your inundation maps until the danger has passed.					

SR/**0**/A/2000/003

#### EOF Director/Assistant EOF Director Checklist Page 7 of 14

Communicate, or delegate to the Assistant EOF Director the responsibility to communicate, plant status to County Directors of Emergency Management (CDEM), State Liaisons or State Directors of Emergency Management (SDEM):

• EOF State Liaisons communicate information from EOF Director to County/State representatives using Decision Line.

**NOTE:** If using the EOF/Assistant EOF Director telephone, individual State and/or County numbers can be obtained from the appropriate site's Emergency Telephone Directory.

• Use Decision Line or EOF/Assistant EOF Director telephone to contact appropriate states/counties. Obtain Decision Line Dial Codes or phone numbers from the appropriate Emergency Telephone Directory. {7}

Catawba Site Specific  York CDEM
Mecklenburg CDEM
Gaston CDEM
NC SDEM
SC SDEM
McGuire Site Specific
Mecklenburg CDEM
Gaston CDEM
Lincoln CDEM
Iredell CDEM
Catawba CDEM
Cabarrus CDEM
NC SDEM
Oconee Site Specific
Oconee County CDEM
Pickens County CDEM
SC SDEM

SR/**0**/A/2000/003

#### **EOF Director/Assistant EOF Director Checklist** Page 8 of 14

	protective action Recommendations have been provided to the States and Counties, request protective action decision information from the SDEPs <u>AND</u> CDEPs:  Zones Evacuated:
	Zones Sheltered:
	Information Received from:
	_ Inform Emergency Coordinator <u>OR</u> Assistant Emergency Coordinator of SDEPs and CDEPs protective action decisions and other offsite conditions.
NOTE:	Wireless mikes are available for use during round tables/timeouts. {38}
	Perform the following steps as needed throughout the event:

- Conduct a time-out and hold a roundtable discussion approximately every hour, coordinated with the TSC, with the EOF staff using Enclosure 6.24 to discuss:
  - Emergency Classification
  - Protective Action Recommendations
  - Emergency Notification Form status
  - Offsite dose projections
  - Mitigation strategies
  - Termination criteria as defined in Enclosure 6.5.
- Ensure roundtables/time-outs enable EOF members to know what is going on, what to anticipate, and understand focus and priorities.
- Announce to the EOF the emergency classification, plant status, and priorities via the EOF public address system following EOF time-outs.
- Emergency Coordinator or Assistant Emergency Coordinator updates may be broadcast on EOF public address system.
- Advise Emergency Coordinator or Assistant Emergency Coordinator of:
  - All aspects of the emergency situation, including alternate strategies outside of procedures as plant conditions dictate
  - Emergency Classification changes
  - Protective Action Recommendations changes
  - Mitigation strategies
  - Contingency plans.

#### **EOF Director/Assistant EOF Director Checklist** Page 9 of 14

NOTE:

- 1. 10CFR50.54(x) states that a licensee may take reasonable action that departs from a license condition or technical specification in an emergency, when this action is immediately needed to protect the health and safety of the public and no action consistent with license conditions or technical specifications that can provide adequate or equivalent protection is immediately apparent. Ultimate responsibility for plant response in an emergency resides in the highest authority in the chain of command of the facility licensee available to make a decision about the response. The on duty OSM should be consulted and his concurrence obtained before invoking 10CFR50.54(x). {48}
- 2. Examples of potential 10CFR50.54(x) action items include: {40}
  - Deviation from an Emergency Procedure.
  - Rerouting system piping to temporarily restore system flow.
  - Re-alignment of electrical power systems outside of procedural guidance.
  - Using mitigation strategies not established by the SAMG guidelines.
- 3. IF the TSC is activated, the TSC Emergency Coordinator makes the decision to invoke 10CFR50.54(x). {48}
- <u>WHEN</u> restoring power in a LOOP event, have the risk significance of power restoration assessed for risk potential by Accident Assessment personnel. {42}
- Authorize emergency worker extensions if the radiation exposure doses are expected to exceed the blanket dose extension limits authorized by the Radiation Protection Manager using:
  - Catawba RP/0/A/5000/018
  - McGuire RP/0/A/5700/020
  - Oconee RP/0/B/1000/011.

**NOTE:** The Emergency Action Level descriptions on Line 4 of the Emergency Notification Form have been pre-screened.

• <u>IF</u> the event involves a security threat, consult the job aid, "Nuclear Security Approved Messages for Security Related Events/Issues," in the EOF Director's notebook for guidance in developing remarks for Line 13 of the Emergency Notification Form. {47}

NOTE: Personnel without badge access will need to be escorted into the EOF by the Assistant EOF Director, EOF Emergency Planner, EOF Services Manager, or their Mentor. {61}

- Approve personnel with training deficiencies prior to their participation as EOF staff members. This approval shall be documented in the EOF Log.
- Document personnel escorted into the EOF in the EOF log. {73}
- Turn over EOF Director duties to the Assistant EOF Director prior to leaving the EOF Director's Area.

#### EOF Director/Assistant EOF Director Checklist Page 10 of 14

Site. {53}

McGuire - RP/0/A/5700/002

- <u>IF</u> necessary to relieve Duke Energy personnel, request environmental surveillance support personnel from DOE Radiological Assessment Plan by contacting DOE Savannah River
- Periodically review the staffing levels in the EOF to ensure adequate resources are in place to deal with response/recovery, and direct the EOF Services Manager to coordinate with the appropriate department, agency, or companies. {25}
- <u>IF</u> events affect more than one nuclear site, refer to the multi-site event staffing chart in the Oconee Emergency Plan, Figure B-11.

**NOTE:** The job aid, "Questions Corporate Communications may ask (based on initiating event)," is available in the EOF Director's notebook for guidance.

Provide information to Corporate Communications for news releases.	
• <b>IF</b> EOF needs to be evacuated, refer to EOF Evacuation Checklist in Enclosure 6.23. {54}	
Verify EOF Emergency Planner completes "EOF 24-Hour Staffing Log" in Enclosure 6.17.	
Assist TSC Emergency Coordinator or Assistant TSC Emergency Coordinator as a Decision Maker upon entry into Severe Accident Management Guidelines (SAMG). (Catawba and McGuire) {11}	
Refer to Enclosure 6.5 (Emergency Classification Downgrade/Termination Criteria) for guidance to downgrade or terminate an emergency event.	
NOTE: The offsite Recovery Organization will stay at the EOF and work with the counties and states if radiological conditions exist beyond the site boundary. The On-Site Recovery Organization will be established by the Emergency Coordinator.	
<u>IF</u> needed, establish Recovery Organization:	
Catawba RP/0/A/5000/025	
<ul><li>☐ McGuire RP/0/A/5700/024</li><li>☐ Oconee RP/0/B/1000/027 and guidance in Enclosure 6.21.</li></ul>	
Terminate the emergency event in accordance with applicable procedure:	
Notification of Unusual Event Catawba - RP/0/A/5000/002 McGuire - RP/0/A/5700/001	
Alert Catawba - RP/0/A/5000/003	

SR/**0**/A/2000/003

#### EOF Director/Assistant EOF Director Checklist Page 11 of 14

Ca	Site Area Emergency Catawba - RP/0/A/5000/004 McGuire - RP/0/A/5700/003						
Ca	eneral Emergency tawba - RP/0/A/5000/005 cGuire - RP/0/A/5700/004						
NOTE:	Controls. Once the de ALL HOURS worked	clared emergen d during the de	cy or the unannounced dri	e included in future work			
A	nnounce the following:						
Co	eclared emergency are entonsider the need for to initional onduct a critique following	ered into EMPO tiate a waiver in a getermination of		site. Supervisors should			
	t an Oconee emergency ev	vent as listed be	low:				
Cla		ermination, inf	General Emergency in Enclorm NRC Site Team Direct	losure 6.5, Emergency ctor (STD) and SDEM that			
•	Secure agreement from to Document names and time Name			Time			
SD	 DEM		9-1-803-737-8500				
NF	RCSTD		(In person in EOF)				
NE		ency Communi	•	etion Message and transmit			

• Request lead Offsite Agency Communicator to complete Termination Message and transmit it in accordance with SR/0/A/2000/004 (Notification to State and Counties from the Emergency Operations Facility) and terminate the emergency.

SR/**0**/A/2000/003

#### **EOF Director/Assistant EOF Director Checklist** Page 12 of 14

<u>IF</u> term	<u>IF</u> terminating from an Unusual Event, Alert, or Site Area Emergency,					
it in	<ul> <li>Request lead Offsite Agency Communicator to complete Termination Message and transmit it in accordance with SR/0/A/2000/004 (Notification to State and Counties from the Emergency Operations Facility) and terminate the emergency.</li> </ul>					
• Not	ify the following agencies:					
	<u>Name</u>	Telephone Number				
SDEM		<u>9-1-803-737-8500</u>				
	the SEOC has not been activated, tMD)	he County Emergency Management Directors				
	<u>Name</u>	Telephone Number				
Oconee	CDEM	<u>9-1-864-638-4200</u>				
Pickens	CDEM	<u>9-1-864-898-5943</u>				
<u>IF</u> term	inating from an emergency involving	ng dam failure (Keowee or Jocassee),				
	<ul> <li>Discuss termination with Hydro Central (Refer to Section 6 of the Oconee Emergency Telephone Directory, Keowee Hydro Project Dam/Dike Notification).</li> </ul>					
_	Request Oconee Emergency Preparedness to provide a copy of the Licensee Event Report (LER) to state and county agencies at the time it is sent to the NRC.					

## SR/**0**/A/2000/003

#### **EOF Director/Assistant EOF Director Checklist** Page 13 of 14

	)CATAWBA	·	)MCGUIRE		( )OCONE	Е
GENERAL STINU		LEVEL		OR COOLANT TEMPE		R COOLANT PRESSURE
EMERGENCY CLASSIFICATION	NOUE DECLARED AT: ALERT DECLARED AT: SAE DECLARED AT: G.E. DECLARED AT: REASON FOR EMER CLASS:			TSC ACTIVATED	AT:	
SITE ASSEMBLY SITE EVACUATION	SITE ASSEMBLY SITE EVAC. (NON-ESSEN.) SITE EVAC. (ESSENTIAL) OTHER OFFSITE AGENCY INVOLVEMENT MEDICAL FIRE POLICE/SHERIFF					
RADIOLOGICAL	FIELD MON. TEAMS  OFFSITE PARS RELEASE IN PROGRESS RELEASE PATHWAY CONTAINMENT PRESSURE WIND DIRECTION	NUMBER ASSEM.  ZONES EVACUAT  YES ( )	TED		ZONES SHELTERED	KI (General Public) <u>Yes ( ) No (</u>
OFFSITE COMMUNICATIONS	LAST MESSAGE SENT:  NEXT MESSAGE DUE:  NOTE: EOF COMMUNICATIO		HOULD BE CO	TIME	ACTIVATING THE EOF	
OTHER	NOTES RELATED TO THE ACC	CIDENT/EVENT	I/PLANT EQUI	PMENT FAILED OR O	UT OF SERVICE	

#### EOF Director/Assistant EOF Director Checklist Page 14 of 14

)	Job Aid {8}								
<b>,</b>		CATAWBA/McGUIRE	OCONEE	AVAILABLE	NOT AVAILABLE	COMMENTS			
	_	AFW (CA) TRAIN A	EFDW TRAIN A						
	SG HEAT REMOVAL	AFW (CA) TRAIN B	EFDW TRAIN B						
	SC HEAT	TD AFW TRAIN	TDEFDW						
Ì		NV TRAIN A	HPI TRAIN A						
1		NV TRAIN B	HPI TRAIN B						
1	ĺ	NI TRAIN A							
		NI TRAIN B							
		ND TRAIN A	LPIP TRAIN A	<del></del> _					
1	So	ND TRAIN B	LPIP TRAIN B						
	ECCS	STANDBY MU WATER PMP							
ł		KC TRAIN A	UNIT 1 CC						
1		KC TRAIN B	UNIT 2 CC						
			UNIT 3 CC			į			
ł	COOLING	RN TRAIN A	UNIT 1 & 2 LPSW						
1	VAT	RN TRAIN B	UNIT 3 LPSW						
ŀ		BUSLINE A	MAIN FEEDER BUS			<u> </u>			
		BUSLINE B	STANDBY BUS						
		DG A	KEOWEE 1						
		DG B	KEOWEE 2						
		SATA	CT4						
	SMS	SATB	CT5						
	SYSTEMS	TRAIN A DC POWER	DC POWER						
	~	TRAIN B DC POWER							
	POWEI	SSF DG	SSF DG						
		CONT. SPRAY TRAIN A	RBS TRAIN A						
ĺ		CONT. SPRAY TRAIN B	RBS TRAIN B						
		H² IGNITERS TRAIN A							
l		H <sup>2</sup> IGNITERS TRAIN B							
		CONT. AIR RETURN FANS	A RBCU						
ļ		TRAIN A CONT. AIR RETURN FANS	B RBCU						
	ENT	TRAIN B							
	TAINMENT	CONT. ICOL. TRANSA	C RBCU						
	Ĩ	CONT. ISOL. TRAIN A	ES 1&2			1			

Note: This form is not required for TSC/EOF Turnover. It is made available as a job aid only and can be used for other activities (e.g., Briefing the NRC).

ES 5&6

CONT. ISOL. TRAIN B

#### **Catawba Offsite Protective Actions**

#### SR/**0**/A/2000/003 Page 1 of 8

{20}

NOTE: 1. Protective Action Recommendations (PARs) for the public apply during a General Emergency, and include sheltering, evacuation and consideration of KI use. PARs are based on plant conditions independent of projected dose, and can also be based on projected dose. Protective Action Guides (PAGs) are levels of radiation dose at which prompt protective actions should be initiated and are based on EPA-400-R-92-001, Manual of Protective Action Guides and Protective Actions for Nuclear Incidents. The projected dose PARs specified in this enclosure are based on the PAGs listed below. The PAG for KI is taken from Potassium Iodide as a Thyroid Blocking Agent in Radiation Emergencies, FDA Guidance, November 2001 and Guidance for Industry, KI in Radiation Emergencies, Questions and Answers, FDA, December 2002. {23}

#### PROTECTIVE ACTION GUIDES (PAGs)

#### Projected Dose

Total Effective Dose Equivalent (TEDE)	Committed Dose Equivalent (CDE) Thyroid	Recommendation
< 1 rem	< 5 rem	No Protective Action is required based on projected dose.
≥ 1 rem	≥ 5 rem	Evacuate affected zones and shelter the remainder of the 10-mile EPZ not evacuated.
N/A	≥5 rem	Consider the use of KI (potassium iodide) in accordance with State Plans and Policy.

2. **IF** desired, you may refer to the flow chart on page 2 of this enclosure. {43}

INITIALS	PRINTED NAME		·
----------	--------------	--	---

#### Catawba Offsite Protective Actions Flowchart

SR/**0**/A/2000/003 Page 2 of 8

General Emergency no declared Recommend evacuation(1) Recommend: of 2-mile radius and zones 5 Evacuate(1) zones: miles downwind. wind speed Are A0, A1, B1, C1, D1, E1, F1 Recommend shelter-in-place less than or dose projections (5 miles around) remaining zones. Refer to equal to Shelter-in-place zones: Encl. 6.2, pg. 3 of 8. yes 5 mph? field measurements A2, A3, B2, C2, D2, E2, F2, ≥ 5 rem CDE ves thyroid? Recommend the consideration **INITIAL PAR DETERMINATION** no of KI use by the public. {23} Continue monitoring parameters in this flowchart loop to recommend PAR upgrades: **UPGRADE PAR** 1. Assess containment conditions for a large fission product inventory, dose projection calculations, wind speed, wind direction and field monitoring team data to determine the need to update PARs. **DETERMINATION** 2. Review dose projections to determine if protective actions are required beyond the 10-mile EPZ. Are offsite dose Has Are projections wind speed or dose projections no no ≥ 1 rem TEDE wind direction changed no no a large fission and/or sufficiently to affect zones product inventory field measurements ≥ 5 rem CDE thyroid greater than gap activity not previously ≥ 5 rem CDE in containment? in any zones not evacuated? thyroid? Refer to Encl. 6.2. previously evacuated? pg. 5 of 8. yes yes Recommend the consideration yes yes of KI use by the public. {23} Recommend evacuation<sup>(1)</sup> Recommend evacuation(1) of Recommend evacuation(1) of of additional zone(s) per (1) Evacuate unless conditions make 5-mile radius and 10 miles Encl. 6.2, pg. 3 of 8 OR affected zone(s) with dose projections downwind. evacuation dangerous as determined Encl. 6.2, page 6 of 8 if a ≥ 1 rem TEDE and/or Shelter-in-place by state and local agencies, e.g., large fission product ≥ 5 rem CDE thyroid. all other zones not previously dangerous travel conditions or special inventory > gap activity in Shelter remainder of 10-mile EPZ evacuated. Refer to Encl. 6.2 populations. Consider shelter-incontainment exists, {65} not previously evacuated. pg. 6 of 8. place for a short term release if Shelter-in-place for any zones not previously accurately projected to be < three evacuated hours and controlled by the licensee.

### Catawba Offsite Protective Actions Page 3 of 8

## Immediate Protective Action Recommendations Steps

#### **INITIAL**

**CAUTION:** 

A short term release is any release that can be projected to be 3 hours or less in duration. An example would be a "puff release". A controlled release is one that can be started and stopped at the licensee's discretion, such as the venting of Containment for pressure control. **IF** a release is short term **AND** controlled, sheltering in lieu of evacuation should be considered. {36}

- NOTE: {5} 1. If necessary, obtain needed data from one of the following sources in order of sequence:
  - A. Catawba SDS (Group Display "ERORD5")
  - B. Duke Energy Meteorologist (2-0139, 3-7896, **OR** 2-4316)
  - C. National Weather Service in Greer, S.C. (9-1-864-879-1085, 9-1-800-268-7785 **OR** Decision Line 15) {55}
  - 2. OAC/SDS wind direction can be displayed as greater than 360 degrees. To arrive at wind direction for table below, subtract 360 from wind direction indications greater than 360 degrees.
  - IF AT ANY TIME a General Emergency is declared, make immediate PROTECTIVE ACTION RECOMMENDATIONS (PARs) within 15 minutes to be entered on <u>Line 5</u> of the Emergency Notification Form (ENF). Determine the PARs based on the 15-minute average lower wind speed (OAC point C1P0253) and the 15-minute average upper wind direction (OAC point C1P0250) as below:

#### WIND SPEED LESS THAN OR EQUAL TO 5 MPH

Evacuate zones: A0, A1, B1, C1, D1, E1, F1 (5-Mile Radius)

#### AND

Shelter-in-place zones: A2, A3, B2, C2, D2, E2, F2, F3

#### OR

WIND SPEED GREATER THAN 5 MPH				
Wind Direction	Evacuate*	Shelter		
(Degrees from North)	2-Mile Radius and 5 Miles Downwind	Remaining Sectors		
348.75 - 11.25	A0, B1, C1, D1	A1, A2, A3, B2, C2, D2, E1, E2, F1, F2, F3		
11.26 - 33.75	A0, C1, D1	A1, A2, A3, B1, B2, C2, D2, E1, E2, F1, F2, F3		
33.76 - 56.25	A0, C1, D1, E1	A1, A2, A3, B1, B2, C2, D2, E2, F1, F2, F3		
56.26 - 78.75	A0, C1, D1, E1, F1	A1, A2, A3, B1, B2, C2, D2, E2, F2, F3		
78.76 - 101.25	A0, C1, D1, E1, F1	A1, A2, A3, B1, B2, C2, D2, E2, F2, F3		
101.26 - 123.75	A0, D1, E1, F1	A1, A2, A3, B1, B2, C1, C2, D2, E2, F2, F3		
123.76 - 146.25	A0, E1, F1	A1, A2, A3, B1, B2, C1, C2, D1, D2, E2, F2, F3		
146.26 - 168.75	A0, A1, E1, F1	A2, A3, B1, B2, C1, C2, D1, D2, E2, F2, F3		
168.76 - 191.25	A0, A1, E1, F1	A2, A3, B1, B2, C1, C2, D1, D2, E2, F2, F3		
191.26 - 213.75	A0, A1, B1, E1, F1	A2, A3, B2, C1, C2, D1, D2, E2, F2, F3		
213.76 - 236.25	A0, A1, B1, F1	A2, A3, B2, C1, C2, D1, D2, E1, E2, F2, F3		
236.26 - 258.75	A0, A1, B1, F1	A2, A3, B2, C1, C2, D1, D2, E1, E2, F2, F3		
258.76 - 281.25	A0, A1, B1, C1	A2, A3, B2, C2, D1, D2, E1, E2, F1, F2, F3		
281.26 - 303.75	A0, A1, B1, C1	A2, A3, B2, C2, D1, D2, E1, E2, F1, F2, F3		
303.76 - 326.25	A0, B1, C1	A1, A2, A3, B2, C2, D1, D2, E1, E2, F1, F2, F3		
326.26 - 348.74	A0, B1, C1, D1	A1, A2, A3, B2, C2, D2, E1, E2, F1, F2, F3		

<sup>\*</sup> See Caution above.

SR/**0**/A/2000/003 Page 4 of 8

## Catawba Offsite Protective Actions Immediate Protective Action Recommendations Steps

<u>IF</u> dose projections indicate that CDE Thyroid dose will be  $\geq$  5 Rem, recommend KI use by the General Public in accordance with State Plans and Policy. {23}

## SR/**0**/A/2000/003

## Catawba Offsite Protective Actions Subsequent Protective Action Recommendations Steps

Page 5 of 8

**NOTE:** 

- 1. <u>IF</u> changes to the initial Protective Action Recommendations are recommended, these changes must be transmitted to the offsite agencies within 15 minutes.
- 2. <u>IF</u> the containment radiation level exceeds the levels in the EMF Containment Monitor Reading Table below, fission product inventory inside containment is greater than gap activity.

**CAUTION:** <u>IF</u> a zone has been accurately selected for evacuation, it shall remain selected. {27}, {30}

\_\_ Check for large fission product inventory in Containment:

EMF Containment Monitor Reading Table		
Time After Shutdown (Hours)	EMF Containment Monitor Reading (R/HR) EMF53A and/or 53B (100% gap activity release)	
>0-2	864	
>2-4	624	
>4-8	450	
>8	265	

- ☐ <u>IF</u> SDS is available, enter Group Display "ERORD5" to determine EMF53A and/or 53B readings.
- ☐ **IF** SDS is unavailable, request EOF Data Coordinator to call up computer points.

Unit 1 OAC	Unit 2 OAC
C1A1308 1EMF53A	C2A1308 2EMF53A
C1A1314 1EMF53B	C2A1314 2EMF53B

☐ <u>IF</u> SDS and OAC are unavailable, obtain EMF containment monitor readings from control room.

#### SR/**0**/A/2000/003

**Catawba Offsite Protective Actions Subsequent Protective Action Recommendations Steps**  Page 6 of 8

- **CAUTION:** 1. A short term release is any release that can be projected to be 3 hours or less in duration. An example would be a "puff release". A controlled release is one that can be started and stopped at the licensee's discretion, such as the venting of Containment for pressure control. IF a release is short term AND controlled, sheltering in lieu of evacuation should be considered. {36}
  - 2. IF a zone has been accurately selected for evacuation, it should remain selected. {27}, {30}

IF containment radiation levels exceed levels in EMF Containment Monitor Reading Table, make Protective Action Recommendations to be entered on Line 5 of the Emergency Notification Form.

Evacuate the 5-mile radius AND 10 miles downwind as shown in the Protective Action Zones Determination Table below, using wind direction.

Shelter remaining zones as shown in the Protective Action Zones Determination Table, using wind direction.

#### **Protective Action Zones Determination Table**

#### For Containment Radiation Levels Exceeding GAP Activity (For Any Wind Speed) **Wind Direction** Evacuate\* Shelter (Degrees from North) 5-Mile Radius and 10 Miles Downwind Remaining Sectors 348.75 - 11.25 A0, A1, B1, B2, C1, C2, D1, D2, E1, F1 A2, A3, E2, F2, F3 11.26 - 33.75 A0, A1, B1, C1, C2, D1, D2, E1, F1 A2, A3, B2, E2, F2, F3 A0, A1, B1, C1, C2, D1, D2, E1, E2, F1 33.76 - 56.25 A2, A3, B2, F2, F3 56.26 - 78.75 A0, A1, B1, C1, C2, D1, D2, E1, E2, F1, F2 A2, A3, B2, F3 78.76 - 101.25 A0, A1, B1, C1, D1, D2, E1, E2, F1, F2 A2, A3, B2, C2, F3 101.26 - 123.75 A0, A1, B1, C1, D1, D2, E1, E2, F1, F2, F3 A2, A3, B2, C2 123.76 - 146.25 A0, A1, B1, C1, D1, E1, E2, F1, F2, F3 A2, A3, B2, C2, D2 146.26 - 168.75 A0, A1, A2, B1, C1, D1, E1, E2, F1, F2, F3 A3, B2, C2, D2 168.76 - 191.25 A0, A1, A2, B1, C1, D1, E1, F1, F2, F3 A3, B2, C2, D2, E2 191.26 - 213.75 A0, A1, A2, A3, B1, B2, C1, D1, E1, F1, F2, F3 C2, D2, E2 213.76 - 236.25 A0, A1, A2, A3, B1, B2, C1, D1, E1, F1, F2, F3 C2, D2, E2 236.26 - 258.75 A0, A1, A2, A3, B1, B2, C1, D1, E1, F1, F3 C2, D2, E2, F2 A0, A1, A2, A3, B1, B2, C1, C2, D1, E1, F1 D2, E2, F2, F3 258.76 - 281.25 A0, A1, A2, A3, B1, B2, C1, C2, D1, E1, F1 281.26 - 303.75 D2, E2, F2, F3 A0, A1, A3, B1, B2, C1, C2, D1, E1, F1 303.76 - 326.25 A2, D3, E2, F2, F3 326.26 - 348.74 A0, A1, B1, B2, C1, C2, D1, D2, E1, F1 A2, A3, E2, F2, F3

<sup>\*</sup> See Cautions above.


SR/**0**/A/2000/003 Page 7 of 8

# Catawba Offsite Protective Actions Subsequent Protective Action Recommendations Steps

 <u>IF</u> dose projections indicate that CDE Thyroid dose will be $\geq 5$ Rem, recommend KI use by the General Public in accordance with State Plans and Policy. $\{23\}$
 Evaluate specific plant conditions (including large fission product inventory in containment), offsite dose projections, wind speed and wind direction, field monitoring team data, and assess the need to update Protective Action Recommendations made to the states and counties in the previous notification throughout the event.
 Review dose projections with the Radiological Assessment Manager to determine if Protective Action Recommendations are required beyond the 10-mile EPZ.
 <b>IF</b> Protective Action Recommendations are required beyond 10 miles, notify states and counties to consider sheltering/evacuating general population located beyond the affected 10-mile EPZ.

## **Catawba Offsite Protective Actions**

Catawba Protective Action Zones - 10-mile EPZ (2 and 5-mile Radius, inner circles)



### **McGuire Offsite Protective Actions**

SR/**0**/A/2000/003 Page 1 of 8

{20}

NOTE: 1. Protective Action Recommendations (PARs) for the public apply during a General Emergency, and include sheltering, evacuation and consideration of KI use. PARs are based on plant conditions independent of projected dose, and can also be based on projected dose. Protective Action Guides (PAGs) are levels of radiation dose at which prompt protective actions should be initiated and are based on EPA-400-R-92-001, Manual of Protective Action Guides and Protective Actions for Nuclear Incidents. The projected dose PARs specified in this enclosure are based on the PAGs listed below. The PAG for KI is taken from Potassium Iodide as a Thyroid Blocking Agent in Radiation Emergencies, FDA Guidance, November 2001 and Guidance for Industry, KI in Radiation Emergencies, Questions and Answers, FDA, December 2002. {23}

### PROTECTIVE ACTION GUIDES (PAGs)


### Projected Dose

Total Effective Dose Equivalent (TEDE)	Committed Dose Equivalent (CDE) Thyroid	Recommendation
< 1 rem	< 5 rem	No Protective Action is required based on projected dose.
≥ 1 rem	≥ 5 rem	Evacuate affected zones and shelter the remainder of the 10-mile EPZ not evacuated.
N/A	≥5 rem	Consider the use of KI (potassium iodide) in accordance with State Plans and Policy.

2. <u>IF</u> desired, you may refer to the flow chart on page 2 of this enclosure. {43}

INITIALS	PRINTED NAME		
TITITIO	INITEDITABLE		

### **McGuire Offsite Protective Actions Flowchart**



licensee.

SR/**0**/A/2000/003

Page 3 of 8

# McGuire Offsite Protective Actions Immediate Protective Action Recommendations Steps

**INITIAL** 

**CAUTION:** 

A short term release is any release that can be projected to be 3 hours or less in duration. An example would be a "puff release". A controlled release is one that can be started and stopped at the licensee's discretion, such as the venting of Containment for pressure control. **IF** a release is short term **AND** controlled, sheltering in lieu of evacuation should be considered. {36}

NOTE: {5} If necessary, obtain needed data from one of the following sources in order of sequence:

- A. McGuire SDS (Group Display "ERORD5")
- B. Duke Energy Meteorologist (2-0139, 3-7896, **OR** 2-4316)
- C. National Weather Service in Greer, S.C. (9-1-864-879-1085, 9-1-800-268-7785 **OR** Decision Line 15) {55}
- IF AT ANY TIME a General Emergency is declared, make immediate PROTECTIVE ACTION RECOMMENDATIONS (PARs) within 15 minutes to be entered on Line 5 of the Emergency Notification Form (ENF). Determine the PARs based on the 15-minute average lower wind speed (OAC point M1P0848) and the 15-minute average upper wind direction (OAC point M1P0847) as below:

### WIND SPEED LESS THAN OR EQUAL TO 5 MPH

Evacuate zones: A, B, C, D, L, M, N, O, R (5-Mile Radius)

#### **AND**

Shelter-in-place zones: E, F, G, H, I, J, K, P, Q, S

### OR

WIND SPEED GREATER THAN 5 MPH					
Wind Direction (Degrees from North) Evacuate* Shelter Remaining Sectors					
0.1 - 22.5	B,C,D,L,M,O,R	A,E,F,G,H,I,J,K,N,P,Q,S			
22.6 – 45.0 45.1 – 67.5	B,C,D,L,M,O,R B,C,D,L,M,O,R	A,E,F,G,H,I,J,K,N,P,Q,S A,E,F,G,H,I,J,K,N,P,Q,S			
67.6 – 90.0	B,C,D,L,M,N,O,R	A,E,F,G,H,I,J,K,P,Q,S			
90.1 – 112.5 112.6 – 135.0	B,C,L,M,N,O,R A,B,C,L,M,N,O,R	A,D,E,F,G,H,I,J,K,P,Q,S D,E,F,G,H,I,J,K,P,Q,S			
135.1 – 157.5	A,B,C,L,M,N,O	D,E,F,G,H,I,J,K,P,Q,R,S			
157.6 – 180.0 180.1 – 202.5	A,B,C,L,M,N A,B,C,L,M,N	D,E,F,G,H,I,J,K,O,P,Q,R,S D,E,F,G,H,I,J,K,O,P,Q,R,S			
202.6 - 225.0	A,B,C,D,L,M,N	E,F,G,H,I,J,K,O,P,Q,R,S			
225.1 – 247.5	A,B,C,D,L,M	E,F,G,H,I,J,K,N,O,P,Q,R;S			
247.6 – 270.0 270.1 – 292.5	A,B,C,D,L,M A,B,C,D,L,M	E,F,G,H,I,J,K,N,O,P,Q,R,S E,F,G,H,I,J,K,N,O,P,Q,R,S			
292.6 – 315.0	A,B,C,D,L,M	E,F,G,H,I,J,K,N,O,P,Q,R,S			
315.1 – 337.5 337.6 – 360.0	B,C,D,L,M,R B,C,D,L,M,R	A,E,F,G,H,I,J,K,N,O,P,Q,S A,E,F,G,H,I,J,K,N,O,P,Q,S			

<sup>\*</sup> See Caution above.

SR/**0**/A/2000/003 Page 4 of 8

## McGuire Offsite Protective Actions Immediate Protective Action Recommendations Steps

<u>IF</u> dose projections indicate that CDE Thyroid dose will be  $\geq$  5 Rem, recommend KI use by the General Public in accordance with State Plans and Policy. {23}

## SR/**0**/A/2000/003 Page 5 of 8

# McGuire Offsite Protective Actions Subsequent Protective Action Recommendations Steps

**NOTE:** 1. <u>IF</u> changes to the initial Protective Action Recommendations are recommended, these changes must be transmitted to the offsite agencies within 15 minutes.

2. <u>IF</u> the containment radiation level exceeds the levels in the EMF Containment Monitor Reading Table below, fission product inventory inside containment is greater than gap activity.

**CAUTION:** IF a zone has been accurately selected for evacuation, it shall remain selected. {27}, {30}

Check for large fission product inventory in Containment.

EMF Containment Monitor Reading Table				
Time After Shutdown (Hours)	EMF Containment Monitor Reading (R/HR) EMF51A and/or 51B (100% gap activity release)			
>0-2	864			
>2-4	624			
>4-8	450			
>8	265			

<b>IF</b> SDS is available, enter Group Display "ERORD5" to determine EMF51A and/or 51B
readings.

☐ <u>IF</u> SDS is unavailable, request EOF Data Coordinator to call up computer points to determine containment radiation levels.

Unit 1 OAC	Unit 2 OAC
M1A0829 1EMF51A	M2A0829 2EMF51A
M1A0835 1EMF51B	M2A0835 2EMF51B

☐ <u>IF</u> SDS and OAC are unavailable, obtain EMF containment monitor readings from control room.

SR/**0**/A/2000/003

### **McGuire Offsite Protective Actions Subsequent Protective Action Recommendations Steps**

Page 6 of 8

- **CAUTION:** 1. A short term release is any release that can be projected to be 3 hours or less in duration. An example would be a "puff release". A controlled release is one that can be started and stopped at the licensee's discretion, such as the venting of Containment for pressure control. **IF** a release is short term **AND** controlled, sheltering in lieu of evacuation should be considered. {36}
  - 2. **IF** a zone has been accurately selected for evacuation, it shall remain selected. {27}, {30}

IF containment radiation levels exceed the levels in the EMF Containment Monitor Reading Table, make Protective Action Recommendations to be entered on Line 5 of the Emergency Notification Form.

Evacuate the 5-mile radius **AND** 10 miles downwind as shown in the Protective Action Zones Determination Table, using wind direction.

#### **AND**

Shelter remaining zones as shown in the Protective Action Zones Determination Table, using wind direction.


### **Protective Action Zones Determination Table**

For Containment Radiation Levels Exceeding GAP Activity (For Any Wind Speed)						
Wind Direction (Degrees from North)  Evacuate*  5-Mile Radius and 10 Miles Downwind  Remaining Sectors						
0.1 - 22.5	A,B,C,D,E,F,L,M,N,O,R,S	G,H,I,J,K,P,Q				
22.6 – 45.0	A,B,C,D,E,L,M,N,O,Q,R,S	F,G,H,I,J,K,P				
45.1 – 67.5	A,B,C,D,E,L,M,N,O,Q,R,S	F,G,H,I,J,K,P				
67.6 – 90.0	A,B,C,D,L,M,N,O,P,Q,R,S	E,F,G,H,I,J,K				
90.1 – 112.5	A,B,C,D,K,L,M,N,O,P,Q,R,S	E,F,G,H,I,J				
112.6 – 135.0	A,B,C,D,I,K,L,M,N,O,P,Q,R,S	E,F,G,H,J				
135.1 – 157.5	A,B,C,D,I,K,L,M,N,O,P,Q,R	E,F,G,H,J,S				
157.6 – 180.0	A,B,C,D,I,J,K,L,M,N,O,P,R	E,F,G,H,Q,S				
180.1 – 202.5	A,B,C,D,G,H,I,J,K,L,M,N,O,P,R	E,F,Q,S				
202.6 – 225.0	A,B,C,D,G,H,I,J,K,L,M,N,O,P,R	E,F,Q,S				
225.1 – 247.5 A,B,C,D,F,G,H,I,J,L,M,N,O,R E,K,P,Q,S						
247.6 – 270.0	A,B,C,D,F,G,H,I,J,L,M,N,O,R	E,K,P,Q,S				
270.1 – 292.5 A,B,C,D,E,F,G,H,J,L,M,N,O,R I,K,P,Q,S						
292.6 – 315.0	A,B,C,D,E,F,G,L,M,N,O,R	H,I,J,K,P,Q,S				
315.1 – 337.5	A,B,C,D,E,F,G,L,M,N,O,R	H,I,J,K,P,Q,S				
337.6 – 360.0						

<sup>\*</sup> See Cautions above.


SR/**0**/A/2000/003

McGuire Offsite Protective Actions Page 7 of 8
Subsequent Protective Action Recommendations Steps



# **Enclosure 6.3 McGuire Offsite Protective Actions**

McGuire Protective Action Zones - 10-mile EPZ (2 and 5-mile radius, inner circles)



### **Oconee Offsite Protective Actions**

SR/**0**/A/2000/003 Page 1 of 8

{20}

NOTE: 1. Protective Action Recommendations (PARs) for the public apply during a General Emergency, and include sheltering, evacuation and consideration of KI use. PARs are based on plant conditions independent of projected dose, and can also be based on projected dose. Protective Action Guides (PAGs) are levels of radiation dose at which prompt protective actions should be initiated and are based on EPA-400-R-92-001, Manual of Protective Action Guides and Protective Actions for Nuclear Incidents. The projected dose PARs specified in this enclosure are based on the PAGs listed below. The PAG for KI is taken from Potassium Iodide as a Thyroid Blocking Agent in Radiation Emergencies, FDA Guidance, November 2001 and Guidance for Industry, KI in Radiation Emergencies, Questions and Answers, FDA, December 2002. {23}

### PROTECTIVE ACTION GUIDES (PAGs)

### Projected Dose

Total Effective Dose Equivalent (TEDE)	Committed Dose Equivalent (CDE) Thyroid	Recommendation
< 1 rem	< 5 rem	No Protective Action is required based on projected dose.
≥ 1 rem	≥ 5 rem	Evacuate affected zones and shelter the remainder of the 10-mile EPZ not evacuated.
N/A	≥5 rem	Consider the use of KI (potassium iodide) in accordance with State Plans and Policy.

2. <u>IF</u> desired, you may refer to the flow chart on page 2 of this enclosure. {43}

INITIALS	PRINTED NAME

## SR/**0**/A/2000/003 Page 3 of 8

# Oconee Offsite Protective Actions Immediate Protective Action Recommendations Steps

INITIAL

**NOTE:**{5}If necessary, obtain needed data from one of the following sources in order of sequence:

- A. Oconee SDS (Turn On Code "EROENV")
- B. Duke Energy Meteorologist (2-0139, 3-7896, **OR** 2-4316)
- C. National Weather Service in Greer, S.C. (9-1-864-879-1085 **OR** 9-1-800-268-7785)

IF AT ANY TIME a General Emergency is declared, make immediate PROTECTIVE ACTION RECOMMENDATIONS (PARs) within 15 minutes to be entered on Line 5 of the Emergency Notification Form (ENF). Determine the meteorological parameters to use based on the 15-minute average wind speed (SDS "EROENV" screen) and the 15-minute average wind direction (SDS "EROENV" screen) as determined from the following chart below:

	Time of Day Conditions	Met Parameter	First Priority	Second Priority	Third Priority	Fourth Priority
	1000 - 1600	Wind Speed	10M reading	River Tower	60M reading times 0.5	NWS* times 0.5
		Wind Direction	60M reading	10M reading	River Tower	NWS
	1600 – 1000 and River Wind between	Wind Speed	10M reading	60M reading times 0.5	River Tower	NWS* times 0.5
	210° and 360° or 0° and 70°	Wind Direction	60M reading	10M reading	River Tower	NWS
	1600 – 1000 and	Wind Speed	River Tower	10M reading times 0.5	NWS* times 0.5	
	River Wind between 70° and 210°	Wind Direction	River Tower	60M reading	NWS	

$^{\circ}$ C = .555( $^{\circ}$ F – .				
Record Me	teorological Para	ameters to be us	ed to determine	PARs:
Wind	Speed			

\* Conversion factors for NWS data:

Wind Direction

SR/**0**/A/2000/003 Page 4 of 8

# Oconee Offsite Protective Actions Immediate Protective Action Recommendations Steps

\_\_\_\_\_ Determine PARs based on the 15-minute average wind speed and 15-minute average wind direction as determined from the previous chart:

## WIND SPEED LESS THAN OR EQUAL TO 5 MPH

Evacuate zones: A0, A1, B1, C1, D1, E1, F1 (5-Mile Radius)

**AND** 

Shelter-in-place zones: A2, B2, C2, D2, E2, F2

## <u>OR</u>

WIND SPEED GREATER THAN 5 MPH			
Wind Direction (Degrees from North)	Evacuate 2-Mile Radius and 5 Miles Downwind	Shelter Remaining Sectors	
14.1° - 27°	A0, C1,D1,E1	A1, A2, B1,B2, C2, D2, E2, F1,F2	
27.1° - 42°	A0, C1,D1,E1	A1, A2, B1,B2, C2, D2, E2, F1,F2	
42.1° - 66°	A0, D1, E1	A1, A2, B1 B2, C1, C2, D2, E2, F1, F2	
66.1° - 85°	A0, D1, E1	A1, A2, B1 B2, C1, C2, D2, E2, F1, F2	
85.1° - 104°	A0, D1, E1, F1	A1, A2, B1, B2, C1, C2, D2, E2, F2	
104. <u>1° - 129°</u>	A0, E1, F1	A1, A2, B1, B2, C1, C2, D1, D2, E2, F2	
129.1° - 156°	A0, A1, E1, F1	A2, B1, B2, C1, C2. D1, D2, E2, F2	
156.1° - 175°	A0, A1, E1, F1	A2, B1, B2, C1, C2. D1, D2, E2, F2	
175.1° - 181°	A0, A1, F1	A2, B1, B2, C1, C2, D1, D2, E1, E2, F2	
181.1° - 219°	A0, A1, B1, F1	A2, B2, C1, C2, D1, D2, E1, E2, F2	
219.1° - 255°	A0, A1, B1	A2, B2, C1, C2, D1, D2. E1, E2, F1, F2	
255.1° - 271°	A0, A1, B1, C1	A2, B2, C2, D1, D2, E1, E2, F1, F2	
271.1° - 297°	A0, B1, C1	A1, A2, B2, C2, D1, D2. E1, E2, F1, F2	
297.1° - 312°	A0, B1, C1	A1, A2, B2, C2, D1, D2. E1, E2, F1, F2	
312.1° - 345°	A0, B1, C1, D1	A1,A2, B2, C2, D2, E1, E2, F1, F2	
345.1° - 14°	A0, C1, D1	A1, A2, B1, B2, C2, D2, E1, E2, F1, F2	

IF dose projections indicate that CDE Thyroid dose will be  $\geq$  5 Rem, recommend KI use by the General Public in accordance with State Plans and Policy.  $\{23\}$ 

## SR/**0**/A/2000/003 Page 5 of 8

# Oconee Offsite Protective Actions Subsequent Protective Action Recommendations Steps

NOTE:	1.	IF changes to the initial Protective Action Recommendations are recommended,
		these changes must be transmitted to the offsite agencies within 15 minutes.

2. <u>IF</u> the containment radiation level exceeds the levels in the RIA Containment Monitor Reading Table below, fission product inventory inside containment is greater than gap activity.

**CAUTION:** <u>IF</u> a zone has been accurately selected for evacuation, it shall remain selected.  $\{27\}$ ,  $\{30\}$ 

\_\_\_\_ Check for large fission product inventory (Condition 2 Failed Fuel) in Containment.

RIA Containment Monitor Reading Table				
Time After Shutdown (Hours)	RIA-57 Containment Monitor Reading (R/HR) (100% gap activity release)	RIA-58 Containment Monitor Reading (R/HR) (100% gap activity release)		
>0-2	2000	969		
>2-4	1500	650		
>4-8	750	370		
>8	275	125		

<b>IF</b> SDS is available, enter Turn On Code "EROCONT" or "EROAREA" to determine
RIA-57 and/or RIA-58 readings.

☐ **IF** SDS is unavailable, request EOF Data Coordinator to call up computer points.

Unit 1 OAC	Unit 2 OAC	Unit 3 OAC
O1E3034 1RIA57	O2E3054 2RIA57	O3E3088 3RIA57
O1E3035 1RIA58	O2E3055 2RIA58	O3E3089 3RIA58

☐ **IF** SDS and OAC are unavailable, obtain RIA containment monitor readings from control room.

SR/**0**/A/2000/003 Page 6 of 8

# Oconee Offsite Protective Actions Subsequent Protective Action Recommendation Steps

<u>IF</u> containment radiation levels exceed levels in RIA Containment Monitor Reading Table, make Protective Action Recommendations to be entered on Line 5 of the Emergency Notification Form.

Evacuate the 5-mile radius <u>AND</u> 10 miles downwind as shown in the Protective Action Zones Determination Table, using wind direction.

### **AND**

Shelter remaining zones as shown in the Protective Action Zones Determination Table, using wind direction.

**CAUTION:** <u>IF</u> a zone has been accurately selected for evacuation, it shall remain selected. {27}, {30}

### **Protective Action Zones Determination Table**

# For Containment Radiation Levels Exceeding GAP Activity (Condition 2 Failed Fuel) (For Any Wind Speed)

Wind Direction (Degrees from North)	Evacuate* 5-Mile Radius and 10 Miles Downwind	Shelter Remaining Sectors
14.1° - 27°	A0, A1, B1, C1, C2, D1, D2, E1, E2, F1	A2, B2, F2
27.1° - 42°	A0, A1, B1, C1, D1, D2, E1, E2, F1	A2, B2, C2, F2
42.1° - 66°	A0, A1, B1, C1, D1, D2, E1, E2, F1	A2, B2, C2, F2
66.1° - 85°	A0, A1, B1, C1, D1, D2, E1, E2, F1, F2	A2, B2, C2
85.1° - 104°	A0, A1, B1, C1, D1, D2, E1, E2, F1, F2	A2, B2, C2
104.1° - 129°	A0, A1, B1, C1, D1, E1, E2, F1, F2	A2, B2, C2, D2
129.1° - 156°	A0, A1, A2, B1, C1, D1, E1, E2, F1, F2	B2, C2, D2
156.1° - 175°	A0, A1, A2, B1, C1, D1, E1, F1, F2	B2, C2, D2, E2
175.1° - 181°	A0, A1, A2, B1, C1, D1, E1, F1, F2	B2, C2, D2, E2
181.1° - 219°	A0, A1, A2, B1, B2, C1, D1, E1, F1, F2	C2, D2, E2
219.1° - 255°	A0, A1, A2, B1, B2, C1, D1, E1, F1	C2, D2, E2, F2
255.1° - 271°	A0, A1, A2, B1, B2, C1, C2, D1, E1, F1	D2, E2, F2
271.1° - 297°	A0, A1, B1, B2, C1, C2, D1, E1, F1	A2, D2, E2, F2
297.1° - 312°	A0, A1, B1, B2, C1, C2, D1, D2, E1, F1	A2, E2, F2
312.1° - 345°	A0, A1, B1, B2, C1, C2, D1, D2, E1, F1	A2, E2, F2
345.1° - 14°	A0, A1, B1, C1, C2, D1, D2, E1, F1	A2, B2, E2, F2

<sup>\*</sup> See Caution above.

**IF** dose projections indicate that CDE Thyroid dose will be  $\geq 5$  Rem, recommend KI use by the General Public in accordance with State Plans and Policy.  $\{23\}$ 

SR/**0**/A/2000/003 Page 7 of 8

## Oconee Offsite Protective Actions Subsequent Protective Action Recommendation Steps


 Evaluate specific plant conditions (including large fission product inventory in
containment), offsite dose projections, wind speed and wind direction, field
monitoring team data, and assess the need to update Protective Action
Recommendations made to the states and counties in the previous notification
throughout the event.
 Review dose projections with the Radiological Assessment Manager to determine
if Protective Action Recommendations are required beyond the 10-mile EPZ.
 IF Protective Action Recommendations are required beyond 10 miles, notify
states and counties to consider sheltering/evacuating general population located
beyond the affected 10-mile EPZ.

SR/**0**/A/2000/003

## **Oconee Offsite Protective Actions**

Page 8 of 8

Oconee Protective Action Zones - 10-Mile EPZ (2 and 5-mile radius, inner circles)



Radius From Site (miles)	Pickens County Sectors	Oconee County Sectors
0-2	A0	A0
2-5	A-1, B-1, C-1	D-1, E-1, F-1
5-10	A-2, B-2, C-2	D-2, E-2, F-2

## Page 1 of 3

# **Emergency Classification Downgrade/Termination Criteria**

INITIAL YES Page 2 Has core damage occurred? NO YES Is the need for a long term Page 2 cleanup or recovery organization anticipated? NO Do not terminate and continue to YES monitor the classification Do the conditions for the procedure: current emergency classification still exist? Catawba RP/0/A/5000/001 McGuire RP/0/A/5700/000 Oconee RP/0/A/1000/001. NO YES Is the current emergency Page 2 classification a General **Emergency?** NO YES Do the conditions for De-escalate to the lower a lower classification classification. exist? NO Terminate all emergency classification.

Page 2 of 3

# **Emergency Classification Downgrade/Termination Criteria**




Table 1
Security threat has been contained.
No new evacuation or sheltering protective actions are anticipated.
Containment pressure is being maintained less than design pressure.
Containment hydrogen levels are less than 9% and stable or decreasing.
Decay heat rejection to the ultimate heat sink has been established and is stable. This is indicated by either of the following (circle one):
Decay heat removal is considered stable if supported by redundancy or diversity

- Examples of a satisfactory state include:
  - 2 trains of systems for sump recirculation.
  - 2 trains of Decay Heat Removal (DHR)
  - 1 train of DHR and the ability to cool with the steam generators.
  - steam generator cooling with 2 trains of feed capability.

OR

• Decay heat removal is considered stable if no additional fission product barrier challenges would be expected for at least 2 hours following interruption of core cooling.

(continued on next page)

SR/**0**/A/2000/003 Page 3 of 3

## Emergency Classification Downgrade/Termination Criteria

The risks from recriticality are acceptably low.
Radiation Protection is monitoring access to radiologically hazardous areas.
Offsite conditions do not limit plant access.
The Public Information Coordinator, NRC officials, and State representatives have been consulted to determine the effects of termination on their activities.
The recovery organization is ready to assume control of recovery operations:
• Catawba - RP/0/B/5000/025
McGuire - RP/0/A/5700/024
Oconee - RP/0/B/1000/027

## SR/**0**/A/2000/003

### **Radiological Assessment Manager Checklist**

Page 1 of 4

INITIAL	
NOTE:	Steps in this checklist may be performed in any order appropriate to the specific event conditions or they may be omitted if not applicable.
	<u>IF</u> reporting to EOF outside your normal work hours, complete a Fitness for Duty Questionnaire.
	_Don position badge.
	_Sign in on the EOF staffing board.
	_Obtain copy of SH/0/B/2005/001, Emergency Response Offsite Dose Projections. {56}
	<u>IF</u> Field Monitoring teams have been dispatched, ensure FMC has established communication with Field Monitoring teams. {18}
	_Notify EOF Director that Radiological Assessment Manager (RAM) position is operational.
	_Ensure all Radiation Protection personnel reporting to the EOF sign in on staffing board.
<del></del>	Ensure that EOF Dose Assessors are kept informed of pertinent plant information including, <u>but</u> not limited to:
	<ol> <li>Time of TSC activation</li> <li>Time of EOF activation</li> </ol>
	3) Time of reactor trip
	4) Status of safety injection
	5) Status of onsite radiological conditions
	6) Time next emergency notification message is due. {15}
	_Establish log of activities sufficient to conduct turnover for on-coming shift.
	_Communicate to EOF Director:
	1) Any release in progress, including dose rates (especially at the site houndary)

- Any release in progress, including dose rates (especially at the site boundary)
- 2) Field Team status/data
- On-site radiological concerns 3)
- Specific time that periodic dose assessment runs are expected to be available for emergency notification forms. {31}
- 5) Need to request the site pull a reactor coolant sample for Dose Equivalent Iodine to support emergency classification

	 •	
INITIALS	PRINTED NAME	
II/II IVT?	 I KINTED NAME	

SR/**0**/A/2000/003

### Radiological Assessment Manager Checklist

Page 2 of 4

 Review Criteria in "Classification of Emergency" procedure for emergency classification changes and discuss with Accident Assessment personnel plant conditions including power
failures, valve closures, etc.
Catawba RP/0/A/5000/001
<u>OR</u>
McGuire RP/0/A/5700/000
OD

### **NOTE:**

- Microsoft Office Communicator is an acceptable communications method.
- Oconee TSC Dose Assessment Liaison, 9-1-864-873-4902.

Oconee RP/0/A/1000/001.

• Catawba/McGuire, Dose Assessment Bridge, 9-980-875-4980.

 Establish communications with dose assessment personnel at TSC. Compare	
information, projections and strategies with TSC. {4, 60}	

**NOTE:** Descriptions of Keowee Hydro Dam/Dike Condition A and B are provided in Enclosure 6.22. {58}

<u>IF</u> Condition A, Dam Failure (Keowee or Jocassee) exists, make the following Protective Action Recommendations to Oconee County and Pickens County for imminent/actual dam failure and include on the Emergency Notification Form on Line 5B (Evacuate) and Line 5E (Other):

Line 5B Move residents living downstream of the Keowee Hydro Project dams to higher ground.

Line 5E Prohibit traffic flow across bridges identified on your inundation maps until the danger has passed.

SR/**0**/A/2000/003

## Radiological Assessment Manager Checklist

Page 3 of 4

NOTE:	Enclosure 6.2 (for CNS), Enclosure 6.3 (for MNS), and Enclosure 6.4 (for ONS) provide guidance for PARs and KI protective action recommendations.
	<b>IF</b> General Emergency is declared, provide PAR information on Line 5 of the Emergency Notification Form:
CAUTIO	<b>DN: IF</b> a zone has been accurately selected for evacuation, it shall remain selected. {27}, {30}
	<ul> <li>Zones for Evacuation</li> <li>Zones for Sheltering</li> <li>Use of KI for General Public. {23}</li> <li>Other PARs.</li> </ul>
	Determine, with input from the Accident Assessment Manager (AAM), Protective Actions using
	<ul> <li>□ Enclosure 6.2, Catawba Offsite Protective Actions</li> <li>□ Enclosure 6.3, McGuire Offsite Protective Actions</li> <li>□ Enclosure 6.4, Oconee Offsite Protective Actions</li> </ul>
	Review dose projections and determine if Protective Action Recommendations are required beyond 10-mile EPZ.
NOTE:	IF changes to the initial Protective Action Recommendations, including KI, are recommended to and approved by the EOF Director, these changes shall be transmitted to the offsite agencies within 15 minutes and the reason for the Protective Action Recommendation change be reported on Line 13 of the ENF {46}.
	Provide EOF Director Protective Action Recommendations.
NOTE:	An Emergency Release is an unplanned, quantifiable radiological release to the environment during an emergency event. The release does not have to be related to the declared emergency. {34}
	Evaluate Emergency Release Status per SH/0/B/2005/001 AND provide input for Line 6 of ENF. {49}
	Evaluate <u>AND</u> provide Emergency Release Significance for ENF Line 7:
	• <u>IF</u> no release in progress, Not Applicable.

## SR/**0**/A/2000/003

### Radiological Assessment Manager Checklist

Page 4 of 4

- <u>IF</u> release significance is known, Within Normal Operating Limits <u>OR</u> Above Normal Operating Limits.
- **IF** release significance is unknown, Under Evaluation.

Provide on ENF Line 9:

- Wind Direction
- Wind Speed

	<ul> <li>Precipitation Type</li> <li>Stability Class.</li> </ul>
NOTE:	Emergency Release data are not required for initial Emergency Notification Forms <b>OR</b> follow up notifications of changes in Protective Action Recommendations.
	Provide on ENF Line 14:
	<ul> <li>Release Characterization (Type, C (Ground) and Units, B (Ci/sec))</li> <li>Magnitude (Ci/Sec Release rates from RADDOSE Report)</li> </ul>
	• Form AND start and/or stop time, as appropriate.
	Provide Projection Parameters on ENF Line 15:
	<ul> <li>Projection period (forecast period in hours) from Raddose Report.</li> <li>Estimated Release Duration by adding forecast period and time elapsed since release began.</li> </ul>
	<ul> <li>Date and time projection was performed.</li> </ul>
	Provide Projected Dose information on ENF Line 16, by entering "Forecast Data" from RADDOSE Report.
	_ Assist Public Affairs and/or Public Spokesperson with dose comparisons based on computer model or field data.
NOTE	<b><u>IF</u></b> necessary to relieve Duke Energy personnel, environmental surveillance support personnel from the DOE Radiological Assistance Plan may be requested by the

## **EOF Dose Assessor Checklist**

## SR/**0**/A/2000/003 Page 1 of 4

## Initial EOF Activation Checklist

INITIAL

NOTE:	Steps in this checklist may be performed in any order appropriate to the specific event conditions or they may be omitted if not applicable.
	<u>IF</u> reporting to EOF outside your normal work hours, complete a Fitness for Duty Questionnaire.
·	_ Don position badge.
NOTE:	RADDOSE V information must be saved to the "ini" file.
	Obtain copy of SH/0/B/2005/001, Emergency Response Offsite Dose Projections.
	_ Initiate log of activities sufficient to conduct a turnover for on-coming shift.
	_Acquire necessary dose assessment and plant status information.
	<u>IF</u> data acquisition programs are unavailable, request SDS data from TSC or instrument readings from Control Room (EMF and Met data).
NOTE:	Be aware of the effects of loss of power on critical EMFs (Catawba and McGuire) or RIAs (Oconee).
	Verify operability and validity of EMFs (Catawba and McGuire) or RIAs (Oconee) through the TSC.
	<u>IF</u> Catawba or McGuire event is in progress, verify effluent discharge alignment with Shift Lab, Radiation Protection Manager (TSC), or Dose Assessors (TSC) as necessary.
	<u>IF</u> Oconee event is in progress, verify effluent discharge alignment with TSC Dose Assessment Liaison (gas tank), RP Manager (gas tank or liquid releases), or Chemistry Manager in the OSC (liquid releases).
INITIAL	S PRINTED NAME

### **EOF Dose Assessor Checklist**

SR/**0**/A/2000/003 Page 2 of 4

## NOTE:

- Microsoft Office Communicator is an acceptable communications method.
- Oconee, TSC Dose Assessment Liaison, 9-1-864-873-3705.
- Catawba/McGuire, Dose Assessment Bridge, 9-980-875-4980.

Establish communications with dose as information, projections and strategies	•
Obtain Dose Assessor turnover from TS	SC:
1. Release in progress: No:	Yes:
Is occurring Has occurred_	Time
Normal Operating Limits: Below	wAbove
2. Recommended Protective Actions:	
A No Recommended Protective A	actions
B Evacuate	· · · · · · · · · · · · · · · · · · ·
C Shelter-In-Place	
D Other	······
<ol> <li>Additional pertinent information ne dose assessment calculations.</li> </ol>	ecessary to continue monitoring of release and
Turnover complete date/time:	
•	etwork (HPN) phone by placing a call to the NF

## **EOF Dose Assessor Checklist**

Page 3 of 4

NOTE:	1.	The NRC Regional Office will request activation of the HPN phone through Emergency Notification System (ENS) telephone if desired.	
	2.	Information that may be requested over the HPN line could include, but is not limited to the following:	
		- Is there any change to the classification of the event? If so, what is the reason?	
		- Have toxic or radiological releases occurred or been projected (including changes in the release rate)?	
		- If so, what are the actual or currently projected onsite and offsite releases, and what is the basis for this assessment?	
		<ul> <li>What are the health effects or consequences to onsite and offsite people?</li> <li>How many onsite or offsite people are being or will be affected and to what extent?</li> </ul>	
		- Is the event under control? When was control established, or what is the planned action to bring the event under control?	
		- What mitigative actions are currently underway or planned?	
		- What onsite protective measures have been taken or are planned?	
		- What offsite protective actions are being considered or have been	
		recommended to state and local officials?	
		- What are the current meteorological conditions?	
		- What are the dose and dose rate readings onsite and offsite? {16}	
		quested during a drill or actual event, activate HPN phone by calling NRC using per listed on HPN phone.	
	Analyze source-term data, formulate source-term mitigation strategies, and provide information to Radiological Assessment Manager, EOF Staff, and TSC Dose Assessors as required.		
NOTE:	Dose	projections are required at least every 15 minutes <b>OR</b> as directed by RAM.	
	_Perfo	orm dose projections as appropriate to plant conditions.	
	_	act with Field Monitoring Coordinator to compare off-site dose projections to actual readings.	
	_Infor {31}	m RAM of the specific timing and frequency of planned dose assessment runs.	

**EOF Dose Assessor Checklist** 

SR/**0**/A/2000/003 Page 4 of 4

NOTE: Emergency Release data are not required for initial Emergency Notification Forms OR follow up notifications of changes in Protective Action Recommendations.

Evaluate dose projections and provide protective action recommendations to Radiological Assessment Manager and EOF Director.

IF SAMGs are implemented AND offsite releases approach or exceed 100mRem TEDE or 500mRem Thyroid CDE, notify EOF SAMG Evaluator (in Accident Assessment Area). (Applicable to Catawba and McGuire). {22}

IF SAMGs are implemented AND offsite releases approach or exceed 1Rem TEDE or 5 Rem Thyroid CDE, notify EOF SAMG Evaluator (in Accident Assessment Area). (Applicable to Catawba and McGuire). {14}

IF needed, conduct turnover for on-coming shift.

Restore equipment to "Ready Status" and notify appropriate personnel of conditions that would cause a less than operational status.

Provide all completed paperwork to Emergency Preparedness upon deactivation of EOF.

## Field Monitoring Coordinator Checklist

SR/**0**/A/2000/003 Page 1 of 2

INITIAL

Steps in this checklist may be performed in any order appropriate to the specific event conditions or they may be omitted if not applicable.
F reporting to EOF outside your normal work hours, complete a Fitness for Duty Questionnaire.
Oon position badge.
Sign in on EOF staffing board.
Field Teams may be directed by the EOF Field Monitoring Coordinator (FMC) prior to activation of the EOF.
Obtain copy of SH/0/B/2005/002, Protocol for the Field Monitoring Coordinator During Emergency Conditions.
Establish log of activities sufficient enough to conduct a turnover for on-coming shift.
. For drill or exercise met data, choose appropriate site simulator SDS resource.
2. For real time met data, choose the SDS resource for a specific site and unit.
Refer to Procedure Step 3.2 to access SDS.

INITIALS	PRINTED NAME
----------	--------------

SR/**0**/A/2000/003

### **Field Monitoring Coordinator Checklist**

Page 2 of 2

<u>WHEN</u> EOF Radio Operator has established communications with field monitoring teams, notify TSC Dose Assessors and provide direction to field monitoring teams. {19}

Catawba Specific

• HP/0/B/1009/004, "Environmental Monitoring for Emergency Conditions Within the Ten Mile Radius of CNS"

Perform duties as described in the following:

• HP/0/B/1009/019, "Emergency Radio System Operation, Maintenance, & Communication".

 <u>IF</u> needed, conduct turnover for on-coming shift.
 Restore equipment to "Ready Status" and notify appropriate personnel of conditions that would cause a less than operational status.
 Provide all completed procedures and copies of logs to EOF Emergency Planner upon deactivation of EOF.

## **Radio Operator Checklist**

## SR/**0**/A/2000/003 Page 1 of 1

INITIAL

NOTE:	Steps in this checklist may be performed in any order appropriate to the specific event conditions or they may be omitted if not applicable.
	<u>IF</u> reporting to EOF outside your normal work hours, complete a Fitness for Duty Questionnaire.
	_ Don position badge.
	_Sign in on EOF staffing board.
	_ Establish log of activities sufficient to conduct turnover for on-coming shift.
-	Obtain copy of SH/0/B/2005/002 (Protocol for the Field Monitoring Coordinator During Emergency Conditions), Enclosure 5.3 (Field Monitoring Survey data Sheet) and Enclosure 5.4 (Meteorological Update for Field Monitoring Teams). {6}
	_Establish contact with Field Teams.
<del></del> _	_Communicate instructions from Field Monitoring Coordinator to Field Teams.
	Conduct turnover for on-coming shift, if needed.
	_ Provide all completed paperwork to Emergency Preparedness upon deactivation of EOF.

INITIALS \_\_\_\_\_ PRINTED NAME \_\_\_\_\_

# SR/**0**/A/2000/003

## **EOF Offsite Agency Communicator Checklist**

Page 1 of 1

INITIAL

NOTE:	Steps in this checklist may be performed in any order appropriate to the specific event conditions or they may be omitted if not applicable.
	<u>IF</u> reporting to EOF outside your normal work hours, complete a Fitness for Duty Questionnaire.
	_Don position badge.
	_Sign in on EOF staffing board.
<del></del>	Establish log of activities sufficient to conduct turnover for on-coming shift.
<del></del>	Notify the INPO duty manager at 9-1-800-321-0614 or 9-1-770-644-8091 for an Alert, Site Area Emergency, General Emergency, or any event expected to require significant industry support, including the name of the affected site(s) and a name and phone number to call for additional information. {70}{IER L1-13-10}
	<u>IF</u> requested:
	<ul> <li>Provide INPO's emergency director with a brief description of the nature of the event.</li> <li>Identify any equipment or support needed from INPO.</li> <li>Respond when contacted for periodic updates.</li> </ul>
	Perform duties as described in procedure SR/0/A/2000/004 (Notification to States and Counties from the Emergency Operations Facility).
	_Ensure emergency notification times are satisfied.
	Conduct turnover for on-coming shift, if needed.
	Provide all completed paperwork to Emergency Preparedness upon deactivation of EOF.
INITIALS	DDINTED NAME

## SR/**0**/A/2000/003

## EOF Services Administration/Commissary Checklist {71}

Page 1 of 2

**NOTE:** Steps in this checklist may be performed in any order appropriate to the specific event conditions or they may be omitted if not applicable.

INITIAL
<u>IF</u> reporting to EOF outside your normal work hours, complete a Fitness for Duty Questionnaire.
Don position badge.
Sign in on White Marker Board in EOF Services Area.
Establish log of activities sufficient to conduct turnover for on-coming shift.
Ensure that the EOF Services Area is set up.
Provide administrative office support and supplies, such as:
Office supplies and equipment
Secretarial/clerical services
Copy center/fax services
<b>NOTE:</b> Personnel without badge access will need to be escorted into the EOF by the Assistant EOF Director, EOF Emergency Planner, EOF Services Manager, or their Mentor. {61}
Provide for personal needs of ERO, such as:
<ul> <li>Food and beverage</li> </ul>
Air travel, hotel, and car rental arrangements
Tables and chairs
• Tents
<ul> <li>Portable toilets</li> </ul>
Trash receptacles
<u>IF</u> requested, provide in-house craft resources.
<u>IF</u> needed, contact additional personnel for support.
Provide all completed paperwork to Emergency Preparedness upon deactivation of EOF.
INITIALSPRINTED NAME

SR/**0**/A/2000/003 Page 2 of 2

## EOF Services Administration/Commissary Checklist {71}

## EOF FACILITY POST-EVENT CHECKLIST

 Secure the EOF Services Area.
 Restock office supplies.
<ul> <li>Ensure return of relocated office equipment.</li> <li>Notify hotels/motels of release of rooms.</li> <li>Assist personnel needing transportation home.</li> <li>Notify vendors to pick up furniture and equipment not needed for recovery.</li> </ul>
 Notify vendors to discontinue food services to EOF.
ACTION LIST FOR CHANGING FROM EMERGENCY TO RECOVERY MODE  Replenish supplies.
Determine additional space requirements.
Prepare weekly work schedules.
 Determine hotel/motel accommodations and travel requirements and contact Travel Services for securing these requirements.
 Notify food vendors to arrange shift operations to support recovery efforts for meals and breaks (snacks) with times and locations for serving.
 Notify chairs and table suppliers for appropriate needs and quantities.
 Notify tent suppliers for appropriate needs and quantities.
 Notify portable toilet suppliers for appropriate needs and quantities.
 Notify trash receptacle suppliers for appropriate needs and quantities.
Establish shift coverage of commissary personnel to support total recovery efforts.

**Accident Assessment Manager Checklist** 

SR/**0**/A/2000/003 Page 1 of 3

INITIAL

NOTE:	Steps in this checklist may be performed in any order appropriate to the specific event conditions or they may be omitted if not applicable.
	<u>IF</u> reporting to EOF outside your normal work hours, complete a Fitness for Duty Questionnaire.
	_Don position badge.
	Sign in on EOF staffing board.
	Establish log of activities sufficient to conduct turnover for on-coming shift.
	<u>IF</u> needed to support emergency, request staffing by Reactor Physics.
	Obtain copy of applicable "Classification of Emergency" procedure.
	<ul> <li>Catawba: RP/0/A/5000/001</li> <li>McGuire: RP/0/A/5700/000</li> <li>Oconee: RP/0/A/1000/001</li> </ul>
	<u>IF</u> Oconee is affected, obtain copy of "Oconee Nuclear Site Emergency Action Level Description Guidelines" Manual.
<del></del>	Ensure PC is on and displaying plant status.
	Post changes in Fission Product Barrier status on the Fission Product Barrier Status Board in the EOF Director's Area.
	Provide I/C number and description for ENF Line 4 to Offsite Agency Communicators.
NOTE:	Definitions for ENF Line 8 are in Steps 2.4, 2.5, and 2.6 in the body of this procedure.
	Provide Event Prognosis for ENF Line 8 to Offsite Agency Communicators. {1} {7} Provide appropriate information for ENF Line 10 to Offsite Agency Communicator.
INITIAIS	PRINTED NAME

**Accident Assessment Manager Checklist** 

SR/**0**/A/2000/003 Page 2 of 3

NOTE: The Affected Unit on Line 11 is tied to the I/C on Line 4. Examples may not be all inclusive of events that may affect all units. Provide Affected Unit(s) for ENF Line 11 to Offsite Agency Communicators: Evaluate the following for classification for both units (CNS and MNS) or all three units (ONS). {28} {29} • Security event • Seismic event • Tornado on site • Hurricane force winds on site • Loss of both switch yards • Fire in SSF • Fire affecting shared safety related equipment • Condition A for Keowee Hydro Project Dam/Dike (ONS). **IF** event at Catawba or McGuire affects both units equally, check All. {28} {29} • **IF** event at Oconee affects more than one unit equally, check All. • IF event only affects one (1) unit **OR** one unit has a higher classification, check appropriate unit. {28} {29} Provide Unit Status for ENF Line 12 to Offsite Agency Communicators. **IF** an upgrade in classification occurs, notify Offsite Agency Communicator. Coordinate the following functions:

- Accident Assessment Interface
- Operations Interface
- Reactor Physics (as needed)

SR/**0**/A/2000/003

# **Accident Assessment Manager Checklist**

Page 3 of 3

 Prepare for EOF Briefings using Enclosure 6.24 (EOF Briefing Guideline).
 Assist TSC Emergency Coordinator as requested upon entry into Severe Accident Management Guidelines (SAMGs) (Catawba and McGuire).
 Conduct turnover for on-coming shift, if needed.
Provide all completed paperwork to Emergency Preparedness upon deactivation of EOF.

SR/**0**/A/2000/003 Page 1 of 5

# **Accident Assessment Interface Checklist**

INITIAL

NOTE:	Steps in this checklist may be performed in any order appropriate to the specific event conditions or they may be omitted if not applicable.			
	<u>IF</u> reporting to EOF outside your normal work hours, complete a Fitness for Duty Questionnaire.			
	_ Don position badge.			
	Make Accident Assessment Manager aware this position is staffed.			
	_ Establish log of activities sufficient enough to conduct turnover for on-coming shift.			
	_ Ensure PCs are on and displaying affected station and unit plant status.			
NOTE: Co	ommunications are established after the beep.			
	Establish bridge line for Operations Loop for affected station:			
	☐ Catawba: 9-803-701-3994			
	☐ McGuire: 9-980-875-4500			
	Oconee: 9-1-864-873-4908			
<del></del>	<u>IF</u> needed for McGuire, establish communications link with Engineering Manager, 9-980-875-4954.			
	<u>IF</u> Oconee event, establish communications with Operations Interface, 9-1-864-873-3696.			
	Obtain copy of Classification of Emergency procedure for affected station.			
	Catawba: RP/0/A/5000/001			
	☐ McGuire: RP/0/A/5700/000 ☐ Oconee: RP/0/A/1000/001			
INITIAL	S PRINTED NAME			

# SR/**0**/A/2000/003

Page 2 of 5

#### **Accident Assessment Interface Checklist**

Obtain copy of Core Damage Assessment procedure for affected station. Catawba: RP/0/A/5000/015 McGuire: RP/0/A/5700/019 Oconee: RP/0/B/1000/018. Gather plant status information using Accident Assessment Initial Information Request Form on page 4 or 5 of this enclosure. **IF AT ANY TIME** General Emergency is declared, **RECOMMEND IMMEDIATELY** to Accident Assessment Manager AND RAM protective actions using: Enclosure 6.2 - Catawba Offsite Protective Actions Enclosure 6.3 - McGuire Offsite Protective Actions П Enclosure 6.4 - Oconee Offsite Protective Actions Perform the following steps as needed throughout event: **IF** condition warrants, determine analysis of reactor core and containment conditions in regard to: Core sub-cooling Decay heat generation Heat removal capabilities (core and containment) Fission product release potential (core and containment). **IF** condition warrants, provide: Estimates of core uncovery times Interpretations of reactor water level data. Monitor status of Emergency Operations Procedures (EOPs) and discuss with Accident Assessment Manager. Confer with Radiological Assessment group in EOF. Consult with Operations Interface on anticipated course of events. Update status board in Accident Assessment room. Confer with Accident Assessment Manager on the following: Anticipated course of events Diagnosis of the accident and mitigation strategies Analysis of core and containment Core damage and fission product release potential

Background information of system design

Emergency classifications.

SR/**0**/A/2000/003 Page 3 of 5

# **Accident Assessment Interface Checklist**

\_\_\_\_\_Support Engineering Manager in TSC in accident and mitigation strategies.

\_\_\_\_\_Assist TSC as an evaluator upon entry into Severe Accident Management Guidelines (SAMG) (as requested).

\_\_\_\_\_IF McGuire has entered SAMG, REFER TO Enclosure 6.20 (Establishing Communications Links between McGuire SAMG Evaluators).

\_\_\_\_\_Conduct turnover for on-coming shift, if needed.

\_\_\_\_\_Provide all completed paperwork to Emergency Preparedness upon deactivation of EOF.

SR/**0**/A/2000/003

# **Accident Assessment Interface Checklist**

Page 4 of 5

# Catawba or McGuire Initial Information Request

Initial Information Request	Results
Emergency Classification Status	
EAL Declaration Chronology	
Protective Actions Status	
Reactor/Turbine Status	
Power Level	
Time of Trip & On What Signal	
Any Abnormal Response	
NC Pump Status	
Core Cooling Status (subcooled margin/	
RVLIS/natural circulation)	
Orange or Red CSFs Alarms Received	
Safety Injection	
When Actuated & on What Signal	
NV, NI, ND, Ice Condenser Status	
Feedwater	
CF and CA Status	
Main Steam	
Isolation Status	
SMSV, SM PORV, SB Status	
Electric Power	
600V, 4160V, D/G Status	
Containment	
Isolation Status	
NS and VX Status	
Security/Fire/Flooding/HAZMAT/Other Hazards	
Plant Conditions Status	
Off-site Releases	
Status	

SR/**0**/A/2000/003 Page 5 of 5

# **Accident Assessment Interface Checklist**

# **Oconee Initial Information Request**

Initial Information Request	Results
Emergency Classification Status	
EAL Declaration Chronology	
Protective Actions Status	
Reactor/Turbine Status	
Power Level	
Time of Trip & On What Signal	
Any Abnormal Response	
Reactor Coolant Pump Status	
Core Cooling Status (subcooled margin/	
RVLIS/natural circulation)	
Safety Injection	
When Actuated & on What Signal	
HPI, LPI Status	
Feedwater	
Feedwater and Emergency Feedwater Status	
Main Steam	
Isolation Status	
MSSV Status	
Electric Power	
600V, 4160V, Keowee, Lee Status	
Containment	
Isolation Status	<u> </u>
RBS, RBCU Status	
Security/Fire/Flooding/HAZMAT/Other Hazards	
Plant Conditions Status (Keowee Hydro Dam	
status)	<u> </u>
Off-site Releases	
Status	

# **Operations Interface Checklist**

# SR/**0**/A/2000/003 Page 1 of 1

INITIAL

NOTE:	This enclosure does not apply to Oconee.
NOTE:	Steps in this checklist may be performed in any order appropriate to the specific event conditions or they may be omitted if not applicable.
	<u>IF</u> reporting to EOF outside your normal work hours, complete a Fitness for Duty Questionnaire.
	Don position badge.
	Sign in on EOF staffing board.
	Establish log of activities sufficient to conduct turnover for on-coming shift.
	Perform following steps as needed throughout event:
	Provide communications interface between Accident Assessment Group and TSC Operations Group.
	Advise Accident Assessment Group on the following:
	<ul> <li>Emergency Operations Procedures (EOPs)</li> <li>Diagnosis of accident and mitigation strategies</li> <li>Emergency classification.</li> </ul>
	Advise TSC of anticipated course of events.
	Conduct turnover for on-coming shift, if needed.
`	Provide all completed paperwork to Emergency Preparedness upon deactivation of EOF.
INITIALS	PRINTED NAME

# **Reactor Physics Checklist**

# SR/**0**/A/2000/003 Page 1 of 1

INITIAL

NOTE:	Steps in this checklist may be performed in any order appropriate to the specific event conditions or they may be omitted if not applicable.
	<u>IF</u> reporting to EOF outside your normal work hours, complete a Fitness for Duty Questionnaire.
	_ Don position badge.
	_ Sign in on EOF staffing board.
	_ Establish log of activities sufficient to conduct turnover for on-coming shift.
<del></del>	Obtain any applicable nuclear design calculations from Nuclear Engineering office area.
	_ Establish communications with TSC Reactor Engineer.
	<u>IF</u> conditions warrant, determine analysis of reactor core and fuel with respect to:
	<ul><li>Reactor Physics parameters</li><li>Core subcriticality.</li></ul>
	Provide Accident Assessment Manager with information concerning any abnormal core conditions.
	Conduct turnover for on-coming shift, if needed.
	Provide all completed paperwork to Emergency Preparedness upon deactivation of EOF.

INITIALS \_\_\_\_\_ PRINTED NAME \_\_\_\_\_

# **Emergency Planner Checklist**

# SR/**0**/A/2000/003 Page 1 of 12

INITIAL

NOTE:	Steps in this checklist may be performed in any order appropriate to the specific event conditions or they may be omitted if not applicable.
	<u>IF</u> reporting to EOF outside your normal work hours, complete a Fitness for Duty Questionnaire.
	Don position badge.
	Sign in on EOF staffing board.
	Establish log of activities sufficient to conduct turnover for on-coming shift.
	Log in to Emergency Planner computer.
	(MNS and CNS only) Obtain Emergency Planner wireless phone and headset from Emergency Planner Desk area and access EP bridge line, 9-803-701-4010.
NOTE:	Have on hand all emergency notification forms (ENFs) transmitted to state and local agencies up to this time. Be prepared to answer questions concerning information on the ENFs as well as any other information requested by ECOC Director when called back. {21}
	Contact the Enterprise Crisis Operations Center (ECOC) Director by email at ECOCDirectors@duke-energy.com <u>OR</u> by phoning the Enterprise Security Console at 2-8851 or 9-1-800-943-7584, ask them to contact the ECOC Director about the EOF activation, and provide your call back number.
NOTE:	Personnel without badge access will need to be escorted into the EOF by the Assistant EOF Director, EOF Emergency Planner, EOF Services Manager, or their Mentor. {61}
	Support EOF Director with the following:
	Provide escorted access to EOF for personnel without badge access. {61}
	Document names of personnel escorted in log. {73}
	Complete EOF Director Checklist items as requested.
	Clarify Emergency Plan and Emergency Plan Implementing Procedure information.
	Interface with federal, state and local agencies.
	_Assist Off-Site Agency Communicators in preparation of emergency notifications.
INITIALS	S PRINTED NAME

# **Emergency Planner Checklist**

SR/**0**/A/2000/003 Page 2 of 12

	<b><u>IF</u></b> a security event at MNS requires assembling MNS TSC/OSC ERO at EOF, complete "MNS Security Event, TSC/OSC Assembled at EOF Checklist," page 10 of 12 of this enclosure.
	<u>IF</u> a Beyond Design Basis External Event (BDBEE) or Extended Loss of Offsite AC Power (ELAP) event at MNS requires assembling TSC/OSC ERO at the EOF, complete "MNS BDBEE/ELAP, TSC/OSC Assembled at EOF Checklist," page 10 of 12 of this enclosure. {76}
	<u>IF</u> a security event at CNS requires assembling the duty CNS TSC ERO at the EOF, complete "CNS Security Event, TSC ERO Assembled at EOF Checklist," page 11 of 12 of this enclosure. {41}
NOTE: 1	EOF Duty Roster is available on DAE using Nuclear Generation Duty Roster application. EOI information is under General Office location. {51}
	2. Consider hours previously worked prior to ERO activation in determining shift turnover schedules for 24-hour staffing. {69}
	_ Complete 24-Hour Staffing Log for each EOF position, pages 3 through 8 of this enclosure.
<del></del>	<u>IF</u> EPZ roadblocks have been established, prepare for emergency worker re-entry using page 12 of this enclosure.
	Verify Public Affairs personnel have considered 24-hour staffing by calling the JIC Admin. Manager at 2-0548.
	Record EOF Exercise/Drill/Event Duke Energy employee participation as follows:
	☐ <u>IF</u> scheduled drill, activate eRoster program and scan <u>OR</u> enter Duke Energy employee ID number.
	☐ <u>IF</u> not a scheduled drill <u>OR</u> scanner-inoperable, request participants sign Exercise/Drill/Event/Training Attendance Sheet. {61}
<del></del>	Request Duke Energy participants sign EOF Drill/Event Participation form (EP FAM 3.19 Attachment 29). {61}
	Conduct turnover for on-coming shift, if needed.
	Upon deactivation of the EOF, forward a copy of the EOF Drill/Event Participation form (EP FAM 3.19 Attachment 29) to each DEC site's Emergency Preparedness Manager.
	_ Upon deactivation of EOF, collect all completed paperwork and forward to appropriate Emergency Preparedness Manager.
	Upon deactivation of EOF, complete "EOF Post Event Checklist," page 9 of this enclosure.

# **EOF DIRECTOR AREA**

	Primary		Relief	
Position	Name	*Shift Schedule	Name	*Shift Schedule
EOF Director				
Assistant EOF Director				
EOF Log Recorder				
EOF Emergency Planner				
Radiological Assessment Manager				
Accident Assessment Manager				

<sup>\*</sup> List hours of coverage: i.e., 0800-2000, or 8am -8pm.

# **Emergency Planner Checklist**

SR/**0**/A/2000/003 Page 4 of 12

### DOSE ASSESSMENT AREA

	Primary		Relief	
Position	Name	*Shift Schedule	Name	*Shift Schedule
EOF Dose Assessor				
EOF Dose Assessor				
EOF Dose Assessor				
EOF Dose Assessor (HPN)				
Field Monitoring Coordinator				
Radio Operator				

<sup>\*</sup> List hours of coverage: i.e., 0800-2000, or 8am -8pm.

**Emergency Planner Checklist** 

SR/**0**/A/2000/003 Page 5 of 12

# ACCIDENT ASSESSMENT AREA

	Primary		Relief	
Position	Name	*Shift Schedule	Name	*Shift Schedule
Accident Assessment Interface				
Reactor Physics (As Needed)				
Operations				
Interface				
(MNS and CNS only)				

<sup>\*</sup> List hours of coverage: i.e., 0800-2000, or 8am -8pm.

SR/**0**/A/2000/003 Page 6 of 12

# **Emergency Planner Checklist**

### OFFSITE AGENCY COMMUNICATOR

	Primary		Relief	
Position	Name	*Shift Schedule	Name	*Shift Schedule
Lead EOF Off-Site Agency Communicator				
EOF Off-Site Agency Communicator				
EOF Off-Site Agency Communicator				

<sup>\*</sup> List hours of coverage: i.e., 0800-2000, or 8am -8pm.

# **EOF SERVICES AREA**

	Primary		Relief	
Position	Name	*Shift Schedule	Name	*Shift Schedule
EOF Services Manager				
EOF Services Admin/Commissary				
EOF Data Coordinator				

<sup>\*</sup> List hours of coverage: i.e., 0800-2000, or 8am -8pm.

SR/**0**/A/2000/003 Page 8 of 12

# Emergency Planner Non-Duke Energy Participants 24-Hour Position EOF Staffing Log

Name (Please Print)	Representing Agency
<del></del>	

# **Emergency Planner Checklist**

# EOF FACILITY POST EVENT CHECKLIST

	Obtain copy of TSC/EOF Log Printout.		
	Retrieve:  Completed Procedures  Notes  Log Sheets		
	Turn off:		
	<ul><li>Video monitors</li><li>Projectors</li></ul>		
NOTE:	EOF Services completes Enclosures 13.4 and 13.5 from procedure ST/0/A/4600/086.		
	Complete applicable enclosures of ST/0/A/4600/086 to replenish procedure inventories Clean tables off Put all trash in containers Erase status boards Verify all Fax machines have paper supply replenished Verify all printers have paper supply replenished. Verify cordless phones are left in cradles to be charged.		
	eplenish Position Specific Notebooks (1 copy of procedure body and minimum 3 copies of oplicable enclosures, checklists and log sheets):  EOF Director (also include minimum 3 copies each of Enclosure 6.2, 6.3 and 6.4)  Radiological Assessment Manager (also include minimum 3 copies each of Enclosures 6.2, 6.3, and 6.4). {24}  EOF Dose Assessor  Field Monitoring Coordinator  Radio Operator  EOF Offsite Agency Communicator (also include 1 copy of EP FAM 3.15 Attachment 3.15.3.3)		
	Accident Assessment Manager (also include minimum 3 copies each of Enclosures 6.2, 6.3, and 6.4). {24} Accident Assessment Interface EOF Operations Interface Reactor Physics EOF Emergency Planner EOF Log Recorder (also include 1 copy of EP FAM 3.15 Attachment 3.15.3.2) EOF Data Coordinator EOF Services Manager		

# MNS SECURITY EVENT, TSC/OSC ASSEMBLED AT EOF CHECKLIST

Notify Energy Center Building Security, 2-1234, that TSC/OSC offsite responders are assembling at EOF. {61}
Request that TSC/OSC responders assemble in EOF break area.
Coordinate selection of first response team that will activate TSC/OSC when Security Event is terminated.
Move first response team into EOF work area to obtain plant status and recovery strategies.
Determine 24-hour staffing for each TSC/OSC position.
<b>IF</b> EOF break area is too crowded, determine whether to send TSC/OSC relief members to Energy Center Cafeteria.
<u>WHEN</u> Security Event is terminated and onsite TSC/OSC is to be activated, ensure that first response team to TSC/OSC is briefed prior to dispatch to site.
Send relief TSC/OSC members home, if possible, with their assigned relief time.
MNS BDBEE/ELAP EVENT, TSC/OSC ASSEMBLED AT EOF CHECKLIST {76}
Notify Energy Center Building Security at 2-1234 that TSC/OSC offsite responders are assembling at EOF.
Request that TSC/OSC responders assemble in EOF break area.
Assist TSC Emergency Planner in establishing priorities for transport of MNS ERO personnel to the site.
Assist TSC Emergency Planner in determining 24-hour staffing for each TSC/OSC and alternate TSC/OSC position.
<u>IF</u> needed, obtain copies of RP/0/A/5700/012, Activation of the Technical Support Center, (TSC) and RP/0/A/5700/020, Activation of the Operations Support Center (OSC), from the McGuire procedure cabinet.
<u>IF</u> EOF break area is too crowded, determine whether to send TSC/OSC relief members to Energy Center Cafeteria.

# **Emergency Planner Checklist**

CNS SECURITIEVENT, ISCENO ASSENIBLED AT EUF CHECKLIST
 Notify Energy Center Building Security, 2-1234, that CNS TSC duty responders are assembling at EOF. {61}
 Have CNS TSC responders assemble in EOF break area.
 Obtain RP/0/A/5000/020 Enclosure 4.20 from CNS procedure cabinet and distribute to assembled TSC ERO.
 <u>IF</u> CNS TSC Emergency Planner does not respond within 75 minutes of declaration, assist Assistant TSC Emergency Coordinator with assigned tasks.
 <u>WHEN</u> decision is made to access Catawba and staff the TSC and OSC, ensure choice of facility (normal or alternate) TSC and OSC is known prior to TSC staff departure. {41}

# EMERGENCY WORKER/SPECIAL EQUIPMENT RE-ENTRY AFTER ROAD BLOCKS ARE ESTABLISHED IN THE EPZ

**NOTE:** TSC Emergency Planner is to work with RP to determine if off going shift will need to leave their personnel vehicles onsite and leave in the relief bus.

- 1.0 **<u>IF</u>** roadblocks are in place in 10 mile EPZ <u>AND</u> affected site's Emergency Planner has asked the EOF to prepare for emergency worker re-entry for on site relief, perform the following:
  - 1.1 Request EOF Services Manager obtain a bus to be used for re-entry of relief workers.
  - 1.2 Coordinate with TSC Emergency Planner to verify re-entry path to be used, working with Field Monitoring Coordinator and Radiological Assessment Manager to ensure the path selected avoids the plume foot print.
  - 1.3 Coordinate with State representative at EOF to contact re-entry county EOC to obtain Highway Patrol escorts for bus.
  - 1.4 Ensure State representative requests county EOC to notify roadblock selected for re-entry with ETA for the bus with Highway Patrol escort.
- 2.0 **IF** roadblocks are <u>NOT</u> established, inform TSC Emergency Planner access will be normal.
- 3.0 **<u>IF</u>** roadblocks are in place when special equipment is to be brought to plant, use process in step 1.0 for equipment to pass through roadblock.

SR/**0**/A/2000/003 Page 1 of 3

**EOF Log Recorder Checklist** 

<b>'</b>	NOTE:	Steps in this checklist may be performed in any order appropriate to the specific event conditions or they may be omitted if not applicable.		
	INITIAL			
	<u>IF</u>	reporting to EOF outside your normal work hours, complete a Fitness for Duty Questionnaire.		
	Do	Don position badge.		
	Si	gn in on EOF staffing board.		
	NOTE:	On the Log Recorder's PC, the PC Screen is Screen 2. The left projector is Screen 1 and the right projector is Screen 3.		
	Er	asure PC is on.		
	Er	nsure Projectors are powered up.		
	Re	efer to EP FAM Section 3.15, Attachment 3.15.3.2, for WebEOC Logging instructions.		
	NOTE:	Applications viewed on the three main display screens in the EOF can be controlled by the Log Recorder's PC. The Log Recorder's PC normally controls the left and right projectors only; the Communicator's PC normally controls the center projector. The Log Recorder's PC is designated as Computer 1 and the Communicator's PC is designated as Computer 2.		
	Se	etup EOF Director's Area displays as follows:		
<ul> <li>Left Projector - Facility Log (Remains on Comp 1, PC Screen 1)</li> <li>Center Projector - Swap projector to Comp 2 (Communicator's Notification Form)</li> <li>Right Projector - SDS (Remains on Comp 1, PC Screen 3)</li> </ul>				
	_	Launch application from DAE. Application will launch on Log Recorder's monitor.		
	-	If application opens full screen, click Restore Down button, located to the right of the minimize button.		
	_	Click top of application screen and hold left mouse button down.		
	_	Drag application to desired screen.		
	_	Maximize application.		
)		INITIALS PRINTED NAME		

#### **EOF Log Recorder Checklist**

SR/**0**/A/2000/003 Page 2 of 3

#### **NOTE:**

- 1. Incorrect log entries may be corrected by making the needed correction for the specific entry and flagging it as a "corrected item".
- 2. The EOF Log Recorder should enter EOF specific information and other information as directed by the EOF Director or Assistant EOF Director.
- 3. Log activities must be detailed enough to "tell the story" if necessary to reconstruct events for the NRC and to have an effective turnover to EOF staff.

 Establish official log of all significant EOF activities and EOF Director decisions using
WebEOC computer program sufficient to conduct turnover for the on-coming shift.

Log entries should include, but are not limited to, the following examples:

- EOF Director and any change in EOF Director (staffing)
- Time of EOF activation
- Emergency classification, changes in classification, time of declaration
- Protective Action Recommendations
- Approval/transmittal of Emergency Notification Forms
- Approval/distribution of News Releases
- Plant Conditions (Unit 1, 2, and 3):
  - Core Cooling information (i.e., Time To Boiling, etc.)
  - Safety Systems Degraded
  - Power Supply Status
  - Fission Product Barrier Degradation
  - Radiation Releases.
- Procedures in effect and any transition to another procedure
- Actions taken that are not part of an approved procedure
- Any abnormal or unexpected plant response
- Major equipment manipulations
- Major mitigation actions taken
- Site assembly, relocation, or evacuation of all or any part of the plant
- Personnel Injuries
- Facility priorities
- Recovery Action(s) in Progress
- Summary of facilities briefings
- Expected time of next Time-Out
- -Any parameter that shows how drill/event is managed (ex. releases, time, communication)

**IF** WebEOC computer program is not available, establish manual log of all significant EOF activities and EOF Director decisions.

**EOF Log Recorder Checklist** 

)	 $\underline{\mathbf{IF}}$ requested by EOF Director, prepare sequence of events list and revise it as necessary.
	 Maintain EOF Director's Area displays and status boards as directed or needed.
	 Record established priorities on EOF status board as requested by EOF Director.
	 Conduct turnover for on-coming shift, if needed.
	 Print copy of TSC/EOF Log Printout.
	 Provide all completed paperwork to Emergency Preparedness upon deactivation of EOF.

### **EOF Data Coordinator Checklist**

SR/**0**/A/2000/003 Page 1 of 1

**NOTE:** Steps in this checklist may be performed in any order appropriate to the specific event conditions or they may be omitted if not applicable.

INITIAL  IF reporting to EOF outside your normal work hours, complete a Fitness for Duty Questionnaire.
Don position badge.
Sign in on EOF staffing board.
Establish log of activities sufficient to conduct turnover for on-coming shift.
Verify EOF computer hardware, software, and data display equipment is operational per EP FAM 3.8, EOF Data Coordinator's Reference Manual.
Provide computer support as required:
<ul> <li>Software and hardware applications support</li> <li>Data acquisition support</li> <li>Communication with TSC Data Coordinator</li> </ul>
<u>IF</u> another site declares an emergency requiring activation of the EOF for support, obtain three additional computers (laptop or PC) within one hour for use by Accident Assessment Manager, Radiological Assessment Manager, and Offsite Agency Communicators. {62}.
Conduct turnover for on-coming shift, if needed.
Provide all completed paperwork to Emergency Preparedness upon deactivation of EOF.

PRINTED NAME \_\_\_\_\_

INITIALS \_\_\_\_\_

### **EOF Services Manager Checklist**


SR/**0**/A/2000/003 Page 1 of 3

**NOTE:** Steps in this checklist may be performed in any order appropriate to the specific event conditions or they may be omitted if not applicable.

IF ro	
<u>IF</u> 16	porting to EOF outside your normal work hours, complete a Fitness for Duty Questionnaire
Don	position badge.
Sign	in on EOF staffing board.
	vate the EOF Services Function by establishing duty function contacts for EOF service and post in EOF Service area:
•	Administration/Commissary
•	Communications (24-hour number is 2-1961)
•	Transportation Services
•	Risk Management and Insurance
•	Procurement
	olish log of activities sufficient to conduct turnover for on-coming shift.  ide general administrative support and office supplies.
Ensu	re office equipment is functioning properly.
	Personnel without badge access will need to be escorted into the EOF by the Assistant EOF Director, EOF Emergency Planner, EOF Services Manager, or their Mentor. {61}
	eeded, provide escorted access to EOF for personnel without badge access, and ment names of personnel escorted in log. {62, 73}
Prov	ide food and beverages to meet nutritional needs.

SR/**0**/A/2000/003 Page 2 of 3

# **EOF Services Manager Checklist**



Notify duty functions contacts advising that the drill/event has been terminated.

SR/**0**/A/2000/003 Page 3 of 3

#### **EOF Services Manager Checklist**

### \_ **IF** needed, perform the following:

- Request Communications secure radio base stations.
- Request Communications return portable communications equipment to storage locations.
- Request Procurement transfer information on outstanding requisitions to normal procurement contacts.
- Request Transportation Services return relocated equipment to original location.
- Request Transportation Services provide transportation home for ERO personnel.
- Request Risk Management and Insurance notify insurance companies of change in drill/event status.

SR/**0**/A/2000/003 Page 1 of 1

# ESTABLISHING COMMUNICATIONS LINKS BETWEEN MCGUIRE SAMG EVALUATORS

INITIAL

NOTE:	Operations Procedure Support in the TSC will serve as the lead SAMG evaluator and will be assisted by Reactor Engineer and Systems Engineer in the TSC, as well as Accident Assessment Interface in the EOF. OPS Procedure Support is expected to <u>direct</u> the other evaluators in what they should be looking at strategically, <u>plus</u> ensure that SAEG-1 is
	completed appropriately as directed by the guidelines.
Sı	STABLISH communications links between the SAMG evaluators (TSC OPS Procedure apport, TSC Reactor Engineer, TSC System Engineering Manager, and EOF Accident ssessment Interface) by dialing RP spare bridge 9-980-875-4833 (6-party bridge line).
ur de	<u>VALUATE</u> using an alternate bridge line listed below if for some reason the RP spare bridge is navailable <u>or</u> if other communications links are desired or needed. Dial the number listed as esired to determine if that bridge is currently being used. If the desired bridge line is not being sed, then the appropriate parties may dial in to use it.
E	P Controller bridge (12 - party) 9-980-875-4575
	IcGuire site bridge (6 - party) 9-980-875-3030 IcGuire site bridge (6 - party) 9-980-875-3200

INITIALS	PRINTED NAME	

# **Oconee Recovery**

# SR/**0**/A/2000/003 Page 1 of 2

# 1. Recovery Guidelines

The Recov	The Recovery Manager shall be responsible for the following:		
□ 1.1	Initiate RP/0/B/1000/027, Reentry Recovery Procedure.		
□ 1.2	Announce as follows:		
	"Agreement has been reached between Duke Energy, the State of South Carolina and the NRC that the General Emergency classification is terminated. Recovery Operations are being initiated at the site. Actions are underway to determine when people who have been evacuated from their homes can return. As this information is made available, it will be released to the public."		
1	The offsite recovery organization will stay at the EOF and work with the counties and state if radiological Conditions exist beyond the ONS site boundary. The onsite recovery organization will be established by the Emergency Coordinator.		
□ 1.3	Establish Recovery Organization to handle offsite consequences.		
□ 1.4	Make the following assignments:		
	Recovery Manager		
	Radiological Assessment Manager		
	Field Monitoring Coordinator		
	Emergency Preparedness Manager		
	EOF Services Manager		
□ 1.5	Ensure staffing for long-term operation.		
NOTE:	Once recovery has been determined, the emergency notification message forms are no longer used.		
□ 1.6	Confer with SEMD (State Emergency Management Director) regarding work in progress at EOF and determine communication channels and notifications expected.		
INITIALS	PRINTED NAME		

# **Oconee Recovery**

☐ 1.7 Consult with each manager regarding activities in progress.
☐ 1.7.1 Radiological Assessment Responsibilities
Provide ingestion pathway dose assessments
Provide ongoing communications with DHEC Nuclear Emergency Preparedness
• Evaluate environmental concentrations within the radiological footprint
Provide technical assistance to Joint Information Center
Help plan for reactor building purge as needed
☐ 1.7.2 Emergency Preparedness Responsibilities
Communications to the State and County Management Directors
☐ 1.7.3. EOF Services Manager Responsibilities
• Ensure ANI (insurance) is set up for public inquiry
Provide services as required
☐ 1.7.4. Joint Information Center Responsibilities
Providing news releases
Work with media/public to reduce rumors
<ul> <li>Monitoring information being released by news media</li> </ul>
☐ 1.8 Maintain Emergency Operations Facility activated and staffed until consensus is reached by Duke Energy and State of South Carolina there is no basis for continuous staffing.
☐ 1.8.1 Record time and date that Emergency Operations Facility/Joint Information Center were closed.
A. EOF/JIC Closed

SR/**0**/A/2000/003 Page 1 of 2

# **Keowee Hydro Project Dams/Dikes Condition A/B Descriptions**

**NOTE:** 

- Duke Energy Hydro Group personnel are responsible for evaluation/inspection of Keowee Hydro Project Dams/Dikes <u>AND</u> determining if a Condition A or B exists.
- Duke Energy Hydro Group personnel will communicate the results of evaluations/inspections to the Keowee Hydro Operator. The Keowee Hydro Operator will notify the OSM.

### 1. Condition A - Failure is Imminent or has occurred

A failure at the dam has occurred or is about to occur and minutes to days may be allowed to respond dependent upon the proximity to the dam. Response includes the immediate movement of downstream residents to higher ground. State and local governments will be notified. (Duke Energy Hydro-Electric Plant EAP)

INITIALS	PRINTED NAME
INITIALS	PRINTED NAME

#### Keowee Hydro Project Dams/Dikes Condition A/B Descriptions



# 2. Condition B - Potentially Hazardous Situation is Developing

A situation where failure may develop, but preplanned actions taken during certain events (such as major floods, earthquakes, evidence of piping) may prevent or mitigate failure. The potentially hazardous situation may allow days or weeks for response and time to take remedial action. (Duke Energy Hydro-Electric Plant EAP)

The following situations will result in a Condition B determination/declaration:

- Reservoir elevation at Keowee Hydro Station is ≥805.0 ft msl with all spillway gates open and lake elevation continuing to rise.
- Situations involving earth dam or abutments as follows:
  - a) Large increase or decrease in seepage readings OR seepage water is carrying a significant amount of soil particles;
  - b) New area of seepage or wetness, with large amounts of seepage water observed on dam, dam toe, or the abutments;
  - c) A slide or other movement of the dam or abutments which could develop into a failure.
- Developing failure involving the powerhouse or appurtenance structures is highly irregular to the point where the operator feels safety of the structures is questionable.
- Developing failure involving the concrete spillway or bulkhead is unusual and the safety of the structure is questionable.
- Any other situation involving plant structures which shows the potential for a developing failure.

SR/**0**/A/2000/003

**EOF Evacuation Checklist {54} {59}** Page 1 of 2

	immediate actions to protect personnel.	
	<ul><li>A. Notify personnel to re-assemble at Mint Street Parking Deck</li><li>B. Notify the TSC Emergency Coordinator of actions taken</li></ul>	
	<b>IF</b> conditions allow for a controlled relocation of the facility, determine alternate EOF location:	
	☐ Catawba Event - McGuire Alternate TSC	
	☐ McGuire Event - Catawba Alternate TSC	
	☐ Oconee Event - Catawba Alternate TSC	
	Request EOF Emergency Planner to obtain the following:	
	• 24-Hour Position EOF Staffing Log	
	EOF Business Continuity Plan	
	Catawba, McGuire, and Oconee Emergency Telephone Directories	
	• ERO Member Contact Information notebook {74}	
	Announce to EOF personnel to exit EOF and move to assembly area at Mint Street Parking Deck with all their procedures and paperwork.	
	Consider the need to escort NRC and offsite agency personnel from EOF to alternate EOF. {74}	
	Turn over command and control of event to TSC Emergency Coordinator.	
	<ul> <li>Notify TSC Emergency Coordinator that EOF is evacuating due to (state reason)</li> </ul>	
	<ul> <li>Provide TSC Emergency Coordinator current emergency classification and EAL number, current Protective Action Recommendations, and status of Emergency Notifications: Message number due at</li> </ul>	
	Request the EOF Emergency Planner call the TSC Emergency Planner to request he call the unaffected site's control room and make them aware of the EOF relocation. {74}	
NOTE	The following actions are taken after exiting the EOF.	
	Request EOF Emergency Planner perform accountability of EOF personnel using 24 hour EOF Position Staffing Log.	
	Consult with Enterprise Security console personnel at 704-382-1234 to determine expected duration of EOF evacuation.	

SR/**0**/A/2000/003

**EOF Evacuation Checklist {54} {59}** 

Page 2 of 2

 <u>IF</u> expected duration of evacuation is greater than 2 hours or unknown, perform the following:	
Direct EOF Personnel to report to the Alternate EOF Location	
• Inform the TSC Emergency Coordinator that EOF is relocating to Alternate EOF Location	
Request TSC notify NRC of EOF relocation	
 Direct EOF Emergency Planner to conduct actions required by EOF Business Continuity Plan.	
 Return to Enclosure 6.1 of this procedure after reporting to Alternate EOF.	

SR/**0**/A/2000/003 Page 1 of 2

**EOF Briefing Guideline** 

NOTE: Items listed here are suggested topics for routine update briefings (not all topics need be addressed at each briefing). Items actually selected should be based on existing or projected plant conditions and current priorities.

Attributes of Excellent Briefings					
<ul> <li>5-10 minutes duration</li> <li>Brief for status, not to solve problems</li> <li>Crisp, focused and well controlled</li> </ul>	<ul> <li>Speak to be heard (use PA if needed)</li> <li>Repeat back required actions</li> <li>ALL personnel are attentive</li> </ul>				
1. EOF Director (open and lead briefing)					
Pre-announce 5 minute warning brief is about to occur					
Start Briefing by stating "Attention in the EOF," observe participants to confirm they are ready					
Overview of emergency conditions					
• Station priorities					
Offsite actions being taken					
NRC activities related to emergency					
Notes:					
2. Assistant EOF Director					
<ul> <li>Facility staffing issues and status of addi</li> </ul>	tional support requested				
• Facility operations expectations (noise levels, procedure use, log keeping, etc.)					
<ul> <li>Status of offsite agency communications</li> </ul>					
<ul> <li>Status of relief shift</li> </ul>					
Notes:					
3. Accident Assessment Manager					
<ul> <li>Current Emergency Classification and E.</li> </ul>	AL number/description				
<ul> <li>Key parameters/potential paths for Emer</li> </ul>	gency Classification Upgrade				
Reactor condition, core damage assessment.					
<ul> <li>Review of key plant conditions (power le</li> </ul>	evel, shutdown, trends)				
• Fission Product Barrier Status, trends, pr	rognosis				
Core Cooling System Status					
Emergency/abnormal procedures entered	l or exited				
Severe accident guideline status					
Status of NRC Communications					
Notes:					

4. Radiological Assessment Mar	anager	Man	Assessment 1	Radiological	4.
--------------------------------	--------	-----	--------------	--------------	----

- Status of radiological release compared to EAL thresholds, dose projections, offsite radiological conditions, PARs.
- Meteorological conditions
- Field Monitoring Team reports
- Radiation Protection problem areas being worked and/or needing resolution
- Chemistry activities and results. (e.g. dose equivalent iodine, sample status)

_					
r	N	^	t	PS	

#### 5. **Emergency Planner**

- **IF** a security event is in progress, plant access restrictions, status of site security, offsite Local Law Enforcement Agencies assistance requested and/or provided
- IF a medical emergency response (MERT) is in progress, number of victims, whether radiologically or chemically contaminated, offsite EMS response
- **IF** a fire response is in progress, status of fire, offsite FD response
- Status of site assembly and site evacuation

Notes:		

#### 6. **Offsite Agency Communicator**

Status of offsite agency communications and time next message due

Notes:		

#### 7. **EOF Log Recorder**

- Items of interest from TSC Log
- **TSC Priorities**

TA T	. 4	
	otes:	
T 4	vics.	

#### 8. **Corporate Communications**

- Status of news releases and press conferences
- Rumors being addressed
- Internal/External notifications made (Duke Energy leadership team, ECOC, JIC, state government, INPO, ANI)

Notes			

#### 9. **EOF Director (close briefing)**

- **IF** offsite agencies representatives are present, provide them with opportunity to contribute to brief
- **IF** the NRC is present, provide them with opportunity to contribute to brief
- Ask if any others need to report "Important information"
- Summarize priorities
- Ask if there are any questions
- State "END OF BRIEF"

# **Enclosure 6.25**

# SR/**0**/A/2000/003

# Setup of Catawba Alternate EOF in McGuire Admin Bldg.

Page 1 of 3

INITIAI	_	
	_	I phones with headsets can be obtained from McGuire TSC, take them to alternate EOF on (Administration Building layout on Page 3 of 3 of this enclosure).
	ocate iclos	e assigned Administration Building area shown on the layout drawing on Page 3 of 3 of this ure
NOTE:	1.	Alternate TSC phone sets are stored in the CRX Equipment Room, Room 112.
	2.	The EOF Emergency Planner and EOF Data Coordinator can assist with phone and computer connections.
	3.	<b><u>IF</u></b> a computer is needed, a computer that is not being used for another ERO function (e.g., Regulatory Compliance section, Business Management group, Human Resources group) may be used.
	4.	<b>IF</b> access to the CBX equipment Room, Room 112, is needed prior to the arrival of the EOF Emergency Planner, a key to the door can be obtained from Security at the SAS.
	5.	Printer paths for McGuire Nuclear Station Administration Building Mail Room Printers are MNADM106 and MNADMDP1.
S	et up	assigned location as follows:
	•	Obtain phone equipment necessary to conduct ERO function at assigned location and connect to wall and ceiling outlets.
	•	<u>IF</u> a computer is needed, request help from EOF Data Coordinator.
	•	<b>IF</b> necessary, obtain copies of position procedure enclosure from procedure SR/0/B/2000/003, Activation of the EOF, located in Emergency Preparedness Procedures cabinet.
	•	<u>IF</u> printing capability is needed, setup printers using DAE Printer Selector Program.

PRINTED NAME \_\_\_\_\_

INITIALS \_\_\_\_\_

# **Enclosure 6.25**

SR/**0**/A/2000/003

# Setup of Catawba Alternate EOF in McGuire Admin Bldg.


Page 2 of 3

	<b>IF</b> copies of plant procedures are required, perform one of the following:
	<ul> <li>For Emergency Plan Implementing Procedures (RPs, SHs, and SRs), make copy from Control Copy located in Emergency Preparedness Procedures cabinet.</li> </ul>
	• For all other procedures, print a copy from NEDL Portal on DAE using McGuire Admin Building Mail Room printer MNADM106 or MNADMDP1.
•	Assume or continue ERO role according to procedure SR/0/B/2000/003, Activation of the EOF.

# Setup of Catawba Alternate EOF in McGuire Admin Bldg.

Page 3 of 3

(Executive Board Room 111, Admin. Building)



# **Other EOF Position Locations**

- Others (EP Room 114) \*4458, \*4977, \*875-1951.
- Offsite Communicator (EP Room 115B -- \*4970, \*SSN 315, \*Radio, \*875-1951.
- Data Coordinator (CBX Equipment Room 112) -- \*4999.
- Dose Assessor (SCR Room 100D) -- \*4405.
- Offsite Monitoring (McGuire TSC) \*4969, \*4976
- Public Affairs (Rooms 118 and 141) -- \*4400, \*4402, \*4233.
- NRC (NRC Office, Room 126) -- \*875-1681.
- Other, use Jaguar Room as needed (Room 144, EOF Services Mgr.) -- \*4826.

# **Office Equipment**

- FAX (Mail Room, Room 116) -- \*875-4506.
- FAX (EP Room 114) -- \*875-4382.
- Copier (Mail Room, Room 116).
- Copier (SA Room 170).
- CBX (CBX Office in Admin. Building Lobby).

<sup>\*</sup> Indicates existing phones. All others are to be plugged in when the Alternate TSC is activated.

# **Enclosure 6.26**


SR/**0**/A/2000/003 Page 1 of 3

# Setup of McGuire or Oconee Alternate EOF in Catawba Admin Bldg.

INITIAL


	Locat enclos	e assigned Administration Building area shown on the layout drawing on Page 2 of 3 of thi sure
NOTE:	1.	The EOF Emergency Planner and EOF Data Coordinator can assist with computer connections.
	2.	<u>IF</u> a computer is needed, a computer that is not being used for another ERO function (e.g., Regulatory Compliance section, Performance Improvement Team, Human Resources group) may be used.
	3.	Printer paths for Catawba Nuclear Station Administration Building Printers are CNSADM2 for Copier Room (Room 143) and CNADM127 for Room 127.
	Set up	assigned location as follows:
	•	<u>IF</u> a computer is needed, request help from EOF Data Coordinator.
	•	<b>IF</b> necessary, obtain copies of position procedure enclosure from procedure SR/0/B/2000/003, Activation of the EOF, located in Emergency Preparedness procedures cabinet.
	•	<b>IF</b> printing capability is needed, setup printers using DAE Printer Selector Program.
	• <u>I</u>	$\mathbf{F}$ copies of plant procedures are required, perform one of the following:
	•	For Emergency Plan Implementing Procedures (RPs, SHs, and SRs), make copy from Control Copy located in Emergency Preparedness Procedures cabinet.
	•	For all other procedures, print a copy from NEDL Portal on DAE using Catawba Admin Building Mail Room printer CNSADM2.
		Assume or continue ERO role according to procedure SR/0/B/2000/003, Activation of the OF.
INITIA	LS	PRINTED NAME

# ALTERNATE EOF IN THE CNS ADMIN BLDG



# Setup of McGuire or Oconee Alternate EOF in Catawba Admin Bldg.

Page 3 of 3



# **EOF Functional Areas:**

VP Conference Room – Command & Control Center (EOF Director, Accident Assessment Manager, Rad Assessment Manager, Lead Offsite Agency Communicator, EOF Log Recorder, EOF Tech Liaison, Public Information Coordinator, State EM Representatives)

EP Manager's Office - Offsite Communicators

EP Cubes - Data Coordinator, EOF Emergency Planner

Touchdown Room 142 - EOF Services

PA Manager Office - News Manager, Public Spokesperson

Room 153 A/B - State and County Work Area

NRC Resident Inspector Offices - NRC Site Team

Room 137A - Dose Assessment

Room 137B - Accident Assessment

Catawba TSC (Not Shown) - Offsite Monitoring

# **Enclosure 6.27**

SR/**0**/A/2000/003

# **NRC Response Team Briefing**

Page 1 of 2

A) Emergency Classification	D) Radiological Release
Time Declared:am/pm (Current Class)	None or
Unusual Event Alert	Imminent Controlled
Site Area Emergency General Emergency	In Progress Uncontrolled
EAL Descriptor Text:	Terminated Start Time:am/pm
	Estimated Duration:
Provide a brief summary of the event and mitigating actions in progress:	E) Onsite Protective Actions None or
	Site Assembly / Accountability
	Local Area Evacuation
	Protected Area Evacuated
	Site Evacuated
	Offsite Assembly
	Emergency Exposures Authorized
	Potassium Iodide Issued
B) Fission Product Barrier Status	F) Response Facilities Activated
Fuel RCS CTMT	None or
Intact:	Technical Support Center
Potential Loss:	Operations Support Center
Lost:	Emergency Operations Facility
	Joint Information Center
C) Plant Conditions	G) Offsite Assistance Requested
Mode 1 - Power Operations %	None or
Mode 2 - Startup	Medical am/pm
Mode 3 - Hot Standby	Fire Department am/pm
Mode 4 - Hot Shutdown	Law Enforcement am/pm
Mode 5 - Cold Shutdown	H) Offsite Notifications
Mode 6 - Refueling	County INPO
Time of shutdown: am/pm	State ANI
Stable Improving	News Release
Unstable Deteriorating	I) Protective Action Recommendations
	None or
Briefly describe equipment, instrument or other	Evacuate:
problems:	Shelter:
	J) Offsite Actions/Response
	None issued, or:
	Schools Recreation Areas
	Other:
	Evacuate:
	Shelter:
	Underway OR Completed
	Office way Off Completed

# **Enclosure 6.27**

# **NRC Response Team Briefing**

SR/**0**/A/2000/003 Page 2 of 2

K) A	K) Additional Notes											
											······	
									_	_		

NOTE: This briefing is intended to provide general information related to the event. More detailed information will be available from individual licensee counterparts.

# Additional Discussion Items:

- 1. Personnel safety (as applicable)
  - a. Personnel accountability requirements
  - b. Radiation protection requirements
  - c. Industrial safety requirements
  - d. Protective equipment requirements
  - e. Reporting emergency situation (e.g., fire/medical
- 2. Emergency evacuation
  - a. Location of exits
  - b. Location of emergency assembly areas
- 3. Personal comfort
  - a. Location of restrooms
  - b. Location of water, beverages, and food
  - c. Location of quiet area
- 4. Facility specific information
  - a. Prohibited activities (e.g., use of cell phones, cameras, cordless phones, etc.)
  - b. Facility telephones (how to call outside the facility, reserve phones, etc.)
  - c. Telephone numbers (e.g., response facility phone directory/phone listing)
  - d. Reference locations and access
  - e. Making photo copies
  - f. Sending/receiving facsimiles
  - g. Logistical assistance/support

# Commitments for SR/0/A/2000/03

{1}	PIP 0-M97-4210	NRC-1
{ I }	PIP 0-M9/-4210	NKC-1

- {2} PIP 0-M96-1645
- {3} PIP 2-C96-0273
- {4} PIP 0-C98-3123
- {5} PIP 0-M98-3522
- {6} PIP 0-M98-2065
- {7} PIP 0-C00-3830
- {8} PIP 0-M99-3800, DocTracks NGO-2012-000119
- {9} PIP M-99-2593
- {10} PIP M-00-1107
- {11} PIP G-02-00399(deleted Meteorologist Checklist, replaced with new enclosure)
- {12} PIP M-01-3565
- {13} PIP M-01-3711
- {14} PIP M-99-5381
- {15} PIP C-02-5851
- {16} PIP G-02-00360
- {17} N/A
- {18} PIP M-02-2412, C.A.17
- {19} PIP M-03-2174
- {20} PIP M-02-3086, C.A. 32
- {21} PIP M-03-2808, C.A. 1
- {22} PIP M-03-3294, C.A. 10
- {23} PIP G-03-606
- {24} PIP M-04-2742, C.A. 10
- {25} PIP C-04-1367, C.A. 9
- {26} PIP-M-03-2538, C.A. 3

# Commitments for SR/0/A/2000/03

- {27} PIP-M-03-3483, C.A. 1
- {28} PIP-M-03-3294, C.A. 21
- {29} PIP-C-04-2486, C.A. 2
- {30} PIP-C-03-4471, C.A.1
- {31} PIP-M-04-2742, C.A.11
- {32} PIP-M-04-0735, C.A. 10
- {33} PIP-M-04-0238, C.A.2
- {34} FAM Sect. 3.7 rev. 7
- {35} PIP-M-05-3631
- {36} PIP-C-05-4854
- {37} PIP-C-05-2064, C.A. 11
- {38} PIP-C-06-3808, CA. 9
- {39} PIP-G-07-0127
- {40} PIP-C-04-2631, C.A.2
- {41} PIP-C-06-6053, C.A.11
- {42} PIP-C-06-8633, C.A.6
- {43} PIP-M-06-5137, C.A.3
- {44} PIP-G-07-0944, C.A. 4
- {45} PIP-G-07-0959, C.A. 12
- {46} PIP-C-05-2064, C.A. 12
- {47} PIP M-07-3471, C.A. 6
- {48} PIP G-08-1053, C.A. 4
- {49} PIP C-09-3308, C.A. 3
- (50) PIP M-09-2521, C.A. 15
- {51} PIP M-09-4514, C.A. 19
- {52} PIP G-09-1159, C.A. 11

# Commitments for SR/0/A/2000/03

- {53} PIP G-08-1195
- {54} PIP G-09-0697, C.A. 2
- {55} PIP M-10-3598, C.A. 25
- {56} PIP O-10-2906
- {57} PIP M-10-3598, C.A. 21
- {58} PIP O-10-6861, C.A. 4
- {59} PIP G-10-1128, C.A. 1
- {60} PIP O-10-11050, C.A. 21
- {61} PIP G-11-1177, DocuTracks NGO-2012-000122
- {62} PIP M-11-6252, C.A. 2
- {63} PIP O-10-11050, C.A. 23
- {64} PIP G-11-1389, C.A. 11
- {65} PIP C-11-4972, C.A. 1
- {66} PIP G-11-1352, C.A. 6
- {67} PIP G-12-0276, C.A. 2
- {68} PIP G-12-1158, C.A. 2, 4, and 7
- {69} PIP C-12-3794, C.A. 4
- {70} PIP G-12-1057, C.A. 3
- {71} PIP G-10-0955
- {72} PIP G-13-0488
- {73} PIP M-13-7757
- {74} PIP G-13-1838
- {75} PIP G-13-1461, C.A. 19
- {76} PIP M-12-2339, C.A. 34
- {77} IER L1-13-10
- {78} IER L1-11-14

Duke Energy

Nuclear Policy Manual - Volume 2

\* Printed Name and Signature

**NSD 703** 

# Form 703-5. Procedure Process Record For Standard Procedures

(R08-	10)	Duke Ener PROCEDURE PROCE		ID No. SR/ <b>0</b> /A/2000/003
`	•	FOR STANDARD PR	TOO INTOONS	Revision No. 3
PRE	PARATION			
(2)	Procedure Title Activ	vation of the Emergency Operation	ons Facility	
(3)	Prepared By*	Emestine M. Kuhr	Date _	August 26, 2014
(4)	Applicable To:	⊠ ONS	☑ MNS	⊠ CNS
(5)	Requires	⊠ Yes □ No	⊠ Yes □ No	⊠ Yes □ No
NSD 228 Applicability Determination  NSD 228 Applicability Determination  NSD 228 d NO = Reissue with minor changes			228 documentation	
(6)	Site Contact	Donald A. Crowl	Randy Gibson	Gary Mitchell
	Reviewed	By* <u>Donald A. Crowl</u> (QR) (KI)  Signature pages attached  Date <u>Sept 18, 2014</u>	By* Randy Gibson (QR) (KI) Signature pages attached Date 9/9/14	By* G L Mitchell (QR) (KI)  Signature pages attached  Date 9/18/14
	Cross-Disciplinary Review	By*(QR) (KI)		By*(QR) (KI)
	Reactivity Mgmt. Review (QR)	By*Date	By* NA RG Date <u>9/9/14</u>	By*Date
	Mgmt. Involvement Review (Ops.Supt.)	By*Date	By* NA RG Date <u>9/9/14</u>	By*Date
(7)	Additional Reviews	By*(QA)	By*(QA)	By*(QA)
		By* Date	By* Date	By* Date
(8)	Approved	By* Patrick M. Street Signature pages attached Date 09/30/14	By* <u>Kevin L. Murray</u> Signature pages attached  Date 10-2-14	By* <u>Tom Arlow</u> Signature pages attached Date 10/2/14
(9)	Level of Use	Reference Use		
(10) ( ( (11) [	Compared with Control Compared with Control Compared with Control Date(s) Performed Work Order Number (V	Copy*	Date _	· · · · · · · · · · · · · · · · · · ·
	IPLETION			
	<ul> <li>☐ Yes</li> <li>☐ NA</li> <li>☐ Yes</li> <li>☐ NA</li> <li>☐ Ca</li> <li>☐ Yes</li> <li>☐ NA</li> <li>☐ Pr</li> </ul>	Verification: necklists and/or blanks initialed, signecklists and/or blanks initialed, signecklists and/or blanks initialed, signecklists, etc., attainers, graphs, data sheets, etc., attailibrated Test Equipment, if used, cocedure requirements met?	ached, dated, identified, and marke checked out/in and referenced to f	d? this procedure?
	Verified By*			
	Procedure Completion		Date	
(14)	Remarks (Attach addit	ional pages, if necessary)		

**REVISION 33** 1

Nuclear Policy Manual - Volume 2

**NSD 703** 

# Form 703-5. Procedure Process Record For Standard Procedures

(FIO8-1	0)	Duke Ener PROCEDURE PROCE FOR STANDARD PR	SS RECORD		ID No. <u>SR/<b>0</b>/A/2000/003</u> Revision No. <u>3</u>
PREP	PARATION				
(2)	Procedure Title Activ	vation of the Emergency Operation	ons Facility		
(3)	Prepared By*	mestine M. Kuhr Einachus	سكنبع	_ Date _	August 26, 2014
(4)	Applicable To:	⊠ ONS	X	MNS	DE CNS
(5)	Requires	⊠ Yes □ No	(2) Yes	□ No	⊠ Yes □ No
	NSD 228 Applicability Determination	YES = New procedure or reissue NO = Reissue with minor change:	-	nges - Altach NSD	228 documentation
(6)	Site Contact	Donald A. Crowl			Gary Mitchell
	Reviewed	By A J (QR) (KI) Sept 18 2014 Date	By*	(QR) (KI) Date	By*(QR) (I
	Cross-Disciplinary Review	By*(QR) (KI)	Ву*	(QR) (KI) Date	By*(QR) (I
	Reactivity Mgmt. Review (QR)	By*Date	By*	Date	By*Date
	Mgmt. Involvement Review (Ops.Supt.)	By*Date	Ву•	Date	By*Date
(7)	Additional Reviews	By*(QA)	Ву*	(QA)	By*(QA)
		By A Pale	Ву•	Date	By*
(8)	Approved	By China	Ву*		Ву*
		THE POST OF THE PARTY		Date	Date
(9)	Level of Use	Reference Use			
		re with Control Copy every 14 ca	lendar days wh	•	•
(10) C	compared with Control	Copy*		Date _	
C	ompared with Control	Copy"		Date _	
	ompared with Control  ate(s) Performed	Copy*	<u></u>	Date _	
V	Vork Order Number (M				
	PLETION	. a ter s			
	rocedure Completion ` TYes DNA Ch	vernication: lecklists and/or blanks initialed, sign	and dated or fill	ad in NA se anno	nniete?
_		quired enclosures attached?	ieu, ualeu, ui im	eu ai ian, as appiu	priate
-		arts, graphs, data sheets, etc., atta	ched, dated, ide	ntified, and marke	<b>1</b> ?
-	☐ Yes ☐ NA Ca	librated Test Equipment, if used, o	hecked out/in a	and referenced to t	his procedure?
_	☐ Yes ☐ NA Pro Verified By*	ocedure requirements met?		Data	
	, <del></del>	Approved*			
	•	onal pages, if necessary)			
• •	nted Name and Signat				

**REVISION 33** 

Nuclear Policy Manual - Volume 2

**NSD 228** 

# APPENDIX C. APPLICABILITY DETERMINATION

				Page 1 of 2	
		PART I – A	CTIVITY	DESCRIPTION	
	DUKE ENERGY CAROLINAS, LLC SITI	3		UNIT(S)	
A.	Oconee	wbs	☐ Uni	t 1 Unit 2 Unit 3	
ACT	Motivation of the Emergency Operations Race It				
				7 1 7	
ļ		PART II	– PROCE	SS REVIEW	
				s "YES" for any portion of the activity, apply the identified have more than one process apply to a given activity.	
Will	implementation of the above activity require a chang	ge to the:			
1.	Technical Specifications (TS) or Operating License?	X NO	□ YES	If YES, process as a license amendment per NSD 227.	
2.	Quality Assurance Topical?	NO NO	☐ YES	If YES, seek assistance from Independent Nuclear Oversight.	
3.	Security Plans? (See Appendix H)	ЙÓ	YES	If YES, process per the Nuclear Security Manual.	
4.	Emergency Plan?	NO NO	YES	If YES, process per the Emergency Planning Functional Area Manual.	
5.	Inservice Testing Program Plan?	NO NO	□ YES	If YES, process per site IST Program for ASME code compliance and related facility changes.	
6.	Inservice Inspection Program Plan?	NO DEL	YES	If YES, process per Materials, Metallurgy and Piping Inservice Inspection FAM for ASME code compliance and related facility or procedure changes.	
7.	Fire Protection Program Plan?	NO NO	YES	If YES, evaluate activity in accordance with NSD 320.	
	7a -Utilize Appendix E to address Fire Protection Program Plan Impact.			Check to confirm use of Appendix E Screening Questions.	
8.	Regulatory Commitments?	NO NO	☐ YES	If YES, process per NSD 214.	
9.	Code of Federal Regulations?	NO NO	YES	If YES, contact the Regulatory Affairs group.	
10.	Programs and manuals listed in the Administrative Section of the TS?	MO NO	□ YES	If YES, contact the Regulatory Affairs group.	

REVISION 10

**NSD 228** 

Nuclear Policy Manual - Volume 2

Page 2 of 2

	7, then process the activity per NSD 211 - 10 CFR 72.48 does apply.		
11.	Does the activity involve SSCs, procedures or conduct tests or experiments that support/impact the loading or transport of the canister/cask to the ISFSI, the ISFSI facility, spent fuel cask design?	NO NO	YES
	PART IIIb – 10 CFR 50.59 APPLICABILITY		
	each activity, address all of the questions below. If the answer to question 18 is "YES," then 10 CFR 50.59 does not app tions 18 is "NO," then process the activity per NSD 209 — 10 CFR 50.59 applies.	ly. If the	answer to
12.	Does the activity involve a procedure, governed by NSD 703 that has been excluded from the 10 CFR 50.59 process per NSD 703 and the exclusion status remains valid?	₩ NO	☐ YES
13.	Does the activity involve an administrative procedure governed by NSD 100 or AD-DC-ALL-0201 that does not contain information regarding the operation and control of Structures, Systems and Components?	DZT NO	□ YES
14.	Does the activity involve a type of Engineering Change that NSD 301 excludes from the 10 CFR 50.59 and/or 10 CFR 72.48 Processes? Consult NSD 301 for assistance.	NO PA	☐ YES
15.	Does the activity involve (a) maintenance activities that restore SSCs to their as-designed condition (including activities that implement approved design changes) or (b) temporary alterations supporting maintenance that will be in effect during at-power operations for 90 days or less?	120 100	YES
16.	Does the activity involve a UFSAR modification that NSD 220 excludes from the 10 CFR 50.59 Process? Consult NSD 220 for assistance.	X NO	☐ YES
1 <b>7</b> .	Does the activity involve NRC and/or Duke Energy Carolinas, LLC approved changes to the licensing basis?	NO	YES
18.	Are ALL aspects of the activity bounded by one or more "YES" answers to questions 1 through 17, above?	□ NO	YES
	PART IV - UFSAR REVIEW		
19.	Does the activity require a modification, deletion, or addition to the UFSAR to satisfy the UFSAR content requirements of 10 CFR 50.34 (b), 10 CFR 50.71 (e), or Regulatory Guide (RG) 1.70? Consult NSD 220 for Assistance.	NO PA	YES
	IF YES, process per NSD 220.		
	$^{\prime}$		

Applicability Determination Preparer

#### §50.54(q) Screening Evaluation Form

# Activity Description and References: SR/0/A/2000/003, Activation of the Emergency Operations Facility, Revision 3 - Part 1

BLOCK 1

The following changes are editorial changes that do not change the intent, purpose, or order of the procedures steps:

#### Global change

- 1. Changed "Duke" to Duke Energy." (ERONS project markup) This impacts the following steps:
  - Enclosure 6.1, EOF Director/Assistant EOF Director, Page 10 of 14, first bullet
  - Enclosures 6.2, 6.3, and 6.4, Catawba, McGuire, and Oconee Offsite Protective Actions, Note before IF AT ANY TIME step.
  - Enclosure 6.6 Radiological Assessment Manager Checklist, Page 4 of 4, Note before sixth sign-off step.
  - Enclosure 6.16, Emergency Planner Checklist, Page 2 of 12, seventh sign-off step
  - Enclosure 6.16, Emergency Planner Checklist, Page 8 of 12, table title
  - Enclosure 6.21, Oconee Recovery Guidelines, Page 1 of 2, Steps 1.2 and 1.8
  - Enclosure 6.22, Keowee Hydro Dam/Dikes Condition A/B Descriptions, Pages 1 and 2 of
  - Enclosure 6.24, EOF Briefing Guide, Page 2 of 2, Item 8, third bullet

# Procedure Body

 Step 3.4 - Added {IER L1-13-10} to flag this step as an INPO commitment. {DocuTracks NGO-2014-000087 from PIP C-14-0621}

# Enclosure 6.1, EOF Director/Assistant EOF Director

- 3. Page 7 of 14 Updated offsite agency titles from Emergency Preparedness (EP) to Emergency Management (EM). {Feedback from Oconee July 15, 2014, drill and McGuire July 29, 2014 drill}
- Page 11 of 14 last bullet Corrected procedure number from SR/0/B/2000/004 to SR/0/A/2000/004 {ERONS project markup}

# Enclosure 6.10, EOF Offsite Agency Communicator Checklist

- 5. Page 1 of 1 fifth sign-off step Added {IER L1-13-10} to flag this step as an INPO commitment. {DocuTracks NGO-2014-000087 from PIP C-14-0621}
- Page 1 of 1 seventh sign-off step Corrected procedure number from SR/0/B/2000/004 to SR/0/A/2000/004 {ERONS project markup}

# Enclosure 6.16, Emergency Planner Checklist

 Pages 5 of 12 and 7 of 12 - Moved 24-hour staffing data for EOF Data Coordinator from Page 5 to Page 7 as EOF Data Coordinator is not located in Accident Assessment Room. {DocuTracks NGO-2014-000108 from 7/29/14 McGuire Drill Critique}

# Enclosure 6.19, EOF Services Manager Checklist

8. Page 2 of 3 first sign-off step sixth bullet - Added {IER L1-13-10} to flag this step as an INPO commitment. {DocuTracks NGO-2014-000087 from PIP C-14-0621}

Revision 12

# 3.10 10CFR 50.54(q) Evaluations

Enclosure 6.28, Commitments for SR/0/A/2000/00 9. Added IER L1-13-10 to the list of commitmen 10. Added IER L1-11-14 to the list of commitmen Activity Scope:	ts.
☐ The activity is a change to the emergency plan ☐ The activity is not a change to the emergency plan	
The change is editorial or typographical The change is not editorial or typographical	Change Type:  The change does conform to an activity that has prior approval  The change does not conform to an activity that has
Not Applicable	prior approval Not Applicable
Planning Standard Impact Determination:	BLOCK 5
S50.47(b)(1) - Assignment of Responsibility (Organ \$50.47(b)(2) - Onsite Emergency Organization \$50.47(b)(3) - Emergency Response Support and Four Standards Standards  S50.47(b)(4) - Emergency Classification System \$50.47(b)(5) - Notification Methods and Proceding \$50.47(b)(6) - Emergency Communications \$50.47(b)(7) - Public Education and Information \$50.47(b)(8) - Emergency Facility and Equipment \$50.47(b)(9) - Accident Assessment*  S50.47(b)(10) - Protective Response*  S50.47(b)(11) - Radiological Exposure Control \$50.47(b)(12) - Medical and Public Health Suppor \$50.47(b)(13) - Recovery Planning and Post-accide \$50.47(b)(14) - Drills and Exercises \$50.47(b)(15) - Emergency Responder Training \$50.47(b)(16) - Emergency Plan Maintenance *Risk Significant Planning Standards	Resources * ures*
The proposed activity does not impact a Planning S	tandard
These are minor changes. They are editorial changes the procedures steps and thus do not impact the Planning S	
Commitment Impact Determination:	BLOCK 6
The activity does involve a site specific EP commit	
Record the commitment or commitment reference:	
The activity does not involve a site specific EP con	ımitment
Emergency Plan sections reviewed:  Catawba Emergency Plan Revision 14-3 Section  McGuire Emergency Plan Revision 14-1 Section  Oconee Emergency Plan Revision 2014-01 Section	ons A.1, A.4, B.3, B.4, B.5, B.6, B.7, and H.2

Emergency Planning Functional Area Manual Attachment 3.10.7.2

# 3.10 10CFR 50.54(q) Evaluations

Screening Evaluation Results:		BLOCK 7			
<ul> <li>☐ The activity <u>can</u> be implemented without performing a §50.54(q) effectiveness evaluation</li> <li>☐ The activity <u>cannot</u> be implemented without performing a §50.54(q) effectiveness evaluation</li> </ul>					
Preparer Name: Ernestine M. Kuhr	Preparer Signature Eusstra cu Yuls	Date: August 25, 2014			
Reviewer Name: Donald H. Crawl	Reviewer Signiture	Date: Surt 18 2014			

# §50.54(q) Screening Evaluation Form

Act Op	ivity Description and References: erations Facility, Revision	SR/0/A/2000/0	03, Activation of the Emergency	BLOCK 1:	
The	The following changes are more than editorial but do not impact an Emergency Planning Standard.				
1. Enc	work area." (DocuTracks NGO-201 closure 6.16, Emergency Planner Che	lded, "Each EO 4-000109 from ecklist	F functional area should perform a Take 7/29/14 McGuire Drill Critique) Emergency Planner forward a copy of the		
	Drill/Event Participation Form to ea CA#2}	ch DEC site's E	Emergency Preparedness Manager. {PIP	C-13-7354	
Act	ivity Scope:			BLOCK 2.4	
	The activity is a change to the emerg	gency plan	•		
l	The activity is not a change to the en				
Ch	ange Type:	BLOCK 3	Change Type:	BLOCK 4	
	The change is editorial or typograph	ical	☐ The change does conform to an acti	vity that has	
	The change is not editorial or typogr		prior approval	•	
			☐ The change does not conform to an	activity that has	
No	Applicable		prior approval Not Applicable		
Pla	nning Standard Impact Determina	ution:	. To the state of	BLOCK 5	
	§50.47(b)(1) – Assignment of Response		nization Control)		
H	\$50.47(b)(2) – Onsite Emergency O		inzación Concor,		
H	\$50.47(b)(3) – Emergency Response		lesources		
	850 47(h)(4) - Emergency Classific	cation System	k		
	§50.47(b)(5) - Notification Method	ds and Procedu	ıres*		
	§50.47(b)(6) - Emergency Commun	nications			
	§50.47(b)(7) - Public Education and	Information			
	§50.47(b)(8) - Emergency Facility a	and Equipment			
	§50.47(b)(9) - Accident Assessmen	nt*			
	\$50.47(b)(5) – Notification Method \$50.47(b)(6) – Emergency Commun \$50.47(b)(7) – Public Education and \$50.47(b)(8) – Emergency Facility a \$50.47(b)(9) – Accident Assessmen \$50.47(b)(10) – Protective Response	se*			
ш	930.47(0)(11) - Kadiological Expos	ure Control			
	§50.47(b)(12) - Medical and Public				
	§50.47(b)(13) – Recovery Planning	and Post-accide	ent Operations		
띰	\$50.47(b)(14) – Drills and Exercises \$50.47(b)(15) – Emergency Responde	\$ . 1 100 . 1 . 1			
片	\$50.47(b)(15) - Emergency Respond	der Training			
L	§50.47(b)(16) – Emergency Plan Mask Significant Planning Standards	amenance			
- K	sk Significant Flanning Standards				
Ø	The proposed activity does not impa	ict a Planning S	tandard		
•			ot related to a specific Planning Standard	d. This change	
	added a reminder to the EOF staff al				
•	Change 2 ensures that the EOF Drill	/Event Particip	ation Form is provided to all sites that co	ount EOF DEP	

Revision 12

# **Emergency Planning Functional Area Manual**

# 3.10 10CFR 50.54(q) Evaluations

Attachment 3.10.7.2

	only used for NRC PI documentation an	rticipation in their NRC performance indicated is separate from the form used to document PIs are not addressed in the 16 Planning States.	nt drill participation for		
Coı	nmitment Impact Determination:		BLOCK 6		
	The activity does involve a site specific	EP commitment			
	Record the commitment or commitment	reference:	·		
Ø	The activity does not involve a site specific EP commitment				
Em	ergency Plan sections reviewed:				
	<ul> <li>Catawba Emergency Plan Revision 14-3 Sections A.1, A.4, B.3, B.4, B.5, B.6, B.7, and H.2</li> <li>McGuire Emergency Plan Revision 14-1 Sections A.1, A.4, B.3, B.4, B.5, B.6, B.7, and H.2</li> <li>Oconee Emergency Plan Revision 2014-01 Sections A.1, A.4, B.5, B.6, B.7, and H.2</li> </ul>				
Scr	eening Evaluation Results:		BLOCK 7		
		it performing a \$50.54(q) effectiveness evalution to the performing a \$50.54(q) effectiveness evaluation.			
	arer Name:	Preparer Signature	Date:		
Em	estine M. Kuhr	Endrich Die	August 28, 2014		
	iewer Name: enald A. Crawl	Reviewer Signature	Date: 5-p+ 18, 2014		

# §50.54(q) Screening Evaluation Form

# Activity Description and References: SR/0/A/2000/003, Activation of the Emergency Operations Facility, Revision 3 - Part 3

BLOCK-1

The following changes are more than editorial, impact planning standards and need to be screened and evaluated.

# Procedure Body

1. Step 3.1.4 - Replaced "pager" with "cell phone." {ERONS project}

# Enclosure 6.1, EOF Director/Assistant EOF Director

2. Page 2 of 14 last sign-off step - Deleted step about calling an ERO member from Fleet Security to act as a security liaison. {PIP G-14-1555 CA#2 and DocuTracks NGO-2014-000096}

# Enclosure 6.2, Catawba Offsite Protective Actions

3. Page 3 of 8 - Added new Note 2 before **IF AT ANY TIME** step to provide guidance on how to handle wind directions displayed as greater than 360 degrees. {DocuTracks NGO-2014-000048}

# Enclosure 6.12, Accident Assessment Manager Checklist

4. Page 1 of 3 - Added new sign-off step to assign responsibility for maintaining the Fission Product Barrier Status Board to the Accident Assessment Manager. {DocuTracks NGO-2014-000109 from 7/29/14 McGuire Drill Critique}

# Enclosure 6.13, Accident Assessment Interface Checklist

5. Page 1 of 5 - Deleted second sign-off step that required them to obtain copy of EOF Accident Assessment Reference Guide and Emergency Operating Procedures from Nuclear Engineering Office Area. {PIPs M-14-6828 and M-14-6835}

# Enclosure 6.16, Emergency Planner Checklist

- 6. Page 1 of 12 seventh sign-off step Clarified process for contacting the ECOC directors by phoning the Enterprise Security Console. {Enhancement from Oconee July 15, 2014, drill critique}
- 7. Page 2 of 12 sixth sign-off step Revised to have Emergency Planner contact the JIC Admin. Manager to verify Public Affairs personnel have considered 24 hour staffing. {DocuTracks NGO-2014-000066}

#### Enclosure 6.19 EOF Services Manager Checklist

- 8. Page 2 of 3 first sign-off step first bullet Replaced "pager" with "cell phone." {ERONS project}
- 9. Page 2 of 3 first sign-off step Added new third bullet to have EOF Services Manager request Transportation Services or others to arrange necessary equipment and personnel for debris removal in order to access the DEC nuclear sites. {PIP C-11-0687 CA# 98 and IER L1-11-14}

# Activity Scope: ☐ The activity is a change to the emergency plan ☐ The activity is not a change to the emergency plan

# Emergency Planning Functional Area Manual Attachment 3.10.7.2

# 3.10 10CFR 50.54(q) Evaluations

		Carrier Control			
Ch	ange Type:	BLOCK 3#	Change Type:		BLOCK 4
Not	The change is editorial or typograp The change is not editorial or typoget Applicable		prior approv	does not conform to a	•
Pla	nning Standard Impact Determin	nation:			BLOCK 5
	\$50.47(b)(1) - Assignment of Responsite Response Organizations (IC §50.47(b)(2) - Onsite Emergency (§50.47(b)(3) - Emergency Responsive Support Services)  \$50.47(b)(4) - Emergency Classif §50.47(b)(5) - Notification Methol §50.47(b)(6) - Emergency Community South (South (Sou	ponsibility (Orga CP)) and Change Organization se Support and Fication System ods and Procedunications and Information and Equipment- up) ent* nse* Change 3 (Osure Control c Health Support g and Post-accide es nder Training Maintenance	s 1, 6 and 7 (Con Resources - Change ures* - Changes I Change 4 (Facili Offsite Protective	tinuous Staffing and S ge 9 (Contact and Use I and 8 (ERO Notifica ity Information Displa	nation with Shift Relief) of External ation)
	The proposed activity does not imp		tandard		
l	nmitment Impact Determination:				BLOCK 6
	The activity <u>does</u> involve a site spe Record the commitment or commit		ment 		-
	The activity does not involve a site	specific EP com	ımitment		
Not	Required if the change impacts a	a planning stand	lard		
Scr	eening Evaluation Results:				BLOCK 7
	The activity <u>can</u> be implemented w The activity <u>cannot</u> be implemented				on
	parer Name: estine M. Kuhr	Preparer Sig	mature	Date:	st 26, 2014
Rev	iewer Name:	Reviewer Si		Date:	+ 18 2014

Revision 12 2

# §50.54(q) Effectiveness Evaluation Form

# Activity Description and References: SR/0/A/2000/003, Activation of the Emergency Operations Facility, Revision 3

BLOCK 1

Procedure Body

1. Step 3.1.4 - Replaced "pager" with "cell phone." {ERONS project}

Enclosure 6.1, EOF Director/Assistant EOF Director

2. Page 2 of 14 last sign-off step - Deleted step about calling an ERO member from Fleet Security to act as a security liaison. {PIP G-14-1555 CA#2 and DocuTracks NGO-2014-000096}

Enclosure 6.2, Catawba Offsite Protective Actions

3. Page 3 of 8 - Added new Note 2 before **IF AT ANY TIME** step to provide guidance on how to handle wind directions displayed as greater than 360 degrees. {DocuTracks NGO-2014-000048}

Enclosure 6.12, Accident Assessment Manager Checklist

4. Page 1 of 3 - Added new sign-off step to assign responsibility for maintaining the Fission Product Barrier Status Board to the Accident Assessment Manager. {DocuTracks NGO-2014-000109 from 7/29/14 McGuire Drill Critique}

Enclosure 6.13, Accident Assessment Interface Checklist

 Page 1 of 5 - Deleted second sign-off step that required Accident Assessment Interface to obtain copy of EOF Accident Assessment Reference Guide and Emergency Operating Procedures from Nuclear Engineering Office Area. {PIPs M-14-6828 and M-14-6835}

Enclosure 6.16, Emergency Planner Checklist

- 6. Page 1 of 12 seventh sign-off step Clarified process for contacting the ECOC directors by phoning the Enterprise Security Console. {Enhancement from Oconee July 15, 2014, drill critique}
- 7. Page 2 of 12 sixth sign-off step Revised to have Emergency Planner contact the JIC Admin. Manager to verify Public Affairs personnel have considered 24 hour staffing. {DocuTracks NGO-2014-000066}

Enclosure 6.19 EOF Services Manager Checklist

- 8. Page 2 of 3 first sign-off step first bullet Replaced "pager" with "cell phone." {ERONS project}
- Page 2 of 3 first sign-off step Added new third bullet to have EOF Services Manager request
   Transportation Services or others to arrange necessary equipment and personnel for debris removal in order
   to access the DEC nuclear sites. {PIP C-11-0687 CA# 98 and IER L1-11-14}

# Activity Type: ☐ The activity is a change to the emergency plan ☐ The activity affects implementation of the emergency plan, but is not a change to the emergency plan The ERONS project changes to the site Emergency Plans are being evaluated separately. This procedure revision supports those changes. Impact and Licensing Basis Determination: BLOCK3 1. [list of functions, elements and/or commitments impacted by the activity (organized by planning standard as applicable)]

Change 1: Impacts PS §50.47(b)(1) - "Assignment of Responsibility (Organization Control)," EP Function

- Continuous Staffing and Shift Relief, and §50.47(b)(5) - Notification Methods and Procedures, EP Function - ERO Notification

Change 2: Impacts PS §50.47(b)(1) -Assignment of Responsibility (Organization Control), "Responsibility

for Emergency Response is assigned," EP Function - Coordination with Offsite Response Agencies (ICP)

Change 3: [CNS Only] Impacts RSPS §50.47(b)(10) – Protective Response, EP Function - Offsite Protective Action Recommendations

Change 4 - Impacts PS §50.47(b)(8) Emergency Facility and Equipment, "Adequate equipment is maintained to support emergency response," EP Function - Facility Information Display Systems.

Change 5 - Impacts PS §50.47(b)(8) Emergency Facility and Equipment, "Adequate equipment is maintained to support emergency response," EP Function - Facility/Work Area Setup

Change 6: Impacts PS §50.47(b)(1) - "Assignment of Responsibility (Organization Control)," EP Function - Continuous Staffing and Shift Relief

Change 7: Impacts PS §50.47(b)(1) - "Assignment of Responsibility (Organization Control)," EP Function - Continuous Staffing and Shift Relief

Change 8 Impacts PS §50.47(b)(5) - Notification Methods and Procedures, EP Function - ERO Notification

Change 9: Impacts PS §50.47(b)(3) – Emergency Response Support and Resources, EP Function - Contact and Use of External Support Services

### Licensing Basis:

Change 1: Licensing Basis - Catawba Emergency Plan Revision 14-3 Sections A.1.b and E.2, McGuire Emergency Plan Revision 14-1 Sections A.1.b and E.2, Oconee Emergency Plan Revision 2014-01 Sections A.1.e and E.1&E.2 NOTE: The Emergency Plans currently refer to pagers. The ERONS project changes to the site Emergency Plans are being evaluated separately. This procedure revision is a directly impacted procedure being revised to support those changes.

Change 2: Licensing Basis - Catawba Emergency Plan Revision 14-3 Sections A.1 and A.4, McGuire Emergency Plan Revision 14-1, Sections A.1 and A.4, and Oconee Emergency Plan Revision 2014-01 Sections A.1 and A.4

Change 3: [CNS Only] Licensing Basis - Catawba Emergency Plan Revision 14-3 Section J.7 and Figure J-2.

Change 4: Licensing Basis Catawba Emergency Plan Revision 14-3 Section H.2, McGuire Emergency Plan Revision 14-1 Section H.2, Oconee Emergency Plan Revision 2014-01 Section H-2.

Change 5: Licensing Basis Catawba Emergency Plan Revision 14-3 Section H.2, McGuire Emergency Plan Revision 14-1 Section H.2, Oconee Emergency Plan Revision 2014-01 Section H-2.

Change 6: Licensing Basis - Catawba Emergency Plan Revision 14-3 Section A.4, McGuire Emergency Plan Revision 14-1, Section A.4, and Oconee Emergency Plan Revision 2014-01 Section A.4

Change 7: Licensing Basis - Catawba Emergency Plan Revision 14-3 Section A.4, McGuire Emergency Plan Revision 14-1, Section A.4, and Oconee Emergency Plan Revision 2014-01 Section A.4

Change 8 Licensing Basis - Catawba Emergency Plan Revision 14-3 Section E.2, McGuire Emergency Plan Revision 14-1 Section E.2, Oconee Emergency Plan Revision 2014-01 Section E.1&E.2 NOTE: The Emergency Plans currently refer to pagers. The ERONS project changes to the site Emergency Plans are being evaluated separately. This procedure revision supports those changes.

Change 9: Catawba Emergency Plan Revision 14-3 Sections A.1 and C.4, McGuire Emergency Plan Revision 14-1, Sections A.1 and C.4, Oconee Emergency Plan Revision 2014-01 Sections A.1, A.4, and C.4

#### Compliance Evaluation and Conclusion:

. BLOCK 4

#### 1. Evaluation:

Changes 1 and 8 replaced "pager" with "cell phone." {ERONS project} The applicable PS are §50.47(b)(1) - "Assignment of Responsibility (Organization Control)," EP Function - Continuous Staffing and Shift Relief, and §50.47(b)(5) - Notification Methods and Procedures, EP Function - ERO Notification

Changes 1 and 8 Evaluation - These changes update the method used to contact additional ERO members to support the emergency or for 24-hour staffing coverage. SR/0/A/2000/003 does NOT provide instructions for initial ERO activation. The regulations and associated guidance require the capability to notify ERO members but do not specify a specific method to used. The capability to notify ERO members to obtain additional resources and establish 24 hour staffing is being maintained, although with a different technology (cell phone instead of pager). Telecommunications will be the contact for correcting cell phone issues going forward, similar to their prior support for pagers.

#### Conclusion:

The proposed activity \( \subseteq \frac{does}{\subseteq} \) \( \subseteq \frac{does not}{\subseteq} \) continue to comply with the requirements.

Change 2 deleted the step to call an ERO member from Fleet Security to act as a security liaison. The applicable PS is §50.47(b)(1)—Assignment of Responsibility (Organization Control), "Responsibility for Emergency Response is assigned," EP Function - Coordination with Offsite Response Agencies (ICP).

Change 2 Evaluation - The function of EOF Incident Command Post (ICP) liaison is not required by regulations or guidance. Deletion of this position does not affect the capability of the site to interact with local law enforcement personnel at the ICP. This step, added in Revision 2 to provide a Security liaison to serve as a communication link between the EOF and the Incident Command Post (ICP) during a HAB event, is being removed. That change in Revision 2 was implemented without the knowledge or concurrence of the affected organization, Fleet Security. This step is being deleted as an interim corrective action for PIP G-14-1555 CA#2, until both Fleet Security and Fleet EP agree on the roles and responsibilities of the EOF Security Liaison, its interface with security positions currently staffed in the site TSCs and ICPs is determined, and the changes to the EOF and site ICP procedures are coordinated.

### Conclusion:

The proposed activity  $\boxtimes \underline{does} / \underline{\Box} \underline{does}$  not continue to comply with the requirements.

[CNS] Change 3: Added a new note to the Catawba Offsite Protective Actions enclosure to provide guidance on how to handle wind directions displayed as greater than 360 degrees. The associated RSPS is §50.47(b)(10) – Protective Response, EP Function - Offsite Protective Action Recommendations

Change 3 Evaluation - This step ensures the correct wind direction is used in determining public protective actions at Catawba. This is required to comply with the regulation.

### Conclusion:

The proposed activity  $\boxtimes \underline{does} / \underline{\Box} \underline{does}$  not continue to comply with the requirements.

Change 4 - Assigned responsibility for maintaining the Fission Product Barrier Status Board to the Accident Assessment Manager. The PS is §50.47(b)(8) Emergency Facility and Equipment, "Adequate equipment is maintained to support emergency response," - EP Function Facility Information Display

Systems.	S٧	'st	eı	n	s	
----------	----	-----	----	---	---	--

Change 4 Evaluation - The Fission Product Barrier Status Board is currently in the EOF, but the responsibility for maintaining it was not clearly assigned. NUREG-0696 states, "Facilities shall be provided in the EOF for the ...display...of data pertinent to determine offsite protective measures." Having the capability to display Fission Product Barrier Status supports that determination. Clearly assigning responsibility for maintaining the status board ensures compliance with the regulation and guidance.

#### Conclusion:

The proposed activity  $\boxtimes$  does /  $\square$  does not continue to comply with the requirements.

Change 5 - Deleted the required to obtain the EOF Accident Assessment Reference Guide and Emergency Operating Procedures from Nuclear Engineering Office Area. The associated PS is §50.47(b)(8) Emergency Facility and Equipment, "Adequate equipment is maintained to support emergency response," Facility Work Area Setup. NUREG-0696 states that the EOF shall have ready access to up-to-date plant procedures, including Emergency Operating Procedures.

Change 5 Evaluation - EOF Accident Assessment personnel have stated that the EOF Accident Assessment Reference Guide is no longer needed. The Emergency Operating Procedures kept in the Nuclear Engineering Office Area are not Control Copies, but Information Only copies. Control Copies of Emergency Operating Procedures are available electronically and no longer have to be brought to the EOF. This change ensures that the most current revision of the Emergency Operating Procedures will be used.

#### Conclusion:

The proposed activity \( \sqrt{\overline{\text{does}}} \) \( \sqrt{\overline{\text{does}}} \) does not continue to comply with the requirements.

Change 6 - Clarified the process for contacting the ECOC Directors by phoning the Enterprise Security Console. The associated PS §50.47(b)(1) - "Assignment of Responsibility (Organization Control)," EP Function - Continuous Staffing and Shift Relief.

Change 6 Evaluation - The ECOC Directors are a pathway to obtaining additional resources from non-nuclear portions of Duke Energy. This change is being made to ensure the EOF Emergency Planner can contact them in an emergency.

#### Conclusion:

The proposed activity \( \sqrt{\overline{does}} \) \( \sqrt{\overline{does}} \) does not continue to comply with the requirements.

Change 7 - Revised to have Emergency Planner contact the JIC Admin. Manager to verify Public Affairs personnel have considered 24 hour staffing. The associated PS §50.47(b)(1) - "Assignment of Responsibility (Organization Control)," EP Function - Continuous Staffing and Shift Relief.

Change 7 Evaluation - This change provides a specific person to contact in the Public Affairs emergency response organization to verify their consideration of 24 hour staffing. This change ensures that the EOF Director, who is responsible for assuring continuity of resources for continuous operations, gets accurate information to ensure this requirement is met.

#### Conclusion:

The proposed activity \( \sum \frac{does}{does} / \sum \frac{does}{does} not continue to comply with the requirements.

Change 9 - Added action to have EOF Services Manager request Transportation Services or others to arrange necessary equipment and personnel for debris removal in order to access the DEC nuclear sites. The applicable PS is §50.47(b)(3) - Emergency Response Support and Resources, EP Function - Contact and Use of External Support Services

# 3.10 10CFR 50.54(q) Evaluations

Change 9 Evaluation - The EOF Services Manager checklist already had a step to request Transportation Services arrange for necessary equipment for needs for movement of materials and personnel. This adds an additional responsibility to contact this group for assistance for debris removal to address a Beyond Design Basis External Event. The EOF will continue to have the ability to contact and use external support services for these functions.

$\sim$	 		
Con	1101	nn	•
$-\mathbf{v}_{\mathbf{n}}$	LU.SI	$\mathbf{v}$	

The proposed activity  $\boxtimes \underline{does} / \square \underline{does not}$  continue to comply with the requirements.

# Reduction in Effectiveness (RIE) Evaluation and Conclusion:

BLOCK 5

# 1. Evaluation:

Changes 1 and 8 - Replaced "pager" with "cell phone." {ERONS project}

Changes 1 and 8 Evaluation - This updates the method used to contact additional ERO members to support the emergency or for 24-hour staffing coverage. SR/0/A/2000/003 does NOT provide instructions for initial ERO activation. Pagers were one method to contact ERO members, along with home and office telephone numbers. The ability to communicate with ERO members is being maintained with a different technology (cell phone instead of pager). Cell phones provide two means of two way communications (text message and voice). This is considered an enhancement. Telecommunications will be the contact for correcting cell phone issues going forward, similar to their prior support for pagers.

The proposed activity  $\square$  does /  $\boxtimes$  does not constitute a RIE.

Change 2 deleted the step to call an ERO member from Fleet Security to act as a security liaison.

Change 2 evaluation- This step, added in Revision 2 to provide an EOF/ICP security liaison is being removed. The change in Revision 2 was implemented without the knowledge or concurrence of the affected organization, Fleet Security. This step is being deleted as an interim corrective action for PIP G-14-1555 CA#2, until both Fleet Security and Fleet EP agree on the roles and responsibilities of the EOF Security Liaison, its interface with security positions currently staffed in the site TSCs and ICPs is determined, and the changes to the EOF and site ICP procedures are coordinated. The EOF Incident Command Post (ICP) liaison position is not described in the sites' emergency plans. Deletion of this position does not affect the capability of the site to interact with local law enforcement personnel at the ICP.

The proposed activity  $\square$  does /  $\boxtimes$  does not constitute a RIE.

[CNS] Change 3: Added new note to the Catawba Offsite Protective Actions enclosure to provide guidance on using wind directions displayed as greater than 360 degrees.

Change 3 Evaluation - This step ensures the correct wind direction is used in determining public protective actions at Catawba Nuclear Station in compliance with the emergency plan.

The proposed activity  $\square$  does /  $\boxtimes$  does not constitute a RIE.

Change 4 - Assigned responsibility for maintaining the Fission Product Barrier Status Board to the Accident Assessment Manager.

Change 4 Evaluation - The CNS, MNS, and ONS Site Emergency Plans do not specify the method used display information in the EOF. Clearly assigning responsibility for maintaining the status board

# 3.10 10CFR 50.54(q) Evaluations

is considered an enhancement.
The proposed activity ☐ does / ☑ does not constitute a RIE.
Change 5 - Deleted the required to obtain the EOF Accident Assessment Reference Guide and Emergency Operating Procedures from Nuclear Engineering Office Area. EOF Accident Assessment personnel have stated that the EOF Accident Assessment Reference Guide is no longer needed. Control Copies of Emergency Operating Procedures are available electronically and no longer have to be brought to the EOF.
Change 5 Evaluation - The CNS, MNS, and ONS Site Emergency Plans do not specify how these documents are made available for use in the EOF. This change ensures that the most current revision of the Emergency Operating Procedures will be used and is considered an enhancement.
The proposed activity ☐ does / ☑ does not constitute a RIE.
Change 6 - Clarified the process for contacting the ECOC Directors by phoning the Enterprise Security Console.
Change 6 Evaluation - The ECOC Directors are a pathway to obtaining additional resources from non-nuclear portions of Duke Energy. This change is being made to ensure the EOF Emergency Planner can make contact with them in an emergency and is considered an enhancement.
The proposed activity ☐ does / ☒ does not constitute a RIE.
Change 7 - Revised to have Emergency Planner contact the JIC Admin. Manager to verify Public Affairs personnel have considered 24 hour staffing.
Change 7 Evaluation - This change provides a specific person to contact in the Public Affairs emergency response organization to verify they have considered 24 hour staffing. This change was made so that the EOF Director, who is responsible for assuring continuity of resources for continuous operations, gets accurate information. This is considered an enhancement.
The proposed activity ☐ does / ☒ does not constitute a RIE.
Change 9 - Added action to have EOF Services Manager request Transportation Services or others to arrange necessary equipment and personnel for debris removal in order to access the DEC nuclear sites.
Change 9 Evaluation - The EOF Services Manager checklist already had a step to request Transportation Services arrange for necessary equipment for needs for movement of materials and personnel. This adds an additional responsibility for contacting this group for assistance for debris removal to address a Beyond Design Basis External Event. The EOF will continue to have the ability to contact and use external support services for these functions. This supports the EOF Director in his responsibility to lead the offsite response effort.
Conclusion:
The proposed activity $\square$ does / $\boxtimes$ does not constitute a RIE.

Emergency Planning Functional Area Manual Attachment 3.10.7.3

# 3.10 10CFR 50.54(q) Evaluations

Effectiveness Evaluation Results		BLOCK 6
	ply with the requirements of §50.47(b) and ction in effectiveness. Therefore, the activition	
	comply with the requirements of \$50.47(b) in effectiveness. Therefore, the activity ca	
Preparer Name: Ernestine M. Kuhr	Preparer Signature Eusafue cu Xul	Date: September 3, 2014
Reviewer Name: Darald H. Crant Approver Name:    Truck M States	Reviewer Signature Approver Signature	Date: Syx+ 18 2016 Date: 9/30/14
•		•