

May 1, 2018

ULNRC-04631

U.S. Nuclear Regulatory Commission Attn: Document Control Desk Washington, DC 20555-0001

> 40 CFR 190 10 CFR 72.44(d)(2)

Ladies and Gentlemen:

DOCKET NUMBERS 50-483 AND 72-1045 CALLAWAY PLANT UNIT 1 UNION ELECTRIC CO. RENEWED FACILITY OPERATING LICENSE NPF-30 2017 ANNUAL RADIOLOGICAL ENVIRONMENTAL OPERATING REPORT

Please find enclosed the 2017 Annual Radiological Environmental Operating Report for the Callaway Plant (Callaway Energy Center). This report is submitted in accordance with Section 5.6.2 of the Callaway Plant Technical Specifications and Appendix B to the Callaway Plant Operating License. The report concerns the environmental monitoring program established for the Callaway Energy Center, which also pertains to the independent spent fuel storage facility at the plant consistent with Section 5.1.b of Appendix A to the HI-STORM UMAX Certificate of Compliance.

This letter does not contain new commitments.

If there are any questions, please contact Johann S. Geyer at (314) 225-1589.

Sincerely,

J6hann S. Geyer

Director, Radiation Protection

JPK/

Enclosure

P.O. Box 620 Fulton, MO 65251 AmerenMissouri.com

ULNRC-06431 May 1, 2018 Page **2** of **3**

cc: Mr. Kriss M. Kennedy
Regional Administrator
U. S. Nuclear Regulatory Commission
Region IV
1600 East Lamar Boulevard
Arlington, TX 76011-4511

Director
Division of Spent Fuel Management
Office of Nuclear Material Safety and Safeguards
U. S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Senior Resident Inspector Callaway Resident Office U.S. Nuclear Regulatory Commission 8201 NRC Road Steedman, MO 65077

Mr. L. John Klos Project Manager, Callaway Plant Office of Nuclear Reactor Regulation U. S. Nuclear Regulatory Commission Mail Stop O8H4 Washington, DC 20555-0001

Index and send hardcopy to QA File A160.0761

Hardcopy:

Certrec Corporation
6100 Western Place, Suite 1050
Fort Worth, TX 76107
(Certrec receives ALL attachments as long as they are non-safeguards and may be publicly disclosed.)

Electronic distribution for the following can be made via Responses and Reports ULNRC Distribution:

F. M. Diya

T. E. Herrmann

B. L. Cox

R. C. Wink

J. S. Geyer

T. B. Elwood

C. C. Graham

G. P. Gary

Corporate Communications

NSRB Secretary

Mrs. Collette Linder, REP Manager (SEMA)

STARS Regulatory Affairs

Mr. Jay Silberg (Pillsbury Winthrop Shaw Pittman LLP)

Mr. Chris Wieberg (DNR)

Mr. Steve Feeler (DNR)

Mr. Dru Buntin (DNR)