



John C. Brons
Executive Vice President
Nuclear Generation

January 12, 1990
JPN-90-003

U.S. Nuclear Regulatory Commission
ATTN: Document Control Desk
Mail Station P1-137
Washington, D.C. 20555

SUBJECT: James A. FitzPatrick Nuclear Power Plant
Docket No. 50-333
**Proposed Changes to the Technical
Specifications Regarding Second Level
Undervoltage Relay Setpoint (JPTS-89-034)**

Dear Sir:

This application for an amendment to the James A. FitzPatrick Technical Specifications revises the 4 kV Emergency Bus Undervoltage Relay (Degraded Voltage) setpoint. The Authority is changing the reserve station transformer tap setting during the 1990 refueling outage, and, as a result, these setpoints must also be changed. The changes also remove an operating restriction imposed by the NRC as part of Amendment 120. The NRC imposed a one cycle limitation pending the resolution of certain technical issues associated with the undervoltage protection system. These issues have been resolved.

The changes revise Table 3.2-2, "Instrumentation that Initiates or Controls the Core and Containment Cooling System," on pages 70c and 71, Table 4.2-2, "Minimum Test and Calibration Frequency for Core and Containment Cooling System," on page 79 and the associated Bases on page 60.

The 1990 refueling outage is currently scheduled to start in March. NRC staff approval of this change by May 15, 1990 is requested to assure that the plant will return to power on schedule.

Enclosed for filing is the signed original of a document entitled "Application for Amendment to Operating License," with Attachments I and II thereto, comprising a statement of the proposed change to the Technical Specifications and the associated Safety Evaluation.


9001220248 900112
PDR ADUCK 05000333
P PIC

Ad

In accordance with 10 CFR 50.91, a copy of this application and the associated attachments are being provided to the designated New York State official.

Should you or your staff have any questions regarding the proposed changes, please contact Ms. S. M. Toth of my staff.

Vary truly yours,


John C. Brons
Executive Vice President
Nuclear Generation

cc: U.S. Nuclear Regulatory Commission
475 Allendale Road
King of Prussia, PA 19406

Office of the Resident Inspector
U.S. Nuclear Regulatory Commission
P.O. Box 136
Lycoming, NY 13093

Mr. David E. LaBarge
Project Directorate I-1
Division of Reactor Projects - I/II
U.S. Nuclear Regulatory Commission
Mail Stop 14 B2
Washington, DC 20555

Ms. Donna Ross
New York State Energy Office
2 Empire State Plaza
16th Floor
Albany, NY 12223