




State of Ohio Environmental Protection Agency

P.O. Box 1049, 1800 WaterMark Dr.
Columbus, Ohio 43266-0149



Richard F. Celeste
Governor

February 16, 1990

Timothy G Colburn, Sr. Proj. Manager
Nuclear Regulatory Agency
Office of Nuclear Reactor Regulation
Washington, D.C. 20555

50-440

Dear Mr. Colburn:

I am writing to advise you that Zack A. Clayton is the new Ohio Environmental Protection Agency (Ohio EPA) Radiological Safety Officer. This position is within the Division of Emergency and Remedial Response, Compliance Unit. Mr. Clayton is replacing Harold Kohn, who has retired. All nuclear/radiological correspondence currently being sent to Mr. Kohn, or addressed blank to Ohio EPA, should be directed to:

Ohio EPA
DERR--Compliance Unit
P O Box 1049, 1800 WaterMark Drive
Columbus, OH 43266-0149
Attn: Zack A. Clayton

Thank you for making this correction on your mailing list. If you have any questions regarding this change please contact me at 614-644-3063.

Sincerely,

G. Richard Carter
Compliance Unit Supervisor

RC/ZAC

CC Ken Schultz
Jennifer Tiell

9003050012 900216
PDR ADDCK 05000440
H FDC

Moob
1/0