



**ENTERGY**

Entergy Operations, Inc.

Route 3 Box 137G

Russellville, AR 72801

Tel 501-964-8888

**Jerry W. Yelverton**

Vice President

Operations ANO

February 23, 1994

OCAN029405

U. S. Nuclear Regulatory Commission  
Document Control Desk  
Mail Station P1-137  
Washington, DC 20555

Subject: Arkansas Nuclear One - Units 1 and 2  
Docket Nos. 50-313 & 50-368  
License Nos. DPR-51 & NPF-6  
Fitness-For-Duty Program Performance Data

Gentlemen:

In accordance with 10CFR26.71(d), attached is the Arkansas Nuclear One fitness-for-duty program performance data for the period of July-December 1993.

Very truly yours,

JWY/RMC  
attachments

010015

9403070343 940223  
PDR ADOCK 05000313  
R PDR

AOZ 1 / 1

U. S. NRC  
February 23, 1994  
Page 2

cc:

Mr Leonard J. Callan  
U. S. Nuclear Regulatory Commission  
Region IV  
611 Ryan Plaza Drive, Suite 400  
Arlington, TX 76011-8064

NRC Senior Resident  
Arkansas Nuclear One - ANO-1&2  
Number 1, Nuclear Plant Road  
Russellville, AR 72801

Mr. George Kalman  
NRR Project Manager, Region IV/ANO-1  
U. S. Nuclear Regulatory Commission  
NRR Mail Stop 13-H-3  
One White Flint North  
11555 Rockville Pike  
Rockville, MD 20852

Mr. Thomas W. Alexion  
NRR Project Manager, Region IV/ANO-2  
U. S. Nuclear Regulatory Commission  
NRR Mail Stop 13-H-3  
One White Flint North  
11555 Rockville Pike  
Rockville, MD 20852

**FITNESS FOR DUTY PROGRAM  
PERFORMANCE DATA  
PERSONNEL SUBJECT TO 10CFR26**

<u>Entergy Operations, Inc. - Arkansas Nuclear One</u> Company	<u>December 1993</u> 6 Months Ending
<u>Rt. 3, Box 137-G, Russellville, AR 72801-0137</u> Location	
<u>Kenneth D. Jeffery, Coordinator, FFD</u> Contact Name	<u>(501) 964-3253</u> Phone (Include Area Code)
Cutoffs: Screen/Confirmation (ng/ml) <input type="checkbox"/> Appendix A to 10CFR26	
Marijuana    50 / 15      Amphetamines    1000 / 500	_____ N/A _____ /
Cocaine      300 / 150      Phencyclidine    25 / 25	_____ N/A _____ /
Opiates      300 / 300      Alcohol (%BAC)    0.04%	_____ N/A _____ /

Total Average Badged 2433

Testing Results	Licensee Employees		Long-Term Contractor Personnel		Short-Term Contractor Personnel	
	# Tested	# Positive	# Tested	# Positive	# Tested	# Positive
Average Number with Unescorted Access	1463		N/A		970	
Pre-Access	22	0	N/A	N/A	1283	6/8
For-Cause Post Accident	0	0	N/A	N/A	0	0
For-Cause Observed behavior	0	0	N/A	N/A	1	1/0
Random	794	0	N/A	N/A	403	1/0
Follow-up	17	0	N/A	N/A	7	0
Other	0	0	N/A	N/A	7	0
<b>Total</b>	<b>833</b>	<b>0</b>	<b>N/A</b>	<b>N/A</b>	<b>1701</b>	<b>8/8</b>

Total Test 2534

**BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES**

	Marijuana	Cocaine	Opiates	Amphetamine	Phencyclidine	Alcohol	Refusal To Test	1	2	3	4	5	
Licensee Employees	0	0	0	0	0	0	0	NA	NA	NA	NA	NA	
Long-Term Contractor	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Short-Term Contractor	12	1	0	1	0	2	0	NA	NA	NA	NA	NA	A
Total	12	1	0	1	0	2	0	NA	NA	NA	NA	NA	16

## SUMMARY OF MANAGEMENT ACTIONS

### GENERAL INFORMATION

During this reporting period, the average badged population was 2433. A total of 1197 random tests were performed representing a random testing rate of 49.2%. Combined with testing statistics documented for the first 6-month period of 1993, the yearly average badged population was 2277. For the year, 2286 random tests were performed resulting in a yearly random testing rate of 100.4%.

Seven (7) tests were reported in the "other" category during this 6-month period. These tests represent screening tests conducted on infrequent access contractors who had previously been unavailable for random testing on two consecutive occasions.

### PROGRAM INITIATIVES

The Training Department undertook a project to examine the feasibility of implementing a computer based training program for Fitness For Duty. It is anticipated that this training could be made available over the site's computer network and would serve as an on-line study aid. Personnel could, at their own pace, use this tool to prepare for the examination given by the Training Department.

### APPEALS

During this period, one contractor individual who tested positive for THC filed an appeal. A specimen retest was conducted, the appeal board reviewed all results and pertinent documentation, and the final decision of the appeal board was to uphold the testing result. The FFD record of the individual continues to reflect a confirmed positive test.

### REPORTABLE EVENTS

There was one event reportable under 10CFR26.73(a)(2)(ii). A contractor supervisor was determined to have a confirmed positive test for cocaine. Actions were taken upon confirmation of the test to remove the individual's unescorted access. The individual was, at times, responsible for a crew of pipe fitters who did perform work on safety related systems. The normal work progress called for operability reviews of that work by QA/QC personnel and engineering personnel. The normal reviews consisted both of walk-down inspections of the actual work and reviews of the associated documentation. In addition, an independent work quality review was performed after the discovery of the event which revealed no abnormalities or identified any concerns.