



July 1, 1994

2CAN079402

U. S. Nuclear Regulatory Commission
Document Control Desk
Mail Station P1-137
Washington, DC 20555

Subject: Arkansas Nuclear One - Unit 2
Docket No. 50-368
License No. NPF-6
Reactor Containment Building Integrated Leak Rate Test

Gentlemen:

In accordance with 10CFR50 Appendix J, Section V, attached is the Arkansas Nuclear One, Unit 2 (ANO-2) Reactor Containment Building Integrated Leak Rate Test (ILRT) Report. This report describes the successful Type A test conducted during the tenth refueling outage (2R10), as well as providing a summary analysis of the Type B and C tests conducted since the last ILRT (see 2CAN069116, dated June 28, 1991). Since no Type A, B, or C tests described in the report failed to meet the acceptance criteria of 10CFR50 Appendix J, Sections III.A.5(b), III.B.3, and III.C.3, respectively, the separate summary report requested by Section V.B.3 is not necessary.

Pursuant to ANO-2 Technical Specification 4.6.1.5.2 and 10CFR50 Appendix J, Section V.A, visual inspections of the accessible interior and exterior containment surfaces were completed prior to the ILRT. Additionally, an inspection of the end anchorages of all tendons was conducted during the ILRT per ANO-2 Technical Specification 4.6.1.5.3. No evidence of structural deterioration which could affect either containment structural integrity or leak-tightness was found as a result of any of these inspections.


Should you have any questions regarding this submittal, please contact me.

9407070258 940701
PDR ADDCK 05000368
P PDR

A017
11

U. S. NRC
July 1, 1994
2CAN079402 Page 2

Very truly yours,



Dwight C. Mims
Director, Licensing

DCM/jjd

Attachment

cc: Mr. Leonard J. Callan
Regional Administrator
U. S. Nuclear Regulatory Commission
Region IV
611 Ryan Plaza Drive, Suite 400
Arlington, TX 76011-8064

NRC Senior Resident Inspector
Arkansas Nuclear One - ANO-1 & 2
Number 1, Nuclear Plant Road
Russellville, AR 72801

Mr. George Kalman
NRR Project Manager Region IV/ANO-1 & 2
U. S. Nuclear Regulatory Commission
NRR Mail Stop 13-H-3
One White Flint North
11555 Rockville Pike
Rockville, MD 20852