

Richard A. Muench Vice President Engineering

April 30, 1997

ET 97-0042

U. S. Nuclear Regulatory Commission ATTN: Document Control Desk Mail Station P1-137 Washington, D. C. 20555

> Subject: Docket No. 50-482: Thirty Day Response to Generic Letter 97-01, "Degradation of Control Rod Drive Mechanism Nozzle and Other Vessel Closure Head Penetrations"

Gentlemen:

Generic Letter 97-01, "Degradation of Control Rod Drive Mechanism Nozzle and Other Vessel Closure Head Penetrations," requested Licensees to provide two responses; one within 30 days, and another within 120 days, of the date of the Generic Letter. The Generic Letter requested that the 30-day response indicate whether the requested actions will be completed, and whether the requested information will be submitted to the NRC within the requested time period.

Wolf Creek Nuclear Operating Corporation will submit a written response to the NRC by July 30, 1997, relative to Items 1 and 2 of the *Requested Information* section of Generic Letter 97-01.

If you should have any questions regarding this submittal, please contact me at (316) 354-8831, extension 4034, or Mr. Richard D. Flannigan at extension 4500.

Very truly yours,

Richard A. Muench

RAM/jad

cc: E. W. Merschoff(NRC) W. D. Johnson (NRC) J. F. Ringwald (NRC) J. C. Stone (NRC)





P.O. Box 411 / Burlington, KS 66839 / Phone: (316) 364-8831 An Equal Opportunity Employs: M/F/HC/VET STATE OF KANSAS SS ) COUNTY OF COFFEY )

Richard A. Muench, of lawful age, being first duly sworn upon oath says that he is Vice President Engineering of Wolf Creek Nuclear Operating Corporation; that he has read the foregoing document and knows the content thereof; that he has executed that same for and on behalf of said Corporation with full power and authority to do so; and that the facts therein stated are true and correct to the best of his knowledge, information and belief.

Allyend BY

Richard/A. Muench Vice President Engineering

SUBSCRIBED and sworn to before me this 30th day of April , 1997.

JULIE A. DALE Notary Public - State of Kansa My Appl. Expires 10/20

Notary Public a. Dale Expiration Date 10/20/98