



Illinois Power Company
Clinton Power Station
P.O. Box 676
Clinton, IL 61727
Tel 217 935-6220
Fax 217 935-4632

Wayne D. Romberg
Assistant Vice President - Nuclear

U-602801
2C.220
August 7, 1997

Docket No. 50-461

10CFR50.73

Document Control Desk
Nuclear Regulatory Commission
Washington, D.C. 20555

Subject: Clinton Power Station - Unit 1
Licensee Event Report No. 97-017-00

Dear Madam or Sir:

Enclosed is Licensee Event Report (LER) No. 97-017-00: Failure to Properly Calibrate Main Steam Line Radiation Monitors. This report is being submitted in accordance with the requirements of 10CFR50.73.

Commitments made in this Licensee Event Report are:

- Determine actual main steam line radiation full power background radiation levels.
- Calibrate main steam line radiation monitors using actual main steam line radiation full power background as a basis for the trip setpoint.

Sincerely yours,

Wayne D. Romberg
Assistant Vice President

MRS/krk

Enclosure

cc: NRC Clinton Licensing Project Manager
NRC Resident Office, V-690
Regional Administrator, Region III, USNRC
Illinois Department of Nuclear Safety

190160



9708200072 970807
PDR ADOCK 05000461
S PDR

JED 1/1