

August 17, 1999

Dear Mr. Connors:

I am responding to your letter of July 12, 1999, to Chairman Dicus of the U.S. Nuclear Regulatory Commission (NRC) on behalf of Mrs. Felicia M. Massari and her concerns about the Oyster Creek Nuclear Generating Station not yet being fully Year 2000 (Y2K) compliant.

The licensee (GPU Nuclear, Inc.) for the Oyster Creek Nuclear Generating Station has submitted a schedule stating it will be Y2K ready by September 30, 1999. There are still two software systems requiring remediation. One is a system for controlling personnel qualifications, and the other is a system for tracking personnel radiation exposure and access to radiologically controlled areas. Neither software system affects any safety systems, the safe operation of the facility, nor the ability to safely shut down the facility. The licensee has stated that failure of these software systems would merely require manual tracking of personnel qualifications and radiation exposures.

The NRC staff is carefully monitoring licensee efforts to become fully Y2K ready. The staff is fully committed to independently verify the completion of the remaining Y2K items at plants that have not yet achieved readiness. All licensees are expected to be Y2K ready before December 31, 1999. By September 30, 1999, the NRC will make a final determination as to whether additional regulatory action is warranted to address Y2K readiness issues, including, if warranted, shutdown of a plant. At this time, the NRC believes that all licensees will be able to operate their plants safely during the transition from 1999 to 2000 and beyond; and, the NRC does not anticipate the need to direct any significant plant-specific action to address possible Y2K problems.

We appreciate your comments and hope this letter is responsive to your concerns and those of your constituent. If you would like information on the background, status, and resolution of Y2K activities, including our final report on Y2K readiness which we expect to issue in the form of a staff report by August 31, 1999, please visit our website at WWW.NRC.GOV. Click on News and Information and then click on Year 2000 Issues. If you have any other questions on this matter, please contact me.

Sincerely,

Original signed by:

Samuel J. Collins, Director
 Office of Nuclear Reactor Regulation

DISTRIBUTION: See next page

*See previous concurrence

To receive a copy of this document, indicate "C" in the box					
OFFICE	PDI-1/PM	NRR/Y2K CO. *	PDI-1/LA	PDI-1/SC	PDI1/PD*
NAME	TColburn:lcc	JCalvo	SLittle	SBajwa	EAdensam
DATE	8/16/99	08/11/99	8/16/99	8/16/99	8/13/99
To receive a copy of this document, indicate "C" in the box					
OFFICE	DLPMD*	NRR/ADPT*	NRR/D	TechEd*	OSP*
NAME	J.Zwolinski	B.Sheron	S.Collins	RSanders	SDroggittis
DATE	08/13/99	08/13/99	8/17/99	08/11/99	08/13/99

DOCUMENT NAME: G:\PDI-1\Oyster Creek\G19990390.wpd

OFFICIAL RECORD COPY 99 - 145

9908200105 990817
 PDR ADOCK 05000219
 PDR

RC FILE CENTER COPY

August 17, 1999

Dear Mr. Moran:

I am responding to your letter of July 12, 1999, to Chairman Dicus of the U.S. Nuclear Regulatory Commission (NRC) on behalf of Mrs. Felicia M. Massari and her concerns about the Oyster Creek Nuclear Generating Station not yet being fully Year 2000 (Y2K) compliant.

The licensee (GPU Nuclear, Inc.) for the Oyster Creek Nuclear Generating Station has submitted a schedule stating it will be Y2K ready by September 30, 1999. There are still two software systems requiring remediation. One is a system for controlling personnel qualifications, and the other is a system for tracking personnel radiation exposure and access to radiologically controlled areas. Neither software system affects any safety systems, the safe operation of the facility, nor the ability to safely shut down the facility. The licensee has stated that failure of these software systems would merely require manual tracking of personnel qualifications and radiation exposures.

The NRC staff is carefully monitoring licensee efforts to become fully Y2K ready. The staff is fully committed to independently verify the completion of the remaining Y2K items at plants that have not yet achieved readiness. All licensees are expected to be Y2K ready before December 31, 1999. By September 30, 1999, the NRC will make a final determination as to whether additional regulatory action is warranted to address Y2K readiness issues, including, if warranted, shutdown of a plant. At this time, the NRC believes that all licensees will be able to operate their plants safely during the transition from 1999 to 2000 and beyond; and, the NRC does not anticipate the need to direct any significant plant-specific action to address possible Y2K problems.

We appreciate your comments and hope this letter is responsive to your concerns and those of your constituent. If you would like information on the background, status, and resolution of Y2K activities, including our final report on Y2K readiness which we expect to issue in the form of a staff report by August 31, 1999, please visit our website at WWW.NRC.GOV. Click on News and Information and then click on Year 2000 Issues. If you have any other questions on this matter, please contact me.

Sincerely,
 Original signed by:
 Samuel J. Collins, Director
 Office of Nuclear Reactor Regulation

DISTRIBUTION: See next page

***See previous concurrence**

To receive a copy of this document, indicate "C" in the box					
OFFICE	PDI-1/PM	NRR/Y2K CO.*	PDI-1/LA	PDI-1/SC	PDI1/PD*
NAME	TColburn:lcc <i>TC</i>	JCalvo	SLittle <i>SL</i>	SBajwa <i>SB</i>	EAdensam
DATE	8/16/99 <i>TC</i>	08/11/99	8/16/99	8/16/99	8/13/99
To receive a copy of this document, indicate "C" in the box					
OFFICE	DLPM/D*	NRR/ADPT*	NRR/D	TechEd*	OSP*
NAME	J.Zwolinski	B.Sheron	S.Collins <i>SC</i>	RSanders	SDroggitis
DATE	08/13/99	08/13/99	8/17/99	08/11/99	08/13/99

DOCUMENT NAME: G:\PDI-1\OC\G19990390 G:\PDI-1\Oyster Creek\G19990390.wpd
 OFFICIAL RECORD COPY

August 17, 1999

Dear Mr. Connors:

I am responding to your letter of July 12, 1999, to Chairman Dicus of the U.S. Nuclear Regulatory Commission (NRC) on behalf of Mrs. Felicia M. Massari and her concerns about the Oyster Creek Nuclear Generating Station not yet being fully Year 2000 (Y2K) compliant.

The licensee (GPU Nuclear, Inc.) for the Oyster Creek Nuclear Generating Station has submitted a schedule stating it will be Y2K ready by September 30, 1999. There are still two software systems requiring remediation. One is a system for controlling personnel qualifications, and the other is a system for tracking personnel radiation exposure and access to radiologically controlled areas. Neither software system affects any safety systems, the safe operation of the facility, nor the ability to safely shut down the facility. The licensee has stated that failure of these software systems would merely require manual tracking of personnel qualifications and radiation exposures.

The NRC staff is carefully monitoring licensee efforts to become fully Y2K ready. The staff is fully committed to independently verify the completion of the remaining Y2K items at plants that have not yet achieved readiness. All licensees are expected to be Y2K ready before December 31, 1999. By September 30, 1999, the NRC will make a final determination as to whether additional regulatory action is warranted to address Y2K readiness issues, including, if warranted, shutdown of a plant. At this time, the NRC believes that all licensees will be able to operate their plants safely during the transition from 1999 to 2000 and beyond; and, the NRC does not anticipate the need to direct any significant plant-specific action to address possible Y2K problems.

We appreciate your comments and hope this letter is responsive to your concerns and those of your constituent. If you would like information on the background, status, and resolution of Y2K activities, including our final report on Y2K readiness which we expect to issue in the form of a staff report by August 31, 1999, please visit our website at WWW.NRC.GOV. Click on News and Information and then click on Year 2000 Issues. If you have any other questions on this matter, please contact me.

Sincerely,
 Original signed by:
 Samuel J. Collins, Director
 Office of Nuclear Reactor Regulation

DISTRIBUTION: See next page

*See previous concurrence

To receive a copy of this document, indicate "C" in the box						
OFFICE	PDI-1/PM	NRR/Y2K CO*	PDI-1/LA	PDI-1/SC	PDI1/PD*	
NAME	T.Colburn:lcc	J.Calvo	S.Little	S.Bajwa	E.Adensam	
DATE	8/16/99	08/11/99	8/16/99	8/16/99	8/13/99	
To receive a copy of this document, indicate "C" in the box						
OFFICE	DLPM/D*	NRR/ADPT*	NRR/D	TechEd*	OS:P*	
NAME	J.Zwolinski	B.Sheron	S.Collins	R.Sanders	S.C.roggitis	
DATE	08/13/99	08/13/99	8/11/99	08/11/99	08/13/99	

DOCUMENT NAME: G:\PDI-1\Oyster Creek\G19990390.wpd
 OFFICIAL RECORD COPY

GREEN TICKET NO. G19990390

DISTRIBUTION:

Docket File (50-219) (w/original incoming)

PUBLIC (w/incoming)

EDO #G19990390

W. Travers

F. Miraglia

M. Knapp

P. Norry

J. Blaha

S. Burns

H. Miller, RI

F. Congel, IRO

T. Hiltz, OEDO

S. Collins/R. Zimmerman

B. Sheron

PDI-1 R/F (w/incoming)

E. Adensam (e-mail)

S. Bajwa

OGC

OPA

OCA

NRR Mail Room (EDO#G19990390 w/incoming) (0-5/E/7)

M. King

C. Norsworthy

T. Colburn (w/encoming)

S. Little

M. Opredek, Region I

August 17, 1999

Dear Mr. Connors:

I am responding to your letter of July 12, 1999, to Chairman Dicus of the U.S. Nuclear Regulatory Commission (NRC) on behalf of Mrs. Felicia M. Massari and her concerns about the Oyster Creek Nuclear Generating Station not yet being fully Year 2000 (Y2K) compliant.

The licensee (GPU Nuclear, Inc.) for the Oyster Creek Nuclear Generating Station has submitted a schedule stating it will be Y2K ready by September 30, 1999. There are still two software systems requiring remediation. One is a system for controlling personnel qualifications, and the other is a system for tracking personnel radiation exposure and access to radiologically controlled areas. Neither software system affects any safety systems, the safe operation of the facility, nor the ability to safely shut down the facility. The licensee has stated that failure of these software systems would merely require manual tracking of personnel qualifications and radiation exposures.

The NRC staff is carefully monitoring licensee efforts to become fully Y2K ready. The staff is fully committed to independently verify the completion of the remaining Y2K items at plants that have not yet achieved readiness. All licensees are expected to be Y2K ready before December 31, 1999. By September 30, 1999, the NRC will make a final determination as to whether additional regulatory action is warranted to address Y2K readiness issues, including, if warranted, shutdown of a plant. At this time, the NRC believes that all licensees will be able to operate their plants safely during the transition from 1999 to 2000 and beyond; and, the NRC does not anticipate the need to direct any significant plant-specific action to address possible Y2K problems.

We appreciate your comments and hope this letter is responsive to your concerns and those of your constituent. If you would like information on the background, status, and resolution of Y2K activities, including our final report on Y2K readiness which we expect to issue in the form of a staff report by August 31, 1999, please visit our website at WWW.NRC.GOV. Click on News and Information and then click on Year 2000 Issues. If you have any other questions on this matter, please contact me.

Sincerely,

Original signed by:

Samuel J. Collins, Director
Office of Nuclear Reactor Regulation

DISTRIBUTION: See next page

*See previous concurrence

To receive a copy of this document, indicate "C" in the box					
OFFICE	PDI-1/PM	NRR/Y2K CO. *	PDI-1/LA	PDI-1/SC	PDI1/PD*
NAME	TColburn:lcc <i>ASB</i>	JCalvo	SLittle <i>all</i>	SBajwa <i>ASB</i>	EAdensam
DATE	8/16/99 <i>ASB</i>	08/11/99	8/16/99	8/16/99	8/13/99
To receive a copy of this document, indicate "C" in the box					
OFFICE	DLPMD*	NRR/ADPT*	NRR/D	TechEd*	OSP*
NAME	J.Zwolinski	B.Sheron	S.Collins <i>ASB</i>	RSanders	SDroggitis
DATE	08/13/99	08/13/99	8/17/99	08/11/99	08/13/99

DOCUMENT NAME: G:\PDI-1\Oyster Creek\G19990390.wpd
OFFICIAL RECORD COPY



UNITED STATES
NUCLEAR REGULATORY COMMISSION

WASHINGTON, D.C. 20555-0001

August 17, 1999

The Honorable Leonard T. Connors, Jr.
New Jersey Senate
Forked River, NJ 08731

Dear Mr. Connors:

I am responding to your letter of July 12, 1999, to Chairman Dicus of the U.S. Nuclear Regulatory Commission (NRC) on behalf of Mrs. Felicia M. Massari and her concerns about the Oyster Creek Nuclear Generating Station not yet being fully Year 2000 (Y2K) compliant.

The licensee (GPU Nuclear, Inc.) for the Oyster Creek Nuclear Generating Station has submitted a schedule stating it will be Y2K ready by September 30, 1999. There are still two software systems requiring remediation. One is a system for controlling personnel qualifications, and the other is a system for tracking personnel radiation exposure and access to radiologically controlled areas. Neither software system affects any safety systems, the safe operation of the facility, nor the ability to safely shut down the facility. The licensee has stated that failure of these software systems would merely require manual tracking of personnel qualifications and radiation exposures.

The NRC staff is carefully monitoring licensee efforts to become fully Y2K ready. The staff is fully committed to independently verify the completion of the remaining Y2K items at plants that have not yet achieved readiness. All licensees are expected to be Y2K ready before December 31, 1999. By September 30, 1999, the NRC will make a final determination as to whether additional regulatory action is warranted to address Y2K readiness issues, including, if warranted, shutdown of a plant. At this time, the NRC believes that all licensees will be able to operate their plants safely during the transition from 1999 to 2000 and beyond; and, the NRC does not anticipate the need to direct any significant plant-specific action to address possible Y2K problems.

We appreciate your comments and hope this letter is responsive to your concerns and those of your constituent. If you would like information on the background, status, and resolution of Y2K activities, including our final report on Y2K readiness which we expect to issue in the form of a staff report by August 31, 1999, please visit our website at WWW.NRC.GOV. Click on [News and Information](#) and then click on [Year 2000 Issues](#). If you have any other questions on this matter, please contact me.

Sincerely,

A handwritten signature in cursive script that reads "Samuel W. Shevon for".

Samuel J. Collins, Director
Office of Nuclear Reactor Regulation

August 17, 1999

Dear Mr. Moran:

I am responding to your letter of July 12, 1999, to Chairman Dicus of the U.S. Nuclear Regulatory Commission (NRC) on behalf of Mrs. Felicia M. Massari and her concerns about the Oyster Creek Nuclear Generating Station not yet being fully Year 2000 (Y2K) compliant.

The licensee (GPU Nuclear, Inc.) for the Oyster Creek Nuclear Generating Station has submitted a schedule stating it will be Y2K ready by September 30, 1999. There are still two software systems requiring remediation. One is a system for controlling personnel qualifications, and the other is a system for tracking personnel radiation exposure and access to radiologically controlled areas. Neither software system affects any safety systems, the safe operation of the facility, nor the ability to safely shut down the facility. The licensee has stated that failure of these software systems would merely require manual tracking of personnel qualifications and radiation exposures.

The NRC staff is carefully monitoring licensee efforts to become fully Y2K ready. The staff is fully committed to independently verify the completion of the remaining Y2K items at plants that have not yet achieved readiness. All licensees are expected to be Y2K ready before December 31, 1999. By September 30, 1999, the NRC will make a final determination as to whether additional regulatory action is warranted to address Y2K readiness issues, including, if warranted, shutdown of a plant. At this time, the NRC believes that all licensees will be able to operate their plants safely during the transition from 1999 to 2000 and beyond; and, the NRC does not anticipate the need to direct any significant plant-specific action to address possible Y2K problems.

We appreciate your comments and hope this letter is responsive to your concerns and those of your constituent. If you would like information on the background, status, and resolution of Y2K activities, including our final report on Y2K readiness which we expect to issue in the form of a staff report by August 31, 1999, please visit our website at WWW.NRC.GOV. Click on News and Information and then click on Year 2000 Issues. If you have any other questions on this matter, please contact me.

Sincerely,
 Original signed by:
 Samuel J. Collins, Director
 Office of Nuclear Reactor Regulation

DISTRIBUTION: See next page

***See previous concurrence**

To receive a copy of this document, indicate "C" in the box					
OFFICE	PDI-1/PM	NRR/Y2K CO.*	PDI-1/LA	PDI-1/SC	PDI1/PD*
NAME	TColburn:icc <i>STB</i>	JCalvo	SLittle <i>SL</i>	SBajwa <i>SB</i>	EAdensam
DATE	8/16/99 <i>STB</i>	08/11/99	8/16/99	8/16/99	8/13/99
To receive a copy of this document, indicate "C" in the box					
OFFICE	DLPMD*	NRR/ADPT*	NRR/O	TechEd*	OSP*
NAME	J.Zwolinski	B.Sheron	S.Collins <i>STB</i>	RSanders <i>SL</i>	SDroggitis
DATE	08/13/99	08/13/99	8/17/99	08/11/99	08/13/99

DOCUMENT NAME: G:\PDI-1\OC\G19990390 G:\PDI-1\Oyster Creek\G19990390.wpd

OFFICIAL RECORD COPY



UNITED STATES
NUCLEAR REGULATORY COMMISSION

WASHINGTON, D.C. 20555-0001

August 17, 1999

The Honorable Jeffrey W. Moran
New Jersey Assembly
Forked River, New Jersey 08731

Dear Mr. Moran:

I am responding to your letter of July 12, 1999, to Chairman Dicus of the U.S. Nuclear Regulatory Commission (NRC) on behalf of Mrs. Felicia M. Massari and her concerns about the Oyster Creek Nuclear Generating Station not yet being fully Year 2000 (Y2K) compliant.

The licensee (GPU Nuclear, Inc.) for the Oyster Creek Nuclear Generating Station has submitted a schedule stating it will be Y2K ready by September 30, 1999. There are still two software systems requiring remediation. One is a system for controlling personnel qualifications, and the other is a system for tracking personnel radiation exposure and access to radiologically controlled areas. Neither software system affects any safety systems, the safe operation of the facility, nor the ability to safely shut down the facility. The licensee has stated that failure of these software systems would merely require manual tracking of personnel qualifications and radiation exposures.

The NRC staff is carefully monitoring licensee efforts to become fully Y2K ready. The staff is fully committed to independently verify the completion of the remaining Y2K items at plants that have not yet achieved readiness. All licensees are expected to be Y2K ready before December 31, 1999. By September 30, 1999, the NRC will make a final determination as to whether additional regulatory action is warranted to address Y2K readiness issues, including, if warranted, shutdown of a plant. At this time, the NRC believes that all licensees will be able to operate their plants safely during the transition from 1999 to 2000 and beyond; and, the NRC does not anticipate the need to direct any significant plant-specific action to address possible Y2K problems.

We appreciate your comments and hope this letter is responsive to your concerns and those of your constituent. If you would like information on the background, status, and resolution of Y2K activities, including our final report on Y2K readiness which we expect to issue in the form of a staff report by August 31, 1999, please visit our website at WWW.NRC.GOV. Click on [News and Information](#) and then click on [Year 2000 Issues](#). If you have any other questions on this matter, please contact me.

Sincerely,

A handwritten signature in cursive script that reads "Samuel J. Collins for".

Samuel J. Collins, Director
Office of Nuclear Reactor Regulation

August 17, 1999

Dear Mr. Connors:

I am responding to your letter of July 12, 1999, to Chairman Dicus of the U.S. Nuclear Regulatory Commission (NRC) on behalf of Mrs. Felicia M. Massari and her concerns about the Oyster Creek Nuclear Generating Station not yet being fully Year 2000 (Y2K) compliant.

The licensee (GPU Nuclear, Inc.) for the Oyster Creek Nuclear Generating Station has submitted a schedule stating it will be Y2K ready by September 30, 1999. There are still two software systems requiring remediation. One is a system for controlling personnel qualifications, and the other is a system for tracking personnel radiation exposure and access to radiologically controlled areas. Neither software system affects any safety systems, the safe operation of the facility, nor the ability to safely shut down the facility. The licensee has stated that failure of these software systems would merely require manual tracking of personnel qualifications and radiation exposures.

The NRC staff is carefully monitoring licensee efforts to become fully Y2K ready. The staff is fully committed to independently verify the completion of the remaining Y2K items at plants that have not yet achieved readiness. All licensees are expected to be Y2K ready before December 31, 1999. By September 30, 1999, the NRC will make a final determination as to whether additional regulatory action is warranted to address Y2K readiness issues, including, if warranted, shutdown of a plant. At this time, the NRC believes that all licensees will be able to operate their plants safely during the transition from 1999 to 2000 and beyond; and, the NRC does not anticipate the need to direct any significant plant-specific action to address possible Y2K problems.

We appreciate your comments and hope this letter is responsive to your concerns and those of your constituent. If you would like information on the background, status, and resolution of Y2K activities, including our final report on Y2K readiness which we expect to issue in the form of a staff report by August 31, 1999, please visit our website at WWW.NRC.GOV. Click on [News and Information](#) and then click on [Year 2000 Issues](#). If you have any other questions on this matter, please contact me.

Sincerely,
Original signed by:
Samuel J. Collins, Director
Office of Nuclear Reactor Regulation

DISTRIBUTION: See next page

*See previous concurrence

To receive a copy of this document, indicate "C" in the box					
OFFICE	FDI-1/PM	NRR/Y2K CO*	PDI-1/LA	PDI-1/SC	PDI1/PD*
NAME	TColburn:lcc	JCalvo	SLittle	SBajwa	EAdensam
DATE	8/16/99	08/11/99	8/16/99	8/16/99	8/13/99

To receive a copy of this document, indicate "C" in the box					
OFFICE	DLPM/D*	NRR/ADPT*	NRR/D	TechEd*	OSP*
NAME	J.Zwolinski	B.Sheron	S.Collins	RSanders	SDroggitis
DATE	08/13/99	08/13/99	8/17/99	08/11/99	08/13/99

DOCUMENT NAME: G:\PDI-1\Oyster Creek\G19990390.wpd
OFFICIAL RECORD COPY



UNITED STATES
NUCLEAR REGULATORY COMMISSION

WASHINGTON, D.C. 20555-0001

August 17, 1999

The Honorable Christopher J. Connors
New Jersey Assembly
Forked River, New Jersey 08731

Dear Mr. Connors:

I am responding to your letter of July 12, 1999, to Chairman Dicus of the U.S. Nuclear Regulatory Commission (NRC) on behalf of Mrs. Felicia M. Massari and her concerns about the Oyster Creek Nuclear Generating Station not yet being fully Year 2000 (Y2K) compliant.

The licensee (GPU Nuclear, Inc.) for the Oyster Creek Nuclear Generating Station has submitted a schedule stating it will be Y2K ready by September 30, 1999. There are still two software systems requiring remediation. One is a system for controlling personnel qualifications, and the other is a system for tracking personnel radiation exposure and access to radiologically controlled areas. Neither software system affects any safety systems, the safe operation of the facility, nor the ability to safely shut down the facility. The licensee has stated that failure of these software systems would merely require manual tracking of personnel qualifications and radiation exposures.

The NRC staff is carefully monitoring licensee efforts to become fully Y2K ready. The staff is fully committed to independently verify the completion of the remaining Y2K items at plants that have not yet achieved readiness. All licensees are expected to be Y2K ready before December 31, 1999. By September 30, 1999, the NRC will make a final determination as to whether additional regulatory action is warranted to address Y2K readiness issues, including, if warranted, shutdown of a plant. At this time, the NRC believes that all licensees will be able to operate their plants safely during the transition from 1999 to 2000 and beyond; and, the NRC does not anticipate the need to direct any significant plant-specific action to address possible Y2K problems.

We appreciate your comments and hope this letter is responsive to your concerns and those of your constituent. If you would like information on the background, status, and resolution of Y2K activities, including our final report on Y2K readiness which we expect to issue in the form of a staff report by August 31, 1999, please visit our website at WWW.NRC.GOV. Click on [News and Information](#) and then click on [Year 2000 Issues](#). If you have any other questions on this matter, please contact me.

Sincerely,

A handwritten signature in cursive script that reads "Samuel W. Sherson for".

Samuel J. Collins, Director
Office of Nuclear Reactor Regulation

ACTION

EDO Principal Correspondence Control

FROM: DUE: 08/23/99

EDO CONTROL: G19990390
DOC DT: 07/12/99
FINAL REPLY:

State Senator Leonard T. Connors, Jr.
Jeffrey W. Moran
Christopher J. Connors
State of New Jersey

TO:

Chairman Dicus

FOR SIGNATURE OF : ** GRN **

CRC NO: 99-0651

~~Travers, EDO~~ Collins, NRR

DESC:

Y2K COMPLIANT - OYSTER CREEK NUCLEAR GENERATING
STATION (Felicia M. Massari)

ROUTING:

Travers
Knapp
Miraglia
Norry
Blaha
Burns
Miller, RI
Congel, IRO
Hiltz, OEDO

DATE: 08/06/99

ASSIGNED TO: CONTACT:

NRR

Collins

SPECIAL INSTRUCTIONS OR REMARKS:

NRR Action: NLP-M: Gwoliński
NRR Received: August 6, 1999
NRR Routing: Collins / Zimmerman
Kane
Sharon
NRR Mailroom

ACTION	
DUE TO NRR DIRECTOR'S OFFICE	
BY	8/18/99

OFFICE OF THE SECRETARY
CORRESPONDENCE CONTROL TICKET

PAPER NUMBER: CRC-99-0651 LOGGING DATE: Aug 5 99
ACTION OFFICE: EDO
AUTHOR: CONNORS, MORAN, CONNORS
AFFILIATION: NEW JERSEY
ADDRESSEE: CHAIRMAN DICUS
LETTER DATE: Jul 12 99 FILE CODE: IDR 5 OYSTER CREEK
SUBJECT: OYSTER CREEK NUCLEAR STATION Y2K COMPLIANT..
ACTION: Appropriate
DISTRIBUTION: CHAIRMAN, COMRS *OPA*
SPECIAL HANDLING: NONE
CONSTITUENT:
NOTES: REC'D IN SECY 8/5/99
DATE DUE:
SIGNATURE: DATE SIGNED:
AFFILIATION: