

March 21, 2023

ULNRC-06805

U.S. Nuclear Regulatory Commission Attn: Document Control Desk Washington, DC 20555-0001

10 CFR 50.4

Ladies and Gentlemen:

DOCKET NUMBER 50-483 CALLAWAY PLANT UNIT 1 UNION ELECTRIC CO. RENEWED FACILITY OPERATING LICENSE NPF-30 SPECIAL REPORT 2023-02 NON-FUNCTIONALITY OF CONTAINMENT HYDROGEN ANALYZER CHANNEL FOR GREATER THAN 30 DAYS

Enclosed is a special report addressing the non-functionality of a containment hydrogen analyzer channel at Callaway Plant.

No new commitments are identified in this correspondence. None of the material in this report is considered proprietary by Union Electric Company (Ameren Missouri).

If you have any questions or require additional information, please contact Mr. Thomas Elwood, Supervising Engineer, Regulatory Affairs and Licensing at 314-225-1905.

Sincerely,

Todd A. Witt

Tell bWIND

Manager, Regulatory Affairs

Enclosure

ULNRC-06805 March 21, 2023 Page **2** of **3**

Enclosure

cc: Mr. Robert Lewis

Regional Administrator

U. S. Nuclear Regulatory Commission

Region IV

1600 East Lamar Boulevard Arlington, TX 76011-4511

Senior Resident Inspector Callaway Resident Office U.S. Nuclear Regulatory Commission 8201 NRC Road Steedman, MO 65077

Mr. M. Chawla Project Manager, Callaway Plant Office of Nuclear Reactor Regulation U. S. Nuclear Regulatory Commission Mail Stop O8B1A Washington, DC 20555-0001 ULNRC-06805 March 21, 2023 Page **3** of **3**

Index and send hardcopy to QA File A160.0761

Hardcopy:

Certrec Corporation
6500 West Freeway, Suite 400
Fort Worth, TX 76116
(Certrec receives ALL attachments as long as they are non-safeguards and may be publicly disclosed.)

Electronic distribution for the following can be made via Responses and Reports ULNRC Distribution:

- F. M. Diya
- B. L. Cox
- K. C. Scott
- D. E. Farnsworth
- T. A. Witt
- T. B. Elwood
- B. Leuther
- **NSRB** Secretary
- STARS Regulatory Affairs
- Mr. Jay Silberg (Pillsbury Winthrop Shaw Pittman LLP)