

**U.S. Nuclear Regulatory Commission
Human Factors Information System (HFIS)
IR/LER Category Analysis by Docket Report**

Total Number of Hits: 44

National Average: 56

2x National Average: 112

National Median: 25

Average for Selected Dockets: 44

Facility Name: Dresden 2 Docket (050- 00237)

Details	Department	Work Type	Docket/Report
Oversight / IR			
130 - Inadequate supervision / command and control	I - Instrumentation & Control	S - Surveillance	050-00237/2005-003
Number of Items for this Docket: 1			
Percent of Total for this Docket: 2			
<hr/>			
Procedures & Reference Document / IR			
111 - Procedure / reference document technical content	G - Engineering	G - Design	050-00237/2005-009
111 - Procedure / reference document technical content	I - Instrumentation & Control	S - Surveillance	050-00237/2005-003
111 - Procedure / reference document technical content	M - Mechanical	T - Testing	050-00237/2005-010
111 - Procedure / reference document technical content	O - Operations	Q - Fire Protection	050-00237/2005-002
111 - Procedure / reference document technical content	P - Procedure Writers	Q - Fire Protection	050-00237/2005-002
113 - Procedure / reference document development and maintenance L	G - Engineering	G - Design	050-00237/2005-002
Number of Items for this Docket: 6			
Percent of Total for this Docket: 14			
<hr/>			
Problem Identification & Resolution / IR			
142 - Operating experience (OE) review LTA	M - Mechanical	M - Maintenance / Repair	050-00237/2005-008
144 - Audit / self-assessment / effectiveness review LTA	G - Engineering	G - Design	050-00237/2005-002
144 - Audit / self-assessment / effectiveness review LTA	M - Mechanical	M - Maintenance / Repair	050-00237/2005-008
144 - Audit / self-assessment / effectiveness review LTA	O - Operations	Q - Fire Protection	050-00237/2005-002
145 - Causal development LTA	Q - Quality assurance / oversight	O - Control Room Ops	050-00237/2005-003
148 - Action not yet started or untimely	I - Instrumentation & Control	S - Surveillance	050-00237/2005-010
148 - Action not yet started or untimely	M - Mechanical	M - Maintenance / Repair	050-00237/2005-008
148 - Action not yet started or untimely	M - Mechanical	M - Maintenance / Repair	050-00237/2005-010
149 - No action planned	Q - Quality assurance / oversight	O - Control Room Ops	050-00237/2005-003
150 - Programmatic deficiency	O - Operations	B - Bal of Plant Ops	050-00237/2005-008
Number of Items for this Docket: 10			
Percent of Total for this Docket: 23			
<hr/>			
Training / IR			
100 - Training LTA	I - Instrumentation & Control	M - Maintenance / Repair	050-00237/2005-008
100 - Training LTA	I - Instrumentation & Control	S - Surveillance	050-00237/2005-003
101 - Training process problem	C - Chemistry	H - Health Physics	050-00237/2005-006
102 - Individual knowledge LTA	T - Training	H - Health Physics	050-00237/2005-006
Number of Items for this Docket: 4			
Percent of Total for this Docket: 9			

**U.S. Nuclear Regulatory Commission
Human Factors Information System (HFIS)
IR/LER Category Analysis by Docket Report**

Total Number of Hits: 44

National Average: 56

2x National Average: 112

National Median: 25

Average for Selected Dockets: 44

Facility Name: Dresden 2 Docket (050- 00237)

Details	Department	Work Type	Docket/Report
Work Planning & Practices / IR			
181 - Inadequate staffing / task allocation	H - Health Physics	D - Emergency Drill	050-00237/2005-006
182 - Work package quality LTA	E - Electrical	M - Maintenance / Repair	050-00237/2005-010
182 - Work package quality LTA	Q - Quality assurance / oversight	M - Maintenance / Repair	050-00237/2005-003
188 - Work practice or craft skill LTA	E - Electrical	M - Maintenance / Repair	050-00237/2004-013
188 - Work practice or craft skill LTA	E - Electrical	M - Maintenance / Repair	050-00237/2005-008
188 - Work practice or craft skill LTA	E - Electrical	M - Maintenance / Repair	050-00237/2005-010
188 - Work practice or craft skill LTA	E - Electrical	T - Testing	050-00237/2004-013
188 - Work practice or craft skill LTA	G - Engineering	G - Design	050-00237/2005-002
188 - Work practice or craft skill LTA	H - Health Physics	H - Health Physics	050-00237/2005-010
188 - Work practice or craft skill LTA	I - Instrumentation & Control	S - Surveillance	050-00237/2005-003
188 - Work practice or craft skill LTA	I - Instrumentation & Control	S - Surveillance	050-00237/2005-009
188 - Work practice or craft skill LTA	M - Mechanical	M - Maintenance / Repair	050-00237/2005-010
188 - Work practice or craft skill LTA	M - Mechanical	S - Surveillance	050-00237/2004-013
188 - Work practice or craft skill LTA	M - Mechanical	S - Surveillance	050-00237/2004-013
188 - Work practice or craft skill LTA	M - Mechanical	T - Testing	050-00237/2004-013
188 - Work practice or craft skill LTA	M - Mechanical	T - Testing	050-00237/2005-010
190 - Failure to stop work / non-conservative decision making	G - Engineering	G - Design	050-00237/2005-008
190 - Failure to stop work / non-conservative decision making	G - Engineering	G - Design	050-00237/2005-010
190 - Failure to stop work / non-conservative decision making	G - Engineering	S - Surveillance	050-00237/2005-009
196 - Independent verification / plant tours LTA	A - Administrative Support	H - Health Physics	050-00237/2005-010
196 - Independent verification / plant tours LTA	M - Mechanical	M - Maintenance / Repair	050-00237/2005-008
198 - Worker distracted / interrupted	H - Health Physics	H - Health Physics	050-00237/2005-010
198 - Worker distracted / interrupted	M - Mechanical	M - Maintenance / Repair	050-00237/2005-008
Number of Items for this Docket: 23			
Percent of Total for this Docket: 52			

Total Items for this Docket: 44
